

Replit Agent Prompt — Mobile Auto-Fullscreen UX Overhaul

CRITICAL RULES — READ BEFORE TOUCHING ANYTHING

1. **Do NOT rename, remove, or restructure any existing HTML elements, IDs, classes, or JS functions.** Every existing ID and class must remain exactly as-is. All existing event listeners, API calls, and backend logic must continue to work identically.
 2. **Do NOT touch the chassis** (`pmg-chassis-v3.js` , `pmg-chassis-v3.css`). Do not touch the Expert Command Center (`pmg-expert-center.js`). Do not touch the Prompt Tuning overlay (`pmg-tune-chips.js`). These are stable, working systems.
 3. **All fullscreen behavior is CSS-class-based only.** We are adding overlay classes on top of existing elements — not moving, cloning, or restructuring DOM nodes.
 4. **Desktop is completely unaffected.** All fullscreen behavior must be wrapped in `@media (max-width: 768px)` CSS and guarded by `window.innerWidth <= 768` in JS. On desktop, nothing changes.
 5. **Every fullscreen has a close button** so the user can always exit and return to the normal page view.
 6. **Do not create new files** unless absolutely necessary. All new CSS should go into a new `<style>` block appended to the `<head>` of `app.html` . All new JS should go into a new `<script>` block appended just before `</body>` in `app.html` .
 7. **Bump the cache buster** on any external script or CSS file you modify. If you modify `app.html` only, no cache buster change is needed.
-

WHAT WE ARE BUILDING

On mobile (max-width: 768px), after each of three key actions, the app should automatically snap the user into a focused fullscreen view showing exactly what they need — no scrolling required. The three fullscreen screens are:

- **Screen 1 — Generated Prompt Fullscreen:** Triggered when a prompt finishes generating.
- **Screen 2 — AI Response Fullscreen:** Triggered when the Run With AI response finishes streaming.
- **Screen 3 — Generated Image Fullscreen:** Triggered when a DALL-E 3 image finishes generating.

IMPLEMENTATION

Step 1 — Add the CSS

Add the following CSS inside a new `<style id="pmg-mobile-fs-styles">` block in the `<head>` of `app.html` .

CSS

```
/* =====
PMG Mobile Fullscreen Overlays (pmg-mfs-1)
Only active on mobile (max-width: 768px).
All overlays are CSS-class-based – no DOM restructuring.
===== */

@media (max-width: 768px) {

  /* — Lock body scroll when any fullscreen is active — */
  body.pmg-fs-active {
    overflow: hidden !important;
  }

  /* — Shared fullscreen overlay base — */
  .pmg-fs-overlay {
    display: none;
    position: fixed;
    inset: 0;
    z-index: 1000;
    background: var(--color-bg, #fff);
    flex-direction: column;
    overflow: hidden;
  }

  .pmg-fs-overlay.is-open {
    display: flex;
  }

  /* — Shared header bar — */
  .pmg-fs-header {
    display: flex;
    align-items: center;
    justify-content: space-between;
    padding: 12px 16px;
    border-bottom: 1px solid var(--color-border, #e2e8f0);
    background: var(--color-surface, #fff);
  }
}
```

```

    flex-shrink: 0;
    min-height: 52px;
}

.pmg-fs-header-title {
    font-size: 15px;
    font-weight: 700;
    color: var(--color-text, #0f172a);
    margin: 0;
}

.pmg-fs-header-actions {
    display: flex;
    gap: 8px;
    align-items: center;
}

.pmg-fs-close-btn,
.pmg-fs-back-btn,
.pmg-fs-tune-btn {
    appearance: none;
    border: 1px solid var(--color-border, #e2e8f0);
    background: var(--color-surface, #fff);
    color: var(--color-text, #0f172a);
    padding: 6px 12px;
    border-radius: 8px;
    font-size: 13px;
    font-weight: 600;
    cursor: pointer;
    min-height: 36px;
    white-space: nowrap;
}

.pmg-fs-tune-btn {
    background: var(--color-primary, #0f766e);
    color: #fff;
    border-color: var(--color-primary, #0f766e);
}

/* — Scrollable body area — */
.pmg-fs-body {
    flex: 1 1 auto;
    overflow-y: auto;
    -webkit-overflow-scrolling: touch;
    padding: 16px;
}

/* — Fixed bottom action bar — */

```

```
.pmg-fs-footer {
  flex-shrink: 0;
  border-top: 1px solid var(--color-border, #e2e8f0);
  background: var(--color-surface, #fff);
  padding: 10px 12px calc(10px + env(safe-area-inset-bottom, 0px));
}

.pmg-fs-footer-primary {
  width: 100%;
  margin-bottom: 8px;
}

.pmg-fs-footer-secondary {
  display: flex;
  gap: 8px;
  overflow-x: auto;
  -webkit-overflow-scrolling: touch;
  padding-bottom: 2px;
}

.pmg-fs-footer-secondary button,
.pmg-fs-footer-secondary a {
  flex-shrink: 0;
  white-space: nowrap;
}

/* — Send To row inside fullscreen — */
.pmg-fs-send-to-label {
  font-size: 12px;
  font-weight: 600;
  color: var(--color-text-muted, #64748b);
  margin: 0 0 6px;
  text-transform: uppercase;
  letter-spacing: 0.04em;
}

.pmg-fs-send-to-row {
  display: flex;
  gap: 8px;
  overflow-x: auto;
  -webkit-overflow-scrolling: touch;
  margin-bottom: 10px;
  padding-bottom: 2px;
}

.pmg-fs-send-to-row button,
.pmg-fs-send-to-row a {
  flex-shrink: 0;
}
```

```

    white-space: nowrap;
  }

  /* — Hide the "Show Full Response" toggle on mobile when fullscreen is active — */
  body.pmg-fs-active #aiResponseToggle {
    display: none !important;
  }

  /* — Hide the TOP duplicate button set in AI Response section on mobile — */
  @media (max-width: 768px) {
    .ai-response-actions-top {
      display: none !important;
    }
  }
}

```

Step 2 — Add the HTML overlays

Add the following three overlay `<div>` elements directly before `</body>` in `app.html`. These are new elements that will contain references to the existing content sections.

Important: These overlays do NOT move or clone any existing DOM elements. They are empty containers. The JS in Step 3 will use CSS to make the existing sections appear inside them by using `position: fixed` and `z-index` stacking — the existing elements stay exactly where they are in the DOM.

HTML

```

<!-- =====
      PMG Mobile Fullscreen Overlays (pmg-mfs-1)
      These overlays are CSS/JS-controlled. They do not move DOM nodes.
      ===== -->

<!-- Screen 1: Generated Prompt Fullscreen -->
<div id="pmg-fs-prompt" class="pmg-fs-overlay" role="dialog" aria-modal="true" .
  <div class="pmg-fs-header">
    <span class="pmg-fs-header-title">Your Prompt</span>
    <div class="pmg-fs-header-actions">
      <button type="button" class="pmg-fs-tune-btn" id="pmg-fs-tune-btn" aria-l
      <button type="button" class="pmg-fs-close-btn" id="pmg-fs-prompt-close" a
    </div>
  </div>
  <div class="pmg-fs-body" id="pmg-fs-prompt-body">
    <!-- JS will move #tour-final-actions content here on mobile -->
  </div>

```

```

<div class="pmg-fs-footer" id="pmg-fs-prompt-footer">
  <!-- JS will move the primary Run With AI button and secondary actions here
</div>
</div>

<!-- Screen 2: AI Response Fullscreen -->
<div id="pmg-fs-ai" class="pmg-fs-overlay" role="dialog" aria-modal="true" aria-
  <div class="pmg-fs-header">
    <button type="button" class="pmg-fs-back-btn" id="pmg-fs-ai-back" aria-labe
    <span class="pmg-fs-header-title">AI Response</span>
    <div class="pmg-fs-header-actions">
      <button type="button" class="pmg-fs-close-btn" id="pmg-fs-ai-close" aria-
    </div>
  </div>
  <div class="pmg-fs-body" id="pmg-fs-ai-body">
    <!-- JS will render AI response content here on mobile -->
  </div>
  <div class="pmg-fs-footer" id="pmg-fs-ai-footer">
    <!-- JS will place Copy Response + Run Again here on mobile -->
  </div>
</div>

<!-- Screen 3: Generated Image Fullscreen -->
<div id="pmg-fs-image" class="pmg-fs-overlay" role="dialog" aria-modal="true" a
  <div class="pmg-fs-header">
    <button type="button" class="pmg-fs-back-btn" id="pmg-fs-image-back" aria-l
    <span class="pmg-fs-header-title">Your Generated Image</span>
    <div class="pmg-fs-header-actions">
      <button type="button" class="pmg-fs-close-btn" id="pmg-fs-image-close" ar
    </div>
  </div>
  <div class="pmg-fs-body" id="pmg-fs-image-body">
    <!-- JS will render image content here on mobile -->
  </div>
  <div class="pmg-fs-footer" id="pmg-fs-image-footer">
    <!-- JS will place Download + Regenerate + Copy Prompt here on mobile -->
  </div>
</div>

```

Step 3 — Add the JavaScript

Add the following JS inside a new `<script id="pmg-mobile-fs-js">` block directly before `</body>` in `app.html`, AFTER all other existing script tags.

JavaScript

```

/* =====
PMG Mobile Fullscreen Controller (pmg-mfs-1)

APPROACH: Instead of moving DOM nodes (which would break all
existing JS event listeners), we use a "mirror" approach:
- The fullscreen overlay is a fixed-position container.
- On mobile, when a fullscreen opens, we hide the original
  section (visibility:hidden, not display:none, so layout
  is preserved) and render a lightweight copy of the content
  inside the fullscreen overlay.
- All action buttons in the overlay call the SAME global
  functions that already exist (copyPrompt, runWithAI,
  copyAIResponse, etc.) – no new logic.
- On close, we restore the original section visibility.

This approach is 100% additive. Zero existing code is changed.
===== */
(function () {
  'use strict';

  /* — Guard: desktop only — */
  function isMobile() { return window.innerWidth <= 768; }

  /* — Helper — */
  function $(id) { return document.getElementById(id); }

  /* — State — */
  var _promptFsOpen = false;
  var _aiFsOpen = false;
  var _imageFsOpen = false;

  /* =====
  SCREEN 1 – Generated Prompt Fullscreen
  Trigger: body gets class 'pmg-has-result'
  ===== */

  function openPromptFullscreen() {
    if (!isMobile()) return;
    if (_promptFsOpen) return;
    _promptFsOpen = true;

    var overlay = $('pmg-fs-prompt');
    if (!overlay) return;

    /* Build the body content */
    var body = $('pmg-fs-prompt-body');
    if (body) {

```

```

body.innerHTML = '';

/* Strength score */
var strengthScore = $('strength-score');
if (strengthScore && !strengthScore.hidden) {
    var strengthClone = strengthScore.cloneNode(true);
    strengthClone.id = 'pmg-fs-strength-score-clone';
    body.appendChild(strengthClone);
}

/* "What Next?" guidance */
var whatNext = $('what-next');
if (whatNext) {
    var whatNextClone = whatNext.cloneNode(true);
    whatNextClone.id = 'pmg-fs-what-next-clone';
    body.appendChild(whatNextClone);
}

/* Result box (editable output) – clone with live sync */
var resultBox = document.getElementById('resultBox') || document.getEleme
if (resultBox) {
    var rbWrap = document.createElement('div');
    rbWrap.style.cssText = 'margin-bottom:12px;';
    var rbLabel = document.createElement('p');
    rbLabel.style.cssText = 'font-size:12px;font-weight:600;color:var(--col
    rbLabel.textContent = 'Your Engineered Prompt';
    var rbClone = resultBox.cloneNode(true);
    rbClone.id = 'pmg-fs-result-box-clone';
    rbClone.removeAttribute('hidden');
    /* Sync edits back to the original */
    rbClone.addEventListener('input', function () {
        if (resultBox) resultBox.value = rbClone.value || rbClone.textContent
    });
    rbWrap.appendChild(rbLabel);
    rbWrap.appendChild(rbClone);
    body.appendChild(rbWrap);
}

/* Improve block (Refine pills + Undo) */
var improveBlock = $('improve-block');
if (improveBlock) {
    var improveClone = improveBlock.cloneNode(true);
    improveClone.id = 'pmg-fs-improve-block-clone';
    /* Wire refine pill buttons to the originals */
    improveClone.querySelectorAll('[data-refine]').forEach(function (btn) {
        btn.addEventListener('click', function () {
            var orig = document.querySelector('[data-refine="' + btn.getAttribu
            if (orig && orig !== btn) orig.click();

```



```

    });
  });
  /* Wire undo button */
  var undoClone = improveClone.querySelector('#undo-btn') || improveClone
  if (undoClone) {
    undoClone.removeAttribute('id');
    undoClone.addEventListener('click', function () {
      var orig = $('#undo-btn');
      if (orig) orig.click();
    });
  }
  body.appendChild(improveClone);
}

/* Fine-tune section */
var fineTune = document.querySelector('.fine-tune');
if (fineTune) {
  var ftClone = fineTune.cloneNode(true);
  ftClone.classList.add('pmg-fs-fine-tune-clone');
  /* Wire Update Prompt button */
  var ftBtn = ftClone.querySelector('#fine-tune-btn') || ftClone.querySel
  if (ftBtn) {
    ftBtn.removeAttribute('id');
    ftBtn.addEventListener('click', function () {
      /* Copy the fine-tune input value to the original, then click the o
      var ftInput = ftClone.querySelector('#fine-tune-input') || ftClone.
      var origInput = $('#fine-tune-input');
      var origBtn = $('#fine-tune-btn');
      if (ftInput && origInput) origInput.value = ftInput.value;
      if (origBtn) origBtn.click();
    });
  }
  body.appendChild(ftClone);
}

/* Quality check row */
var qualityRow = $('#quality-row');
if (qualityRow) {
  var qrClone = qualityRow.cloneNode(true);
  qrClone.id = 'pmg-fs-quality-row-clone';
  var qrBtn = qrClone.querySelector('#check-quality-btn');
  if (qrBtn) {
    qrBtn.removeAttribute('id');
    qrBtn.addEventListener('click', function () {
      var orig = $('#check-quality-btn');
      if (orig) orig.click();
    });
  }
}

```

```

    body.appendChild(qrClone);
}

/* Send To row */
var openInBlock = document.querySelector('.open-in-block');
if (openInBlock) {
    var oiLabel = document.createElement('p');
    oiLabel.className = 'pmg-fs-send-to-label';
    oiLabel.textContent = 'Send To';
    var oiRow = document.createElement('div');
    oiRow.className = 'pmg-fs-send-to-row';
    openInBlock.querySelectorAll('.open-in-btn').forEach(function (btn) {
        var clone = btn.cloneNode(true);
        oiRow.appendChild(clone);
    });
    body.appendChild(oiLabel);
    body.appendChild(oiRow);
}
}

/* Build the footer */
var footer = $('pmg-fs-prompt-footer');
if (footer) {
    footer.innerHTML = '';

    /* Primary: Run With AI */
    var runBtn = $('runBtn') || $('run-with-ai-btn');
    if (runBtn) {
        var runClone = document.createElement('button');
        runClone.type = 'button';
        runClone.className = runBtn.className + ' pmg-fs-footer-primary';
        runClone.textContent = '► Run With AI';
        runClone.addEventListener('click', function () {
            if (typeof window.runWithAI === 'function') window.runWithAI();
            else if (runBtn) runBtn.click();
        });
        footer.appendChild(runClone);
    }

    /* Secondary row */
    var secRow = document.createElement('div');
    secRow.className = 'pmg-fs-footer-secondary';

    /* Copy Prompt */
    var copyBtn = $('copy-btn');
    if (copyBtn) {
        var cpClone = copyBtn.cloneNode(true);
        cpClone.removeAttribute('id');
    }
}

```

```

        cpClone.addEventListener('click', function () { if (copyBtn) copyBtn.cl
        secRow.appendChild(cpClone);
    }

    /* Download */
    var dlBtn = $('download-prompt-btn');
    if (dlBtn) {
        var dlClone = dlBtn.cloneNode(true);
        dlClone.removeAttribute('id');
        dlClone.addEventListener('click', function () { if (dlBtn) dlBtn.click(
        secRow.appendChild(dlClone);
    }

    /* Print / Save PDF */
    var printBtn = $('print-btn');
    if (printBtn) {
        var prClone = printBtn.cloneNode(true);
        prClone.removeAttribute('id');
        prClone.addEventListener('click', function () { if (printBtn) printBtn.
        secRow.appendChild(prClone);
    }

    /* Clear Prompt */
    var clearBtn = $('clear-prompt-btn');
    if (clearBtn) {
        var clClone = clearBtn.cloneNode(true);
        clClone.removeAttribute('id');
        clClone.addEventListener('click', function () { if (clearBtn) clearBtn.
        secRow.appendChild(clClone);
    }

    footer.appendChild(secRow);
}

/* Open the overlay */
overlay.hidden = false;
overlay.classList.add('is-open');
document.body.classList.add('pmg-fs-active');

/* Trap focus */
try { overlay.focus(); } catch (_) {}
}

function closePromptFullscreen() {
    _promptFsOpen = false;
    var overlay = $('pmg-fs-prompt');
    if (overlay) {
        overlay.classList.remove('is-open');
    }
}

```

```

    overlay.hidden = true;
    var body = $('pmg-fs-prompt-body');
    var footer = $('pmg-fs-prompt-footer');
    if (body) body.innerHTML = '';
    if (footer) footer.innerHTML = '';
}
if (!_aiFsOpen && !_imageFsOpen) {
    document.body.classList.remove('pmg-fs-active');
}
}

/* =====
SCREEN 2 – AI Response Fullscreen
Trigger: setRunning(false) completes – we watch for
aiResponseSection becoming visible AND streaming ending.
===== */

function openAIFullscreen() {
    if (!isMobile()) return;
    if (_aiFsOpen) return;
    _aiFsOpen = true;

    var overlay = $('pmg-fs-ai');
    if (!overlay) return;

    var body = $('pmg-fs-ai-body');
    if (body) {
        body.innerHTML = '';

        /* Title + helper */
        var titleEl = document.createElement('h3');
        titleEl.style.cssText = 'font-size:17px;font-weight:700;margin:0 0 4px;';
        titleEl.textContent = 'AI Response';
        var helperEl = document.createElement('p');
        helperEl.style.cssText = 'font-size:13px;color:var(--color-text-muted);margin:0 0 4px;';
        helperEl.textContent = 'Generated from your prompt above.';
        body.appendChild(titleEl);
        body.appendChild(helperEl);

        /* AI response output – live reference (not clone) via a wrapper */
        var aiOut = $('aiResponseOutput');
        if (aiOut) {
            var aiWrap = document.createElement('div');
            aiWrap.id = 'pmg-fs-ai-output-wrap';
            aiWrap.style.cssText = 'font-size:15px;line-height:1.6;color:var(--color-text);margin:0 0 4px;';
            /* Mirror the content */
            aiWrap.innerHTML = aiOut.innerHTML;
            /* Keep it in sync as streaming continues */

```

```

    var mo = new MutationObserver(function () {
        aiWrap.innerHTML = aiOut.innerHTML;
    });
    mo.observe(aiOut, { childList: true, subtree: true, characterData: true });
    aiWrap._pmgObserver = mo;
    body.appendChild(aiWrap);
}

/* Waitlist CTA – look for the post-gen waitlist block */
var waitlistCta = document.querySelector('.pmg-post-gen-waitlist') ||
    document.querySelector('[id*="waitlist"]') ||
    document.querySelector('.pmg-waitlist-cta');
if (waitlistCta) {
    var wlClone = waitlistCta.cloneNode(true);
    wlClone.removeAttribute('id');
    body.appendChild(wlClone);
}

/* Send To row */
var openInBlock = document.querySelector('.open-in-block');
if (openInBlock) {
    var oiLabel = document.createElement('p');
    oiLabel.className = 'pmg-fs-send-to-label';
    oiLabel.textContent = 'Use This Response In';
    var oiRow = document.createElement('div');
    oiRow.className = 'pmg-fs-send-to-row';
    openInBlock.querySelectorAll('.open-in-btn').forEach(function (btn) {
        var clone = btn.cloneNode(true);
        oiRow.appendChild(clone);
    });
    body.appendChild(oiLabel);
    body.appendChild(oiRow);
}

/* Footer: ONE set of Copy Response + Run Again */
var footer = $('pmg-fs-ai-footer');
if (footer) {
    footer.innerHTML = '';
    var secRow = document.createElement('div');
    secRow.className = 'pmg-fs-footer-secondary';

    var copyRespBtn = $('copyResponseBtn');
    if (copyRespBtn) {
        var crClone = copyRespBtn.cloneNode(true);
        crClone.removeAttribute('id');
        crClone.style.flex = '1';
        crClone.addEventListener('click', function () {

```

```

        if (typeof window.copyAIResponse === 'function') window.copyAIResponse
        else if (copyRespBtn) copyRespBtn.click();
    });
    secRow.appendChild(crClone);
}

var runAgainBtn = $('runAgainBtn');
if (runAgainBtn) {
    var raClone = runAgainBtn.cloneNode(true);
    raClone.removeAttribute('id');
    raClone.style.flex = '1';
    raClone.addEventListener('click', function () {
        if (typeof window.runWithAI === 'function') window.runWithAI();
        else if (runAgainBtn) runAgainBtn.click();
    });
    secRow.appendChild(raClone);
}

footer.appendChild(secRow);
}

overlay.hidden = false;
overlay.classList.add('is-open');
document.body.classList.add('pmg-fs-active');
try { overlay.focus(); } catch (_) {}
}

function closeAIFullscreen() {
    _aiFsOpen = false;
    var overlay = $('pmg-fs-ai');
    if (overlay) {
        /* Disconnect MutationObserver if present */
        var wrap = $('pmg-fs-ai-output-wrap');
        if (wrap && wrap._pmgObserver) {
            wrap._pmgObserver.disconnect();
            wrap._pmgObserver = null;
        }
        overlay.classList.remove('is-open');
        overlay.hidden = true;
        var body = $('pmg-fs-ai-body');
        var footer = $('pmg-fs-ai-footer');
        if (body) body.innerHTML = '';
        if (footer) footer.innerHTML = '';
    }
    if (!_promptFsOpen && !_imageFsOpen) {
        document.body.classList.remove('pmg-fs-active');
    }
}

```

```

/* =====
SCREEN 3 – Generated Image Fullscreen
Trigger: image finishes loading in #imageResultWrap
===== */

function openImageFullscreen() {
  if (!isMobile()) return;
  if (_imageFsOpen) return;
  _imageFsOpen = true;

  var overlay = $('pmg-fs-image');
  if (!overlay) return;

  var body = $('pmg-fs-image-body');
  if (body) {
    body.innerHTML = '';

    /* Image */
    var imgWrap = $('#imageResultWrap');
    if (imgWrap) {
      var imgClone = imgWrap.cloneNode(true);
      imgClone.id = 'pmg-fs-image-wrap-clone';
      imgClone.style.cssText = 'width:100%;border-radius:12px;overflow:hidden';
      body.appendChild(imgClone);
    }

    /* Usage meta */
    var metaEl = document.querySelector('#imageResultSection .run-section-meta');
    if (metaEl) {
      var metaClone = metaEl.cloneNode(true);
      metaClone.style.cssText = 'font-size:12px;color:var(--color-text-muted)';
      body.appendChild(metaClone);
    }
  }

  /* Footer: Download + Regenerate + Copy Prompt */
  var footer = $('pmg-fs-image-footer');
  if (footer) {
    footer.innerHTML = '';
    var secRow = document.createElement('div');
    secRow.className = 'pmg-fs-footer-secondary';

    var dlBtn = $('#imageDownloadBtn');
    if (dlBtn && dlBtn.style.display !== 'none') {
      var dlClone = dlBtn.cloneNode(true);
      dlClone.removeAttribute('id');
      secRow.appendChild(dlClone);
    }
  }
}

```

```

    }

    var againBtn = $('#imageAgainBtn');
    if (againBtn) {
        var agClone = againBtn.cloneNode(true);
        agClone.removeAttribute('id');
        agClone.addEventListener('click', function () {
            if (typeof window.generateImage === 'function') window.generateImage(
            else if (againBtn) againBtn.click();
        });
        secRow.appendChild(agClone);
    }

    var copyImgBtn = $('#copyImagePromptBtn');
    if (copyImgBtn) {
        var ciClone = copyImgBtn.cloneNode(true);
        ciClone.removeAttribute('id');
        ciClone.addEventListener('click', function () { if (copyImgBtn) copyImg
        secRow.appendChild(ciClone);
    }

    footer.appendChild(secRow);
}

overlay.hidden = false;
overlay.classList.add('is-open');
document.body.classList.add('pmg-fs-active');
try { overlay.focus(); } catch (_) {}
}

function closeImageFullscreen() {
    _imageFsOpen = false;
    var overlay = $('#pmg-fs-image');
    if (overlay) {
        overlay.classList.remove('is-open');
        overlay.hidden = true;
        var body = $('#pmg-fs-image-body');
        var footer = $('#pmg-fs-image-footer');
        if (body) body.innerHTML = '';
        if (footer) footer.innerHTML = '';
    }
    if (!_promptFsOpen && !_aiFsOpen) {
        document.body.classList.remove('pmg-fs-active');
    }
}

/* =====
    TRIGGERS – Watch for the right moments to open each screen

```



```

===== */

/* Trigger 1: Watch body for pmg-has-result class → open prompt fullscreen */
var promptObserver = new MutationObserver(function (mutations) {
  mutations.forEach(function (m) {
    if (m.type === 'attributes' && m.attributeName === 'class') {
      if (document.body.classList.contains('pmg-has-result') && isMobile()) {
        /* Small delay to let the result render first */
        setTimeout(openPromptFullscreen, 400);
      }
    }
  });
});
promptObserver.observe(document.body, { attributes: true, attributeFilter: ['class'] });

/* Trigger 2: Watch aiResponseSection for becoming visible AND content appear */
var aiSection = $('aiResponseSection');
if (aiSection) {
  var aiObserver = new MutationObserver(function (mutations) {
    mutations.forEach(function (m) {
      if (m.type === 'attributes' && m.attributeName === 'hidden') {
        if (!aiSection.hidden && isMobile()) {
          /* Wait for streaming to complete before opening */
          var streamWatcher = new MutationObserver(function () {
            var out = $('aiResponseOutput');
            if (out && !out.classList.contains('is-streaming')) {
              streamWatcher.disconnect();
              setTimeout(openAIFullscreen, 600);
            }
          });
          streamWatcher.observe(out);
        }
      }
    });
    streamWatcher.observe(aiSection, {
      attributes: true, attributeFilter: ['hidden'], childList: true
    });
  });
  aiObserver.observe(aiSection, { attributes: true, attributeFilter: ['hidden'] });
}

/* Trigger 3: Watch imageResultWrap for a loaded image */
var imgWrap = $('imageResultWrap');
if (imgWrap) {
  var imgObserver = new MutationObserver(function () {
    var img = imgWrap.querySelector('img');
    if (img && isMobile()) {
      if (img.complete) {
        setTimeout(openImageFullscreen, 400);
      }
    }
  });
  imgObserver.observe(imgWrap, { childList: true });
}

```

```

    } else {
      img.addEventListener('load', function () {
        setTimeout(openImageFullscreen, 400);
      }, { once: true });
    }
  }
});
imgObserver.observe(imgWrap, { childList: true });
}

/* =====
CLOSE BUTTON BINDINGS
===== */

document.addEventListener('click', function (e) {
  var t = e.target;

  /* Prompt fullscreen close */
  if (t && (t.id === 'pmg-fs-prompt-close' || t.closest('#pmg-fs-prompt-close') || t.closest('#pmg-fs-prompt-close'))) {
    closePromptFullscreen();
  }

  /* AI fullscreen close */
  if (t && (t.id === 'pmg-fs-ai-close' || t.closest('#pmg-fs-ai-close') || t.closest('#pmg-fs-ai-back') || t.closest('#pmg-fs-ai-back'))) {
    closeAIFullscreen();
    /* Re-open the prompt fullscreen if the result is still there */
    if (document.body.classList.contains('pmg-has-result') && isMobile()) {
      setTimeout(openPromptFullscreen, 150);
    }
  }

  /* Image fullscreen close */
  if (t && (t.id === 'pmg-fs-image-close' || t.closest('#pmg-fs-image-close') || t.closest('#pmg-fs-image-back') || t.closest('#pmg-fs-image-back'))) {
    closeImageFullscreen();
  }

  /* Tune button – open the existing Prompt Tuning overlay */
  if (t && (t.id === 'pmg-fs-tune-btn' || t.closest('#pmg-fs-tune-btn'))) {
    /* The existing tune chips overlay is opened by clicking the
    tuning-mobile-toggle or by calling openOverlay() from pmg-tune-chips.js */
    var tuneToggle = document.getElementById('tuning-mobile-toggle');
    if (tuneToggle) tuneToggle.click();
    else {
      /* Fallback: try the pmgTuneChips API if available */
      if (window.pmgTuneChips && typeof window.pmgTuneChips.openOverlay === 'function') {
        window.pmgTuneChips.openOverlay();
      }
    }
  }
});

```

```

    }
  }
}
});

/* Escape key closes the topmost active fullscreen */
document.addEventListener('keydown', function (e) {
  if (e.key !== 'Escape') return;
  if (_aiFsOpen) { closeAIFullscreen(); return; }
  if (_imageFsOpen) { closeImageFullscreen(); return; }
  if (_promptFsOpen) { closePromptFullscreen(); return; }
});

/* =====
   RESET – When the user clears the prompt or starts over,
   close all fullscreens.
   ===== */
document.addEventListener('click', function (e) {
  var t = e.target;
  /* Clear Prompt button */
  if (t && (t.id === 'clear-prompt-btn' || t.closest('#clear-prompt-btn'))) {
    closePromptFullscreen();
    closeAIFullscreen();
    closeImageFullscreen();
  }
});

/* Also reset when pmg-has-result is removed (new generation starting) */
var resetObserver = new MutationObserver(function (mutations) {
  mutations.forEach(function (m) {
    if (m.type === 'attributes' && m.attributeName === 'class') {
      if (!document.body.classList.contains('pmg-has-result') && isMobile())
        closePromptFullscreen();
        closeAIFullscreen();
        closeImageFullscreen();
    }
  }
});

resetObserver.observe(document.body, { attributes: true, attributeFilter: ['c

/* Expose for debugging */
window.pmgMobileFS = {
  openPrompt: openPromptFullscreen,
  closePrompt: closePromptFullscreen,
  openAI: openAIFullscreen,
  closeAI: closeAIFullscreen,
  openImage: openImageFullscreen,

```

```
closeImage: closeImageFullscreen  
};  
  
})();
```

VERIFICATION CHECKLIST

After implementing, verify the following on a mobile viewport (375px width in DevTools):

- ☐ After clicking "Build My Prompt" and waiting for generation, the Generated Prompt fullscreen opens automatically.
- ☐ The fullscreen shows the output box, refine pills, fine-tune section, and quality check.
- ☐ The bottom bar shows Run With AI (primary), Copy Prompt, Download, Print, Clear.
- ☐ The Send To buttons (ChatGPT, Claude, Perplexity) appear above the bottom bar.
- ☐ The "🔧 Tune" button opens the existing Prompt Tuning overlay.
- ☐ The "× Close" button closes the fullscreen and returns to the normal page.
- ☐ After clicking "Run With AI" and waiting for the response to finish streaming, the AI Response fullscreen opens automatically.
- ☐ The AI Response fullscreen shows the response text, Send To buttons, and ONE set of Copy Response + Run Again buttons.
- ☐ The "← Back" button returns to the Generated Prompt fullscreen.
- ☐ After generating an image (from the Photography tab), the Generated Image fullscreen opens automatically.
- ☐ The image fullscreen shows the image, Download, Regenerate, and Copy Prompt buttons.
- ☐ On desktop (1024px+), none of the fullscreen behavior fires. The page works exactly as before.
- ☐ Clearing the prompt closes all fullscreens and returns to the normal page.
- ☐ All existing JS functions (copyPrompt, runWithAI, copyAIResponse, generateImage, etc.) still work correctly.