Name of the Pattern













This is an option that allows you to have a box of text on the right hand side.

This is an option that allows you to have a box of text on the left hand side.



This is an option that allows you to have a full sheet sized box of the about text. I like to use it for the pattern about header at the top

Yarn

1 skein of [This yarn] (x yds/x m per 3.5oz/100g), or similar yarn.

Size Info

It fits heads with circumferences between x cm to x cm (x inches to x inches

Gauge

Unstretched Gauge: x sts/x rounds (Stretched Gauge x sts/x rounds) 10 cm/4 inches square in pattern stitch

Needles


- 3.5 mm (US 4) 16 inch (40 cm) circular needle
- 3.5 mm (US 4) DPNs for the crown

Notions

- Cable needle
- Stitch marker
- Darning needle

Instructions

Place the instructions here. Write them all up nicely and clearly so that your tech editor likes it.



Written Instructions

Worked as 10 stitch repeats. Rnds 1 -3: K2, p2, k4, p2 Round 4: K2, p2, 2/2 LC, p2.

Abbreviations

- K Knit.
- P Purl.
- YO Yarn over.
- M1 Backward Loop Make 1 Twist the working yarn to make a loop, and put the loop on the working needle.
- M1L Left Leaning Make 1 Using the non-working needle, lift the strand that runs between needles, from the front. Work the picked up strand through the back loop.
- M1R Right Leaning Make 1 Using the non-working needle, lift the strand that runs between needles, from the back. Work the picked up strand.
- **K2tog** Knit two stitches together.
- **SSK** Slip one stitch as if to knit, slip a second stitch as if to knit. Insert your left needle tip into both stitches and knit the two stitches together through the back loop.
- P2tog Purl two stitches together.
- **SSP** Slip 2 stitches knitwise. Move them back to the LH needle and purl them together through the back loop.
- 2/2LC Slip two stitches onto the cable needle. Holding the cable needle in front of your work, knit the next two stitches. Then knit the two stitches off the cable needle.
- 2/2RC Slip two stitches onto the cable needle. Holding the cable needle in back of your work, knit the next two stitches. Then knit the two stitches off the cable needle.
- 2/1LC Slip two stitches onto the cable needle. Holding the cable needle in front of your work, knit the next stitch. Then knit the two stitches off the cable needle.
- 2/1RC Slip one stitch onto the cable needle. Holding the cable needle in back of your work, knit the next two stitches. Then knit the one stitch off the cable needle.
- 1/2LC Slip one stitch onto the cable needle. Holding the cable needle in front of your work, knit the next two stitches. Then knit the one stitch off the cable needle.
- 1/2RC Slip two stitches onto the cable needle. Holding the cable needle in back of your work, knit the next one stitch. Then knit the two stitches off the cable needle.
- 1/1LC Slip one stitch onto the cable needle. Holding the cable needle in front of your work, knit the next stitch. Then knit the stitch off the cable needle.
- 1/1RC KSlip one stitch onto the cable needle. Holding the cable needle in back of your work, knit the next stitch. Then knit the stitch off the cable needle..
- **S1** On the right side, slip one stitch as if to purl with working yarn in back. On the wrong side, slip one stitch as if to purl, with working yarn in front.