DESIGN SYSTEM • KAROL JASZTAL

Executive Design System: High-Impact Case Study Blueprints

Calibrated design tokens, responsive Bento layouts, deterministic QA patterns, and hardened interactive components powering high-converting executive case studies.

---

01 // FOUNDATION TOKENS

Design Tokens & Adaptive Color System

Calibrated design tokens ensuring high contrast and seamless Light/Dark transitions. Click the theme toggle above to see live adaptation.

CANVAS & SURFACE TOKENS

`--bg`

Global canvas background (neutral gray)

`--surface`

Primary Bento cards & containers

`--surface-subtle`

Table alternating rows, code terminal

`--surface-elevated`

Interactive hover states & summary footers

`--border`

Subtle 1px structural container boundary

`--border-highlight`

Focused active container boundaries

SEMANTIC ACCENT & STATUS TOKENS



`--accent (Sky Blue)`

Primary interactive highlights & linters



`--success (Emerald)`

Passing audits, positive deltas, approved



`--danger (Rose)`

Legacy bottlenecks, rejected alternatives



`--warning (Amber)`

Heuristic cautions, 2 Crocodiles model



`--purple (Violet)`

Specialized subagents & vault-ops

02 // TYPOGRAPHY SYSTEM

Typography & Information Hierarchy

Disciplined type scale pairing Plus Jakarta Sans for geometric authority, JetBrains Mono for system tokens and code, and optimized system sans for readability.

DISPLAY H1 • PLUS JAKARTA SANS 800 • -0.03EM TRACKING

Slashing Google Ads Setup Time by 82% with a Production LLM Pipeline

Executive headline formula commanding attention with audited metrics and deterministic systems engineering.

SECTION HEADER H2 • PLUS JAKARTA SANS 800 • STACKED EDITORIAL FLOW

01 // OPERATIONAL TRANSFORMATION

Architecture, Pipeline Blueprint & Empirical Time Study

Stacked 3-element headline layout ensuring scannability and context before diving into telemetry.

SYSTEMS MONO • JETBRAINS MONO 600/700 • CODE & TELEMETRY

^GTM-[A-Z0-9]{4,8}$ • max_chars: 30 • 40h → 7h (-82.5%) • 0.0% Defect Rate

03 // INTERACTION PRIMITIVES

Action Buttons, Pills & Semantic Badges

Flat, zero-shadow interaction elements. Badges and pills feature 100% rounded geometry with balanced monospace padding.

ACTION BUTTONS (ALL 5 PRODUCTION VARIATIONS)

Explore Operational Telemetry →

Download PDF Dossier

Audit Lock Active

PROMPT_SAMPLE.txt

TAG PILLS (.TAG-PILL)

50-Field Schema

GTM & GA4 Telemetry

Deterministic Linters

Zero Policy Defects

PreToolUse Intercepts

Plus Jakarta Sans

SEMANTIC STATUS BADGES (.BADGE — ZERO SHADOW, 100% ROUNDED PILLS)

CHOSEN ARCHITECTURE: APPROVED

ALTERNATIVE A: REJECTED

QUALITY GATE: HEURISTIC CHECK

PRODUCTION TELEMETRY

50 FIELDS AUDITED

04 // KEY IMPACT TELEMETRY

Audited Operational Breakthroughs & Bento Grid

Empirical time-motion measurements verified across 14 consecutive deployment cycles with zero ad policy suspensions.

SETUP CYCLE TIME

40h → 7h

COMPLIANCE RECORD

100.0%

−82.5% Audited Reduction

Zero Account Suspensions

OPERATIONAL MULTIPLIER

5.7×

Zero Net Headcount Added

ANNUAL VALUE UNLOCKED

1,320h

Strategic High-Leverage Focus

END-TO-END CAMPAIGN CYCLE TIME

40h → 7h

↓ -82.5% Audited Turnaround Time Saved



7h High-Signal Execution (17.5%) 33h Eliminated Waste (-82.5%)

POLICY COMPLIANCE RATE

100.0%

Zero Ad Account Suspensions

Enforced by 5 deterministic heuristic regex linters running prior to staging submission.

THROUGHPUT MULTIPLIER

5.7x

Zero Net Headcount Added

ANNUAL VALUE UNLOCKED

1,320h

High-Leverage Strategic Focus

INTAKE CONTRACT

50 Fields

Deterministic Schema Bounds

05 // ARCHITECTURAL DECISION

Legacy Manual Operations vs. Deterministic Pipeline

Side-by-side architectural comparison detailing why human brute-forcing was eliminated in favor of constrained prompt synthesis.

THE LEGACY BOTTLENECK (40 HOURS)

Ad-Hoc Manual Spreadsheets

Manual Brute-Forcing:	65% of working hours spent copying strings across spreadsheets.
8.4% Defect Rejections:	Manual human typo overruns exceeding 30 characters.
Linear Scaling Strain:	Requires $140k/yr per 2 junior coordinators to absorb volume.

KAROL'S ENGINEERED ENGINE (7 HOURS)

Deterministic HITL + Heuristic Linters

- **15-Min High-Signal Review:** Operator validates output against direct-response heuristics.
- **0.0% Defect Record:** Regex linters catch character bounds & policy terms pre-submission.
- **Zero Headcount Expansion:** Absorbs 5.7x volume with current team.

06 // PRIMARY TECHNICAL ARTIFACTS

Technical Artifact Presentation Patterns

Inspect production prompts, operational workflows, schemas, and heuristic linters. Features Pattern 6A (Single Segmented Control Tabs), Pattern 6B (Unified Framed Prompt Deck), and Pattern 6C (Operational Workflow & SOP Cards).

PATTERN 6A: CAPSULE PILL TABS (CLEAN SINGLE SEGMENTED SWITCHER)

01

Synthesizer Directive

Primary production instruction set enforcing direct-response copywriting rules and strict character bounds.

</> STAGE_01_SYNTHESIZER_DIRECTIVE.txt

```
You are an expert direct-response copywriter and marketing
operations systems architect.
Synthesize high-converting Responsive Search Ads (RSAs) based on
verified intake parameters.

CONSTRAINTS:
1. Generate exactly 15 Headlines (each strictly ≤ 30 characters).
2. Generate exactly 4 Descriptions (each strictly ≤ 90 characters).
3. Do not use generic buzzwords, unearned superlatives, or AI copy
slop.
4. Adhere strictly to the CUB (Confused, Unbelieving, Bored)
rejection filter.
```

02

Deterministic Validation Rules

5 regex-driven test suites run locally before any asset is passed to staging: Character bounds (≤30/90), restricted keyword lexicon, GTM/GA4 container verification, HTTP 200 URL liveness, and conversion tag alignment.

</> HEURISTIC_LINTER_RULES.regex

```
# Linter Rule 01: Headline Bounds Check
^.{1,30}$

# Linter Rule 02: Description Bounds Check
^.{1,90}$

# Linter Rule 03: Prohibited Lexicon Filter (Negative Lookahead)
^(?!.*(revolutionary|best-in-class|synergy|game-
changer|disruptive)).*$

# Linter Rule 04: GTM Container Pattern
^GTM-[A-Z0-9]{4,8}$
```

50-Field Intake Contract

All 50 fields are strictly typed: target audience pain points (Min 3, Max 5), primary conversion goal (Enum), headline character limits (Integer Max 30), and GTM container regex pattern (^GTM-[A-Z0-9]+$).

PATTERN 6B: UNIFIED FRAMED PROMPT DECK (STACKED ENCLOSURE)

PRODUCTION PROMPT VAULT

Four Qualitative Intent Mining Directives

Directives executed against Gemini Pro and Claude 3.5 Sonnet to harvest real customer pain vernacular, emotional hooks, and radius geographic boundaries.

01

Customer Survey Generator (Formal & Conversational Formats)

Inquires company name, offer, and main problem solved; generates a 3-question survey isolating customer anxieties, objectives, and decision friction.

</> PROMPT_01_CUSTOMER_SURVEY_GENERATOR.txt

```
Role: You are my "Customer Survey Assistant". Create a short, high-impact survey for my client.
Workflow:
1. Ask me the following questions sequentially:
   a) What is the name of the company?
   b) What specific product or service does the company offer?
   c) What core problem does this offer solve?
2. Once all answers are provided, generate the survey in both Conversational and Formal formats.
```

02

'Read Their Journals' (Audience CRO / Intent Mining)

Harvests ≥150 customer data points, authentic forum quotes, and stand-up comedy punchlines to extract qualitative emotional truths.

</> PROMPT_02_READ_THEIR_JOURNALS_INTENT_MINER.txt

```
Role: Senior market-research & CRO strategist with live web-browsing
skills.
Workflow:
1. Ingest product name, audience demographics, and conversion goal.
2. Mine ≥150 quotes across forums and reviews ≤24 months old.
3. Extract qualitative emotional truths and authentic pain points.
```

PATTERN 6C: OPERATIONAL WORKFLOW & SOP CHECKLIST CARDS (NON-PROMPT PATTERN, ZERO COPY BUTTON)

Standard architecture for CRM automations, state-machine transitions, DMAIC root-cause teardowns, and governance SOP checklists. Unlike prompt decks, operational cards carry zero terminal framing, zero fake `.txt` headers, and zero copy buttons, using Semantic Status Badges to denote step sequences.

WORKFLOW 01 — CRM Automation Spec

Inbound Lead Triage & Owner Assignment

Executive Purpose: Ingests lead payload from external portals, validates required data contracts, creates pipeline deal, and assigns a high-priority 48-hour outreach task to the intake broker.

ENROLLMENT TRIGGER

Contact Property `leadtrans` is known (Verified inbound payload)

01 **Assign Owner:** Automated round-robin routing to senior intake specialist.

02 **Create Pipeline Deal:** Generated in *Pipeline: Leads* at Stage `01. New Inbound Lead`.

03 **Dispatch Welcome Email:** Instant automated email sent with company credentials.

04 **Assign Priority Call:** High-priority phone outreach task created with a 2 business day SLA.

SOP PROTOCOL

Quality Control Checklist

SOP: Surgical Deduplication & Golden Record Resolution

Executive Purpose: Standard operating procedure guiding distributed analysts through manual deduplication, master surviving record identification, and field preservation without data loss.

> 🛡 MANDATORY PRE-CONDITION
>
> Cluster export CSV verified against read-only staging backup before touching production records

01 **Cluster Identification:** Isolate duplicate cluster using primary key `normalized_email` or fuzzy company name.

02 **Determine Golden Surviving Record:** Select record with earliest creation date and highest activity touch count.

03 **Field Harvest & Preservation:** Copy non-empty secondary fields (mobile numbers, notes, historical tags) into the surviving master.

04 **Execute Merge & Log Audit:** Confirm merge in CRM interface, tag with `dedup_v1_completed`, and log resolution in cluster sheet.

07 // TECHNICAL DATA ARCHITECTURE

Primary Intake Contract Schema (Collapsible Data Table)

Responsive data tables with repeating headers in print, clean borders, interactive row expansion for long schemas, and an elevated summary row.

#	CATEGORY	STANDARDIZED INTAKE FIELD	INTERNAL SCHEMA KEY	OPERATIONAL PURPOSE IN PIPELINE
01	Psychographics	**Target Audience Pain Points**	`target_audience_pain`	Feeds prompt synthesizer with primary customer friction points.
02	Telemetry	**Primary Conversion Action**	`primary_conversion_goal`	Determines downstream conversion tracking & telemetry tags.

#	CATEGORY	STANDARDIZED INTAKE FIELD	INTERNAL SCHEMA KEY	OPERATIONAL PURPOSE IN PIPELINE
03	Compliance	**RSA Headline Boundary Rule**	rsa_headline_bounds	Deterministic regex linter bounds check pre-submission (≤30c).
04	Infrastructure	**GTM Container Identifier**	gtm_container_id	Verifies container telemetry deployment on landing destination.
05	Geography	**Drive-Time Postal Radius**	target_postal_radius	Generates bulk geographic location coordinates for campaign targeting.
SCHEMA TOTAL		**50 Audited Attributes**	100% Deterministic	**Zero Data Gaps Prior to Model Prompting**

08 // DECISION TRADE-OFFS

Decision Matrix & QA Card Variations

Covers all three card design variations: Variant A (Top-Accent Decision Cards), Variant B (Heuristic Linter Cards), and Variant C (Flat Symmetrical QA Gate Cards).

VARIANT A: EVALUATED ALTERNATIVES & DECISION MATRIX (TOP COLORED BORDERS)

ALTERNATIVE A: REJECTED

Unconstrained Autonomous Agents

Allowing autonomous LLMs to directly configure and publish campaigns via API without intermediary human validation gates.

Why Rejected: Hallucination drift triggered policy compliance flags; lack of deterministic audit trails created catastrophic account suspension risk.

CHOSEN ARCHITECTURE: APPROVED

Deterministic HITL Pipeline + Linters

Constrained LLM synthesis audited by deterministic regex linters, with structured one-click human verification.

Result: Delivered an audited 82.5% time reduction with a flawless 0.0% policy suspension record across all deployment cycles.

VARIANT B: DETERMINISTIC HEURISTIC LINTERS (4PX ACCENT TOP BORDER)

LINTER 01

ELF vs. HALF

Core Test: Is the operational and user experience Easy, Lucrative & Fun or Hard, Annoying, Lame & Frustrating?

Defect Prevented: Clunky multi-step forms and opaque booking sequences.

LINTER 02

KLT Factors (Know, Like, Trust)

Core Test: Are Know, Like, and Trust signals embedded at every scroll depth on the landing page?

Defect Prevented: Faceless claims lacking proof badges, license numbers, or real reviews.

VARIANT C: SYMMETRICAL QA GATE BATTLECARDS (CALM 1PX BORDERS, STANDARD BLACK INK TEXT)

RAW LLM OUTPUT (REJECTED)

Google Ads Headline #1 (≤30 Characters)

```
"Transform Your Home With The Best Premium Renovation Services"
```

Defect Caught: Exceeds 30 characters (64 chars); uses vague corporate buzzwords ('Best Premium Renovation'); zero geographic context; causes immediate API bulk-upload rejection.

HUMAN-GATED OUTPUT (APPROVED)

Google Ads Headline #1 (≤30 Characters)

```
"Dallas Home Remodeling Pros"
```

Calibration Fix: Exactly 27 characters (passes Google 30-character boundary); includes exact geographic target ('Dallas'); crystal clear direct-response intent.

09 // QUALITY GATES & PRINCIPLES

Callouts, Risk Intercepts & Architecture Quotes

High-visibility callouts for avoided critical failure modes and foundational engineering maxims.

Critical Failure Mode Avoided

Allowing an unvalidated character string to exceed 30 characters in a Google Ads Responsive Search Ad causes immediate API rejection and stops the entire deployment wave. Programmatic regex bounds run prior to staging submission.

PreToolUse GTM Attestation Verified

All 15 setup tasks validated in preview mode: GA4 key events fire with matching parameters and Google Click Identifiers (GCLID) persist across domain boundaries.

> *"Automation without deterministic bounds is simply high-velocity defect generation. Constrain the input schema, lint the intermediary representation, and reserve human cognition strictly for high-signal strategic judgment."*
>
> — Karol Jasztal, Core Systems Engineering Principle

10 // CHRONOLOGICAL SEQUENCE

The 5-Stage Human-in-the-Loop Sequence Rail

Idempotent stage transitions ensuring data hygiene and auditability from intake to production telemetry.

STAGE 01

Deterministic Intake

50-field Google Sheets schema with strict type validation enforcing data hygiene.

STAGE 02

Prompt Synthesis

LLM synthesizes 15 headlines & 4 descriptions conditioned on direct-response frameworks.

STAGE 03

Heuristic Linting

Automated regex bounds verification (≤30/90 chars) and policy lexicon screening.

STAGE 04

Human Verification

15-minute operator sanity audit confirming strategic nuance and angle punchiness.

STAGE 05

Live Telemetry

Automated GTM / GA4 telemetry injection and staging deployment.

© 2026 Karol Jasztal • Hosted on GitHub Pages • All Rights Reserved