EXPERIMENT – 2.3

Name: Rohan Jaiswal UID: 21BCS2856

Branch: CSE **Section/Group:** 608 (B)

Semester: 3rd Date of Performance: 28/09/22

Subject Name: OOP using JAVA **Subject Code:** 21CSH-218

Aim of the practical: You are given an interface Advanced Arithmetic which contains a method signature int divisor_sum(int n). You need to write a class called MyCalculator which implements the interface. divisorSum function just takes an integer as input and return the sum of all its divisors. Your class shouldn't be public.

Objective: To study how to implement interface in java.

Program Code:

```
1 v import java.util.*;
    interface AdvancedArithmetic{
     int divisor_sum(int n);
    //Write your code here
    class MyCalculator implements AdvancedArithmetic {
        public int divisor_sum(int n) {
9
10
            if (n <= 1) { return n; }
            int res = n + 1;
             for (int i = 2; i < n; i++) {
14
                if (n % i == 0) {
                    res += i;
18
            return res;
```



PUTER SCIENCE & ENGINEERING

Testcase:

```
23 v class Solution{
       public static void main(String []args){
             MyCalculator my_calculator = new MyCalculator();
             System.out.print("I implemented: ");
27
             ImplementedInterfaceNames(my_calculator);
28
             Scanner sc = new Scanner(System.in);
             int n = sc.nextInt();
             System.out.print(my_calculator.divisor_sum(n) + "\n");
31
             sc.close();
         }
          * ImplementedInterfaceNames method takes an object and prints the name of the
34
     interfaces it implemented
         static void ImplementedInterfaceNames(Object o){
             Class[] theInterfaces = o.getClass().getInterfaces();
38
             for (int i = 0; i < theInterfaces.length; i++){</pre>
39
                 String interfaceName = theInterfaces[i].getName();
40
                 System.out.println(interfaceName);
41
42
         }
43
44
45
```

```
Expected Output
```

Download

1 I implemented: AdvancedArithmetic



EEMPUTERSCIENCE & ENGINEERING

Q	Test case 0		Compiler Message	
8	Test case 1		Success	
				_
8	Test case 2	2	Input (stdin)	Download
8	Test case 3	8	1 20	
8	Test case 4		Expected Output	Download
		A	1 I implemented: AdvancedArithmetic	
0	Test case 5	A	2 42	
Ø	Test case 0		Campilar Massaga	
			Compiler Message Success	
S	Test case 1			
0	Test case 2		Input (stdin)	Download
C.	Test case 3	Д	1 200	
	Test case 4		Expected Output	Download
		8	1 I implemented: AdvancedArithmetic	Download
S	Test case 5	А	2 465	
C/L T	est case 0			
	est case 0		Compiler Message	
⊗ T	Test case 1		Success	
C/ T	est case 2	1	Input (stdin)	Download
			1 1000	
Ø T	est case 3	8		
⊗ T	est case 4	A	Expected Output	Download
			1 I implemented: AdvancedArithmetic	
Ø T	est case 5	8	2 2340	