```
USE [master]
GO
/***** Object: Database [Hospital_Don_Bosco] Script Date: 6/2/2025 6:29:43 PM
*****/
CREATE DATABASE [Hospital Don Bosco]
CONTAINMENT = NONE
ON PRIMARY
( NAME = N'Hospital Don Bosco', FILENAME = N'C:\Program Files\Microsoft SQL
Server\MSSQL16.MSSQLSERVER\MSSQL\DATA\Hospital Don Bosco.mdf', SIZE = 8192KB,
MAXSIZE = UNLIMITED, FILEGROWTH = 65536KB)
LOG ON
( NAME = N'Hospital Don Bosco log', FILENAME = N'C:\Program Files\Microsoft SQL
Server\MSSQL16.MSSQLSERVER\MSSQL\DATA\Hospital_Don_Bosco_log.ldf', SIZE =
8192KB, MAXSIZE = 2048GB, FILEGROWTH = 65536KB)
WITH CATALOG COLLATION = DATABASE DEFAULT, LEDGER = OFF
GO
ALTER DATABASE [Hospital Don Bosco] SET COMPATIBILITY LEVEL = 160
GO
IF (1 = FULLTEXTSERVICEPROPERTY('IsFullTextInstalled'))
begin
EXEC [Hospital Don Bosco].[dbo].[sp fulltext database] @action = 'enable'
end
GO
ALTER DATABASE [Hospital Don Bosco] SET ANSI NULL DEFAULT OFF
GO
ALTER DATABASE [Hospital Don Bosco] SET ANSI NULLS OFF
GO
ALTER DATABASE [Hospital_Don_Bosco] SET ANSI_PADDING OFF
```

```
GO
```

ALTER DATABASE [Hospital Don Bosco] SET ANSI WARNINGS OFF

GO

ALTER DATABASE [Hospital\_Don\_Bosco] SET ARITHABORT OFF

GO

ALTER DATABASE [Hospital Don Bosco] SET AUTO CLOSE OFF

GO

ALTER DATABASE [Hospital Don Bosco] SET AUTO SHRINK OFF

GO

ALTER DATABASE [Hospital Don Bosco] SET AUTO UPDATE STATISTICS ON

GO

ALTER DATABASE [Hospital Don Bosco] SET CURSOR CLOSE ON COMMIT OFF

GO

ALTER DATABASE [Hospital Don Bosco] SET CURSOR DEFAULT GLOBAL

GO

ALTER DATABASE [Hospital Don Bosco] SET CONCAT NULL YIELDS NULL OFF

GO

ALTER DATABASE [Hospital Don Bosco] SET NUMERIC ROUNDABORT OFF

GO

ALTER DATABASE [Hospital\_Don\_Bosco] SET QUOTED\_IDENTIFIER OFF

GO

ALTER DATABASE [Hospital Don Bosco] SET RECURSIVE TRIGGERS OFF

GO

ALTER DATABASE [Hospital\_Don\_Bosco] SET ENABLE\_BROKER

GO

ALTER DATABASE [Hospital\_Don\_Bosco] SET AUTO\_UPDATE\_STATISTICS\_ASYNC OFF

```
GO
```

ALTER DATABASE [Hospital Don Bosco] SET DATE CORRELATION OPTIMIZATION OFF

GO

ALTER DATABASE [Hospital\_Don\_Bosco] SET TRUSTWORTHY OFF

GO

ALTER DATABASE [Hospital Don Bosco] SET ALLOW SNAPSHOT ISOLATION OFF

GO

ALTER DATABASE [Hospital Don Bosco] SET PARAMETERIZATION SIMPLE

GO

ALTER DATABASE [Hospital Don Bosco] SET READ COMMITTED SNAPSHOT OFF

GO

ALTER DATABASE [Hospital Don Bosco] SET HONOR BROKER PRIORITY OFF

GO

ALTER DATABASE [Hospital Don Bosco] SET RECOVERY FULL

GO

ALTER DATABASE [Hospital Don Bosco] SET MULTI USER

GO

ALTER DATABASE [Hospital Don Bosco] SET PAGE VERIFY CHECKSUM

GO

ALTER DATABASE [Hospital Don Bosco] SET DB CHAINING OFF

GO

ALTER DATABASE [Hospital\_Don\_Bosco] SET FILESTREAM( NON\_TRANSACTED\_ACCESS = OFF )

GO

ALTER DATABASE [Hospital\_Don\_Bosco] SET TARGET\_RECOVERY\_TIME = 60 SECONDS

GO

```
ALTER DATABASE [Hospital Don Bosco] SET DELAYED DURABILITY = DISABLED
GO
ALTER DATABASE [Hospital Don Bosco] SET ACCELERATED DATABASE RECOVERY = OFF
GO
EXEC sys.sp db vardecimal storage format N'Hospital Don Bosco', N'ON'
GO
ALTER DATABASE [Hospital Don Bosco] SET QUERY STORE = ON
GO
ALTER DATABASE [Hospital Don Bosco] SET QUERY STORE (OPERATION MODE =
READ_WRITE, CLEANUP_POLICY = (STALE_QUERY_THRESHOLD_DAYS = 30),
DATA FLUSH INTERVAL SECONDS = 900, INTERVAL LENGTH MINUTES = 60,
MAX STORAGE SIZE MB = 1000, QUERY CAPTURE MODE = AUTO,
SIZE_BASED_CLEANUP_MODE = AUTO, MAX_PLANS_PER_QUERY = 200,
WAIT STATS CAPTURE MODE = ON)
GO
USE [Hospital Don Bosco]
GO
SET ANSI NULLS ON
GO
SET QUOTED IDENTIFIER ON
GO
CREATE TABLE [dbo].[Admin](
      [id] [int] NOT NULL,
      [usuario] [nvarchar](50) NULL,
      [contrasena] [nvarchar](255) NULL,
PRIMARY KEY CLUSTERED
(
```

```
[id] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY
= OFF) ON [PRIMARY]
) ON [PRIMARY]
GO
/***** Object: Table [dbo].[Citas] Script Date: 6/2/2025 6:29:43 PM ******/
SET ANSI_NULLS ON
GO
SET QUOTED IDENTIFIER ON
GO
CREATE TABLE [dbo].[Citas](
      [id] [int] IDENTITY(1,1) NOT NULL,
      [id usuario] [int] NULL,
      [area_consulta] [varchar](30) NULL,
      [descripcion] [nvarchar](500) NULL,
      [fecha] [date] NULL,
      [hora] [time](7) NULL,
      [foto] [varbinary](max) NULL,
      [estado] [varchar](20) NULL,
PRIMARY KEY CLUSTERED
(
      [id] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON, OPTIMIZE FOR SEQUENTIAL KEY
= OFF) ON [PRIMARY]
) ON [PRIMARY] TEXTIMAGE ON [PRIMARY]
```

```
GO
SET ANSI_NULLS ON
GO
SET QUOTED IDENTIFIER ON
GO
CREATE TABLE [dbo].[Usuarios](
      [id] [int] IDENTITY(1,1) NOT NULL,
      [nombres] [nvarchar](100) NULL,
      [apellidos] [nvarchar](100) NULL,
      [fecha_nacimiento] [date] NULL,
      [dui] [varchar](10) NULL,
      [correo] [nvarchar](150) NULL,
      [telefono] [varchar](15) NULL,
      [genero] [varchar](10) NULL,
      [rol] [varchar](10) NULL,
      [area] [varchar](30) NULL,
      [contrasena] [nvarchar](255) NULL,
      [FotoPath] [varchar](255) NULL,
      [fecha_creacion] [date] NULL,
      [foto] [varbinary](max) NULL,
PRIMARY KEY CLUSTERED
      [id] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY
= OFF) ON [PRIMARY],
```

```
UNIQUE NONCLUSTERED
(
      [correo] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON, OPTIMIZE FOR SEQUENTIAL KEY
= OFF) ON [PRIMARY],
UNIQUE NONCLUSTERED
(
      [dui] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON, OPTIMIZE FOR SEQUENTIAL KEY
= OFF) ON [PRIMARY]
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
GO
ALTER TABLE [dbo].[Citas] ADD DEFAULT ('Pendiente') FOR [estado]
GO
ALTER TABLE [dbo]. [Usuarios] ADD DEFAULT (getdate()) FOR [fecha creacion]
GO
ALTER TABLE [dbo].[Citas] WITH CHECK ADD FOREIGN KEY([id usuario])
REFERENCES [dbo].[Usuarios] ([id])
GO
ALTER TABLE [dbo].[Citas] WITH CHECK ADD CHECK (([area consulta]='Emergencia' OR
[area consulta]='Oftalmologia' OR [area consulta]='Pediatria'))
GO
ALTER TABLE [dbo].[Usuarios] WITH CHECK ADD CHECK (([genero]='Mujer' OR
[genero]='Hombre'))
GO
```

ALTER TABLE [dbo].[Usuarios] WITH CHECK ADD CHECK (([rol]='Usuario' OR [rol]='Medico'))

GO

USE [master]

GO

ALTER DATABASE [Hospital\_Don\_Bosco] SET READ\_WRITE

GO