


Personal AI Archive — UI Walkthrough

Complete technical overview and visual walkthrough of all critical components, interactive workflows, modal dialogs, and portability features in the Personal AI Archive application.

1 Unified Chat Workspace

The central multi-provider chat workspace where users converse with cloud (Google Gemini, OpenAI) and 100% offline local AI models (Ollama, LM Studio). Answers stream with syntax highlighting, citation link detection, and automatic SQLite archiving.




KEY ARCHITECTURAL FEATURES:

- **Navigation Sidebar:** Real-time view switching between `Chat`, `Archive`, and `Digest`, fast access to Settings, and live health status indicators for Gemini, OpenAI, Ollama, and LM Studio.
- **Locked Model Selector:** Provider and model are dynamically discoverable but safely locked once a thread begins, guaranteeing conversational context integrity.
- **Streaming & Interruption:** Responses stream chunk-by-chunk via Server-Sent Events (SSE). Clicking "Stop" triggers an `AbortController`, instantly saving the partial generation with `status: 'interrupted'`.
- **Composer Actions:** Includes Google Search AI shortcut and autosizing text input.

2

Archive Memory & Retrieval Modes

When Archive Memory is toggled ON, the application displays a dynamic context retrieval control banner enabling the user to configure how historical conversations and summaries are injected into prompts.




KEY ARCHITECTURAL FEATURES:

- Latest Summaries Mode:** Automatically injects the high-level Global Executive Archive Digest and the latest topic summaries into the AI prompt's system context.
- Selected Topics Mode:** Restricts context injection to specific knowledge domains selected by the user via the Topic Selection modal.
- Smart Keyword FTS Mode:** Extracts key search tokens from the active prompt and queries SQLite's `messages_fts` virtual table to inject the most relevant conversation snippets.

3 Topic Selection Modal

Provides fine-grained control over which extracted knowledge categories are retrieved during conversational memory injection, preventing context window bloat and keeping AI responses focused.




KEY ARCHITECTURAL FEATURES:

- **Topic Filter Bar:** Instant search filtering across all 24+ AI-extracted topics.
- **Selection Controls:** Live selected count indicator (e.g. `0 of 24 selected`), with bulk `Select All` and `Clear` actions.
- **Detailed Topic Cards:** Displays category names, timestamps, summaries, and excerpted conversation themes.

4 Google Search AI Modal

Bridges offline conversation with live web intelligence. Users can execute web queries to generate grounded AI overviews with real-time web citations, which can be inserted into the composer or posted directly into the chat.




KEY ARCHITECTURAL FEATURES:

- **Grounded Search Indicator:** Visual badge confirming Google Search grounding is active.
- **Synthesis & Citations:** Generates a structured Markdown overview complete with formatted external source links.
- **Workflow Flexibility:** Action buttons to insert synthesized findings into the composer textarea or append them as a fresh message bubble in the thread.

5 Interactive Hyperlink Hover & Page Summarizer

Hovering over any external citation or URL in chat messages displays an actionable tooltip card enabling instantaneous, on-demand AI web page summarization.




KEY ARCHITECTURAL FEATURES:

- **Actionable Hover Card:** Displays a gradient badge: *"Please provide an AI summary of this page."*
- **1-Click Automated Research:** Clicking the card triggers an automated AI summary request for that specific URL.
- **Thread Integration:** The generated web summary streams in real time as a new message bubble within the active thread, keeping web research grounded in conversational context.

Archive Explorer & Full-Text Search

The centralized repository inspector powered by SQLite's FTS5 engine, providing sub-millisecond search across tens of thousands of past messages, provider filtering, and data portability exports.




KEY ARCHITECTURAL FEATURES:

- **SQLite FTS5 Search Bar:** Instant, full-text token search indexing every user and assistant message automatically via database triggers.
- **Provider Filtering:** Quick-filter chips for `All`, `Gemini`, `OpenAI`, `Ollama`, and `LM Studio`.
- **Obsidian Vault (.zip) Export:** Streams a complete Markdown vault containing categorized notes, YAML headers, and internal wikilinks via `/api/export/markdown`.
- **JSON Backup Export:** One-click download of the complete relational dataset via `/api/export/json`.

Intelligence Dashboard & Topic Categorization

The automated background AI analysis suite. Summarizes conversation history into global digests, automatically extracts recurring topics, and updates Markdown notes on disk.




KEY ARCHITECTURAL FEATURES:

- **Execution Controls:** Allows selecting the provider and model to run the background summarization, with support for **Incremental (New Only)** and **Full Re-run (All History)** modes.
- **Obsidian Vault (.zip) Shortcut:** Direct download link to export all generated Markdown summaries and conversation threads into a zipped vault.
- **Extracted Knowledge Topics:** Interactive grid of 24+ automatically discovered knowledge categories with message counters.
- **Global Executive Archive Digest:** High-level overview synthesizing major themes, user projects, and conclusions.

8 Settings & Provider Endpoints Modal

Configuration center for cloud API credentials and local offline AI server endpoints, securely stored in SQLite.



KEY ARCHITECTURAL FEATURES:

- **Google Gemini API Key:** Securely persists key in SQLite `settings` table with fallback to `.env`.
- **OpenAI API Key:** Masked key configuration for ChatGPT models.
- **Ollama Local Endpoint:** Local REST endpoint (defaults to `http://localhost:11434`) with dynamic model probing.
- **LM Studio Local Endpoint:** Local OpenAI-compatible endpoint (defaults to `http://localhost:1234/v1`) with dynamic model probing.