

# PROPOSED CHANGE NOTICE

2445-42

No work is to be done before this matter is finalized and a "Change Order" is issued. This copy to remain with your office. Do not return. Contractor to submit signed letter with price including cost breakdown and change (if any) to construction schedule. Authority having Jurisdiction shall advise of any objections.

**TO:** QUOREX CONSTRUCTION SERVICES LTD.  
 1630A 8th Avenue,  
 Regina, SK S4R 1E5

**RE:** AURORA FOOD STORE  
 2000 ANAQUOD ROAD  
 REGINA, SK  
 Commission No. 2445


**DATE:** October 19, 2025

**PAGES:** 7 (including cover)

**RE:** Floral Glass Shelves

## 1.0 GENERAL

- .1 Provide 12" deep tempered glass display shelving with white mounting hardware at Floral wall. Site confirm dimensions. Example elevation for reference:



- 24"W x 12"D x 1/4" thick Heavy Duty Tempered Glass Shelves.
- Richelieu Product #4080W5BC, 5' Length Shelf Standard, white finish, attached (3 pages).
- Richelieu Product #4180W12BC, 12"D Shelf Bracket, white finish, attached (3 pages).

### Distribution:

Sobeys Inc. – Jeff Craig  
 Sobeys Inc. – Shanwen Hsu  
 Quorex Construction Services Ltd. – Chris Walbaum  
 Quorex Construction Services Ltd. – Dustin Williamson  
 Lavergne Draward & Associates Inc. – Charles Koop  
 CGM Engineering – Justin Albo  
 CGM Engineering – Tony Mitousis  
 CGM Engineering – Brendan Simpson

jeff.craig@sobeys.com  
 shanwen.hsu@sobeys.com  
 c.walbaum@quorex.ca  
 d.williamson@quorex.ca  
 ckoop@lidaeng.ca  
 justin\_albo@cgmeng.ca  
 tony\_mitousis@cgmeng.ca  
 brendan\_simpson@cgmeng.ca

  
 Principal  
 Kevin Fawley, SAA MRAIC



## Shelf Standard

**Product #** 4080W5BC

**Length** 60 in

**Color/Finish** White

### DESCRIPTION

This single shelf standard is a secure option for supporting shelves. Standards are designed for use no more than 24 inches apart and no more than 4 inches from the ends of the shelves they support. Allows for adjustable shelf placement so your shelves are always at the right height. Easy to install for your organizing needs.



## REQUIRED PRODUCTS!

Requires the following products

**Sales unit**



**Screws and Anchors for #4080 Standards**  
Product # 48088WR

Blister of 6 units



**Shelf Bracket**  
Product # 4180W06BC

Length: 6 in      Safe Working Load: 50 lb

**AND**



**Shelf Bracket**  
Product # 4180W08BC

Length: 8 in      Safe Working Load: 60 lb

**AND**



**Shelf Bracket**  
Product # 4180W10BC

Length: 10 in      Safe Working Load: 75 lb

**AND**



**Shelf Bracket**  
Product # 4180W12BC

Length: 12 in      Safe Working Load: 90 lb


**AND**

## TECHNICAL SPECIFICATIONS

<b>Product #</b>	4080W5BC
<b>Mounting</b>	Single
<b>Width</b>	5/8 in
<b>Material</b>	Metal
<b>Panel Thickness</b>	0 in
<b>Brand</b>	Onward



## PRODUCT PHOTOS





## Shelf Bracket

**Product #** 4180W12BC

**Length** 12 in

**Color / Finish** White

**Safe Working Load** 90 lb

### DESCRIPTION

Shelf bracket to support your shelves. Easy to install for your shelving and organizing needs.



## REQUIRED PRODUCTS!

Requires the following products



**Shelf Standard**  
Product # 4080W5BC

Sales unit

Requires ONE of the following products



**Shelf Standard**  
Product # 4080W2BC

Sales unit

Length: 24  
in

OR



**Shelf Standard**  
Product # 4080W3BC

OR

**Shelf Standard**  
Product # 4080W4BC



Length: 36  
in

OR



**Shelf Standard**  
Product # 4080W6BC

Length: 48  
in

OR

Length: 72  
in

## TECHNICAL SPECIFICATIONS

Product #	4180W12BC
Width	1/2 in
Material	Metal
Brand	Onward

## DISCLAIMER

Weight loads assume product is properly installed.



## PRODUCT PHOTOS

