JIRA SERVICE MANAGEMENT
HELP DESK TICKETING LAB

Hands-on practice report | Personal lab project | Deante Hall

Project Overview


This project documents a hands-on practice run of a help desk ticketing workflow in Jira Service Management. I created a service space, raised a practice ticket, assigned it to myself, documented troubleshooting steps in an internal note, and resolved it. While resolving the ticket I also hit a configuration issue and fixed it in the Jira admin settings.

Lab Environment

- Tool: Jira Service Management (Cloud) with the IT service management template
- Space: "Support" (ticket key prefix SUP)
- Practice ticket: SUP-1, "User cannot connect to the internet"
- Note: The ticket and its troubleshooting steps were a simulated scenario written to practice the documentation workflow. The steps reuse the network commands from my Windows 11 lab.


1. Creating the Support Space and First Request

I created a Support space from the IT service management template. Its queues were empty at first, with all requests appearing in the "All open" queue.



Support space with an empty "All open" queue


I then raised a request using the "Get IT help" request type, with a short summary and a description of the problem, written the way a user would report it. The request appeared in the queue as SUP-1.



SUP-1 in the "All open" queue, request type "Get IT help", unassigned

2. Assigning the Ticket


I opened SUP-1 and assigned it to myself. The ticket page shows the description, the status (Waiting for support), and the SLA targets set by the template: time to first response within 12 hours and time to resolution within 48 hours.



SUP-1 assigned to Deante Hall, status "Waiting for support", with SLA targets

3. Documenting Troubleshooting


I added an internal note (marked with the lock icon, so it is not visible to the customer) listing the troubleshooting steps: confirming the symptom, checking IP configuration with ipconfig, and testing the gateway, an external IP address, and DNS resolution with ping, followed by restarting the network adapter.



Internal troubleshooting note saved on SUP-1


4. Resolving the Ticket and Fixing a Configuration Issue

From the status menu I selected "Resolve this issue", one of several workflow transitions available on the ticket (for example In progress, Escalate, Pending, and Cancel request).




Status menu showing the available workflow transitions

The Resolve pop-up requires a Resolution, but the Resolution dropdown returned "No matches found". The cause was that no resolutions had been created on the new Jira site yet.




"Resolve this issue" pop-up with an empty Resolution list

I fixed it in Jira admin settings (Settings > Work items > Resolutions) by adding a resolution named "Done". After that, the ticket could be resolved.




Jira admin settings, Work items > Resolutions page with the Add New Resolution form

I resolved the ticket with a closing internal note describing the fix and how it was verified. SUP-1 now shows the status "Resolved".



SUP-1 with status "Resolved" and the closing note in Activity



Both internal notes on SUP-1: troubleshooting steps and resolution note

Skills Practiced

- Ticket lifecycle in a service desk: create, assign, document, resolve
- Using queues, request types, and workflow statuses
- Writing clear troubleshooting and resolution notes (internal vs. customer-facing)
- Reading SLA targets on a ticket
- Basic Jira admin configuration (adding a resolution) to fix a workflow blocker
- Network troubleshooting steps: ipconfig and ping tests

This report documents a personal practice lab and is not professional employment experience.