


# ODISHA UNIVERSITY OF TECHNOLOGY AND RESEARCH



## WEB DESIGN AND TECHNOLOGY

### ASSIGNMENT - 2

Subject Code-CS6241

## MASTER IN COMPUTER APPLICATION

SEMESTER: 1<sup>ST</sup>

#### PROJECT GUIDE:

**DR. JIBITESH MISHRA**

#### SUBMITTED BY:

ASUTOSH SAHOO (25240005)

JYOTI PRAKASH SAMAL (25240012)

DEBASISH DASH (25240008)

RUDRA NARAYAN JENA (25240024)




## **RESTAURANT MANAGEMENT SYSTEM**


### **: Contributions :**

1. Asutosh Sahoo (25240005) - Orders & Owner Dashboard
2. Jyoti Prakash Samal (25240012) - Authentication & UI/UX
3. Debasish Dash (25240008) - Restaurant Discovery & Menu Display
4. Rudra Narayan Jena (25240024) - Cart & Coupons System

## Product Workflow Diagram



# Backend System Architecture Diagram



# 1. Objective

The objective of the **DigiDine** project is to design and develop a complete online food ordering and restaurant management system that connects customers and restaurant owners on a single digital platform.

This system aims to solve the problems of:

- Manual food ordering through phone calls
- Limited restaurant visibility for customers
- Difficulty in managing orders, menus, and feedback for restaurant owners
- Lack of real-time order updates and tracking

DigiDine provides:

- A smooth and easy food ordering experience for customers
- A powerful dashboard for restaurant owners to manage their business
- Secure authentication and role-based access
- Automated calculation of prices, taxes, delivery charges, and discounts
- Real-time communication between customers and restaurant owners

The project is built as a full-stack web application with a clear separation between frontend and backend, ensuring scalability, maintainability, and real-world usability.

## 2. Functionality :

DigiDine works as a complete end-to-end system consisting of customer-side features, restaurant owner features, and a backend server that manages data, logic, and real-time communication.

### User Authentication & Access Control

- Users can register and log in securely
- Two roles are supported: Customer and Restaurant Owner
- Role-based redirection after login
- Secure session handling using browser storage
- Protected routes prevent unauthorized access
- Profile management for updating personal details
- Logout clears session and cart data

### Restaurant Discovery & Browsing

- Home page displays all available restaurants
- Each restaurant card shows image, name, cuisine, rating, location, and delivery time
- Restaurants can be searched by name, cuisine, or food items
- Real-time search suggestions
- Rating-based filtering (4.5+, 4.0+, etc.)
- Veg-only filter for menu items
- Smooth UI interactions with loading states and hover effects

### Menu & Food Item Display

- Dynamic menu loading based on selected restaurant
- Food items displayed with name, description, image, and price
- Clear veg (green dot) and non-veg (red dot) indicators
- Add-to-cart button on each item
- Login required before adding items to cart
- Live cart item count shown in navbar
- Customer reviews displayed below restaurant header

### Cart Management System

- Add, remove, and update item quantities
- Cart restricted to one restaurant at a time
- Confirmation popup when switching restaurants
- Real-time price calculation
- Automatic tax calculation (5%)

- Delivery fee logic (₹40 below ₹500, free above ₹500)
- Clear bill breakdown: item total, tax, delivery, discount, final amount
- Empty cart handling with user-friendly UI
- Coupons & Offers
  - Dedicated offers page showing all active coupons
  - Coupons displayed with code, description, and tags
  - Coupon eligibility checks:
    - Minimum order value
    - Restaurant-specific validation
    - Expiry date validation
  - One-click coupon copy and apply
  - View coupons modal inside cart
  - Backend validation of coupons
  - Supports flat and percentage discounts with limits
  - Discount reflected instantly in final bill
- Order Placement & Processing
  - Complete order summary before checkout
  - Uses saved delivery address from user profile
  - Order validation before placement
  - Backend order creation with unique order ID
  - Initial order status set to PENDING
  - Cart cleared after successful order
  - Error handling without losing cart data
  - Real-time notifications to restaurant owners
- Order History & Tracking
  - Customers can view all past orders
  - Orders sorted by most recent
  - Color-coded order status badges
  - Track order timeline with timestamps
  - Real-time status updates
  - Rate delivered orders (1–5 stars)
  - Optional written feedback
  - Reorder previous orders with one click
- Dark Mode User Interface
  - Light/Dark theme toggle available globally

- Theme preference saved in browser storage
- Persistent across sessions and pages
- Smooth transitions
- Applied consistently across all UI components

#### Restaurant Owner Dashboard

- Owner-specific login and dashboard access
- Sidebar-based dashboard navigation
- View incoming, active, and past orders
- Accept or reject orders with reasons
- Sequential order status updates
- Real-time order notifications
- Menu management (add, edit, delete items)
- View customer ratings and feedback
- Earnings and order analytics
- Business performance overview

#### Backend System Functionality

- Built using Node.js and Express
- RESTful API architecture
- Handles authentication, orders, coupons, and ratings
- JSON-based data storage (users, restaurants, orders, offers)
- Real-time communication using Socket.IO
- Secure validation of all inputs
- Order lifecycle enforcement
- Rating calculation and restaurant score updates
- Error handling with proper status codes
- Health check endpoint for server monitoring

#### System Architecture & Workflow

- Frontend communicates with backend via REST APIs
- Backend reads/writes data to persistent storage
- Real-time updates delivered using WebSockets
- Backend architecture diagram explains data flow
- Product workflow diagram explains complete order lifecycle
- Diagrams help understand system behavior in simple terms



### 3.Codes :

#### index.html

Main landing page that displays the restaurant listing and allows users to browse restaurants.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>DigiDine - Order Food Online</title>
  <!-- Bootstrap 5 CSS -->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet">
  <!-- Bootstrap Icons -->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.10.0/font/bootstrap-icons.css"
rel="stylesheet">
  <!-- Google Fonts -->
  <link href="https://fonts.googleapis.com/css2?family=Inter:wght@400;500;600;800&display=swap"
rel="stylesheet">
  <!-- Custom CSS -->
  <link rel="stylesheet" href="css/style.css">
</head>
<body id="page-home">

  <!-- Navbar -->
  <nav class="navbar navbar-expand-lg sticky-top">
    <div class="container">
      <a class="navbar-brand d-flex align-items-center" href="index.html">
        <i class="bi bi-fire me-2"></i> DigiDine
      </a>

      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarContent">
        <span class="navbar-toggler-icon"></span>
      </button>

      <div class="collapse navbar-collapse" id="navbarContent">
        <div class="ms-4 text-muted small d-none d-lg-block">
          <i class="bi bi-geo-alt-fill me-1"></i> Bhubaneswar,Odisha
        </div>

        <ul class="navbar-nav ms-auto mb-2 mb-lg-0 align-items-center">
          <li class="nav-item">
            <a class="nav-link" href="index.html"><i class="bi bi-search me-1"></i> Search</a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="offers.html"><i class="bi bi-percent me-1"></i> Offers</a>
          </li>
        </ul>
      </div>
    </div>
  </nav>
</body>
</html>
```

```

        <li class="nav-item">
            <button class="btn nav-link" id="theme-toggle" aria-label="Toggle Dark Mode"><i class="bi bi-
moon-stars-fill"></i></button>
        </li>
        <li class="nav-item" id="nav-auth-item">
            <!-- Populated by JS -->
            <a class="nav-link btn btn-light rounded-pill px-3 fw-bold" href="login.html">Login</a>
        </li>
        <li class="nav-item ms-3">
            <a class="nav-link position-relative btn btn-light px-3 rounded-pill" href="cart.html">
                <i class="bi bi-bag-fill text-success"></i> Cart
                <span class="badge rounded-pill cart-badge" style="display: none;">0</span>
            </a>
        </li>
        <li class="nav-item ms-2">
            <span id="nav-user-name" class="fw-bold small text-muted"></span>
        </li>
    </ul>
</div>
</div>
</nav>

<!-- Hero Section -->
<div class="hero-section position-relative overflow-hidden w-100">
    <video autoplay muted loop playsinline class="hero-video w-100 h-100 object-fit-cover position-absolute
top-0 start-0" poster="assets/video.mp4" id="heroVideo">
        <source src="assets/video.mp4" type="video/mp4">
        Your browser does not support the video tag.
    </video>
    <div class="hero-overlay position-absolute top-0 start-0 w-100 h-100 d-flex flex-column justify-content-
center align-items-center text-center text-white">
        <h1 class="display-1 fw-bold mb-2 animate-fade-in"><i class="bi bi-fire text-warning"></i>
DigiDine</h1>
        <p class="lead fw-normal fs-3 mb-4 animate-fade-in text-shadow">Delivering happiness, one meal at a
time.</p>
        <a href="#restaurant-list" class="btn btn-lg btn-brand px-5 py-3 rounded-pill shadow-lg animate-fade-
in fw-bold">ORDER NOW</a>
    </div>
</div>

<script>
document.addEventListener('DOMContentLoaded', function() {
    var vid = document.getElementById('heroVideo');
    if(vid) {
        vid.muted = true; // Ensure muted for autoplay
        vid.play().then(() => {
            console.log("Video playing successfully");
        }).catch(e => {
            console.error("Video autoplay failed:", e);
            // Fallback: show poster
        });
    }
});
</script>

<!-- Filters & Search Mobile -->
<div class="container mt-4 mb-4">
    <div class="row g-3 align-items-center">

```

```

<div class="col-md-6">
  <h4 class="fw-bold mb-0">Restaurants near you</h4>
</div>
<div class="col-md-4">
  <div class="input-group">
    <span class="input-group-text bg-white border-end-0"><i class="bi bi-search"></i></span>
    <input type="text" id="search-input" class="form-control border-start-0 ps-0"
placeholder="Search for restaurants or food...">
  </div>
</div>
<div class="col-md-2">
  <select class="form-select" id="rating-filter">
    <option value="all" selected>Sort By: Rating</option>
    <option value="4.5">4.5+</option>
    <option value="4.0">4.0+</option>
    <option value="3.5">3.5+</option>
  </select>
</div>
</div>
</div>

<!-- Restaurant Grid -->
<div class="container mb-5">
  <div id="restaurant-list" class="row">
    <!-- Populated by JS -->
  </div>
</div>

<!-- Footer -->
<footer class="bg-dark text-white pt-5 pb-3 mt-auto">
  <div class="container">
    <div class="row">
      <div class="col-md-3 mb-4">
        <h5 class="text-white fw-bold mb-3"><i class="bi bi-fire"></i> DigiDine</h5>
        <p class="text-white-50 small">Best food delivery service in town. Craving something? We got you covered.</p>
        <div class="mt-4">
          <p class="text-white small fw-bold mb-2">EXPERIENCE DIGIDINE APP ON MOBILE</p>
          <div class="d-flex gap-2">
            <a href="#" class="btn btn-dark border border-secondary btn-sm app-store-btn d-flex align-items-center">
              <i class="bi bi-apple fs-4 me-2"></i>
              <div class="text-start lh-1">
                <small style="font-size: 0.6rem">Download on the</small><br>
                <span class="fw-bold">App Store</span>
              </div>
            </a>
            <a href="#" class="btn btn-dark border border-secondary btn-sm app-store-btn d-flex align-items-center">
              <i class="bi bi-google-play fs-4 me-2"></i>
              <div class="text-start lh-1">
                <small style="font-size: 0.6rem">GET IT ON</small><br>
                <span class="fw-bold">Google Play</span>
              </div>
            </a>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>

```

```

<div class="col-md-3 mb-4">
  <h6 class="text-uppercase mb-3 fw-bold small">Company</h6>
  <ul class="list-unstyled small text-white-50">
    <li class="mb-2"><a href="#" class="text-white-50 text-decoration-none">About Us</a></li>
    <li class="mb-2"><a href="#" class="text-white-50 text-decoration-none">Team</a></li>
    <li class="mb-2"><a href="#" class="text-white-50 text-decoration-none">Careers</a></li>
  </ul>
</div>
<div class="col-md-3 mb-4">
  <h6 class="text-uppercase mb-3 fw-bold small">Support</h6>
  <ul class="list-unstyled small text-white-50">
    <li class="mb-2"><a href="#" class="text-white-50 text-decoration-none">Help &
Support</a></li>
    <li class="mb-2"><a href="#" class="text-white-50 text-decoration-none">Partner with
us</a></li>
  </ul>
</div>
<div class="col-md-3 mb-4">
  <h6 class="text-uppercase mb-3 fw-bold small">Legal</h6>
  <ul class="list-unstyled small text-white-50">
    <li class="mb-2"><a href="#" class="text-white-50 text-decoration-none">Terms &
Conditions</a></li>
    <li class="mb-2"><a href="#" class="text-white-50 text-decoration-none">Privacy
Policy</a></li>
  </ul>
</div>
</div>
<hr class="border-secondary">
<div class="text-center small text-white-50">
  &copy; 2025 DigiDine. All rights reserved.
</div>
</div>
</footer>

<!-- Scripts -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
<script src="/socket.io/socket.io.js"></script>
<script src="js/api-client.js"></script>
<script src="js/data.js"></script>
<script src="js/auth.js"></script>
<script src="js/cart.js"></script>
<script src="js/app.js"></script>
</body>
</html>

```

## restaurant.html

Displays the selected restaurant's details and menu items for ordering.

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Restaurant Menu - DigiDine</title>
  <!-- Bootstrap 5 CSS -->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet">
  <!-- Bootstrap Icons -->

```

```

    <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.10.0/font/bootstrap-icons.css"
rel="stylesheet">
    <!-- Google Fonts -->
    <link href="https://fonts.googleapis.com/css2?family=Inter:wght@400;500;600;800&display=swap"
rel="stylesheet">
    <!-- Custom CSS -->
    <link rel="stylesheet" href="css/style.css">
</head>
<body id="page-restaurant">

    <!-- Navbar -->
    <nav class="navbar navbar-expand-lg sticky-top">
        <div class="container">
            <a class="navbar-brand d-flex align-items-center" href="index.html">
                <i class="bi bi-fire me-2"></i> DigiDine
            </a>

            <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarContent">
                <span class="navbar-toggler-icon"></span>
            </button>

            <div class="collapse navbar-collapse" id="navbarContent">
                <div class="ms-4 text-muted small d-none d-lg-block">
                    <i class="bi bi-geo-alt-fill me-1"></i> Bhubaneswar, Odisha
                </div>

                <ul class="navbar-nav ms-auto mb-2 mb-lg-0 align-items-center">
                    <li class="nav-item">
                        <a class="nav-link" href="index.html"><i class="bi bi-search me-1"></i> Search</a>
                    </li>
                    <li class="nav-item">
                        <a class="nav-link" href="offers.html"><i class="bi bi-percent me-1"></i> Offers</a>
                    </li>
                    <li class="nav-item">
                        <button class="btn nav-link" id="theme-toggle" aria-label="Toggle Dark Mode"><i class="bi bi-
moon-stars-fill"></i></button>
                    </li>
                    <li class="nav-item" id="nav-auth-item">
                        <a class="nav-link btn btn-light rounded-pill px-3 fw-bold" href="login.html">Login</a>
                    </li>
                    <li class="nav-item ms-3">
                        <a class="nav-link position-relative btn btn-light px-3 rounded-pill" href="cart.html">
                            <i class="bi bi-bag-fill text-success"></i> Cart
                            <span class="badge rounded-pill cart-badge" style="display: none;">0</span>
                        </a>
                    </li>
                    <li class="nav-item ms-2">
                        <span id="nav-user-name" class="fw-bold small text-muted"></span>
                    </li>
                </ul>
            </div>
        </div>
    </nav>

    <!-- Restaurant Header -->
    <div id="restaurant-details" class="restaurant-header">
        <div class="container">

```

```

<div class="row align-items-center">
  <div class="col-md-3 text-center text-md-start mb-3 mb-md-0">
    <img id="res-image" src="" alt="Restaurant" class="img-fluid rounded shadow" style="max-height:
200px; width: 100%; object-fit: cover;"
onerror="this.onerror=null;this.src='https://placeholder.co/600x400?text=Restaurant'">
  </div>
  <div class="col-md-9">
    <h1 id="res-name" class="display-5 fw-bold mb-1"></h1>
    <p id="res-cuisine" class="lead text-white-50 mb-2"></p>
    <div class="d-flex text-white-50 small gap-4">
      <span id="res-location"><i class="bi bi-geo-alt"></i> </span>
      <span id="res-rating"><i class="bi bi-star-fill"></i> </span>
      <span id="res-time"><i class="bi bi-clock"></i> </span>
    </div>
  </div>
</div>
</div>
</div>
</div>

<!-- Menu & Filters -->
<div class="container mt-5 mb-5">
  <div class="row justify-content-center">
    <div class="col-lg-8">
      <!-- Filters -->
      <div class="d-flex justify-content-between align-items-center mb-4 border-bottom pb-3">
        <h3 class="fw-bold m-0">Menu</h3>
        <div class="form-check form-switch cursor-pointer">
          <input class="form-check-input" type="checkbox" role="switch" id="veg-filter">
          <label class="form-check-label fw-bold small text-success" for="veg-filter">VEG ONLY</label>
        </div>
      </div>
    </div>

    <!-- Menu Items -->
    <div id="menu-container" class="list-group list-group-flush">
      <!-- Populated by JS -->
    </div>
  </div>
</div>
</div>

<!-- Footer -->
<footer class="bg-dark text-white pt-5 pb-3 mt-auto">
  <div class="container">
    <div class="row">
      <div class="col-md-4 mb-4">
        <h5 class="text-white fw-bold mb-3"><i class="bi bi-fire"></i> DigiDine</h5>
        <p class="text-white-50 small">Best food delivery service in town. Craving something? We got you
covered.</p>
        <div class="mt-3">
          <a href="#" class="text-white me-3 fs-5"><i class="bi bi-facebook"></i></a>
          <a href="#" class="text-white me-3 fs-5"><i class="bi bi-instagram"></i></a>
          <a href="#" class="text-white me-3 fs-5"><i class="bi bi-twitter"></i></a>
          <a href="#" class="text-white fs-5"><i class="bi bi-youtube"></i></a>
        </div>
      </div>
      <div class="col-md-2 mb-4">
        <h6 class="text-uppercase mb-3 fw-bold small">Company</h6>
        <ul class="list-unstyled small text-white-50">

```

```

<li class="mb-2"><a href="index.html" class="text-white-50 text-decoration-
none">Home</a></li>
<li class="mb-2"><a href="#" class="text-white-50 text-decoration-none">About Us</a></li>
<li class="mb-2"><a href="#" class="text-white-50 text-decoration-none">Careers</a></li>
</ul>
</div>
<div class="col-md-2 mb-4">
<h6 class="text-uppercase mb-3 fw-bold small">Support</h6>
<ul class="list-unstyled small text-white-50">
<li class="mb-2"><a href="#" class="text-white-50 text-decoration-none">Help &
Support</a></li>
<li class="mb-2"><a href="#" class="text-white-50 text-decoration-none">Partner with
us</a></li>
<li class="mb-2"><a href="#" class="text-white-50 text-decoration-none">Ride with us</a></li>
</ul>
</div>
<div class="col-md-4 mb-4">
<h6 class="text-uppercase mb-3 fw-bold small">Get the App</h6>
<p class="text-white-50 small">Experience better food ordering on our app.</p>
<div class="d-flex gap-2">
<button class="btn btn-outline-light btn-sm"><i class="bi bi-apple me-1"></i> App
Store</button>
<button class="btn btn-outline-light btn-sm"><i class="bi bi-google-play me-1"></i> Play
Store</button>
</div>
</div>
</div>
<hr class="border-secondary">
<div class="d-flex justify-content-between align-items-center flex-wrap small text-white-50">
<div>&copy; 2025 DigiDine. All rights reserved.</div>
<div>
<a href="#" class="text-white-50 text-decoration-none me-3">Terms</a>
<a href="#" class="text-white-50 text-decoration-none">Privacy</a>
</div>
</div>
</div>
</footer>

<!-- Toast Container -->
<div id="toast-container" class="toast-container position-fixed bottom-0 end-0 p-3" style="z-index:
1100;"></div>

<!-- Scripts -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
<script src="/socket.io/socket.io.js"></script>
<script src="js/api-client.js"></script>
<script src="js/data.js"></script>
<script src="js/auth.js"></script>
<script src="js/cart.js"></script>
<script src="js/app.js"></script>
</body>
</html>

```

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Cart - DigiDine</title>
  <!-- Bootstrap 5 CSS -->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet">
  <!-- Bootstrap Icons -->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.10.0/font/bootstrap-icons.css"
rel="stylesheet">
  <!-- Google Fonts -->
  <link href="https://fonts.googleapis.com/css2?family=Inter:wght@400;500;600;800&display=swap"
rel="stylesheet">
  <!-- Custom CSS -->
  <link rel="stylesheet" href="css/style.css">
</head>
<body id="page-cart">

  <!-- Navbar -->
  <nav class="navbar navbar-expand-lg sticky-top">
    <div class="container">
      <a class="navbar-brand d-flex align-items-center" href="index.html">
        <i class="bi bi-fire me-2"></i> DigiDine
      </a>

      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarContent">
        <span class="navbar-toggler-icon"></span>
      </button>

      <div class="collapse navbar-collapse" id="navbarContent">
        <div class="ms-4 text-muted small d-none d-lg-block">
          <i class="bi bi-geo-alt-fill me-1"></i> Bhubaneswar,Odisha
        </div>

        <ul class="navbar-nav ms-auto mb-2 mb-lg-0 align-items-center">
          <li class="nav-item">
            <a class="nav-link" href="index.html"><i class="bi bi-search me-1"></i> Search</a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="offers.html"><i class="bi bi-percent me-1"></i> Offers</a>
          </li>
          <li class="nav-item">
            <button class="btn nav-link" id="theme-toggle" aria-label="Toggle Dark Mode"><i class="bi bi-
moon-stars-fill"></i></button>
          </li>
          <li class="nav-item" id="nav-auth-item">
            <a class="nav-link btn btn-light rounded-pill px-3 fw-bold" href="login.html">Login</a>
          </li>
          <li class="nav-item ms-3">
            <a class="nav-link position-relative btn btn-light px-3 rounded-pill active" href="cart.html">
              <i class="bi bi-bag-fill text-success"></i> Cart
              <span class="badge rounded-pill cart-badge" style="display: none;">0</span>
            </a>
          </li>
          <li class="nav-item ms-2">

```



```

        <span id="nav-user-name" class="fw-bold small text-muted"></span>
    </li>
</ul>
</div>
</div>
</nav>

<!-- Cart Container -->
<div class="container mt-5 mb-5 bg-white min-vh-100 p-4 rounded shadow-sm">
    <div id="empty-cart-msg" class="text-center d-none py-5">
        <i class="bi bi-cart-x display-1 text-muted mb-3 d-block"></i>
        <h3 class="mt-4 fw-bold">Your cart is empty</h3>
        <p class="text-muted">Good food is always cooking! Go ahead, order some yummy food from the
menu.</p>
        <a href="index.html" class="btn btn-brand mt-2 px-4 shadow">SEE RESTAURANTS NEAR YOU</a>
    </div>

    <div id="cart-content" class="row">
        <!-- Left: Cart Items -->
        <div class="col-lg-8 border-end">
            <div class="p-3">
                <h4 class="fw-bold mb-4">Cart Items</h4>
                <div class="table-responsive">
                    <table class="table table-borderless align-middle">
                        <tbody id="cart-items">
                            <!-- JS Populated -->
                        </tbody>
                    </table>
                </div>
            </div>
        </div>

        <!-- Right: Bill Details -->
        <div class="col-lg-4">
            <div class="p-3">
                <h5 class="fw-bold mb-3">Bill Details</h5>

                <div class="d-flex justify-content-between mb-2 small text-muted">
                    <span>Item Total</span>
                    <span id="item-total">₹0</span>
                </div>

                <div class="d-flex justify-content-between mb-2 small text-muted">
                    <span>Delivery Fee</span>
                    <span id="delivery-fee">₹0</span>
                </div>

                <div class="d-flex justify-content-between mb-2 small text-muted">
                    <span>Govt Taxes & Charges</span>
                    <span id="tax-fee">₹0</span>
                </div>

                <div id="discount-row" class="d-flex justify-content-between mb-2 small text-success d-none">
                    <span>Discount</span>
                    <span id="discount-amount">- ₹0</span>
                </div>

                <hr class="my-3">

                <div class="d-flex justify-content-between fw-bold fs-5 mb-4">
                    <span>To Pay</span>

```

```

        <span id="to-pay">₹0</span>
    </div>

    <!-- Promo Code -->
    <div class="mb-4">
        <div class="d-flex justify-content-between align-items-center mb-2">
            <small class="text-muted fw-bold">PROMO CODE</small>
            <a href="#" class="text-brand small fw-bold text-decoration-none" id="view-coupons-
btn">VIEW COUPONS</a>
        </div>
        <div class="input-group mb-1">
            <input type="text" class="form-control" id="promo-code" placeholder="Enter Promo (e.g.
FLAT100)">
            <button class="btn btn-secondary" type="button" id="apply-promo">APPLY</button>
        </div>
    </div>

    <button id="checkout-btn" class="btn btn-brand w-100 py-2 shadow-sm fw-bold">PLACE
ORDER</button>
</div>
</div>
</div>
</div>

<!-- Footer -->
<footer class="bg-dark text-white pt-5 pb-3 mt-auto">
    <div class="container">
        <div class="row">
            <div class="col-md-4 mb-4">
                <h5 class="text-white fw-bold mb-3"><i class="bi bi-fire"></i> DigiDine</h5>
                <p class="text-white-50 small">Best food delivery service in town. Craving something? We got you
covered.</p>
                <div class="mt-3">
                    <a href="#" class="text-white me-3 fs-5"><i class="bi bi-facebook"></i></a>
                    <a href="#" class="text-white me-3 fs-5"><i class="bi bi-instagram"></i></a>
                    <a href="#" class="text-white me-3 fs-5"><i class="bi bi-twitter"></i></a>
                    <a href="#" class="text-white fs-5"><i class="bi bi-youtube"></i></a>
                </div>
            </div>
            <div class="col-md-2 mb-4">
                <h6 class="text-uppercase mb-3 fw-bold small">Company</h6>
                <ul class="list-unstyled small text-white-50">
                    <li class="mb-2"><a href="index.html" class="text-white-50 text-decoration-
none">Home</a></li>
                    <li class="mb-2"><a href="#" class="text-white-50 text-decoration-none">About Us</a></li>
                    <li class="mb-2"><a href="#" class="text-white-50 text-decoration-none">Careers</a></li>
                </ul>
            </div>
            <div class="col-md-2 mb-4">
                <h6 class="text-uppercase mb-3 fw-bold small">Support</h6>
                <ul class="list-unstyled small text-white-50">
                    <li class="mb-2"><a href="#" class="text-white-50 text-decoration-none">Help &
Support</a></li>
                    <li class="mb-2"><a href="#" class="text-white-50 text-decoration-none">Partner with
us</a></li>
                    <li class="mb-2"><a href="#" class="text-white-50 text-decoration-none">Ride with us</a></li>
                </ul>
            </div>
        </div>
    </div>

```

```

        <div class="col-md-4 mb-4">
            <h6 class="text-uppercase mb-3 fw-bold small">Get the App</h6>
            <p class="text-white-50 small">Experience better food ordering on our app.</p>
            <div class="d-flex gap-2">
                <button class="btn btn-outline-light btn-sm"><i class="bi bi-apple me-1"></i> App
Store</button>
                <button class="btn btn-outline-light btn-sm"><i class="bi bi-google-play me-1"></i> Play
Store</button>
            </div>
        </div>
    </div>
    <hr class="border-secondary">
    <div class="d-flex justify-content-between align-items-center flex-wrap small text-white-50">
        <div>&copy; 2025 DigiDine. All rights reserved.</div>
        <div>
            <a href="#" class="text-white-50 text-decoration-none me-3">Terms</a>
            <a href="#" class="text-white-50 text-decoration-none">Privacy</a>
        </div>
    </div>
</div>
</footer>

<!-- Coupon Selection Modal -->
<div class="modal fade" id="couponModal" tabindex="-1">
    <div class="modal-dialog modal-dialog-centered modal-lg">
        <div class="modal-content border-0 shadow-lg">
            <div class="modal-header border-0 pb-0">
                <h5 class="modal-title fw-bold">Available Coupons</h5>
                <button type="button" class="btn-close" data-bs-dismiss="modal"></button>
            </div>
            <div class="modal-body">
                <div id="modal-coupons-list" class="row p-2">
                    <!-- Populated by JS -->
                </div>
            </div>
        </div>
    </div>
</div>

<!-- Toast Container -->
<div id="toast-container" class="toast-container position-fixed bottom-0 end-0 p-3" style="z-index:
1100;"></div>

<!-- Scripts -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
<script src="/socket.io/socket.io.js"></script>
<script src="js/api-client.js"></script>
<script src="js/data.js"></script>
<script src="js/auth.js"></script>
<script src="js/cart.js"></script>
<script src="js/app.js"></script>
</body>
</html>

```

**login.html**

Handles user login and registration interface for customers and restaurant owners.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Login - DigiDine</title>
  <!-- Bootstrap 5 CSS -->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet">
  <!-- Bootstrap Icons -->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.10.0/font/bootstrap-icons.css"
rel="stylesheet">
  <!-- Google Fonts -->
  <link href="https://fonts.googleapis.com/css2?family=Inter:wght@400;500;600;800&display=swap"
rel="stylesheet">
  <!-- Custom CSS -->
  <link rel="stylesheet" href="css/style.css">
</head>
<body id="page-login">

  <!-- Navbar -->
  <nav class="navbar navbar-expand-lg sticky-top">
    <div class="container">
      <a class="navbar-brand d-flex align-items-center" href="index.html">
        <i class="bi bi-fire me-2"></i> DigiDine
      </a>

      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarContent">
        <span class="navbar-toggler-icon"></span>
      </button>

      <div class="collapse navbar-collapse" id="navbarContent">
        <ul class="navbar-nav ms-auto mb-2 mb-lg-0 align-items-center">
          <li class="nav-item">
            <button class="btn nav-link" id="theme-toggle" aria-label="Toggle Dark Mode"><i class="bi bi-
moon-stars-fill"></i></button>
          </li>
          <li class="nav-item">
            <a class="nav-link btn btn-light rounded-pill px-3 fw-bold" href="login.html">Login</a>
          </li>
          <li class="nav-item ms-3">
            <a class="nav-link position-relative btn btn-light px-3 rounded-pill" href="cart.html">
              <i class="bi bi-bag-fill text-success"></i> Cart
              <span class="badge rounded-pill cart-badge" style="display: none;">0</span>
            </a>
          </li>
        </ul>
      </div>
    </div>
  </nav>

  <!-- Content -->
  <div class="container mt-5">
    <div class="row min-vh-75 align-items-center">
```

```

<!-- Info Side -->
<div class="col-md-6 mb-4 mb-md-0">
  <div class="p-4">
    <h1 class="display-4 fw-bold">Hungry?</h1>
    <p class="lead text-muted">Order food from best restaurants near you.</p>
    
  </div>
</div>

<!-- Form Side -->
<div class="col-md-5 offset-md-1">
  <!-- Login Box -->
  <div id="login-box" class="card border-0 shadow-lg p-4 animate-fade-in">
    <div class="card-body">
      <div class="d-flex justify-content-between align-items-center mb-4">
        <h3 class="fw-bold mb-0">Login</h3>
        <i class="bi bi-fire text-brand display-6"></i>
      </div>

      <form id="login-form">
        <div class="form-floating mb-3">
          <input type="email" class="form-control" id="login-email"
placeholder="name@example.com" required>
          <label for="login-email">Email address</label>
        </div>
        <div class="input-group mb-3">
          <div class="form-floating">
            <input type="password" class="form-control" id="login-pass" placeholder="Password"
required>
            <label for="login-pass">Password</label>
          </div>
          <span class="input-group-text bg-white toggle-password" data-target="login-pass"
style="cursor: pointer;">
            <i class="bi bi-eye-slash"></i>
          </span>
        </div>
        <button type="submit" class="btn btn-brand w-100 py-3 fw-bold shadow-
sm">LOGIN</button>
      </form>

      <div class="text-center mt-3 small">
        <span class="text-muted">New here?</span>
        <a href="#" id="show-register" class="fw-bold text-decoration-none" style="color: var(--
brand-color);">Create an account</a>
      </div>
    </div>
  </div>

  <!-- Register Box -->
  <div id="register-box" class="card border-0 shadow-lg p-4 animate-fade-in d-none">
    <div class="card-body">
      <div class="d-flex justify-content-between align-items-center mb-4">
        <h3 class="fw-bold mb-0">Sign Up</h3>
        <button class="btn btn-close" id="show-login" aria-label="Close"></button>
      </div>
    </div>
  </div>

```

```
<form id="register-form">
  <div class="form-floating mb-3">
    <input type="text" class="form-control" id="reg-name" placeholder="John Doe" required>
    <label for="reg-name">Full Name</label>
  </div>
  <div class="form-floating mb-3">
    <input type="email" class="form-control" id="reg-email"
placeholder="name@example.com" required>
    <label for="reg-email">Email address</label>
  </div>
  <div class="d-flex gap-3 mb-3">
    <div class="form-check">
      <input class="form-check-input" type="radio" name="role" id="role-customer"
value="customer" checked>
      <label class="form-check-label" for="role-customer">Customer</label>
    </div>
    <div class="form-check">
      <input class="form-check-input" type="radio" name="role" id="role-owner"
value="owner">
      <label class="form-check-label" for="role-owner">Restaurant Owner</label>
    </div>
  </div>
  <div id="restaurant-name-group" class="d-none">
    <div class="form-floating mb-3">
      <input type="text" class="form-control" id="reg-restaurant" placeholder="My Cafe">
      <label for="reg-restaurant">Restaurant Name</label>
    </div>
    <div class="form-floating mb-3">
      <input type="text" class="form-control" id="reg-location" placeholder="Patia">
      <label for="reg-location">Restaurant Location (e.g. Patia)</label>
    </div>
  </div>
  <div class="input-group mb-3">
    <div class="form-floating">
      <input type="password" class="form-control" id="reg-pass" placeholder="Password"
required>
      <label for="reg-pass">Password</label>
    </div>
    <span class="input-group-text bg-white toggle-password" data-target="reg-pass"
style="cursor: pointer;">
      <i class="bi bi-eye-slash"></i>
    </span>
  </div>
  <button type="submit" class="btn btn-brand w-100 py-3 fw-bold shadow-
sm">CONTINUE</button>
</form>

<div class="text-center mt-3 small">
  <span class="text-muted">By creating an account, I accept the Terms & Conditions & Privacy
Policy</span>
</div>
</div>
</div>
</div>
</div>
</div>
```

```

<div id="toast-container" class="toast-container position-fixed bottom-0 end-0 p-3" style="z-index:
1100;"></div>

<!-- Scripts -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
<script src="/socket.io/socket.io.js"></script>
<script src="js/api-client.js"></script>
<script src="js/data.js"></script>
<script src="js/auth.js"></script>
<script src="js/cart.js"></script>
<script src="js/app.js"></script>
</body>
</html>

```

## offers.html

Displays all available coupons and promotional offers to users.

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Offers & Coupons - DigiDine</title>
  <!-- Bootstrap 5 CSS -->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet">
  <!-- Bootstrap Icons -->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.10.0/font/bootstrap-icons.css"
rel="stylesheet">
  <!-- Google Fonts -->
  <link href="https://fonts.googleapis.com/css2?family=Inter:wght@400;500;600;800&display=swap"
rel="stylesheet">
  <!-- Custom CSS -->
  <link rel="stylesheet" href="css/style.css">
</head>
<body id="page-offers">

  <!-- Navbar -->
  <nav class="navbar navbar-expand-lg sticky-top">
    <div class="container">
      <a class="navbar-brand d-flex align-items-center" href="index.html">
        <i class="bi bi-fire me-2"></i> DigiDine
      </a>

      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarContent">
        <span class="navbar-toggler-icon"></span>
      </button>
    </div>
    +
    <div class="collapse navbar-collapse" id="navbarContent">
      <div class="ms-4 text-muted small d-none d-lg-block">
        <i class="bi bi-geo-alt-fill me-1"></i> Bhubaneswar, Odisha
      </div>

      <ul class="navbar-nav ms-auto mb-2 mb-lg-0 align-items-center">

```

```

        <li class="nav-item">
            <a class="nav-link" href="index.html"><i class="bi bi-search me-1"></i> Search</a>
        </li>
        <li class="nav-item">
            <a class="nav-link active" href="offers.html"><i class="bi bi-percent me-1 text-brand"></i>
Offers</a>
        </li>
        <li class="nav-item">
            <button class="btn nav-link" id="theme-toggle" aria-label="Toggle Dark Mode"><i class="bi bi-
moon-stars-fill"></i></button>
        </li>
        <li class="nav-item" id="nav-auth-item">
            <!-- Populated by JS -->
            <a class="nav-link btn btn-light rounded-pill px-3 fw-bold" href="login.html">Login</a>
        </li>
        <li class="nav-item ms-3">
            <a class="nav-link position-relative btn btn-light px-3 rounded-pill" href="cart.html">
                <i class="bi bi-bag-fill text-success"></i> Cart
                <span class="badge rounded-pill cart-badge" style="display: none;">0</span>
            </a>
        </li>
        <li class="nav-item ms-2">
            <span id="nav-user-name" class="fw-bold small text-muted"></span>
        </li>
    </ul>
</div>
</div>
</nav>

```

```

<!-- Header -->
<div class="bg-light py-5 mb-5 border-bottom">
    <div class="container text-center">
        <h1 class="fw-bold display-5">Offers For You</h1>
        <p class="text-muted lead">Explore top deals and editor's picks just for you</p>
    </div>
</div>

```

```

<!-- Offers Content -->
<div class="container mb-5">
    <div class="row" id="offers-list">
        <!-- Skeleton items -->
        <div class="col-md-6 col-lg-4 mb-4 skeleton-loader">
            <div class="card border-0 shadow-sm p-4 h-100">
                <div class="skeleton mb-3" style="width: 60px; height: 60px; border-radius: 50%;"></div>
                <div class="skeleton mb-2" style="height: 24px; width: 70%;"></div>
                <div class="skeleton mb-2" style="height: 16px; width: 40%;"></div>
                <div class="skeleton mt-auto" style="height: 40px; width: 40%;"></div>
            </div>
        </div>
    </div>
</div>

```

```

<!-- Footer -->
<footer class="bg-dark text-white pt-5 pb-3">
    <div class="container">
        <div class="row">
            <div class="col-md-3 mb-4">
                <h5 class="text-white fw-bold mb-3"><i class="bi bi-fire"></i> DigiDine</h5>
            </div>
        </div>
    </div>

```



```
<p class="text-white-50 small">Best food delivery service in town. Craving something? We got you covered.</p>
<div class="mt-4">
  <p class="text-white small fw-bold mb-2">EXPERIENCE DIGIDINE APP ON MOBILE</p>
  <div class="d-flex gap-2">
    <a href="#" class="btn btn-dark border border-secondary btn-sm app-store-btn d-flex align-items-center">
      <i class="bi bi-apple fs-4 me-2"></i>
      <div class="text-start lh-1">
        <small style="font-size: 0.6rem">Download on the</small><br>
        <span class="fw-bold">App Store</span>
      </div>
    </a>
    <a href="#" class="btn btn-dark border border-secondary btn-sm app-store-btn d-flex align-items-center">
      <i class="bi bi-google-play fs-4 me-2"></i>
      <div class="text-start lh-1">
        <small style="font-size: 0.6rem">GET IT ON</small><br>
        <span class="fw-bold">Google Play</span>
      </div>
    </a>
  </div>
</div>
<div class="col-md-3 mb-4">
  <h6 class="text-uppercase mb-3 fw-bold small">Company</h6>
  <ul class="list-unstyled small text-white-50">
    <li class="mb-2"><a href="#" class="text-white-50 text-decoration-none">About Us</a></li>
    <li class="mb-2"><a href="#" class="text-white-50 text-decoration-none">Team</a></li>
    <li class="mb-2"><a href="#" class="text-white-50 text-decoration-none">Careers</a></li>
  </ul>
</div>
<div class="col-md-3 mb-4">
  <h6 class="text-uppercase mb-3 fw-bold small">Support</h6>
  <ul class="list-unstyled small text-white-50">
    <li class="mb-2"><a href="#" class="text-white-50 text-decoration-none">Help & Support</a></li>
    <li class="mb-2"><a href="#" class="text-white-50 text-decoration-none">Partner with us</a></li>
  </ul>
</div>
<div class="col-md-3 mb-4">
  <h6 class="text-uppercase mb-3 fw-bold small">Legal</h6>
  <ul class="list-unstyled small text-white-50">
    <li class="mb-2"><a href="#" class="text-white-50 text-decoration-none">Terms & Conditions</a></li>
    <li class="mb-2"><a href="#" class="text-white-50 text-decoration-none">Privacy Policy</a></li>
  </ul>
</div>
</div>
<hr class="border-secondary">
<div class="text-center small text-white-50">
  &copy; 2025 DigiDine. All rights reserved.
</div>
</div>
</footer>
```

```

<!-- Scripts -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
<script src="/socket.io/socket.io.js"></script>
<script src="js/api-client.js"></script>
<script src="js/data.js"></script>
<script src="js/auth.js"></script>
<script src="js/cart.js"></script>
<script src="js/app.js"></script>
</body>
</html>

```

## profile.html

Shows user profile details, order history, order tracking, and rating functionality.

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>My Profile - DigiDine</title>
  <!-- Bootstrap 5 CSS -->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet">
  <!-- Bootstrap Icons -->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.10.0/font/bootstrap-icons.css"
rel="stylesheet">
  <!-- Google Fonts -->
  <link href="https://fonts.googleapis.com/css2?family=Inter:wght@400;500;600;800&display=swap"
rel="stylesheet">
  <!-- Custom CSS -->
  <link rel="stylesheet" href="css/style.css">
</head>
<body id="page-profile">

  <!-- Navbar -->
  <nav class="navbar navbar-expand-lg sticky-top">
    <div class="container">
      <a class="navbar-brand d-flex align-items-center" href="index.html">
        <i class="bi bi-fire me-2"></i> DigiDine
      </a>

      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarContent">
        <span class="navbar-toggler-icon"></span>
      </button>

      <div class="collapse navbar-collapse" id="navbarContent">
        <div class="ms-4 text-muted small d-none d-lg-block">
          <i class="bi bi-geo-alt-fill me-1"></i> Bhubaneswar, Odisha
        </div>

        <ul class="navbar-nav ms-auto mb-2 mb-lg-0 align-items-center">
          <li class="nav-item">
            <a class="nav-link" href="index.html"><i class="bi bi-search me-1"></i> Search</a>
          </li>

```

```

        <li class="nav-item">
            <a class="nav-link" href="offers.html"><i class="bi bi-percent me-1"></i> Offers</a>
        </li>
        <li class="nav-item">
            <button class="btn nav-link" id="theme-toggle" aria-label="Toggle Dark Mode"><i class="bi bi-moon-stars-fill"></i></button>
        </li>
        <li class="nav-item" id="nav-auth-item">
            <a class="nav-link btn btn-light rounded-pill px-3 fw-bold" href="login.html">Login</a>
        </li>
        <li class="nav-item ms-3">
            <a class="nav-link position-relative btn btn-light px-3 rounded-pill" href="cart.html">
                <i class="bi bi-bag-fill text-success"></i> Cart
                <span class="badge rounded-pill cart-badge" style="display: none;">0</span>
            </a>
        </li>
        <li class="nav-item ms-2">
            <span id="nav-user-name" class="fw-bold small text-muted"></span>
        </li>
    </ul>
</div>
</div>
</nav>

<!-- Profile Container -->
<div class="container mt-5 mb-5">
    <div class="row">
        <!-- Sidebar / User Info -->
        <div class="col-md-4 mb-4">
            <div class="card border-0 shadow-sm">
                <div class="card-body text-center p-4">
                    <div class="position-relative d-inline-block mb-3">
                        <div id="profile-img-container" class="rounded-circle overflow-hidden bg-light d-flex align-items-center justify-content-center" style="width: 120px; height: 120px; cursor: pointer;">
                            <img id="profile-image-preview" src="" alt="Profile" class="w-100 h-100 object-fit-cover d-none">
                            <i id="profile-default-icon" class="bi bi-person-fill display-4 text-secondary"></i>
                        </div>
                        <div class="position-absolute bottom-0 end-0 bg-brand text-white rounded-circle p-1 shadow-sm" style="width: 32px; height: 32px; cursor: pointer;" onclick="document.getElementById('profile-upload').click()">
                            <i class="bi bi-camera-fill small"></i>
                        </div>
                        <input type="file" id="profile-upload" class="d-none" accept="image/*">
                    </div>
                    <h4 class="fw-bold mb-1" id="profile-name-display">User Name</h4>
                    <p class="text-muted small mb-3" id="profile-email-display">user@example.com</p>
                    <button class="btn btn-outline-danger btn-sm w-100" onclick="Auth.logout()">Logout</button>
                </div>
            </div>
        </div>

        <!-- Edit Profile Form -->
        <div class="card border-0 shadow-sm mt-4">
            <div class="card-header bg-white border-0 fw-bold">Edit Profile</div>
            <div class="card-body">
                <form id="profile-form">
                    <div class="mb-3">
                        <label class="form-label small text-muted">Full Name</label>

```

```

        <input type="text" class="form-control" id="edit-name" required>
    </div>
    <div class="mb-3">
        <label class="form-label small text-muted">Email</label>
        <input type="email" class="form-control" id="edit-email" required disabled>
    </div>
    <div class="row">
        <div class="col-md-6 mb-3">
            <label class="form-label small text-muted">Phone Number</label>
            <input type="tel" class="form-control" id="edit-phone" placeholder="+91 XXXXX XXXXX">
        </div>
        <div class="col-md-6 mb-3">
            <label class="form-label small text-muted">Date of Birth</label>
            <input type="date" class="form-control" id="edit-dob">
        </div>
    </div>
    <div class="mb-3">
        <label class="form-label small text-muted">Address</label>
        <textarea class="form-control" id="edit-address" rows="3" placeholder="Enter your
delivery address"></textarea>
    </div>
    <button type="submit" class="btn btn-brand w-100 text-white">Save Changes</button>
</form>
</div>
</div>
</div>

<!-- Main Content / Order History -->
<div class="col-md-8">
    <h4 class="fw-bold mb-4">Order History</h4>
    <div id="order-history-list">
        <!-- Populated by JS -->
        <div class="text-center text-muted py-5">
            <i class="bi bi-clock-history display-4 mb-3 d-block"></i>
            <p>No orders yet</p>
        </div>
    </div>
</div>
</div>
</div>

<!-- Footer -->
<footer class="bg-dark text-white pt-5 pb-3 mt-auto">
    <div class="container">
        <div class="row">
            <div class="col-md-4 mb-4">
                <h5 class="text-white fw-bold mb-3"><i class="bi bi-fire"></i> DigiDine</h5>
                <p class="text-white-50 small">Best food delivery service in town. Craving something? We got you
covered.</p>
            </div>
            <!-- Company links same as other pages -->
            <div class="col-md-2 mb-4">
                <h6 class="text-uppercase mb-3 fw-bold small">Company</h6>
                <ul class="list-unstyled small text-white-50">
                    <li class="mb-2"><a href="index.html" class="text-white-50 text-decoration-
none">Home</a></li>
                </ul>
            </div>
        </div>
    </div>

```

```

        <div class="col-md-2 mb-4">
            <h6 class="text-uppercase mb-3 fw-bold small">Support</h6>
            <ul class="list-unstyled small text-white-50">
                <li class="mb-2"><a href="#" class="text-white-50 text-decoration-none">Help &
Support</a></li>
            </ul>
        </div>
        <div class="col-md-4 mb-4">
            <h6 class="text-uppercase mb-3 fw-bold small">Get the App</h6>
            <div class="d-flex gap-2">
                <button class="btn btn-outline-light btn-sm"><i class="bi bi-apple me-1"></i> App
Store</button>
                <button class="btn btn-outline-light btn-sm"><i class="bi bi-google-play me-1"></i> Play
Store</button>
            </div>
        </div>
        </div>
        <hr class="border-secondary">
        <div class="text-center small text-white-50">
            &copy; 2025 DigiDine. All rights reserved.
        </div>
    </div>
</footer>

<!-- Toast Container -->
<div id="toast-container" class="toast-container position-fixed bottom-0 end-0 p-3" style="z-index:
1100;"></div>

<!-- Scripts -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
<script src="/socket.io/socket.io.js"></script>
<script src="js/api-client.js"></script>
<script src="js/data.js"></script>
<script src="js/auth.js"></script>
<script src="js/cart.js"></script>
<script src="js/app.js"></script>
</body>
</html>

```

## owner-dashboard.html

Provides restaurant owners with a dashboard to manage orders, menu, and analytics.

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Owner Dashboard - DigiDine</title>
    <!-- Bootstrap 5 CSS -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet">
    <!-- Bootstrap Icons -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.10.0/font/bootstrap-icons.css"
rel="stylesheet">
    <!-- Google Fonts -->

```

```

<link href="https://fonts.googleapis.com/css2?family=Inter:wght@400;500;600;800&display=swap"
rel="stylesheet">
<!-- Custom CSS -->
<link rel="stylesheet" href="css/style.css">
<style>
.sidebar {
  height: calc(100vh - 70px);
  background: white;
  border-right: 1px solid rgba(0,0,0,0.05);
  position: sticky;
  top: 70px;
}
.nav-link.active {
  color: var(--brand-color) !important;
  background: rgba(252, 128, 25, 0.05);
  border-right: 3px solid var(--brand-color);
}
.stat-card {
  border-radius: 15px;
  border: none;
  box-shadow: 0 4px 15px rgba(0,0,0,0.05);
  transition: transform 0.3s;
}
.stat-card:hover {
  transform: translateY(-5px);
}
.order-card {
  border-radius: 15px;
  border: 1px solid rgba(0,0,0,0.05);
  margin-bottom: 20px;
  transition: all 0.3s;
}
.order-card:hover {
  box-shadow: 0 10px 25px rgba(0,0,0,0.1);
}
.menu-item-img {
  width: 80px;
  height: 80px;
  object-fit: cover;
  border-radius: 10px;
}
</style>
</head>
<body id="page-owner-dashboard">

<!-- Navbar -->
<nav class="navbar navbar-expand-lg sticky-top bg-white shadow-sm">
  <div class="container-fluid px-4">
    <a class="navbar-brand d-flex align-items-center" href="index.html">
      <i class="bi bi-fire me-2"></i> DigiDine <span class="badge bg-dark ms-2 fs-6">Partner</span>
    </a>

    <div class="ms-auto d-flex align-items-center">
      <button class="btn me-3" id="theme-toggle"><i class="bi bi-moon-stars-fill"></i></button>
      <div class="dropdown">
        <a href="#" class="d-flex align-items-center text-decoration-none dropdown-toggle text-dark"
id="userDropdown" data-bs-toggle="dropdown">
          <span id="owner-name" class="me-2 fw-bold">Owner Name</span>

```

```

        <i class="bi bi-person-circle fs-4 text-brand"></i>
      </a>
      <ul class="dropdown-menu dropdown-menu-end shadow border-0 mt-3">
        <li><a class="dropdown-item" href="owner-profile.html"><i class="bi bi-person me-2"></i>Profile</a></li>
        <li><hr class="dropdown-divider"></li>
        <li><a class="dropdown-item text-danger" href="#" onclick="Auth.logout()"><i class="bi bi-box-arrow-right me-2"></i>Logout</a></li>
      </ul>
    </div>
  </div>
</div>
</nav>

<div class="container-fluid">
  <div class="row">
    <!-- Sidebar -->
    <div class="col-md-2 p-0 sidebar d-none d-md-block">
      <div class="list-group list-group-flush pt-4">
        <a href="#orders-section" class="list-group-item list-group-item-action border-0 py-3 px-4 nav-link active" data-bs-toggle="list">
          <i class="bi bi-cart3 me-3"></i> Orders
        </a>
        <a href="#menu-section" class="list-group-item list-group-item-action border-0 py-3 px-4 nav-link" data-bs-toggle="list">
          <i class="bi bi-list-ul me-3"></i> Manage Menu
        </a>
        <a href="#analytics-section" class="list-group-item list-group-item-action border-0 py-3 px-4 nav-link" data-bs-toggle="list">
          <i class="bi bi-graph-up me-3"></i> Analytics
        </a>
        <a href="#feedbacks-section" class="list-group-item list-group-item-action border-0 py-3 px-4 nav-link" data-bs-toggle="list">
          <i class="bi bi-chat-left-text me-3"></i> Feedbacks
        </a>
        <a href="owner-profile.html" class="list-group-item list-group-item-action border-0 py-3 px-4 nav-link">
          <i class="bi bi-person-gear me-3"></i> Profile
        </a>
      </div>
    </div>

    <!-- Main Content -->
    <div class="col-md-10 p-4 bg-light">
      <div class="tab-content" id="nav-tabContent">

        <!-- Orders Section -->
        <div class="tab-pane fade show active" id="orders-section">
          <div class="d-flex justify-content-between align-items-center mb-4">
            <h2 class="fw-bold">Order Management</h2>
            <div class="btn-group shadow-sm">
              <button class="btn btn-outline-brand active" data-tab="incoming">Incoming
(Pending)</button>
              <button class="btn btn-outline-brand" data-tab="active">Active Processing</button>
              <button class="btn btn-outline-brand" data-tab="history">Order History</button>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>

```

```

<div id="orders-container" class="row">
  <!-- Orders will be loaded here -->
</div>
</div>

<!-- Menu Section -->
<div class="tab-pane fade" id="menu-section">
  <div class="d-flex justify-content-between align-items-center mb-4">
    <h2 class="fw-bold">Manage Menu</h2>
    <button class="btn btn-brand" data-bs-toggle="modal" data-bs-target="#addModal">
      <i class="bi bi-plus-lg me-2"></i> Add Item
    </button>
  </div>

  <div class="card border-0 shadow-sm p-3">
    <div class="table-responsive">
      <table class="table table-hover align-middle">
        <thead class="table-light">
          <tr>
            <th>Item</th>
            <th>Category</th>
            <th>Price</th>
            <th>Status</th>
            <th>Actions</th>
          </tr>
        </thead>
        <tbody id="menu-table-body">
          <!-- Menu items here -->
        </tbody>
      </table>
    </div>
  </div>

<!-- Analytics Section -->
<div class="tab-pane fade" id="analytics-section">
  <h2 class="fw-bold mb-4">Business Overview</h2>
  <div class="row">
    <div class="col-md-3">
      <div class="card stat-card p-3 mb-4">
        <p class="text-muted small mb-1">Total Orders</p>
        <h3 class="fw-bold" id="stat-total-orders">0</h3>
        <p class="text-success small mb-0"><i class="bi bi-arrow-up"></i> 12% vs last month</p>
      </div>
    </div>
    <div class="col-md-3">
      <div class="card stat-card p-3 mb-4 bg-brand text-white">
        <p class="small mb-1 opacity-75">Total Revenue</p>
        <h3 class="fw-bold" id="stat-revenue">₹0</h3>
        <p class="small mb-0"><i class="bi bi-arrow-up"></i> 8% growth</p>
      </div>
    </div>
  </div>

<!-- Feedbacks Section -->
<div class="tab-pane fade" id="feedbacks-section">
  <div class="d-flex justify-content-between align-items-center mb-4">

```



```

<h2 class="fw-bold">Customer Feedbacks</h2>
<select class="form-select w-auto" id="feedback-rating-filter">
  <option value="all">All Ratings</option>
  <option value="5">★★★★★ (5 Stars)</option>
  <option value="4">★★★★ (4 Stars)</option>
  <option value="3">★★★ (3 Stars)</option>
  <option value="2">★★ (2 Stars)</option>
  <option value="1">★ (1 Star)</option>
</select>
</div>

<!-- Statistics Cards -->
<div class="row mb-4">
  <div class="col-md-3">
    <div class="card stat-card p-3">
      <p class="text-muted small mb-1">Total Feedbacks</p>
      <h3 class="fw-bold" id="feedback-total">0</h3>
    </div>
  </div>
  <div class="col-md-3">
    <div class="card stat-card p-3 bg-brand text-white">
      <p class="small mb-1 opacity-75">Average Rating</p>
      <h3 class="fw-bold"><span id="feedback-avg">0</span> <i class="bi bi-star-
fill"></i></h3>
    </div>
  </div>
  <div class="col-md-6">
    <div class="card stat-card p-3">
      <p class="text-muted small mb-2">Rating Distribution</p>
      <div id="rating-distribution" class="d-flex gap-2 small">
        <!-- Populated by JS -->
      </div>
    </div>
  </div>
</div>

<!-- Feedbacks List -->
<div id="feedbacks-container">
  <!-- Populated by JS -->
  <div class="text-center text-muted py-5">
    <i class="bi bi-chat-left-text display-4 mb-3 d-block"></i>
    <p>No feedbacks yet</p>
  </div>
</div>
</div>
</div>
</div>
</div>
</div>

<!-- Add/Edit Menu Item Modal -->
<div class="modal fade" id="addModal" tabindex="-1">
  <div class="modal-dialog modal-dialog-centered">
    <div class="modal-content border-0 shadow-lg">
      <div class="modal-header">
        <h5 class="modal-title fw-bold" id="itemModalLabel">Add New Menu Item</h5>
        <button type="button" class="btn-close" data-bs-dismiss="modal"></button>
      </div>

```

```

<div class="modal-body p-4">
  <form id="menu-item-form">
    <input type="hidden" id="item-id">
    <div class="mb-3">
      <label class="form-label fw-bold">Item Name</label>
      <input type="text" class="form-control" id="item-name" required>
    </div>
    <div class="row mb-3">
      <div class="col-6">
        <label class="form-label fw-bold">Price (₹)</label>
        <input type="number" class="form-control" id="item-price" required>
      </div>
      <div class="col-6">
        <label class="form-label fw-bold">Type</label>
        <select class="form-select" id="item-type">
          <option value="veg">Veg</option>
          <option value="non-veg">Non-Veg</option>
        </select>
      </div>
    </div>
    <div class="mb-3">
      <label class="form-label fw-bold">Description</label>
      <textarea class="form-control" id="item-desc" rows="2"></textarea>
    </div>
    <div class="mb-3">
      <label class="form-label fw-bold">Image URL</label>
      <input type="url" class="form-control" id="item-image" placeholder="https://...">
    </div>
    <button type="submit" class="btn btn-brand w-100 py-3 fw-bold mt-2">SAVE ITEM</button>
  </form>
</div>
</div>
</div>
</div>

```

```

<!-- Rejection Modal -->
<div class="modal fade" id="rejectModal" tabindex="-1">
  <div class="modal-dialog modal-dialog-centered">
    <div class="modal-content border-0 shadow-lg">
      <div class="modal-header">
        <h5 class="modal-title fw-bold">Reject Order</h5>
        <button type="button" class="btn-close" data-bs-dismiss="modal"></button>
      </div>
      <div class="modal-body p-4">
        <p class="text-muted">Please provide a reason for rejecting this order. This will be shown to the customer.</p>
        <div class="mb-3">
          <label class="form-label fw-bold">Rejection Reason</label>
          <select class="form-select mb-2" id="reject-reason-select">
            <option value="Restaurant is busy">Restaurant is busy</option>
            <option value="Items out of stock">Items out of stock</option>
            <option value="Closing soon">Closing soon</option>
            <option value="other">Other (write below)</option>
          </select>
          <textarea class="form-control" id="reject-reason-custom" rows="2" placeholder="Custom reason..."></textarea>
        </div>
      </div>
    </div>
  </div>
</div>

```

```

        <button type="button" id="confirm-reject-btn" class="btn btn-danger w-100 py-3 fw-
bold">CONFIRM REJECTION</button>
    </div>
</div>
</div>
</div>

<!-- Toast Container -->
<div id="toast-container" class="toast-container position-fixed bottom-0 end-0 p-3"></div>

<!-- Scripts -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
<script src="/socket.io/socket.io.js"></script>
<script src="js/api-client.js"></script>
<script src="js/auth.js"></script>
<script src="js/cart.js"></script>
<script src="js/owner-dashboard.js"></script>
</body>
</html>

```

## owner-profile.html

Allows restaurant owners to view and update their profile and restaurant details.

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Owner Profile - DigiDine</title>
    <!-- Bootstrap 5 CSS -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet">
    <!-- Bootstrap Icons -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.10.0/font/bootstrap-icons.css"
rel="stylesheet">
    <!-- Google Fonts -->
    <link href="https://fonts.googleapis.com/css2?family=Inter:wght@400;500;600;800&display=swap"
rel="stylesheet">
    <!-- Custom CSS -->
    <link rel="stylesheet" href="css/style.css">
    <style>
        .profile-card { border-radius: 20px; border: none; box-shadow: 0 10px 30px rgba(0,0,0,0.05); }
        .section-title { font-weight: 800; color: var(--brand-color); margin-bottom: 20px; font-size: 1.2rem; }
        .form-label { font-weight: 600; font-size: 0.85rem; color: #666; }
        .form-control { border-radius: 10px; padding: 12px; border: 1px solid #eee; }
        .form-control:focus { box-shadow: 0 0 3px rgba(252, 128, 25, 0.1); border-color: var(--brand-color); }
        .btn-delete { color: #dc3545; border: 1px solid #dc3545; background: transparent; transition: all 0.3s; }
        .btn-delete:hover { background: #dc3545; color: white; }
    </style>
</head>
<body id="page-owner-profile" class="bg-light">

    <!-- Navbar -->
    <nav class="navbar navbar-expand-lg sticky-top bg-white shadow-sm">

```

```

<div class="container">
  <a class="navbar-brand d-flex align-items-center fw-bold" href="owner-dashboard.html">
    <i class="bi bi-fire me-2 text-brand"></i> Owner Central
  </a>
  <div class="ms-auto d-flex align-items-center gap-3">
    <button class="btn btn-light rounded-pill px-3" id="theme-toggle"><i class="bi bi-moon-stars"></i></button>
    <div class="dropdown">
      <button class="btn btn-brand rounded-pill px-3 dropdown-toggle" data-bs-toggle="dropdown" id="owner-name-nav">Owner</button>
      <ul class="dropdown-menu dropdown-menu-end border-0 shadow-sm mt-2">
        <li><a class="dropdown-item" href="owner-dashboard.html"><i class="bi bi-speedometer2 me-2"></i>Dashboard</a></li>
        <li><hr class="dropdown-divider"></li>
        <li><button class="dropdown-item text-danger" onclick="Auth.logout()"><i class="bi bi-box-arrow-right me-2"></i>Logout</button></li>
      </ul>
    </div>
  </div>
</nav>

<div class="container py-5">
  <div class="row justify-content-center">
    <div class="col-lg-10">
      <div class="profile-card card p-4 mb-4 bg-white">
        <div class="d-flex justify-content-between align-items-center mb-4">
          <h3 class="fw-bold mb-0">Profile Management</h3>
          <a href="owner-dashboard.html" class="btn btn-outline-secondary btn-sm rounded-pill px-3">
            <i class="bi bi-arrow-left me-1"></i> Back to Dashboard
          </a>
        </div>

        <div class="row g-4">
          <!-- User Details Section -->
          <div class="col-md-5 border-end">
            <h5 class="section-title"><i class="bi bi-person-circle me-2"></i>Personal Details</h5>
            <form id="user-details-form">
              <div class="mb-3">
                <label class="form-label">Full Name</label>
                <input type="text" class="form-control" id="owner-name" required>
              </div>
              <div class="mb-3">
                <label class="form-label">Email Address</label>
                <input type="email" class="form-control" id="owner-email" disabled>
                <div class="form-text">Email cannot be changed</div>
              </div>
              <div class="mb-3">
                <label class="form-label">Phone</label>
                <input type="tel" class="form-control" id="owner-phone" placeholder="Not provided">
              </div>
              <button type="submit" class="btn btn-brand w-100 text-white rounded-pill mt-3">Update Personal Info</button>
            </form>
          </div>

          <!-- Restaurant Details Section -->
          <div class="col-md-7">

```

```

<h5 class="section-title"><i class="bi bi-shop me-2"></i>Restaurant Details</h5>
<form id="restaurant-details-form">
  <div class="mb-3">
    <label class="form-label">Restaurant Name</label>
    <input type="text" class="form-control" id="restaurant-name" required>
  </div>
  <div class="row">
    <div class="col-md-6 mb-3">
      <label class="form-label">Cuisine Type</label>
      <input type="text" class="form-control" id="restaurant-cuisine" placeholder="e.g.
Indian, Chinese">
    </div>
    <div class="col-md-6 mb-3">
      <label class="form-label">Location/City</label>
      <input type="text" class="form-control" id="restaurant-location" required>
    </div>
  </div>
  <div class="mb-3">
    <label class="form-label">Restaurant Image URL</label>
    <input type="url" class="form-control" id="restaurant-image"
placeholder="https://example.com/image.jpg">
  </div>
  <button type="submit" class="btn btn-brand w-100 text-white rounded-pill mt-3">Update
Restaurant Info</button>
</form>
</div>
</div>

<hr class="my-5">

<!-- Danger Zone -->
<div class="p-4 bg-danger bg-opacity-10 rounded-4 border border-danger border-opacity-25">
  <div class="d-flex justify-content-between align-items-center">
    <div>
      <h5 class="text-danger fw-bold mb-1">Danger Zone</h5>
      <p class="text-muted small mb-0">Permanently delete your account and all restaurant
data.</p>
    </div>
    <button class="btn btn-delete rounded-pill px-4" data-bs-toggle="modal" data-bs-
target="#deleteAccountModal">
      Delete Account
    </button>
  </div>
</div>
</div>
</div>
</div>
</div>
</div>

<!-- Delete Account Modal -->
<div class="modal fade" id="deleteAccountModal" tabindex="-1">
  <div class="modal-dialog modal-dialog-centered">
    <div class="modal-content border-0 shadow-lg rounded-4">
      <div class="modal-body p-4 text-center">
        <div class="text-danger display-4 mb-3">
          <i class="bi bi-exclamation-triangle-fill"></i>
        </div>
        <h4 class="fw-bold mb-3">Are you absolutely sure?</h4>
      </div>
    </div>
  </div>
</div>

```

```




        <p class="text-muted mb-4">
            This action will permanently delete your user profile and your restaurant.
            <strong>All menu items, orders history, and settings will be lost forever.</strong>
        </p>
        <div class="d-grid gap-2">
            <button class="btn btn-danger rounded-pill py-3 fw-bold" id="confirm-delete-btn">YES, DELETE
EVERYTHING</button>
            <button class="btn btn-light rounded-pill py-3 fw-bold" data-bs-
dismiss="modal">CANCEL</button>
        </div>
    </div>
</div>
</div>
</div>
</div>

<!-- Success Toast -->
<div id="toast-container" class="toast-container position-fixed bottom-0 end-0 p-3"></div>

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
<script src="/socket.io/socket.io.js"></script>
<script src="js/api-client.js"></script>
<script src="js/auth.js"></script>
<script src="js/cart.js"></script>
<script src="js/owner-profile.js"></script>
</body>
</html>

```

## 4.OUTPUT :





📍 undefined

ghatikia

 GET IT ON  
**Google Play**

Partner with us

## Privacy Policy

© 2025 DigiDine. All rights reserved.



## Italian, Pizzas

Ghatikia ★ 3.8 40-50 mins

☒ VEG ONLY



₹250

Classic tomato sauce and mozzarella cheese

ADD



₹300

Onion, bell pepper, mushroom and corn

ADD



### Garlic Breadsticks

Explore top deals and editor's picks just for you



Get 50% OFF on your first order! (Max discount ₹100)

**WELCOME50**

COPY



25% OFF on weekends! Min order ₹400. (Max ₹150)

WEEKEND25

COPY






₹150 OFF on orders above ₹1000.

**MASTERCHEF**

COPY





Orders

Manage Menu

Analytics

Feedbacks

Profile

## Manage Menu

+ Add Item

| Item                                                                                                                       | Category | Price | Status   | Actions                                                                                                                                                                 |
|----------------------------------------------------------------------------------------------------------------------------|----------|-------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <b>chicken 65 biryani</b><br>badhia lage | non-veg  | ₹120  | In Stock |   |
|  <b>veg biryani</b><br>badhia lage        | veg      | ₹120  | In Stock |   |

Orders

Manage Menu

Analytics

Feedbacks

Profile

## Business Overview

Total Orders

3

↑ 12% vs last month

## Profile Management

[← Back to Dashboard](#)

## Personal Details

Full Name

asutosh saho

Email Address

hui@me.com

Email cannot be changed

Phone

Not provided

Update Personal Info

## Restaurant Details

Restaurant Name

Amaira

Cuisine Type

General

Location/City

ghatikia

Restaurant Image URL

<https://images.unsplash.com/photo-1517248135467-4c7edcad34c4>

Update Restaurant Info

## Danger Zone

Permanently delete your account and all restaurant data.

[Delete Account](#)