Topic 6 | Final Assessment Evidence


n8n Hands-On API Integration | 30 October 2026

Evidence package documenting the tested retry/error paths, pagination, pacing, and production Global Error Handler. Results are based on actual screenshots supplied during the exercise.

Executive verification summary


Test area	Evidence-based outcome
HTTP 500 retry	Expected 500 response; retry enabled (attempt count not shown)
404 continue-on-error	Error branch received one item
Pagination	Two API pages fetched; page 2 routed to completion
Wait / pacing	One-second Wait node configured and executed
Global error handler	Real production HTTP 500 failure captured and formatted

Evidence 1 | HTTP error handling




HTTP 404 error routed to Error Branch (1 item), with continuation enabled.

Evidence 2 | Pagination loop and completion




Complete pagination workflow canvas: two Fetch User Page executions, Wait and increment on True, completion on False.




Page 2 satisfies the False branch of Check More Pages; total_pages = 2.

Evidence 3 | Global Error Handler production test



Production schedule executed and Force HTTP 500 Error failed intentionally; execution ID 549127.



Global Error Handler captured the actual test workflow, failing node, and error message; handler execution ID 549132.

Conclusion and scope

Pagination, controlled 404 continuation, one-second Wait configuration, and automatic capture of an intentional production HTTP 500 failure are supported by the screenshots. Exact retry attempts/delay were not visible, and no exported n8n JSON files were supplied for validation.

Cleanup: Deactivate the temporary one-minute scheduled failure test after capturing evidence.