TOPIC 9 | EVIDENCE REPORT

Webhooks & Event-Driven Architectures | n8n assessment

Evidence date: 22 October 2026 **Environment:** n8n test webhook + Postman

This report documents observed execution paths and HTTP responses from the screenshots shared during the assessment. It distinguishes verified behavior from production features not yet demonstrated.


1. Workflow overview

Layer	Nodes / behavior
Intake + security	Webhook -> Crypto HMAC -> Signature comparison -> IF
Rejected	401 response -> Security incident record
Accepted	202 response -> Switch -> Event-specific handler
Trace	Handler -> Audit record (execution output)

2. Test summary


Scenario	Observed outcome
user.created	Correct user handler + audit executed
invoice.paid	Correct invoice handler + audit executed
order.cancelled	Correct cancellation handler + audit executed
payment.refunded	Fallback handler + audit executed
Valid signature	Postman HTTP 202 Accepted
Missing signature	Postman HTTP 401 Unauthorized
Incorrect signature	Not separately verified with its own screenshot

Evidence 1 - User created event




Green execution path shows the verified request reaching the user-created handler and common audit node.

Evidence 2 - Invoice paid event




The Switch routed the valid invoice event to Code_HandleInvoicePaid and then Code_AuditTrail.

Evidence 3 - Order cancelled event




The order-cancelled route executed its dedicated handler and reached the audit node.

Evidence 4 - Unknown event fallback




The unsupported event was handled by the fallback branch and produced an audit entry.

Evidence 5 - Missing signature rejection




The invalid/missing signature path reached Resp_401Unauthorized and Log_SecurityIncident.

Evidence 6 - Audit trail JSON




The fallback audit entry records payment.refunded, LOGGED_UNKNOWN_EVENT, a generated audit ID and timestamp.

Evidence 7 - Postman HTTP 202 Accepted



Postman confirms HTTP 202 and the JSON message that the webhook signature was verified successfully.

Evidence 8 - Postman HTTP 401 Unauthorized



Postman confirms HTTP 401 and the JSON error stating that the HMAC-SHA256 signature is invalid or missing.

Evidence 9 - Security incident output

The security incident node returned the following values during the rejected request:

incidentId: SEC-1792668326300

incidentType: INVALID_WEBHOOK_SIGNATURE

event: user.created **severity:** HIGH

signatureValid: false **httpStatus:** 401

message: Webhook rejected due to invalid or missing HMAC signature

recordedAt: 2026-10-22T11:25:26.300Z

This output was supplied as JSON in the conversation, not as a separate screenshot.

Limitations / submission notes

This exercise demonstrates execution-level logging, not persistent audit storage. Handler actions are simulated. Timing-safe comparison, replay protection and durable queuing are not verified. The workflow JSON export is not included; export it directly from n8n for submission.