FICTIONAL COMPANY

100-Page Knowledge Base for Retrieval-Augmented Generation (RAG)

Purpose

A structured sample company handbook designed for practising PDF ingestion, text extraction, chunking, embeddings, vector databases, retrieval, reranking and grounded question answering.

Important data notice

This is a fictional training corpus. The company, procedures, roles, service targets and examples are illustrative and are not legal, HR, financial, security or operational advice. Do not present these policies as belonging to a real organisation. Replace them with approved source documents before production use.

Suggested RAG metadata

document_id: fictional-company-handbook-001
document_title: Fictional Company Knowledge Base
document_type: handbook
version: 1.0-sample
page_number: 1-100
classification: sample / fictional

How to use this PDF

1. Extract text page by page. 2. Split by headings or paragraphs, keeping page_number and section_title metadata. 3. Create embeddings with a local or free embedding model. 4. Store chunks in Chroma or another vector database. 5. Retrieve relevant chunks and ask the LLM to answer only from retrieved evidence. 6. Return section and page references with each answer.

Example questions for testing

- What should an employee do after a suspected phishing incident?
- Who approves a production change?
- What information belongs in a customer-support escalation?
- How should supplier bank-detail changes be verified?
- What metadata should be preserved when indexing this handbook?

Sample content only • Version 1.0 • 100 pages

01. Company Overview and History

Department: Corporate **Section ID:** KB-001

Purpose and overview

The company was established to provide dependable business software and operational services to small and mid-sized organisations. Its mission is to make everyday work simpler through reliable products, clear processes and responsive support.

Process and guidance

The organisation is fictional. All names, addresses, policies, dates, targets and contact details in this document are illustrative and must be replaced before any real-world use.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to company overview and history. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Corporate. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: company overview and history; corporate; owner; approval; procedure; escalation; records; responsibilities.

02. Mission, Vision and Values

Department: Corporate **Section ID:** KB-002

Purpose and overview

The mission is to help customers operate with confidence. The long-term vision is to become a trusted partner for practical, secure and accessible business technology. Core values are customer focus, ownership, integrity, learning, inclusion and operational excellence.

Process and guidance

Employees are expected to explain decisions clearly, raise risks early, protect customer information and treat colleagues and customers respectfully.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to mission, vision and values. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Corporate. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: mission, vision and values; corporate; owner; approval; procedure; escalation; records; responsibilities.

03. Organisation Structure

Department: People Operations **Section ID:** KB-003

Purpose and overview

The organisation is grouped into Executive Leadership, Product, Engineering, Customer Success, Sales, Marketing, Finance, People Operations, Legal and Information Security. Each function has a documented owner and escalation path.

Process and guidance

Team structures may change as the business grows. The current approved organisation chart, rather than this sample description, should be treated as authoritative.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to organisation structure. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to People Operations. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: organisation structure; people operations; owner; approval; procedure; escalation; records; responsibilities.

04. Leadership Responsibilities

Department: Corporate **Section ID:** KB-004

Purpose and overview

Executive leaders set strategy, approve budgets, review company-level risks and ensure that teams have the resources needed to deliver commitments. Functional leaders translate strategy into measurable plans.

Process and guidance

Managers should communicate priorities, clarify decision rights, review progress and remove blockers. Decisions affecting security, legal obligations or material spending require the appropriate specialist review.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to leadership responsibilities. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Corporate. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: leadership responsibilities; corporate; owner; approval; procedure; escalation; records; responsibilities.

05. Code of Conduct

Department: People Operations **Section ID:** KB-005

Purpose and overview

Everyone is expected to act honestly, avoid harassment and discrimination, disclose conflicts of interest, safeguard assets and comply with applicable laws and company policies.

Process and guidance

Concerns can be raised with a manager, People Operations or the designated confidential reporting channel. Retaliation against a person who raises a concern in good faith is prohibited.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to code of conduct. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to People Operations. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: code of conduct; people operations; owner; approval; procedure; escalation; records; responsibilities.

06. Equal Opportunity and Inclusion

Department: People Operations **Section ID:** KB-006

Purpose and overview

Hiring, development, compensation and promotion decisions should be based on role-related skills, performance and business needs. The company aims to provide a respectful environment for people with different backgrounds and experiences.

Process and guidance

Requests for reasonable workplace adjustments should be discussed confidentially with People Operations. Managers should focus on essential job requirements and avoid assumptions about individuals.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to equal opportunity and inclusion. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to People Operations. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: equal opportunity and inclusion; people operations; owner; approval; procedure; escalation; records; responsibilities.

07. Anti-Harassment Policy

Department: People Operations **Section ID:** KB-007

Purpose and overview

Harassment, bullying, intimidation and unwanted conduct are not acceptable, whether they occur in person, online, during travel or at a company event.

Process and guidance

A person experiencing or witnessing inappropriate conduct should report it promptly. Reports should be handled sensitively, fairly and with appropriate confidentiality. Immediate safety concerns should be escalated without delay.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to anti-harassment policy. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to People Operations. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: anti-harassment policy; people operations; owner; approval; procedure; escalation; records; responsibilities.

08. Conflict of Interest

Department: Legal and Compliance **Section ID:** KB-008

Purpose and overview

A conflict may arise when personal, family or financial interests could improperly influence professional judgement. Examples include evaluating a close relative for a role, accepting significant gifts from a supplier or holding an undisclosed interest in a competing business.

Process and guidance

Employees should disclose potential conflicts to their manager and Legal or Compliance before taking action. Disclosure does not automatically mean misconduct; the company will assess safeguards or reassignment.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to conflict of interest. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Legal and Compliance. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: conflict of interest; legal and compliance; owner; approval; procedure; escalation; records; responsibilities.

09. Working Hours and Attendance

Department: People Operations **Section ID:** KB-009

Purpose and overview

Teams should publish working-hour expectations, core collaboration windows and coverage arrangements. Employees are responsible for communicating absences and maintaining handovers for time-sensitive work.

Process and guidance

Local employment requirements and signed employment agreements take precedence over this illustrative guidance. Managers should apply attendance rules consistently and accommodate approved leave.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to working hours and attendance. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to People Operations. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: working hours and attendance; people operations; owner; approval; procedure; escalation; records; responsibilities.

10. Remote and Hybrid Work

Department: People Operations **Section ID:** KB-010

Purpose and overview

Remote work requires a suitable workspace, secure network access and reliable availability during agreed collaboration hours. Employees should protect screens, devices and printed material from unauthorised access.

Process and guidance

Managers should set outcomes rather than rely only on visible online activity. Sensitive conversations should take place in private settings, and public Wi-Fi should not be used for confidential work unless approved secure access is available.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to remote and hybrid work. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to People Operations. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: remote and hybrid work; people operations; owner; approval; procedure; escalation; records; responsibilities.

11. Leave and Time Off

Department: People Operations **Section ID:** KB-011

Purpose and overview

Leave requests should be submitted through the designated HR system with reasonable notice. Managers should review team coverage, urgent deadlines and applicable local rules before approving requests.

Process and guidance

Leave categories, accrual, carryover and statutory entitlements vary by jurisdiction. The current HR policy and local law are authoritative; this sample document does not establish legal entitlements.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to leave and time off. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to People Operations. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: leave and time off; people operations; owner; approval; procedure; escalation; records; responsibilities.

12. Onboarding Process

Department: People Operations **Section ID:** KB-012

Purpose and overview

New employees receive an introduction to the company, role expectations, security requirements, collaboration tools and key contacts. Managers should agree on a first-month plan and measurable learning goals.

Process and guidance

Access should be granted according to role and approved by the relevant system owner. Equipment should be recorded in the asset register, and mandatory training should be completed within the assigned period.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to onboarding process. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to People Operations. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: onboarding process; people operations; owner; approval; procedure; escalation; records; responsibilities.

13. Offboarding Process

Department: People Operations and IT **Section ID:** KB-013

Purpose and overview

When employment or a contractor engagement ends, the manager coordinates knowledge transfer and asset return. IT disables accounts according to the approved schedule and preserves business records under retention requirements.

Process and guidance

Access removal must be coordinated with Security and system owners. Personal data and company records must be handled according to law and retention policy. Departing workers must not retain company credentials or confidential files.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to offboarding process. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to People Operations and IT. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: offboarding process; people operations and it; owner; approval; procedure; escalation; records; responsibilities.

14. Performance Management

Department: People Operations **Section ID:** KB-014

Purpose and overview

Performance reviews should evaluate agreed outcomes, quality, collaboration, customer impact and demonstrated behaviours. Goals should be specific, measurable, achievable, relevant and time-bound.

Process and guidance

Managers should provide feedback throughout the year, document material examples and give employees an opportunity to respond. Ratings should be calibrated consistently and should not replace constructive discussion.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to performance management. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to People Operations. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: performance management; people operations; owner; approval; procedure; escalation; records; responsibilities.

15. Learning and Development

Department: People Operations **Section ID:** KB-015

Purpose and overview

Employees and managers should identify skill gaps and create practical development plans. Learning may include courses, peer mentoring, supervised projects, documentation and job shadowing.

Process and guidance

Training should be selected for relevance and measurable application. Where a course uses company funds, employees should follow the applicable approval and expense process.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to learning and development. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to People Operations. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: learning and development; people operations; owner; approval; procedure; escalation; records; responsibilities.

16. Travel and Expense Policy

Department: Finance **Section ID:** KB-016

Purpose and overview

Business travel must have a clear business purpose and receive approval before booking. Employees should choose reasonable options, follow safety guidance and submit itemised receipts within the required period.

Process and guidance

Expense limits, tax treatment and approval thresholds depend on location and current finance policy. Personal expenses must not be submitted as business costs. Exceptions require written approval.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to travel and expense policy. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Finance. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: travel and expense policy; finance; owner; approval; procedure; escalation; records; responsibilities.

17. Procurement and Vendor Selection

Department: Finance and Operations **Section ID:** KB-017

Purpose and overview

Purchases should be based on documented business needs, total cost, security, privacy, reliability, accessibility and supplier capability. Competitive quotes should be obtained when required by the purchasing threshold.

Process and guidance

The requesting team must disclose vendor relationships and avoid splitting purchases to bypass approval. Contracts should be reviewed by Legal and Security before sensitive data or production access is provided.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to procurement and vendor selection. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Finance and Operations. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: procurement and vendor selection; finance and operations; owner; approval; procedure; escalation; records; responsibilities.

18. Purchase Approval Workflow

Department: Finance **Section ID:** KB-018

Purpose and overview

A requester documents the purpose, cost estimate, budget owner and supplier details. The budget owner confirms need and budget availability; Finance checks accounting treatment; Legal and Security review applicable risks.

Process and guidance

No employee may approve their own expense or bypass delegated authority. Purchase orders should be issued before commitments are made unless an approved exception applies.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to purchase approval workflow. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Finance. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: purchase approval workflow; finance; owner; approval; procedure; escalation; records; responsibilities.

19. Accounts Payable

Department: Finance **Section ID:** KB-019

Purpose and overview

Supplier invoices should include a valid purchase order or documented exception, supplier identity, invoice number, date, description, tax details and payment terms.

Process and guidance

Finance matches invoices to purchase orders and evidence of receipt. Discrepancies are returned to the requester or supplier for clarification. Changes to supplier bank details must be independently verified using a trusted contact method.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to accounts payable. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Finance. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: accounts payable; finance; owner; approval; procedure; escalation; records; responsibilities.

20. Accounts Receivable

Department: Finance **Section ID:** KB-020

Purpose and overview

Customer invoices should reflect the signed agreement, delivered services, approved discounts and applicable taxes. The invoice should identify the customer, billing period, due date and payment instructions.

Process and guidance

Disputes should be logged with an owner and target resolution date. Staff must not change bank instructions based only on an email request; suspected payment fraud must be escalated to Finance and Security.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to accounts receivable. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Finance. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: accounts receivable; finance; owner; approval; procedure; escalation; records; responsibilities.

21. Budget Planning

Department: Finance **Section ID:** KB-021

Purpose and overview

Annual budgets should connect strategic priorities to expected revenue, staffing, operating costs, capital expenditure and risk reserves. Each cost centre should document assumptions and accountable owners.

Process and guidance

Forecasts should be updated when material assumptions change. Variances should be explained with drivers, expected duration and corrective actions rather than only reporting a numerical difference.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to budget planning. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Finance. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: budget planning; finance; owner; approval; procedure; escalation; records; responsibilities.

22. Information Classification

Department: Information Security **Section ID:** KB-022

Purpose and overview

Information is classified according to sensitivity and business impact. Typical categories are Public, Internal, Confidential and Restricted. The data owner assigns classification and handling requirements.

Process and guidance

Public information may be shared externally after approval. Internal information is for authorised business use. Confidential and Restricted information require stronger access controls, approved storage and controlled sharing.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to information classification. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Information Security. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: information classification; information security; owner; approval; procedure; escalation; records; responsibilities.

23. Data Handling and Sharing

Department: Information Security **Section ID:** KB-023

Purpose and overview

Employees should collect only information needed for a legitimate business purpose, use approved systems and share data only with authorised recipients.

Process and guidance

Before external sharing, verify the recipient, purpose, classification and agreement. Use approved encrypted channels for sensitive data. Do not place customer or employee information in unapproved personal accounts or public tools.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to data handling and sharing. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Information Security. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: data handling and sharing; information security; owner; approval; procedure; escalation; records; responsibilities.

24. Password and Authentication Policy

Department: Information Security **Section ID:** KB-024

Purpose and overview

Accounts must use unique credentials and multi-factor authentication where supported. Passwords should not be reused across services or shared with colleagues. Approved password managers should be used to store credentials.

Process and guidance

Suspected credential exposure must be reported immediately. Users should reject unexpected authentication prompts and verify unusual login requests. Shared accounts require documented approval and compensating controls.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to password and authentication policy. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Information Security. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: password and authentication policy; information security; owner; approval; procedure; escalation; records; responsibilities.

25. Access Control and Least Privilege

Department: Information Security **Section ID:** KB-025

Purpose and overview

Access is granted according to job responsibilities and the principle of least privilege. System owners approve access, and managers confirm that access remains necessary.

Process and guidance

Access should be reviewed periodically and removed promptly when roles change or engagements end. Privileged access should be limited, logged and used only for approved administrative tasks.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to access control and least privilege. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Information Security. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: access control and least privilege; information security; owner; approval; procedure; escalation; records; responsibilities.

26. Device and Endpoint Security

Department: Information Security **Section ID:** KB-026

Purpose and overview

Company devices should use supported operating systems, screen locks, disk encryption, endpoint protection and automatic updates. Users must not disable security controls without approval.

Process and guidance

Lost or stolen devices must be reported immediately so IT can revoke sessions, lock or wipe the device where appropriate and assess data exposure.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to device and endpoint security. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Information Security. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: device and endpoint security; information security; owner; approval; procedure; escalation; records; responsibilities.

27. Network and Wi-Fi Security

Department: Information Security **Section ID:** KB-027

Purpose and overview

Employees should use approved networks and secure remote-access tools. Home routers should use modern encryption and changed default administrator credentials.

Process and guidance

Untrusted public networks increase interception risk. Avoid accessing sensitive systems over open Wi-Fi. Security teams may block traffic or devices that do not meet minimum security requirements.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to network and wi-fi security. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Information Security. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: network and wi-fi security; information security; owner; approval; procedure; escalation; records; responsibilities.

28. Phishing and Social Engineering

Department: Information Security **Section ID:** KB-028

Purpose and overview

Phishing messages may use urgency, impersonation, unexpected attachments, fake login pages or requests to change payment details. Employees should inspect sender identity and verify unusual requests through a separate trusted channel.

Process and guidance

Do not open suspicious attachments or enter credentials through unexpected links. Report suspected phishing using the approved reporting method. If credentials were entered, contact Security immediately and follow containment instructions.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to phishing and social engineering. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Information Security. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: phishing and social engineering; information security; owner; approval; procedure; escalation; records; responsibilities.

29. Incident Response

Department: Information Security **Section ID:** KB-029

Purpose and overview

A security incident includes suspected unauthorised access, data loss, malware, exposed credentials, service compromise or accidental disclosure. Report suspected incidents promptly, even when the facts are incomplete.

Process and guidance

The response team triages severity, contains affected systems, preserves evidence, investigates scope, communicates with stakeholders and tracks remediation. Employees should not delete evidence or make public statements about an incident.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to incident response. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Information Security. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: incident response; information security; owner; approval; procedure; escalation; records; responsibilities.

30. Backup and Recovery

Department: IT Operations **Section ID:** KB-030

Purpose and overview

Critical systems should have documented backup schedules, retention periods, encryption and restoration procedures. Backup success must be monitored, and restoration tests should be performed regularly.

Process and guidance

A backup is not proven useful until a restore has been tested. Recovery plans should identify system owners, recovery time objectives, recovery point objectives and dependencies.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to backup and recovery. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to IT Operations. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: backup and recovery; it operations; owner; approval; procedure; escalation; records; responsibilities.

31. Business Continuity

Department: Operations **Section ID:** KB-031

Purpose and overview

Business continuity planning identifies essential services, disruption scenarios, alternate working arrangements, communication channels and recovery priorities.

Process and guidance

Each function should maintain current contact trees and practical workarounds. Plans should be exercised periodically and updated after incidents, organisational changes or major system changes.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to business continuity. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Operations. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: business continuity; operations; owner; approval; procedure; escalation; records; responsibilities.

32. Change Management

Department: Engineering and IT **Section ID:** KB-032

Purpose and overview

Production changes should have a documented purpose, scope, risk assessment, test evidence, implementation plan, rollback plan and approver. Emergency changes must be reviewed retrospectively.

Process and guidance

Changes should be communicated to affected teams. High-risk changes require additional review and monitoring. A change is complete only after verification and documentation are updated.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to change management. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Engineering and IT. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: change management; engineering and it; owner; approval; procedure; escalation; records; responsibilities.

33. Software Development Lifecycle

Department: Engineering **Section ID:** KB-033

Purpose and overview

The development lifecycle includes requirements, design, implementation, code review, testing, release and maintenance. Teams should define acceptance criteria before implementation begins.

Process and guidance

Work should be tracked in an approved issue system. Developers should use version control, peer review and automated checks. Security and privacy requirements should be considered from design through retirement.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to software development lifecycle. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Engineering. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: software development lifecycle; engineering; owner; approval; procedure; escalation; records; responsibilities.

34. Code Review Standards

Department: Engineering **Section ID:** KB-034

Purpose and overview

Code reviews assess correctness, readability, maintainability, test coverage, performance, security and consistency with team conventions. Reviewers should focus on the change rather than the author.

Process and guidance

Material changes should not be merged without required approval. Comments should be actionable and respectful. Authors should explain complex decisions and update tests or documentation when behaviour changes.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to code review standards. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Engineering. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: code review standards; engineering; owner; approval; procedure; escalation; records; responsibilities.

35. Testing Strategy

Department: Engineering **Section ID:** KB-035

Purpose and overview

Testing may include unit, integration, system, regression, performance, accessibility and security testing. The test plan should reflect the risk and expected usage of the feature.

Process and guidance

Defects should include reproducible steps, expected behaviour, actual behaviour, environment and relevant logs. Critical defects block release until resolved or explicitly accepted by an authorised owner.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to testing strategy. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Engineering. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: testing strategy; engineering; owner; approval; procedure; escalation; records; responsibilities.

36. Release and Deployment

Department: Engineering and IT **Section ID:** KB-036

Purpose and overview

A release package should identify version, changes, dependencies, migration steps, validation checks, rollout approach and rollback criteria.

Process and guidance

Deployments should be observable and reversible where practical. Teams should monitor error rates, latency, resource use and customer impact after release. Failed releases should trigger the documented rollback or mitigation process.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to release and deployment. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Engineering and IT. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: release and deployment; engineering and it; owner; approval; procedure; escalation; records; responsibilities.

37. API Design Standards

Department: Engineering **Section ID:** KB-037

Purpose and overview

APIs should use consistent resource naming, HTTP methods, status codes, authentication, validation and error formats. Interfaces should be versioned when backward-incompatible changes are required.

Process and guidance

Do not expose secrets or internal stack traces in responses. Apply rate limits, input validation, access checks and request logging that avoids sensitive payloads.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to api design standards. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Engineering. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: api design standards; engineering; owner; approval; procedure; escalation; records; responsibilities.

38. Database Management

Department: Engineering and IT **Section ID:** KB-038

Purpose and overview

Database changes should be version-controlled, reviewed, tested and backed up. Access should be limited to approved users and services, and production data should not be copied into development without approved safeguards.

Process and guidance

Schema migrations should include validation and rollback considerations. Queries should be monitored for performance, and sensitive fields should receive appropriate protection.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to database management. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Engineering and IT. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: database management; engineering and it; owner; approval; procedure; escalation; records; responsibilities.

39. Data Quality Management

Department: Data and Analytics **Section ID:** KB-039

Purpose and overview

Data quality is assessed through accuracy, completeness, consistency, timeliness, validity and uniqueness. Data owners should define quality rules for critical datasets.

Process and guidance

Issues should be recorded with affected fields, downstream impact, root cause, owner and remediation date. Corrections should preserve auditability and avoid silently changing source records.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to data quality management. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Data and Analytics. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: data quality management; data and analytics; owner; approval; procedure; escalation; records; responsibilities.

40. Data Retention and Disposal

Department: Legal and Information Security **Section ID:** KB-040

Purpose and overview

Records should be retained only as long as required for legal, contractual, operational or regulatory purposes. Retention schedules should specify record category, owner, period and disposal method.

Process and guidance

Secure deletion must cover relevant copies and media where feasible. Legal holds suspend ordinary disposal for affected records. Employees should not independently delete records subject to an investigation or hold.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to data retention and disposal. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Legal and Information Security. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: data retention and disposal; legal and information security; owner; approval; procedure; escalation; records; responsibilities.

41. Privacy and Personal Data

Department: Legal and Information Security **Section ID:** KB-041

Purpose and overview

Personal data should be processed for defined purposes, with appropriate notice, lawful basis, access controls and retention. Teams should minimise collection and restrict use to approved purposes.

Process and guidance

Privacy questions, access requests or suspected personal-data breaches should be referred to the designated privacy contact. Applicable legal requirements depend on the individuals and jurisdictions involved.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to privacy and personal data. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Legal and Information Security. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: privacy and personal data; legal and information security; owner; approval; procedure; escalation; records; responsibilities.

42. Customer Support Overview

Department: Customer Success **Section ID:** KB-042

Purpose and overview

Customer Support helps users resolve product questions, incidents and service requests. Each case should have a clear owner, category, priority, status and communication history.

Process and guidance

Support agents should verify the customer and account before disclosing information or making account changes. Never request passwords or full payment-card details.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to customer support overview. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Customer Success. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: customer support overview; customer success; owner; approval; procedure; escalation; records; responsibilities.

43. Ticket Classification

Department: Customer Success **Section ID:** KB-043

Purpose and overview

Tickets may be classified as Incident, Service Request, How-to Question, Access Issue, Billing Query or Product Feedback. Classification supports routing, reporting and trend analysis.

Process and guidance

If a ticket contains multiple issues, split it into linked tickets when separate ownership or resolution paths are needed. Record the customer's actual problem rather than guessing the cause.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to ticket classification. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Customer Success. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: ticket classification; customer success; owner; approval; procedure; escalation; records; responsibilities.

44. Support Priority and Severity

Department: Customer Success **Section ID:** KB-044

Purpose and overview

Priority should reflect business impact, urgency, number of users affected, availability of workarounds and data or security risk. A suggested severity scale is Critical, High, Medium and Low.

Process and guidance

A critical security or widespread service outage must be escalated immediately. The support team should not downgrade severity solely because the customer is calm or the issue is difficult to reproduce.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to support priority and severity. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Customer Success. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: support priority and severity; customer success; owner; approval; procedure; escalation; records; responsibilities.

45. Service Level Management

Department: Customer Success **Section ID:** KB-045

Purpose and overview

Service-level targets define expected response and resolution objectives for eligible support cases. Targets should be stated in the applicable customer agreement and measured consistently.

Process and guidance

Response time is not the same as resolution time. Communicate delays, dependencies and next update times. Do not promise a resolution deadline unless the responsible team has validated it.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to service level management. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Customer Success. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: service level management; customer success; owner; approval; procedure; escalation; records; responsibilities.

46. Customer Communication Standards

Department: Customer Success **Section ID:** KB-046

Purpose and overview

Communications should be clear, respectful, accurate and tailored to the customer's technical knowledge. A useful update states what is known, what is being investigated, the next action and when the next update will arrive.

Process and guidance

Avoid blaming the customer or making unsupported claims. If an earlier statement was incorrect, acknowledge and correct it promptly.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to customer communication standards. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Customer Success. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: customer communication standards; customer success; owner; approval; procedure; escalation; records; responsibilities.

47. Escalation Management

Department: Customer Success **Section ID:** KB-047

Purpose and overview

Escalate when an issue exceeds the team's authority, threatens a service commitment, involves security or privacy, affects multiple customers or remains unresolved beyond its target.

Process and guidance

An escalation should include impact, timeline, reproduction steps, evidence, actions already taken, current owner and the decision or assistance required.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to escalation management. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Customer Success. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: escalation management; customer success; owner; approval; procedure; escalation; records; responsibilities.

48. Customer Onboarding

Department: Customer Success **Section ID:** KB-048

Purpose and overview

Onboarding confirms goals, stakeholders, configuration needs, data requirements, training and success measures. The customer and internal owner should agree on milestones and responsibilities.

Process and guidance

Do not import customer data until permissions, scope and security checks are complete. Record decisions and open questions in the approved customer workspace.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to customer onboarding. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Customer Success. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: customer onboarding; customer success; owner; approval; procedure; escalation; records; responsibilities.

49. Customer Feedback

Department: Customer Success and Product **Section ID:** KB-049

Purpose and overview

Feedback should be captured with customer context, problem statement, frequency, business impact and requested outcome. Product teams should distinguish the underlying need from a proposed feature.

Process and guidance

A request is not a delivery commitment. Communicate that feedback has been recorded and explain the product review process without promising a roadmap date.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to customer feedback. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Customer Success and Product. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: customer feedback; customer success and product; owner; approval; procedure; escalation; records; responsibilities.

50. Sales Process Overview

Department: Sales **Section ID:** KB-050

Purpose and overview

The sales process includes qualification, discovery, solution alignment, proposal, security and legal review, negotiation, signature and handover. Each opportunity should have an owner and documented next step.

Process and guidance

Sales materials must be accurate and approved. Do not promise capabilities, integrations, certifications or delivery dates that have not been validated by the responsible teams.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to sales process overview. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Sales. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: sales process overview; sales; owner; approval; procedure; escalation; records; responsibilities.

51. Lead Qualification

Department: Sales **Section ID:** KB-051

Purpose and overview

Qualification assesses customer fit, business problem, urgency, decision process, budget context, stakeholders and implementation readiness.

Process and guidance

Disqualification should be documented respectfully with a reason and possible future trigger. Personal data collected during prospecting must be handled according to applicable privacy requirements.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to lead qualification. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Sales. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: lead qualification; sales; owner; approval; procedure; escalation; records; responsibilities.

52. Proposal and Contract Review

Department: Sales and Legal **Section ID:** KB-052

Purpose and overview

Proposals should define scope, deliverables, assumptions, exclusions, pricing, responsibilities, dependencies and validity period. Contracts require review by authorised Legal and Finance representatives.

Process and guidance

Only authorised signatories may bind the company. Verbal discussions do not replace approved contract terms. Material deviations from standard terms must be recorded and approved.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to proposal and contract review. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Sales and Legal. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: proposal and contract review; sales and legal; owner; approval; procedure; escalation; records; responsibilities.

53. Sales-to-Delivery Handover

Department: Sales and Customer Success **Section ID:** KB-053

Purpose and overview

The handover includes customer objectives, purchased scope, stakeholders, commitments, technical dependencies, risks, dates and open questions.

Process and guidance

Delivery teams should confirm that the handover is complete before implementation begins. Unapproved promises should be raised immediately for resolution with the customer.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to sales-to-delivery handover. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Sales and Customer Success. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: sales-to-delivery handover; sales and customer success; owner; approval; procedure; escalation; records; responsibilities.

54. Marketing Brand Guidelines

Department: Marketing **Section ID:** KB-054

Purpose and overview

Brand materials should use approved names, logos, typography, colours, tone and product descriptions. Claims must be supportable and consistent with current product capabilities.

Process and guidance

External materials should be reviewed by the appropriate owner before publication. Customer logos, testimonials and case studies require documented permission.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to marketing brand guidelines. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Marketing. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: marketing brand guidelines; marketing; owner; approval; procedure; escalation; records; responsibilities.

55. Content Approval Process

Department: Marketing and Legal **Section ID:** KB-055

Purpose and overview

Content owners should identify the audience, purpose, factual sources, reviewer and publication date. Legal review is required for regulated claims, contractual statements or sensitive comparisons.

Process and guidance

Published content should be periodically checked for accuracy. Outdated pricing, product screenshots or policy references should be corrected or withdrawn.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to content approval process. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Marketing and Legal. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: content approval process; marketing and legal; owner; approval; procedure; escalation; records; responsibilities.

56. Website and Digital Analytics

Department: Marketing and Data **Section ID:** KB-056

Purpose and overview

Digital analytics should use approved tags and consent mechanisms where required. Metrics should be defined consistently, with clear ownership and documented data sources.

Process and guidance

Do not collect unnecessary personal data. Access to analytics platforms should be role-based, and exported reports should follow information-classification rules.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to website and digital analytics. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Marketing and Data. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: website and digital analytics; marketing and data; owner; approval; procedure; escalation; records; responsibilities.

57. Product Management

Department: Product **Section ID:** KB-057

Purpose and overview

Product management translates customer problems and business strategy into a prioritised roadmap. Product decisions should consider user value, feasibility, cost, risk and measurable outcomes.

Process and guidance

A roadmap communicates direction, not a guarantee. Product managers should document assumptions, trade-offs, dependencies and decision rationale.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to product management. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Product. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: product management; product; owner; approval; procedure; escalation; records; responsibilities.

58. Product Requirements

Department: Product **Section ID:** KB-058

Purpose and overview

A product requirement should describe the user, problem, desired outcome, scope, non-goals, acceptance criteria, dependencies and success measures.

Process and guidance

Requirements should be testable and understandable by design, engineering, quality and support teams. Unresolved assumptions should be made visible before work is committed.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to product requirements. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Product. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: product requirements; product; owner; approval; procedure; escalation; records; responsibilities.

59. User Research

Department: Product and Design **Section ID:** KB-059

Purpose and overview

Research methods may include interviews, usability testing, surveys, support-ticket analysis and product analytics. Participants should understand the purpose and how their information will be used.

Process and guidance

Research findings should distinguish direct observations from interpretation. Avoid collecting sensitive information unless necessary and approved.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to user research. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Product and Design. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: user research; product and design; owner; approval; procedure; escalation; records; responsibilities.

60. UX and Accessibility

Department: Design **Section ID:** KB-060

Purpose and overview

Interfaces should be understandable, consistent, keyboard accessible and usable with assistive technologies. Teams should consider contrast, focus order, labels, error messages and responsive layouts.

Process and guidance

Accessibility checks should be part of design review and testing. Automated tools help but do not replace testing with real interaction patterns.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to ux and accessibility. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Design. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: ux and accessibility; design; owner; approval; procedure; escalation; records; responsibilities.

61. Product Roadmap Governance

Department: Product **Section ID:** KB-061

Purpose and overview

Roadmap reviews should assess customer value, strategic fit, delivery capacity, technical risk and dependencies. Prioritisation criteria should be visible to relevant stakeholders.

Process and guidance

Changes to committed work should include rationale and impact. Teams should communicate material changes to affected customers and internal functions.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to product roadmap governance. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Product. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: product roadmap governance; product; owner; approval; procedure; escalation; records; responsibilities.

62. Analytics and KPI Definitions

Department: Data and Analytics **Section ID:** KB-062

Purpose and overview

A KPI needs a name, purpose, formula, owner, source, reporting frequency, segmentation rules and known limitations. Definitions should be centrally documented.

Process and guidance

For example, active customer, churn, conversion and response time can have multiple valid definitions. Reports must state the chosen definition and avoid comparing incompatible measures.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to analytics and kpi definitions. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Data and Analytics. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: analytics and kpi definitions; data and analytics; owner; approval; procedure; escalation; records; responsibilities.

63. Reporting and Dashboard Standards

Department: Data and Analytics **Section ID:** KB-063

Purpose and overview

Dashboards should answer a defined business question, display current data status and provide context for trends. Critical metrics should show units, date ranges and filters.

Process and guidance

Avoid misleading scales and unexplained aggregation. Data freshness and known quality issues should be visible to users.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to reporting and dashboard standards. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Data and Analytics. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: reporting and dashboard standards; data and analytics; owner; approval; procedure; escalation; records; responsibilities.

64. Financial Controls

Department: Finance **Section ID:** KB-064

Purpose and overview

Financial controls protect assets, improve accuracy and reduce fraud risk. Common controls include segregation of duties, approval limits, reconciliations, access restrictions and audit trails.

Process and guidance

Control owners should retain evidence that checks occurred. Control failures should be reported and corrected rather than concealed.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to financial controls. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Finance. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: financial controls; finance; owner; approval; procedure; escalation; records; responsibilities.

65. Fraud Prevention

Department: Finance and Security **Section ID:** KB-065

Purpose and overview

Fraud indicators include unusual payment requests, changed bank details, pressure to bypass approvals, duplicate invoices and unexpected requests for confidential information.

Process and guidance

Verify high-risk requests using a known contact number or established supplier portal. Report suspected fraud immediately and preserve messages and transaction details.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to fraud prevention. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Finance and Security. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: fraud prevention; finance and security; owner; approval; procedure; escalation; records; responsibilities.

66. Legal Requests and Litigation Holds

Department: Legal **Section ID:** KB-066

Purpose and overview

Legal notices, subpoenas, threatened claims and regulator requests must be forwarded promptly to Legal. Employees should not respond substantively without authorisation.

Process and guidance

A litigation hold may require preserving email, chat, files and devices. Employees must follow preservation instructions and must not destroy or alter relevant records.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to legal requests and litigation holds. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Legal. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: legal requests and litigation holds; legal; owner; approval; procedure; escalation; records; responsibilities.

67. Intellectual Property

Department: Legal and Engineering **Section ID:** KB-067

Purpose and overview

Employees must respect third-party intellectual property and follow licence terms for software, images, fonts, datasets and written content. Work created within the scope of employment may be governed by contract and applicable law.

Process and guidance

Open-source components should be recorded with licence information and reviewed before distribution. Do not copy confidential material from a previous employer or customer.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to intellectual property. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Legal and Engineering. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: intellectual property; legal and engineering; owner; approval; procedure; escalation; records; responsibilities.

68. Confidentiality and NDAs

Department: Legal **Section ID:** KB-068

Purpose and overview

Confidential information should be disclosed only for an authorised purpose and under appropriate contractual protections. Employees should check whether an NDA or data-processing agreement is required before sharing sensitive material.

Process and guidance

An NDA does not replace access controls or privacy obligations. If a recipient or purpose changes, reassess whether disclosure remains authorised.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to confidentiality and ndas. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Legal. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: confidentiality and ndas; legal; owner; approval; procedure; escalation; records; responsibilities.

69. Records Management

Department: Legal and Operations **Section ID:** KB-069

Purpose and overview

Business records should be stored in approved repositories with clear names, owners, dates and retention categories. Final decisions and approvals should be traceable.

Process and guidance

Avoid using personal drives or informal chat as the only record of important business decisions. Drafts should be distinguishable from approved records.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to records management. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Legal and Operations. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: records management; legal and operations; owner; approval; procedure; escalation; records; responsibilities.

70. Facilities and Workplace Safety

Department: Operations **Section ID:** KB-070

Purpose and overview

Workplaces should be maintained to reduce hazards and support safe work. Employees should report unsafe conditions, damaged equipment, blocked exits and incidents promptly.

Process and guidance

Emergency exits and safety equipment must remain accessible. Follow building-specific evacuation instructions and local emergency procedures.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to facilities and workplace safety. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Operations. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: facilities and workplace safety; operations; owner; approval; procedure; escalation; records; responsibilities.

71. Health, Safety and Wellbeing

Department: People Operations and Operations **Section ID:** KB-071

Purpose and overview

The company encourages safe work practices, reasonable workloads, breaks and early discussion of work-related concerns. Managers should respond to wellbeing concerns respectfully and direct employees to appropriate support resources.

Process and guidance

This guidance is not medical advice and does not replace local occupational safety requirements. Immediate danger should be handled through local emergency procedures.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to health, safety and wellbeing. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to People Operations and Operations. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: health, safety and wellbeing; people operations and operations; owner; approval; procedure; escalation; records; responsibilities.

72. Equipment and Asset Management

Department: IT and Operations **Section ID:** KB-072

Purpose and overview

Company assets should be assigned to a responsible user, recorded with an identifier and returned when no longer needed. Users should protect equipment from loss, damage and unauthorised use.

Process and guidance

Transfers, repairs, disposal and write-offs require the appropriate asset process. Storage media must be sanitised or destroyed using approved methods before disposal.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to equipment and asset management. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to IT and Operations. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: equipment and asset management; it and operations; owner; approval; procedure; escalation; records; responsibilities.

73. Inventory Management

Department: Operations **Section ID:** KB-073

Purpose and overview

Inventory records should track item description, quantity, location, owner, reorder point and movement history. Counts should be reconciled with system records at defined intervals.

Process and guidance

Discrepancies should be investigated and documented. High-value or sensitive inventory may require more frequent counts and restricted access.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to inventory management. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Operations. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: inventory management; operations; owner; approval; procedure; escalation; records; responsibilities.

74. Facilities Access

Department: Operations and Security **Section ID:** KB-074

Purpose and overview

Access badges and visitor procedures protect employees, visitors and company assets. Visitors should be sponsored, signed in where required and escorted in restricted areas.

Process and guidance

Lost badges should be reported promptly. Tailgating should be challenged politely or reported to Facilities or Security.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to facilities access. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Operations and Security. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: facilities access; operations and security; owner; approval; procedure; escalation; records; responsibilities.

75. Supplier Risk Management

Department: Procurement and Security **Section ID:** KB-075

Purpose and overview

Supplier risk reviews should consider financial stability, service continuity, security, privacy, subcontractors, geographic exposure and exit options.

Process and guidance

High-risk suppliers require documented approval and periodic reassessment. Material incidents at a supplier should be evaluated for customer and company impact.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to supplier risk management. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Procurement and Security. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: supplier risk management; procurement and security; owner; approval; procedure; escalation; records; responsibilities.

76. Third-Party Data Processing

Department: Legal and Security **Section ID:** KB-076

Purpose and overview

Before a supplier processes personal or confidential data, teams should document the purpose, data categories, locations, access, retention, subprocessors and security measures.

Process and guidance

Contracts should define permitted processing, incident notification, deletion or return, audit rights where appropriate and assistance with data-subject requests.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to third-party data processing. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Legal and Security. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: third-party data processing; legal and security; owner; approval; procedure; escalation; records; responsibilities.

77. Cloud Service Governance

Department: IT and Security **Section ID:** KB-077

Purpose and overview

Cloud resources should be created in approved accounts with ownership, tagging, access controls, logging, encryption and budget monitoring. Production and non-production environments should be separated.

Process and guidance

Public exposure, overly broad permissions and unmanaged credentials are common risks. Infrastructure changes should be reviewed and recorded.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to cloud service governance. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to IT and Security. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: cloud service governance; it and security; owner; approval; procedure; escalation; records; responsibilities.

78. Logging and Monitoring

Department: IT and Security **Section ID:** KB-078

Purpose and overview

Logs support troubleshooting, security detection and audit. Logging should capture useful event metadata while avoiding unnecessary secrets, passwords and sensitive personal data.

Process and guidance

Access to logs should be restricted and monitored. Retention should reflect operational and legal needs. Alerts should have an owner and a documented response path.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to logging and monitoring. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to IT and Security. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: logging and monitoring; it and security; owner; approval; procedure; escalation; records; responsibilities.

79. Vulnerability Management

Department: Security and Engineering **Section ID:** KB-079

Purpose and overview

Vulnerabilities should be assessed by severity, exploitability, exposure, asset criticality and available mitigations. Remediation should follow documented risk-based timelines.

Process and guidance

Exceptions require an owner, rationale, compensating controls, expiry date and approval. Repeatedly extending an exception without reassessment is not acceptable.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to vulnerability management. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Security and Engineering. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: vulnerability management; security and engineering; owner; approval; procedure; escalation; records; responsibilities.

80. Secure Configuration

Department: IT and Security **Section ID:** KB-080

Purpose and overview

Systems should use approved baseline configurations, remove unnecessary services, restrict administrative access and apply security updates.

Process and guidance

Configuration drift should be detected where practical. Deviations must be documented and approved by the system owner and Security.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to secure configuration. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to IT and Security. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: secure configuration; it and security; owner; approval; procedure; escalation; records; responsibilities.

81. Encryption Standards

Department: Security and Engineering **Section ID:** KB-081

Purpose and overview

Sensitive information should be encrypted in transit and at rest using approved, currently supported cryptographic methods. Keys must be protected separately from the data they secure.

Process and guidance

Key creation, storage, rotation, revocation and recovery should follow the key-management procedure. Do not hard-code secrets or encryption keys in source code.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to encryption standards. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Security and Engineering. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: encryption standards; security and engineering; owner; approval; procedure; escalation; records; responsibilities.

82. AI Tool Usage

Department: Information Security and Legal **Section ID:** KB-082

Purpose and overview

AI tools may help with drafting, summarisation, coding and analysis when approved for the relevant data classification. Users remain responsible for checking accuracy, bias, safety and licensing concerns.

Process and guidance

Do not submit Restricted or customer-identifiable information to an unapproved AI service. AI-generated output must be reviewed before it is used for customer, legal, financial or employment decisions.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to ai tool usage. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Information Security and Legal. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: ai tool usage; information security and legal; owner; approval; procedure; escalation; records; responsibilities.

83. Responsible AI Principles

Department: Product and Legal **Section ID:** KB-083

Purpose and overview

AI-enabled features should be designed for transparency, human oversight, privacy, security, reliability and fair treatment. Teams should document intended use, limitations and foreseeable misuse.

Process and guidance

High-impact use cases require specialist review and appropriate testing. Users should have a way to report harmful or incorrect outputs, and teams should monitor performance after release.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to responsible ai principles. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Product and Legal. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: responsible ai principles; product and legal; owner; approval; procedure; escalation; records; responsibilities.

84. Knowledge Management

Department: Operations **Section ID:** KB-084

Purpose and overview

Knowledge articles should have an owner, audience, review date, clear title, scope, procedure and related links. Articles should be updated when products, processes or policies change.

Process and guidance

Mark outdated instructions clearly and archive them according to the records process. Search terms and synonyms improve retrieval for users who describe the same issue differently.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to knowledge management. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Operations. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: knowledge management; operations; owner; approval; procedure; escalation; records; responsibilities.

85. Internal Communication

Department: People Operations **Section ID:** KB-085

Purpose and overview

Teams should choose communication channels based on urgency, audience and recordkeeping needs. Decisions, owners and deadlines should be summarised in the approved project or knowledge system.

Process and guidance

Use respectful language and avoid sharing confidential information in broad channels. Urgent incidents should use the designated escalation route rather than relying on an unattended message.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to internal communication. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to People Operations. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: internal communication; people operations; owner; approval; procedure; escalation; records; responsibilities.

86. Meeting and Decision Records

Department: Operations **Section ID:** KB-086

Purpose and overview

Meetings should have a purpose, relevant participants and expected outcome. Decision records should capture the decision, date, rationale, owner, actions and review trigger.

Process and guidance

Invite only necessary participants and share pre-reading where useful. Action items should have an accountable owner and due date.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to meeting and decision records. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Operations. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: meeting and decision records; operations; owner; approval; procedure; escalation; records; responsibilities.

87. Project Management

Department: Operations **Section ID:** KB-087

Purpose and overview

Projects should define objectives, scope, stakeholders, milestones, dependencies, budget, risks and success measures. A project owner maintains the plan and reports material changes.

Process and guidance

Scope changes should be assessed for schedule, cost, quality and risk impact. Closeout should capture outcomes, unresolved work and lessons learned.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to project management. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Operations. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: project management; operations; owner; approval; procedure; escalation; records; responsibilities.

88. Risk Management

Department: Enterprise Risk **Section ID:** KB-088

Purpose and overview

Risks should be described as a cause, uncertain event and potential impact. Each risk needs an owner, likelihood, impact, mitigation, residual rating and review date.

Process and guidance

Issues that have already occurred should be tracked separately from uncertain risks. Escalate risks that exceed approved tolerance or threaten legal, security or customer commitments.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to risk management. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Enterprise Risk. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: risk management; enterprise risk; owner; approval; procedure; escalation; records; responsibilities.

89. Quality Management

Department: Operations **Section ID:** KB-089

Purpose and overview

Quality management defines standards, checks, corrective actions and continuous improvement. Teams should use evidence to identify recurring defects and systemic causes.

Process and guidance

Corrective actions should address root causes, not only symptoms. Effectiveness should be checked after implementation.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to quality management. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Operations. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: quality management; operations; owner; approval; procedure; escalation; records; responsibilities.

90. Customer Data Import

Department: Customer Success and Engineering **Section ID:** KB-090

Purpose and overview

Data imports require an agreed mapping, source validation, permission confirmation, test run, error report and customer sign-off where appropriate.

Process and guidance

Keep an original source copy under approved controls. Do not overwrite production records without a tested recovery plan. Reconcile record counts and key fields after import.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to customer data import. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Customer Success and Engineering. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: customer data import; customer success and engineering; owner; approval; procedure; escalation; records; responsibilities.

91. Integration Management

Department: Engineering **Section ID:** KB-091

Purpose and overview

Integrations should document systems, authentication, data direction, event or sync frequency, error handling, retry behaviour, rate limits and support ownership.

Process and guidance

Use scoped credentials and secure secret storage. Monitor failed synchronisations and provide a documented way to replay or reconcile missed events.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to integration management. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Engineering. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: integration management; engineering; owner; approval; procedure; escalation; records; responsibilities.

92. System Troubleshooting

Department: IT and Customer Success **Section ID:** KB-092

Purpose and overview

Troubleshooting begins by confirming scope, time of occurrence, affected users, recent changes and reproducible steps. Check service health, logs, dependencies and known incidents.

Process and guidance

Make one controlled change at a time where possible. Record observations and avoid exposing secrets in screenshots or support tickets.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to system troubleshooting. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to IT and Customer Success. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: system troubleshooting; it and customer success; owner; approval; procedure; escalation; records; responsibilities.

93. Service Availability

Department: IT Operations **Section ID:** KB-093

Purpose and overview

Availability is measured over a defined period and should state exclusions, maintenance windows and measurement source. Teams should monitor critical dependencies as well as the main application.

Process and guidance

A service may appear online while key functions are failing. Synthetic checks and customer-impact monitoring provide a more complete view.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to service availability. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to IT Operations. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: service availability; it operations; owner; approval; procedure; escalation; records; responsibilities.

94. Capacity and Performance

Department: Engineering and IT **Section ID:** KB-094

Purpose and overview

Capacity planning compares expected demand with compute, storage, network and database resources. Performance reviews should use representative workloads and realistic data volumes.

Process and guidance

Set thresholds for saturation, latency and error rates. Scale only after identifying the bottleneck and considering cost, caching, query optimisation and architectural changes.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to capacity and performance. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Engineering and IT. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: capacity and performance; engineering and it; owner; approval; procedure; escalation; records; responsibilities.

95. Incident Postmortems

Department: Engineering and Operations **Section ID:** KB-095

Purpose and overview

A postmortem explains impact, timeline, detection, contributing factors, response and follow-up actions. It should be blameless and focused on system improvement.

Process and guidance

Actions need owners and due dates. Share lessons with affected teams and verify that fixes reduce the chance or impact of recurrence.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to incident postmortems. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Engineering and Operations. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: incident postmortems; engineering and operations; owner; approval; procedure; escalation; records; responsibilities.

96. Customer Renewal Management

Department: Sales and Customer Success **Section ID:** KB-096

Purpose and overview

Renewal planning should begin early enough to review adoption, outcomes, open issues, stakeholder changes, commercial terms and future needs.

Process and guidance

Risks should be documented with a recovery plan. Do not represent a renewal as confirmed until the required agreement is signed.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to customer renewal management. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Sales and Customer Success. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: customer renewal management; sales and customer success; owner; approval; procedure; escalation; records; responsibilities.

97. Refund and Credit Requests

Department: Finance and Customer Success **Section ID:** KB-097

Purpose and overview

Refunds and credits should be checked against the customer agreement, service history, reason for request and approval authority.

Process and guidance

Record the decision, calculation, approval and customer communication. Suspected abuse or unusual patterns should be referred to Finance.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to refund and credit requests. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Finance and Customer Success. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: refund and credit requests; finance and customer success; owner; approval; procedure; escalation; records; responsibilities.

98. Billing Disputes

Department: Finance and Customer Success **Section ID:** KB-098

Purpose and overview

A billing dispute should identify the invoice, disputed line item, amount, reason, relevant contract clause and supporting evidence.

Process and guidance

Acknowledge receipt, assign an owner and investigate against source records. Correct errors through an auditable credit or invoice adjustment process.

Operational checklist

• Confirm the request, business purpose and responsible owner.

• Check the current approved policy, agreement or system of record.

• Apply the required approval, access and documentation controls.

• Record the action taken, evidence, owner and any outstanding risk.

• Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to billing disputes. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Finance and Customer Success. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: billing disputes; finance and customer success; owner; approval; procedure; escalation; records; responsibilities.

99. Product Incident Communication

Department: Product and Customer Success **Section ID:** KB-099

Purpose and overview

Customer-facing incident updates should describe affected functionality, known impact, workaround if available, next update time and resolution status.

Process and guidance

Do not speculate about root cause or disclose sensitive security details. Final communications should be reviewed by the incident lead and relevant specialists.

Operational checklist

- Confirm the request, business purpose and responsible owner.
- Check the current approved policy, agreement or system of record.
- Apply the required approval, access and documentation controls.
- Record the action taken, evidence, owner and any outstanding risk.
- Escalate exceptions, suspected incidents or unclear requirements.

Example scenario

A team member receives a request related to product incident communication. They first confirm the requester and business context, check the relevant owner and approved procedure, and record the evidence. If the request falls outside their authority or the facts are unclear, they pause the action and escalate it to Product and Customer Success. The team documents the decision and communicates the next step to affected stakeholders.

RAG retrieval hints

Useful search terms: product incident communication; product and customer success; owner; approval; procedure; escalation; records; responsibilities.