

# Cucumber Report

Jul 22, 2024, 1:00:39 AM

Start : Jul 22, 12:58:41.493 AM

End : Jul 22, 1:00:37.342 AM

Duration : 1 m 55.849 s

Features



Scenarios


Steps

PASSED - 0  
FAILED - 3  
SKIPPED - 0


PASSED - 0  
FAILED - 13  
SKIPPED - 0

PASSED - 0  
FAILED - 0  
SKIPPED - 51






#	Feature Name	T	P	F	S	Duration
1	Login page feature	3	0	3	0	1 m 55.849 s
2	Contact Us Feature	6	0	6	0	1 m 49.730 s
3	Account Page Feature	4	0	4	0	1 m 53.830 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login page feature</u>	<u>Forgot Password link</u>	2	0	0	2	1 m 37.697 s
2	<u>Login page feature</u>	<u>Login page title</u>	3	0	0	3	1 m 34.345 s
3	<u>Login page feature</u>	<u>Login with correct credentials</u>	6	0	0	6	1 m 4.309 s
4	<u>Contact Us Feature</u>	<u>Contact Us scenario with different set of data</u>	4	0	0	4	1 m 35.639 s
5	<u>Contact Us Feature</u>	<u>Contact Us scenario with different set of data</u>	4	0	0	4	1 m 41.961 s
6	<u>Contact Us Feature</u>	<u>Contact Us scenario with different set of data</u>	4	0	0	4	1 m 46.253 s
7	<u>Contact Us Feature</u>	<u>Contact Us scenario with different set of data</u>	4	0	0	4	1 m 48.621 s
8	<u>Contact Us Feature</u>	<u>Contact Us scenario with different set of data</u>	4	0	0	4	51.187 s
9	<u>Contact Us Feature</u>	<u>Contact Us scenario with different set of data</u>	4	0	0	4	1 m 49.587 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>Account Page Feature</u>	<u>Accounts section count</u>	4	0	0	4	1 m 43.715 s
11	<u>Account Page Feature</u>	<u>Accounts page title</u>	4	0	0	4	1 m 39.614 s
12	<u>Account Page Feature</u>	<u>Accounts page title</u>	4	0	0	4	19.681 s
13	<u>Account Page Feature</u>	<u>Accounts section count</u>	4	0	0	4	16.357 s

**(F)- Login page feature**

<b>FAILED</b>	<b>DURATION - 1 m 55.849 s</b>	Scenarios		Steps	
/ 12:58:41.493 AM // 1:00:37.342 AM /		Total - 3		Total - 11	
		Pass - 0		Pass - 0	
		Fail - 3		Fail - 0	
		Skip - 0		Skip - 11	



**(S)- Forgot Password link**

<div>FAILED</div> <div>DURATION - 1 m 37.697 s</div>			Steps		
/ 12:58:41.501 AM // 1:00:19.198 AM /			Total - 2		
Login page feature			Pass - 0		
			Fail - 0		
			Skip - 2		

#	Step / Hook Details	Status	Duration
	<b>BEFORE - parallel.ApplicationHooks.launchBrowser()</b> org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 126.0.6478.128 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-B2R703E', ip: '192.168.29.171', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.22' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0090A813+48355] (No symbol) [0x0089C4B1] (No symbol) [0x007A5358] (No symbol) [0x007C61AC] (No symbol) [0x007C1EF3] (No symbol) [0x007C0579] (No symbol) [0x007F0C55] (No symbol) [0x007F093C] (No symbol) [0x007EA536] (No symbol) [0x007C82DC] (No symbol) [0x007C93DD] GetHandleVerifier [0x00B6AABD+2539405] GetHandleVerifier [0x00BAA78F+2800735] GetHandleVerifier [0x00BA456C+2775612] GetHandleVerifier [0x009951E0+616112] (No symbol) [0x008A5F8C] (No symbol) [0x008A2328] (No symbol) [0x008A240B] (No symbol) [0x00894FF7] BaseThreadInitThunk [0x75F5FCC9+25] RtlGetAppContainerNamedObjectPath [0x77D280CE+286] RtlGetAppContainerNamedObjectPath [0x77D2809E+238] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195)	<b>FAILED</b>	1 m 37.335 s

#	Step / Hook Details	Status	Duration
	at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given user is on login page	SKIPPED	0.000 s
2	Then - Then forgot your password link should be displayed	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		



**(S)- Login page title**

<div>FAILED</div> <div>DURATION - 1 m 34.345 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 12:58:41.560 AM // 1:00:15.905 AM /				
Login page feature				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - parallel.ApplicationHooks.launchBrowser()</p> <p>org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114  Current browser version is 126.0.6478.128 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-B2R703E', ip: '192.168.29.171', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.22' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0090A813+48355] (No symbol) [0x0089C4B1] (No symbol) [0x007A5358] (No symbol) [0x007C61AC] (No symbol) [0x007C1EF3] (No symbol) [0x007C0579] (No symbol) [0x007F0C55] (No symbol) [0x007F093C] (No symbol) [0x007EA536] (No symbol) [0x007C82DC] (No symbol) [0x007C93DD] GetHandleVerifier [0x00B6AABD+2539405] GetHandleVerifier [0x00BAA78F+2800735] GetHandleVerifier [0x00BA456C+2775612] GetHandleVerifier [0x009951E0+616112] (No symbol) [0x008A5F8C] (No symbol) [0x008A2328] (No symbol) [0x008A240B] (No symbol) [0x00894FF7] BaseThreadInitThunk [0x75F5FCC9+25] RtlGetAppContainerNamedObjectPath [0x77D280CE+286] RtlGetAppContainerNamedObjectPath [0x77D2809E+238]  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)  at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30)  at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126)  at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195)  at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958)  at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127)  at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502)  at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488)  at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474)  at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150)  at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)  at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543)  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128)  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213)  at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:131)  at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:181)  at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:168)  at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:123)  at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29)  at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)</p>	FAILED	1 m 34.034 s
1	Given - Given user is on login page	SKIPPED	0.000 s
2	When - When user gets the title of the page	SKIPPED	0.000 s
3	Then - Then page title should be "Login - My Store"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		

**(S)- Login with correct credentials**



<div>FAILED</div> <div>DURATION - 1 m 4.309 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	<div></div>
<div>/ 12:59:33.033 AM // 1:00:37.342 AM /</div>				
<div>Login page feature</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()  org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 126.0.6478.128 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-B2R703E', ip: '192.168.29.171', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.22' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0090A813+48355] (No symbol) [0x0089C4B1] (No symbol) [0x007A5358] (No symbol) [0x007C61AC] (No symbol) [0x007C1EF3] (No symbol) [0x007C0579] (No symbol) [0x007F0C55] (No symbol) [0x007F093C] (No symbol) [0x007EA536] (No symbol) [0x007C82DC] (No symbol) [0x007C93DD] GetHandleVerifier [0x00B6AABD+2539405] GetHandleVerifier [0x00BAA78F+2800735] GetHandleVerifier [0x00BA456C+2775612] GetHandleVerifier [0x009951E0+616112] (No symbol) [0x008A5F8C] (No symbol) [0x008A2328] (No symbol) [0x008A240B] (No symbol) [0x00894FF7] BaseThreadInitThunk [0x75F5FCC9+25] RtlGetAppContainerNamedObjectPath [0x77D280CE+286] RtlGetAppContainerNamedObjectPath [0x77D2809E+238] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127)	FAILED	1 m 4.289 s





#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given user is on login page	SKIPPED	0.000 s
2	When - When user enters username "dec2020secondbatch@gmail.com"	SKIPPED	0.000 s
3	And - And user enters password "Selenium@12345"	SKIPPED	0.001 s
4	And - And user clicks on Login button	SKIPPED	0.001 s
5	Then - Then user gets the title of the page	SKIPPED	0.000 s
6	And - And page title should be "My account - My Store"	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.005 s
	java.lang.NullPointerException at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		

**(F)- Contact Us Feature**

<b>FAILED</b>	<b>DURATION - 1 m 49.730 s</b>	Scenarios		Steps	
/ 12:58:41.537 AM // 1:00:31.267 AM /		Total - 6		Total - 24	
		Pass - 0		Pass - 0	
		Fail - 6		Fail - 0	
		Skip - 0		Skip - 24	



**(S)- Contact Us scenario with different set of data**

<div>FAILED</div> <div>DURATION - 1 m 35.639 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
<div>/ 12:58:41.545 AM // 1:00:17.184 AM /</div>			
<div>Contact Us Feature</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()  org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 126.0.6478.128 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-B2R703E', ip: '192.168.29.171', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.22' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0090A813+48355] (No symbol) [0x0089C4B1] (No symbol) [0x007A5358] (No symbol) [0x007C61AC] (No symbol) [0x007C1EF3] (No symbol) [0x007C0579] (No symbol) [0x007F0C55] (No symbol) [0x007F093C] (No symbol) [0x007EA536] (No symbol) [0x007C82DC] (No symbol) [0x007C93DD] GetHandleVerifier [0x00B6AABD+2539405] GetHandleVerifier [0x00BAA78F+2800735] GetHandleVerifier [0x00BA456C+2775612] GetHandleVerifier [0x009951E0+616112] (No symbol) [0x008A5F8C] (No symbol) [0x008A2328] (No symbol) [0x008A240B] (No symbol) [0x00894FF7] BaseThreadInitThunk [0x75F5FCC9+25] RtlGetAppContainerNamedObjectPath [0x77D280CE+286] RtlGetAppContainerNamedObjectPath [0x77D2809E+238] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958)	<b>FAILED</b>	1 m 35.320 s

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given user navigates to contact us page	SKIPPED	0.001 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 1	SKIPPED	0.001 s
3	And - And user clicks on send button	SKIPPED	0.000 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.001 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		



**(S)- Contact Us scenario with different set of data**

<div>FAILED</div> <div>DURATION - 1 m 41.961 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 12:58:41.552 AM // 1:00:23.513 AM /				
Contact Us Feature				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - parallel.ApplicationHooks.launchBrowser()</b> org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 126.0.6478.128 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-B2R703E', ip: '192.168.29.171', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.22' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0090A813+48355] (No symbol) [0x0089C4B1] (No symbol) [0x007A5358] (No symbol) [0x007C61AC] (No symbol) [0x007C1EF3] (No symbol) [0x007C0579] (No symbol) [0x007F0C55] (No symbol) [0x007F093C] (No symbol) [0x007EA536] (No symbol) [0x007C82DC] (No symbol) [0x007C93DD] GetHandleVerifier [0x00B6AABD+2539405] GetHandleVerifier [0x00BAA78F+2800735] GetHandleVerifier [0x00BA456C+2775612] GetHandleVerifier [0x009951E0+616112] (No symbol) [0x008A5F8C] (No symbol) [0x008A2328] (No symbol) [0x008A240B] (No symbol) [0x00894FF7] BaseThreadInitThunk [0x75F5FCC9+25] RtlGetAppContainerNamedObjectPath [0x77D280CE+286] RtlGetAppContainerNamedObjectPath [0x77D2809E+238] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)	<b>FAILED</b>	1 m 41.688 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33) </pre>		
1	Given - Given user navigates to contact us page	SKIPPED	0.001 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 4	SKIPPED	0.000 s
3	And - And user clicks on send button	SKIPPED	0.000 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	<pre> java.lang.NullPointerException at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47) </pre>		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	<pre> java.lang.NullPointerException at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39) </pre>		

### (S)- Contact Us scenario with different set of data



<div>FAILED</div> <div>DURATION - 1 m 46.253 s</div>		 <table border="1"><caption>Line Graph Data</caption><thead><tr><th>Step</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>0.00</td></tr><tr><td>2</td><td>0.00</td></tr><tr><td>3</td><td>0.00</td></tr><tr><td>4</td><td>0.00</td></tr></tbody></table>	Step	Value	1	0.00	2	0.00	3	0.00	4	0.00	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	 <table border="1"><caption>Donut Chart Data</caption><thead><tr><th>Category</th><th>Count</th></tr></thead><tbody><tr><td>Fail</td><td>4</td></tr></tbody></table>	Category	Count	Fail	4
Step	Value																	
1	0.00																	
2	0.00																	
3	0.00																	
4	0.00																	
Category	Count																	
Fail	4																	
/ 12:58:41.567 AM // 1:00:27.820 AM /																		
Contact Us Feature																		

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()	FAILED	1 m 46.061 s
	<pre> org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 126.0.6478.128 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-B2R703E', ip: '192.168.29.171', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.22' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0090A813+48355] (No symbol) [0x0089C4B1] (No symbol) [0x007A5358] (No symbol) [0x007C61AC] (No symbol) [0x007C1EF3] (No symbol) [0x007C0579] (No symbol) [0x007F0C55] (No symbol) [0x007F093C] (No symbol) [0x007EA536] </pre>		

#	Step / Hook Details	Status	Duration
	(No symbol) [0x007C82DC] (No symbol) [0x007C93DD] GetHandleVerifier [0x00B6AABD+2539405] GetHandleVerifier [0x00BAA78F+2800735] GetHandleVerifier [0x00BA456C+2775612] GetHandleVerifier [0x009951E0+616112] (No symbol) [0x008A5F8C] (No symbol) [0x008A2328] (No symbol) [0x008A240B] (No symbol) [0x00894FF7] BaseThreadInitThunk [0x75F5FCC9+25] RtlGetAppContainerNamedObjectPath [0x77D280CE+286] RtlGetAppContainerNamedObjectPath [0x77D2809E+238] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given user navigates to contact us page	SKIPPED	0.001 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 5	SKIPPED	0.001 s
3	And - And user clicks on send button	SKIPPED	0.000 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		

**(S)- Contact Us scenario with different set of data**

<div>FAILED</div> <div>DURATION - 1 m 48.621 s</div>		<div><table><thead><tr><th>Step</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>0</td></tr><tr><td>2</td><td>0</td></tr><tr><td>3</td><td>0</td></tr><tr><td>4</td><td>0</td></tr></tbody></table></div>	Step	Value	1	0	2	0	3	0	4	0	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	<div><div>4</div></div>
Step	Value													
1	0													
2	0													
3	0													
4	0													
/ 12:58:41.580 AM // 1:00:30.201 AM /														
Contact Us Feature														

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()  org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 126.0.6478.128 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-B2R703E', ip: '192.168.29.171', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.22' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0090A813+48355] (No symbol) [0x0089C4B1] (No symbol) [0x007A5358] (No symbol) [0x007C61AC] (No symbol) [0x007C1EF3] (No symbol) [0x007C0579] (No symbol) [0x007F0C55] (No symbol) [0x007F093C] (No symbol) [0x007EA536] (No symbol) [0x007C82DC] (No symbol) [0x007C93DD] GetHandleVerifier [0x00B6AABD+2539405] GetHandleVerifier [0x00BAA78F+2800735] GetHandleVerifier [0x00BA456C+2775612] GetHandleVerifier [0x009951E0+616112] (No symbol) [0x008A5F8C] (No symbol) [0x008A2328] (No symbol) [0x008A240B] (No symbol) [0x00894FF7] BaseThreadInitThunk [0x75F5FCC9+25] RtlGetAppContainerNamedObjectPath [0x77D280CE+286] RtlGetAppContainerNamedObjectPath [0x77D2809E+238] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)	<b>FAILED</b>	1 m 48.448 s

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given user navigates to contact us page	SKIPPED	0.000 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 3	SKIPPED	0.000 s
3	And - And user clicks on send button	SKIPPED	0.000 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.001 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		

### (S)- Contact Us scenario with different set of data

<b>FAILED</b> <b>DURATION - 51.187 s</b> / 12:58:41.624 AM // 12:59:32.811 AM / Contact Us Feature		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
---	--	--	--



#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()	FAILED	51.085 s
	org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114		



#	Step / Hook Details	Status	Duration
	<p>Current browser version is 126.0.6478.128 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-B2R703E', ip: '192.168.29.171', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.22' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0090A813+48355] (No symbol) [0x0089C4B1] (No symbol) [0x007A5358] (No symbol) [0x007C61AC] (No symbol) [0x007C1EF3] (No symbol) [0x007C0579] (No symbol) [0x007F0C55] (No symbol) [0x007F093C] (No symbol) [0x007EA536] (No symbol) [0x007C82DC] (No symbol) [0x007C93DD] GetHandleVerifier [0x00B6AABD+2539405] GetHandleVerifier [0x00BAA78F+2800735] GetHandleVerifier [0x00BA456C+2775612] GetHandleVerifier [0x009951E0+616112] (No symbol) [0x008A5F8C] (No symbol) [0x008A2328] (No symbol) [0x008A240B] (No symbol) [0x00894FF7] BaseThreadInitThunk [0x75F5FCC9+25] RtlGetAppContainerNamedObjectPath [0x77D280CE+286] RtlGetAppContainerNamedObjectPath [0x77D2809E+238]</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)  at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30)  at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126)  at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195)  at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958)  at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127)  at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502)  at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488)  at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474)  at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150)  at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)  at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543)  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128)  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213)  at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:131)  at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:181)  at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:168)  at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:123)  at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29)  at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)</p>		
1	Given - Given user navigates to contact us page	SKIPPED	0.009 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 0	SKIPPED	0.002 s
3	And - And user clicks on send button	SKIPPED	0.001 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.001 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.025 s

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser() java.lang.NullPointerException at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)	FAILED	0.003 s



**(S)- Contact Us scenario with different set of data**

<div>FAILED</div> <div>DURATION - 1 m 49.587 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 12:58:41.680 AM // 1:00:31.267 AM /				
Contact Us Feature				



#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 126.0.6478.128 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-B2R703E', ip: '192.168.29.171', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.22' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0090A813+48355] (No symbol) [0x0089C4B1] (No symbol) [0x007A5358] (No symbol) [0x007C61AC] (No symbol) [0x007C1EF3] (No symbol) [0x007C0579] (No symbol) [0x007F0C55] (No symbol) [0x007F093C] (No symbol) [0x007EA536] (No symbol) [0x007C82DC] (No symbol) [0x007C93DD] GetHandleVerifier [0x00B6AABD+2539405] GetHandleVerifier [0x00BAA78F+2800735] GetHandleVerifier [0x00BA456C+2775612] GetHandleVerifier [0x009951E0+616112] (No symbol) [0x008A5F8C] (No symbol) [0x008A2328] (No symbol) [0x008A240B] (No symbol) [0x00894FF7] BaseThreadInitThunk [0x75F5FCC9+25] RtlGetAppContainerNamedObjectPath [0x77D280CE+286] RtlGetAppContainerNamedObjectPath [0x77D2809E+238] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502)	FAILED	1 m 49.523 s

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given user navigates to contact us page	SKIPPED	0.001 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 2	SKIPPED	0.001 s
3	And - And user clicks on send button	SKIPPED	0.000 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.003 s
	java.lang.NullPointerException at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		

**(F)- Account Page Feature**

<b>FAILED</b>	<b>DURATION - 1 m 53.830 s</b>	Scenarios		Steps	
/ 12:58:41.786 AM // 1:00:35.616 AM /		Total - 4		Total - 16	
		Pass - 0		Pass - 0	
		Fail - 4		Fail - 0	
		Skip - 0		Skip - 16	



**(S)- Accounts section count**

<div>FAILED</div> <div>DURATION - 1 m 43.715 s</div>		Steps	
/ 12:58:41.787 AM // 1:00:25.502 AM /		Total - 4	
Account Page Feature		Pass - 0	
@accounts		Fail - 0	
		Skip - 4	

#	Step / Hook Details	Status	Duration
	<b>BEFORE - parallel.ApplicationHooks.launchBrowser()</b> org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 126.0.6478.128 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-B2R703E', ip: '192.168.29.171', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.22' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0090A813+48355] (No symbol) [0x0089C4B1] (No symbol) [0x007A5358] (No symbol) [0x007C61AC] (No symbol) [0x007C1EF3] (No symbol) [0x007C0579] (No symbol) [0x007F0C55] (No symbol) [0x007F093C] (No symbol) [0x007EA536] (No symbol) [0x007C82DC] (No symbol) [0x007C93DD] GetHandleVerifier [0x00B6AABD+2539405] GetHandleVerifier [0x00BAA78F+2800735] GetHandleVerifier [0x00BA456C+2775612] GetHandleVerifier [0x009951E0+616112] (No symbol) [0x008A5F8C] (No symbol) [0x008A2328] (No symbol) [0x008A240B] (No symbol) [0x00894FF7] BaseThreadInitThunk [0x75F5FCC9+25] RtlGetAppContainerNamedObjectPath [0x77D280CE+286] RtlGetAppContainerNamedObjectPath [0x77D2809E+238] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)	<b>FAILED</b>	1 m 43.686 s

#	Step / Hook Details	Status	Duration				
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)						
1	Given - Given user has already logged in to application	SKIPPED	0.000 s				
	<table><tr><td>username</td><td>password</td></tr><tr><td>dec2020secondbatch@gmail.com</td><td>Selenium@12345</td></tr></table>			username	password	dec2020secondbatch@gmail.com	Selenium@12345
username	password						
dec2020secondbatch@gmail.com	Selenium@12345						
2	Given - Given user is on Accounts page	SKIPPED	0.002 s				
3	Then - Then user gets accounts section	SKIPPED	0.001 s				
	<table><tr><td>ORDER HISTORY AND DETAILS</td></tr><tr><td>MY CREDIT SLIPS</td></tr><tr><td>MY ADDRESSES</td></tr><tr><td>MY PERSONAL INFORMATION</td></tr><tr><td>MY WISHLISTS</td></tr><tr><td>Home</td></tr></table>			ORDER HISTORY AND DETAILS	MY CREDIT SLIPS	MY ADDRESSES	MY PERSONAL INFORMATION
ORDER HISTORY AND DETAILS							
MY CREDIT SLIPS							
MY ADDRESSES							
MY PERSONAL INFORMATION							
MY WISHLISTS							
Home							
4	And - And accounts section count should be 6	SKIPPED	0.000 s				
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s				
	java.lang.NullPointerException at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)						
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.001 s				
	java.lang.NullPointerException at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)						



**(S)- Accounts page title**

<b>FAILED</b>	<b>DURATION - 1 m 39.614 s</b>		<b>Steps</b> Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 12:58:41.830 AM // 1:00:21.444 AM /				
Account Page Feature				
@accounts				

#	Step / Hook Details	Status	Duration				
	<div>BEFORE - parallel.ApplicationHooks.launchBrowser()</div> <div>org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 126.0.6478.128 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-B2R703E', ip: '192.168.29.171', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.22' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0090A813+48355] (No symbol) [0x0089C4B1] (No symbol) [0x007A5358] (No symbol) [0x007C61AC] (No symbol) [0x007C1EF3] (No symbol) [0x007C0579] (No symbol) [0x007F0C55] (No symbol) [0x007F093C] (No symbol) [0x007EA536] (No symbol) [0x007C82DC] (No symbol) [0x007C93DD] GetHandleVerifier [0x00B6AABD+2539405] GetHandleVerifier [0x00BAA78F+2800735] GetHandleVerifier [0x00BA456C+2775612] GetHandleVerifier [0x009951E0+616112] (No symbol) [0x008A5F8C] (No symbol) [0x008A2328] (No symbol) [0x008A240B] (No symbol) [0x00894FF7] BaseThreadInitThunk [0x75F5FCC9+25] RtlGetAppContainerNamedObjectPath [0x77D280CE+286] RtlGetAppContainerNamedObjectPath [0x77D2809E+238] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)</div>	FAILED	1 m 39.579 s				
1	<div>Given - Given user has already logged in to application</div> <table><tr><td>username</td><td>password</td></tr><tr><td>dec2020secondbatch@gmail.com</td><td>Selenium@12345</td></tr></table>	username	password	dec2020secondbatch@gmail.com	Selenium@12345	SKIPPED	0.001 s
username	password						
dec2020secondbatch@gmail.com	Selenium@12345						

#	Step / Hook Details	Status	Duration
2	Given - Given user is on Accounts page	SKIPPED	0.001 s
3	When - When user gets the title of the page	SKIPPED	0.010 s
4	Then - Then page title should be "My account - My Store"	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		

**(S)- Accounts page title**

<div>FAILED</div> <div>DURATION - 19.681 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
<div>/ 1:00:15.935 AM // 1:00:35.616 AM /</div>				
<div>Account Page Feature</div>				
<div>@accounts</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()  org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 126.0.6478.128 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-B2R703E', ip: '192.168.29.171', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.22' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0090A813+48355] (No symbol) [0x0089C4B1] (No symbol) [0x007A5358] (No symbol) [0x007C61AC] (No symbol) [0x007C1EF3] (No symbol) [0x007C0579] (No symbol) [0x007F0C55] (No symbol) [0x007F093C] (No symbol) [0x007EA536] (No symbol) [0x007C82DC] (No symbol) [0x007C93DD] GetHandleVerifier [0x00B6AABD+2539405] GetHandleVerifier [0x00BAA78F+2800735] GetHandleVerifier [0x00BA456C+2775612] GetHandleVerifier [0x009951E0+616112] (No symbol) [0x008A5F8C] (No symbol) [0x008A2328] (No symbol) [0x008A240B] (No symbol) [0x00894FF7] BaseThreadInitThunk [0x75F5FCC9+25] RtlGetAppContainerNamedObjectPath [0x77D280CE+286] RtlGetAppContainerNamedObjectPath [0x77D2809E+238] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30)	FAILED	19.666 s



#	Step / Hook Details	Status	Duration		
	at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)				
1	Given - Given user has already logged in to application	SKIPPED	0.000 s		
	<table><tr><td>username</td><td>password</td></tr><tr><td>dec2020secondbatch@gmail.com</td><td>Selenium@12345</td></tr></table>			username	password
username	password				
dec2020secondbatch@gmail.com	Selenium@12345				
2	Given - Given user is on Accounts page	SKIPPED	0.001 s		
3	When - When user gets the title of the page	SKIPPED	0.000 s		
4	Then - Then page title should be "My account - My Store"	SKIPPED	0.000 s		
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s		
	java.lang.NullPointerException at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)				
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.001 s		
	java.lang.NullPointerException at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)				



**(S)- Accounts section count**

<div>FAILED</div> <div>DURATION - 16.357 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 1:00:17.201 AM // 1:00:33.558 AM /				
Account Page Feature				
@accounts				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - parallel.ApplicationHooks.launchBrowser()</b> org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 126.0.6478.128 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-B2R703E', ip: '192.168.29.171', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.22' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0090A813+48355] (No symbol) [0x0089C4B1] (No symbol) [0x007A5358] [0x007C61AC] (No symbol) [0x007C1EF3] (No symbol) [0x007C0579] (No symbol) [0x007F0C55] (No symbol) [0x007F093C] (No symbol) [0x007EA536] (No symbol) [0x007C82DC] (No symbol) [0x007C93DD] GetHandleVerifier [0x00B6AABD+2539405] GetHandleVerifier [0x00BAA78F+2800735] GetHandleVerifier [0x00BA456C+2775612] GetHandleVerifier [0x009951E0+616112] (No symbol) [0x008A5F8C] (No symbol) [0x008A2328] (No symbol) [0x008A240B] (No symbol) [0x00894FF7] BaseThreadInitThunk [0x75F5FCC9+25] RtlGetAppContainerNamedObjectPath [0x77D280CE+286] RtlGetAppContainerNamedObjectPath [0x77D2809E+238] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)	<b>FAILED</b>	16.344 s

#	Step / Hook Details	Status	Duration				
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)						
1	Given - Given user has already logged in to application	SKIPPED	0.001 s				
	<table><tr><td>username</td><td>password</td></tr><tr><td>dec2020secondbatch@gmail.com</td><td>Selenium@12345</td></tr></table>			username	password	dec2020secondbatch@gmail.com	Selenium@12345
username	password						
dec2020secondbatch@gmail.com	Selenium@12345						
2	Given - Given user is on Accounts page	SKIPPED	0.001 s				
3	Then - Then user gets accounts section	SKIPPED	0.000 s				
	<table><tr><td>ORDER HISTORY AND DETAILS</td></tr><tr><td>MY CREDIT SLIPS</td></tr><tr><td>MY ADDRESSES</td></tr><tr><td>MY PERSONAL INFORMATION</td></tr><tr><td>MY WISHLISTS</td></tr><tr><td>Home</td></tr></table>			ORDER HISTORY AND DETAILS	MY CREDIT SLIPS	MY ADDRESSES	MY PERSONAL INFORMATION
ORDER HISTORY AND DETAILS							
MY CREDIT SLIPS							
MY ADDRESSES							
MY PERSONAL INFORMATION							
MY WISHLISTS							
Home							
4	And - And accounts section count should be 6	SKIPPED	0.001 s				
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s				
	java.lang.NullPointerException at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)						
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.002 s				
	java.lang.NullPointerException at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)						