

Java Keywords and its functions

1. **abstract** – Specifies that a class or method is abstract (not fully implemented).
2. **assert** – Used for debugging to test assumptions.
3. **boolean** – Declares a variable with true/false values.
4. **break** – Exits from a loop or switch statement.
5. **byte** – Defines an 8-bit integer variable.
6. **case** – Defines a branch in a switch statement.
7. **catch** – Handles exceptions thrown by try blocks.
8. **char** – Defines a single 16-bit Unicode character variable.
9. **class** – Declares a class.
10. **const** – Reserved (not used).
11. **continue** – Skips the current iteration in a loop.
12. **default** – Specifies the default branch in a switch statement.
13. **do** – Executes a loop body at least once (do-while).
14. **double** – Defines a double-precision floating-point variable.
15. **else** – Specifies the alternative block in an if statement.
16. **enum** – Declares an enumeration (fixed set of constants).
17. **extends** – Indicates inheritance between classes.
18. **final** – Marks a variable, method, or class as unchangeable.
19. **finally** – Defines a block that always executes after try-catch.
20. **float** – Defines a single-precision floating-point variable.
21. **for** – Defines a loop that runs a fixed number of times.
22. **goto** – Reserved (not used).
23. **if** – Tests a condition and executes code if true.
24. **implements** – Specifies that a class implements an interface.
25. **import** – Brings other packages or classes into scope.
26. **instanceof** – Tests whether an object is an instance of a class.
27. **int** – Defines a 32-bit integer variable.
28. **interface** – Declares an interface.
29. **long** – Defines a 64-bit integer variable.
30. **native** – Specifies that a method is implemented in native code (like C/C++).
31. **new** – Creates new objects.
32. **null** – Represents the absence of any object reference.

- 33. package – Defines a namespace for classes.
- 34. private – Access modifier: visible only within the same class.
- 35. protected – Access modifier: visible within package and subclasses.
- 36. public – Access modifier: visible everywhere.
- 37. return – Exits from a method and optionally returns a value.
- 38. short – Defines a 16-bit integer variable.
- 39. static – Declares members that belong to the class, not instances.
- 40. strictfp – Enforces strict floating-point calculations.
- 41. super – Refers to the superclass or calls its constructor.
- 42. switch – Executes code based on matching a value.
- 43. synchronized – Prevents concurrent access by multiple threads.
- 44. this – Refers to the current object.
- 45. throw – Throws an exception.
- 46. throws – Declares exceptions that a method might throw.
- 47. transient – Prevents serialization of a field.
- 48. try – Starts a block of code to test for exceptions.
- 49. void – Specifies that a method does not return a value.
- 50. volatile – Marks a variable as being accessed by multiple threads.
- 51. while – Defines a loop that continues while a condition is true.
- 52. var – (Java 10+) Local variable type inference.
- 53. record – (Java 14+) Declares a record (data-carrying class).
- 54. sealed – (Java 17+) Restricts which classes can extend a class.
- 55. permits – (Java 17+) Lists allowed subclasses of a sealed class.
- 56. _ – (Java 9+) Reserved keyword (cannot be used as an identifier).
- 57. exports – (Java 9+) Used in modules to export packages.
- 58. module – (Java 9+) Defines a module.
- 59. open – (Java 9+) Allows deep reflection on packages.
- 60. opens – (Java 9+) Opens packages for reflective access.
- 61. provides – (Java 9+) Declares a service provider in a module.
- 62. requires – (Java 9+) Specifies module dependencies.
- 63. to – (Java 9+) Used in module directives (exports ... to).
- 64. uses – (Java 9+) Declares a service that a module uses.
- 65. with – (Java 9+) Used in module declarations (provides ... with).
- 66. yield – (Java 13+) Returns a value from a switch expression.
- 67. true, false – Boolean literals (not technically keywords, but reserved).

