

Waterfall Model Documents

Document 6- Please prepare a use case diagram, activity diagram and a use case specification document.

Use case specification document

Use Case ID	UC001		
Use Case Name	Bidirectional JIRA Ticket Creation and Sync		
Priority	10 (Critical)		
Created By	Mr. ABC	Last Updated By	January 28th, 2026
Date Created	January 19th, 2026	Last revision date	January 25th, 2026
Actor	Primary - Support Specialist, Secondary - Atlassian JIRA API, Engineering Lead		
Description	This use case describes the process where a Support Specialist triggers the creation of an engineering ticket in JIRA directly from a ResolveSphere case, maintaining a live link for status updates.		
Pre-condition	Agent is logged into ResolveSphere via SSO; JIRA API is reachable.		
Post-condition	A unique JIRA ticket is linked to the Case ID; JIRA status is visible in ResolveSphere.		
Trigger	Support agent click on Create JIRA within Case		
Normal Flow of events/ Basic Flow/ Happy Path	1. Agent identifies a technical bug within a ResolveSphere case. 2. Agent clicks the "Create JIRA" button. 3. System prompts for "Project Category" and "Priority." 4. System packages Case ID, Client Logs, and Description into an API call. 5. JIRA creates the ticket and returns a "JIRA ID" to ResolveSphere. 6. ResolveSphere displays the linked JIRA status on the agent dashboard.		
Alternative Flow	If a JIRA ticket already exists for this client, the system allows the Agent to "Link to Existing" instead of creating a new one.		
Exceptions	E1: API Timeout: System retries 3 times; if it fails, it alerts the Agent to "Retry Manually Later." E2: Invalid Mapping: System notifies Agent if mandatory fields are missing.		
Constraints	Synchronization must occur in under 2 seconds.		
Assumptions	JIRA field configurations have not changed since the last technical freeze.		
Dependencies	JIRA Production API access.		
Input and Outputs	INPUT: Case ID, Priority, Issue Category. OUTPUT: JIRA Ticket ID, Success Timestamp.		
Business Rules	Only Senior Support Specialists can trigger high-priority JIRA tickets.		
Miscellaneous	Uses the API mapping schema.		

Use Case ID	UC002		
Use Case Name	ReTool Data Extraction for RCA.		
Priority	10 (Critical)		
Created By	Mr. ABC	Last Updated By	January 28th, 2026
Date Created	January 19th, 2026	Last revision date	January 25th, 2026
Actor	Primary - Support Specialist, Secondary - ReTool API Service.		
Description	The system automatically pulls technical configuration data from ReTool to assist the agent in diagnosing account related issues.		
Pre-condition	Case must have a valid Client Account ID.		
Post-condition	RCA data is attached to the Case record for audit history.		
Trigger	Support Agent click on Use ReTool		
Normal Flow of events/ Basic Flow/ Happy Path	1. New case is opened in ResolveSphere. 2. System identifies the "Client Account ID." 3. System triggers a background GET request to ReTool. 4. ReTool returns the client's current benefit settings. 5. ResolveSphere highlights discrepancies or errors in the "Insights Panel."		
Alternative Flow	Agent can manually refresh the RCA data if the client makes a change during the call.		
Exceptions	No data found for Client ID in ReTool; system displays "No Record Found" and prompts for manual entry.		
Constraints	Data extraction must not expose PII (Personally Identifiable Information).		
Assumptions	ReTool contains the most up-to-date client configuration.		
Dependencies	Connectivity to the Support ReTool database.		
Input and Outputs	INPUT: Client Account ID.. OUTPUT: JSON Payload of account configurations.		
Business Rules	RCA logic follows the "Support Troubleshooting SOP v2.0."		
Miscellaneous	Part of the Dataquest (Internal) analytics engine module.		


Use Case ID	UC003		
Use Case Name	Integrated Multi-Channel Engagement.		
Priority	10 (Critical)		
Created By	Mr. ABC	Last Updated By	January 28th, 2026
Date Created	January 19th, 2026	Last revision date	January 25th, 2026
Actor	Primary - Support Specialist, Secondary - B2B Client.		
Description	Enables real-time communication (Chat, Email, and WebRTC Video) within a single interface to prevent switching between Slack and Email.		

Pre-condition	Camera/Microphone permissions granted by the browser.
Post-condition	Chat transcript and video recording link are saved to the Case ID.
Trigger	Client initiates the chat from their portal using the support icon
Normal Flow of events/ Basic Flow/ Happy Path	1. Client initiates a query via the Web Portal. 2. ResolveSphere routes the chat to an available Specialist. 3. Specialist accepts the chat; a unique Case ID is generated. 4. Specialist escalates to a Video Call (WebRTC) for screen sharing if needed.
Alternative Flow	If no Specialist is available, the system prompts the client to "Leave a Message" which converts to an Email Ticket.
Exceptions	Connection lost during Video Call; system automatically reconnects or reverts to text chat.
Constraints	Must support up to 50 concurrent video sessions.
Assumptions	Network stability meets the minimum bandwidth requirement for WebRTC.
Dependencies	Twilio or similar WebRTC provider integration.
Input and Outputs	INPUT: User Message/Video Stream OUTPUT:Live Response/Transcript.
Business Rules	All B2B communications must be logged for compliance.
Miscellaneous	Directly addresses the "Fragmented Intake" pain point in the AS-IS process.

Use Case ID	UC004		
Use Case Name	Stakeholder KPI Reporting.		
Priority	10 (Critical)		
Created By	Mr. ABC	Last Updated By	January 28th, 2026
Date Created	January 19th, 2026	Last revision date	January 25th, 2026
Actor	Primary - Project Sponsor, Secondary - B2B Client.		
Description	Provides C-level stakeholders and managers with real-time visibility into support metrics like MTTR and backlog.		
Pre-condition	Data must exist in the ResolveSphere database.		
Post-condition	Data is exported in PDF or Excel format if requested.		
Trigger	Stakeholder clicks on Support icon to view the status of their existing cases		
Normal Flow of events/ Basic Flow/ Happy Path	1. Stakeholder logs into the ResolveSphere Executive Portal. 2. System aggregates data from all open and closed cases. 3. Dashboard renders visual charts (Heatmaps, Trend lines). 4. Stakeholder filters data by "Entity Name" or "Issue Type."		
Alternative Flow	Stakeholder schedules an "Automated Weekly Report" to be sent via email.		


Exceptions	Database timeout; dashboard displays "Last Cached Data" with a warning timestamp.
Constraints	Dashboard refresh rate must be < 5 seconds.
Assumptions	Metrics like MTTR are calculated using the 24/7 business clock unless specified otherwise.
Dependencies	Data Intelligence engine availability.
Input and Outputs	INPUT: Date Range, Filter Criteria OUTPUT: Visual Graphs, MTTR calculation.
Business Rules	C-level clients can only view data pertaining to their specific account.
Miscellaneous	Eliminates the need for manual manual status updates.

**Use Case diagram
(Next Page)**




Activity diagrams


Activity Diagram 01: Automated JIRA Sync (UC-01)




Activity Diagram 02: Automated RCA (UC-02)



Activity Diagram 03: Omnichannel Gateway (UC-03)



Activity Diagram 04: Real-time Insights Dashboard (UC-04)



Document 7- Screens and pages

Home Page (Support Specialist)



ResolveSphere CRM

USER ACCOUNT
SETTINGS



Open Issues

Personal Queue



Search Bar

Filters

Charts

New

New

Case ID

Case Name

Company Name

ARR

Date Created

Case ID

Case Name

Company Name

ARR

Date Created

Open

Case ID

Case Name

Company Name

ARR

Date Created

Status

Case ID

Case Name

Company Name

ARR

Date Created

Status

Pending

Case ID

Case Name

Company Name

ARR

Date Created

Pending On

Upcoming follow up date

On Hold

Case ID

Case Name

Company Name

ARR

Date Created

On Hold on

Upcoming follow up date

Case ID

Case Name

Company Name

ARR

Date Created

On Hold on

Upcoming follow up date

Case ID

Case Name

Company Name

ARR

Date Created

On Hold on

Upcoming follow up date

Solved

Case ID

Case Name

Company Name

ARR

Date Created

Solved On

Solved By

CSAT

Case ID

Case Name

Company Name

ARR

Date Created

Solved On

Solved By

CSAT

Chat Details

Case ID

Case Name

AI summarization of issue

ARR

Date Created

Past recent Case ID

Proxy User Account

Use LogRocket

Use ReTool

Log Product Feature Request

AI Chatbox to help refine responses. Specialist can paste their responses to spot check for any grammartical mistakes before sending response.

Chat Window

Client explains Issue over here

Specialist writes over here

End Chat

Offer Video Call

Convert to Email

Agent Case Page (Support Specialist)



USER ACCOUNT SETTINGS

Case Tab226782133478916678912Return to Home Dashboard

CASE NAMERetoolLogRocketVideo CallCreate JIRATransfer CaseUpdate Case Status

Date/Time OpenedCase StatusJIRA DetailsCase OwnerProduct AreaCase reason



Milestones
First response to customer
Time remaining to respond (SLA)

WARNING MESSAGE BASED ON ACCOUNT DETAILS
(Example: For High ARR customer, don't include these email ids;
CEOs, CFOs, etc)

Case Details

Case Id Link	
Account Name	Case Origin
Contact Name	ARR Bucket
Contact Email Id	Access Level
Cc Emails	Related Closed Case
Company ID	Implementation Date
Account Status	Eligible for Support Churn
Customer region	TimeZone
Escalation Status	Account Churn Risk
Related Cases Link	

CommentsInternal HelpJIRA DetailsContent AuditsShared ItemsMore Dropdown

Case communication area

Contact NameDate and Time

Chat transcript/ Email message

Support Agent NameDate and Time

Chat transcript/ Email message

Case Comments

Formatting Options

Support Agent Writing Area

CancelSend

Search Quick Text

Upload Files

☐ Private Comment

JIRA Creation Page 1 (Support Specialist)



USER ACCOUNT SETTINGS

Case Tab226782133478916678912Return to Home Dashboard

CASE NAMERetoolLogRocketVideo CallCreate JIRATransfer CaseUpdate Case Status

Date/Time OpenedCase StatusJIRA DetailsCase OwnerProduct AreaCase reason



Milestones
First response to customer
Time remaining to respond (SLA)

WARNING MESSAGE BASED ON ACCOUNT DETAILS
(Example: For High ARR customer, don't include these email ids;
CEOs, CFOs, etc)

Case Details

Case Id Link	
Account Name	Case Origin
Contact Name	ARR Bucket
Contact Email Id	Access Level
Cc Emails	Related Closed Case
Company ID	Implementation Date
Account Status	Eligible for Support Churn
Customer region	TimeZone
Escalation Status	Account Churn Risk
Related Cases Link	

CommentsInternal HelpJIRA DetailsContent AuditsShared ItemsMore Dropdown

Existing JIRA Issues (0)

Create New JIRAAssociate Existing JIRA

JIRA Comments

JIRA Creation Form 1 (Support Specialist)

USER ACCOUNT SETTINGS

Case Tab226782133478916678912Return to Home Dashboard

CASE NAMERetoolLogRocketVideo CallCreate JIRATransfer CaseUpdate Case Status

Date/Time OpenedCase StatusJIRA DetailsCase OwnerProduct AreaCase reason

MileStones
First response to customer
Time remaining to respond (SLA)

WARNING MESSAGE BASED ON ACCOUNT DE
(Example; For High ARR customer, don't include the
CEOs, CFOs, etc)

Case Details

Case Id Link	
Account Name	Case Origin
Contact Name	ARR Bucket
Contact Email id	Access Level
Cc Emails	Related Closed
Company ID	Implementation
Account Status	Eligible for Support Churn
Customer region	TimeZone
Escalation Status	Account Churn Risk
Related Cases Link	

Create JIRA Issue

Project
Reports

Issue Type
Customer issue

What will happen?
Automatically synchronize both ResolveSphere CRM and the JIRA issue upon future changes.

Immediately create a JIRA issue and loop in the engineering team; the system will then update this case with information from the created issue.

Automated emails will be sent by the system; however, the support agent will need to manually update the client once the issue is resolved. The support agent will be notified upon case completion.

CancelReview and CreateCreate

Items

More Dropdown

Create New JIRA

Associate Existing JIRA

JIRA Creation Form 2 (Support Specialist)

USER ACCOUNT SETTINGS

Case Tab226782133478916678912Return to Home Dashboard

CASE NAMERetoolLogRocketVideo CallCreate JIRATransfer CaseUpdate Case Status

Date/Time OpenedCase

MileStones
First response to customer
Time remaining to respond (SLA)

WARNING MESSAGE BASED ON ACCOUNT D
(Example; For High ARR customer, don't include th
CEOs, CFOs, etc)

Case Details

Case Id Link	
Account Name	Case Origin
Contact Name	ARR Bucket
Contact Email id	Access Level
Cc Emails	Related Closed
Company ID	Implementation
Account Status	Eligible for Suppo
Customer region	TimeZone
Escalation Status	Account Churn Risk
Related Cases Link	

Create Jira Issue

*Summary Field

*Description
Formatting options
Agent prepares the body of the JIRA based on company's internal format

*Priority
Highest

*Components
Benefits Reports

*Critical Blocker
Yes No

*ReTool Link

*LogRocket Link

CancelCreate

ns

More Dropdown

Create New JIRA

Associate Existing JIRA

StakeHolder Case Page


ResolveSphere






USER ACCOUNT
 SETTINGS

ONGOING CASES

4

RESOLVED CASES

18

MEAN TIME TO RESOLUTION

48 H

Feature Updates

Submit feedback

Reopen Case

Escalate Case

Create Reports

Case Id	Name	Date Created	Owned By	Status	Time to Resolve
2867812	Payroll Report not taking values	04/04/26	Support (Kishika)	Open	4 hours
2867813	Help with custom Reports	04/04/26	Engineering (Ash)	On Hold	72 hours
2867812	Require report for CA employees	04/04/26	Waiting	New	4 hours

Chat with Support




Write a detailed question

Attach

Send

Document 8- Tools-Visio and Axure

During the development of the ResolveSphere CRM project, I utilized Microsoft Visio and Axure RP to bridge the gap between abstract business requirements and technical execution. I leveraged Visio as the primary engine for architectural modeling, where I designed the Use Case Diagrams and comprehensive Activity Diagrams. The tool's intuitive drag-and-drop interface and specialized UML 2.0 component library allowed me to map complex logic—such as parallel data fetching from ReTool and JIRA synchronization—with high technical precision. Its structured work area was essential for maintaining the "Waterfall" documentation standards required for the project.

For the interface design and user experience phase, I transitioned to Axure RP to develop high-fidelity mockups. While Visio excelled at static logic, Axure provided the sophisticated environment needed for complex prototyping. Using its drag-and-drop functionality, I was able to build dynamic links between different screens, effectively simulating the real-world navigation of the ResolveSphere dashboard. This ability to create interactive prototypes was instrumental in validating the omnichannel gateway and reporting modules, ensuring that the final proposed solution was both user-centric and technically feasible.

Feature	Microsoft Visio	Axure RP
Primary Project Use	UML Modeling (Use Case, Activity Diagrams)	UI/UX Mockups & Prototyping
Strengths	Technical accuracy, standardized symbols	Interactivity, dynamic linking, complex UI
Ease of Use	High (Stencil-based drag & drop)	High (Widget-based drag & drop)
Key Output	Logic flows & System Architecture	Interactive Visual Blueprints

Document 9- BA experience

My experience as BA in following phases:

1. Requirement gathering:

- **Prioritization via MOSCOW Technique:** To ensure the project remained focused on high-value delivery, I facilitated the MOSCOW (Must-have, Should-have, Could-have, Won't-have) prioritization process. This allowed the team to distinguish between critical functionalities, such as the JIRA API synchronization, and secondary "nice-to-have" features, ensuring a clear roadmap for development despite tight deadlines.
- **Stakeholder Management & Contingency Planning:** During a critical period where the primary client was unavailable, I proactively managed the information gap by identifying and sourcing alternative Point of Contacts (POCs) within the client's organization. This ensured that the requirements pipeline remained active and that no delays were incurred due to stakeholder absence.
- **Requirement Validation via FURPS:** I applied the FURPS (Functionality, Usability, Reliability, Performance, and Supportability) framework to validate and categorize requirements. This rigorous assessment ensured that the ResolveSphere system was not only functional but also met the high performance and reliability standards necessary for a support-centric CRM.
- **Requirement Refinement:** Upon analyzing the initial data, I identified numerous duplicated and overlapping requirements. I conducted a thorough cleaning of the Business Requirements Document (BRD) to remove redundancies and ensured the development team received a concise, non-conflicting set of instructions.
- **Requirement Elicitation through Prototyping:** To bridge the gap between abstract needs and technical reality, I utilized Prototyping (via Axure). By presenting the client with visual mockups of the Omnichannel Gateway, JIRA Creation and Insights Dashboard, I was able to elicit more specific, granular requirements that standard interviews might have missed.

2. Requirement Analysis:

- **Visualizing Requirements via UML Modeling:** To transform complex business needs into technical blueprints, I utilized UML (Unified Modeling Language). I designed comprehensive Use Case Diagrams to define the system boundary of ResolveSphere and illustrate the interactions between primary actors, like the Support Specialist, and external systems like the JIRA and ReTool APIs.
- **Process Flow Definition with Activity Diagrams:** I developed detailed Activity Diagrams for the four core functionalities. By incorporating UML 2.0 elements such as Forks and Joins for parallel data processing and Decision Diamonds for logic branching, I provided the development team with a clear, step-by-step map of the system's behavioral requirements.
- **Stakeholder Communication & Collaborative Refinement:** I facilitated review sessions to communicate these diagrams to the technical and business teams. When team members proposed changes or identified logic gaps, I practiced Active Listening and Conflict Resolution, incorporating their feedback to refine the diagrams. This collaborative approach ensured that the final models were technically accurate and mutually agreed upon.
- **Documentation of BRS and SRS:** I was responsible for the end-to-end preparation of the Business Requirements Specification (BRS) and the Software Requirements Specification (SRS). While the BRS focused on the high-level business goals (e.g., reducing MTTR), the SRS provided the granular functional and non-functional requirements needed by the engineering team to begin the build phase.

3. Design:

- **Deriving Test Cases from UML Models:** I utilized the Use Case Diagrams as the foundational logic to draft comprehensive test cases. By analyzing the interactions between the Support Specialist and the JIRA/ReTool APIs, I ensured that every functional requirement was translated into a verifiable test scenario, bridging the gap between design and quality assurance.
- **Stakeholder Consultation on Design Solutions:** I acted as the primary liaison between the technical team and the client to communicate the Design and Solution Documents. I facilitated walkthroughs of the system architecture and UI mockups, ensuring the proposed "To-Be" process flow was perfectly aligned with the client's vision before moving into development.
- **Comprehensive Positive and Negative Testing:** To ensure system robustness, I drafted both Positive and Negative Test Cases. Beyond testing for expected

successes (e.g., successful JIRA sync), I focused on "edge cases," such as API timeouts or invalid data entry. This proactive approach was critical to identify potential failures early and prevent high-impact defects in the later stages of the lifecycle.

- **Test Data Preparation:** I was responsible for preparing accurate Test Data that mirrored real-world support scenarios. This included creating mock B2B client profiles and sample technical logs to test the Automated RCA engine, ensuring the system could handle diverse data sets during the execution phase.
- **Requirement Traceability & RTM Management:** I performed continuous updates to the Requirements Traceability Matrix (RTM). By mapping every business requirement to its corresponding design element and test case, I ensured 100% Requirement Coverage. This served as a final validation check to confirm that no functional gap existed and that every client need was addressed in the final solution.

4. Development:

- **Facilitating Joint Application Development (JAD) Sessions:** I organized and led JAD sessions to accelerate the development lifecycle. By bringing together the technical team and key stakeholders, I ensured that the technical architecture for the JIRA and ReTool integrations was fully aligned with the business goals, reducing the need for late-stage re-work.
- **Technical Liaison & Query Resolution:** During the coding phase, I acted as the primary point of contact for the engineering team. I provided real-time clarifications on complex functional requirements—such as the logic behind the Automated RCA engine—ensuring that developers could maintain momentum without stalling due to requirement ambiguity.
- **Conflict Resolution & Team Synergy:** I proactively managed team dynamics during high-pressure JAD sessions. When faced with resistance or a lack of cooperation from specific team members, I conducted one-on-one discussions to address their concerns gently. By explaining the direct impact of their contributions on the project's success, I successfully fostered a healthy, collaborative environment and restored team alignment.
- **Technical Guidance via UML Models:** I ensured the development team utilized the Activity and Use Case Diagrams as the primary blueprints for unit coding. These diagrams provided the necessary logic for handling parallel processes (Fork/Join) and decision branching, ensuring the code accurately reflected the intended business process flows.
- **Managing Distributed Stakeholder Communication:** I coordinated regular sync meetings between the technical team and the client. To overcome the

challenge of varying schedules and availability, I implemented a strict documentation and recording protocol. By recording sessions and conducting follow-up briefings for absent members, I ensured 100% information symmetry across the project team, regardless of meeting attendance.

5. Testing:

- **Test Case Derivation from Use Cases:** I translated the functional logic from the Use Case Specifications into detailed, executable Test Cases. By ensuring that every "Basic Flow" and "Alternate Flow"—such as the JIRA sync success and failure paths—had a corresponding test scenario, I maintained high testing standards and logical consistency.
- **Execution of High-Level Testing:** I conducted High-Level Testing to verify that the integrated components of ResolveSphere—including the Omnichannel Gateway and the ReTool data pull—functioned correctly as a unified system. This was crucial to identify any "big picture" logic gaps before moving into more granular testing cycles.
- **Test Data Elicitation and Procurement:** I acted as the key facilitator to secure Test Data from the client. By providing the client with specific data requirements (such as sample B2B benefit configurations), I ensured that our testing environment accurately reflected the production environment, leading to more reliable results.
- **Comprehensive RTM Updates:** I diligently updated the Requirements Traceability Matrix (RTM) throughout the testing cycle. By linking test execution results back to the original Business Requirements, I provided a transparent audit trail that proved all functional gaps were addressed and verified.
- **Formal Client Sign-off Management:** I managed the Sign-off process, presenting the final test results and defect logs to the client. Obtaining this formal approval was a critical milestone, confirming that the developed solution met the agreed-upon criteria and was ready for deployment.
- **UAT Readiness and Client Preparation:** I spearheaded the preparation for User Acceptance Testing (UAT). I guided the client's end-users through the system's new functionalities, provided them with UAT scripts, and set clear expectations for the testing window, ensuring they were fully equipped to validate the system against their daily support workflows.

6. Deployment:

- **Finalizing Requirement Traceability & Project Closure:** I prepared the final version of the Requirements Traceability Matrix (RTM) and forwarded it to the

client. By ensuring the RTM was attached to the Project Closure Document, I provided a verified record that all initial business requirements were successfully met, tested, and deployed, facilitating a smooth formal handover.

- **Documentation & User Manual Coordination:** I coordinated with the technical and product teams to complete and distribute comprehensive End-User Manuals. These manuals served as the primary reference guide for the support specialists, detailing how to navigate the new ResolveSphere interface, use the Automated RCA tool, and manage JIRA synchronizations effectively.
- **Strategic Training Planning & Organization:** I took the lead in planning and organizing Training Sessions for the end-user community. I designed the training agenda to focus on the most high-impact features of the CRM, ensuring that the transition from the "As-Is" manual process to the "To-Be" automated workflow was seamless for the staff.
- **Attendance Management & Knowledge Transfer:** To ensure the success of the system rollout, I took full responsibility for Attendance Management during training meetings. I tracked participant engagement and conducted follow-ups to ensure all candidates attended their assigned sessions, guaranteeing that no user was left without the essential knowledge required to operate the new system on Day 1.