

Cucumber Report

Apr 2, 2024, 8:03:09 AM

Start : Apr 02, 8:02:35.198 AM

End : Apr 02, 8:03:08.712 AM

Duration : 33.514 s

Features



Scenarios

Steps

PASSED - 4
FAILED - 2
SKIPPED - 0

PASSED - 60
FAILED - 18
SKIPPED - 0

PASSED - 206
FAILED - 18
SKIPPED - 10




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Post request</u>	5.196 s	3	3	0	0	9	9	0	0
<u>ProgramModule</u>	10.439 s	37	31	6	0	111	101	6	4
<u>Get (Logout)</u>	0.832 s	3	3	0	0	9	9	0	0
<u>Batch Module POST request</u>	3.982 s	14	2	12	0	42	24	12	6
<u>User Module</u>	10.796 s	13	13	0	0	39	39	0	0
<u>User Role Program Batch Map</u>	2.115 s	8	8	0	0	24	24	0	0


#	Feature Name	Scenario Name
1	<u>ProgramModule</u>	<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>
2		<u>Check if Admin able to create a program with missing additional field</u>
3		<u>Check if Admin able to retrieve a program with valid program ID</u>
4		<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>
5		<u>Check if Admin able to update a program with Valid program Name and request body</u>
6		<u>Check if Admin able to update a program status</u>
7	<u>Batch Module POST request</u>	<u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u>
8		<u>Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)</u>
9		<u>Check if admin able to create a Batch missing mandatory fields in request body</u>

#	Feature Name	Scenario Name
10	<u>Batch Module POST request</u>	<u>Check if admin able to create a batch with invalid endpoint</u>
11		<u>Check if admin able to create a batch with missing additional fields</u>
12		<u>Check if admin able to create a batch with invalid data in request body</u>
13		<u>Check if admin able to retrieve a batch with valid BATCH ID</u>
14		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>
15		<u>Check if admin able to retrieve a batch with valid Program ID</u>
16		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>
17		<u>Check if admin able to delete a Batch with valid Batch ID</u>
18		<u>Check if admin able to retriive a batch after deleting the batch</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag	39	32	7	0	3	1	2	0
@EndToEnd	1	1	0	0	1	1	0	0
@PostRequest	1	1	0	0	1	1	0	0
@GetRequest(allroles)	1	1	0	0	1	1	0	0
@GetRequest(All_Admins)	1	1	0	0	1	1	0	0
@GetRequest(by_AdminID)	1	1	0	0	1	1	0	0
@GetRequest(All_active_admins)	1	1	0	0	1	1	0	0
@GetRequest(Count_of_active_inactive_Admins)	1	1	0	0	1	1	0	0
@GetRequest(Admins_by_program_batches)	1	1	0	0	1	1	0	0
@GetRequest(get_Admin_for_program)	1	1	0	0	1	1	0	0
@GetRequest(get_Admin_by_RoleID)	1	1	0	0	1	1	0	0
@GetRequest(Admin_With_Roles)	1	1	0	0	1	1	0	0
@PutRequest(Update_Admin_Role_Status_By_AdminID)	1	1	0	0	1	1	0	0
@PutRequest(Update_Admin_RoleID)	1	1	0	0	1	1	0	0
@PutRequest(Update_Admin_Role_Program_Batch_Status)	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>Post request</u>	3	3	0	0	5.196 s
2	<u>ProgramModule</u>	37	31	6	0	10.439 s
3	<u>Get (Logout)</u>	3	3	0	0	0.832 s
4	<u>Batch Module POST request</u>	14	2	12	0	3.982 s
5	<u>User Module</u>	13	13	0	0	10.796 s
6	<u>User Role Program Batch Map</u>	8	8	0	0	2.115 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Post request</u>	<u>Check if Admin able to generate token with valid credential</u>	3	3	0	0	4.495 s
2		<u>Check if Admin able to generate token with invalid endpoint</u>	3	3	0	0	0.293 s
3		<u>Check if Admin able to generate token with invalid credentials</u>	3	3	0	0	0.243 s
4	<u>ProgramModule</u>	<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>	3	1	1	1	0.740 s
5		<u>Check if Admin able to create a program with valid endpoint and request body without Authorization</u>	3	3	0	0	0.346 s
6		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.412 s
7		<u>Check if Admin able to create a program with already existing program name</u>	3	3	0	0	0.330 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if Admin able to create a program with missing values in the request body</u>	3	3	0	0	0.243 s
9		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.289 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>ProgramModule</u>	<u>Check if Admin able to create a program without program name starting with a number</u>	3	3	0	0	0.242 s
11		<u>Check if Admin able to create a program with missing additional field</u>	3	2	1	0	0.239 s
12		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.243 s
13		<u>Check if Admin able to retrieve all programs with valid Endpoint without auth</u>	3	3	0	0	0.228 s
14		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.279 s
15		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.155 s
16		<u>Check if Admin able to retrieve a program with valid program ID</u>	3	2	1	0	0.155 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
17		<u>Check if Admin able to retrieve all programs with valid prgm id without auth</u>	3	3	0	0	0.169 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>ProgramModule</u>	<u>Check if Admin able to retrieve a program with invalid program ID</u>	3	3	0	0	0.188 s
19		<u>Check if Admin able to retrieve a program with invalid baseURI</u>	3	3	0	0	0.319 s
20		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.190 s
21		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.667 s
22		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.177 s
23		<u>Check if Admin able to retrieve all programs with invalid Method</u>	3	3	0	0	0.170 s
24		<u>Check if Admin able to retrieve all programs without Authorization</u>	3	3	0	0	0.158 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
25	<u>ProgramModule</u>	<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>	3	1	1	1	0.283 s
26		<u>Check if Admin able to update a program with invalid programID endpoint and valid request body</u>	3	3	0	0	0.265 s
27		<u>Check if Admin able to update a program without request body</u>	3	3	0	0	0.256 s
28		<u>Check if Admin able to update a program with invalid baseURI</u>	3	3	0	0	0.225 s
29		<u>Check if Admin able to update a program with invalid method</u>	3	3	0	0	0.234 s
30		<u>Check if Admin able to update a program without Authorization</u>	3	3	0	0	0.228 s
31		<u>Check if Admin able to update a program with Valid program Name and request body</u>	3	1	1	1	0.271 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
32		<u>Check if Admin able to update a program with invalid program Name and request body</u>	3	3	0	0	0.215 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
33	<u>ProgramModule</u>	<u>Check if Admin able to update a program using valid program name - missing mandatory fields in request body</u>	3	3	0	0	0.216 s
34		<u>Check if Admin able to upadte a program with program name starting with a number</u>	3	3	0	0	0.421 s
35		<u>Check if Admin able to update a program with invalid program Description</u>	3	3	0	0	0.245 s
36		<u>Check if Admin able to update a program status</u>	3	1	1	1	0.233 s
37		<u>Check if Admin able to delete a program with valid LMS API, invalid programName</u>	3	3	0	0	0.148 s
38		<u>Check if Admin able to delete a program by pgrm name without Authorization</u>	3	3	0	0	0.151 s
39		<u>Check if Admin able to delete a program with valid LMS API, invalid programId</u>	3	3	0	0	0.143 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
40		<u>Check if Admin able to delete a program without Authorization</u>	3	3	0	0	0.183 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
41	<u>Get (Logout)</u>	<u>Check if Admin able to logout</u>	3	3	0	0	0.152 s
42		<u>Check if Admin able to logout with invalid endpoint</u>	3	3	0	0	0.305 s
43		<u>Check if Admin able to logout</u>	3	3	0	0	0.344 s
44	<u>Batch Module POST request</u>	<u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u>	3	1	1	1	0.140 s
45		<u>Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)</u>	3	1	1	1	0.006 s
46		<u>Check if admin able to create a Batch missing mandatory fields in request body</u>	3	2	1	0	0.114 s
47		<u>Check if admin able to create a batch with invalid endpoint</u>	3	1	1	1	0.088 s
48		<u>Check if admin able to create a batch with missing additional fields</u>	3	1	1	1	0.099 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
49		<u>Check if admin able to create a batch with invalid data in request body</u>	3	1	1	1	0.108 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
50	<u>Batch Module POST request</u>	<u>Check if admin able to retrieve all batches with valid LMS API</u>	3	3	0	0	0.871 s
51		<u>Check if admin able to retrieve all batches with invalid Endpoint</u>	3	3	0	0	0.451 s
52		<u>Check if admin able to retrieve a batch with valid BATCH ID</u>	3	2	1	0	0.230 s
53		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>	3	2	1	0	0.156 s
54		<u>Check if admin able to retrieve a batch with valid Program ID</u>	3	1	1	1	0.005 s
55		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>	3	2	1	0	1.122 s
56		<u>Check if admin able to delete a Batch with valid Batch ID</u>	3	2	1	0	0.167 s
57		<u>Check if admin able to retrieve a batch after deleting the batch</u>	3	2	1	0	0.177 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
58	<u>User Module</u>	<u>Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields</u>	3	3	0	0	2.074 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
59	<u>User Module</u>	<u>Check if admin is able to retrieve all the available roles</u>	3	3	0	0	2.329 s
60		<u>Check if admin able to retrieve all Admin with valid endpoint</u>	3	3	0	0	1.089 s
61		<u>Check if admin able to retrieve a Admin with valid Admin ID</u>	3	3	0	0	1.138 s
62		<u>Check if admin able to retrieve all active Admins</u>	3	3	0	0	0.876 s
63		<u>Check if admin is able to get count of active and inactive Admins</u>	3	3	0	0	0.341 s
64		<u>Check if admin is able to get the Admins by program batches for valid batch ID</u>	3	3	0	0	0.530 s
65		<u>Check if admin is able to get the Admins for valid program Id</u>	3	3	0	0	0.185 s
66		<u>Check if admin is able to retrieve Admins by valid role ID</u>	3	3	0	0	1.032 s
67		<u>Check if admin able to retrieve all Admins with roles</u>	3	3	0	0	0.138 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
68		<u>Check if admin is able to update role status of a Admin with valid Admin id</u>	3	3	0	0	0.158 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
69	<u>User Module</u>	<u>Check if admin is able to update role id of a Admin by valid Admin id</u>	3	3	0	0	0.378 s
70		<u>Check if admin is able to assign Admin to with program/batch by Admin Id</u>	3	3	0	0	0.378 s
71	<u>User Role Program Batch Map</u>	<u>Admin retrieve all Admins with assigned program batches</u>	3	3	0	0	0.707 s
72		<u>Check if admin is able to retrieve all Admins with assigned program batches with No Authorization</u>	3	3	0	0	0.162 s
73		<u>Admin retrieve assigned program batches for valid AdminId</u>	3	3	0	0	0.244 s
74		<u>Check if admin is able to retrieve assigned program batches for invalid AdminId</u>	3	3	0	0	0.160 s
75		<u>Check if admin is able to retrieve assigned program batches for valid AdminId with No authorization</u>	3	3	0	0	0.167 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
76		<u>Check if admin is able to delete the program batch for a Admin</u>	3	3	0	0	0.188 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
77	<u>User Role Program Batch Map</u>	<u>Check if admin is able to delete the program batch for invalid Admin</u>	3	3	0	0	0.172 s
78		<u>Check if admin is able to delete the program batch for valid Admin and No Authorization</u>	3	3	0	0	0.217 s

Post request



PASSED	DURATION - 5.196 s	Scenarios		Steps	
/ 8:02:35.198 AM // 8:02:40.394 AM /		Total - 3		Total - 9	
		Pass - 3		Pass - 9	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if Admin able to generate token with valid credential

<div>PASSED</div> <div>DURATION - 4.495 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:02:35.201 AM // 8:02:39.696 AM /</div>			
<div>Post request</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	1.100 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.002 s
3	Then Admin receives 200 created with auto generated token	PASSED	3.313 s

Check if Admin able to generate token with invalid endpoint

<div>PASSED</div>	<div>DURATION - 0.293 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:02:39.813 AM // 8:02:40.106 AM /</div>				
<div>Post request</div>				
<div>@EndToEnd</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with invalid endpoint	PASSED	0.001 s
3	Then Admin receives 401 unauthorized	PASSED	0.285 s

Check if Admin able to generate token with invalid credentials



PASSED	DURATION - 0.243 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:02:40.151 AM // 8:02:40.394 AM /				
Post request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with invalid credentials	PASSED	0.002 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.002 s
3	Then Admin receives 400 Bad request	PASSED	0.232 s

ProgramModule

FAILED		DURATION - 10.439 s		Scenarios Total - 37 Pass - 31 Fail - 6 Skip - 0		Steps Total - 111 Pass - 101 Fail - 6 Skip - 4			
/ 8:02:40.440 AM // 8:02:50.879 AM /									



Check if Admin able to create a program with valid endpoint and request body with Authorization

<div>FAILED</div> <div>DURATION - 0.740 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 8:02:40.440 AM // 8:02:41.180 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.008 s
2	When Admin sends HTTPS Request and request Body with endpoint <pre> java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object has missing required properties (["creationTime","lastModTime","programDescription","programId","programName","programStatus"]) level: "error" schema: {"loadingURI":"#","pointer":""} instance: {"pointer":""} domain: "validation" keyword: "required" required: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] missing: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] Actual: {"message":"cannot create program , since already exists","success":false} at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) </pre>	FAILED	0.712 s

#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at com.lms.api.Request.Program.PostRequest(Program.java:36) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_sends_https_request_and_request_body_with_endpoint(ProgramModuleSD.java:34) at ?.Admin sends HTTPS Request and request Body with endpoint(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:9) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin receives 201 Created Status with response body.	SKIPPED	0.002 s

Check if Admin able to create a program with valid endpoint and request body without Authorization

PASSED	DURATION - 0.346 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:02:41.235 AM // 8:02:41.581 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.002 s
2	When Admin sends Post Request and request Body with endpoint without Authorization	PASSED	0.338 s
3	Then Admin receives 401 Unauthorized error for post	PASSED	0.001 s

Check if Admin able to create a program with invalid endpoint

PASSED	DURATION - 0.412 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:02:41.600 AM // 8:02:42.012 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.002 s
2	When Admin sends HTTPS Request and request Body with invalid endpoint	PASSED	0.404 s
3	Then Admin receives 404 not found Status with message and boolean success details	PASSED	0.001 s

Check if Admin able to create a program with already existing program name

PASSED	DURATION - 0.330 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:02:42.027 AM // 8:02:42.357 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.002 s
2	When Admin sends Post Request with existing prgm name and request Body with endpoint	PASSED	0.324 s
3	Then Admin receives 400 Bad Request Status with message and boolean success details	PASSED	0.001 s

Check if Admin able to create a program with missing values in the request body

<div>PASSED</div> <div>DURATION - 0.243 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:02:42.376 AM // 8:02:42.619 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and missing Pgm Name in request Body with endpoint	PASSED	0.238 s
3	Then Admin receives 400 Bad Request Status for missing value	PASSED	0.002 s

Check if Admin able to create a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.289 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:02:42.633 AM // 8:02:42.922 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Get Request instead of post and request Body with endpoint	PASSED	0.283 s
3	Then Admin receives 405 Method Not Allowed	PASSED	0.002 s

Check if Admin able to create a program without program name starting with a number

PASSED		DURATION - 0.242 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:02:42.937 AM // 8:02:43.179 AM /						
ProgramModule						
@tag						

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.234 s
3	Then Admin receives 400 Bad Request Status for Pgm name starting with number	PASSED	0.001 s



Check if Admin able to create a program with missing additional field

FAILED	DURATION - 0.239 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 8:02:43.204 AM // 8:02:43.443 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request with request Body with missing additional field with endpoint	PASSED	0.217 s
3	Then Admin receives 200 ok for missing additional fields in program post request body <pre>java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_for_missing_additional_fields_in_program_post_request_body(ProgramModuleSD.java:136)</pre>	FAILED	0.016 s



#	Step / Hook Details	Status	Duration
	<p>at ?.Admin receives 200 ok for missing additional fields in program post request body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:46)</p> <p>* Not displayable characters are replaced by '?'. </p>		

Check if Admin able to retrieve all programs with valid Endpoint

<div>PASSED</div> <div>DURATION - 0.243 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:02:43.480 AM // 8:02:43.723 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.002 s
2	When Admin sends HTTPS Request with endpoint	PASSED	0.236 s
3	Then Admin receives 200 OK Status with response body.	PASSED	0.002 s

Check if Admin able to retrieve all programs with valid Endpoint without auth

PASSED	DURATION - 0.228 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:02:43.741 AM // 8:02:43.969 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request and request Body with endpoint without Authorization	PASSED	0.220 s
3	Then Admin receives 401 Unauthorized error for put	PASSED	0.002 s

Check if Admin able to create a program with invalid endpoint

<div>PASSED</div>	<div>DURATION - 0.279 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:02:44.004 AM // 8:02:44.283 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.002 s
2	When Admin sends Get Request and request Body with invalid endpoint	PASSED	0.268 s
3	Then Admin receives 404 not found Status for GET with message and boolean success details	PASSED	0.001 s

Check if Admin able to create a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.155 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:02:44.307 AM // 8:02:44.462 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.002 s
2	When Admin sends Post Request instead of get and request Body with endpoint	PASSED	0.148 s
3	Then Admin receives 405 Method Not Allowed message	PASSED	0.002 s

Check if Admin able to retrieve a program with valid program ID

FAILED	DURATION - 0.155 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 8:02:44.475 AM // 8:02:44.630 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get program Request with endpoint	PASSED	0.149 s
3	Then Admin receives 200 OK Status code with response body. java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_status_code_with_response_body(ProgramModuleSD.java:215) at ?.Admin receives 200 OK Status code with response body.(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:75) * Not displayable characters are replaced by '?'. 	FAILED	0.003 s

Check if Admin able to retrieve all programs with valid prgm id without auth

<div>PASSED</div>	<div>DURATION - 0.169 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:02:44.646 AM // 8:02:44.815 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get Request by pgm id and request Body with endpoint without Authorization	PASSED	0.163 s
3	Then Admin receives 401 Unauthorized error for put by pgm id	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid program ID

PASSED	DURATION - 0.188 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:02:44.842 AM // 8:02:45.030 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.002 s
2	When Admin sends Get Request with invlaid ID and endpoint	PASSED	0.182 s
3	Then Admin receives 404 Not Found Status for invalid PG Id with message and boolean success details	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid baseURI

PASSED	DURATION - 0.319 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:02:45.059 AM // 8:02:45.378 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with invalid baseURI	PASSED	0.001 s
2	When Admin sends Get Request Request with endpoint	PASSED	0.311 s
3	Then Admin receives 404 Not Found Status for invalid baseurl with message and boolean success details	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid Endpoint

<div>PASSED</div>	<div>DURATION - 0.190 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:02:45.393 AM // 8:02:45.583 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request with pgm Id and request Body with invalid endpoint	PASSED	0.182 s
3	Then Admin receives 404 Not Found Status for Get with Pgm Id with message and boolean success details	PASSED	0.002 s

Check if Admin able to retrieve all programs with valid Endpoint

<div>PASSED</div>	<div>DURATION - 0.667 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:02:45.599 AM // 8:02:46.266 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends Get All programs with users Request with endpoint	PASSED	0.662 s
3	Then Admin receives 200 OK Status with response body of Users	PASSED	0.000 s

Check if Admin able to retrieve a program with invalid Endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends Get Request for all users with request Body with invalid endpoint	PASSED	0.173 s
3	Then Admin receives 404 Not Found Status for Get w for all users with message and boolean success details	PASSED	0.001 s

Check if Admin able to retrieve all programs with invalid Method





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends post all users Request instead of get with endpoint	PASSED	0.166 s
3	Then Admin receives 405 Method Not Allowed for get all users invalid method	PASSED	0.001 s

Check if Admin able to retrieve all programs without Authorization

<div>PASSED</div> <div>DURATION - 0.158 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:02:46.688 AM // 8:02:46.846 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint without auth	PASSED	0.153 s
3	Then Admin receives 401 Status with response body as Unauthorized	PASSED	0.000 s



Check if Admin able to update a program with valid programID endpoint and valid request body

<div>FAILED</div> <div>DURATION - 0.283 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
<div>/ 8:02:46.871 AM // 8:02:47.154 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with valid endpoint java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object has missing required properties (["creationTime","lastModTime","programDescription","programId","programName","programStatus"]) level: "error" schema: { "loadingURI": "#", "pointer": "" } instance: { "pointer": "" } domain: "validation" keyword: "required" required: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] missing: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] Actual: { "timestamp": "2024-04-02T12:02:46.067+00:00", "status": 400, "error": "Bad Request", "path": "/lms/putprogram/null" } at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)	FAILED	0.279 s



#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at com.lms.api.Request.Program.updateProgramByID(Program.java:551) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_sends_put_request_with_valid_endpoint(ProgramModuleSD.java:343) at ?.Admin sends Put Request with valid endpoint(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:120) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin receives 200 OK Status with updated value in response body.	SKIPPED	0.000 s

Check if Admin able to update a program with invalid programID endpoint and valid request body

PASSED	DURATION - 0.265 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:02:47.171 AM // 8:02:47.436 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with invalid prgm Id and valid endpoint	PASSED	0.261 s
3	Then Admin receives 404 Not Found Status for update pgm invalid pgm id with message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program without request body

<div>PASSED</div>	<div>DURATION - 0.256 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:02:47.448 AM // 8:02:47.704 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request missing mandate field and valid endpoint	PASSED	0.251 s
3	Then Admin receives 400 Bad Request Status for put for missing mandate field with message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program with invalid baseURI

<div>PASSED</div>	<div>DURATION - 0.225 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:02:47.733 AM // 8:02:47.958 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields with invalid baseurl	PASSED	0.001 s
2	When Admin sends Put Request with invalid baseurl valid endpoint	PASSED	0.219 s
3	Then Admin receives 404 Not Found Status for put invalid baseurl with message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program with invalid method

<div>PASSED</div> <div>DURATION - 0.234 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:02:47.984 AM // 8:02:48.218 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends get request instead of put Request with valid endpoint	PASSED	0.229 s
3	Then Admin receives 405 Method Not Allowed for using get instead of put	PASSED	0.001 s

Check if Admin able to update a program without Authorization

PASSED	DURATION - 0.228 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:02:48.241 AM // 8:02:48.469 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with endpoint without auth	PASSED	0.224 s
3	Then Admin receives 401 Status with response body as Unauthorized for put by pgm id	PASSED	0.001 s



Check if Admin able to update a program with Valid program Name and request body

<div>FAILED</div> <div>DURATION - 0.271 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 8:02:48.482 AM // 8:02:48.753 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with Program name with valid endpoint <pre> java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object has missing required properties (["creationTime","lastModTime","programDescription","programId","programName","programStatus"]) level: "error" schema: {"loadingURI":"#","pointer":""} instance: {"pointer":""} domain: "validation" keyword: "required" required: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] missing: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] Actual: {"timestamp":"2024-04-02T12:02:47.669+00:00","status":500,"error":"Internal Server Error","path":"/lms/program/null"} at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at com.lms.api.Request.Program.updateProgramByName(Program.java:730) </pre>	FAILED	0.267 s



#	Step / Hook Details	Status	Duration
	at com.lms.api.StepDefinitions.ProgramModuleSD.admin_sends_put_request_with_program_name_with_valid_endpoint(ProgramModuleSD.java:433) at ?.Admin sends Put Request with Program name with valid endpoint(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:151) * Not displayable characters are replaced by '?'.		
3	Then Admin receives 200 OK Status code with updated value in response body.	SKIPPED	0.000 s

Check if Admin able to update a program with invalid program Name and request body

PASSED	DURATION - 0.215 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:02:48.767 AM // 8:02:48.982 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with invalid Program name with valid endpoint	PASSED	0.211 s
3	Then Admin receives 404 Not Found Status for put with invalid pg namewith message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program using valid program name - missing mandatory fields in request body

PASSED	DURATION - 0.216 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:02:48.997 AM // 8:02:49.213 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API with missing mandatory fields	PASSED	0.001 s
2	When Admin sends Put Request with valid prgom name with valid endpoint	PASSED	0.211 s
3	Then Admin receives 400 Bad Request Status for missing field with message and boolean success details	PASSED	0.000 s

Check if Admin able to upadte a program with program name starting with a number

PASSED	DURATION - 0.421 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:02:49.237 AM // 8:02:49.658 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.416 s
3	Then Admin receives 400 Bad Request Status for put Pgm name starting with number	PASSED	0.001 s



Check if Admin able to update a program with invalid program Description

PASSED	DURATION - 0.245 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:02:49.672 AM // 8:02:49.917 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request and Pgm Descrip starting with Number in request Body with endpoint	PASSED	0.239 s

#	Step / Hook Details	Status	Duration
3	Then Admin receives 400 Bad Request Status for put Pgm descrip starting with number	PASSED	0.002 s



Check if Admin able to update a program status

FAILED DURATION - 0.233 s / 8:02:49.941 AM // 8:02:50.174 AM / ProgramModule @tag		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request for status change with valid endpoint <pre> java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object has missing required properties (["creationTime","lastModTime","programDescription","programId","programName","programStatus"]) level: "error" schema: {"loadingURI":"#","pointer":""} instance: {"pointer":""} domain: "validation" keyword: "required" required: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] missing: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] Actual: {"timestamp":"2024-04-02T12:02:49.089+00:00","status":500,"error":"Internal Server Error","path":"/lms/program/null"} at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) </pre>	FAILED	0.231 s



#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at com.lms.api.Request.Program.updateprgmstatus(Program.java:857) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_sends_put_request_for_status_change_with_valid_endpoint(ProgramModuleSD.java:501) at ?.Admin sends Put Request for status change with valid endpoint(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:176) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin receives 200 OK Status with updated prgm status value in response body.	SKIPPED	0.000 s

Check if Admin able to delete a program with valid LMS API,invalid programName

PASSED	DURATION - 0.148 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:02:50.197 AM // 8:02:50.345 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programName	PASSED	0.001 s
2	When Admin sends Delete by invalid ProgramName Request with endpoint	PASSED	0.142 s
3	Then Admin receives 404 Not Found Status for delete invalid pgramewith message and boolean success details	PASSED	0.001 s

Check if Admin able to delete a program by pgrm name without Authorization

PASSED	DURATION - 0.151 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:02:50.356 AM // 8:02:50.507 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.000 s
2	When Admin sends delete Request by program name with endpoint without auth	PASSED	0.145 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm name	PASSED	0.001 s

Check if Admin able to delete a program with valid LMS API,invalid programId

PASSED	DURATION - 0.143 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:02:50.528 AM // 8:02:50.671 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programId	PASSED	0.002 s
2	When Admin sends Delete by invalid ProgramID Request with endpoint	PASSED	0.137 s
3	Then Admin receives 404 Not Found Status for delete invalid pgid with message and boolean success details	PASSED	0.001 s

Check if Admin able to delete a program without Authorization



PASSED	DURATION - 0.183 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:02:50.696 AM // 8:02:50.879 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.000 s
2	When Admin sends delete Request by program id with endpoint without auth	PASSED	0.175 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm id	PASSED	0.001 s

Get (Logout)

PASSED	DURATION - 0.832 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 8:02:50.895 AM // 8:02:51.727 AM /					



Check if Admin able to logout

PASSED	DURATION - 0.152 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:02:50.895 AM // 8:02:51.047 AM /				
Get (Logout)				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request	PASSED	0.003 s
2	When Admin calls Get Https method with valid endpoint	PASSED	0.143 s



#	Step / Hook Details	Status	Duration
3	Then Admin receives 200 ok and response with "Logout successful"	PASSED	0.003 s

Check if Admin able to logout with invalid endpoint

PASSED	DURATION - 0.305 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:02:51.062 AM // 8:02:51.367 AM /				
Get (Logout)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request	PASSED	0.001 s
2	When Admin calls Get Https method with invalid endpoint	PASSED	0.151 s
3	Then Admin receives 404 Not found	PASSED	0.149 s

Check if Admin able to logout



PASSED	DURATION - 0.344 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:02:51.383 AM // 8:02:51.727 AM /				
Get (Logout)				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request	PASSED	0.001 s
2	When Admin calls Get Https method with valid endpoint	PASSED	0.174 s
3	Then Admin receives 401 unauthorized	PASSED	0.155 s

Batch Module POST request

FAILED	DURATION - 3.982 s	Scenarios		Steps	
/ 8:02:51.772 AM // 8:02:55.754 AM /		Total - 14		Total - 42	
		Pass - 2		Pass - 24	
		Fail - 12		Fail - 12	
		Skip - 0		Skip - 6	

Check if admin able to create a Batch with valid endpoint and request body (non existing values)

FAILED	DURATION - 0.140 s		Steps	
/ 8:02:51.772 AM // 8:02:51.912 AM /			Total - 3	
Batch Module POST request			Pass - 1	
@tag			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with valid data in request body	PASSED	0.004 s
2	When Admin sends HTTPS Request with endpoint to create batch java.lang.NullPointerException: Cannot invoke "java.lang.Integer.intValue()" because the return value of "com.lms.api.Payload.P_02_ProgramPayload.getProgramId()" is null at com.lms.api.RequestBody.BatchModuleBody.CreateBatch_ValidData_Body(BatchModuleBody.java:16) at com.lms.api.StepDefinitions.ProgramBatchModuleSD. admin_sends_https_request_with_endpoint_to_create_batch(ProgramBatchModuleSD.java:29) at ?.Admin sends HTTPS Request with endpoint to create batch(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:9) * Not displayable characters are replaced by '?'.	FAILED	0.124 s
3	Then Admin receives 201 Created Status with response body	SKIPPED	0.000 s

Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)

<div>FAILED</div> <div>DURATION - 0.006 s</div>		<div><table><thead><tr><th>Step</th><th>Duration (s)</th><th>Status</th></tr></thead><tbody><tr><td>1</td><td>0.001</td><td>Pass</td></tr><tr><td>2</td><td>0.002</td><td>Fail</td></tr><tr><td>3</td><td>0.000</td><td>Skip</td></tr></tbody></table></div>	Step	Duration (s)	Status	1	0.001	Pass	2	0.002	Fail	3	0.000	Skip	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div><div>3</div></div>
Step	Duration (s)		Status													
1	0.001		Pass													
2	0.002		Fail													
3	0.000	Skip														
/ 8:02:51.929 AM // 8:02:51.935 AM /																
Batch Module POST request																

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with existing value in request body	PASSED	0.001 s
2	When Admin sends HTTPS POST Request with endpoint to create batch java.lang.NullPointerException: Cannot invoke "java.lang.Integer.intValue()" because "this.programId" is null at com.lms.api.Payload.P_03_BatchPayload.getProgramId(P_03_BatchPayload.java:61) at com.lms.api.RequestBody.BatchModuleBody.createBatch_existingData(BatchModuleBody.java:27) at com.lms.api.StepDefinitions.ProgramBatchModuleSD. admin_sends_https_post_request_with_endpoint_to_create_batch(ProgramBatchModuleSD.java:49) at ?.Admin sends HTTPS POST Request with endpoint to create batch(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 003ProgramBatchModule.feature:17) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
3	Then Admin receives 400 Bad Request Status with message in the response body	SKIPPED	0.000 s



Check if admin able to create a Batch missing mandatory fields in request body

<div>FAILED</div> <div>DURATION - 0.114 s</div>		<div><table><thead><tr><th>Step</th><th>Duration (s)</th><th>Status</th></tr></thead><tbody><tr><td>1</td><td>0.001</td><td>Pass</td></tr><tr><td>2</td><td>0.108</td><td>Pass</td></tr><tr><td>3</td><td>0.002</td><td>Fail</td></tr></tbody></table></div>	Step	Duration (s)	Status	1	0.001	Pass	2	0.108	Pass	3	0.002	Fail	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div><div>3</div></div>
Step	Duration (s)		Status													
1	0.001		Pass													
2	0.108		Pass													
3	0.002	Fail														
<div>/ 8:02:51.962 AM // 8:02:52.076 AM /</div>																
<div>Batch Module POST request</div>																

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data in request body	PASSED	0.001 s
2	When Admin sends POST Request with endpoint to create batch	PASSED	0.108 s
3	Then Admin receives 400 Bad Request Status with message	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected [400] but found [0] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_bad_request_status_with_message(ProgramBatchModuleSD.java:72) at ?.Admin receives 400 Bad Request Status with message(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:25) * Not displayable characters are replaced by '?'. </pre>		

Check if admin able to create a batch with invalid endpoint

<div>FAILED</div> <div>DURATION - 0.088 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 8:02:52.100 AM // 8:02:52.188 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request	PASSED	0.000 s
2	When Admin sends HTTPS Request with invalid endpoint <pre>java.lang.NullPointerException: Cannot invoke "java.lang.Integer.intValue()" because the return value of "com.lms.api.Payload.P_02_ProgramPayload.getProgramId()" is null at com.lms.api.RequestBody.BatchModuleBody.CreateBatch_ValidData_Body(BatchModuleBody.java:16) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_sends_https_request_with_invalid_endpoint(ProgramBatchModuleSD.java:83) at ?.Admin sends HTTPS Request with invalid endpoint(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:31) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.083 s
3	Then Admin receives 404 not found Status	SKIPPED	0.000 s

Check if admin able to create a batch with missing additional fields

<div>FAILED</div> <div>DURATION - 0.099 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 8:02:52.201 AM // 8:02:52.300 AM /</div>				
<div>Batch Module POST request</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with missing additional fields	PASSED	0.000 s
2	When Admin sends HTTPS Request with valid endpoint to create batch java.lang.NullPointerException: Cannot invoke "java.lang.Integer.intValue()" because the return value of "com.lms.api.Payload.P_02_ProgramPayload.getProgramId()" is null at com.lms.api.RequestBody.BatchModuleBody.createBatch_missingAdditionalFields(BatchModuleBody.java:47) at com.lms.api.StepDefinitions.ProgramBatchModuleSD. admin_sends_https_request_with_valid_endpoint_to_create_batch(ProgramBatchModuleSD.java:101) at ?.Admin sends HTTPS Request with valid endpoint to create batch(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 003ProgramBatchModule.feature:38) * Not displayable characters are replaced by '?'. 	FAILED	0.094 s
3	Then Admin receives 201 Created Status with response	SKIPPED	0.000 s

Check if admin able to create a batch with invalid data in request body

<div>FAILED</div>	<div>DURATION - 0.108 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 1</div><div>Fail - 1</div><div>Skip - 1</div></div> <div></div>
<div>/ 8:02:52.325 AM // 8:02:52.433 AM /</div>			
<div>Batch Module POST request</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data fields in request body	PASSED	0.001 s
2	When Admin sends HTTPS POST Request with valid endpoint	FAILED	0.103 s



#	Step / Hook Details	Status	Duration
	<pre>java.lang.NullPointerException: Cannot invoke "java.lang.Integer.intValue()" because the return value of "com.lms.api.Payload.P_02_ProgramPayload.getProgramId()" is null at com.lms.api.RequestBody.BatchModuleBody.createBatch_InvalidData(BatchModuleBody.java:58) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_sends_https_post_request_with_valid_endpoint(ProgramBatchModuleSD.java:120) at ?.Admin sends HTTPS POST Request with valid endpoint(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:45) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin receives 400 Bad Request Status with message and boolean success	SKIPPED	0.000 s

Check if admin able to retrieve all batches with valid LMS API

<div>PASSED</div>	<div>DURATION - 0.871 s</div>	<div><table><thead><tr><th>Step</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>1.0</td></tr><tr><td>2</td><td>0.871</td></tr><tr><td>3</td><td>0.0</td></tr></tbody></table></div>	Step	Value	1	1.0	2	0.871	3	0.0	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>3</div></div>
Step	Value											
1	1.0											
2	0.871											
3	0.0											
<div>/ 8:02:52.455 AM // 8:02:53.326 AM /</div>												
<div>Batch Module POST request</div>												



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Get Request with endpoint to get batch	PASSED	0.867 s
3	Then Admin receives 200 OK Status with response body	PASSED	0.001 s

Check if admin able to retrieve all batches with invalid Endpoint

PASSED		DURATION - 0.451 s			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:02:53.342 AM // 8:02:53.793 AM /						
Batch Module POST request						



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with invalid endpoint	PASSED	0.001 s
2	When Admin sends HTTPS GET Request with invalid endpoint to get all batches	PASSED	0.446 s
3	Then Admin receives 404 status with error message Not Found	PASSED	0.001 s

Check if admin able to retrieve a batch with valid BATCH ID

FAILED	DURATION - 0.230 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 8:02:53.819 AM // 8:02:54.049 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.001 s
2	When Admin sends Get Request with endpoint for batch module	PASSED	0.226 s
3	Then Admin receives 200 OK Status with response in the response body <pre>java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_ok_status_with_response_in_the_response_body(ProgramBatchModuleSD.java:180) at ?.Admin receives 200 OK Status with response in the response body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:67) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s

Check if admin able to retrieve a batch with valid BATCH NAME

FAILED	DURATION - 0.156 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 8:02:54.061 AM // 8:02:54.217 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch Name	PASSED	0.000 s
2	When Admin sends Get batch Request with endpoint for batch module	PASSED	0.151 s
3	Then Admin receives 200 Status code with response body java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_status_code_with_response_body(ProgramBatchModuleSD.java:199) at ?.Admin receives 200 Status code with response body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:74) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s

Check if admin able to retrieve a batch with valid Program ID

FAILED	DURATION - 0.005 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 8:02:54.230 AM // 8:02:54.235 AM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Program Id	PASSED	0.001 s
2	When Admin sends HTTPS Request to get batch by program Id with endpoint <pre>java.lang.NullPointerException: Cannot invoke "java.lang.Integer.intValue()" because "this.programId" is null at com.lms.api.Payload.P_03_BatchPayload.getProgramId(P_03_BatchPayload.java:61) at com.lms.api.Request.BatchRequest.getBatchBy_ProgramId(BatchRequest.java:138) at com.lms.api.StepDefinitions.ProgramBatchModuleSD. admin_sends_https_request_to_get_batch_by_program_id_with_endpoint(ProgramBatchModuleSD.java:211) at ?.Admin sends HTTPS Request to get batch by program Id with endpoint(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 003ProgramBatchModule.feature:80) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
3	Then Admin receives status code 200 OK Status with response body	SKIPPED	0.000 s



Check if admin able to update a Batch with valid batchID and mandatory fields in request body

FAILED	DURATION - 1.122 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 8:02:54.245 AM // 8:02:55.367 AM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid BatchId and Data	PASSED	0.001 s
2	When Admin sends HTTPS Request to update with endpoint	PASSED	1.118 s
3	Then Admin receives 200 OK Status with updated value in response body for update request. <pre>java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD. admin_receives_ok_status_with_updated_value_in_response_body_for_update_request(ProgramBatchModuleSD.java:237) at ?.Admin receives 200 OK Status with updated value in response body for update request.(file:///C:/Users/sudha/git/ </pre>	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
	Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:88) * Not displayable characters are replaced by '?'. 		

Check if admin able to delete a Batch with valid Batch ID

FAILED	DURATION - 0.167 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>				
/ 8:02:55.394 AM // 8:02:55.561 AM /							
Batch Module POST request							



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request with valid BatchId	PASSED	0.000 s
2	When Admin sends HTTPS Request to delete with endpoint	PASSED	0.160 s
3	Then Admin receives 200 Ok status with message to delete batch java.lang.AssertionError: expected [200] but found [0] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_status_with_message_to_delete_batch(ProgramModuleSD.java:526) at ?.Admin receives 200 Ok status with message to delete batch(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:95) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s

Check if admin able to retrieve a batch after deleting the batch



<div>FAILED</div>	<div>DURATION - 0.177 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:02:55.577 AM // 8:02:55.754 AM /</div>				
<div>Batch Module POST request</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.000 s
2	When Admin sends HTTPS GET Request with valid id	PASSED	0.171 s
3	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body. java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD. admin_receives_ok_status_with_batch_status_field_in_the_response_body(ProgramBatchModuleSD.java:266) at ?.Admin receives 200 OK Status with batchStatus field "Inactive" in the response body.(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 003ProgramBatchModule.feature:102) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s

User Module



PASSED	DURATION - 10.796 s	Scenarios Total - 13 Pass - 13 Fail - 0 Skip - 0		Steps Total - 39 Pass - 39 Fail - 0 Skip - 0					
/ 8:02:55.787 AM // 8:03:06.583 AM /									

Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields

<div>PASSED</div>	<div>DURATION - 2.074 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:02:55.787 AM // 8:02:57.861 AM /				
User Module				
@PostRequest				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with all mandatory fields for User Module	PASSED	0.003 s
2	When Admin sends HTTPS Request with endpoint for User Module	PASSED	0.001 s
3	Then Admin receives 201 Created Status with response body for User Module	PASSED	2.063 s

Check if admin is able to retrieve all the available roles

<div>PASSED</div>	<div>DURATION - 2.329 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:02:57.871 AM // 8:03:00.200 AM /				
User Module				
@GetRequest(allroles)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with GET All Roles endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK for User Module	PASSED	2.325 s

Check if admin able to retrieve all Admin with valid endpoint

PASSED	DURATION - 1.089 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:03:00.209 AM // 8:03:01.298 AM /				
User Module				
@GetRequest(All_Admins)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with valid endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK Status with response body for User Module	PASSED	1.085 s

Check if admin able to retrieve a Admin with valid Admin ID

PASSED	DURATION - 1.138 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:03:01.318 AM // 8:03:02.456 AM /				
User Module				
@GetRequest(by_AdminID)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid AdminId	PASSED	0.000 s
2	When Admin sends HTTPS Request with valid endpoint for User Module	PASSED	0.001 s
3	Then Admin receives 200 OK Status with response body for User Module	PASSED	1.135 s

Check if admin able to retrieve all active Admins

<div>PASSED</div>	<div>DURATION - 0.876 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:03:02.465 AM // 8:03:03.341 AM /</div>				
<div>User Module</div>				
<div>@GetRequest(All_active_admins)</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for active admins	PASSED	0.000 s
2	When Admin sends HTTPS Request with Get ALL Active Users endpoint for User Module	PASSED	0.001 s
3	Then Admin receives 200 OK with all Active Admins response body for User Module	PASSED	0.873 s

Check if admin is able to get count of active and inactive Admins

PASSED	DURATION - 0.341 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:03:03.362 AM // 8:03:03.703 AM /				
User Module				
@GetRequest(Count_of_active_inactive_Admins)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint for User Module	PASSED	0.001 s
3	Then Admin receives 200 OK With count of all active and inactive admins for User Module	PASSED	0.338 s

Check if admin is able to get the Admins by program batches for valid batch ID

<div>PASSED</div> <div>DURATION - 0.530 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:03:03.714 AM // 8:03:04.244 AM /</div>			
<div>User Module</div>			
<div>@GetRequest(Admins_by_program_batches)</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid batch Id for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to get Admins by program batch for valid batchId for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK for admins by program batches for valid adminId for User Module	PASSED	0.527 s

Check if admin is able to get the Admins for valid program Id

<div>PASSED</div>	<div>DURATION - 0.185 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:03:04.256 AM // 8:03:04.441 AM /</div>				
<div>User Module</div>				
<div>@GetRequest(get_Admin_for_program)</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to get admins with valid program Id for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to get the Admins for valid program Id for User Module	PASSED	0.001 s
3	Then Admin receives 200 OK to get the Admins for valid program Id for User Module	PASSED	0.182 s

Check if admin is able to retrieve Admins by valid role ID

<div>PASSED</div>	<div>DURATION - 1.032 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:03:04.459 AM // 8:03:05.491 AM /</div>				
<div>User Module</div>				
<div>@GetRequest(get_Admin_by_RoleID)</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid role ID to retrieve Admins by valid role ID	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to retrieve Admins by valid role ID	PASSED	0.000 s
3	Then Admin receives 200 OK when retrieved Admins by valid role ID for User Module	PASSED	1.029 s

Check if admin able to retrieve all Admins with roles

<div>PASSED</div>	<div>DURATION - 0.138 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:03:05.501 AM // 8:03:05.639 AM /</div>				
<div>User Module</div>				
<div>@GetRequest(Admin_With_Roles)</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins with roles	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint to retrieve all Admins with roles	PASSED	0.001 s
3	Then Admin receives 200 OK Status with response body after retrieved all Admins with roles for User Module	PASSED	0.136 s

Check if admin is able to update role status of a Admin with valid Admin id

<div>PASSED</div>	<div>DURATION - 0.158 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:03:05.647 AM // 8:03:05.805 AM /</div>				
<div>User Module</div>				
<div>@PutRequest(Update_Admin_Role_Status_By_AdminID)</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid data in request body to update role status	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint to update role status	PASSED	0.000 s
3	Then Admin receives 200 Ok Status with response message after update of role status for User Module	PASSED	0.156 s

Check if admin is able to update role id of a Admin by valid Admin id

<div>PASSED</div>	<div>DURATION - 0.378 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:03:05.816 AM // 8:03:06.194 AM /				
User Module				
@PutRequest(Update_Admin_RoleID)				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid request body for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to update Admin roleid by valid AdminId	PASSED	0.000 s
3	Then Admin receives 200 OK Status with response body to update Admin roleid	PASSED	0.374 s

Check if admin is able to assign Admin to with program/batch by Admin Id



<div>PASSED</div> <div>DURATION - 0.378 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:03:06.205 AM // 8:03:06.583 AM /</div>			
<div>User Module</div>			
<div>@PutRequest(Update_Admin_Role_Program_Batch_Status)</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid data in request body to assign Admin with program/batch by Admin Id	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to assign Admin with program/batch by Admin Id	PASSED	0.000 s
3	Then Admin receives 200 Ok Status with response message to assign Admin to with program/batch by Admin Id	PASSED	0.375 s

User Role Program Batch Map

<div>PASSED</div>	<div>DURATION - 2.115 s</div>	<div>Scenarios</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>8</div></div>	<div>Steps</div> <div>Total - 24</div> <div>Pass - 24</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>24</div></div>
<div>/ 8:03:06.597 AM // 8:03:08.712 AM /</div>					



Admin retrieves all Admins with assigned program batches

<div>PASSED</div>	<div>DURATION - 0.707 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:03:06.597 AM // 8:03:07.304 AM /</div>				
<div>User Role Program Batch Map</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins assigned to programs/batches with Authorization to bearer token	PASSED	0.001 s
2	When Admin sends HTTPS GET Request to retrieve all Admins assigned to programs/batches with Authorization to bearer token	PASSED	0.001 s



#	Step / Hook Details	Status	Duration
3	Then Admin receives statuscode 200 OK for Role Program Batch Map	PASSED	0.702 s

Check if admin is able to retrieve all Admins with assigned program batches with No Authorization

PASSED	DURATION - 0.162 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:03:07.325 AM // 8:03:07.487 AM /				
User Role Program Batch Map				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins assigned to programs/batches with authorization to No Auth	PASSED	0.001 s
2	When Admin sends HTTPS Request without authorization	PASSED	0.000 s
3	Then Admin receives status 401 with Unauthorized message for Role Program Batch Map	PASSED	0.160 s

Admin retrieves assigned program batches for valid AdminId

PASSED	DURATION - 0.244 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:03:07.495 AM // 8:03:07.739 AM /				
User Role Program Batch Map				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by AdminId with Authorization to bearer token	PASSED	0.001 s
2	When Admin sends HTTPS Request to get program batches for valid AdminId	PASSED	0.000 s
3	Then Admin will receive 200 OK for Role Program Batch Map	PASSED	0.242 s

Check if admin is able to retrieve assigned program batches for invalid AdminId

<div>PASSED</div>	<div>DURATION - 0.160 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:03:07.763 AM // 8:03:07.923 AM /</div>				
<div>User Role Program Batch Map</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by invalid AdminID with Authorization to bearer token	PASSED	0.001 s
2	When Admin sends HTTPS Request to get program batches for invalid AdminId	PASSED	0.000 s
3	Then Admin receives 404 with message for Role Program Batch Map	PASSED	0.158 s

Check if admin is able to retrieve assigned program batches for valid AdminId with No authorization

<div>PASSED</div>	<div>DURATION - 0.167 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 8:03:07.931 AM // 8:03:08.098 AM /</div>				
<div>User Role Program Batch Map</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by valid AdminID with authorization to No Auth	PASSED	0.001 s
2	When Admin sends HTTPS Request to get Program/Batch by valid Admin Id without authorization	PASSED	0.000 s
3	Then Admin will receive status 401 with Unauthorized message for Role Program Batch Map	PASSED	0.165 s

Check if admin is able to delete the program batch for a Admin

<div>PASSED</div>	<div>DURATION - 0.188 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:03:08.107 AM // 8:03:08.295 AM /</div>				
<div>User Role Program Batch Map</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin assigned to program/batch by AdminId with Authorization to bearer token	PASSED	0.001 s
2	When Admin sends HTTPS Request to Delete program/batch by Admin Id	PASSED	0.000 s
3	Then Admin receives Status Code 200 OK after delete operation for Role Program Batch Map	PASSED	0.186 s

Check if admin is able to delete the program batch for invalid Admin

<div>PASSED</div>	<div>DURATION - 0.172 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:03:08.304 AM // 8:03:08.476 AM /</div>				
<div>User Role Program Batch Map</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin assigned to program/batch by invalid AdminId with Authorization to bearer token	PASSED	0.001 s
2	When Admin sends HTTPS Request to delete program/batch by invalid Admin Id	PASSED	0.000 s
3	Then Admin will receive 404 with message for Role Program Batch Map	PASSED	0.170 s


Check if admin is able to delete the program batch for valid Admin and No Authorization

PASSED

DURATION - 0.217 s

/ 8:03:08.495 AM // 8:03:08.712 AM /

User Role Program Batch Map



Step	Duration (s)
1	0.001
2	0.000
3	0.215


Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin assigned to program/batch by valid AdminId with authorization to No Auth	PASSED	0.001 s
2	When Admin sends HTTPS Request to delete program/batch by Admin id without Authorization	PASSED	0.000 s
3	Then Admin will receive status code 401 with Unauthorized message for Role Program Batch Map	PASSED	0.215 s