

Cucumber Report

Apr 2, 2024, 9:51:18 AM

Start : Apr 02, 9:51:01.580 AM

End : Apr 02, 9:51:17.458 AM

Duration : 15.878 s

Features



Scenarios

Steps

PASSED - 1
FAILED - 2
SKIPPED - 0

PASSED - 45
FAILED - 9
SKIPPED - 0


PASSED - 153
FAILED - 9
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Post request</u>	4.129 s	3	3	0	0	9	9	0	0
<u>ProgramModule</u>	8.680 s	37	36	1	0	111	110	1	0
<u>Batch Module POST request</u>	3.036 s	14	6	8	0	42	34	8	0

#	Feature Name	Scenario Name
1	<u>ProgramModule</u>	<u>Check if Admin able to create a program with missing additional field</u>
2	<u>Batch Module POST request</u>	<u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u>
3		<u>Check if admin able to create a batch with missing additional fields</u>
4		<u>Check if admin able to retrieve a batch with valid BATCH ID</u>
5		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>
6		<u>Check if admin able to retrieve a batch with valid Program ID</u>
7		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>
8		<u>Check if admin able to delete a Batch with valid Batch ID</u>
9		<u>Check if admin able to retrieve a batch after deleting the batch</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@tag	39	37	2	0	3	1	2	0
@EndToEnd	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>Post request</u>	3	3	0	0	4.129 s
2	<u>ProgramModule</u>	37	36	1	0	8.680 s
3	<u>Batch Module POST request</u>	14	6	8	0	3.036 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Post request</u>	<u>Check if Admin able to generate token with valid credential</u>	3	3	0	0	3.567 s
2		<u>Check if Admin able to generate token with invalid endpoint</u>	3	3	0	0	0.271 s
3		<u>Check if Admin able to generate token with invalid credentials</u>	3	3	0	0	0.178 s
4	<u>ProgramModule</u>	<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>	3	3	0	0	0.657 s
5		<u>Check if Admin able to create a program with valid endpoint and request body without Authorization</u>	3	3	0	0	0.320 s
6		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.445 s
7		<u>Check if Admin able to create a program with already existing program name</u>	3	3	0	0	0.261 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if Admin able to create a program with missing values in the request body</u>	3	3	0	0	0.235 s
9		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.235 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>ProgramModule</u>	<u>Check if Admin able to create a program without program name starting with a number</u>	3	3	0	0	0.235 s
11		<u>Check if Admin able to create a program with missing additional field</u>	3	2	1	0	0.206 s
12		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.154 s
13		<u>Check if Admin able to retrieve all programs with valid Endpoint without auth</u>	3	3	0	0	0.159 s
14		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.277 s
15		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.155 s
16		<u>Check if Admin able to retrieve a program with valid program ID</u>	3	3	0	0	0.219 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
17		<u>Check if Admin able to retrieve all programs with valid prgm id without auth</u>	3	3	0	0	0.137 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>ProgramModule</u>	<u>Check if Admin able to retrieve a program with invalid program ID</u>	3	3	0	0	0.140 s
19		<u>Check if Admin able to retrieve a program with invalid baseURI</u>	3	3	0	0	0.220 s
20		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.151 s
21		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.395 s
22		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.147 s
23		<u>Check if Admin able to retrieve all programs with invalid Method</u>	3	3	0	0	0.160 s
24		<u>Check if Admin able to retrieve all programs without Authorization</u>	3	3	0	0	0.210 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
25	<u>ProgramModule</u>	<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>	3	3	0	0	0.263 s
26		<u>Check if Admin able to update a program with invalid programID endpoint and valid request body</u>	3	3	0	0	0.221 s
27		<u>Check if Admin able to update a program without request body</u>	3	3	0	0	0.202 s
28		<u>Check if Admin able to update a program with invalid baseURI</u>	3	3	0	0	0.210 s
29		<u>Check if Admin able to update a program with invalid method</u>	3	3	0	0	0.218 s
30		<u>Check if Admin able to update a program without Authorization</u>	3	3	0	0	0.182 s
31		<u>Check if Admin able to update a program with Valid program Name and request body</u>	3	3	0	0	0.246 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
32		<u>Check if Admin able to update a program with invalid program Name and request body</u>	3	3	0	0	0.192 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
33	<u>ProgramModule</u>	<u>Check if Admin able to update a program using valid program name - missing mandatory fields in request body</u>	3	3	0	0	0.197 s
34		<u>Check if Admin able to upadte a program with program name starting with a number</u>	3	3	0	0	0.182 s
35		<u>Check if Admin able to update a program with invalid program Description</u>	3	3	0	0	0.174 s
36		<u>Check if Admin able to update a program status</u>	3	3	0	0	0.170 s
37		<u>Check if Admin able to delete a program with valid LMS API, invalid programName</u>	3	3	0	0	0.125 s
38		<u>Check if Admin able to delete a program by pgrm name without Authorization</u>	3	3	0	0	0.167 s
39		<u>Check if Admin able to delete a program with valid LMS API, invalid programId</u>	3	3	0	0	0.151 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
40		<u>Check if Admin able to delete a program without Authorization</u>	3	3	0	0	0.145 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
41	<u>Batch Module POST request</u>	<u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u>	3	2	1	0	0.268 s
42		<u>Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)</u>	3	3	0	0	0.179 s
43		<u>Check if admin able to create a Batch missing mandatory fields in request body</u>	3	3	0	0	0.223 s
44		<u>Check if admin able to create a batch with invalid endpoint</u>	3	3	0	0	0.189 s
45		<u>Check if admin able to create a batch with missing additional fields</u>	3	2	1	0	0.189 s
46		<u>Check if admin able to create a batch with invalid data in request body</u>	3	3	0	0	0.191 s
47		<u>Check if admin able to retrieve all batches with valid LMS API</u>	3	3	0	0	0.528 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
48		<u>Check if admin able to retrieve all batches with invalid Endpoint</u>	3	3	0	0	0.149 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
49	<u>Batch Module POST request</u>	<u>Check if admin able to retrieve a batch with valid BATCH ID</u>	3	2	1	0	0.142 s
50		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>	3	2	1	0	0.136 s
51		<u>Check if admin able to retrieve a batch with valid Program ID</u>	3	2	1	0	0.154 s
52		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>	3	2	1	0	0.248 s
53		<u>Check if admin able to delete a Batch with valid Batch ID</u>	3	2	1	0	0.140 s
54		<u>Check if admin able to retriive a batch after deleting the batch</u>	3	2	1	0	0.136 s

Post request



PASSED	DURATION - 4.129 s	Scenarios		Steps	
/ 9:51:01.580 AM // 9:51:05.709 AM /		Total - 3		Total - 9	
		Pass - 3		Pass - 9	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if Admin able to generate token with valid credential

<div>PASSED</div> <div>DURATION - 3.567 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:51:01.584 AM // 9:51:05.151 AM /</div>			
<div>Post request</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.772 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.001 s
3	Then Admin receives 200 created with auto generated token	PASSED	2.746 s

Check if Admin able to generate token with invalid endpoint

PASSED	DURATION - 0.271 s		Steps	
/ 9:51:05.243 AM // 9:51:05.514 AM /			Total - 3	
Post request			Pass - 3	
@EndToEnd			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with invalid endpoint	PASSED	0.000 s
3	Then Admin receives 401 unauthorized	PASSED	0.264 s

Check if Admin able to generate token with invalid credentials



PASSED	DURATION - 0.178 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:51:05.531 AM // 9:51:05.709 AM /				
Post request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with invalid credentials	PASSED	0.002 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.001 s
3	Then Admin receives 400 Bad request	PASSED	0.174 s

ProgramModule



FAILED	DURATION - 8.680 s	Scenarios		Steps	
/ 9:51:05.732 AM // 9:51:14.412 AM /		Total - 37		Total - 111	
		Pass - 36		Pass - 110	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Check if Admin able to create a program with valid endpoint and request body with Authorization

<div>PASSED</div>	<div>DURATION - 0.657 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 9:51:05.732 AM // 9:51:06.389 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.007 s
2	When Admin sends HTTPS Request and request Body with endpoint	PASSED	0.638 s
3	Then Admin receives 201 Created Status with response body.	PASSED	0.001 s

Check if Admin able to create a program with valid endpoint and request body without Authorization

PASSED	DURATION - 0.320 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:51:06.428 AM // 9:51:06.748 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and request Body with endpoint without Authorization	PASSED	0.314 s
3	Then Admin receives 401 Unauthorized error for post	PASSED	0.002 s

Check if Admin able to create a program with invalid endpoint

<div>PASSED</div>	<div>DURATION - 0.445 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:51:06.770 AM // 9:51:07.215 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.002 s
2	When Admin sends HTTPS Request and request Body with invalid endpoint	PASSED	0.433 s
3	Then Admin receives 404 not found Status with message and boolean success details	PASSED	0.000 s

Check if Admin able to create a program with already existing program name

PASSED	DURATION - 0.261 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:51:07.225 AM // 9:51:07.486 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends Post Request with existing prgm name and request Body with endpoint	PASSED	0.255 s
3	Then Admin receives 400 Bad Request Status with message and boolean success details	PASSED	0.001 s

Check if Admin able to create a program with missing values in the request body

<div>PASSED</div>	<div>DURATION - 0.235 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:51:07.501 AM // 9:51:07.736 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.002 s
2	When Admin sends Post Request and missing Pgm Name in request Body with endpoint	PASSED	0.229 s
3	Then Admin receives 400 Bad Request Status for missing value	PASSED	0.000 s

Check if Admin able to create a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.235 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:51:07.757 AM // 9:51:07.992 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Get Request instead of post and request Body with endpoint	PASSED	0.231 s
3	Then Admin receives 405 Method Not Allowed	PASSED	0.001 s

Check if Admin able to create a program without program name starting with a number

<div>PASSED</div> <div>DURATION - 0.235 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:51:08.002 AM // 9:51:08.237 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.230 s
3	Then Admin receives 400 Bad Request Status for Pgm name starting with number	PASSED	0.001 s



Check if Admin able to create a program with missing additional field

FAILED	DURATION - 0.206 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:51:08.247 AM // 9:51:08.453 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request with request Body with missing additional field with endpoint	PASSED	0.197 s
3	Then Admin receives 200 ok for missing additional fields in program post request body <pre>java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_for_missing_additional_fields_in_program_post_request_body(ProgramModuleSD.java:136)</pre>	FAILED	0.007 s



#	Step / Hook Details	Status	Duration
	at ?.Admin receives 200 ok for missing additional fields in program post request body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:46) * Not displayable characters are replaced by '?'.		

Check if Admin able to retrieve all programs with valid Endpoint

<div>PASSED</div>	<div>DURATION - 0.154 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:51:08.470 AM // 9:51:08.624 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint	PASSED	0.151 s
3	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

Check if Admin able to retrieve all programs with valid Endpoint without auth

<div>PASSED</div>	<div>DURATION - 0.159 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:51:08.648 AM // 9:51:08.807 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request and request Body with endpoint without Authorization	PASSED	0.156 s
3	Then Admin receives 401 Unauthorized error for put	PASSED	0.000 s

Check if Admin able to create a program with invalid endpoint

<div>PASSED</div>	<div>DURATION - 0.277 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:51:08.820 AM // 9:51:09.097 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request and request Body with invalid endpoint	PASSED	0.273 s
3	Then Admin receives 404 not found Status for GET with message and boolean success details	PASSED	0.001 s

Check if Admin able to create a program with invalid method

PASSED	DURATION - 0.155 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:51:09.117 AM // 9:51:09.272 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Post Request instead of get and request Body with endpoint	PASSED	0.152 s
3	Then Admin receives 405 Method Not Allowed message	PASSED	0.001 s

Check if Admin able to retrieve a program with valid program ID

<div>PASSED</div>	<div>DURATION - 0.219 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:51:09.278 AM // 9:51:09.497 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get program Request with endpoint	PASSED	0.216 s
3	Then Admin receives 200 OK Status code with response body.	PASSED	0.001 s

Check if Admin able to retrieve all programs with valid prgm id without auth

PASSED	DURATION - 0.137 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:51:09.507 AM // 9:51:09.644 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.000 s
2	When Admin sends Get Request by pgm id and request Body with endpoint without Authorization	PASSED	0.134 s
3	Then Admin receives 401 Unauthorized error for put by pgm id	PASSED	0.000 s

Check if Admin able to retrieve a program with invalid program ID





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request with invlaid ID and endpoint	PASSED	0.135 s
3	Then Admin receives 404 Not Found Status for invalid PG Id with message and boolean success details	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid baseURI





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with invalid baseURI	PASSED	0.000 s
2	When Admin sends Get Request Request with endpoint	PASSED	0.217 s
3	Then Admin receives 404 Not Found Status for invalid baseurl with message and boolean success details	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid Endpoint

<div>PASSED</div>	<div>DURATION - 0.151 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 9:51:10.060 AM // 9:51:10.211 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request with pgm Id and request Body with invalid endpoint	PASSED	0.147 s
3	Then Admin receives 404 Not Found Status for Get with Pgm Id with message and boolean success details	PASSED	0.001 s

Check if Admin able to retrieve all programs with valid Endpoint

PASSED	DURATION - 0.395 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:51:10.223 AM // 9:51:10.618 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends Get All programs with users Request with endpoint	PASSED	0.392 s
3	Then Admin receives 200 OK Status with response body of Users	PASSED	0.000 s

Check if Admin able to retrieve a program with invalid Endpoint

PASSED	DURATION - 0.147 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:51:10.629 AM // 9:51:10.776 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends Get Request for all users with request Body with invalid endpoint	PASSED	0.144 s
3	Then Admin receives 404 Not Found Status for Get w for all users with message and boolean success details	PASSED	0.000 s

Check if Admin able to retrieve all programs with invalid Method

PASSED	DURATION - 0.160 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:51:10.790 AM // 9:51:10.950 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends post all users Request instead of get with endpoint	PASSED	0.158 s
3	Then Admin receives 405 Method Not Allowed for get all users invalid method	PASSED	0.001 s

Check if Admin able to retrieve all programs without Authorization

<div>PASSED</div>	<div>DURATION - 0.210 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 9:51:10.957 AM // 9:51:11.167 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint without auth	PASSED	0.208 s
3	Then Admin receives 401 Status with response body as Unauthorized	PASSED	0.000 s

Check if Admin able to update a program with valid programID endpoint and valid request body

<div>PASSED</div>	<div>DURATION - 0.263 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 9:51:11.178 AM // 9:51:11.441 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.001 s

Check if Admin able to update a program with invalid programID endpoint and valid request body

<div>PASSED</div>	<div>DURATION - 0.221 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:51:11.465 AM // 9:51:11.686 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with invalid prgm Id and valid endpoint	PASSED	0.217 s
3	Then Admin receives 404 Not Found Status for update pgm invalid pgm id with message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program without request body

<div>PASSED</div>	<div>DURATION - 0.202 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:51:11.698 AM // 9:51:11.900 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request missing mandate field and valid endpoint	PASSED	0.199 s
3	Then Admin receives 400 Bad Request Status for put for missing mandate field with message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program with invalid baseURI

PASSED	DURATION - 0.210 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:51:11.922 AM // 9:51:12.132 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields with invalid baseurl	PASSED	0.000 s
2	When Admin sends Put Request with invalid baseurl valid endpoint	PASSED	0.206 s
3	Then Admin receives 404 Not Found Status for put invalid baseurl with message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program with invalid method

<div>PASSED</div> <div>DURATION - 0.218 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:51:12.140 AM // 9:51:12.358 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends get request instead of put Request with valid endpoint	PASSED	0.215 s
3	Then Admin receives 405 Method Not Allowed for using get instead of put	PASSED	0.000 s

Check if Admin able to update a program without Authorization

PASSED	DURATION - 0.182 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:51:12.369 AM // 9:51:12.551 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with endpoint without auth	PASSED	0.179 s
3	Then Admin receives 401 Status with response body as Unauthorized for put by pgm id	PASSED	0.000 s

Check if Admin able to update a program with Valid program Name and request body

<div>PASSED</div> <div>DURATION - 0.246 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:51:12.558 AM // 9:51:12.804 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with Program name with valid endpoint	PASSED	0.244 s
3	Then Admin receives 200 OK Status code with updated value in response body.	PASSED	0.001 s

Check if Admin able to update a program with invalid program Name and request body

<div>PASSED</div> <div>DURATION - 0.192 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:51:12.824 AM // 9:51:13.016 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with invalid Program name with valid endpoint	PASSED	0.190 s
3	Then Admin receives 404 Not Found Status for put with invalid pg namewith message and boolean success details	PASSED	0.000 s

Check if Admin able to update a program using valid program name - missing mandatory fields in request body

<div>PASSED</div>	<div>DURATION - 0.197 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:51:13.027 AM // 9:51:13.224 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API with missing mandatory fields	PASSED	0.001 s
2	When Admin sends Put Request with valid prgom name with valid endpoint	PASSED	0.194 s
3	Then Admin receives 400 Bad Request Status for missing field with message and boolean success details	PASSED	0.000 s

Check if Admin able to upadte a program with program name starting with a number

<div>PASSED</div> <div>DURATION - 0.182 s</div>	<div><table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.182</td></tr></tbody></table></div>	Step	Duration (s)	1	0.182	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>3</div></div>
Step		Duration (s)					
1		0.182					
<div>/ 9:51:13.232 AM // 9:51:13.414 AM /</div>							
<div>ProgramModule</div>							
<div>@tag</div>							



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.180 s
3	Then Admin receives 400 Bad Request Status for put Pgm name starting with number	PASSED	0.000 s

Check if Admin able to update a program with invalid program Description

<div>PASSED</div>	<div>DURATION - 0.174 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 9:51:13.421 AM // 9:51:13.595 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request and Pgm Descrip starting with Number in request Body with endpoint	PASSED	0.172 s
3	Then Admin receives 400 Bad Request Status for put Pgm descrip starting with number	PASSED	0.000 s

Check if Admin able to update a program status

<div>PASSED</div>	<div>DURATION - 0.170 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:51:13.608 AM // 9:51:13.778 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request for status change with valid endpoint	PASSED	0.167 s
3	Then Admin receives 200 OK Status with updated prgm status value in response body.	PASSED	0.001 s

Check if Admin able to delete a program with valid LMS API,invalid programName

<div>PASSED</div>	<div>DURATION - 0.125 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:51:13.787 AM // 9:51:13.912 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programName	PASSED	0.001 s
2	When Admin sends Delete by invalid ProgramName Request with endpoint	PASSED	0.122 s
3	Then Admin receives 404 Not Found Status for delete invalid pgrmnamewith message and boolean success details	PASSED	0.000 s

Check if Admin able to delete a program by pgrm name without Authorization





#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.001 s
2	When Admin sends delete Request by program name with endpoint without auth	PASSED	0.163 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm name	PASSED	0.001 s

Check if Admin able to delete a program with valid LMS API,invalid programId





#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programId	PASSED	0.001 s
2	When Admin sends Delete by invalid ProgramID Request with endpoint	PASSED	0.147 s
3	Then Admin receives 404 Not Found Status for delete invalid pgid with message and boolean success details	PASSED	0.001 s

Check if Admin able to delete a program without Authorization



<div>PASSED</div> <div>DURATION - 0.145 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:51:14.267 AM // 9:51:14.412 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.001 s
2	When Admin sends delete Request by program id with endpoint without auth	PASSED	0.142 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm id	PASSED	0.001 s

Batch Module POST request

FAILED	DURATION - 3.036 s	Scenarios Total - 14 Pass - 6 Fail - 8 Skip - 0		Steps Total - 42 Pass - 34 Fail - 8 Skip - 0	
/ 9:51:14.422 AM // 9:51:17.458 AM /					



Check if admin able to create a Batch with valid endpoint and request body (non existing values)

<div>FAILED</div> <div>DURATION - 0.268 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:51:14.422 AM // 9:51:14.690 AM /				
Batch Module POST request				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with valid data in request body	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to create batch	PASSED	0.259 s


#	Step / Hook Details	Status	Duration
3	<p>Then Admin receives 201 Created Status with response body</p> <pre> java.lang.AssertionError: expected [201] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_created_status_with_response_body(ProgramBatchModuleSD.java:37) at ?.Admin receives 201 Created Status with response body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:10) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s

Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)

PASSED	DURATION - 0.179 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:51:14.715 AM // 9:51:14.894 AM /				
Batch Module POST request				


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with existing value in request body	PASSED	0.001 s
2	When Admin sends HTTPS POST Request with endpoint to create batch	PASSED	0.177 s
3	Then Admin receives 400 Bad Request Status with message in the response body	PASSED	0.000 s

Check if admin able to create a Batch missing mandatory fields in request body





#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data in request body	PASSED	0.001 s
2	When Admin sends POST Request with endpoint to create batch	PASSED	0.219 s
3	Then Admin receives 400 Bad Request Status with message	PASSED	0.000 s

Check if admin able to create a batch with invalid endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request	PASSED	0.000 s
2	When Admin sends HTTPS Request with invalid endpoint	PASSED	0.187 s
3	Then Admin receives 404 not found Status	PASSED	0.000 s

Check if admin able to create a batch with missing additional fields

<div>FAILED</div>	<div>DURATION - 0.189 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
<div>/ 9:51:15.340 AM // 9:51:15.529 AM /</div>				
<div>Batch Module POST request</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with missing additional fields	PASSED	0.001 s
2	When Admin sends HTTPS Request with valid endpoint to create batch	PASSED	0.184 s
3	Then Admin receives 201 Created Status with response java.lang.AssertionError: expected [201] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_created_status_with_response(ProgramBatchModuleSD.java:108) at ?.Admin receives 201 Created Status with response(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:39) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s

Check if admin able to create a batch with invalid data in request body

<div>PASSED</div>	<div>DURATION - 0.191 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:51:15.547 AM // 9:51:15.738 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data fields in request body	PASSED	0.001 s
2	When Admin sends HTTPS POST Request with valid endpoint	PASSED	0.188 s
3	Then Admin receives 400 Bad Request Status with message and boolean success	PASSED	0.000 s

Check if admin able to retrieve all batches with valid LMS API

PASSED	DURATION - 0.528 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:51:15.748 AM // 9:51:16.276 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.000 s
2	When Admin sends HTTPS Get Request with endpoint to get batch	PASSED	0.525 s
3	Then Admin receives 200 OK Status with response body	PASSED	0.000 s

Check if admin able to retrieve all batches with invalid Endpoint

PASSED	DURATION - 0.149 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:51:16.283 AM // 9:51:16.432 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with invalid endpoint	PASSED	0.001 s
2	When Admin sends HTTPS GET Request with invalid endpoint to get all batches	PASSED	0.148 s
3	Then Admin receives 404 status with error message Not Found	PASSED	0.000 s

Check if admin able to retrieve a batch with valid BATCH ID

FAILED	DURATION - 0.142 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:51:16.441 AM // 9:51:16.583 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.000 s
2	When Admin sends Get Request with endpoint for batch module	PASSED	0.138 s
3	Then Admin receives 200 OK Status with response in the response body java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD. admin_receives_ok_status_with_response_in_the_response_body(ProgramBatchModuleSD.java:180) at ?.Admin receives 200 OK Status with response in the response body(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 003ProgramBatchModule.feature:67) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s

Check if admin able to retrieve a batch with valid BATCH NAME

<div>FAILED</div> <div>DURATION - 0.136 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:51:16.591 AM // 9:51:16.727 AM /</div>				
<div>Batch Module POST request</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch Name	PASSED	0.000 s
2	When Admin sends Get batch Request with endpoint for batch module	PASSED	0.130 s
3	Then Admin receives 200 Status code with response body <pre>java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_status_code_with_response_body(ProgramBatchModuleSD.java:199) at ?.Admin receives 200 Status code with response body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:74) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s



Check if admin able to retrieve a batch with valid Program ID

FAILED	DURATION - 0.154 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 9:51:16.739 AM // 9:51:16.893 AM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Program Id	PASSED	0.001 s
2	When Admin sends HTTPS Request to get batch by program Id with endpoint	PASSED	0.150 s
3	Then Admin receives status code 200 OK Status with response body <pre>java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) </pre>	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	<pre>at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD. admin_receives_status_code_ok_status_with_response_body(ProgramBatchModuleSD.java:218) at ?.Admin receives status code 200 OK Status with response body(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 003ProgramBatchModule.feature:81) * Not displayable characters are replaced by '?'. </pre>		

Check if admin able to update a Batch with valid batchID and mandatory fields in request body

<div>FAILED</div> <div>DURATION - 0.248 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:51:16.903 AM // 9:51:17.151 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid BatchId and Data	PASSED	0.001 s
2	When Admin sends HTTPS Request to update with endpoint	PASSED	0.242 s
3	<pre>Then Admin receives 200 OK Status with updated value in response body for update request. java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD. admin_receives_ok_status_with_updated_value_in_response_body_for_update_request(ProgramBatchModuleSD.java:237) at ?.Admin receives 200 OK Status with updated value in response body for update request.(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 003ProgramBatchModule.feature:88) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.004 s

Check if admin able to delete a Batch with valid Batch ID

<div>FAILED</div>	<div>DURATION - 0.140 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
<div>/ 9:51:17.173 AM // 9:51:17.313 AM /</div>				
<div>Batch Module POST request</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request with valid BatchId	PASSED	0.000 s
2	When Admin sends HTTPS Request to delete with endpoint	PASSED	0.136 s
3	Then Admin receives 200 Ok status with message to delete batch java.lang.AssertionError: expected [200] but found [0] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_status_with_message_to_delete_batch(ProgramModuleSD.java:526) at ?.Admin receives 200 Ok status with message to delete batch(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:95) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s

Check if admin able to retrieve a batch after deleting the batch

<div>FAILED</div> <div>DURATION - 0.136 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:51:17.322 AM // 9:51:17.458 AM /</div>				
<div>Batch Module POST request</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.001 s
2	When Admin sends HTTPS GET Request with valid id	PASSED	0.132 s
3	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body. java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD. admin_receives_ok_status_with_batch_status_field_in_the_response_body(ProgramBatchModuleSD.java:266) at ?.Admin receives 200 OK Status with batchStatus field "Inactive" in the response body.(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 003ProgramBatchModule.feature:102) * Not displayable characters are replaced by '?'.	FAILED	0.002 s