

Cucumber Report

Mar 28, 2024, 7:16:39 PM

Start : Mar 28, 7:16:33.847 PM

End : Mar 28, 7:16:38.289 PM

Duration : 4.442 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Post request</u>	4.442 s	2	1	1	0	6	5	1	0

#	Feature Name	Scenario Name
1	<u>Post request</u>	<u>Check if Admin able to generate token with invalid endpoint</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@01PostRequest_UserSignIn	1	1	0	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Post request</u>	2	1	1	0	4.442 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Post request</u>	<u>Valid user Login</u>	3	3	0	0	3.413 s
2		<u>Check if Admin able to generate token with invalid endpoint</u>	3	2	1	0	0.957 s

Post request



FAILED	DURATION - 4.442 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 7:16:33.847 PM // 7:16:38.289 PM /					

Valid user Login

PASSED	DURATION - 3.413 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:16:33.851 PM // 7:16:37.264 PM /				
Post request				
@01PostRequest_UserSignIn				

#	Step / Hook Details	Status	Duration
1	Given User send request for the LMS API endPoint	PASSED	0.767 s
2	When User send post request with valid email id and password	PASSED	2.276 s
3	Then The user should receive a successful response with status code 200	PASSED	0.317 s

Check if Admin able to generate token with invalid endpoint

FAILED	DURATION - 0.957 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 7:16:37.332 PM // 7:16:38.289 PM /				
Post request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.359 s
2	When Admin calls Post Https method with invalid endpoint	PASSED	0.237 s
3	Then Admin receives 401 unauthorized	FAILED	0.357 s
	<p>java.lang.AssertionError: 1 expectation failed. Expected status code <401> but was <200>.</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</p> <p>at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)</p> <p>at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)</p> <p>at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)</p> <p>at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)</p> <p>at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)</p> <p>at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)</p> <p>at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:578)</p> <p>at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)</p> <p>at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)</p> <p>at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)</p> <p>at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)</p> <p>at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)</p> <p>at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)</p> <p>at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)</p> <p>at com.lms.api.StepDefinitions.UserLoginSD.admin_receives_unauthorized(UserLoginSD.java:69)</p> <p>at ?.Admin receives 401 unauthorized(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/001UserLogin.feature:13)</p> <p>* Not displayable characters are replaced by '?'. </p>		