


Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
<u>Post request</u>	4.125 s	3	3	0	0	9	9	0	0
<u>ProgramModule</u>	9.145 s	37	31	6	0	111	101	6	4

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	<u>ProgramModule</u>	Check if Admin able to create a program with valid endpoint and request body with Authorization
2		Check if Admin able to create a program with missing additional field
3		Check if Admin able to retrieve a program with valid program ID
4		Check if Admin able to update a program with valid programID endpoint and valid request body
5		Check if Admin able to update a program with Valid program Name and request body
6		Check if Admin able to update a program status

TAG	Scenario T P F S		Feature					
Name	T	P	F	S	T	P	F	S
@tag	38	32	6	0	2	1	1	0
@EndToEnd	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>Post request</u>	3	3	0	0	4.125 s
2	<u>ProgramModule</u>	37	31	6	0	9.145 s

SCENARIOS SUMMARY -- 6 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Post request	Check if Admin able to generate token with valid credential	3	3	0	0	3.516 s
2		Check if Admin able to generate token with invalid endpoint	3	3	0	0	0.295 s
3		Check if Admin able to generate token with invalid credentials	3	3	0	0	0.200 s
4	<u>ProgramModule</u>	Check if Admin able to create a program with valid endpoint and request body with Authorization	3	1	1	1	0.741 s
5		Check if Admin able to create a program with valid endpoint and request body without Authorization	3	3	0	0	0.359 s
6		Check if Admin able to create a program with invalid endpoint	3	3	0	0	0.367 s
7		Check if Admin able to create a program with already existing program name	3	3	0	0	0.248 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
8		Check if Admin able to create a program with missing values in the request body	3	3	0	0	0.253 s
9		Check if Admin able to create a program with invalid method	3	3	0	0	0.266 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>ProgramModule</u>	Check if Admin able to create a program without program name starting with a number	3	3	0	0	0.240 s
11		Check if Admin able to create a program with missing additional field	3	2	1	0	0.204 s
12		Check if Admin able to retrieve all programs with valid Endpoint	3	3	0	0	0.256 s
13		Check if Admin able to retrieve all programs with valid Endpoint without auth	3	3	0	0	0.227 s
14		Check if Admin able to create a program with invalid endpoint	3	3	0	0	0.259 s
15		Check if Admin able to create a program with invalid method	3	3	0	0	0.173 s
16		Check if Admin able to retrieve a program with valid program ID	3	2	1	0	0.164 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
17		Check if Admin able to retrieve all programs with valid prgm	3	3	0	0	0.155 s
		id without auth					

SCENARIOS SUMMARY -- 10 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>ProgramModule</u>	Check if Admin able to retrieve a program with invalid program ID	3	3	0	0	0.168 s
19		Check if Admin able to retrieve a program with invalid baseURI	3	3	0	0	0.234 s
20		Check if Admin able to retrieve a program with invalid Endpoint	3	3	0	0	0.186 s
21		Check if Admin able to retrieve all programs with valid Endpoint	3	3	0	0	0.447 s
22		Check if Admin able to retrieve a program with invalid Endpoint	3	3	0	0	0.143 s
23		Check if Admin able to retrieve all programs with invalid Method	3	3	0	0	0.141 s
24		Check if Admin able to retrieve all programs without Authorization	3	3	0	0	0.131 s


SCENARIOS SUMMARY



#	Feature Name	Scenario Name	T	P	F	S	Duration
25	<u>ProgramModule</u>	Check if Admin able to update a program with valid programID endpoint and valid request body	3	1	1	1	0.242 s
26		Check if Admin able to update a program with invalid programID endpoint and valid request body	3	3	0	0	0.287 s
27		Check if Admin able to update a program without request body	3	3	0	0	0.223 s
28		Check if Admin able to update a program with invalid baseURI	3	3	0	0	0.232 s
29		Check if Admin able to update a program with invalid method	3	3	0	0	0.228 s
30		Check if Admin able to update a program without <u>Authorization</u>	3	3	0	0	0.209 s
31		Check if Admin able to update a program with Valid program Name and request body	3	1	1	1	0.284 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
32		Check if Admin able to update a program with invalid	3	3	0	0	0.197 s
		program Name and request body					

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
33	<u>ProgramModule</u>	Check if Admin able to update a program using valid program name - missing mandatory fields in request body	3	3	0	0	0.180 s
34		Check if Admin able to upadte a program with program name starting with a number	3	3	0	0	0.192 s
35		Check if Admin able to update a program with invalid program Description	3	3	0	0	0.205 s
36		Check if Admin able to update a program status	3	1	1	1	0.267 s
37		Check if Admin able to delete a program with valid LMS API, invalid programName	3	3	0	0	0.164 s
38		Check if Admin able to delete a program by pgrm name without Authorization	3	3	0	0	0.164 s
39		Check if Admin able to delete a program with valid LMS API, invalid programId	3	3	0	0	0.158 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
40		Check if Admin able to delete a program without	3	3	0	0	0.181 s
		Authorization					

Post request


PASSED	DURATION - 4.125 s	Scenarios		Steps		
		Total - 3		Total - 9		
/ 9:10:40.379 AM // 9	9:10:44.504 AM /	Pass - 3	3	Pass - 9		9
		Fail - 0	٠ /	Fail - 0		, J
		Skip - 0		Skip - 0		
					'	

Check if Admin able to generate token with valid credential



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.749 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.002 s
3	Then Admin receives 200 created with auto generated token	PASSED	2.719 s


Check if Admin able to generate token with invalid endpoint



DETAILED SECTION -- 16 --


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with invalid endpoint	PASSED	0.001 s
3	Then Admin receives 401 unauthorized	PASSED	0.287 s

Check if Admin able to generate token with invalid credentials




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with invalid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.001 s
3	Then Admin receives 400 Bad request	PASSED	0.196 s

ProgramModule



Check if Admin able to create a program with valid endpoint and request body with Authorization

DETAILED SECTION -- 17 --




#	Step / Hook Details	Status	Duration
	Given Admin creates POST Request for the LMS with request body	PASSED	0.014 s
	When Admin sends HTTPS Request and request Body with endpoint	FAILED	0.716 s
	When Admin sends HTTPS Request and request Body with endpoint java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object has missing required properties ("creationTime","lastModTime","programDescription","programId","programName","programStatus") level: "error" schema: ("loadingUR!":"#","pointer!":") instance: {"pointer!":"} domain: "validation" keyword: "required: "creationTime","lastModTime","programDescription","programId","programName","programStatus"] ("creationTime","lastModTime","programDescription","programId","programName","programStatus"] ("creationTime","lastModTime","programDescription","programId","programName","programStatus"] at java.base/java.lang.reflect.Constructor.InevInstance(PointerConstructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.runtime.callsite.Constructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.CallSite.ConstructorSiteSConstructor(GallSiteArray,Java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpISHamcrestAssertionClosure.validate(ResponseSpecificationImpI.groovy:512) at io.restassured.internal.ResponseSpecificationImpISHamcrestAssertionClosuresvalldate\$1.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:135) at io.restassured.internal.ResponseSpecificationImpI.this\$2\$validateResponseIRequired(ResponseSpecificationImpI.groovy) at java.base/jak.internal.ResponseSpecificationImpI	FAILED	0.716 s

DETAILED SECTION -- 18 --

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238)		
	at com.lms.api.Request.Program.PostRequest(Program.java:36)		
	at com.lms.api.StepDefinitions.ProgramModuleSD.admin_sends_https_request_and_request_body_with_endpoint(ProgramModuleSD.		
	java:34)		
	at ?.Admin sends HTTPS Request and request Body with endpoint(file:///C:/Users/sudha/git/		
	Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/		
	002PrgramModule.feature:9)		
	* Not displayable characters are replaced by '?'.		
3	Then Admin receives 201 Created Status with response body.	SKIPPED	0.000 s


Check if Admin able to create a program with valid endpoint and request body without Authorization



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends Post Request and request Body with endpoint without Authorization	PASSED	0.354 s
3	Then Admin receives 401 Unauthorized error for post	PASSED	0.001 s

Check if Admin able to create a program with invalid endpoint

DETAILED SECTION -- 19 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends HTTPS Request and request Body with invalid endpoint	PASSED	0.360 s
3	Then Admin receives 404 not found Status with message and boolean success details	PASSED	0.000 s


Check if Admin able to create a program with already existing program name



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request with exsisting prgm name and request Body with endpoint	PASSED	0.243 s
3	Then Admin receives 400 Bad Request Status with message and boolean success details	PASSED	0.001 s


Check if Admin able to create a program with missing values in the request body

DETAILED SECTION -- 20 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and missing Pgm Name in request Body with endpoint	PASSED	0.247 s
3	Then Admin receives 400 Bad Request Status for missing value	PASSED	0.001 s


Check if Admin able to create a program with invalid method



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends Get Request instead of post and request Body with endpoint	PASSED	0.260 s
3	Then Admin receives 405 Method Not Allowed	PASSED	0.001 s


Check if Admin able to create a program without program name starting with a number

DETAILED SECTION -- 21 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.235 s
3	Then Admin receives 400 Bad Request Status for Pgm name starting with number	PASSED	0.000 s


Check if Admin able to create a program with missing additional field



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request with request Body with missing additional field with endpoint	PASSED	0.198 s
3	Then Admin receives 200 ok for missing additional fields in program post request body	FAILED	0.004 s
	java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD. admin_receives_ok_for_missing_additional_fields_in_program_post_request_body(ProgramModuleSD.java:136)		


#	Step / Hook Details	Status	Duration
	at ?.Admin receives 200 ok for missing additional fields in program post request body(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 002PrgramModule.feature:46) * Not displayable characters are replaced by '?'.		

Check if Admin able to retrieve all programs with valid Endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint	PASSED	0.252 s
3	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s


Check if Admin able to retrieve all programs with valid Endpoint without auth



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request and request Body with endpoint without Authorization	PASSED	0.222 s
3	Then Admin receives 401 Unauthorized error for put	PASSED	0.001 s


DETAILED SECTION -- 23 --

Check if Admin able to create a program with invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request and request Body with invalid endpoint	PASSED	0.256 s
3	Then Admin receives 404 not found Status for GET with message and boolean success details	PASSED	0.001 s

Check if Admin able to create a program with invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Post Request instead of get and request Body with endpoint	PASSED	0.171 s
3	Then Admin receives 405 Method Not Allowed message	PASSED	0.001 s

Check if Admin able to retrieve a program with valid program ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.003 s
2	When Admin sends Get program Request with endpoint	PASSED	0.156 s
3	Then Admin receives 200 OK Status code with response body.	FAILED	0.002 s
	java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_status_code_with_response_body(ProgramModuleSD.java:215) at ?.Admin receives 200 OK Status code with response body.(file:///C://Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 002PrgramModule.feature:75) * Not displayable characters are replaced by '?'.		

Check if Admin able to retrieve all programs with valid prgm id without auth




#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.000 s
2	When Admin sends Get Request by pgm id and request Body with endpoint without Authorization	PASSED	0.152 s
3	Then Admin receives 401 Unauthorized error for put by pgm id	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid program ID



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request with invlaid ID and endpoint	PASSED	0.164 s
3	Then Admin receives 404 Not Found Status for invalid PG Id with message and boolean success details	PASSED	0.001 s


Check if Admin able to retrieve a program with invalid baseURI



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with invalid baseURI	PASSED	0.002 s
2	When Admin sends Get Request Request with endpoint	PASSED	0.229 s
3	Then Admin receives 404 Not Found Status for invalid baseurl with message and boolean success details	PASSED	0.000 s


DETAILED SECTION -- 26 --

Check if Admin able to retrieve a program with invalid Endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request with pgm Id and request Body with invalid endpoint	PASSED	0.182 s
3	Then Admin receives 404 Not Found Status for Get with Pgm Id with message and boolean success details	PASSED	0.001 s


Check if Admin able to retrieve all programs with valid Endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends Get All programs with users Request with endpoint	PASSED	0.443 s
3	Then Admin receives 200 OK Status with response body of Users	PASSED	0.000 s


Check if Admin able to retrieve a program with invalid Endpoint

DETAILED SECTION -- 27 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends Get Request for all users with request Body with invalid endpoint	PASSED	0.140 s
3	Then Admin receives 404 Not Found Status for Get w for all users with message and boolean success details	PASSED	0.002 s


Check if Admin able to retrieve all programs with invalid Method



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends post all users Request instead of get with endpoint	PASSED	0.137 s
3	Then Admin receives 405 Method Not Allowed for get all users invalid method	PASSED	0.001 s


Check if Admin able to retrieve all programs without Authorization

DETAILED SECTION -- 28 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint without auth	PASSED	0.127 s
3	Then Admin receives 401 Status with response body as Unauthorized	PASSED	0.000 s


Check if Admin able to update a program with valid programID endpoint and valid request body



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with valid endpoint	FAILED	0.239 s
	java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object has missing required properties (["creationTime","lastModTime","programDescription","programId","programName","programStatus"]) level: "error" schema: {"loadingURI":"#","pointer":""} instance: {"pointer":""} domain: "validation" keyword: "required" required: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] missing: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] Actual: {"timestamp":"2024-04-02T13:10:49.218+00:00","status":400,"error":"Bad Request","path":"/lms/putprogram/null"} at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:484)		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)		
	at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.		
	java:198)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238)		
	at com.lms.api.Request.Program.updateProgramByID(Program.java:551)		
	at com.lms.api.StepDefinitions.ProgramModuleSD.admin_sends_put_request_with_valid_endpoint(ProgramModuleSD.java:343)		
	at ?.Admin sends Put Request with valid endpoint(file:///C:/Users/sudha/git/		
	Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/		
	002PrgramModule.feature:120)		
	* Not displayable characters are replaced by '?'.		
3	Then Admin receives 200 OK Status with updated value in response body.	SKIPPED	0.001 s


Check if Admin able to update a program with invalid programID endpoint and valid request body



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with invalid prgm Id and valid endpoint	PASSED	0.282 s
3	Then Admin receives 404 Not Found Status for update pgm invalid pgm id with message and boolean success details	PASSED	0.001 s


DETAILED SECTION -- 30 --

Check if Admin able to update a program without request body



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request missing mandate field and valid endpoint	PASSED	0.218 s
3	Then Admin receives 400 Bad Request Status for put for missing mandate field with message and boolean success details	PASSED	0.001 s


Check if Admin able to update a program with invalid baseURI



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory, additional fields with invalid	PASSED	0.001 s
	baseurl		
2	When Admin sends Put Request with invalid baseurl valid endpoint	PASSED	0.230 s
3	Then Admin receives 404 Not Found Status for put invalid baseurl with message and boolean success details	PASSED	0.001 s


Check if Admin able to update a program with invalid method

DETAILED SECTION -- 31 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory, additional fields.	PASSED	0.000 s
2	When Admin sends get request instead of put Request with valid endpoint	PASSED	0.222 s
3	Then Admin receives 405 Method Not Allowed for using get instead of put	PASSED	0.000 s


Check if Admin able to update a program without Authorization



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with endpoint without auth	PASSED	0.204 s
3	Then Admin receives 401 Status with response body as Unauthorized for put by pgm id	PASSED	0.000 s

Check if Admin able to update a program with Valid program Name and request body


DETAILED SECTION -- 32 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with Program name with valid endpoint	FAILED	0.281 s
	java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object has missing required properties (["creationTime", "lastModTime", "programDescription", "programName", "programStatus"]) level: "error" schema: "["creationTime", "lastModTime", "programDescription", "programId", "programName", "programStatus"] level: "error" schema: "["creationTime", "lastModTime", "programDescription", "programId", "programName", "programStatus"] Actual: "["creationTime", "lastModTime", "programDescription", "programId", "programName", "programStatus"] Actual: "["timestamp": "2024-04-0213:10-50.741+00:00", "status": 500, "error": "Internal Server Error", "path": "/lms/program/null"] at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor, java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor, java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$Constructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl*HamcrestAssertionClosures*valldate*L.call(Unknown Source) at java.base/java.lang.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.DirectMethodHandleAccessor.invoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PojoMetaMethodSite.callCurrent(PojoMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PojoMetaMethodSite.callCurrent(PojoMetaMethodSite.java:45) at org.codehaus.groovy.runtime.ca		


#	Step / Hook Details	Status	Duration
	at com.lms.api.StepDefinitions.ProgramModuleSD.admin_sends_put_request_with_program_name_with_valid_endpoint(ProgramModuleSD. java:433) at ?.Admin sends Put Request with Program name with valid endpoint(file:///C:/Users/sudha/git/ Team12 APIExplorers LMS Hackathon Mar2024/Team12 APIExplorers LMS Hackathon Mar2024/src/test/resources/features/		
	002PrgramModule.feature:151) * Not displayable characters are replaced by '?'.		
3	Then Admin receives 200 OK Status code with updated value in response body.	SKIPPED	0.000 s

Check if Admin able to update a program with invalid program Name and request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory ,	PASSED	0.000 s
	additional fields.		
2	When Admin sends Put Request with invalid Program name with valid endpoint	PASSED	0.194 s
3	Then Admin receives 404 Not Found Status for put with invalid pg namewith message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program using valid program name - missing mandatory fields in request body



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API with missing mandatory fields	PASSED	0.000 s
2	When Admin sends Put Request with valid prgom name with valid endpoint	PASSED	0.177 s
3	Then Admin receives 400 Bad Request Status for missing field with message and boolean success details	PASSED	0.001 s

Check if Admin able to upadte a program with program name starting with a number



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory ,	PASSED	0.000 s
	additional fields.		
2	When Admin sends Put Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.191 s
3	Then Admin receives 400 Bad Request Status for put Pgm name starting with number	PASSED	0.000 s


Check if Admin able to update a program with invalid program Description

PASSED DURATION - 0.205 s	0.3 -	Steps
/ 9:10:52.500 AM // 9:10:52.705 AM /	0.2 -	Total - 3 Pass - 3
ProgramModule	0.1 -	Fail - 0 Skip - 0
@tag	1 2 3	_

	#	Step / Hook Details	Status	Duration
1		Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory ,	PASSED	0.000 s
		additional fields.		
2		When Admin sends Put Request and Pgm Descrip starting with Number in request Body with endpoint	PASSED	0.202 s

#	Step / Hook Details	Status	Duration
3	Then Admin receives 400 Bad Request Status for put Pgm descrip starting with number	PASSED	0.001 s

Check if Admin able to update a program status




#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request for status change with valid endpoint	FAILED	0.264 s
	java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object has missing required properties (["creationTime","lastModTime","programDescription","programId","programName","programStatus"]) level: "error" schema: {"loadingURI":"#","pointer":""} instance: {"pointer":""} domain: "validation" keyword: "required" required: "creationTime","lastModTime","programDescription","programId","programName","programStatus"] missing: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] missing: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] Actual: {"timestamp":"2024-04-02T13:10:51.821+00:00","status":500,"error":"Internal Server Error","path":"/lms/program/null"} at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl.SHamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.validateResponselfRequired(ResponseSpecificationImpl.groovy) at java.base/java.lang.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.DirectMethodHandleAccessor.invoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.dolnvoke(PlainObjectMetaMethodSite.java:198)		

DETAILED SECTION -- 36 --

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238)		
	at com.lms.api.Request.Program.updateprgmstatus(Program.java:857)		
	at com.lms.api.StepDefinitions.ProgramModuleSD.admin_sends_put_request_for_status_change_with_valid_endpoint(ProgramModuleSD.		
	java:501)		
	at ?.Admin sends Put Request for status change with valid endpoint(file:///C:/Users/sudha/git/		
	Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/		
	002PrgramModule.feature:176)		
	* Not displayable characters are replaced by '?'.		
3	Then Admin receives 200 OK Status with updated prgm status value in response body.	SKIPPED	0.000 s


Check if Admin able to delete a program with valid LMS API,invalid programName



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programName	PASSED	0.001 s
2	When Admin sends Delete by invalid ProgramName Request with endpoint	PASSED	0.159 s
3	Then Admin receives 404 Not Found Status for delete invalid pgnamewith message and boolean success details	PASSED	0.001 s


Check if Admin able to delete a program by pgrm name without Authorization

DETAILED SECTION -- 37 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.001 s
2	When Admin sends delete Request by program name with endpoint without auth	PASSED	0.160 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm name	PASSED	0.000 s


Check if Admin able to delete a program with valid LMS API,invalid programId



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programId	PASSED	0.001 s
2	When Admin sends Delete by invalid ProgramID Request with endpoint	PASSED	0.155 s
3	Then Admin receives 404 Not Found Status for delete invalid pgid with message and boolean success details	PASSED	0.001 s

Check if Admin able to delete a program without Authorization

DETAILED SECTION -- 38 -



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.000 s
2	When Admin sends delete Request by program id with endpoint without auth	PASSED	0.178 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm id	PASSED	0.001 s