

Cucumber Report

Apr 2, 2024, 10:53:23 AM

Start : Apr 02, 10:53:03.858 AM

End : Apr 02, 10:53:22.427 AM

Duration : 18.569 s

Features



Scenarios

Steps

PASSED - 1
FAILED - 3
SKIPPED - 0

PASSED - 61
FAILED - 5
SKIPPED - 0


PASSED - 193
FAILED - 5
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Post request</u>	4.652 s	3	3	0	0	9	9	0	0
<u>ProgramModule</u>	8.071 s	36	35	1	0	108	107	1	0
<u>Batch Module POST request</u>	2.904 s	14	13	1	0	42	41	1	0
<u>User Module</u>	2.884 s	13	10	3	0	39	36	3	0

#	Feature Name	Scenario Name
1	<u>ProgramModule</u>	<u>Check if Admin able to create a program with missing additional field</u>
2	<u>Batch Module POST request</u>	<u>Check if admin able to create a batch with missing additional fields</u>
3	<u>User Module</u>	<u>Check if admin is able to get the Admins by program batches for valid batch ID</u>
4		<u>Check if admin is able to get the Admins for valid program Id</u>
5		<u>Check if admin is able to assign Admin to with program/batch by Admin Id</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag	38	37	1	0	3	1	2	0
@EndToEnd	1	1	0	0	1	1	0	0
@PostRequest	1	1	0	0	1	0	1	0
@GetRequest(allroles)	1	1	0	0	1	0	1	0
@GetRequest(All_Admins)	1	1	0	0	1	0	1	0
@GetRequest(by_AdminID)	1	1	0	0	1	0	1	0
@GetRequest(All_active_admins)	1	1	0	0	1	0	1	0
@GetRequest(Count_of_active_inactive_Admins)	1	1	0	0	1	0	1	0
@GetRequest(Admins_by_program_batches)	1	0	1	0	1	0	1	0
@GetRequest(get_Admin_for_program)	1	0	1	0	1	0	1	0
@GetRequest(get_Admin_by_RoleID)	1	1	0	0	1	0	1	0
@GetRequest(Admin_With_Roles)	1	1	0	0	1	0	1	0
@PutRequest(Update_Admin_Role_Status_By_AdminID)	1	1	0	0	1	0	1	0
@PutRequest(Update_Admin_RoleID)	1	1	0	0	1	0	1	0
@PutRequest(Update_Admin_Role_Program_Batch_Status)	1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Post request</u>	3	3	0	0	4.652 s
2	<u>ProgramModule</u>	36	35	1	0	8.071 s
3	<u>Batch Module POST request</u>	14	13	1	0	2.904 s
4	<u>User Module</u>	13	10	3	0	2.884 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Post request</u>	<u>Check if Admin able to generate token with valid credential</u>	3	3	0	0	4.097 s
2		<u>Check if Admin able to generate token with invalid endpoint</u>	3	3	0	0	0.264 s
3		<u>Check if Admin able to generate token with invalid credentials</u>	3	3	0	0	0.173 s
4	<u>ProgramModule</u>	<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>	3	3	0	0	0.629 s
5		<u>Check if Admin able to create a program with valid endpoint and request body without Authorization</u>	3	3	0	0	0.289 s
6		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.338 s
7		<u>Check if Admin able to create a program with already existing program name</u>	3	3	0	0	0.223 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if Admin able to create a program with missing values in the request body</u>	3	3	0	0	0.224 s
9		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.254 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>ProgramModule</u>	<u>Check if Admin able to create a program without program name starting with a number</u>	3	3	0	0	0.220 s
11		<u>Check if Admin able to create a program with missing additional field</u>	3	2	1	0	0.221 s
12		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.134 s
13		<u>Check if Admin able to retrieve all programs with valid Endpoint without auth</u>	3	3	0	0	0.148 s
14		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.129 s
15		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.135 s
16		<u>Check if Admin able to retrieve a program with valid program ID</u>	3	3	0	0	0.314 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
17		<u>Check if Admin able to retrieve all programs with valid prgm id without auth</u>	3	3	0	0	0.156 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>ProgramModule</u>	<u>Check if Admin able to retrieve a program with invalid program ID</u>	3	3	0	0	0.151 s
19		<u>Check if Admin able to retrieve a program with invalid baseURI</u>	3	3	0	0	0.237 s
20		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.144 s
21		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.306 s
22		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.149 s
23		<u>Check if Admin able to retrieve all programs with invalid Method</u>	3	3	0	0	0.133 s
24		<u>Check if Admin able to retrieve all programs without Authorization</u>	3	3	0	0	0.155 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
25	<u>ProgramModule</u>	<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>	3	3	0	0	0.220 s
26		<u>Check if Admin able to update a program with invalid programID endpoint and valid request body</u>	3	3	0	0	0.204 s
27		<u>Check if Admin able to update a program without request body</u>	3	3	0	0	0.224 s
28		<u>Check if Admin able to update a program with invalid baseURI</u>	3	3	0	0	0.211 s
29		<u>Check if Admin able to update a program with invalid method</u>	3	3	0	0	0.202 s
30		<u>Check if Admin able to update a program without Authorization</u>	3	3	0	0	0.236 s
31		<u>Check if Admin able to update a program with Valid program Name and request body</u>	3	3	0	0	0.209 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
32		<u>Check if Admin able to update a program with invalid program Name and request body</u>	3	3	0	0	0.195 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
33	<u>ProgramModule</u>	<u>Check if Admin able to update a program using valid program name - missing mandatory fields in request body</u>	3	3	0	0	0.176 s
34		<u>Check if Admin able to upadte a program with program name starting with a number</u>	3	3	0	0	0.184 s
35		<u>Check if Admin able to update a program with invalid program Description</u>	3	3	0	0	0.194 s
36		<u>Check if Admin able to delete a program with valid LMS API, invalid programName</u>	3	3	0	0	0.129 s
37		<u>Check if Admin able to delete a program by pgrm name without Authorization</u>	3	3	0	0	0.147 s
38		<u>Check if Admin able to delete a program with valid LMS API, invalid programId</u>	3	3	0	0	0.165 s
39		<u>Check if Admin able to delete a program without Authorization</u>	3	3	0	0	0.169 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
40	<u>Batch Module POST request</u>	<u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u>	3	3	0	0	0.277 s
41		<u>Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)</u>	3	3	0	0	0.149 s
42		<u>Check if admin able to create a Batch missing mandatory fields in request body</u>	3	3	0	0	0.187 s
43		<u>Check if admin able to create a batch with invalid endpoint</u>	3	3	0	0	0.203 s
44		<u>Check if admin able to create a batch with missing additional fields</u>	3	2	1	0	0.209 s
45		<u>Check if admin able to create a batch with invalid data in request body</u>	3	3	0	0	0.257 s
46		<u>Check if admin able to retrieve all batches with valid LMS API</u>	3	3	0	0	0.238 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
47		<u>Check if admin able to retrieve all batches with invalid Endpoint</u>	3	3	0	0	0.130 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
48	<u>Batch Module POST request</u>	<u>Check if admin able to retrieve a batch with valid BATCH ID</u>	3	3	0	0	0.145 s
49		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>	3	3	0	0	0.143 s
50		<u>Check if admin able to retrieve a batch with valid Program ID</u>	3	3	0	0	0.146 s
51		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>	3	3	0	0	0.216 s
52		<u>Check if admin able to delete a Batch with valid Batch ID</u>	3	3	0	0	0.166 s
53		<u>Check if admin able to retrieve a batch after deleting the batch</u>	3	3	0	0	0.286 s
54	<u>User Module</u>	<u>Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields</u>	3	3	0	0	0.682 s
55		<u>Check if admin is able to retrieve all the available roles</u>	3	3	0	0	0.252 s
56		<u>Check if admin able to retrieve all Admin with valid endpoint</u>	3	3	0	0	0.170 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
57		<u>Check if admin able to retrieve a Admin with valid Admin ID</u>	3	3	0	0	0.153 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
58	<u>User Module</u>	<u>Check if admin able to retrieve all active Admins</u>	3	3	0	0	0.156 s
59		<u>Check if admin is able to get count of active and inactive Admins</u>	3	3	0	0	0.158 s
60		<u>Check if admin is able to get the Admins by program batches for valid batch ID</u>	3	2	1	0	0.117 s
61		<u>Check if admin is able to get the Admins for valid program Id</u>	3	2	1	0	0.162 s
62		<u>Check if admin is able to retrieve Admins by valid role ID</u>	3	3	0	0	0.174 s
63		<u>Check if admin able to retrieve all Admins with roles</u>	3	3	0	0	0.146 s
64		<u>Check if admin is able to update role status of a Admin with valid Admin id</u>	3	3	0	0	0.206 s
65		<u>Check if admin is able to update role id of a Admin by valid Admin id</u>	3	3	0	0	0.174 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
66		<u>Check if admin is able to assign Admin to with program/batch by Admin Id</u>	3	2	1	0	0.163 s

Post request



PASSED	DURATION - 4.652 s	Scenarios		Steps	
/ 10:53:03.858 AM // 10:53:08.510 AM /		Total - 3		Total - 9	
		Pass - 3		Pass - 9	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if Admin able to generate token with valid credential

<div>PASSED</div> <div>DURATION - 4.097 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:53:03.861 AM // 10:53:07.958 AM /				
Post request				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.874 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.001 s
3	Then Admin receives 200 created with auto generated token	PASSED	3.155 s

Check if Admin able to generate token with invalid endpoint

PASSED	DURATION - 0.264 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:08.055 AM // 10:53:08.319 AM /				
Post request				
@EndToEnd				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with invalid endpoint	PASSED	0.001 s
3	Then Admin receives 401 unauthorized	PASSED	0.259 s

Check if Admin able to generate token with invalid credentials



PASSED	DURATION - 0.173 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:08.337 AM // 10:53:08.510 AM /				
Post request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with invalid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.001 s
3	Then Admin receives 400 Bad request	PASSED	0.169 s

ProgramModule



FAILED	DURATION - 8.071 s	Scenarios		Steps	
/ 10:53:08.540 AM // 10:53:16.611 AM /		Total - 36		Total - 108	
		Pass - 35	36	Pass - 107	108
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Check if Admin able to create a program with valid endpoint and request body with Authorization

PASSED	DURATION - 0.629 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:08.540 AM // 10:53:09.169 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.011 s
2	When Admin sends HTTPS Request and request Body with endpoint	PASSED	0.607 s
3	Then Admin receives 201 Created Status with response body.	PASSED	0.001 s

Check if Admin able to create a program with valid endpoint and request body without Authorization

PASSED	DURATION - 0.289 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:09.200 AM // 10:53:09.489 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and request Body with endpoint without Authorization	PASSED	0.282 s
3	Then Admin receives 401 Unauthorized error for post	PASSED	0.001 s

Check if Admin able to create a program with invalid endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends HTTPS Request and request Body with invalid endpoint	PASSED	0.330 s
3	Then Admin receives 404 not found Status with message and boolean success details	PASSED	0.003 s

Check if Admin able to create a program with already existing program name



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.003 s
2	When Admin sends Post Request with existing prgm name and request Body with endpoint	PASSED	0.216 s
3	Then Admin receives 400 Bad Request Status with message and boolean success details	PASSED	0.001 s

Check if Admin able to create a program with missing values in the request body

PASSED	DURATION - 0.224 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:10.127 AM // 10:53:10.351 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends Post Request and missing Pgm Name in request Body with endpoint	PASSED	0.221 s
3	Then Admin receives 400 Bad Request Status for missing value	PASSED	0.000 s

Check if Admin able to create a program with invalid method

PASSED	DURATION - 0.254 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:10.363 AM // 10:53:10.617 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Get Request instead of post and request Body with endpoint	PASSED	0.247 s
3	Then Admin receives 405 Method Not Allowed	PASSED	0.002 s

Check if Admin able to create a program without program name starting with a number

<div>PASSED</div>	<div>DURATION - 0.220 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:53:10.627 AM // 10:53:10.847 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends Post Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.215 s
3	Then Admin receives 400 Bad Request Status for Pgm name starting with number	PASSED	0.002 s



Check if Admin able to create a program with missing additional field

<div>FAILED</div> <div>DURATION - 0.221 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:53:10.859 AM // 10:53:11.080 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends Post Request with request Body with missing additional field with endpoint	PASSED	0.205 s
3	Then Admin receives 200 ok for missing additional fields in program post request body <pre>java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_for_missing_additional_fields_in_program_post_request_body(ProgramModuleSD.java:136)</pre>	FAILED	0.012 s



#	Step / Hook Details	Status	Duration
	at ?.Admin receives 200 ok for missing additional fields in program post request body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:46) * Not displayable characters are replaced by '?'. 		

Check if Admin able to retrieve all programs with valid Endpoint

<div>PASSED</div>	<div>DURATION - 0.134 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:53:11.096 AM // 10:53:11.230 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint	PASSED	0.130 s
3	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

Check if Admin able to retrieve all programs with valid Endpoint without auth

<div>PASSED</div> <div>DURATION - 0.148 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 10:53:11.245 AM // 10:53:11.393 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request and request Body with endpoint without Authorization	PASSED	0.144 s
3	Then Admin receives 401 Unauthorized error for put	PASSED	0.000 s

Check if Admin able to create a program with invalid endpoint

PASSED	DURATION - 0.129 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:53:11.402 AM // 10:53:11.531 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.002 s
2	When Admin sends Get Request and request Body with invalid endpoint	PASSED	0.124 s
3	Then Admin receives 404 not found Status for GET with message and boolean success details	PASSED	0.001 s

Check if Admin able to create a program with invalid method

PASSED	DURATION - 0.135 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:53:11.540 AM // 10:53:11.675 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Post Request instead of get and request Body with endpoint	PASSED	0.131 s
3	Then Admin receives 405 Method Not Allowed message	PASSED	0.000 s

Check if Admin able to retrieve a program with valid program ID

<div>PASSED</div>	<div>DURATION - 0.314 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:53:11.687 AM // 10:53:12.001 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get program Request with endpoint	PASSED	0.310 s
3	Then Admin receives 200 OK Status code with response body.	PASSED	0.000 s

Check if Admin able to retrieve all programs with valid prgm id without auth

PASSED	DURATION - 0.156 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:12.018 AM // 10:53:12.174 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get Request by pgm id and request Body with endpoint without Authorization	PASSED	0.151 s
3	Then Admin receives 401 Unauthorized error for put by pgm id	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid program ID





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request with invlaid ID and endpoint	PASSED	0.147 s
3	Then Admin receives 404 Not Found Status for invalid PG Id with message and boolean success details	PASSED	0.000 s

Check if Admin able to retrieve a program with invalid baseURI





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with invalid baseURI	PASSED	0.001 s
2	When Admin sends Get Request Request with endpoint	PASSED	0.231 s
3	Then Admin receives 404 Not Found Status for invalid baseurl with message and boolean success details	PASSED	0.002 s

Check if Admin able to retrieve a program with invalid Endpoint

<div>PASSED</div>	<div>DURATION - 0.144 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:53:12.605 AM // 10:53:12.749 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request with pgm Id and request Body with invalid endpoint	PASSED	0.137 s
3	Then Admin receives 404 Not Found Status for Get with Pgm Id with message and boolean success details	PASSED	0.000 s

Check if Admin able to retrieve all programs with valid Endpoint

PASSED	DURATION - 0.306 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:12.774 AM // 10:53:13.080 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.003 s
2	When Admin sends Get All programs with users Request with endpoint	PASSED	0.298 s
3	Then Admin receives 200 OK Status with response body of Users	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid Endpoint

PASSED	DURATION - 0.149 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:13.090 AM // 10:53:13.239 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends Get Request for all users with request Body with invalid endpoint	PASSED	0.145 s
3	Then Admin receives 404 Not Found Status for Get w for all users with message and boolean success details	PASSED	0.001 s

Check if Admin able to retrieve all programs with invalid Method

PASSED	DURATION - 0.133 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:13.260 AM // 10:53:13.393 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends post all users Request instead of get with endpoint	PASSED	0.130 s
3	Then Admin receives 405 Method Not Allowed for get all users invalid method	PASSED	0.001 s

Check if Admin able to retrieve all programs without Authorization

PASSED	DURATION - 0.155 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:13.408 AM // 10:53:13.563 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint without auth	PASSED	0.150 s
3	Then Admin receives 401 Status with response body as Unauthorized	PASSED	0.000 s

Check if Admin able to update a program with valid programID endpoint and valid request body

PASSED	DURATION - 0.220 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:13.574 AM // 10:53:13.794 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with valid endpoint	PASSED	0.217 s
3	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.001 s

Check if Admin able to update a program with invalid programID endpoint and valid request body

PASSED	DURATION - 0.204 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:53:13.804 AM // 10:53:14.008 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with invalid prgm Id and valid endpoint	PASSED	0.198 s
3	Then Admin receives 404 Not Found Status for update pgm invalid pgm id with message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program without request body

PASSED	DURATION - 0.224 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:14.017 AM // 10:53:14.241 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request missing mandate field and valid endpoint	PASSED	0.221 s
3	Then Admin receives 400 Bad Request Status for put for missing mandate field with message and boolean success details	PASSED	0.000 s

Check if Admin able to update a program with invalid baseURI

<div>PASSED</div> <div>DURATION - 0.211 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:53:14.260 AM // 10:53:14.471 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields with invalid baseurl	PASSED	0.002 s
2	When Admin sends Put Request with invalid baseurl valid endpoint	PASSED	0.206 s
3	Then Admin receives 404 Not Found Status for put invalid baseurl with message and boolean success details	PASSED	0.000 s

Check if Admin able to update a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.202 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:53:14.481 AM // 10:53:14.683 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.002 s
2	When Admin sends get request instead of put Request with valid endpoint	PASSED	0.197 s
3	Then Admin receives 405 Method Not Allowed for using get instead of put	PASSED	0.001 s

Check if Admin able to update a program without Authorization

<div>PASSED</div> <div>DURATION - 0.236 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:53:14.693 AM // 10:53:14.929 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with endpoint without auth	PASSED	0.232 s
3	Then Admin receives 401 Status with response body as Unauthorized for put by pgm id	PASSED	0.000 s

Check if Admin able to update a program with Valid program Name and request body

PASSED	DURATION - 0.209 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:53:14.941 AM // 10:53:15.150 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with Program name with valid endpoint	PASSED	0.205 s
3	Then Admin receives 200 OK Status code with updated value in response body.	PASSED	0.001 s

Check if Admin able to update a program with invalid program Name and request body

PASSED	DURATION - 0.195 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:53:15.160 AM // 10:53:15.355 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with invalid Program name with valid endpoint	PASSED	0.192 s
3	Then Admin receives 404 Not Found Status for put with invalid pg namewith message and boolean success details	PASSED	0.000 s

Check if Admin able to update a program using valid program name - missing mandatory fields in request body

<div>PASSED</div>	<div>DURATION - 0.176 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:53:15.368 AM // 10:53:15.544 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API with missing mandatory fields	PASSED	0.001 s
2	When Admin sends Put Request with valid prgom name with valid endpoint	PASSED	0.171 s
3	Then Admin receives 400 Bad Request Status for missing field with message and boolean success details	PASSED	0.000 s

Check if Admin able to upadte a program with program name starting with a number

PASSED	DURATION - 0.184 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:53:15.564 AM // 10:53:15.748 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.181 s
3	Then Admin receives 400 Bad Request Status for put Pgm name starting with number	PASSED	0.000 s

Check if Admin able to update a program with invalid program Description

PASSED	DURATION - 0.194 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:53:15.760 AM // 10:53:15.954 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.002 s
2	When Admin sends Put Request and Pgm Descrip starting with Number in request Body with endpoint	PASSED	0.187 s
3	Then Admin receives 400 Bad Request Status for put Pgm descrip starting with number	PASSED	0.000 s

Check if Admin able to delete a program with valid LMS API,invalid programName

PASSED	DURATION - 0.129 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:15.966 AM // 10:53:16.095 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programName	PASSED	0.002 s
2	When Admin sends Delete by invalid ProgramName Request with endpoint	PASSED	0.125 s
3	Then Admin receives 404 Not Found Status for delete invalid pgnamewith message and boolean success details	PASSED	0.001 s

Check if Admin able to delete a program by pgmr name without Authorization

PASSED	DURATION - 0.147 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:16.110 AM // 10:53:16.257 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.000 s
2	When Admin sends delete Request by program name with endpoint without auth	PASSED	0.144 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm name	PASSED	0.000 s

Check if Admin able to delete a program with valid LMS API,invalid programId

<div>PASSED</div>	<div>DURATION - 0.165 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:53:16.265 AM // 10:53:16.430 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programId	PASSED	0.000 s
2	When Admin sends Delete by invalid ProgramID Request with endpoint	PASSED	0.163 s
3	Then Admin receives 404 Not Found Status for delete invalid pgid with message and boolean success details	PASSED	0.001 s

Check if Admin able to delete a program without Authorization



PASSED	DURATION - 0.169 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:16.442 AM // 10:53:16.611 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.000 s
2	When Admin sends delete Request by program id with endpoint without auth	PASSED	0.167 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm id	PASSED	0.001 s

Batch Module POST request



FAILED	DURATION - 2.904 s	Scenarios Total - 14 Pass - 13 Fail - 1 Skip - 0		Steps Total - 42 Pass - 41 Fail - 1 Skip - 0	
/ 10:53:16.631 AM // 10:53:19.535 AM /					

Check if admin able to create a Batch with valid endpoint and request body (non existing values)

PASSED	DURATION - 0.277 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:16.631 AM // 10:53:16.908 AM /				
Batch Module POST request				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with valid data in request body	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to create batch	PASSED	0.271 s
3	Then Admin receives 201 Created Status with response body	PASSED	0.000 s



Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)

PASSED	DURATION - 0.149 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:16.917 AM // 10:53:17.066 AM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with existing value in request body	PASSED	0.001 s
2	When Admin sends HTTPS POST Request with endpoint to create batch	PASSED	0.144 s



#	Step / Hook Details	Status	Duration
3	Then Admin receives 400 Bad Request Status with message in the response body	PASSED	0.001 s

Check if admin able to create a Batch missing mandatory fields in request body

PASSED	DURATION - 0.187 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:17.084 AM // 10:53:17.271 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data in request body	PASSED	0.001 s
2	When Admin sends POST Request with endpoint to create batch	PASSED	0.183 s
3	Then Admin receives 400 Bad Request Status with message	PASSED	0.000 s

Check if admin able to create a batch with invalid endpoint

PASSED	DURATION - 0.203 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:17.286 AM // 10:53:17.489 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with invalid endpoint	PASSED	0.199 s
3	Then Admin receives 404 not found Status	PASSED	0.001 s

Check if admin able to create a batch with missing additional fields

<div>FAILED</div>	<div>DURATION - 0.209 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
<div>/ 10:53:17.499 AM // 10:53:17.708 AM /</div>				
<div>Batch Module POST request</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with missing additional fields	PASSED	0.001 s
2	When Admin sends HTTPS Request with valid endpoint to create batch	PASSED	0.205 s
3	Then Admin receives 201 Created Status with response java.lang.AssertionError: expected [201] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_created_status_with_response(ProgramBatchModuleSD.java:108) at ?.Admin receives 201 Created Status with response(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:39) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s

Check if admin able to create a batch with invalid data in request body

PASSED	DURATION - 0.257 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:17.717 AM // 10:53:17.974 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data fields in request body	PASSED	0.001 s
2	When Admin sends HTTPS POST Request with valid endpoint	PASSED	0.253 s
3	Then Admin receives 400 Bad Request Status with message and boolean success	PASSED	0.001 s

Check if admin able to retrieve all batches with valid LMS API

PASSED	DURATION - 0.238 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:17.984 AM // 10:53:18.222 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Get Request with endpoint to get batch	PASSED	0.235 s
3	Then Admin receives 200 OK Status with response body	PASSED	0.000 s

Check if admin able to retrieve all batches with invalid Endpoint

PASSED	DURATION - 0.130 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:18.244 AM // 10:53:18.374 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with invalid endpoint	PASSED	0.001 s
2	When Admin sends HTTPS GET Request with invalid endpoint to get all batches	PASSED	0.126 s
3	Then Admin receives 404 status with error message Not Found	PASSED	0.001 s

Check if admin able to retrieve a batch with valid BATCH ID

<div>PASSED</div>	<div>DURATION - 0.145 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:53:18.380 AM // 10:53:18.525 AM /				
Batch Module POST request				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.001 s
2	When Admin sends Get Request with endpoint for batch module	PASSED	0.140 s
3	Then Admin receives 200 OK Status with response in the response body	PASSED	0.002 s

Check if admin able to retrieve a batch with valid BATCH NAME

<div>PASSED</div>	<div>DURATION - 0.143 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 10:53:18.534 AM // 10:53:18.677 AM /</div>				
<div>Batch Module POST request</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch Name	PASSED	0.001 s
2	When Admin sends Get batch Request with endpoint for batch module	PASSED	0.141 s
3	Then Admin receives 200 Status code with response body	PASSED	0.001 s

Check if admin able to retrieve a batch with valid Program ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Program Id	PASSED	0.001 s
2	When Admin sends HTTPS Request to get batch by program Id with endpoint	PASSED	0.142 s
3	Then Admin receives status code 200 OK Status with response body	PASSED	0.000 s

Check if admin able to update a Batch with valid batchID and mandatory fields in request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid BatchId and Data	PASSED	0.000 s
2	When Admin sends HTTPS Request to update with endpoint	PASSED	0.212 s
3	Then Admin receives 200 OK Status with updated value in response body for update request.	PASSED	0.002 s

Check if admin able to delete a Batch with valid Batch ID





#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request with valid BatchId	PASSED	0.002 s
2	When Admin sends HTTPS Request to delete with endpoint	PASSED	0.162 s
3	Then Admin receives 200 Ok status with message to delete batch module	PASSED	0.000 s

Check if admin able to retrieve a batch after deleting the batch





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.000 s
2	When Admin sends HTTPS GET Request with valid id	PASSED	0.136 s
3	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body.	PASSED	0.148 s

User Module



<div>FAILED</div> <div>DURATION - 2.884 s</div>		<div>Scenarios</div> <div>Total - 13</div> <div>Pass - 10</div> <div>Fail - 3</div> <div>Skip - 0</div>		<div></div>		<div>Steps</div> <div>Total - 39</div> <div>Pass - 36</div> <div>Fail - 3</div> <div>Skip - 0</div>		<div></div>	
/ 10:53:19.543 AM // 10:53:22.427 AM /									

Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields

<div>PASSED</div> <div>DURATION - 0.682 s</div>		Steps	
/ 10:53:19.543 AM // 10:53:20.225 AM /		Total - 3	
User Module		Pass - 3	
@PostRequest		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with all mandatory fields for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 201 Created Status with response body for User Module	PASSED	0.677 s



Check if admin is able to retrieve all the available roles

<div>PASSED</div>	<div>DURATION - 0.252 s</div>	<div></div>	<div>Steps</div>	<div></div>
<div>/ 10:53:20.247 AM // 10:53:20.499 AM /</div>			<div>Total - 3</div>	
<div>User Module</div>			<div>Pass - 3</div>	
<div>@GetRequest(allroles)</div>			<div>Fail - 0</div>	
			<div>Skip - 0</div>	

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with GET All Roles endpoint for User Module	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
3	Then Admin receives 200 OK for User Module	PASSED	0.248 s

Check if admin able to retrieve all Admin with valid endpoint

PASSED	DURATION - 0.170 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:20.507 AM // 10:53:20.677 AM /				
User Module				
@GetRequest(All_Admins)				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with valid endpoint for User Module	PASSED	0.001 s
3	Then Admin receives 200 OK Status with response body for User Module	PASSED	0.167 s

Check if admin able to retrieve a Admin with valid Admin ID

PASSED	DURATION - 0.153 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:20.692 AM // 10:53:20.845 AM /				
User Module				
@GetRequest(by_AdminID)				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid AdminId	PASSED	0.002 s
2	When Admin sends HTTPS Request with valid endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK Status with response body for User Module	PASSED	0.150 s

Check if admin able to retrieve all active Admins

PASSED	DURATION - 0.156 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:20.852 AM // 10:53:21.008 AM /				
<i>User Module</i>				
@GetRequest(All_active_admins)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for active admins	PASSED	0.001 s
2	When Admin sends HTTPS Request with Get ALL Active Users endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK with all Active Admins response body for User Module	PASSED	0.154 s

Check if admin is able to get count of active and inactive Admins

PASSED	DURATION - 0.158 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:21.027 AM // 10:53:21.185 AM /				
<i>User Module</i>				
@GetRequest(Count_of_active_inactive_Admins)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK With count of all active and inactive admins for User Module	PASSED	0.156 s

Check if admin is able to get the Admins by program batches for valid batch ID

<div>FAILED</div> <div>DURATION - 0.117 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:53:21.197 AM // 10:53:21.314 AM /				
User Module				
@GetRequest(Admins_by_program_batches)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid batch Id for User Module	PASSED	0.002 s
2	When Admin sends HTTPS Request with endpoint to get Admins by program batch for valid batchId for User Module	PASSED	0.001 s
3	Then Admin receives 200 OK for admins by program batches for valid adminId for User Module java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.UserModuleSD. admin_receives_ok_for_admins_by_program_batches_for_valid_admin_id_for_user_module(UserModuleSD.java:114) at ?.Admin receives 200 OK for admins by program batches for valid adminId for User Module(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 004UserModule.feature:44) * Not displayable characters are replaced by '?'. 	FAILED	0.113 s

Check if admin is able to get the Admins for valid program Id

<div>FAILED</div>	<div>DURATION - 0.162 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:53:21.334 AM // 10:53:21.496 AM /</div>				
<div>User Module</div>				
<div>@GetRequest(get_Admin_for_program)</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to get admins with valid program Id for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint to get the Admins for valid program Id for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK to get the Admins for valid program Id for User Module	FAILED	0.160 s
	<pre> java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.UserModuleSD. admin_receives_ok_to_get_the_admins_for_valid_program_id_for_user_module(UserModuleSD.java:132) at ?.Admin receives 200 OK to get the Admins for valid program Id for User Module(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 004UserModule.feature:50) * Not displayable characters are replaced by '?'. </pre>		

Check if admin is able to retrieve Admins by valid role ID

PASSED	DURATION - 0.174 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:21.508 AM // 10:53:21.682 AM /				
User Module				
@GetRequest(get_Admin_by_RoleID)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid role ID to retrieve Admins by valid role ID	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint to retrieve Admins by valid role ID	PASSED	0.001 s
3	Then Admin receives 200 OK when retrieved Admins by valid role ID for User Module	PASSED	0.172 s

Check if admin able to retrieve all Admins with roles

PASSED	DURATION - 0.146 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:21.694 AM // 10:53:21.840 AM /				
User Module				
@GetRequest(Admin_With_Roles)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins with roles	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to retrieve all Admins with roles	PASSED	0.000 s
3	Then Admin receives 200 OK Status with response body after retrieved all Admins with roles for User Module	PASSED	0.144 s

Check if admin is able to update role status of a Admin with valid Admin id

PASSED	DURATION - 0.206 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:53:21.856 AM // 10:53:22.062 AM /				
User Module				
@PutRequest(Update_Admin_Role_Status_By_AdminID)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid data in request body to update role status	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to update role status	PASSED	0.000 s
3	Then Admin receives 200 Ok Status with response message after update of role status for User Module	PASSED	0.202 s

Check if admin is able to update role id of a Admin by valid Admin id

<div>PASSED</div>	<div>DURATION - 0.174 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:53:22.070 AM // 10:53:22.244 AM /</div>				
<div>User Module</div>				
<div>@PutRequest(Update_Admin_RoleID)</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid request body for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to update Admin roleId by valid AdminId	PASSED	0.001 s
3	Then Admin receives 200 OK Status with response body to update Admin roleId	PASSED	0.170 s

Check if admin is able to assign Admin to with program/batch by Admin Id

FAILED		DURATION - 0.163 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:53:22.264 AM // 10:53:22.427 AM /						
User Module						
@PutRequest(Update_Admin_Role_Program_Batch_Status)						

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid data in request body to assign Admin with program/batch by Admin Id	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to assign Admin with program/batch by Admin Id	PASSED	0.000 s
3	Then Admin receives 200 Ok Status with response message to assign Admin to with program/batch by Admin Id <pre>java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.UserModuleSD.admin_receives_ok_status_with_response_message_to_assign_admin_to_with_program_batch_by_admin_id(UserModuleSD.java:243)</pre>	FAILED	0.161 s

#	Step / Hook Details	Status	Duration
	<p>at ?.Admin receives 200 Ok Status with response message to assign Admin to with program/batch by Admin Id(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/004UserModule.feature:88)</p> <p>* Not displayable characters are replaced by '?'. </p>		