Cucumber Report

| **Start : Apr 02, 11:09:55.207 AM**	**End : Apr 02, 11:10:13.900 AM**	**Duration : 18.693 s**
Features	Scenarios	Steps
PASSED - 3 FAILED - 2 SKIPPED - 0	PASSED - 70 FAILED - 2 SKIPPED - 0	PASSED - 214 FAILED - 2 SKIPPED - 0

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Post request	4.444 s	3	3	0	0	9	9	0	0
ProgramModule	7.820 s	36	35	1	0	108	107	1	0
Batch Module POST request	2.299 s	12	11	1	0	36	35	1	0
User Module	2.826 s	13	13	0	0	39	39	0	0
User Role Program Batch Map	1.248 s	8	8	0	0	24	24	0	0

#	Feature Name	Scenario Name
1	ProgramModule	Check if Admin able to create a program with missing additional field
2	Batch Module POST request	Check if admin able to create a batch with missing additional fields

| TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag	38	37	1	0	3	1	2	0
@EndToEnd	1	1	0	0	1	1	0	0
@PostRequest	1	1	0	0	1	1	0	0
@GetRequest(allroles)	1	1	0	0	1	1	0	0
@GetRequest(All_Admins)	1	1	0	0	1	1	0	0
@GetRequest(by_AdminID)	1	1	0	0	1	1	0	0
@GetRequest(All_active_admins)	1	1	0	0	1	1	0	0
@GetRequest(Count_of_active_inactive_Admins)	1	1	0	0	1	1	0	0
@GetRequest(get_Admin_by_RoleID)	1	1	0	0	1	1	0	0
@GetRequest(Admin_With_Roles)	1	1	0	0	1	1	0	0
@PutRequest(Update_Admin_Role_Status_By_AdminID)	1	1	0	0	1	1	0	0
@PutRequest(Update_Admin_RoleID)	1	1	0	0	1	1	0	0
@PutRequest(Update_Admin_Role_Program_Batch_Status)	1	1	0	0	1	1	0	0
@GetRequest(get_Admin_for_program)	1	1	0	0	1	1	0	0
@GetRequest(Admins_by_program_batches)	1	1	0	0	1	1	0	0

| #	Feature Name	T	P	F	S	Duration
1	Post request	3	3	0	0	4.444 s
2	ProgramModule	36	35	1	0	7.820 s
3	Batch Module POST request	12	11	1	0	2.299 s
4	User Module	13	13	0	0	2.826 s
5	User Role Program Batch Map	8	8	0	0	1.248 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Post request	Check if Admin able to generate token with valid credential	3	3	0	0	3.841 s
2		Check if Admin able to generate token with invalid endpoint	3	3	0	0	0.313 s
3		Check if Admin able to generate token with invalid credentials	3	3	0	0	0.177 s
4	ProgramModule	Check if Admin able to create a program with valid endpoint and request body with Authorization	3	3	0	0	0.643 s
5		Check if Admin able to create a program with valid endpoint and request body without Authorization	3	3	0	0	0.313 s
6		Check if Admin able to create a program with invalid endpoint	3	3	0	0	0.348 s
7		Check if Admin able to create a program with already existing program name	3	3	0	0	0.253 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
8		*Check if Admin able to create a program with missing values in the request body*	3	3	0	0	0.218 s
9		*Check if Admin able to create a program with invalid method*	3	3	0	0	0.228 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10	ProgramModule	Check if Admin able to create a program without program name starting with a number	3	3	0	0	0.216 s
11		Check if Admin able to create a program with missing additional field	3	2	1	0	0.241 s
12		Check if Admin able to retrieve all programs with valid Endpoint	3	3	0	0	0.151 s
13		Check if Admin able to retrieve all programs with valid Endpoint without auth	3	3	0	0	0.135 s
14		Check if Admin able to create a program with invalid endpoint	3	3	0	0	0.140 s
15		Check if Admin able to create a program with invalid method	3	3	0	0	0.127 s
16		Check if Admin able to retrieve a program with valid program ID	3	3	0	0	0.135 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
17		*Check if Admin able to retrieve all programs with valid prgm id without auth*	3	3	0	0	0.128 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
18	ProgramModule	Check if Admin able to retrieve a program with invalid program ID	3	3	0	0	0.134 s
19		Check if Admin able to retrieve a program with invalid baseURI	3	3	0	0	0.262 s
20		Check if Admin able to retrieve a program with invalid Endpoint	3	3	0	0	0.142 s
21		Check if Admin able to retrieve all programs with valid Endpoint	3	3	0	0	0.189 s
22		Check if Admin able to retrieve a program with invalid Endpoint	3	3	0	0	0.167 s
23		Check if Admin able to retrieve all programs with invalid Method	3	3	0	0	0.145 s
24		Check if Admin able to retrieve all programs without Authorization	3	3	0	0	0.143 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
25	ProgramModule	Check if Admin able to update a program with valid programID endpoint and valid request body	3	3	0	0	0.239 s
26		Check if Admin able to update a program with invalid programID endpoint and valid request body	3	3	0	0	0.204 s
27		Check if Admin able to update a program without request body	3	3	0	0	0.193 s
28		Check if Admin able to update a program with invalid baseURI	3	3	0	0	0.209 s
29		Check if Admin able to update a program with invalid method	3	3	0	0	0.187 s
30		Check if Admin able to update a program without Authorization	3	3	0	0	0.185 s
31		Check if Admin able to update a program with Valid program Name and request body	3	3	0	0	0.214 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
32		Check if Admin able to update a program with invalid program Name and request body	3	3	0	0	0.181 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
33	ProgramModule	Check if Admin able to update a program using valid program name - missing mandatory fields in request body	3	3	0	0	0.193 s
34		Check if Admin able to upadte a program with program name starting with a number	3	3	0	0	0.205 s
35		Check if Admin able to update a program with invalid program Description	3	3	0	0	0.179 s
36		Check if Admin able to delete a program with valid LMS API, invalid programName	3	3	0	0	0.130 s
37		Check if Admin able to delete a program by pgrm name without Authorization	3	3	0	0	0.140 s
38		Check if Admin able to delete a program with valid LMS API, invalid programId	3	3	0	0	0.211 s
39		Check if Admin able to delete a program without Authorization	3	3	0	0	0.143 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
40	Batch Module POST request	Check if admin able to create a Batch with valid endpoint and request body (non existing values)	3	3	0	0	0.232 s
41		Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)	3	3	0	0	0.138 s
42		Check if admin able to create a Batch missing mandatory fields in request body	3	3	0	0	0.196 s
43		Check if admin able to create a batch with invalid endpoint	3	3	0	0	0.303 s
44		Check if admin able to create a batch with missing additional fields	3	2	1	0	0.187 s
45		Check if admin able to create a batch with invalid data in request body	3	3	0	0	0.187 s
46		Check if admin able to retrieve all batches with valid LMS API	3	3	0	0	0.166 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
47		*Check if admin able to retrieve all batches with invalid Endpoint*	3	3	0	0	0.151 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
48	Batch Module POST request	Check if admin able to retrieve a batch with valid BATCH ID	3	3	0	0	0.141 s
49		Check if admin able to retrieve a batch with valid BATCH NAME	3	3	0	0	0.119 s
50		Check if admin able to retrieve a batch with valid Program ID	3	3	0	0	0.142 s
51		Check if admin able to update a Batch with valid batchID and mandatory fields in request body	3	3	0	0	0.194 s
52	User Module	Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields	3	3	0	0	0.638 s
53		Check if admin is able to retreive all the available roles	3	3	0	0	0.278 s
54		Check if admin able to retrieve all Admin with valid endpoint	3	3	0	0	0.152 s
55		Check if admin able to retrieve a Admin with valid Admin ID	3	3	0	0	0.149 s
56		Check if admin able to retrieve all active Admins	3	3	0	0	0.172 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
57		Check if admin is able to get count of active and inactive Admins	3	3	0	0	0.149 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
58	User Module	Check if admin is able to retreive Admins by valid role ID	3	3	0	0	0.172 s
59		Check if admin able to retrieve all Admins with roles	3	3	0	0	0.130 s
60		Check if admin is able to update role status of a Admin with valid Admin id	3	3	0	0	0.164 s
61		Check if admin is able to update role id of a Admin by valid Admin id	3	3	0	0	0.166 s
62		Check if admin is able to assign Admin to with program/batch by Admin Id	3	3	0	0	0.172 s
63		Check if admin is able to get the Admins for valid program Id	3	3	0	0	0.183 s
64		Check if admin is able to get the Admins by program batches for valid batch ID	3	3	0	0	0.182 s
65	User Role Program Batch Map	Admin retreives all Admins with assigned program batches	3	3	0	0	0.161 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
66		*Check if admin is able to retreive all Admins with assigned program batches with No Authorization*	3	3	0	0	0.154 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
67	User Role Program Batch Map	Admin retreives assigned program batches for valid AdminId	3	3	0	0	0.147 s
68		Check if admin is able to retreive assigned program batches for invalid AdminId	3	3	0	0	0.160 s
69		Check if admin is able to retreive assigned program batches for valid AdminId with No authorization	3	3	0	0	0.131 s
70		Check if admin is able to delete the program batch for a Admin	3	3	0	0	0.155 s
71		Check if admin is able to delete the program batch for invalid Admin	3	3	0	0	0.144 s
72		Check if admin is able to delete the program batch for valid Admin and No Authorization	3	3	0	0	0.134 s

Post request

PASSED	DURATION - 4.444 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 11:09:55.207 AM // 11:09:59.651 AM /			3		9

Check if Admin able to generate token with valid credential

| PASSED	DURATION - 3.841 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:09:55.209 AM // 11:09:59.050 AM /				3
Post request				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.784 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.002 s
3	Then Admin receives 200 created with auto generated token	PASSED	2.993 s

Check if Admin able to generate token with invalid endpoint

PASSED	DURATION - 0.313 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:09:59.136 AM // 11:09:59.449 AM /				3
Post request				
@EndToEnd				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with invalid endpoint	PASSED	0.001 s
3	Then Admin receives 401 unauthorized	PASSED	0.308 s

Check if Admin able to generate token with invalid credentials

PASSED	DURATION - 0.177 s		Steps	
/ 11:09:59.474 AM // 11:09:59.651 AM /			Total - 3	
Post request			Pass - 3	3
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with invalid credentials	PASSED	0.002 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.003 s
3	Then Admin receives 400 Bad request	PASSED	0.167 s

ProgramModule

FAILED	DURATION - 7.820 s	Scenarios		Steps	
/ 11:09:59.678 AM // 11:10:07.498 AM /		Total - 36		Total - 108	
		Pass - 35	36	Pass - 107	108
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Check if Admin able to create a program with valid endpoint and request body with Authorization

PASSED	DURATION - 0.643 s

/ 11:09:59.678 AM // 11:10:00.321 AM /

ProgramModule

@tag

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.010 s
2	When Admin sends HTTPS Request and request Body with endpoint	PASSED	0.622 s
3	Then Admin receives 201 Created Status with response body.	PASSED	0.001 s

Check if Admin able to create a program with valid endpoint and request body without Authorization

PASSED	DURATION - 0.313 s

/ 11:10:00.347 AM // 11:10:00.660 AM /

*ProgramModule*

@tag

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and request Body with endpoint without Authorization	PASSED	0.306 s
3	Then Admin receives 401 Unauthorized error for post	PASSED	0.002 s

Check if Admin able to create a program with invalid endpoint

| *PASSED*	*DURATION - 0.348 s*		Steps
/ 11:10:00.691 AM // 11:10:01.039 AM /			Total - 3
			Pass - 3
ProgramModule			Fail - 0
			Skip - 0
@tag			

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.002 s
2	When Admin sends HTTPS Request and request Body with invalid endpoint	PASSED	0.342 s
3	Then Admin receives 404 not found Status with message and boolean success details	PASSED	0.000 s

Check if Admin able to create a program with already existing program name

PASSED	*DURATION - 0.253 s*		Steps
/ 11:10:01.056 AM // 11:10:01.309 AM /			Total - 3
			Pass - 3
ProgramModule			Fail - 0
			Skip - 0
@tag			

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request with exsisting prgm name and request Body with endpoint	PASSED	0.249 s
3	Then Admin receives 400 Bad Request Status with message and boolean success details	PASSED	0.000 s

Check if Admin able to create a program with missing values in the request body

PASSED	DURATION - 0.218 s

/ 11:10:01.333 AM // 11:10:01.551 AM /

ProgramModule

@tag

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

| #	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends Post Request and missing Pgm Name in request Body with endpoint	PASSED	0.213 s
3	Then Admin receives 400 Bad Request Status for missing value	PASSED	0.001 s

Check if Admin able to create a program with invalid method

PASSED	DURATION - 0.228 s

/ 11:10:01.574 AM // 11:10:01.802 AM /

ProgramModule

@tag

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends Get Request instead of post and request Body with endpoint	PASSED	0.224 s
3	Then Admin receives 405 Method Not Allowed	PASSED	0.001 s

Check if Admin able to create a program without program name starting with a number

PASSED	DURATION - 0.216 s
/ 11:10:01.824 AM // 11:10:02.040 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.211 s
3	Then Admin receives 400 Bad Request Status for Pgm name starting with number	PASSED	0.001 s

Check if Admin able to create a program with missing additional field

FAILED	DURATION - 0.241 s
/ 11:10:02.064 AM // 11:10:02.305 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request with request Body with missing additional field with endpoint	PASSED	0.231 s
3	Then Admin receives 200 ok for missing additional fields in program post request body	FAILED	0.007 s

	java.lang.AssertionError: expected [200] but found [400]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:1419)
	    at org.testng.Assert.assertEquals(Assert.java:1449)
	    at com.lms.api.StepDefinitions.ProgramModuleSD.
	admin_receives_ok_for_missing_additional_fields_in_program_post_request_body(ProgramModuleSD.java:136)		

#	Step / Hook Details	Status	Duration
	at ?.Admin receives 200 ok for missing additional fields in program post request body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:46) * Not displayable characters are replaced by '?'.		

Check if Admin able to retrieve all programs with valid Endpoint

| PASSED	DURATION - 0.151 s		Steps
/ 11:10:02.332 AM // 11:10:02.483 AM /			Total - 3
			Pass - 3
ProgramModule			Fail - 0
			Skip - 0
@tag			

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint	PASSED	0.148 s
3	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

Check if Admin able to retrieve all programs with valid Endpoint without auth

| PASSED	DURATION - 0.135 s		Steps
/ 11:10:02.494 AM // 11:10:02.629 AM /			Total - 3
			Pass - 3
ProgramModule			Fail - 0
			Skip - 0
@tag			

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request and request Body with endpoint without Authorization	PASSED	0.132 s
3	Then Admin receives 401 Unauthorized error for put	PASSED	0.001 s

Check if Admin able to create a program with invalid endpoint

PASSED	DURATION - 0.140 s		Steps	
/ 11:10:02.640 AM // 11:10:02.780 AM /			Total - 3	
			Pass - 3	
ProgramModule			Fail - 0	3
			Skip - 0	
@tag				

| #	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request and request Body with invalid endpoint	PASSED	0.138 s
3	Then Admin receives 404 not found Status for GET with message and boolean success details	PASSED	0.001 s

Check if Admin able to create a program with invalid method

| PASSED	DURATION - 0.127 s		Steps	
/ 11:10:02.789 AM // 11:10:02.916 AM /			Total - 3	
			Pass - 3	
ProgramModule			Fail - 0	3
			Skip - 0	
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Post Request instead of get and request Body with endpoint	PASSED	0.122 s
3	Then Admin receives 405 Method Not Allowed message	PASSED	0.001 s

Check if Admin able to retrieve a program with valid program ID

PASSED	*DURATION - 0.135 s*

/ 11:10:02.927 AM // 11:10:03.062 AM /

ProgramModule

@tag

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get program Request with endpoint	PASSED	0.130 s
3	Then Admin receives 200 OK Status code with response body.	PASSED	0.001 s

Check if Admin able to retrieve all programs with valid prgm id without auth

PASSED	*DURATION - 0.128 s*

/ 11:10:03.070 AM // 11:10:03.198 AM /

ProgramModule

@tag

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get Request by pgm id and request Body with endpoint without Authorization	PASSED	0.125 s
3	Then Admin receives 401 Unauthorized error for put by pgm id	PASSED	0.000 s

### Check if Admin able to retrieve a program with invalid program ID

| *PASSED*	*DURATION - 0.134 s*
/ 11:10:03.213 AM // 11:10:03.347 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request with invlaid ID and endpoint	PASSED	0.130 s
3	Then Admin receives 404 Not Found Status for invalid PG Id with message and boolean success details	PASSED	0.000 s

Check if Admin able to retrieve a program with invalid baseURI

| *PASSED*	*DURATION - 0.262 s*
/ 11:10:03.356 AM // 11:10:03.618 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with invalid baseURI	PASSED	0.000 s
2	When Admin sends Get Request Request with endpoint	PASSED	0.259 s
3	Then Admin receives 404 Not Found Status for invalid baseurl with message and boolean success details	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid Endpoint

PASSED	*DURATION - 0.142 s*		Steps
/ 11:10:03.638 AM // 11:10:03.780 AM /			Total - 3 Pass - 3 Fail - 0 Skip - 0
ProgramModule			
@tag			

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request with pgm Id and request Body with invalid endpoint	PASSED	0.139 s
3	Then Admin receives 404 Not Found Status for Get with Pgm Id with message and boolean success details	PASSED	0.001 s

Check if Admin able to retrieve all programs with valid Endpoint

| *PASSED*	*DURATION - 0.189 s*		Steps
/ 11:10:03.790 AM // 11:10:03.979 AM /			Total - 3 Pass - 3 Fail - 0 Skip - 0
ProgramModule			
@tag			

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends Get All programs with users Request with endpoint	PASSED	0.187 s
3	Then Admin receives 200 OK Status with response body of Users	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid Endpoint

|	
PASSED	*DURATION - 0.167 s*
/ 11:10:03.993 AM // 11:10:04.160 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends Get Request for all users with request Body with invalid endpoint	PASSED	0.162 s
3	Then Admin receives 404 Not Found Status for Get w for all users with message and boolean success details	PASSED	0.001 s

Check if Admin able to retrieve all programs with invalid Method

PASSED	*DURATION - 0.145 s*
/ 11:10:04.171 AM // 11:10:04.316 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends post all users Request instead of get with endpoint	PASSED	0.142 s
3	Then Admin receives 405 Method Not Allowed for get all users invalid method	PASSED	0.000 s

Check if Admin able to retrieve all programs without Authorization

| PASSED	DURATION - 0.143 s
/ 11:10:04.324 AM // 11:10:04.467 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint without auth	PASSED	0.139 s
3	Then Admin receives 401 Status with response body as Unauthorized	PASSED	0.000 s

Check if Admin able to update a program with valid programID endpoint and valid request body

| PASSED	DURATION - 0.239 s
/ 11:10:04.475 AM // 11:10:04.714 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with valid endpoint	PASSED	0.234 s
3	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.001 s

Check if Admin able to update a program with invalid programID endpoint and valid request body

PASSED	DURATION - 0.204 s

/ 11:10:04.734 AM // 11:10:04.938 AM /

ProgramModule

@tag

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with invalid prgm Id and valid endpoint	PASSED	0.201 s
3	Then Admin receives 404 Not Found Status for update pgm invalid pgm id with message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program without request body

PASSED	DURATION - 0.193 s

/ 11:10:04.957 AM // 11:10:05.150 AM /

ProgramModule

@tag

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request missing mandate field and valid endpoint	PASSED	0.190 s
3	Then Admin receives 400 Bad Request Status for put for missing mandate field with message and boolean success details	PASSED	0.000 s

Check if Admin able to update a program with invalid baseURI

PASSED	DURATION - 0.209 s
/ 11:10:05.157 AM // 11:10:05.366 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields with invalid baseurl	PASSED	0.000 s
2	When Admin sends Put Request with invalid baseurl valid endpoint	PASSED	0.205 s
3	Then Admin receives 404 Not Found Status for put invalid baseurl with message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program with invalid method

PASSED	DURATION - 0.187 s
/ 11:10:05.378 AM // 11:10:05.565 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends get request instead of put Request with valid endpoint	PASSED	0.181 s
3	Then Admin receives 405 Method Not Allowed for using get instead of put	PASSED	0.001 s

Check if Admin able to update a program without Authorization

| PASSED	DURATION - 0.185 s
/ 11:10:05.574 AM // 11:10:05.759 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with endpoint without auth	PASSED	0.181 s
3	Then Admin receives 401 Status with response body as Unauthorized for put by pgm id	PASSED	0.001 s

Check if Admin able to update a program with Valid program Name and request body

PASSED	DURATION - 0.214 s
/ 11:10:05.768 AM // 11:10:05.982 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with Program name with valid endpoint	PASSED	0.210 s
3	Then Admin receives 200 OK Status code with updated value in response body.	PASSED	0.001 s

Check if Admin able to update a program with invalid program Name and request body

PASSED	DURATION - 0.181 s
/ 11:10:06.003 AM // 11:10:06.184 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with invalid Program name with valid endpoint	PASSED	0.179 s
3	Then Admin receives 404 Not Found Status for put with invalid pg namewith message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program using valid program name - missing mandatory fields in request body

PASSED	DURATION - 0.193 s
/ 11:10:06.200 AM // 11:10:06.393 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API with missing mandatory fields	PASSED	0.000 s
2	When Admin sends Put Request with valid prgom name with valid endpoint	PASSED	0.188 s
3	Then Admin receives 400 Bad Request Status for missing field with message and boolean success details	PASSED	0.000 s

Check if Admin able to upadte a program with program name starting with a number

PASSED	DURATION - 0.205 s

/ 11:10:06.410 AM // 11:10:06.615 AM /

ProgramModule

@tag

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.002 s
2	When Admin sends Put Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.201 s
3	Then Admin receives 400 Bad Request Status for put Pgm name starting with number	PASSED	0.002 s

Check if Admin able to update a program with invalid program Description

PASSED	DURATION - 0.179 s

/ 11:10:06.624 AM // 11:10:06.803 AM /

ProgramModule

@tag

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request and Pgm Descrip starting with Number in request Body with endpoint	PASSED	0.175 s
3	Then Admin receives 400 Bad Request Status for put Pgm descrip starting with number	PASSED	0.001 s

Check if Admin able to delete a program with valid LMS API,invalid programName

| *PASSED*	*DURATION - 0.130 s*
/ 11:10:06.814 AM // 11:10:06.944 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

| #	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programName	PASSED	0.001 s
2	When Admin sends Delete by invalid ProgramName Request with endpoint	PASSED	0.128 s
3	Then Admin receives 404 Not Found Status for delete invalid pgnamewith message and boolean success details	PASSED	0.000 s

Check if Admin able to delete a program by pgrm name without Authorization

PASSED	*DURATION - 0.140 s*
/ 11:10:06.972 AM // 11:10:07.112 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.000 s
2	When Admin sends delete Request by program name with endpoint without auth	PASSED	0.138 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm name	PASSED	0.000 s

## Check if Admin able to delete a program with valid LMS API,invalid programId

PASSED	DURATION - 0.211 s

/ 11:10:07.124 AM // 11:10:07.335 AM /

ProgramModule

@tag

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programId	PASSED	0.000 s
2	When Admin sends Delete by invalid ProgramID Request with endpoint	PASSED	0.207 s
3	Then Admin receives 404 Not Found Status for delete invalid pgid with message and boolean success details	PASSED	0.001 s

Check if Admin able to delete a program without Authorization

PASSED	DURATION - 0.143 s

/ 11:10:07.355 AM // 11:10:07.498 AM /

ProgramModule

@tag

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.001 s
2	When Admin sends delete Request by program id with endpoint without auth	PASSED	0.141 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm id	PASSED	0.001 s

Batch Module POST request

FAILED	DURATION - 2.299 s		Scenarios		Steps	
/ 11:10:07.509 AM // 11:10:09.808 AM /			Total - 12 Pass - 11 Fail - 1 Skip - 0	12	Total - 36 Pass - 35 Fail - 1 Skip - 0	36

Check if admin able to create a Batch with valid endpoint and request body (non existing values)

PASSED	DURATION - 0.232 s			Steps	
/ 11:10:07.509 AM // 11:10:07.741 AM /				Total - 3 Pass - 3 Fail - 0 Skip - 0	3
Batch Module POST request					
@tag					

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with valid data in request body	PASSED	0.002 s
2	When Admin sends HTTPS Request with endpoint to create batch	PASSED	0.227 s
3	Then Admin receives 201 Created Status with response body	PASSED	0.000 s

Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)

PASSED	DURATION - 0.138 s			Steps	
/ 11:10:07.762 AM // 11:10:07.900 AM /				Total - 3 Pass - 3 Fail - 0 Skip - 0	3
Batch Module POST request					

| #	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with existing value in request body	PASSED	0.001 s
2	When Admin sends HTTPS POST Request with endpoint to create batch	PASSED	0.134 s

#	Step / Hook Details	Status	Duration
3	Then Admin receives 400 Bad Request Status with message in the response body	PASSED	0.001 s

Check if admin able to create a Batch missing mandatory fields in request body

PASSED	DURATION - 0.196 s		Steps	
/ 11:10:07.909 AM // 11:10:08.105 AM /			Total - 3	
			Pass - 3	
Batch Module POST request			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data in request body	PASSED	0.001 s
2	When Admin sends POST Request with endpoint to create batch	PASSED	0.193 s
3	Then Admin receives 400 Bad Request Status with message	PASSED	0.001 s

Check if admin able to create a batch with invalid endpoint

| PASSED	DURATION - 0.303 s		Steps	
/ 11:10:08.143 AM // 11:10:08.446 AM /			Total - 3	
			Pass - 3	
Batch Module POST request			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request	PASSED	0.000 s
2	When Admin sends HTTPS Request with invalid endpoint	PASSED	0.298 s
3	Then Admin receives 404 not found Status	PASSED	0.000 s

Check if admin able to create a batch with missing additional fields

| FAILED	DURATION - 0.187 s
/ 11:10:08.468 AM // 11:10:08.655 AM /	
Batch Module POST request	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with missing additional fields	PASSED	0.000 s
2	When Admin sends HTTPS Request with valid endpoint to create batch	PASSED	0.185 s
3	Then Admin receives 201 Created Status with response	FAILED	0.001 s

	java.lang.AssertionError: expected [201] but found [400]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:1419)
	    at org.testng.Assert.assertEquals(Assert.java:1449)
	    at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_created_status_with_response(ProgramBatchModuleSD.java:108)
	    at ?.Admin receives 201 Created Status with response(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:39)
	* Not displayable characters are replaced by '?'.		

Check if admin able to create a batch with invalid data in request body

| PASSED	DURATION - 0.187 s
/ 11:10:08.663 AM // 11:10:08.850 AM /	
Batch Module POST request	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data fields in request body	PASSED	0.000 s
2	When Admin sends HTTPS POST Request with valid endpoint	PASSED	0.183 s
3	Then Admin receives 400 Bad Request Status with message and boolean success	PASSED	0.001 s

Check if admin able to retrieve all batches with valid LMS API

PASSED	DURATION - 0.166 s		Steps
/ 11:10:08.858 AM // 11:10:09.024 AM /			Total - 3
			Pass - 3
Batch Module POST request			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Get Request with endpoint to get batch	PASSED	0.163 s
3	Then Admin receives 200 OK Status with response body	PASSED	0.000 s

Check if admin able to retrieve all batches with invalid Endpoint

| PASSED	DURATION - 0.151 s		Steps
/ 11:10:09.034 AM // 11:10:09.185 AM /			Total - 3
			Pass - 3
Batch Module POST request			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with invalid endpoint	PASSED	0.000 s
2	When Admin sends HTTPS GET Request with invalid endpoint to get all batches	PASSED	0.149 s
3	Then Admin receives 404 status with error message Not Found	PASSED	0.000 s

Check if admin able to retrieve a batch with valid BATCH ID

| PASSED	DURATION - 0.141 s		Steps
			Total - 3
/ 11:10:09.192 AM // 11:10:09.333 AM /			Pass - 3
			Fail - 0
Batch Module POST request			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.001 s
2	When Admin sends Get Request with endpoint for batch module	PASSED	0.138 s
3	Then Admin receives 200 OK Status with response in the response body	PASSED	0.001 s

Check if admin able to retrieve a batch with valid BATCH NAME

PASSED	DURATION - 0.119 s		Steps
			Total - 3
/ 11:10:09.340 AM // 11:10:09.459 AM /			Pass - 3
			Fail - 0
Batch Module POST request			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch Name	PASSED	0.000 s
2	When Admin sends Get batch Request with endpoint for batch module	PASSED	0.117 s
3	Then Admin receives 200 Status code with response body	PASSED	0.000 s

### Check if admin able to retrieve a batch with valid Program ID

PASSED	DURATION - 0.142 s		Steps
/ 11:10:09.466 AM // 11:10:09.608 AM /			Total - 3
			Pass - 3
Batch Module POST request			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Program Id	PASSED	0.000 s
2	When Admin sends HTTPS Request to get batch by program Id with endpoint	PASSED	0.140 s
3	Then Admin receives status code 200 OK Status with response body	PASSED	0.000 s

Check if admin able to update a Batch with valid batchID and mandatory fields in request body

PASSED	DURATION - 0.194 s		Steps
/ 11:10:09.614 AM // 11:10:09.808 AM /			Total - 3
			Pass - 3
Batch Module POST request			Fail - 0
			Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid BatchId and Data	PASSED	0.001 s
2	When Admin sends HTTPS Request to update with endpoint	PASSED	0.191 s
3	Then Admin receives 200 OK Status with updated value in response body for update request.	PASSED	0.001 s

User Module

PASSED	DURATION - 2.826 s	Scenarios Total - 13 Pass - 13 Fail - 0 Skip - 0	13	Steps Total - 39 Pass - 39 Fail - 0 Skip - 0	39
/ 11:10:09.817 AM // 11:10:12.643 AM /					

Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields

PASSED	DURATION - 0.638 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 11:10:09.817 AM // 11:10:10.455 AM /				
User Module				
@PostRequest				

| #	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with all mandatory fields for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint for User Module	PASSED	0.001 s
3	Then Admin receives 201 Created Status with response body for User Module	PASSED	0.633 s

Check if admin is able to retreive all the available roles

PASSED	DURATION - 0.278 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 11:10:10.476 AM // 11:10:10.754 AM /				
User Module				
@GetRequest(allroles)				

| #	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with GET All Roles endpoint for User Module	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then Admin receives 200 OK for User Module	PASSED	0.276 s

Check if admin able to retrieve all Admin with valid endpoint

PASSED	DURATION - 0.152 s		Steps	
/ 11:10:10.767 AM // 11:10:10.919 AM /			Total - 3	
			Pass - 3	
User Module			Fail - 0	
			Skip - 0	
@GetRequest(All_Admins)				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with valid endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK Status with response body for User Module	PASSED	0.149 s

Check if admin able to retrieve a Admin with valid Admin ID

| PASSED	DURATION - 0.149 s		Steps	
/ 11:10:10.926 AM // 11:10:11.075 AM /			Total - 3	
			Pass - 3	
User Module			Fail - 0	
			Skip - 0	
@GetRequest(by_AdminID)				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid AdminId	PASSED	0.001 s
2	When Admin sends HTTPS Request with valid endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK Status with response body for User Module	PASSED	0.147 s

Check if admin able to retrieve all active Admins

PASSED	DURATION - 0.172 s
/ 11:10:11.081 AM // 11:10:11.253 AM /	
User Module	
@GetRequest(All_active_admins)	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for active admins	PASSED	0.002 s
2	When Admin sends HTTPS Request with Get ALL Active Users endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK with all Active Admins response body for User Module	PASSED	0.168 s

Check if admin is able to get count of active and inactive Admins

PASSED	DURATION - 0.149 s
/ 11:10:11.260 AM // 11:10:11.409 AM /	
User Module	
@GetRequest(Count_of_active_inactive_Admins)	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint for User Module	PASSED	0.001 s
3	Then Admin receices 200 OK With count of all active and inactive admins for User Module	PASSED	0.147 s

Check if admin is able to retreive Admins by valid role ID

PASSED	DURATION - 0.172 s
/ 11:10:11.416 AM // 11:10:11.588 AM /	
User Module	
@GetRequest(get_Admin_by_RoleID)	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid role ID to retreive Admins by valid role ID	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint to retreive Admins by valid role ID	PASSED	0.000 s
3	Then Admin receives 200 OK when retreived Admins by valid role ID for User Module	PASSED	0.170 s

Check if admin able to retrieve all Admins with roles

| PASSED	DURATION - 0.130 s
/ 11:10:11.595 AM // 11:10:11.725 AM /	
User Module	
@GetRequest(Admin_With_Roles)	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins with roles	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint to retrieve all Admins with roles	PASSED	0.001 s
3	Then Admin receives 200 OK Status with response body after retrieved all Admins with roles for User Module	PASSED	0.129 s

Check if admin is able to update role status of a Admin with valid Admin id

PASSED	DURATION - 0.164 s		Steps

/ 11:10:11.731 AM // 11:10:11.895 AM /

Total - 3
Pass - 3
Fail - 0
Skip - 0

User Module

@PutRequest(Update_Admin_Role_Status_By_AdminID)

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid data in request body to update role status	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint to update role status	PASSED	0.000 s
3	Then Admin receives 200 Ok Status with response message after update of role status for User Module	PASSED	0.162 s

Check if admin is able to update role id of a Admin by valid Admin id

PASSED	DURATION - 0.166 s		Steps

/ 11:10:11.904 AM // 11:10:12.070 AM /

Total - 3
Pass - 3
Fail - 0
Skip - 0

User Module

@PutRequest(Update_Admin_RoleID)

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid request body for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to update Admin roleId by valid AdminId	PASSED	0.001 s
3	Then Admin receives 200 OK Status with response body to update Admin roleId	PASSED	0.162 s

Check if admin is able to assign Admin to with program/batch by Admin Id

PASSED	DURATION - 0.172 s		Steps
/ 11:10:12.080 AM // 11:10:12.252 AM /			Total - 3
			Pass - 3
User Module			Fail - 0
@PutRequest(Update_Admin_Role_Program_Batch_Status)			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid data in request body to assign Admin with program/batch by Admin Id	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to assign Admin with program/batch by Admin Id	PASSED	0.001 s
3	Then Admin receives 200 Ok Status with response message to assign Admin to with program/batch by Admin Id	PASSED	0.167 s

Check if admin is able to get the Admins for valid program Id

PASSED	DURATION - 0.183 s		Steps
/ 11:10:12.270 AM // 11:10:12.453 AM /			Total - 3
			Pass - 3
User Module			Fail - 0
			Skip - 0
@GetRequest(get_Admin_for_program)			

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to get admins with valid program Id for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to get the Admins for valid program Id for User Module	PASSED	0.001 s
3	Then Admin receives 200 OK to get the Admins for valid program Id for User Module	PASSED	0.180 s

Check if admin is able to get the Admins by program batches for valid batch ID

PASSED	DURATION - 0.182 s
/ 11:10:12.461 AM // 11:10:12.643 AM /	
User Module	
@GetRequest(Admins_by_program_batches)	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid batch Id for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to get Admins by program batch for valid batchId for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK for admins by program batches for valid adminId for User Module	PASSED	0.180 s

User Role Program Batch Map

PASSED	DURATION - 1.248 s
/ 11:10:12.652 AM // 11:10:13.900 AM /	

Scenarios
Total - 8
Pass - 8
Fail - 0
Skip - 0

8

Steps
Total - 24
Pass - 24
Fail - 0
Skip - 0

24

Admin retreives all Admins with assigned program batches

PASSED	DURATION - 0.161 s
/ 11:10:12.652 AM // 11:10:12.813 AM /	
User Role Program Batch Map	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

| #	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins assigned to programs/batches with Authorization to bearer token	PASSED	0.001 s
2	When Admin sends HTTPS GET Request to retrieve all Admins assigned to programs/batches with Authorization to bearer token	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then Admin receives statuscode 200 OK for Role Program Batch Map	PASSED	0.159 s

Check if admin is able to retreive all Admins with assigned program batches with No Authorization

| PASSED	DURATION - 0.154 s	Steps	
/ 11:10:12.820 AM // 11:10:12.974 AM /		Total - 3	
		Pass - 3	
User Role Program Batch Map		Fail - 0	3
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins assigned to programs/batches with authorization to No Auth	PASSED	0.001 s
2	When Admin sends HTTPS Request without authorization	PASSED	0.000 s
3	Then Admin receives status 401 with Unauthorized message for Role Program Batch Map	PASSED	0.153 s

Admin retreives assigned program batches for valid AdminId

| PASSED	DURATION - 0.147 s	Steps	
/ 11:10:12.982 AM // 11:10:13.129 AM /		Total - 3	
		Pass - 3	
User Role Program Batch Map		Fail - 0	3
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by AdminId with Authorization to bearer token	PASSED	0.001 s
2	When Admin sends HTTPS Request to get program batches for valid AdminId	PASSED	0.000 s
3	Then Admin will receive 200 OK for Role Program Batch Map	PASSED	0.146 s

Check if admin is able to retreive assigned program batches for invalid AdminId

PASSED	DURATION - 0.160 s
/ 11:10:13.136 AM // 11:10:13.296 AM /	
User Role Program Batch Map	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by invalid AdminID with Authorization to bearer token	PASSED	0.000 s
2	When Admin sends HTTPS Request to get program batches for invalid AdminId	PASSED	0.000 s
3	Then Admin receives 404 with message for Role Program Batch Map	PASSED	0.159 s

Check if admin is able to retreive assigned program batches for valid AdminId with No authorization

PASSED	DURATION - 0.131 s
/ 11:10:13.303 AM // 11:10:13.434 AM /	
User Role Program Batch Map	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by valid AdminID with authorization to No Auth	PASSED	0.001 s
2	When Admin sends HTTPS Request to get Program/Batch by valid Admin Id without authorization	PASSED	0.000 s
3	Then Admin will receive status 401 with Unauthorized message for Role Program Batch Map	PASSED	0.129 s

Check if admin is able to delete the program batch for a Admin

PASSED	DURATION - 0.155 s
/ 11:10:13.440 AM // 11:10:13.595 AM /	
User Role Program Batch Map	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin assigned to program/batch by AdminId with Authorization to bearer token	PASSED	0.000 s
2	When Admin sends HTTPS Request to Delete program/batch by Admin Id	PASSED	0.001 s
3	Then Admin receives Status Code 200 OK after delete operation for Role Program Batch Map	PASSED	0.152 s

Check if admin is able to delete the program batch for invalid Admin

PASSED	DURATION - 0.144 s
/ 11:10:13.604 AM // 11:10:13.748 AM /	
User Role Program Batch Map	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

| #	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin assigned to program/batch by invalid AdminId with Authorization to bearer token	PASSED	0.000 s
2	When Admin sends HTTPS Request to delete program/batch by invalid Admin Id	PASSED	0.000 s
3	Then Admin will receive 404 with message for Role Program Batch Map	PASSED	0.142 s

Check if admin is able to delete the program batch for valid Admin and No Authorization

PASSED	DURATION - 0.134 s

/ 11:10:13.766 AM // 11:10:13.900 AM /

User Role Program Batch Map

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin assigned to program/batch by valid AdminId with authorization to No Auth	PASSED	0.000 s
2	When Admin sends HTTPS Request to delete program/batch by Admin id without Authorization	PASSED	0.000 s
3	Then Admin will receive status code 401 with Unauthorized message for Role Program Batch Map	PASSED	0.133 s