

# Cucumber Report

Apr 2, 2024, 10:30:40 AM

Start : Apr 02, 10:30:23.826 AM

End : Apr 02, 10:30:39.860 AM

Duration : 16.034 s

Features



Scenarios

Steps

PASSED - 1  
FAILED - 2  
SKIPPED - 0

PASSED - 50  
FAILED - 3  
SKIPPED - 0


PASSED - 156  
FAILED - 3  
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Post request</u>	4.944 s	3	3	0	0	9	9	0	0
<u>ProgramModule</u>	8.097 s	36	35	1	0	108	107	1	0
<u>Batch Module POST request</u>	2.955 s	14	12	2	0	42	40	2	0

#	Feature Name	Scenario Name
1	<u>ProgramModule</u>	<u>Check if Admin able to create a program with missing additional field</u>
2	<u>Batch Module POST request</u>	<u>Check if admin able to create a batch with missing additional fields</u>
3		<u>Check if admin able to delete a Batch with valid Batch ID</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@tag	38	37	1	0	3	1	2	0
@EndToEnd	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>Post request</u>	3	3	0	0	4.944 s
2	<u>ProgramModule</u>	36	35	1	0	8.097 s
3	<u>Batch Module POST request</u>	14	12	2	0	2.955 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Post request</u>	<u>Check if Admin able to generate token with valid credential</u>	3	3	0	0	4.161 s
2		<u>Check if Admin able to generate token with invalid endpoint</u>	3	3	0	0	0.329 s
3		<u>Check if Admin able to generate token with invalid credentials</u>	3	3	0	0	0.197 s
4	<u>ProgramModule</u>	<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>	3	3	0	0	0.795 s
5		<u>Check if Admin able to create a program with valid endpoint and request body without Authorization</u>	3	3	0	0	0.336 s
6		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.440 s
7		<u>Check if Admin able to create a program with already existing program name</u>	3	3	0	0	0.278 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if Admin able to create a program with missing values in the request body</u>	3	3	0	0	0.268 s
9		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.271 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>ProgramModule</u>	<u>Check if Admin able to create a program without program name starting with a number</u>	3	3	0	0	0.226 s
11		<u>Check if Admin able to create a program with missing additional field</u>	3	2	1	0	0.237 s
12		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.134 s
13		<u>Check if Admin able to retrieve all programs with valid Endpoint without auth</u>	3	3	0	0	0.130 s
14		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.151 s
15		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.139 s
16		<u>Check if Admin able to retrieve a program with valid program ID</u>	3	3	0	0	0.132 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
17		<u>Check if Admin able to retrieve all programs with valid prgm id without auth</u>	3	3	0	0	0.127 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>ProgramModule</u>	<u>Check if Admin able to retrieve a program with invalid program ID</u>	3	3	0	0	0.159 s
19		<u>Check if Admin able to retrieve a program with invalid baseURI</u>	3	3	0	0	0.239 s
20		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.141 s
21		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.165 s
22		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.166 s
23		<u>Check if Admin able to retrieve all programs with invalid Method</u>	3	3	0	0	0.129 s
24		<u>Check if Admin able to retrieve all programs without Authorization</u>	3	3	0	0	0.200 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
25	<u>ProgramModule</u>	<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>	3	3	0	0	0.234 s
26		<u>Check if Admin able to update a program with invalid programID endpoint and valid request body</u>	3	3	0	0	0.195 s
27		<u>Check if Admin able to update a program without request body</u>	3	3	0	0	0.205 s
28		<u>Check if Admin able to update a program with invalid baseURI</u>	3	3	0	0	0.190 s
29		<u>Check if Admin able to update a program with invalid method</u>	3	3	0	0	0.191 s
30		<u>Check if Admin able to update a program without Authorization</u>	3	3	0	0	0.197 s
31		<u>Check if Admin able to update a program with Valid program Name and request body</u>	3	3	0	0	0.257 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
32		<u>Check if Admin able to update a program with invalid program Name and request body</u>	3	3	0	0	0.198 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
33	<u>ProgramModule</u>	<u>Check if Admin able to update a program using valid program name - missing mandatory fields in request body</u>	3	3	0	0	0.183 s
34		<u>Check if Admin able to upadte a program with program name starting with a number</u>	3	3	0	0	0.164 s
35		<u>Check if Admin able to update a program with invalid program Description</u>	3	3	0	0	0.185 s
36		<u>Check if Admin able to delete a program with valid LMS API, invalid programName</u>	3	3	0	0	0.136 s
37		<u>Check if Admin able to delete a program by pgrm name without Authorization</u>	3	3	0	0	0.137 s
38		<u>Check if Admin able to delete a program with valid LMS API, invalid programId</u>	3	3	0	0	0.172 s
39		<u>Check if Admin able to delete a program without Authorization</u>	3	3	0	0	0.146 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
40	<u>Batch Module POST request</u>	<u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u>	3	3	0	0	0.274 s
41		<u>Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)</u>	3	3	0	0	0.142 s
42		<u>Check if admin able to create a Batch missing mandatory fields in request body</u>	3	3	0	0	0.193 s
43		<u>Check if admin able to create a batch with invalid endpoint</u>	3	3	0	0	0.199 s
44		<u>Check if admin able to create a batch with missing additional fields</u>	3	2	1	0	0.183 s
45		<u>Check if admin able to create a batch with invalid data in request body</u>	3	3	0	0	0.183 s
46		<u>Check if admin able to retrieve all batches with valid LMS API</u>	3	3	0	0	0.131 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
47		<u>Check if admin able to retrieve all batches with invalid Endpoint</u>	3	3	0	0	0.132 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
48	<u>Batch Module POST request</u>	<u>Check if admin able to retrieve a batch with valid BATCH ID</u>	3	3	0	0	0.207 s
49		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>	3	3	0	0	0.148 s
50		<u>Check if admin able to retrieve a batch with valid Program ID</u>	3	3	0	0	0.212 s
51		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>	3	3	0	0	0.245 s
52		<u>Check if admin able to delete a Batch with valid Batch ID</u>	3	2	1	0	0.171 s
53		<u>Check if admin able to retriive a batch after deleting the batch</u>	3	3	0	0	0.356 s



**Post request**



<b>PASSED</b>	DURATION - 4.944 s	Scenarios		Steps	
/ 10:30:23.826 AM // 10:30:28.770 AM /		Total - 3		Total - 9	
		Pass - 3		Pass - 9	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

**Check if Admin able to generate token with valid credential**

<div>PASSED</div> <div>DURATION - 4.161 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:30:23.830 AM // 10:30:27.991 AM /				
Post request				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.889 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.001 s
3	Then Admin receives 200 created with auto generated token	PASSED	3.217 s

**Check if Admin able to generate token with invalid endpoint**

<div>PASSED</div>	<div>DURATION - 0.329 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:30:28.219 AM // 10:30:28.548 AM /				
Post request				
@EndToEnd				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.002 s
2	When Admin calls Post Https method with invalid endpoint	PASSED	0.001 s
3	Then Admin receives 401 unauthorized	PASSED	0.316 s

### Check if Admin able to generate token with invalid credentials



PASSED	DURATION - 0.197 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:30:28.573 AM // 10:30:28.770 AM /				
Post request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with invalid credentials	PASSED	0.002 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.001 s
3	Then Admin receives 400 Bad request	PASSED	0.190 s

### ProgramModule



FAILED		DURATION - 8.097 s		Scenarios Total - 36 Pass - 35 Fail - 1 Skip - 0		Steps Total - 108 Pass - 107 Fail - 1 Skip - 0			
/ 10:30:28.800 AM // 10:30:36.897 AM /									

### Check if Admin able to create a program with valid endpoint and request body with Authorization

<div>PASSED</div>	<div>DURATION - 0.795 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:30:28.802 AM // 10:30:29.597 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.011 s
2	When Admin sends HTTPS Request and request Body with endpoint	PASSED	0.770 s
3	Then Admin receives 201 Created Status with response body.	PASSED	0.002 s

### Check if Admin able to create a program with valid endpoint and request body without Authorization

<div>PASSED</div>	<div>DURATION - 0.336 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:30:29.628 AM // 10:30:29.964 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and request Body with endpoint without Authorization	PASSED	0.329 s
3	Then Admin receives 401 Unauthorized error for post	PASSED	0.001 s

### Check if Admin able to create a program with invalid endpoint

<b>PASSED</b>	DURATION - 0.440 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:30:29.984 AM // 10:30:30.424 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends HTTPS Request and request Body with invalid endpoint	PASSED	0.436 s
3	Then Admin receives 404 not found Status with message and boolean success details	PASSED	0.001 s

### Check if Admin able to create a program with already existing program name

<b>PASSED</b>	DURATION - 0.278 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:30:30.441 AM // 10:30:30.719 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request with exsisting prgm name and request Body with endpoint	PASSED	0.275 s
3	Then Admin receives 400 Bad Request Status with message and boolean success details	PASSED	0.001 s

### Check if Admin able to create a program with missing values in the request body



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and missing Pgm Name in request Body with endpoint	PASSED	0.261 s
3	Then Admin receives 400 Bad Request Status for missing value	PASSED	0.001 s

### Check if Admin able to create a program with invalid method



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Get Request instead of post and request Body with endpoint	PASSED	0.268 s
3	Then Admin receives 405 Method Not Allowed	PASSED	0.001 s

### Check if Admin able to create a program without program name starting with a number

<b>PASSED</b>	DURATION - 0.226 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:30:31.302 AM // 10:30:31.528 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.219 s
3	Then Admin receives 400 Bad Request Status for Pgm name starting with number	PASSED	0.003 s



### Check if Admin able to create a program with missing additional field

<b>FAILED</b>	DURATION - 0.237 s		<b>Steps</b> Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 10:30:31.539 AM // 10:30:31.776 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request with request Body with missing additional field with endpoint	PASSED	0.226 s
3	Then Admin receives 200 ok for missing additional fields in program post request body  java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD. admin_receives_ok_for_missing_additional_fields_in_program_post_request_body(ProgramModuleSD.java:136)	FAILED	0.009 s



#	Step / Hook Details	Status	Duration
	at ?.Admin receives 200 ok for missing additional fields in program post request body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:46) * Not displayable characters are replaced by '?'.		

### Check if Admin able to retrieve all programs with valid Endpoint

<div>PASSED</div>	<div>DURATION - 0.134 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:30:31.790 AM // 10:30:31.924 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint	PASSED	0.130 s
3	Then Admin receives 200 OK Status with response body.	PASSED	0.000 s

### Check if Admin able to retrieve all programs with valid Endpoint without auth

<div>PASSED</div>	<div>DURATION - 0.130 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:30:31.934 AM // 10:30:32.064 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request and request Body with endpoint without Authorization	PASSED	0.127 s
3	Then Admin receives 401 Unauthorized error for put	PASSED	0.001 s

### Check if Admin able to create a program with invalid endpoint

<div>PASSED</div>	<div>DURATION - 0.151 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:30:32.075 AM // 10:30:32.226 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request and request Body with invalid endpoint	PASSED	0.148 s
3	Then Admin receives 404 not found Status for GET with message and boolean success details	PASSED	0.000 s



### Check if Admin able to create a program with invalid method

PASSED	DURATION - 0.139 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:30:32.234 AM // 10:30:32.373 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.002 s
2	When Admin sends Post Request instead of get and request Body with endpoint	PASSED	0.134 s
3	Then Admin receives 405 Method Not Allowed message	PASSED	0.001 s



### Check if Admin able to retrieve a program with valid program ID



<b>PASSED</b>	DURATION - 0.132 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:30:32.388 AM // 10:30:32.520 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get program Request with endpoint	PASSED	0.128 s
3	Then Admin receives 200 OK Status code with response body.	PASSED	0.001 s

### Check if Admin able to retrieve all programs with valid prgm id without auth

<b>PASSED</b>	DURATION - 0.127 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:30:32.530 AM // 10:30:32.657 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.002 s
2	When Admin sends Get Request by pgm id and request Body with endpoint without Authorization	PASSED	0.125 s
3	Then Admin receives 401 Unauthorized error for put by pgm id	PASSED	0.000 s

### Check if Admin able to retrieve a program with invalid program ID





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request with invlaid ID and endpoint	PASSED	0.155 s
3	Then Admin receives 404 Not Found Status for invalid PG Id with message and boolean success details	PASSED	0.001 s

### Check if Admin able to retrieve a program with invalid baseURI





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with invalid baseURI	PASSED	0.000 s
2	When Admin sends Get Request Request with endpoint	PASSED	0.236 s
3	Then Admin receives 404 Not Found Status for invalid baseurl with message and boolean success details	PASSED	0.001 s

### Check if Admin able to retrieve a program with invalid Endpoint

<b>PASSED</b>	DURATION - 0.141 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:30:33.086 AM // 10:30:33.227 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request with pgm Id and request Body with invalid endpoint	PASSED	0.136 s
3	Then Admin receives 404 Not Found Status for Get with Pgm Id with message and boolean success details	PASSED	0.001 s

### Check if Admin able to retrieve all programs with valid Endpoint

<b>PASSED</b>	DURATION - 0.165 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:30:33.241 AM // 10:30:33.406 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends Get All programs with users Request with endpoint	PASSED	0.161 s
3	Then Admin receives 200 OK Status with response body of Users	PASSED	0.001 s

### Check if Admin able to retrieve a program with invalid Endpoint

<b>PASSED</b>	DURATION - 0.166 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:30:33.420 AM // 10:30:33.586 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends Get Request for all users with request Body with invalid endpoint	PASSED	0.161 s
3	Then Admin receives 404 Not Found Status for Get w for all users with message and boolean success details	PASSED	0.001 s

### Check if Admin able to retrieve all programs with invalid Method

<b>PASSED</b>	DURATION - 0.129 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:30:33.596 AM // 10:30:33.725 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends post all users Request instead of get with endpoint	PASSED	0.125 s
3	Then Admin receives 405 Method Not Allowed for get all users invalid method	PASSED	0.001 s

### Check if Admin able to retrieve all programs without Authorization

<b>PASSED</b>	DURATION - 0.200 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:30:33.739 AM // 10:30:33.939 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint without auth	PASSED	0.197 s
3	Then Admin receives 401 Status with response body as Unauthorized	PASSED	0.001 s

### Check if Admin able to update a program with valid programID endpoint and valid request body

<b>PASSED</b>	DURATION - 0.234 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:30:33.946 AM // 10:30:34.180 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with valid endpoint	PASSED	0.230 s
3	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.001 s

### Check if Admin able to update a program with invalid programID endpoint and valid request body

<b>PASSED</b>	DURATION - 0.195 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:30:34.191 AM // 10:30:34.386 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.002 s
2	When Admin sends Put Request with invalid prgm Id and valid endpoint	PASSED	0.191 s
3	Then Admin receives 404 Not Found Status for update pgm invalid pgm id with message and boolean success details	PASSED	0.001 s

### Check if Admin able to update a program without request body

<b>PASSED</b>	DURATION - 0.205 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:30:34.408 AM // 10:30:34.613 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request missing mandate field and valid endpoint	PASSED	0.202 s
3	Then Admin receives 400 Bad Request Status for put for missing mandate field with message and boolean success details	PASSED	0.001 s

### Check if Admin able to update a program with invalid baseURI

PASSED	DURATION - 0.190 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:30:34.621 AM // 10:30:34.811 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields with invalid baseurl	PASSED	0.001 s
2	When Admin sends Put Request with invalid baseurl valid endpoint	PASSED	0.187 s
3	Then Admin receives 404 Not Found Status for put invalid baseurl with message and boolean success details	PASSED	0.001 s

### Check if Admin able to update a program with invalid method

PASSED	DURATION - 0.191 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:30:34.822 AM // 10:30:35.013 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.002 s
2	When Admin sends get request instead of put Request with valid endpoint	PASSED	0.186 s
3	Then Admin receives 405 Method Not Allowed for using get instead of put	PASSED	0.000 s

### Check if Admin able to update a program without Authorization

PASSED	DURATION - 0.197 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:30:35.021 AM // 10:30:35.218 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with endpoint without auth	PASSED	0.195 s
3	Then Admin receives 401 Status with response body as Unauthorized for put by pgm id	PASSED	0.001 s



### Check if Admin able to update a program with Valid program Name and request body

PASSED	DURATION - 0.257 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:30:35.230 AM // 10:30:35.487 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with Program name with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 OK Status code with updated value in response body.	PASSED	0.001 s



### Check if Admin able to update a program with invalid program Name and request body



PASSED	DURATION - 0.198 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:30:35.503 AM // 10:30:35.701 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with invalid Program name with valid endpoint	PASSED	0.195 s
3	Then Admin receives 404 Not Found Status for put with invalid pg namewith message and boolean success details	PASSED	0.000 s

### Check if Admin able to update a program using valid program name - missing mandatory fields in request body

<div>PASSED</div>	<div>DURATION - 0.183 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:30:35.712 AM // 10:30:35.895 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API with missing mandatory fields	PASSED	0.000 s
2	When Admin sends Put Request with valid prgom name with valid endpoint	PASSED	0.181 s
3	Then Admin receives 400 Bad Request Status for missing field with message and boolean success details	PASSED	0.001 s

### Check if Admin able to upadte a program with program name starting with a number

<div>PASSED</div>	<div>DURATION - 0.164 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:30:35.902 AM // 10:30:36.066 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.160 s
3	Then Admin receives 400 Bad Request Status for put Pgm name starting with number	PASSED	0.002 s

### Check if Admin able to update a program with invalid program Description

PASSED	DURATION - 0.185 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:30:36.076 AM // 10:30:36.261 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request and Pgm Descrip starting with Number in request Body with endpoint	PASSED	0.182 s
3	Then Admin receives 400 Bad Request Status for put Pgm descrip starting with number	PASSED	0.000 s

### Check if Admin able to delete a program with valid LMS API,invalid programName



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programName	PASSED	0.000 s
2	When Admin sends Delete by invalid ProgramName Request with endpoint	PASSED	0.133 s
3	Then Admin receives 404 Not Found Status for delete invalid pgnamewith message and boolean success details	PASSED	0.001 s

### Check if Admin able to delete a program by pgmr name without Authorization



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.000 s
2	When Admin sends delete Request by program name with endpoint without auth	PASSED	0.135 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm name	PASSED	0.000 s

### Check if Admin able to delete a program with valid LMS API,invalid programId

<b>PASSED</b>	DURATION - 0.172 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:30:36.561 AM // 10:30:36.733 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programId	PASSED	0.000 s
2	When Admin sends Delete by invalid ProgramID Request with endpoint	PASSED	0.170 s
3	Then Admin receives 404 Not Found Status for delete invalid pgid with message and boolean success details	PASSED	0.001 s

### Check if Admin able to delete a program without Authorization



<b>PASSED</b>	DURATION - 0.146 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:30:36.751 AM // 10:30:36.897 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.000 s
2	When Admin sends delete Request by program id with endpoint without auth	PASSED	0.143 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm id	PASSED	0.001 s

### Batch Module POST request



<b>FAILED</b>	DURATION - 2.955 s	Scenarios Total - 14 Pass - 12 Fail - 2 Skip - 0		Steps Total - 42 Pass - 40 Fail - 2 Skip - 0	
/ 10:30:36.905 AM // 10:30:39.860 AM /					

### Check if admin able to create a Batch with valid endpoint and request body (non existing values)

<b>PASSED</b>	DURATION - 0.274 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:30:36.906 AM // 10:30:37.180 AM /				
Batch Module POST request				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with valid data in request body	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to create batch	PASSED	0.268 s
3	Then Admin receives 201 Created Status with response body	PASSED	0.000 s



### Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)

<b>PASSED</b>	DURATION - 0.142 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:30:37.198 AM // 10:30:37.340 AM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with existing value in request body	PASSED	0.000 s
2	When Admin sends HTTPS POST Request with endpoint to create batch	PASSED	0.140 s



#	Step / Hook Details	Status	Duration
3	Then Admin receives 400 Bad Request Status with message in the response body	PASSED	0.001 s

### Check if admin able to create a Batch missing mandatory fields in request body

PASSED	DURATION - 0.193 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:30:37.351 AM // 10:30:37.544 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data in request body	PASSED	0.000 s
2	When Admin sends POST Request with endpoint to create batch	PASSED	0.191 s
3	Then Admin receives 400 Bad Request Status with message	PASSED	0.000 s

### Check if admin able to create a batch with invalid endpoint

PASSED	DURATION - 0.199 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:30:37.563 AM // 10:30:37.762 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request	PASSED	0.000 s
2	When Admin sends HTTPS Request with invalid endpoint	PASSED	0.194 s
3	Then Admin receives 404 not found Status	PASSED	0.000 s

### Check if admin able to create a batch with missing additional fields

<div>FAILED</div>	<div>DURATION - 0.183 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:30:37.774 AM // 10:30:37.957 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with missing additional fields	PASSED	0.001 s
2	When Admin sends HTTPS Request with valid endpoint to create batch	PASSED	0.179 s
3	Then Admin receives 201 Created Status with response  java.lang.AssertionError: expected [201] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_created_status_with_response(ProgramBatchModuleSD.java:108) at ?.Admin receives 201 Created Status with response(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:39) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s

### Check if admin able to create a batch with invalid data in request body

<div>PASSED</div>	<div>DURATION - 0.183 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:30:37.975 AM // 10:30:38.158 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data fields in request body	PASSED	0.001 s
2	When Admin sends HTTPS POST Request with valid endpoint	PASSED	0.178 s
3	Then Admin receives 400 Bad Request Status with message and boolean success	PASSED	0.001 s

### Check if admin able to retrieve all batches with valid LMS API

PASSED	DURATION - 0.131 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:30:38.166 AM // 10:30:38.297 AM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Get Request with endpoint to get batch	PASSED	0.127 s
3	Then Admin receives 200 OK Status with response body	PASSED	0.000 s



### Check if admin able to retrieve all batches with invalid Endpoint

PASSED	DURATION - 0.132 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:30:38.317 AM // 10:30:38.449 AM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with invalid endpoint	PASSED	0.001 s
2	When Admin sends HTTPS GET Request with invalid endpoint to get all batches	PASSED	0.127 s
3	Then Admin receives 404 status with error message Not Found	PASSED	0.000 s





**Check if admin able to retrieve a batch with valid BATCH ID**

<div>PASSED</div>	<div>DURATION - 0.207 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:30:38.457 AM // 10:30:38.664 AM /				
Batch Module POST request				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.001 s
2	When Admin sends Get Request with endpoint for batch module	PASSED	0.202 s
3	Then Admin receives 200 OK Status with response in the response body	PASSED	0.000 s

**Check if admin able to retrieve a batch with valid BATCH NAME**

<div>PASSED</div>	<div>DURATION - 0.148 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:30:38.671 AM // 10:30:38.819 AM /				
Batch Module POST request				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch Name	PASSED	0.001 s
2	When Admin sends Get batch Request with endpoint for batch module	PASSED	0.146 s
3	Then Admin receives 200 Status code with response body	PASSED	0.001 s

**Check if admin able to retrieve a batch with valid Program ID**





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Program Id	PASSED	0.001 s
2	When Admin sends HTTPS Request to get batch by program Id with endpoint	PASSED	0.208 s
3	Then Admin receives status code 200 OK Status with response body	PASSED	0.003 s

### Check if admin able to update a Batch with valid batchID and mandatory fields in request body





#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid BatchId and Data	PASSED	0.001 s
2	When Admin sends HTTPS Request to update with endpoint	PASSED	0.243 s
3	Then Admin receives 200 OK Status with updated value in response body for update request.	PASSED	0.001 s

### Check if admin able to delete a Batch with valid Batch ID

<div>FAILED</div>	<div>DURATION - 0.171 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:30:39.312 AM // 10:30:39.483 AM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request with valid BatchId	PASSED	0.000 s
2	When Admin sends HTTPS Request to delete with endpoint	PASSED	0.167 s
3	Then Admin receives 200 Ok status with message to delete batch  java.lang.AssertionError: expected [200] but found [0] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_status_with_message_to_delete_batch(ProgramModuleSD.java:526) at ?.Admin receives 200 Ok status with message to delete batch(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:95) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s

### Check if admin able to retrieve a batch after deleting the batch

<div>PASSED</div>	<div>DURATION - 0.356 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:30:39.504 AM // 10:30:39.860 AM /</div>				
<div>Batch Module POST request</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.001 s
2	When Admin sends HTTPS GET Request with valid id	PASSED	0.211 s
3	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body.	PASSED	0.143 s