


Feature		Scenario				Step					
Name	Duration	T	P	F	S	T	P	F	S		
Post request	5.254 s	3	3	0	0	9	9	0	0		
ProgramModule	12.205 s	37	36	1	0	111	110	1	0		
Get (Logout)	1.000 s	3	3	0	0	9	9	0	0		
Batch Module POST request	5.432 s	14	6	8	0	42	34	8	0		
User Module	10.854 s	13	12	1	0	39	38	1	0		
User Role Program Batch Map	2.940 s	8	6	2	0	24	22	2	0		

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	<u>ProgramModule</u>	Check if Admin able to create a program with missing additional field
2	Batch Module POST request	Check if admin able to create a Batch with valid endpoint and request body (non existing values)
3		Check if admin able to create a batch with missing additional fields
4		Check if admin able to retrieve a batch with valid BATCH ID
5		Check if admin able to retrieve a batch with valid BATCH NAME
6		Check if admin able to retrieve a batch with valid Program ID
7		Check if admin able to update a Batch with valid batchID and mandatory fields in request body
8		Check if admin able to delete a Batch with valid Batch ID
9		Check if admin able to retrive a batch after deleting the batch
10	<u>User Module</u>	Check if admin is able to assign Admin to with program/batch by Admin Id
11	User Role Program Batch Map	Admin retreives assigned program batches for valid AdminId
12		Check if admin is able to delete the program batch for a Admin


TAG		Scenario				Fea	ture	ure	
Name	T	P	F	S	T	P	F	S	
@tag	39	37	2	0	3	1	2	0	
@EndToEnd	1	1	0	0	1	1	0	0	
@PostRequest	1	1	0	0	1	0	1	0	
@GetRequest(allroles)	1	1	0	0	1	0	1	0	
@GetRequest(All_Admins)	1	1	0	0	1	0	1	0	
@GetRequest(by_AdminID)	1	1	0	0	1	0	1	0	
@GetRequest(All_active_admins)	1	1	0	0	1	0	1	0	
@GetRequest(Count_of_active_inactive_Admins)	1	1	0	0	1	0	1	0	
@GetRequest(Admins_by_program_batches)	1	1	0	0	1	0	1	0	
@GetRequest(get_Admin_for_program)	1	1	0	0	1	0	1	0	
@GetRequest(get_Admin_by_RoleID)	1	1	0	0	1	0	1	0	
@GetRequest(Admin_With_Roles)	1	1	0	0	1	0	1	0	
@PutRequest(Update_Admin_Role_Status_By_AdminID)	1	1	0	0	1	0	1	0	
@PutRequest(Update_Admin_RoleID)	1	1	0	0	1	0	1	0	
@PutRequest(Update_Admin_Role_Program_Batch_Status)	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 5 --




#	Feature Name	T	P	F	S	Duration
1	Post request	3	3	0	0	5.254 s
2	<u>ProgramModule</u>	37	36	1	0	12.205 s
3	Get (Logout)	3	3	0	0	1.000 s
4	Batch Module POST request	14	6	8	0	5.432 s
5	<u>User Module</u>	13	12	1	0	10.854 s
6	User Role Program Batch Map	8	6	2	0	2.940 s

SCENARIOS SUMMARY -- 6 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Post request	Check if Admin able to generate token with valid credential	3	3	0	0	4.539 s
2		Check if Admin able to generate token with invalid endpoint	3	3	0	0	0.346 s
3		Check if Admin able to generate token with invalid credentials	3	3	0	0	0.197 s
4	<u>ProgramModule</u>	Check if Admin able to create a program with valid endpoint and request body with Authorization	3	3	0	0	1.033 s
5		Check if Admin able to create a program with valid endpoint and request body without Authorization	3	3	0	0	0.366 s
6		Check if Admin able to create a program with invalid endpoint	3	3	0	0	0.378 s
7		Check if Admin able to create a program with already existing program name	3	3	0	0	0.351 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
8		Check if Admin able to create a program with missing values in the request body	3	3	0	0	0.254 s
9		Check if Admin able to create a program with invalid method	3	3	0	0	0.259 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>ProgramModule</u>	Check if Admin able to create a program without program name starting with a number	3	3	0	0	0.238 s
11		Check if Admin able to create a program with missing additional field	3	2	1	0	0.250 s
12		Check if Admin able to retrieve all programs with valid Endpoint	3	3	0	0	0.374 s
13		Check if Admin able to retrieve all programs with valid Endpoint without auth	3	3	0	0	1.273 s
14		Check if Admin able to create a program with invalid endpoint	3	3	0	0	0.293 s
15		Check if Admin able to create a program with invalid method	3	3	0	0	0.169 s
16		Check if Admin able to retrieve a program with valid program ID	3	3	0	0	0.228 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
17		Check if Admin able to retrieve all programs with valid prgm	3	3	0	0	0.221 s
		id without auth					

SCENARIOS SUMMARY -- 10 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>ProgramModule</u>	Check if Admin able to retrieve a program with invalid program ID	3	3	0	0	0.186 s
19		Check if Admin able to retrieve a program with invalid baseURI	3	3	0	0	0.330 s
20		Check if Admin able to retrieve a program with invalid Endpoint	3	3	0	0	0.443 s
21		Check if Admin able to retrieve all programs with valid Endpoint	3	3	0	0	0.485 s
22		Check if Admin able to retrieve a program with invalid Endpoint	3	3	0	0	0.173 s
23		Check if Admin able to retrieve all programs with invalid Method	3	3	0	0	0.198 s
24		Check if Admin able to retrieve all programs without <u>Authorization</u>	3	3	0	0	0.165 s


SCENARIOS SUMMARY -- 11 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
25	<u>ProgramModule</u>	Check if Admin able to update a program with valid programID endpoint and valid request body	3	3	0	0	0.505 s
26		Check if Admin able to update a program with invalid programID endpoint and valid request body	3	3	0	0	0.310 s
27		Check if Admin able to update a program without request body	3	3	0	0	0.200 s
28		Check if Admin able to update a program with invalid baseURI	3	3	0	0	0.198 s
29		Check if Admin able to update a program with invalid method	3	3	0	0	0.212 s
30		Check if Admin able to update a program without Authorization	3	3	0	0	0.223 s
31		Check if Admin able to update a program with Valid program Name and request body	3	3	0	0	0.225 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
32		Check if Admin able to update a program with invalid	3	3	0	0	0.228 s
		program Name and request body					


SCENARIOS SUMMARY -- 13 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
33	<u>ProgramModule</u>	Check if Admin able to update a program using valid program name - missing mandatory fields in request body	3	3	0	0	0.197 s
34		Check if Admin able to upadte a program with program name starting with a number	3	3	0	0	0.191 s
35		Check if Admin able to update a program with invalid program Description	3	3	0	0	0.220 s
36		Check if Admin able to update a program status	3	3	0	0	0.235 s
37		Check if Admin able to delete a program with valid LMS API, invalid programName	3	3	0	0	0.173 s
38		Check if Admin able to delete a program by pgrm name without Authorization	3	3	0	0	0.208 s
39		Check if Admin able to delete a program with valid LMS API, invalid programId	3	3	0	0	0.211 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
40		Check if Admin able to delete a program without	3	3	0	0	0.254 s
		Authorization					


SCENARIOS SUMMARY -- 15 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
41	Get (Logout)	Check if Admin able to logout	3	3	0	0	0.196 s
42		Check if Admin able to logout with invalid endpoint	3	3	0	0	0.436 s
43		Check if Admin able to logout	3	3	0	0	0.328 s
44	Batch Module POST request	Check if admin able to create a Batch with valid endpoint and request body (non existing values)	3	2	1	0	0.259 s
45		Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)	3	3	0	0	1.247 s
46		Check if admin able to create a Batch missing mandatory fields in request body	3	3	0	0	0.220 s
47		Check if admin able to create a batch with invalid endpoint	3	3	0	0	0.570 s
48		Check if admin able to create a batch with missing additional fields	3	2	1	0	0.231 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
49		Check if admin able to create a batch with invalid data in	3	3	0	0	0.236 s
		<u>request body</u>					


SCENARIOS SUMMARY -- 17 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
50	Batch Module POST request	Check if admin able to retrieve all batches with valid LMS <u>API</u>	3	3	0	0	0.800 s
51		Check if admin able to retrieve all batches with invalid Endpoint	3	3	0	0	0.145 s
52		Check if admin able to retrieve a batch with valid BATCH ID	3	2	1	0	0.135 s
53		Check if admin able to retrieve a batch with valid BATCH NAME	3	2	1	0	0.145 s
54		Check if admin able to retrieve a batch with valid Program ID	3	2	1	0	0.153 s
55		Check if admin able to update a Batch with valid batchID and mandatory fields in request body	3	2	1	0	0.272 s
56		Check if admin able to delete a Batch with valid Batch ID	3	2	1	0	0.151 s
57		Check if admin able to retrive a batch after deleting the batch	3	2	1	0	0.623 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
58	User Module	Check if admin is able to create a new Admin with valid	3	3	0	0	1.551 s
		endpoint and request body with mandatory fields					


SCENARIOS SUMMARY -- 19 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
59	<u>User Module</u>	Check if admin is able to retreive all the available roles	3	3	0	0	2.606 s
60		Check if admin able to retrieve all Admin with valid endpoint	3	3	0	0	1.372 s
61		Check if admin able to retrieve a Admin with valid Admin ID	3	3	0	0	1.289 s
62		Check if admin able to retrieve all active Admins	3	3	0	0	0.973 s
63		Check if admin is able to get count of active and inactive Admins	3	3	0	0	0.202 s
64		Check if admin is able to get the Admins by program batches for valid batch ID	3	3	0	0	0.152 s
65		Check if admin is able to get the Admins for valid program Id	3	3	0	0	0.172 s
66		Check if admin is able to retreive Admins by valid role ID	3	3	0	0	1.163 s
67		Check if admin able to retrieve all Admins with roles	3	3	0	0	0.215 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
68		Check if admin is able to update role status of a Admin with valid Admin id	3	3	0	0	0.377 s


SCENARIOS SUMMARY -- 21 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
69	<u>User Module</u>	Check if admin is able to update role id of a Admin by valid Admin id	3	3	0	0	0.253 s
70		Check if admin is able to assign Admin to with program/batch by Admin Id	3	2	1	0	0.370 s
71	User Role Program Batch Map	Admin retreives all Admins with assigned program batches	3	3	0	0	0.776 s
72		Check if admin is able to retreive all Admins with assigned program batches with No Authorization	3	3	0	0	0.147 s
73		Admin retreives assigned program batches for valid AdminId	3	2	1	0	0.151 s
74		Check if admin is able to retreive assigned program batches for invalid AdminId	3	3	0	0	0.139 s
75		Check if admin is able to retreive assigned program batches for valid AdminId with No authorization	3	3	0	0	1.181 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
76		Check if admin is able to delete the program batch for a <u>Admin</u>	3	2	1	0	0.159 s

SCENARIOS SUMMARY -- 23 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
77	User Role Program Batch Map	Check if admin is able to delete the program batch for invalid Admin	3	3	0	0	0.130 s
78		Check if admin is able to delete the program batch for valid Admin and No Authorization	3	3	0	0	0.155 s

Post request


PASSED	DURATION - 5.254 s	Scenarios		Steps		
		Total - 3		Total - 9		.
/8:18:35.013 AM // 8	3:18:40.267 AM /	Pass - 3	3	Pass - 9	9	
		Fail - 0		Fail - 0		
		Skip - 0		Skip - 0		′

Check if Admin able to generate token with valid credential



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.963 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.001 s
3	Then Admin receives 200 created with auto generated token	PASSED	3.511 s


Check if Admin able to generate token with invalid endpoint



DETAILED SECTION -- 25 --


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.002 s
2	When Admin calls Post Https method with invalid endpoint	PASSED	0.002 s
3	Then Admin receives 401 unauthorized	PASSED	0.338 s

Check if Admin able to generate token with invalid credentials




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with invalid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.001 s
3	Then Admin receives 400 Bad request	PASSED	0.189 s

ProgramModule




Check if Admin able to create a program with valid endpoint and request body with Authorization

DETAILED SECTION -- 26 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.014 s
2	When Admin sends HTTPS Request and request Body with endpoint	PASSED	1.008 s
3	Then Admin receives 201 Created Status with response body.	PASSED	0.003 s


Check if Admin able to create a program with valid endpoint and request body without Authorization



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and request Body with endpoint without Authorization	PASSED	0.358 s
3	Then Admin receives 401 Unauthorized error for post	PASSED	0.001 s


Check if Admin able to create a program with invalid endpoint

DETAILED SECTION -- 27 --



#	Step / Hook Details		Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends HTTPS Request and request Body with invalid endpoint	PASSED	0.372 s
3	Then Admin receives 404 not found Status with message and boolean success details	PASSED	0.001 s


Check if Admin able to create a program with already existing program name



#	Step / Hook Details		Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.002 s
2	When Admin sends Post Request with exsisting prgm name and request Body with endpoint		0.344 s
3	Then Admin receives 400 Bad Request Status with message and boolean success details	PASSED	0.001 s


Check if Admin able to create a program with missing values in the request body

DETAILED SECTION -- 28 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and missing Pgm Name in request Body with endpoint	PASSED	0.250 s
3	Then Admin receives 400 Bad Request Status for missing value	PASSED	0.001 s


Check if Admin able to create a program with invalid method



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Get Request instead of post and request Body with endpoint	PASSED	0.255 s
3	Then Admin receives 405 Method Not Allowed	PASSED	0.000 s


Check if Admin able to create a program without program name starting with a number

DETAILED SECTION -- 29 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.231 s
3	Then Admin receives 400 Bad Request Status for Pgm name starting with number	PASSED	0.000 s

Check if Admin able to create a program with missing additional field



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request with request Body with missing additional field with endpoint	PASSED	0.237 s
3	Then Admin receives 200 ok for missing additional fields in program post request body	FAILED	0.010 s
	java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD. admin_receives_ok_for_missing_additional_fields_in_program_post_request_body(ProgramModuleSD.java:136)		


#	Step / Hook Details	Status	Duration
	at ?.Admin receives 200 ok for missing additional fields in program post request body(file:///C:/Users/sudha/git/		
	Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/		
	002PrgramModule.feature:46)		
	* Not displayable characters are replaced by '?'.		

Check if Admin able to retrieve all programs with valid Endpoint

PASSED	DURATION - 0.374 s	0.6		-;	'	Steps	
/ 0·10·12 610 AM	 M					Total - 3	
7 6.16.43.010 AN	W // 0.10.43.904 AW /	0.4				Pass - 3	
ProgramModule		0.2				Fail - 0	3
rogrammedate		0.2			1	Skip - 0	
@tag		0 -					
			1	2	3		

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.002 s
2	When Admin sends HTTPS Request with endpoint	PASSED	0.368 s
3	Then Admin receives 200 OK Status with response body.	PASSED	0.002 s


Check if Admin able to retrieve all programs with valid Endpoint without auth



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request and request Body with endpoint without Authorization	PASSED	1.267 s
3	Then Admin receives 401 Unauthorized error for put	PASSED	0.001 s


DETAILED SECTION -- 31 --

Check if Admin able to create a program with invalid endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request and request Body with invalid endpoint	PASSED	0.286 s
3	Then Admin receives 404 not found Status for GET with message and boolean success details	PASSED	0.001 s


Check if Admin able to create a program with invalid method



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.002 s
2	When Admin sends Post Request instead of get and request Body with endpoint	PASSED	0.163 s
3	Then Admin receives 405 Method Not Allowed message	PASSED	0.001 s


Check if Admin able to retrieve a program with valid program ID

DETAILED SECTION -- 32 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.002 s
2	When Admin sends Get program Request with endpoint	PASSED	0.222 s
3	Then Admin receives 200 OK Status code with response body.	PASSED	0.001 s


Check if Admin able to retrieve all programs with valid prgm id without auth



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get Request by pgm id and request Body with endpoint without Authorization	PASSED	0.215 s
3	Then Admin receives 401 Unauthorized error for put by pgm id	PASSED	0.001 s


Check if Admin able to retrieve a program with invalid program ID

DETAILED SECTION -- 33 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request with invlaid ID and endpoint	PASSED	0.178 s
3	Then Admin receives 404 Not Found Status for invalid PG Id with message and boolean success details	PASSED	0.001 s


Check if Admin able to retrieve a program with invalid baseURI



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with invalid baseURI	PASSED	0.003 s
2	When Admin sends Get Request Request with endpoint	PASSED	0.322 s
3	Then Admin receives 404 Not Found Status for invalid baseurl with message and boolean success details	PASSED	0.002 s


Check if Admin able to retrieve a program with invalid Endpoint

DETAILED SECTION -- 34 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request with pgm Id and request Body with invalid endpoint	PASSED	0.437 s
3	Then Admin receives 404 Not Found Status for Get with Pgm Id with message and boolean success details	PASSED	0.001 s


Check if Admin able to retrieve all programs with valid Endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends Get All programs with users Request with endpoint	PASSED	0.480 s
3	Then Admin receives 200 OK Status with response body of Users	PASSED	0.001 s


Check if Admin able to retrieve a program with invalid Endpoint

DETAILED SECTION -- 35 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.003 s
2	When Admin sends Get Request for all users with request Body with invalid endpoint	PASSED	0.164 s
3	Then Admin receives 404 Not Found Status for Get w for all users with message and boolean success details	PASSED	0.001 s


Check if Admin able to retrieve all programs with invalid Method



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends post all users Request instead of get with endpoint	PASSED	0.194 s
3	Then Admin receives 405 Method Not Allowed for get all users invalid method	PASSED	0.001 s


Check if Admin able to retrieve all programs without Authorization

DETAILED SECTION -- 36 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint without auth	PASSED	0.161 s
3	Then Admin receives 401 Status with response body as Unauthorized	PASSED	0.001 s


Check if Admin able to update a program with valid programID endpoint and valid request body



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.002 s
2	When Admin sends Put Request with valid endpoint	PASSED	0.494 s
3	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.003 s


Check if Admin able to update a program with invalid programID endpoint and valid request body

DETAILED SECTION -- 37 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory, additional fields.	PASSED	0.002 s
2	When Admin sends Put Request with invalid prgm Id and valid endpoint	PASSED	0.304 s
3	Then Admin receives 404 Not Found Status for update pgm invalid pgm id with message and boolean success details	PASSED	0.001 s


Check if Admin able to update a program without request body



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request missing mandate field and valid endpoint	PASSED	0.196 s
3	Then Admin receives 400 Bad Request Status for put for missing mandate field with message and boolean success details	PASSED	0.002 s


Check if Admin able to update a program with invalid baseURI

DETAILED SECTION -- 38 -



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory, additional fields with invalid	PASSED	0.000 s
	baseurl		
2	When Admin sends Put Request with invalid baseurl valid endpoint	PASSED	0.195 s
3	Then Admin receives 404 Not Found Status for put invalid baseurl with message and boolean success details	PASSED	0.001 s


Check if Admin able to update a program with invalid method



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory, additional fields.	PASSED	0.000 s
2	When Admin sends get request instead of put Request with valid endpoint	PASSED	0.207 s
3	Then Admin receives 405 Method Not Allowed for using get instead of put	PASSED	0.001 s


Check if Admin able to update a program without Authorization

DETAILED SECTION -- 39 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with endpoint without auth	PASSED	0.220 s
3	Then Admin receives 401 Status with response body as Unauthorized for put by pgm id	PASSED	0.000 s


Check if Admin able to update a program with Valid program Name and request body



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory ,	PASSED	0.001 s
	additional fields.		
2	When Admin sends Put Request with Program name with valid endpoint	PASSED	0.222 s
3	Then Admin receives 200 OK Status code with updated value in response body.	PASSED	0.000 s


Check if Admin able to update a program with invalid program Name and request body

DETAILED SECTION -- 40 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory ,	PASSED	0.001 s
	additional fields.		
2	When Admin sends Put Request with invalid Program name with valid endpoint	PASSED	0.224 s
3	Then Admin receives 404 Not Found Status for put with invalid pg namewith message and boolean success details	PASSED	0.000 s


Check if Admin able to update a program using valid program name - missing mandatory fields in request body



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API with missing mandatory fields	PASSED	0.002 s
2	When Admin sends Put Request with valid prgom name with valid endpoint	PASSED	0.192 s
3	Then Admin receives 400 Bad Request Status for missing field with message and boolean success details	PASSED	0.000 s


Check if Admin able to upadte a program with program name starting with a number

DETAILED SECTION -- 41 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory ,	PASSED	0.000 s
	additional fields.		
2	When Admin sends Put Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.189 s
3	Then Admin receives 400 Bad Request Status for put Pgm name starting with number	PASSED	0.001 s


Check if Admin able to update a program with invalid program Description



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory ,	PASSED	0.001 s
	additional fields.		
2	When Admin sends Put Request and Pgm Descrip starting with Number in request Body with endpoint	PASSED	0.217 s
3	Then Admin receives 400 Bad Request Status for put Pgm descrip starting with number	PASSED	0.001 s


Check if Admin able to update a program status

DETAILED SECTION -- 42 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory ,	PASSED	0.000 s
	additional fields.		
2	When Admin sends Put Request for status change with valid endpoint	PASSED	0.229 s
3	Then Admin receives 200 OK Status with updated prgm status value in response body.	PASSED	0.001 s


Check if Admin able to delete a program with valid LMS API,invalid programName



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programName	PASSED	0.001 s
2	When Admin sends Delete by invalid ProgramName Request with endpoint	PASSED	0.170 s
3	Then Admin receives 404 Not Found Status for delete invalid pgnamewith message and boolean success details	PASSED	0.001 s


Check if Admin able to delete a program by pgrm name without Authorization

DETAILED SECTION -- 43 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.001 s
2	When Admin sends delete Request by program name with endpoint without auth	PASSED	0.204 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm name	PASSED	0.001 s


Check if Admin able to delete a program with valid LMS API, invalid programId



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programId	PASSED	0.001 s
2	When Admin sends Delete by invalid ProgramID Request with endpoint	PASSED	0.207 s
3	Then Admin receives 404 Not Found Status for delete invalid pgid with message and boolean success details	PASSED	0.001 s

Check if Admin able to delete a program without Authorization

DETAILED SECTION -- 44 --




#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.001 s
2	When Admin sends delete Request by program id with endpoint without auth	PASSED	0.250 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm id	PASSED	0.001 s

Get (Logout)

PASSED	DURATION - 1.000 s	Scenarios		Steps	
		Total - 3		Total - 9	
/8:18:52.517 AM // 8	3:18:53.517 AM /	Pass - 3	3	Pass - 9	9
		Fail - 0	3	Fail - 0	_ ~ <i>_</i>
		Skip - 0		Skip - 0	

Check if Admin able to logout




#	Step / Hook Details	Status	Duration
1	Given Admin creates request	PASSED	0.001 s
2	When Admin calls Get Https method with valid endpoint	PASSED	0.188 s

DETAILED SECTION -- 45 --


	#	Step / Hook Details	Status	Duration
3	3	Then Admin receives 200 ok and response with "Logout successful"	PASSED	0.003 s

Check if Admin able to logout with invalid endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin creates request	PASSED	0.000 s
2	When Admin calls Get Https method withinvalid endpoint	PASSED	0.264 s
3	Then Admin receives 404 Not found	PASSED	0.168 s


Check if Admin able to logout




#	Step / Hook Details	Status	Duration
1	Given Admin creates request	PASSED	0.001 s
2	When Admin calls Get Https method with valid endpoint	PASSED	0.180 s
3	Then Admin receives 401 unauthorized	PASSED	0.142 s

Batch Module POST request

DETAILED SECTION -- 46 --




Check if admin able to create a Batch with valid endpoint and request body (non existing values)



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with valid data in request body	PASSED	0.006 s
2	When Admin sends HTTPS Request with endpoint to create batch	PASSED	0.237 s
3	Then Admin receives 201 Created Status with response body	FAILED	0.003 s
	java.lang.AssertionError: expected [201] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.Ims.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_created_status_with_response_body(ProgramBatchModuleSD.java:37) at ?.Admin receives 201 Created Status with response body(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 003ProgramBatchModule.feature:10) * Not displayable characters are replaced by '?'.		


Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)

DETAILED SECTION -- 47 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with existing value in request body	PASSED	0.000 s
2	When Admin sends HTTPS POST Request with endpoint to create batch	PASSED	1.243 s
3	Then Admin receives 400 Bad Request Status with message in the response body	PASSED	0.000 s


Check if admin able to create a Batch missing mandatory fields in request body



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data in request body	PASSED	0.002 s
2	When Admin sends POST Request with endpoint to create batch	PASSED	0.215 s
3	Then Admin receives 400 Bad Request Status with message	PASSED	0.000 s


Check if admin able to create a batch with invalid endpoint

DETAILED SECTION -- 48 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with invalid endpoint	PASSED	0.567 s
3	Then Admin receives 404 not found Status	PASSED	0.000 s


Check if admin able to create a batch with missing additional fields



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with missing additional fields	PASSED	0.000 s
2	When Admin sends HTTPS Request with valid endpoint to create batch	PASSED	0.224 s
3	Then Admin receives 201 Created Status with response	FAILED	0.001 s
	java.lang.AssertionError: expected [201] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_created_status_with_response(ProgramBatchModuleSD.java:108) at ?.Admin receives 201 Created Status with response(file:///C:/Users/sudha/git/		


#	Step / Hook Details	Status	Duration
	Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:39) * Not displayable characters are replaced by '?'.		

Check if admin able to create a batch with invalid data in request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data fields in request body	PASSED	0.001 s
2	When Admin sends HTTPS POST Request with valid endpoint	PASSED	0.231 s
3	Then Admin receives 400 Bad Request Status with message and boolean success	PASSED	0.001 s

Check if admin able to retrieve all batches with valid LMS API




#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Get Request with endpoint to get batch	PASSED	0.795 s
3	Then Admin receives 200 OK Status with response body	PASSED	0.002 s

DETAILED SECTION -- 50 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with invalid endpoint	PASSED	0.001 s
2	When Admin sends HTTPS GET Request with invalid endpoint to get all batches	PASSED	0.141 s
3	Then Admin receives 404 status with error message Not Found	PASSED	0.001 s

Check if admin able to retrieve a batch with valid BATCH ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.001 s
2	When Admin sends Get Request with endpoint for batch module	PASSED	0.129 s
3	Then Admin receives 200 OK Status with response in the response body	FAILED	0.002 s
	java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD. admin_receives_ok_status_with_response_in_the_response_body(ProgramBatchModuleSD.java:180)		

DETAILED SECTION -- 51 --

#	Step / Hook Details	Status	Duration
	at ?.Admin receives 200 OK Status with response in the response body(file:///C:/Users/sudha/git/		
	Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/		
	003ProgramBatchModule.feature:67)		
	* Not displayable characters are replaced by '?'.		


Check if admin able to retrieve a batch with valid BATCH NAME



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch Name	PASSED	0.000 s
2	When Admin sends Get batch Request with endpoint for batch module	PASSED	0.138 s
3	Then Admin receives 200 Status code with response body	FAILED	0.003 s
	java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_status_code_with_response_body(ProgramBatchModuleSD.java:199) at ?.Admin receives 200 Status code with response body(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 003ProgramBatchModule.feature:74) * Not displayable characters are replaced by '?'.		


Check if admin able to retrieve a batch with valid Program ID

DETAILED SECTION -- 52 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Program Id	PASSED	0.001 s
2	When Admin sends HTTPS Request to get batch by program Id with endpoint	PASSED	0.147 s
3	Then Admin receives status code 200 OK Status with response body	FAILED	0.002 s
	java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.Ims.api.StepDefinitions.ProgramBatchModuleSD. admin_receives_status_code_ok_status_with_response_body(ProgramBatchModuleSD.java:218) at ?.Admin receives status code 200 OK Status with response body(file:///C://Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 003ProgramBatchModule.feature:81) * Not displayable characters are replaced by '?'.		


Check if admin able to update a Batch with valid batchID and mandatory fields in request body



DETAILED SECTION -- 53 --

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid BatchId and Data	PASSED	0.000 s
2	When Admin sends HTTPS Request to update with endpoint	PASSED	0.267 s
3	Then Admin receives 200 OK Status with updated value in response body for update request.	FAILED	0.002 s
	java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.		
	admin_receives_ok_status_with_updated_value_in_response_body_for_update_request(ProgramBatchModuleSD.java:237) at ?.Admin receives 200 OK Status with updated value in response body for update request.(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 003ProgramBatchModule.feature:88) * Not displayable characters are replaced by '?'.		

Check if admin able to delete a Batch with valid Batch ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request with valid BatchId	PASSED	0.001 s
2	When Admin sends HTTPS Request to delete with endpoint	PASSED	0.145 s
3	Then Admin receives 200 Ok status with message to delete batch	FAILED	0.002 s
	java.lang.AssertionError: expected [200] but found [0] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419)		

DETAILED SECTION -- 54 --


#	Step / Hook Details	Status	Duration
	at org.testng.Assert.assertEquals(Assert.java:1449)		
	at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_status_with_message_to_delete_batch(ProgramModuleSD.java:526)		
	at ?.Admin receives 200 Ok status with message to delete batch(file:///C:/Users/sudha/git/		
	Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/		
	003ProgramBatchModule.feature:95)		
	* Not displayable characters are replaced by '?'.		

Check if admin able to retrive a batch after deleting the batch




#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.001 s
2	When Admin sends HTTPS GET Request with valid id	PASSED	0.617 s
3	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body.	FAILED	0.004 s
	java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.fail(NotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD. admin_receives_ok_status_with_batch_status_field_in_the_response_body(ProgramBatchModuleSD.java:266) at ?.Admin receives 200 OK Status with batchStatus field "Inactive" in the response body.(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:102) * Not displayable characters are replaced by '?'.		

User Module




Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with all mandatory fields for User Module	PASSED	0.003 s
2	When Admin sends HTTPS Request with endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 201 Created Status with response body for User Module	PASSED	1.541 s

Check if admin is able to retreive all the available roles




#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with GET All Roles endpoint for User Module	PASSED	0.001 s

DETAILED SECTION -- 56 --


	# Step / Hook Deta	ls Status	Duration
3	13 I Then Admin receives 200 OK for User Module	PASSED	2.603 s

Check if admin able to retrieve all Admin with valid endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with valid endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK Status with response body for User Module	PASSED	1.366 s


Check if admin able to retrieve a Admin with valid Admin ID



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid AdminId	PASSED	0.002 s
2	When Admin sends HTTPS Request with valid endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK Status with response body for User Module	PASSED	1.286 s


Check if admin able to retrieve all active Admins

DETAILED SECTION -- 57 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for active admins	PASSED	0.000 s
2	When Admin sends HTTPS Request with Get ALL Active Users endpoint for User Module	PASSED	0.001 s
3	Then Admin receives 200 OK with all Active Admins response body for User Module	PASSED	0.970 s


Check if admin is able to get count of active and inactive Admins



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint for User Module	PASSED	0.000 s
3	Then Admin receices 200 OK With count of all active and inactive admins for User Module	PASSED	0.199 s


Check if admin is able to get the Admins by program batches for valid batch ID

DETAILED SECTION -- 58 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid batch Id for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to get Admins by program batch for valid batchId for User Module	PASSED	0.001 s
3	Then Admin receives 200 OK for admins by program batches for valid adminId for User Module	PASSED	0.148 s


Check if admin is able to get the Admins for valid program Id



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to get admins with valid program Id for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint to get the Admins for valid program Id for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK to get the Admins for valid program Id for User Module	PASSED	0.170 s


Check if admin is able to retreive Admins by valid role ID

DETAILED SECTION -- 59 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid role ID to retreive Admins by valid role ID	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to retreive Admins by valid role ID	PASSED	0.000 s
3	Then Admin receives 200 OK when retreived Admins by valid role ID for User Module	PASSED	1.161 s


Check if admin able to retrieve all Admins with roles



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins with roles	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to retrieve all Admins with roles	PASSED	0.001 s
3	Then Admin receives 200 OK Status with response body after retrieved all Admins with roles for User Module	PASSED	0.211 s

Check if admin is able to update role status of a Admin with valid Admin id

DETAILED SECTION -- 60 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid data in request body to update role status	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint to update role status	PASSED	0.000 s
3	Then Admin receives 200 Ok Status with response message after update of role status for User Module	PASSED	0.375 s


Check if admin is able to update role id of a Admin by valid Admin id



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid request body for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint to update Admin roleId by valid AdminId	PASSED	0.001 s
3	Then Admin receives 200 OK Status with response body to update Admin roleId	PASSED	0.250 s


Check if admin is able to assign Admin to with program/batch by Admin Id

DETAILED SECTION -- 61 --




#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid data in request body to assign Admin with program/batch by Admin Id	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to assign Admin with program/batch by Admin Id	PASSED	0.000 s
3	Then Admin receives 200 Ok Status with response message to assign Admin to with program/batch by Admin Id	FAILED	0.368 s
	java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.UserModuleSD. admin_receives_ok_status_with_response_message_to_assign_admin_to_with_program_batch_by_admin_id(UserModuleSD.java:243) at ?.Admin receives 200 Ok Status with response message to assign Admin to with program/batch by Admin Id(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 004UserModule.feature:88) * Not displayable characters are replaced by '?'.		

User Role Program Batch Map



DETAILED SECTION -- 62 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins assigned to programs/batches with Authorization to bearer token	PASSED	0.000 s
2	When Admin sends HTTPS GET Request to retrieve all Admins assigned to programs/batches with Authorization to bearer token	PASSED	0.000 s
3	Then Admin receives statuscode 200 OK for Role Program Batch Map	PASSED	0.773 s


Check if admin is able to retreive all Admins with assigned program batches with No Authorization



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins assigned to programs/batches with authorization to No Auth	PASSED	0.001 s
2	When Admin sends HTTPS Request without authorization	PASSED	0.000 s
3	Then Admin receives status 401 with Unauthorized message for Role Program Batch Map	PASSED	0.145 s


Admin retreives assigned program batches for valid AdminId

DETAILED SECTION -- 63 --




#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by AdminId with Authorization to bearer token	PASSED	0.000 s
2	When Admin sends HTTPS Request to get program batches for valid AdminId	PASSED	0.000 s
3	Then Admin will receive 200 OK for Role Program Batch Map	FAILED	0.144 s
	java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEquals(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1419) at com.Ims.api.StepDefinitions.UserRoleProgramBatchMapSD. admin_will_receive_ok_for_role_program_batch_map(UserRoleProgramBatchMapSD.java:79) at ?.Admin will receive 200 OK for Role Program Batch Map(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 005UserRoleProgrmBatchMap.feature:16) * Not displayable characters are replaced by '?'.		

Check if admin is able to retreive assigned program batches for invalid AdminId




#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by invalid AdminID with Authorization to bearer	PASSED	0.000 s
	token		
2	When Admin sends HTTPS Request to get program batches for invalid AdminId	PASSED	0.000 s
3	Then Admin receives 404 with message for Role Program Batch Map	PASSED	0.137 s

Check if admin is able to retreive assigned program batches for valid AdminId with No authorization



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by valid AdminID with authorization to No Auth	PASSED	0.000 s
2	When Admin sends HTTPS Request to get Program/Batch by valid Admin Id without authorization	PASSED	0.000 s
3	Then Admin will receive status 401 with Unauthorized message for Role Program Batch Map	PASSED	1.179 s

Check if admin is able to delete the program batch for a Admin




#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin assigned to program/batch by AdminId with Authorization to bearer	PASSED	0.000 s
	token		
2	When Admin sends HTTPS Request to Delete program/batch by Admin Id	PASSED	0.000 s

DETAILED SECTION -- 65 --

#	Step / Hook Details	Status	Duration
3	Then Admin receives Status Code 200 OK after delete operation for Role Program Batch Map	FAILED	0.157 s
	java.lang.AssertionError: expected [200] but found [404]		
	at org.testng.Assert.fail(Assert.java:111)		
	at org.testng.Assert.failNotEquals(Assert.java:1578)		
	at org.testng.Assert.assertEqualsImpl(Assert.java:150)		
	at org.testng.Assert.assertEquals(Assert.java:132)		
	at org.testng.Assert.assertEquals(Assert.java:1419)		
	at org.testng.Assert.assertEquals(Assert.java:1449)		
	at com.lms.api.StepDefinitions.UserRoleProgramBatchMapSD.		
	admin_receives_status_code_ok_after_delete_operation_for_role_program_batch_map(UserRoleProgramBatchMapSD.java:145)		
	at ?.Admin receives Status Code 200 OK after delete operation for Role Program Batch Map(file:///C:/Users/sudha/git/		
	Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/		
	005UserRoleProgrmBatchMap.feature:31)		
	* Not displayable characters are replaced by '?'.		


Check if admin is able to delete the program batch for invalid Admin



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin assigned to program/batch by invalid AdminId with Authorization to	PASSED	0.000 s
	bearer token		
2	When Admin sends HTTPS Request to delete program/batch by invalid Admin Id	PASSED	0.000 s
3	Then Admin will receive 404 with message for Role Program Batch Map	PASSED	0.128 s

Check if admin is able to delete the program batch for valid Admin and No Authorization

DETAILED SECTION -- 66 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin assigned to program/batch by valid AdminId with authorization to No	PASSED	0.001 s
	Auth		
2	When Admin sends HTTPS Request to delete program/batch by Admin id without Authorization	PASSED	0.000 s
3	Then Admin will receive status code 401 with Unauthorized message for Role Program Batch Map	PASSED	0.153 s