

# Cucumber Report

Apr 2, 2024, 10:50:04 AM

Start : Apr 02, 10:49:48.501 AM

End : Apr 02, 10:50:03.505 AM

Duration : 15.004 s

Features



Scenarios

Steps

PASSED - 1  
FAILED - 2  
SKIPPED - 0

PASSED - 51  
FAILED - 2  
SKIPPED - 0


PASSED - 157  
FAILED - 2  
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Post request</u>	4.121 s	3	3	0	0	9	9	0	0
<u>ProgramModule</u>	7.877 s	36	35	1	0	108	107	1	0
<u>Batch Module POST request</u>	2.963 s	14	13	1	0	42	41	1	0

#	Feature Name	Scenario Name
1	<u>ProgramModule</u>	<u>Check if Admin able to create a program with missing additional field</u>
2	<u>Batch Module POST request</u>	<u>Check if admin able to create a batch with missing additional fields</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@tag	38	37	1	0	3	1	2	0
@EndToEnd	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>Post request</u>	3	3	0	0	4.121 s
2	<u>ProgramModule</u>	36	35	1	0	7.877 s
3	<u>Batch Module POST request</u>	14	13	1	0	2.963 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Post request</u>	<u>Check if Admin able to generate token with valid credential</u>	3	3	0	0	3.528 s
2		<u>Check if Admin able to generate token with invalid endpoint</u>	3	3	0	0	0.289 s
3		<u>Check if Admin able to generate token with invalid credentials</u>	3	3	0	0	0.188 s
4	<u>ProgramModule</u>	<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>	3	3	0	0	0.693 s
5		<u>Check if Admin able to create a program with valid endpoint and request body without Authorization</u>	3	3	0	0	0.291 s
6		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.380 s
7		<u>Check if Admin able to create a program with already existing program name</u>	3	3	0	0	0.248 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if Admin able to create a program with missing values in the request body</u>	3	3	0	0	0.228 s
9		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.230 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>ProgramModule</u>	<u>Check if Admin able to create a program without program name starting with a number</u>	3	3	0	0	0.225 s
11		<u>Check if Admin able to create a program with missing additional field</u>	3	2	1	0	0.235 s
12		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.164 s
13		<u>Check if Admin able to retrieve all programs with valid Endpoint without auth</u>	3	3	0	0	0.134 s
14		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.129 s
15		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.125 s
16		<u>Check if Admin able to retrieve a program with valid program ID</u>	3	3	0	0	0.148 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
17		<u>Check if Admin able to retrieve all programs with valid prgm id without auth</u>	3	3	0	0	0.133 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>ProgramModule</u>	<u>Check if Admin able to retrieve a program with invalid program ID</u>	3	3	0	0	0.140 s
19		<u>Check if Admin able to retrieve a program with invalid baseURI</u>	3	3	0	0	0.245 s
20		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.132 s
21		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.190 s
22		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.148 s
23		<u>Check if Admin able to retrieve all programs with invalid Method</u>	3	3	0	0	0.170 s
24		<u>Check if Admin able to retrieve all programs without Authorization</u>	3	3	0	0	0.143 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
25	<u>ProgramModule</u>	<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>	3	3	0	0	0.242 s
26		<u>Check if Admin able to update a program with invalid programID endpoint and valid request body</u>	3	3	0	0	0.199 s
27		<u>Check if Admin able to update a program without request body</u>	3	3	0	0	0.193 s
28		<u>Check if Admin able to update a program with invalid baseURI</u>	3	3	0	0	0.213 s
29		<u>Check if Admin able to update a program with invalid method</u>	3	3	0	0	0.164 s
30		<u>Check if Admin able to update a program without Authorization</u>	3	3	0	0	0.216 s
31		<u>Check if Admin able to update a program with Valid program Name and request body</u>	3	3	0	0	0.206 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
32		<u>Check if Admin able to update a program with invalid program Name and request body</u>	3	3	0	0	0.178 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
33	<u>ProgramModule</u>	<u>Check if Admin able to update a program using valid program name - missing mandatory fields in request body</u>	3	3	0	0	0.182 s
34		<u>Check if Admin able to upadte a program with program name starting with a number</u>	3	3	0	0	0.221 s
35		<u>Check if Admin able to update a program with invalid program Description</u>	3	3	0	0	0.191 s
36		<u>Check if Admin able to delete a program with valid LMS API, invalid programName</u>	3	3	0	0	0.155 s
37		<u>Check if Admin able to delete a program by pgrm name without Authorization</u>	3	3	0	0	0.134 s
38		<u>Check if Admin able to delete a program with valid LMS API, invalid programId</u>	3	3	0	0	0.200 s
39		<u>Check if Admin able to delete a program without Authorization</u>	3	3	0	0	0.174 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
40	<u>Batch Module POST request</u>	<u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u>	3	3	0	0	0.262 s
41		<u>Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)</u>	3	3	0	0	0.199 s
42		<u>Check if admin able to create a Batch missing mandatory fields in request body</u>	3	3	0	0	0.190 s
43		<u>Check if admin able to create a batch with invalid endpoint</u>	3	3	0	0	0.307 s
44		<u>Check if admin able to create a batch with missing additional fields</u>	3	2	1	0	0.182 s
45		<u>Check if admin able to create a batch with invalid data in request body</u>	3	3	0	0	0.230 s
46		<u>Check if admin able to retrieve all batches with valid LMS API</u>	3	3	0	0	0.156 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
47		<u>Check if admin able to retrieve all batches with invalid Endpoint</u>	3	3	0	0	0.129 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
48	<u>Batch Module POST request</u>	<u>Check if admin able to retrieve a batch with valid BATCH ID</u>	3	3	0	0	0.140 s
49		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>	3	3	0	0	0.174 s
50		<u>Check if admin able to retrieve a batch with valid Program ID</u>	3	3	0	0	0.150 s
51		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>	3	3	0	0	0.224 s
52		<u>Check if admin able to delete a Batch with valid Batch ID</u>	3	3	0	0	0.145 s
53		<u>Check if admin able to retriive a batch after deleting the batch</u>	3	3	0	0	0.292 s



## Post request



<b>PASSED</b>	DURATION - 4.121 s	Scenarios		Steps	
/ 10:49:48.501 AM // 10:49:52.622 AM /		Total - 3		Total - 9	
		Pass - 3		Pass - 9	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## Check if Admin able to generate token with valid credential

<div>PASSED</div> <div>DURATION - 3.528 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:49:48.504 AM // 10:49:52.032 AM /</div>			
<div>Post request</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.749 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.002 s
3	Then Admin receives 200 created with auto generated token	PASSED	2.729 s

## Check if Admin able to generate token with invalid endpoint

<div>PASSED</div>	<div>DURATION - 0.289 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:49:52.125 AM // 10:49:52.414 AM /				
Post request				
@EndToEnd				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with invalid endpoint	PASSED	0.001 s
3	Then Admin receives 401 unauthorized	PASSED	0.274 s

### Check if Admin able to generate token with invalid credentials



PASSED	DURATION - 0.188 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:49:52.434 AM // 10:49:52.622 AM /				
Post request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with invalid credentials	PASSED	0.002 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.002 s
3	Then Admin receives 400 Bad request	PASSED	0.182 s

### ProgramModule



FAILED	DURATION - 7.877 s	Scenarios		Steps	
/ 10:49:52.655 AM // 10:50:00.532 AM /		Total - 36	36	Total - 108	108
		Pass - 35		Pass - 107	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

### Check if Admin able to create a program with valid endpoint and request body with Authorization

<div>PASSED</div> <div>DURATION - 0.693 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:49:52.655 AM // 10:49:53.348 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.014 s
2	When Admin sends HTTPS Request and request Body with endpoint	PASSED	0.668 s
3	Then Admin receives 201 Created Status with response body.	PASSED	0.001 s

### Check if Admin able to create a program with valid endpoint and request body without Authorization

<div>PASSED</div>	<div>DURATION - 0.291 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:49:53.372 AM // 10:49:53.663 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.002 s
2	When Admin sends Post Request and request Body with endpoint without Authorization	PASSED	0.285 s
3	Then Admin receives 401 Unauthorized error for post	PASSED	0.001 s

### Check if Admin able to create a program with invalid endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends HTTPS Request and request Body with invalid endpoint	PASSED	0.375 s
3	Then Admin receives 404 not found Status with message and boolean success details	PASSED	0.000 s

### Check if Admin able to create a program with already existing program name





#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request with exsisting prgm name and request Body with endpoint	PASSED	0.240 s
3	Then Admin receives 400 Bad Request Status with message and boolean success details	PASSED	0.004 s

### Check if Admin able to create a program with missing values in the request body

PASSED	DURATION - 0.228 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:49:54.338 AM // 10:49:54.566 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and missing Pgm Name in request Body with endpoint	PASSED	0.223 s
3	Then Admin receives 400 Bad Request Status for missing value	PASSED	0.000 s

### Check if Admin able to create a program with invalid method

<div>PASSED</div> <div>DURATION - 0.230 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:49:54.574 AM // 10:49:54.804 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends Get Request instead of post and request Body with endpoint	PASSED	0.227 s
3	Then Admin receives 405 Method Not Allowed	PASSED	0.001 s

### Check if Admin able to create a program without program name starting with a number

<div>PASSED</div>	<div>DURATION - 0.225 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:49:54.813 AM // 10:49:55.038 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends Post Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.220 s
3	Then Admin receives 400 Bad Request Status for Pgm name starting with number	PASSED	0.001 s



### Check if Admin able to create a program with missing additional field

<div>FAILED</div> <div>DURATION - 0.235 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:49:55.051 AM // 10:49:55.286 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request with request Body with missing additional field with endpoint	PASSED	0.225 s
3	Then Admin receives 200 ok for missing additional fields in program post request body  <pre>java.lang.AssertionError: expected [200] but found [400]     at org.testng.Assert.fail(Assert.java:111)     at org.testng.Assert.failNotEquals(Assert.java:1578)     at org.testng.Assert.assertEqualsImpl(Assert.java:150)     at org.testng.Assert.assertEquals(Assert.java:132)     at org.testng.Assert.assertEquals(Assert.java:1419)     at org.testng.Assert.assertEquals(Assert.java:1449)     at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_for_missing_additional_fields_in_program_post_request_body(ProgramModuleSD.java:136)</pre>	FAILED	0.006 s



#	Step / Hook Details	Status	Duration
	at ?.Admin receives 200 ok for missing additional fields in program post request body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:46) * Not displayable characters are replaced by '?'.		

### Check if Admin able to retrieve all programs with valid Endpoint

PASSED	DURATION - 0.164 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:49:55.307 AM // 10:49:55.471 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint	PASSED	0.159 s
3	Then Admin receives 200 OK Status with response body.	PASSED	0.000 s

### Check if Admin able to retrieve all programs with valid Endpoint without auth

PASSED	DURATION - 0.134 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:49:55.482 AM // 10:49:55.616 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request and request Body with endpoint without Authorization	PASSED	0.130 s
3	Then Admin receives 401 Unauthorized error for put	PASSED	0.001 s

### Check if Admin able to create a program with invalid endpoint

<div>PASSED</div> <div>DURATION - 0.129 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:49:55.639 AM // 10:49:55.768 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.002 s
2	When Admin sends Get Request and request Body with invalid endpoint	PASSED	0.123 s
3	Then Admin receives 404 not found Status for GET with message and boolean success details	PASSED	0.001 s



### Check if Admin able to create a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.125 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:49:55.777 AM // 10:49:55.902 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Post Request instead of get and request Body with endpoint	PASSED	0.123 s
3	Then Admin receives 405 Method Not Allowed message	PASSED	0.000 s



### Check if Admin able to retrieve a program with valid program ID



<div>PASSED</div> <div>DURATION - 0.148 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 10:49:55.912 AM // 10:49:56.060 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.002 s
2	When Admin sends Get program Request with endpoint	PASSED	0.144 s
3	Then Admin receives 200 OK Status code with response body.	PASSED	0.000 s

### Check if Admin able to retrieve all programs with valid prgm id without auth

<div>PASSED</div>	<div>DURATION - 0.133 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:49:56.071 AM // 10:49:56.204 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get Request by pgm id and request Body with endpoint without Authorization	PASSED	0.129 s
3	Then Admin receives 401 Unauthorized error for put by pgm id	PASSED	0.001 s

### Check if Admin able to retrieve a program with invalid program ID

<b>PASSED</b>	DURATION - 0.140 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:49:56.212 AM // 10:49:56.352 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request with invlaid ID and endpoint	PASSED	0.136 s
3	Then Admin receives 404 Not Found Status for invalid PG Id with message and boolean success details	PASSED	0.002 s

### Check if Admin able to retrieve a program with invalid baseURI

<b>PASSED</b>	DURATION - 0.245 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:49:56.364 AM // 10:49:56.609 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with invalid baseURI	PASSED	0.000 s
2	When Admin sends Get Request Request with endpoint	PASSED	0.242 s
3	Then Admin receives 404 Not Found Status for invalid baseurl with message and boolean success details	PASSED	0.001 s

### Check if Admin able to retrieve a program with invalid Endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request with pgm Id and request Body with invalid endpoint	PASSED	0.126 s
3	Then Admin receives 404 Not Found Status for Get with Pgm Id with message and boolean success details	PASSED	0.001 s

### Check if Admin able to retrieve all programs with valid Endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends Get All programs with users Request with endpoint	PASSED	0.187 s
3	Then Admin receives 200 OK Status with response body of Users	PASSED	0.000 s

### Check if Admin able to retrieve a program with invalid Endpoint

<b>PASSED</b>	DURATION - 0.148 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:49:56.981 AM // 10:49:57.129 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends Get Request for all users with request Body with invalid endpoint	PASSED	0.145 s
3	Then Admin receives 404 Not Found Status for Get w for all users with message and boolean success details	PASSED	0.001 s

### Check if Admin able to retrieve all programs with invalid Method

<b>PASSED</b>	DURATION - 0.170 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:49:57.137 AM // 10:49:57.307 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends post all users Request instead of get with endpoint	PASSED	0.165 s
3	Then Admin receives 405 Method Not Allowed for get all users invalid method	PASSED	0.001 s

### Check if Admin able to retrieve all programs without Authorization





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint without auth	PASSED	0.140 s
3	Then Admin receives 401 Status with response body as Unauthorized	PASSED	0.001 s

### Check if Admin able to update a program with valid programID endpoint and valid request body





#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.002 s
2	When Admin sends Put Request with valid endpoint	PASSED	0.236 s
3	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.002 s

### Check if Admin able to update a program with invalid programID endpoint and valid request body

<div>PASSED</div>	<div>DURATION - 0.199 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:49:57.744 AM // 10:49:57.943 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with invalid prgm Id and valid endpoint	PASSED	0.196 s
3	Then Admin receives 404 Not Found Status for update pgm invalid pgm id with message and boolean success details	PASSED	0.001 s

### Check if Admin able to update a program without request body

<div>PASSED</div>	<div>DURATION - 0.193 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:49:57.962 AM // 10:49:58.155 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request missing mandate field and valid endpoint	PASSED	0.190 s
3	Then Admin receives 400 Bad Request Status for put for missing mandate field with message and boolean success details	PASSED	0.001 s

### Check if Admin able to update a program with invalid baseURI

<div>PASSED</div>	<div>DURATION - 0.213 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:49:58.161 AM // 10:49:58.374 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields with invalid baseurl	PASSED	0.000 s
2	When Admin sends Put Request with invalid baseurl valid endpoint	PASSED	0.211 s
3	Then Admin receives 404 Not Found Status for put invalid baseurl with message and boolean success details	PASSED	0.000 s

### Check if Admin able to update a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.164 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:49:58.382 AM // 10:49:58.546 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends get request instead of put Request with valid endpoint	PASSED	0.162 s
3	Then Admin receives 405 Method Not Allowed for using get instead of put	PASSED	0.000 s

### Check if Admin able to update a program without Authorization

<div>PASSED</div>	<div>DURATION - 0.216 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:49:58.556 AM // 10:49:58.772 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with endpoint without auth	PASSED	0.211 s
3	Then Admin receives 401 Status with response body as Unauthorized for put by pgm id	PASSED	0.000 s



### Check if Admin able to update a program with Valid program Name and request body

<div>PASSED</div>	<div>DURATION - 0.206 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:49:58.782 AM // 10:49:58.988 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with Program name with valid endpoint	PASSED	0.203 s
3	Then Admin receives 200 OK Status code with updated value in response body.	PASSED	0.001 s



### Check if Admin able to update a program with invalid program Name and request body



<div>PASSED</div>	<div>DURATION - 0.178 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:49:58.996 AM // 10:49:59.174 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with invalid Program name with valid endpoint	PASSED	0.174 s
3	Then Admin receives 404 Not Found Status for put with invalid pg namewith message and boolean success details	PASSED	0.001 s

### Check if Admin able to update a program using valid program name - missing mandatory fields in request body

PASSED	DURATION - 0.182 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:49:59.196 AM // 10:49:59.378 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API with missing mandatory fields	PASSED	0.000 s
2	When Admin sends Put Request with valid prgom name with valid endpoint	PASSED	0.179 s
3	Then Admin receives 400 Bad Request Status for missing field with message and boolean success details	PASSED	0.001 s

### Check if Admin able to upadte a program with program name starting with a number

<div>PASSED</div>	<div>DURATION - 0.221 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:49:59.384 AM // 10:49:59.605 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.217 s
3	Then Admin receives 400 Bad Request Status for put Pgm name starting with number	PASSED	0.001 s

### Check if Admin able to update a program with invalid program Description

<div>PASSED</div>	<div>DURATION - 0.191 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:49:59.623 AM // 10:49:59.814 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request and Pgm Descrip starting with Number in request Body with endpoint	PASSED	0.188 s
3	Then Admin receives 400 Bad Request Status for put Pgm descrip starting with number	PASSED	0.001 s

### Check if Admin able to delete a program with valid LMS API,invalid programName





#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programName	PASSED	0.000 s
2	When Admin sends Delete by invalid ProgramName Request with endpoint	PASSED	0.152 s
3	Then Admin receives 404 Not Found Status for delete invalid pgnamewith message and boolean success details	PASSED	0.001 s

### Check if Admin able to delete a program by pgmr name without Authorization





#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.000 s
2	When Admin sends delete Request by program name with endpoint without auth	PASSED	0.131 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm name	PASSED	0.000 s

### Check if Admin able to delete a program with valid LMS API,invalid programId

<div>PASSED</div>	<div>DURATION - 0.200 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:50:00.138 AM // 10:50:00.338 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programId	PASSED	0.001 s
2	When Admin sends Delete by invalid ProgramID Request with endpoint	PASSED	0.197 s
3	Then Admin receives 404 Not Found Status for delete invalid pgid with message and boolean success details	PASSED	0.000 s

### Check if Admin able to delete a program without Authorization



<div>PASSED</div>	<div>DURATION - 0.174 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:50:00.358 AM // 10:50:00.532 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.001 s
2	When Admin sends delete Request by program id with endpoint without auth	PASSED	0.170 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm id	PASSED	0.001 s

### Batch Module POST request



<b>FAILED</b>	DURATION - 2.963 s	Scenarios Total - 14 Pass - 13 Fail - 1 Skip - 0		Steps Total - 42 Pass - 41 Fail - 1 Skip - 0	
/ 10:50:00.542 AM // 10:50:03.505 AM /					

### Check if admin able to create a Batch with valid endpoint and request body (non existing values)

<b>PASSED</b>	DURATION - 0.262 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:50:00.542 AM // 10:50:00.804 AM /				
Batch Module POST request				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with valid data in request body	PASSED	0.004 s
2	When Admin sends HTTPS Request with endpoint to create batch	PASSED	0.252 s
3	Then Admin receives 201 Created Status with response body	PASSED	0.000 s



### Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)

<b>PASSED</b>	DURATION - 0.199 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:50:00.824 AM // 10:50:01.023 AM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with existing value in request body	PASSED	0.000 s
2	When Admin sends HTTPS POST Request with endpoint to create batch	PASSED	0.197 s



#	Step / Hook Details	Status	Duration
3	Then Admin receives 400 Bad Request Status with message in the response body	PASSED	0.001 s

### Check if admin able to create a Batch missing mandatory fields in request body

PASSED	DURATION - 0.190 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:50:01.031 AM // 10:50:01.221 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data in request body	PASSED	0.001 s
2	When Admin sends POST Request with endpoint to create batch	PASSED	0.186 s
3	Then Admin receives 400 Bad Request Status with message	PASSED	0.000 s

### Check if admin able to create a batch with invalid endpoint

PASSED	DURATION - 0.307 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:50:01.244 AM // 10:50:01.551 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request	PASSED	0.000 s
2	When Admin sends HTTPS Request with invalid endpoint	PASSED	0.303 s
3	Then Admin receives 404 not found Status	PASSED	0.001 s

### Check if admin able to create a batch with missing additional fields

FAILED	DURATION - 0.182 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:50:01.563 AM // 10:50:01.745 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with missing additional fields	PASSED	0.000 s
2	When Admin sends HTTPS Request with valid endpoint to create batch	PASSED	0.178 s
3	Then Admin receives 201 Created Status with response  java.lang.AssertionError: expected [201] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_created_status_with_response(ProgramBatchModuleSD.java:108) at ?.Admin receives 201 Created Status with response(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:39) * Not displayable characters are replaced by '?'. 	FAILED	0.003 s

### Check if admin able to create a batch with invalid data in request body

<div>PASSED</div>	<div>DURATION - 0.230 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:50:01.769 AM // 10:50:01.999 AM /</div>				
<div>Batch Module POST request</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data fields in request body	PASSED	0.001 s
2	When Admin sends HTTPS POST Request with valid endpoint	PASSED	0.226 s
3	Then Admin receives 400 Bad Request Status with message and boolean success	PASSED	0.001 s

### Check if admin able to retrieve all batches with valid LMS API

PASSED	DURATION - 0.156 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:50:02.009 AM // 10:50:02.165 AM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Get Request with endpoint to get batch	PASSED	0.151 s
3	Then Admin receives 200 OK Status with response body	PASSED	0.001 s



### Check if admin able to retrieve all batches with invalid Endpoint

PASSED	DURATION - 0.129 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:50:02.177 AM // 10:50:02.306 AM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with invalid endpoint	PASSED	0.001 s
2	When Admin sends HTTPS GET Request with invalid endpoint to get all batches	PASSED	0.127 s
3	Then Admin receives 404 status with error message Not Found	PASSED	0.001 s





**Check if admin able to retrieve a batch with valid BATCH ID**

<div>PASSED</div>	<div>DURATION - 0.140 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:50:02.312 AM // 10:50:02.452 AM /				
Batch Module POST request				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.000 s
2	When Admin sends Get Request with endpoint for batch module	PASSED	0.138 s
3	Then Admin receives 200 OK Status with response in the response body	PASSED	0.001 s

**Check if admin able to retrieve a batch with valid BATCH NAME**

<div>PASSED</div>	<div>DURATION - 0.174 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 10:50:02.470 AM // 10:50:02.644 AM /</div>				
<div>Batch Module POST request</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch Name	PASSED	0.001 s
2	When Admin sends Get batch Request with endpoint for batch module	PASSED	0.170 s
3	Then Admin receives 200 Status code with response body	PASSED	0.001 s

**Check if admin able to retrieve a batch with valid Program ID**




#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Program Id	PASSED	0.000 s
2	When Admin sends HTTPS Request to get batch by program Id with endpoint	PASSED	0.150 s
3	Then Admin receives status code 200 OK Status with response body	PASSED	0.000 s

### Check if admin able to update a Batch with valid batchID and mandatory fields in request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid BatchId and Data	PASSED	0.000 s
2	When Admin sends HTTPS Request to update with endpoint	PASSED	0.222 s
3	Then Admin receives 200 OK Status with updated value in response body for update request.	PASSED	0.000 s

### Check if admin able to delete a Batch with valid Batch ID



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request with valid BatchId	PASSED	0.000 s
2	When Admin sends HTTPS Request to delete with endpoint	PASSED	0.140 s
3	Then Admin receives 200 Ok status with message to delete batch module	PASSED	0.001 s

### Check if admin able to retrieve a batch after deleting the batch



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.000 s
2	When Admin sends HTTPS GET Request with valid id	PASSED	0.136 s
3	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body.	PASSED	0.154 s