

# Cucumber Report

Apr 2, 2024, 9:26:39 AM

Start : Apr 02, 9:26:25.660 AM

End : Apr 02, 9:26:38.634 AM

Duration : 12.974 s

Features



Scenarios

Steps

PASSED - 1  
FAILED - 1  
SKIPPED - 0

PASSED - 39  
FAILED - 1  
SKIPPED - 0


PASSED - 119  
FAILED - 1  
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Post request</u>	4.383 s	3	3	0	0	9	9	0	0
<u>ProgramModule</u>	8.560 s	37	36	1	0	111	110	1	0

#	Feature Name	Scenario Name
1	<u>ProgramModule</u>	<u>Check if Admin able to create a program with missing additional field</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@tag	38	37	1	0	2	1	1	0
@EndToEnd	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>Post request</u>	3	3	0	0	4.383 s
2	<u>ProgramModule</u>	37	36	1	0	8.560 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Post request</u>	<u>Check if Admin able to generate token with valid credential</u>	3	3	0	0	3.723 s
2		<u>Check if Admin able to generate token with invalid endpoint</u>	3	3	0	0	0.317 s
3		<u>Check if Admin able to generate token with invalid credentials</u>	3	3	0	0	0.214 s
4	<u>ProgramModule</u>	<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>	3	3	0	0	0.705 s
5		<u>Check if Admin able to create a program with valid endpoint and request body without Authorization</u>	3	3	0	0	0.279 s
6		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.340 s
7		<u>Check if Admin able to create a program with already existing program name</u>	3	3	0	0	0.236 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if Admin able to create a program with missing values in the request body</u>	3	3	0	0	0.247 s
9		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.242 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>ProgramModule</u>	<u>Check if Admin able to create a program without program name starting with a number</u>	3	3	0	0	0.256 s
11		<u>Check if Admin able to create a program with missing additional field</u>	3	2	1	0	0.198 s
12		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.215 s
13		<u>Check if Admin able to retrieve all programs with valid Endpoint without auth</u>	3	3	0	0	0.153 s
14		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.139 s
15		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.183 s
16		<u>Check if Admin able to retrieve a program with valid program ID</u>	3	3	0	0	0.145 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
17		<u>Check if Admin able to retrieve all programs with valid prgm id without auth</u>	3	3	0	0	0.128 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>ProgramModule</u>	<u>Check if Admin able to retrieve a program with invalid program ID</u>	3	3	0	0	0.132 s
19		<u>Check if Admin able to retrieve a program with invalid baseURI</u>	3	3	0	0	0.241 s
20		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.151 s
21		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.362 s
22		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.146 s
23		<u>Check if Admin able to retrieve all programs with invalid Method</u>	3	3	0	0	0.141 s
24		<u>Check if Admin able to retrieve all programs without Authorization</u>	3	3	0	0	0.165 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
25	<u>ProgramModule</u>	<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>	3	3	0	0	0.251 s
26		<u>Check if Admin able to update a program with invalid programID endpoint and valid request body</u>	3	3	0	0	0.203 s
27		<u>Check if Admin able to update a program without request body</u>	3	3	0	0	0.206 s
28		<u>Check if Admin able to update a program with invalid baseURI</u>	3	3	0	0	0.230 s
29		<u>Check if Admin able to update a program with invalid method</u>	3	3	0	0	0.237 s
30		<u>Check if Admin able to update a program without Authorization</u>	3	3	0	0	0.226 s
31		<u>Check if Admin able to update a program with Valid program Name and request body</u>	3	3	0	0	0.241 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
32		<u>Check if Admin able to update a program with invalid program Name and request body</u>	3	3	0	0	0.211 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
33	<u>ProgramModule</u>	<u>Check if Admin able to update a program using valid program name - missing mandatory fields in request body</u>	3	3	0	0	0.194 s
34		<u>Check if Admin able to upadte a program with program name starting with a number</u>	3	3	0	0	0.202 s
35		<u>Check if Admin able to update a program with invalid program Description</u>	3	3	0	0	0.223 s
36		<u>Check if Admin able to update a program status</u>	3	3	0	0	0.192 s
37		<u>Check if Admin able to delete a program with valid LMS API, invalid programName</u>	3	3	0	0	0.132 s
38		<u>Check if Admin able to delete a program by pgrm name without Authorization</u>	3	3	0	0	0.157 s
39		<u>Check if Admin able to delete a program with valid LMS API, invalid programId</u>	3	3	0	0	0.219 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
40		<u>Check if Admin able to delete a program without Authorization</u>	3	3	0	0	0.156 s

## Post request



<b>PASSED</b>	DURATION - 4.383 s	Scenarios		Steps	
/ 9:26:25.660 AM // 9:26:30.043 AM /		Total - 3		Total - 9	
		Pass - 3		Pass - 9	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## Check if Admin able to generate token with valid credential

<div>PASSED</div> <div>DURATION - 3.723 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:26:25.665 AM // 9:26:29.388 AM /</div>			
<div>Post request</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.788 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.001 s
3	Then Admin receives 200 created with auto generated token	PASSED	2.867 s

## Check if Admin able to generate token with invalid endpoint

<div>PASSED</div>	<div>DURATION - 0.317 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 9:26:29.486 AM // 9:26:29.803 AM /</div>				
<div>Post request</div>				
<div>@EndToEnd</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.002 s
2	When Admin calls Post Https method with invalid endpoint	PASSED	0.005 s
3	Then Admin receives 401 unauthorized	PASSED	0.305 s

### Check if Admin able to generate token with invalid credentials

PASSED	DURATION - 0.214 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:26:29.829 AM // 9:26:30.043 AM /				
Post request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with invalid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.001 s
3	Then Admin receives 400 Bad request	PASSED	0.209 s

### ProgramModule

FAILED	DURATION - 8.560 s	Scenarios		Steps	
/ 9:26:30.074 AM // 9:26:38.634 AM /		Total - 37		Total - 111	
		Pass - 36		Pass - 110	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	



### Check if Admin able to create a program with valid endpoint and request body with Authorization



<div>PASSED</div>	<div>DURATION - 0.705 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 9:26:30.074 AM // 9:26:30.779 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.008 s
2	When Admin sends HTTPS Request and request Body with endpoint	PASSED	0.686 s
3	Then Admin receives 201 Created Status with response body.	PASSED	0.001 s

### Check if Admin able to create a program with valid endpoint and request body without Authorization

<b>PASSED</b>	DURATION - 0.279 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:26:30.793 AM // 9:26:31.072 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and request Body with endpoint without Authorization	PASSED	0.271 s
3	Then Admin receives 401 Unauthorized error for post	PASSED	0.000 s

### Check if Admin able to create a program with invalid endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends HTTPS Request and request Body with invalid endpoint	PASSED	0.336 s
3	Then Admin receives 404 not found Status with message and boolean success details	PASSED	0.001 s

### Check if Admin able to create a program with already existing program name





#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request with exsisting prgm name and request Body with endpoint	PASSED	0.232 s
3	Then Admin receives 400 Bad Request Status with message and boolean success details	PASSED	0.001 s

### Check if Admin able to create a program with missing values in the request body

<div>PASSED</div>	<div>DURATION - 0.247 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:26:31.678 AM // 9:26:31.925 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and missing Pgm Name in request Body with endpoint	PASSED	0.243 s
3	Then Admin receives 400 Bad Request Status for missing value	PASSED	0.000 s

### Check if Admin able to create a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.242 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:26:31.936 AM // 9:26:32.178 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends Get Request instead of post and request Body with endpoint	PASSED	0.237 s
3	Then Admin receives 405 Method Not Allowed	PASSED	0.001 s

### Check if Admin able to create a program without program name starting with a number

<div>PASSED</div> <div>DURATION - 0.256 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:26:32.189 AM // 9:26:32.445 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.252 s
3	Then Admin receives 400 Bad Request Status for Pgm name starting with number	PASSED	0.001 s



### Check if Admin able to create a program with missing additional field

FAILED	DURATION - 0.198 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:26:32.460 AM // 9:26:32.658 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request with request Body with missing additional field with endpoint	PASSED	0.183 s
3	Then Admin receives 200 ok for missing additional fields in program post request body  <pre>java.lang.AssertionError: expected [200] but found [400]     at org.testng.Assert.fail(Assert.java:111)     at org.testng.Assert.failNotEquals(Assert.java:1578)     at org.testng.Assert.assertEqualsImpl(Assert.java:150)     at org.testng.Assert.assertEquals(Assert.java:132)     at org.testng.Assert.assertEquals(Assert.java:1419)     at org.testng.Assert.assertEquals(Assert.java:1449)     at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_for_missing_additional_fields_in_program_post_request_body(ProgramModuleSD.java:136)</pre>	FAILED	0.013 s



#	Step / Hook Details	Status	Duration
	at ?.Admin receives 200 ok for missing additional fields in program post request body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:46) * Not displayable characters are replaced by '?'.  		

### Check if Admin able to retrieve all programs with valid Endpoint

<div>PASSED</div> <div>DURATION - 0.215 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 9:26:32.670 AM // 9:26:32.885 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint	PASSED	0.211 s
3	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

### Check if Admin able to retrieve all programs with valid Endpoint without auth

<div>PASSED</div>	<div>DURATION - 0.153 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:26:32.908 AM // 9:26:33.061 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request and request Body with endpoint without Authorization	PASSED	0.148 s
3	Then Admin receives 401 Unauthorized error for put	PASSED	0.001 s

### Check if Admin able to create a program with invalid endpoint

<div>PASSED</div>	<div>DURATION - 0.139 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:26:33.071 AM // 9:26:33.210 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request and request Body with invalid endpoint	PASSED	0.135 s
3	Then Admin receives 404 not found Status for GET with message and boolean success details	PASSED	0.001 s

### Check if Admin able to create a program with invalid method

PASSED	DURATION - 0.183 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:26:33.235 AM // 9:26:33.418 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Post Request instead of get and request Body with endpoint	PASSED	0.180 s
3	Then Admin receives 405 Method Not Allowed message	PASSED	0.001 s

### Check if Admin able to retrieve a program with valid program ID

<div>PASSED</div>	<div>DURATION - 0.145 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:26:33.428 AM // 9:26:33.573 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get program Request with endpoint	PASSED	0.137 s
3	Then Admin receives 200 OK Status code with response body.	PASSED	0.004 s

### Check if Admin able to retrieve all programs with valid prgm id without auth

<div>PASSED</div>	<div>DURATION - 0.128 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:26:33.585 AM // 9:26:33.713 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.000 s
2	When Admin sends Get Request by pgm id and request Body with endpoint without Authorization	PASSED	0.126 s
3	Then Admin receives 401 Unauthorized error for put by pgm id	PASSED	0.000 s

### Check if Admin able to retrieve a program with invalid program ID

<b>PASSED</b>	DURATION - 0.132 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:26:33.736 AM // 9:26:33.868 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request with invlaid ID and endpoint	PASSED	0.128 s
3	Then Admin receives 404 Not Found Status for invalid PG Id with message and boolean success details	PASSED	0.001 s



### Check if Admin able to retrieve a program with invalid baseURI

<b>PASSED</b>	DURATION - 0.241 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:26:33.877 AM // 9:26:34.118 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with invalid baseURI	PASSED	0.001 s
2	When Admin sends Get Request Request with endpoint	PASSED	0.238 s
3	Then Admin receives 404 Not Found Status for invalid baseurl with message and boolean success details	PASSED	0.001 s



### Check if Admin able to retrieve a program with invalid Endpoint



PASSED	DURATION - 0.151 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:26:34.139 AM // 9:26:34.290 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request with pgm Id and request Body with invalid endpoint	PASSED	0.146 s
3	Then Admin receives 404 Not Found Status for Get with Pgm Id with message and boolean success details	PASSED	0.002 s

### Check if Admin able to retrieve all programs with valid Endpoint

<b>PASSED</b>	DURATION - 0.362 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:26:34.301 AM // 9:26:34.663 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends Get All programs with users Request with endpoint	PASSED	0.359 s
3	Then Admin receives 200 OK Status with response body of Users	PASSED	0.001 s

### Check if Admin able to retrieve a program with invalid Endpoint

<b>PASSED</b>	DURATION - 0.146 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:26:34.673 AM // 9:26:34.819 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends Get Request for all users with request Body with invalid endpoint	PASSED	0.143 s
3	Then Admin receives 404 Not Found Status for Get w for all users with message and boolean success details	PASSED	0.000 s

### Check if Admin able to retrieve all programs with invalid Method

<b>PASSED</b>	DURATION - 0.141 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:26:34.831 AM // 9:26:34.972 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends post all users Request instead of get with endpoint	PASSED	0.137 s
3	Then Admin receives 405 Method Not Allowed for get all users invalid method	PASSED	0.001 s

### Check if Admin able to retrieve all programs without Authorization

<b>PASSED</b>	DURATION - 0.165 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:26:34.983 AM // 9:26:35.148 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint without auth	PASSED	0.162 s
3	Then Admin receives 401 Status with response body as Unauthorized	PASSED	0.001 s

### Check if Admin able to update a program with valid programID endpoint and valid request body

<b>PASSED</b>	DURATION - 0.251 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:26:35.170 AM // 9:26:35.421 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with valid endpoint	PASSED	0.249 s
3	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.001 s

### Check if Admin able to update a program with invalid programID endpoint and valid request body





#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with invalid prgm Id and valid endpoint	PASSED	0.198 s
3	Then Admin receives 404 Not Found Status for update pgm invalid pgm id with message and boolean success details	PASSED	0.001 s

### Check if Admin able to update a program without request body





#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request missing mandate field and valid endpoint	PASSED	0.202 s
3	Then Admin receives 400 Bad Request Status for put for missing mandate field with message and boolean success details	PASSED	0.001 s

### Check if Admin able to update a program with invalid baseURI

PASSED	DURATION - 0.230 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:26:35.870 AM // 9:26:36.100 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields with invalid baseurl	PASSED	0.001 s
2	When Admin sends Put Request with invalid baseurl valid endpoint	PASSED	0.226 s
3	Then Admin receives 404 Not Found Status for put invalid baseurl with message and boolean success details	PASSED	0.001 s

### Check if Admin able to update a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.237 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:26:36.109 AM // 9:26:36.346 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends get request instead of put Request with valid endpoint	PASSED	0.232 s
3	Then Admin receives 405 Method Not Allowed for using get instead of put	PASSED	0.001 s

### Check if Admin able to update a program without Authorization

<div>PASSED</div> <div>DURATION - 0.226 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:26:36.358 AM // 9:26:36.584 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with endpoint without auth	PASSED	0.223 s
3	Then Admin receives 401 Status with response body as Unauthorized for put by pgm id	PASSED	0.001 s

### Check if Admin able to update a program with Valid program Name and request body

<div>PASSED</div>	<div>DURATION - 0.241 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:26:36.602 AM // 9:26:36.843 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with Program name with valid endpoint	PASSED	0.238 s
3	Then Admin receives 200 OK Status code with updated value in response body.	PASSED	0.001 s

### Check if Admin able to update a program with invalid program Name and request body

<div>PASSED</div> <div>DURATION - 0.211 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:26:36.850 AM // 9:26:37.061 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with invalid Program name with valid endpoint	PASSED	0.209 s
3	Then Admin receives 404 Not Found Status for put with invalid pg namewith message and boolean success details	PASSED	0.001 s

### Check if Admin able to update a program using valid program name - missing mandatory fields in request body

<div>PASSED</div>	<div>DURATION - 0.194 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:26:37.081 AM // 9:26:37.275 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API with missing mandatory fields	PASSED	0.000 s
2	When Admin sends Put Request with valid prgom name with valid endpoint	PASSED	0.191 s
3	Then Admin receives 400 Bad Request Status for missing field with message and boolean success details	PASSED	0.000 s

### Check if Admin able to upadte a program with program name starting with a number

<div>PASSED</div> <div>DURATION - 0.202 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:26:37.282 AM // 9:26:37.484 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.200 s
3	Then Admin receives 400 Bad Request Status for put Pgm name starting with number	PASSED	0.001 s



### Check if Admin able to update a program with invalid program Description

<div>PASSED</div>	<div>DURATION - 0.223 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 9:26:37.492 AM // 9:26:37.715 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request and Pgm Descrip starting with Number in request Body with endpoint	PASSED	0.216 s
3	Then Admin receives 400 Bad Request Status for put Pgm descrip starting with number	PASSED	0.001 s



### Check if Admin able to update a program status



<div>PASSED</div> <div>DURATION - 0.192 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:26:37.721 AM // 9:26:37.913 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			


#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request for status change with valid endpoint	PASSED	0.189 s
3	Then Admin receives 200 OK Status with updated prgm status value in response body.	PASSED	0.001 s

### Check if Admin able to delete a program with valid LMS API,invalid programName

<div>PASSED</div> <div>DURATION - 0.132 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:26:37.938 AM // 9:26:38.070 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			


#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programName	PASSED	0.001 s
2	When Admin sends Delete by invalid ProgramName Request with endpoint	PASSED	0.128 s
3	Then Admin receives 404 Not Found Status for delete invalid pgramewith message and boolean success details	PASSED	0.000 s

### Check if Admin able to delete a program by pgrm name without Authorization



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.000 s
2	When Admin sends delete Request by program name with endpoint without auth	PASSED	0.154 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm name	PASSED	0.000 s

### Check if Admin able to delete a program with valid LMS API,invalid programId



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programId	PASSED	0.001 s
2	When Admin sends Delete by invalid ProgramID Request with endpoint	PASSED	0.216 s
3	Then Admin receives 404 Not Found Status for delete invalid pgid with message and boolean success details	PASSED	0.001 s

### Check if Admin able to delete a program without Authorization


PASSED

DURATION - 0.156 s

/ 9:26:38.478 AM // 9:26:38.634 AM /

ProgramModule

@tag




Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.000 s
2	When Admin sends delete Request by program id with endpoint without auth	PASSED	0.152 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm id	PASSED	0.001 s