

# Cucumber Report

Apr 2, 2024, 1:20:37 PM

**Start : Apr 02, 1:20:11.116 PM**

**End : Apr 02, 1:20:36.272 PM**

**Duration : 25.156 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 5**

**FAILED - 2**

**SKIPPED - 0**

**PASSED - 77**




**FAILED - 2**

**SKIPPED - 0**

**PASSED - 235**

**FAILED - 2**


**SKIPPED - 0**




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Post request</u>	5.349 s	3	3	0	0	9	9	0	0
<u>ProgramModule</u>	9.754 s	36	35	1	0	108	107	1	0
<u>Batch Module POST request</u>	3.163 s	12	11	1	0	36	35	1	0
<u>User Module</u>	3.571 s	13	13	0	0	39	39	0	0
<u>User Role Program Batch Map</u>	1.179 s	7	7	0	0	21	21	0	0
<u>Delete All modules</u>	0.929 s	5	5	0	0	15	15	0	0
<u>Get (Logout )</u>	1.065 s	3	3	0	0	9	9	0	0

#	Feature Name	Scenario Name
1	<u>ProgramModule</u>	<u>Check if Admin able to create a program with missing additional field</u>
2	<u>Batch Module POST request</u>	<u>Check if admin able to create a batch with missing additional fields</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@tag	38	37	1	0	3	1	2	0
@EndToEnd	1	1	0	0	1	1	0	0
@PostRequest	1	1	0	0	1	1	0	0
@GetRequest(allroles)	1	1	0	0	1	1	0	0
@GetRequest(All_Admins)	1	1	0	0	1	1	0	0
@GetRequest(by_AdminID)	1	1	0	0	1	1	0	0
@GetRequest(All_active_admins)	1	1	0	0	1	1	0	0
@GetRequest(Count_of_active_inactive_Admins)	1	1	0	0	1	1	0	0
@GetRequest(get_Admin_by_RoleID)	1	1	0	0	1	1	0	0
@GetRequest(Admin_With_Roles)	1	1	0	0	1	1	0	0
@PutRequest(Update_Admin_Role_Status_By_AdminID)	1	1	0	0	1	1	0	0
@PutRequest(Update_Admin_RoleID)	1	1	0	0	1	1	0	0
@PutRequest(Update_Admin_Role_Program_Batch_Status)	1	1	0	0	1	1	0	0
@GetRequest(get_Admin_for_program)	1	1	0	0	1	1	0	0
@GetRequest(Admins_by_program_batches)	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>Post request</u>	3	3	0	0	5.349 s
2	<u>ProgramModule</u>	36	35	1	0	9.754 s
3	<u>Batch Module POST request</u>	12	11	1	0	3.163 s
4	<u>User Module</u>	13	13	0	0	3.571 s
5	<u>User Role Program Batch Map</u>	7	7	0	0	1.179 s
6	<u>Delete All modules</u>	5	5	0	0	0.929 s
7	<u>Get (Logout)</u>	3	3	0	0	1.065 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Post request</u>	<u>Check if Admin able to generate token with valid credential</u>	3	3	0	0	4.598 s
2		<u>Check if Admin able to generate token with invalid endpoint</u>	3	3	0	0	0.402 s
3		<u>Check if Admin able to generate token with invalid credentials</u>	3	3	0	0	0.190 s
4	<u>ProgramModule</u>	<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>	3	3	0	0	0.774 s
5		<u>Check if Admin able to create a program with valid endpoint and request body without Authorization</u>	3	3	0	0	0.287 s
6		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.701 s
7		<u>Check if Admin able to create a program with already existing program name</u>	3	3	0	0	0.260 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if Admin able to create a program with missing values in the request body</u>	3	3	0	0	0.227 s
9		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.269 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>ProgramModule</u>	<u>Check if Admin able to create a program without program name starting with a number</u>	3	3	0	0	0.249 s
11		<u>Check if Admin able to create a program with missing additional field</u>	3	2	1	0	0.252 s
12		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.171 s
13		<u>Check if Admin able to retrieve all programs with valid Endpoint without auth</u>	3	3	0	0	0.146 s
14		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.267 s
15		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.135 s
16		<u>Check if Admin able to retrieve a program with valid program ID</u>	3	3	0	0	0.193 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
17		<u>Check if Admin able to retrieve all programs with valid prgm id without auth</u>	3	3	0	0	0.146 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>ProgramModule</u>	<u>Check if Admin able to retrieve a program with invalid program ID</u>	3	3	0	0	0.151 s
19		<u>Check if Admin able to retrieve a program with invalid baseURI</u>	3	3	0	0	0.272 s
20		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.162 s
21		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.211 s
22		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.145 s
23		<u>Check if Admin able to retrieve all programs with invalid Method</u>	3	3	0	0	0.187 s
24		<u>Check if Admin able to retrieve all programs without Authorization</u>	3	3	0	0	0.169 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
25	<u>ProgramModule</u>	<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>	3	3	0	0	0.295 s
26		<u>Check if Admin able to update a program with invalid programID endpoint and valid request body</u>	3	3	0	0	0.237 s
27		<u>Check if Admin able to update a program without request body</u>	3	3	0	0	0.221 s
28		<u>Check if Admin able to update a program with invalid baseURI</u>	3	3	0	0	0.234 s
29		<u>Check if Admin able to update a program with invalid method</u>	3	3	0	0	0.514 s
30		<u>Check if Admin able to update a program without Authorization</u>	3	3	0	0	0.313 s
31		<u>Check if Admin able to update a program with Valid program Name and request body</u>	3	3	0	0	0.269 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
32		<u>Check if Admin able to update a program with invalid program Name and request body</u>	3	3	0	0	0.215 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
33	<u>ProgramModule</u>	<u>Check if Admin able to update a program using valid program name - missing mandatory fields in request body</u>	3	3	0	0	0.214 s
34		<u>Check if Admin able to upadte a program with program name starting with a number</u>	3	3	0	0	0.215 s
35		<u>Check if Admin able to update a program with invalid program Description</u>	3	3	0	0	0.291 s
36		<u>Check if Admin able to delete a program with valid LMS API, invalid programName</u>	3	3	0	0	0.145 s
37		<u>Check if Admin able to delete a program by pgrm name without Authorization</u>	3	3	0	0	0.177 s
38		<u>Check if Admin able to delete a program with valid LMS API, invalid programId</u>	3	3	0	0	0.182 s
39		<u>Check if Admin able to delete a program without Authorization</u>	3	3	0	0	0.168 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
40	<u>Batch Module POST request</u>	<u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u>	3	3	0	0	0.324 s
41		<u>Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)</u>	3	3	0	0	0.428 s
42		<u>Check if admin able to create a Batch missing mandatory fields in request body</u>	3	3	0	0	0.247 s
43		<u>Check if admin able to create a batch with invalid endpoint</u>	3	3	0	0	0.262 s
44		<u>Check if admin able to create a batch with missing additional fields</u>	3	2	1	0	0.214 s
45		<u>Check if admin able to create a batch with invalid data in request body</u>	3	3	0	0	0.245 s
46		<u>Check if admin able to retrieve all batches with valid LMS API</u>	3	3	0	0	0.192 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
47		<u>Check if admin able to retrieve all batches with invalid Endpoint</u>	3	3	0	0	0.151 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
48	<u>Batch Module POST request</u>	<u>Check if admin able to retrieve a batch with valid BATCH ID</u>	3	3	0	0	0.132 s
49		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>	3	3	0	0	0.150 s
50		<u>Check if admin able to retrieve a batch with valid Program ID</u>	3	3	0	0	0.141 s
51		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>	3	3	0	0	0.458 s
52	<u>User Module</u>	<u>Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields</u>	3	3	0	0	0.715 s
53		<u>Check if admin is able to retrieve all the available roles</u>	3	3	0	0	0.485 s
54		<u>Check if admin able to retrieve all Admin with valid endpoint</u>	3	3	0	0	0.265 s
55		<u>Check if admin able to retrieve a Admin with valid Admin ID</u>	3	3	0	0	0.223 s
56		<u>Check if admin able to retrieve all active Admins</u>	3	3	0	0	0.249 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
57		<u>Check if admin is able to get count of active and inactive Admins</u>	3	3	0	0	0.200 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
58	<u>User Module</u>	<u>Check if admin is able to retrieve Admins by valid role ID</u>	3	3	0	0	0.235 s
59		<u>Check if admin able to retrieve all Admins with roles</u>	3	3	0	0	0.195 s
60		<u>Check if admin is able to update role status of a Admin with valid Admin id</u>	3	3	0	0	0.159 s
61		<u>Check if admin is able to update role id of a Admin by valid Admin id</u>	3	3	0	0	0.180 s
62		<u>Check if admin is able to assign Admin to with program/batch by Admin Id</u>	3	3	0	0	0.189 s
63		<u>Check if admin is able to get the Admins for valid program Id</u>	3	3	0	0	0.145 s
64		<u>Check if admin is able to get the Admins by program batches for valid batch ID</u>	3	3	0	0	0.145 s
65	<u>User Role Program Batch Map</u>	<u>Admin retrieves all Admins with assigned program batches</u>	3	3	0	0	0.206 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
66		<u>Check if admin is able to retrieve all Admins with assigned program batches with No Authorization</u>	3	3	0	0	0.133 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
67	<u>User Role Program Batch Map</u>	<u>Admin retrieves assigned program batches for valid AdminId</u>	3	3	0	0	0.138 s
68		<u>Check if admin is able to retrieve assigned program batches for invalid AdminId</u>	3	3	0	0	0.147 s
69		<u>Check if admin is able to retrieve assigned program batches for valid AdminId with No authorization</u>	3	3	0	0	0.138 s
70		<u>Check if admin is able to delete the program batch for invalid Admin</u>	3	3	0	0	0.142 s
71		<u>Check if admin is able to delete the program batch for valid Admin and No Authorization</u>	3	3	0	0	0.165 s
72	<u>Delete All modules</u>	<u>Check if admin is able to delete the program batch for a Admin</u>	3	3	0	0	0.152 s
73		<u>Check if admin able to delete a Batch with valid Batch ID</u>	3	3	0	0	0.143 s
74		<u>Check if admin able to retrieve a batch after deleting the batch</u>	3	3	0	0	0.291 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
75		<u>Check if Admin able to delete a program with valid programName</u>	3	3	0	0	0.154 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
76	<u>Delete All modules</u>	<u>Check if Admin able to delete a program with valid program ID</u>	3	3	0	0	0.139 s
77	<u>Get (Logout )</u>	<u>Check if Admin able to logout</u>	3	3	0	0	0.190 s
78		<u>Check if Admin able to logout with invalid endpoint</u>	3	3	0	0	0.549 s
79		<u>Check if Admin able to logout</u>	3	3	0	0	0.311 s

## Post request



<b>PASSED</b>	DURATION - 5.349 s	Scenarios		Steps	
/ 1:20:11.116 PM // 1:20:16.465 PM /		Total - 3		Total - 9	
		Pass - 3		Pass - 9	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## Check if Admin able to generate token with valid credential

<div>PASSED</div> <div>DURATION - 4.598 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>		<div></div>
<div>/ 1:20:11.122 PM // 1:20:15.720 PM /</div>					
<div>Post request</div>					
<div>@tag</div>					



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	1.186 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.001 s
3	Then Admin receives 200 created with auto generated token	PASSED	3.317 s

## Check if Admin able to generate token with invalid endpoint

<b>PASSED</b>	DURATION - 0.402 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:15.853 PM // 1:20:16.255 PM /				
Post request				
@EndToEnd				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.009 s
2	When Admin calls Post Https method with invalid endpoint	PASSED	0.001 s
3	Then Admin receives 401 unauthorized	PASSED	0.385 s

### Check if Admin able to generate token with invalid credentials

PASSED	DURATION - 0.190 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:16.275 PM // 1:20:16.465 PM /				
Post request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with invalid credentials	PASSED	0.002 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.003 s
3	Then Admin receives 400 Bad request	PASSED	0.179 s

### ProgramModule

FAILED		DURATION - 9.754 s		Scenarios Total - 36 Pass - 35 Fail - 1 Skip - 0		Steps Total - 108 Pass - 107 Fail - 1 Skip - 0			
/ 1:20:16.496 PM // 1:20:26.250 PM /									



### Check if Admin able to create a program with valid endpoint and request body with Authorization



<div>PASSED</div>	<div>DURATION - 0.774 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 1:20:16.497 PM // 1:20:17.271 PM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.013 s
2	When Admin sends HTTPS Request and request Body with endpoint	PASSED	0.743 s
3	Then Admin receives 201 Created Status with response body.	PASSED	0.001 s

### Check if Admin able to create a program with valid endpoint and request body without Authorization

<b>PASSED</b>	DURATION - 0.287 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:17.326 PM // 1:20:17.613 PM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and request Body with endpoint without Authorization	PASSED	0.281 s
3	Then Admin receives 401 Unauthorized error for post	PASSED	0.001 s

### Check if Admin able to create a program with invalid endpoint

PASSED	DURATION - 0.701 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:20:17.632 PM // 1:20:18.333 PM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends HTTPS Request and request Body with invalid endpoint	PASSED	0.694 s
3	Then Admin receives 404 not found Status with message and boolean success details	PASSED	0.002 s

### Check if Admin able to create a program with already existing program name

<div>PASSED</div>	<div>DURATION - 0.260 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:20:18.358 PM // 1:20:18.618 PM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request with exsisting prgm name and request Body with endpoint	PASSED	0.254 s
3	Then Admin receives 400 Bad Request Status with message and boolean success details	PASSED	0.001 s

### Check if Admin able to create a program with missing values in the request body

PASSED	DURATION - 0.227 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:18.632 PM // 1:20:18.859 PM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends Post Request and missing Pgm Name in request Body with endpoint	PASSED	0.220 s
3	Then Admin receives 400 Bad Request Status for missing value	PASSED	0.002 s

### Check if Admin able to create a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.269 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:20:18.882 PM // 1:20:19.151 PM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Get Request instead of post and request Body with endpoint	PASSED	0.265 s
3	Then Admin receives 405 Method Not Allowed	PASSED	0.000 s

### Check if Admin able to create a program without program name starting with a number

PASSED	DURATION - 0.249 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:20:19.165 PM // 1:20:19.414 PM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends Post Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.243 s
3	Then Admin receives 400 Bad Request Status for Pgm name starting with number	PASSED	0.002 s



### Check if Admin able to create a program with missing additional field

<div>FAILED</div> <div>DURATION - 0.252 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:20:19.440 PM // 1:20:19.692 PM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request with request Body with missing additional field with endpoint	PASSED	0.239 s
3	Then Admin receives 200 ok for missing additional fields in program post request body <pre>java.lang.AssertionError: expected [200] but found [400]     at org.testng.Assert.fail(Assert.java:111)     at org.testng.Assert.failNotEquals(Assert.java:1578)     at org.testng.Assert.assertEqualsImpl(Assert.java:150)     at org.testng.Assert.assertEquals(Assert.java:132)     at org.testng.Assert.assertEquals(Assert.java:1419)     at org.testng.Assert.assertEquals(Assert.java:1449)     at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_for_missing_additional_fields_in_program_post_request_body(ProgramModuleSD.java:136)</pre>	FAILED	0.009 s



#	Step / Hook Details	Status	Duration
	at ?.Admin receives 200 ok for missing additional fields in program post request body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:46) * Not displayable characters are replaced by '?'.  		

### Check if Admin able to retrieve all programs with valid Endpoint

<div>PASSED</div>	<div>DURATION - 0.171 s</div>	<div><table><caption>Steps</caption><tr><td>Total</td><td>- 3</td></tr><tr><td>Pass</td><td>- 3</td></tr><tr><td>Fail</td><td>- 0</td></tr><tr><td>Skip</td><td>- 0</td></tr></table></div>	Total	- 3	Pass	- 3	Fail	- 0	Skip	- 0
Total	- 3									
Pass	- 3									
Fail	- 0									
Skip	- 0									
<div>/ 1:20:19.708 PM // 1:20:19.879 PM /</div>										
<div>ProgramModule</div>										
<div>@tag</div>										



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint	PASSED	0.167 s
3	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

### Check if Admin able to retrieve all programs with valid Endpoint without auth

<div>PASSED</div>	<div>DURATION - 0.146 s</div>	<div><table><caption>Steps</caption><tr><td>Total</td><td>- 3</td></tr><tr><td>Pass</td><td>- 3</td></tr><tr><td>Fail</td><td>- 0</td></tr><tr><td>Skip</td><td>- 0</td></tr></table></div>	Total	- 3	Pass	- 3	Fail	- 0	Skip	- 0
Total	- 3									
Pass	- 3									
Fail	- 0									
Skip	- 0									
<div>/ 1:20:19.904 PM // 1:20:20.050 PM /</div>										
<div>ProgramModule</div>										
<div>@tag</div>										



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request and request Body with endpoint without Authorization	PASSED	0.140 s
3	Then Admin receives 401 Unauthorized error for put	PASSED	0.001 s

### Check if Admin able to create a program with invalid endpoint

<div>PASSED</div>	<div>DURATION - 0.267 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:20:20.064 PM // 1:20:20.331 PM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request and request Body with invalid endpoint	PASSED	0.262 s
3	Then Admin receives 404 not found Status for GET with message and boolean success details	PASSED	0.001 s

### Check if Admin able to create a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.135 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:20:20.355 PM // 1:20:20.490 PM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Post Request instead of get and request Body with endpoint	PASSED	0.127 s
3	Then Admin receives 405 Method Not Allowed message	PASSED	0.002 s

### Check if Admin able to retrieve a program with valid program ID

<b>PASSED</b>	DURATION - 0.193 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:20.503 PM // 1:20:20.696 PM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get program Request with endpoint	PASSED	0.190 s
3	Then Admin receives 200 OK Status code with response body.	PASSED	0.000 s

### Check if Admin able to retrieve all programs with valid prgm id without auth

<b>PASSED</b>	DURATION - 0.146 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:20.721 PM // 1:20:20.867 PM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get Request by pgm id and request Body with endpoint without Authorization	PASSED	0.142 s
3	Then Admin receives 401 Unauthorized error for put by pgm id	PASSED	0.001 s

### Check if Admin able to retrieve a program with invalid program ID



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request with invlaid ID and endpoint	PASSED	0.146 s
3	Then Admin receives 404 Not Found Status for invalid PG Id with message and boolean success details	PASSED	0.002 s

### Check if Admin able to retrieve a program with invalid baseURI



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with invalid baseURI	PASSED	0.000 s
2	When Admin sends Get Request Request with endpoint	PASSED	0.267 s
3	Then Admin receives 404 Not Found Status for invalid baseurl with message and boolean success details	PASSED	0.001 s

### Check if Admin able to retrieve a program with invalid Endpoint



<b>PASSED</b>	DURATION - 0.162 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:21.352 PM // 1:20:21.514 PM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request with pgm Id and request Body with invalid endpoint	PASSED	0.158 s
3	Then Admin receives 404 Not Found Status for Get with Pgm Id with message and boolean success details	PASSED	0.000 s

### Check if Admin able to retrieve all programs with valid Endpoint

<b>PASSED</b>	DURATION - 0.211 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:21.523 PM // 1:20:21.734 PM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends Get All programs with users Request with endpoint	PASSED	0.205 s
3	Then Admin receives 200 OK Status with response body of Users	PASSED	0.001 s

### Check if Admin able to retrieve a program with invalid Endpoint

<b>PASSED</b>	DURATION - 0.145 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:21.755 PM // 1:20:21.900 PM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends Get Request for all users with request Body with invalid endpoint	PASSED	0.141 s
3	Then Admin receives 404 Not Found Status for Get w for all users with message and boolean success details	PASSED	0.001 s

### Check if Admin able to retrieve all programs with invalid Method

<b>PASSED</b>	DURATION - 0.187 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:21.916 PM // 1:20:22.103 PM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends post all users Request instead of get with endpoint	PASSED	0.183 s
3	Then Admin receives 405 Method Not Allowed for get all users invalid method	PASSED	0.001 s

### Check if Admin able to retrieve all programs without Authorization

<div>PASSED</div>	<div>DURATION - 0.169 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:20:22.113 PM // 1:20:22.282 PM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint without auth	PASSED	0.166 s
3	Then Admin receives 401 Status with response body as Unauthorized	PASSED	0.001 s

### Check if Admin able to update a program with valid programID endpoint and valid request body

<b>PASSED</b>	DURATION - 0.295 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:22.307 PM // 1:20:22.602 PM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with valid endpoint	PASSED	0.291 s
3	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.001 s

### Check if Admin able to update a program with invalid programID endpoint and valid request body

<div>PASSED</div> <div>DURATION - 0.237 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:20:22.630 PM // 1:20:22.867 PM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with invalid prgm Id and valid endpoint	PASSED	0.232 s
3	Then Admin receives 404 Not Found Status for update pgm invalid pgm id with message and boolean success details	PASSED	0.001 s

### Check if Admin able to update a program without request body

PASSED	DURATION - 0.221 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:22.879 PM // 1:20:23.100 PM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request missing mandate field and valid endpoint	PASSED	0.217 s
3	Then Admin receives 400 Bad Request Status for put for missing mandate field with message and boolean success details	PASSED	0.001 s

### Check if Admin able to update a program with invalid baseURI

<div>PASSED</div>	<div>DURATION - 0.234 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:20:23.115 PM // 1:20:23.349 PM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields with invalid baseurl	PASSED	0.001 s
2	When Admin sends Put Request with invalid baseurl valid endpoint	PASSED	0.230 s
3	Then Admin receives 404 Not Found Status for put invalid baseurl with message and boolean success details	PASSED	0.001 s

### Check if Admin able to update a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.514 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:20:23.363 PM // 1:20:23.877 PM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.002 s
2	When Admin sends get request instead of put Request with valid endpoint	PASSED	0.508 s
3	Then Admin receives 405 Method Not Allowed for using get instead of put	PASSED	0.001 s

### Check if Admin able to update a program without Authorization

<div>PASSED</div> <div>DURATION - 0.313 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:20:23.903 PM // 1:20:24.216 PM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with endpoint without auth	PASSED	0.309 s
3	Then Admin receives 401 Status with response body as Unauthorized for put by pgm id	PASSED	0.001 s

### Check if Admin able to update a program with Valid program Name and request body

<div>PASSED</div>	<div>DURATION - 0.269 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 1:20:24.226 PM // 1:20:24.495 PM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with Program name with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 OK Status code with updated value in response body.	PASSED	0.000 s

### Check if Admin able to update a program with invalid program Name and request body

<div>PASSED</div> <div>DURATION - 0.215 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:20:24.517 PM // 1:20:24.732 PM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with invalid Program name with valid endpoint	PASSED	0.211 s
3	Then Admin receives 404 Not Found Status for put with invalid pg namewith message and boolean success details	PASSED	0.001 s

### Check if Admin able to update a program using valid program name - missing mandatory fields in request body

PASSED	DURATION - 0.214 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:20:24.751 PM // 1:20:24.965 PM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API with missing mandatory fields	PASSED	0.001 s
2	When Admin sends Put Request with valid prgom name with valid endpoint	PASSED	0.206 s
3	Then Admin receives 400 Bad Request Status for missing field with message and boolean success details	PASSED	0.001 s

### Check if Admin able to upadte a program with program name starting with a number

<div>PASSED</div> <div>DURATION - 0.215 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:20:24.979 PM // 1:20:25.194 PM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.211 s
3	Then Admin receives 400 Bad Request Status for put Pgm name starting with number	PASSED	0.001 s



### Check if Admin able to update a program with invalid program Description

PASSED	DURATION - 0.291 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:20:25.215 PM // 1:20:25.506 PM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request and Pgm Descrip starting with Number in request Body with endpoint	PASSED	0.286 s
3	Then Admin receives 400 Bad Request Status for put Pgm descrip starting with number	PASSED	0.001 s



### Check if Admin able to delete a program with valid LMS API,invalid programName



<b>PASSED</b>	DURATION - 0.145 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:25.519 PM // 1:20:25.664 PM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programName	PASSED	0.000 s
2	When Admin sends Delete by invalid ProgramName Request with endpoint	PASSED	0.140 s
3	Then Admin receives 404 Not Found Status for delete invalid pgnamewith message and boolean success details	PASSED	0.001 s

### Check if Admin able to delete a program by pgmr name without Authorization

<b>PASSED</b>	DURATION - 0.177 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:25.690 PM // 1:20:25.867 PM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.000 s
2	When Admin sends delete Request by program name with endpoint without auth	PASSED	0.170 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm name	PASSED	0.002 s

### Check if Admin able to delete a program with valid LMS API,invalid programId

<b>PASSED</b>	DURATION - 0.182 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:25.879 PM // 1:20:26.061 PM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programId	PASSED	0.002 s
2	When Admin sends Delete by invalid ProgramID Request with endpoint	PASSED	0.176 s
3	Then Admin receives 404 Not Found Status for delete invalid pgid with message and boolean success details	PASSED	0.001 s

### Check if Admin able to delete a program without Authorization



<b>PASSED</b>	DURATION - 0.168 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:26.082 PM // 1:20:26.250 PM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.001 s
2	When Admin sends delete Request by program id with endpoint without auth	PASSED	0.164 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm id	PASSED	0.000 s

### Batch Module POST request



<b>FAILED</b>	DURATION - 3.163 s	Scenarios Total - 12 Pass - 11 Fail - 1 Skip - 0		Steps Total - 36 Pass - 35 Fail - 1 Skip - 0	
/ 1:20:26.278 PM // 1:20:29.441 PM /					

### Check if admin able to create a Batch with valid endpoint and request body (non existing values)

<b>PASSED</b>	DURATION - 0.324 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:26.278 PM // 1:20:26.602 PM /				
Batch Module POST request				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with valid data in request body	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to create batch	PASSED	0.318 s
3	Then Admin receives 201 Created Status with response body	PASSED	0.000 s



### Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)

<b>PASSED</b>	DURATION - 0.428 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:26.625 PM // 1:20:27.053 PM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with existing value in request body	PASSED	0.001 s
2	When Admin sends HTTPS POST Request with endpoint to create batch	PASSED	0.421 s



#	Step / Hook Details	Status	Duration
3	Then Admin receives 400 Bad Request Status with message in the response body	PASSED	0.001 s

### Check if admin able to create a Batch missing mandatory fields in request body

PASSED	DURATION - 0.247 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:27.064 PM // 1:20:27.311 PM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data in request body	PASSED	0.001 s
2	When Admin sends POST Request with endpoint to create batch	PASSED	0.242 s
3	Then Admin receives 400 Bad Request Status with message	PASSED	0.001 s

### Check if admin able to create a batch with invalid endpoint

PASSED	DURATION - 0.262 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:27.336 PM // 1:20:27.598 PM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with invalid endpoint	PASSED	0.256 s
3	Then Admin receives 404 not found Status	PASSED	0.001 s

### Check if admin able to create a batch with missing additional fields

<div>FAILED</div>	<div>DURATION - 0.214 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
<div>/ 1:20:27.617 PM // 1:20:27.831 PM /</div>				
<div>Batch Module POST request</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with missing additional fields	PASSED	0.000 s
2	When Admin sends HTTPS Request with valid endpoint to create batch	PASSED	0.209 s
3	Then Admin receives 201 Created Status with response  java.lang.AssertionError: expected [201] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_created_status_with_response(ProgramBatchModuleSD.java:108) at ?.Admin receives 201 Created Status with response(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:39) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s

### Check if admin able to create a batch with invalid data in request body

<b>PASSED</b>	DURATION - 0.245 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:27.853 PM // 1:20:28.098 PM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data fields in request body	PASSED	0.001 s
2	When Admin sends HTTPS POST Request with valid endpoint	PASSED	0.241 s
3	Then Admin receives 400 Bad Request Status with message and boolean success	PASSED	0.001 s

### Check if admin able to retrieve all batches with valid LMS API

PASSED	DURATION - 0.192 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:28.120 PM // 1:20:28.312 PM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.000 s
2	When Admin sends HTTPS Get Request with endpoint to get batch	PASSED	0.187 s
3	Then Admin receives 200 OK Status with response body	PASSED	0.000 s

### Check if admin able to retrieve all batches with invalid Endpoint

PASSED	DURATION - 0.151 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:28.323 PM // 1:20:28.474 PM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with invalid endpoint	PASSED	0.002 s
2	When Admin sends HTTPS GET Request with invalid endpoint to get all batches	PASSED	0.146 s
3	Then Admin receives 404 status with error message Not Found	PASSED	0.000 s

**Check if admin able to retrieve a batch with valid BATCH ID**

<div>PASSED</div>	<div>DURATION - 0.132 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:20:28.504 PM // 1:20:28.636 PM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.000 s
2	When Admin sends Get Request with endpoint for batch module	PASSED	0.129 s
3	Then Admin receives 200 OK Status with response in the response body	PASSED	0.001 s

**Check if admin able to retrieve a batch with valid BATCH NAME**

<div>PASSED</div>	<div>DURATION - 0.150 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:20:28.646 PM // 1:20:28.796 PM /</div>				
<div>Batch Module POST request</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch Name	PASSED	0.002 s
2	When Admin sends Get batch Request with endpoint for batch module	PASSED	0.145 s
3	Then Admin receives 200 Status code with response body	PASSED	0.002 s

**Check if admin able to retrieve a batch with valid Program ID**

<b>PASSED</b>	DURATION - 0.141 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:28.818 PM // 1:20:28.959 PM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Program Id	PASSED	0.001 s
2	When Admin sends HTTPS Request to get batch by program Id with endpoint	PASSED	0.136 s
3	Then Admin receives status code 200 OK Status with response body	PASSED	0.001 s



### Check if admin able to update a Batch with valid batchID and mandatory fields in request body

<b>PASSED</b>	DURATION - 0.458 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:28.983 PM // 1:20:29.441 PM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid BatchId and Data	PASSED	0.000 s
2	When Admin sends HTTPS Request to update with endpoint	PASSED	0.454 s
3	Then Admin receives 200 OK Status with updated value in response body for update request.	PASSED	0.001 s

## User Module





<b>PASSED</b>	DURATION - 3.571 s	Scenarios Total - 13 Pass - 13 Fail - 0 Skip - 0		Steps Total - 39 Pass - 39 Fail - 0 Skip - 0	
/ 1:20:29.471 PM // 1:20:33.042 PM /					

### Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields

<div>PASSED</div> <div>DURATION - 0.715 s</div>	<div></div>	Steps	<div></div>
<div>/ 1:20:29.471 PM // 1:20:30.186 PM /</div>		Total - 3	
<div>User Module</div>		Pass - 3	
<div>@PostRequest</div>		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with all mandatory fields for User Module	PASSED	0.003 s
2	When Admin sends HTTPS Request with endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 201 Created Status with response body for User Module	PASSED	0.706 s



### Check if admin is able to retrieve all the available roles

<b>PASSED</b>	DURATION - 0.485 s		Steps	
/ 1:20:30.207 PM // 1:20:30.692 PM /			Total - 3	
User Module			Pass - 3	
@GetRequest(allroles)			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with GET All Roles endpoint for User Module	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
3	Then Admin receives 200 OK for User Module	PASSED	0.482 s

### Check if admin able to retrieve all Admin with valid endpoint

PASSED	DURATION - 0.265 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:20:30.704 PM // 1:20:30.969 PM /				
User Module				
@GetRequest(All_Admins)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.002 s
2	When Admin sends HTTPS Request with valid endpoint for User Module	PASSED	0.001 s
3	Then Admin receives 200 OK Status with response body for User Module	PASSED	0.260 s

### Check if admin able to retrieve a Admin with valid Admin ID

PASSED	DURATION - 0.223 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:20:30.981 PM // 1:20:31.204 PM /				
User Module				
@GetRequest(by_AdminID)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid AdminId	PASSED	0.001 s
2	When Admin sends HTTPS Request with valid endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK Status with response body for User Module	PASSED	0.218 s

### Check if admin able to retrieve all active Admins

<div>PASSED</div>	<div>DURATION - 0.249 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:20:31.213 PM // 1:20:31.462 PM /</div>				
<div>User Module</div>				
<div>@GetRequest(All_active_admins)</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for active admins	PASSED	0.001 s
2	When Admin sends HTTPS Request with Get ALL Active Users endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK with all Active Admins response body for User Module	PASSED	0.243 s

### Check if admin is able to get count of active and inactive Admins

<div>PASSED</div>	<div>DURATION - 0.200 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:20:31.470 PM // 1:20:31.670 PM /				
User Module				
@GetRequest(Count_of_active_inactive_Admins)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint for User Module	PASSED	0.001 s
3	Then Admin receives 200 OK With count of all active and inactive admins for User Module	PASSED	0.195 s

### Check if admin is able to retrieve Admins by valid role ID

<b>PASSED</b>	DURATION - 0.235 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:31.679 PM // 1:20:31.914 PM /				
User Module				
@GetRequest(get_Admin_by_RoleID)				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid role ID to retrieve Admins by valid role ID	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint to retrieve Admins by valid role ID	PASSED	0.001 s
3	Then Admin receives 200 OK when retrieved Admins by valid role ID for User Module	PASSED	0.232 s

### Check if admin able to retrieve all Admins with roles

<b>PASSED</b>	DURATION - 0.195 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:31.935 PM // 1:20:32.130 PM /				
User Module				
@GetRequest(Admin_With_Roles)				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins with roles	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to retrieve all Admins with roles	PASSED	0.001 s
3	Then Admin receives 200 OK Status with response body after retrieved all Admins with roles for User Module	PASSED	0.191 s

### Check if admin is able to update role status of a Admin with valid Admin id

<b>PASSED</b>	<b>DURATION - 0.159 s</b>		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:32.144 PM // 1:20:32.303 PM /				
<i>User Module</i>				
@PutRequest(Update_Admin_Role_Status_By_AdminID)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid data in request body to update role status	PASSED	0.002 s
2	When Admin sends HTTPS Request with endpoint to update role status	PASSED	0.000 s
3	Then Admin receives 200 Ok Status with response message after update of role status for User Module	PASSED	0.155 s

### Check if admin is able to update role id of a Admin by valid Admin id

<b>PASSED</b>	<b>DURATION - 0.180 s</b>		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:32.322 PM // 1:20:32.502 PM /				
<i>User Module</i>				
@PutRequest(Update_Admin_RoleID)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid request body for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint to update Admin roleid by valid AdminId	PASSED	0.000 s
3	Then Admin receives 200 OK Status with response body to update Admin roleid	PASSED	0.177 s

### Check if admin is able to assign Admin to with program/batch by Admin Id

<b>PASSED</b>	<b>DURATION - 0.189 s</b>		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:32.519 PM // 1:20:32.708 PM /				
<b>User Module</b>				
@PutRequest(Update_Admin_Role_Program_Batch_Status)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid data in request body to assign Admin with program/batch by Admin Id	PASSED	0.002 s
2	When Admin sends HTTPS Request with endpoint to assign Admin with program/batch by Admin Id	PASSED	0.001 s
3	Then Admin receives 200 Ok Status with response message to assign Admin to with program/batch by Admin Id	PASSED	0.185 s

### Check if admin is able to get the Admins for valid program Id

<b>PASSED</b>	<b>DURATION - 0.145 s</b>		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:32.729 PM // 1:20:32.874 PM /				
<b>User Module</b>				
@GetRequest(get_Admin_for_program)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to get admins with valid program Id for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint to get the Admins for valid program Id for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK to get the Admins for valid program Id for User Module	PASSED	0.142 s

### Check if admin is able to get the Admins by program batches for valid batch ID



<b>PASSED</b>	DURATION - 0.145 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:32.897 PM // 1:20:33.042 PM /				
User Module				
@GetRequest(Admins_by_program_batches)				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid batch Id for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint to get Admins by program batch for valid batchId for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK for admins by program batches for valid adminId for User Module	PASSED	0.142 s

### User Role Program Batch Map

<b>PASSED</b>	DURATION - 1.179 s	<b>Scenarios</b> Total - 7 Pass - 7 Fail - 0 Skip - 0		<b>Steps</b> Total - 21 Pass - 21 Fail - 0 Skip - 0	
/ 1:20:33.057 PM // 1:20:34.236 PM /					



### Admin retrieves all Admins with assigned program batches

<b>PASSED</b>	DURATION - 0.206 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:33.057 PM // 1:20:33.263 PM /				
User Role Program Batch Map				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins assigned to programs/batches with Authorization to bearer token	PASSED	0.002 s
2	When Admin sends HTTPS GET Request to retrieve all Admins assigned to programs/batches with Authorization to bearer token	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
3	Then Admin receives statuscode 200 OK for Role Program Batch Map	PASSED	0.202 s

### Check if admin is able to retrieve all Admins with assigned program batches with No Authorization

PASSED	DURATION - 0.133 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:33.284 PM // 1:20:33.417 PM /				
User Role Program Batch Map				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins assigned to programs/batches with authorization to No Auth	PASSED	0.001 s
2	When Admin sends HTTPS Request without authorization	PASSED	0.000 s
3	Then Admin receives status 401 with Unauthorized message for Role Program Batch Map	PASSED	0.131 s



### Admin retrieves assigned program batches for valid AdminId

PASSED	DURATION - 0.138 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:33.428 PM // 1:20:33.566 PM /				
User Role Program Batch Map				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by AdminId with Authorization to bearer token	PASSED	0.000 s
2	When Admin sends HTTPS Request to get program batches for valid AdminId	PASSED	0.000 s
3	Then Admin will receive 200 OK for Role Program Batch Map	PASSED	0.137 s



### Check if admin is able to retrieve assigned program batches for invalid AdminId



<div>PASSED</div>	<div>DURATION - 0.147 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:20:33.588 PM // 1:20:33.735 PM /</div>				
<div>User Role Program Batch Map</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by invalid AdminID with Authorization to bearer token	PASSED	0.000 s
2	When Admin sends HTTPS Request to get program batches for invalid AdminId	PASSED	0.001 s
3	Then Admin receives 404 with message for Role Program Batch Map	PASSED	0.145 s

### Check if admin is able to retrieve assigned program batches for valid AdminId with No authorization

<div>PASSED</div>	<div>DURATION - 0.138 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:20:33.744 PM // 1:20:33.882 PM /</div>				
<div>User Role Program Batch Map</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by valid AdminID with authorization to No Auth	PASSED	0.000 s
2	When Admin sends HTTPS Request to get Program/Batch by valid Admin Id without authorization	PASSED	0.000 s
3	Then Admin will receive status 401 with Unauthorized message for Role Program Batch Map	PASSED	0.135 s

### Check if admin is able to delete the program batch for invalid Admin

<div>PASSED</div>	<div>DURATION - 0.142 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:20:33.905 PM // 1:20:34.047 PM /</div>				
<div>User Role Program Batch Map</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin assigned to program/batch by invalid AdminId with Authorization to bearer token	PASSED	0.001 s
2	When Admin sends HTTPS Request to delete program/batch by invalid Admin Id	PASSED	0.001 s
3	Then Admin will receive 404 with message for Role Program Batch Map	PASSED	0.139 s

### Check if admin is able to delete the program batch for valid Admin and No Authorization



<div>PASSED</div>	<div>DURATION - 0.165 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:20:34.071 PM // 1:20:34.236 PM /				
User Role Program Batch Map				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin assigned to program/batch by valid AdminId with authorization to No Auth	PASSED	0.001 s
2	When Admin sends HTTPS Request to delete program/batch by Admin id without Authorization	PASSED	0.000 s
3	Then Admin will receive status code 401 with Unauthorized message for Role Program Batch Map	PASSED	0.163 s

### Delete All modules



<b>PASSED</b>	<b>DURATION - 0.929 s</b>	Scenarios		Steps	
/ 1:20:34.258 PM // 1:20:35.187 PM /		Total - 5		Total - 15	
		Pass - 5		Pass - 15	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

### Check if admin is able to delete the program batch for a Admin

<b>PASSED</b>	<b>DURATION - 0.152 s</b>		Steps	
/ 1:20:34.258 PM // 1:20:34.410 PM /			Total - 3	
Delete All modules			Pass - 3	
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin assigned to program/batch by AdminId with Authorization to bearer token	PASSED	0.001 s
2	When Admin sends HTTPS Request to Delete program/batch by Admin Id	PASSED	0.001 s
3	Then Admin receives Status Code 200 OK after delete operation for Role Program Batch Map	PASSED	0.142 s



### Check if admin able to delete a Batch with valid Batch ID

<b>PASSED</b>	<b>DURATION - 0.143 s</b>		Steps	
/ 1:20:34.421 PM // 1:20:34.564 PM /			Total - 3	
Delete All modules			Pass - 3	
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request with valid BatchId	PASSED	0.001 s



#	Step / Hook Details	Status	Duration
2	When Admin sends HTTPS Request to delete with endpoint	PASSED	0.139 s
3	Then Admin receives 200 Ok status with message to delete batch module	PASSED	0.002 s

### Check if admin able to retrieve a batch after deleting the batch

PASSED	DURATION - 0.291 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:20:34.586 PM // 1:20:34.877 PM /				
Delete All modules				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.002 s
2	When Admin sends HTTPS GET Request with valid id	PASSED	0.133 s
3	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body.	PASSED	0.154 s

### Check if Admin able to delete a program with valid programName

<div>PASSED</div>	<div>DURATION - 0.154 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:20:34.887 PM // 1:20:35.041 PM /</div>				
<div>Delete All modules</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.000 s
2	When Admin sends Delete by ProgramName Request with endpoint	PASSED	0.150 s
3	Then Admin receives 200 Ok status with message	PASSED	0.002 s

### Check if Admin able to delete a program with valid program ID

<b>PASSED</b>	DURATION - 0.139 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:35.048 PM // 1:20:35.187 PM /				
Delete All modules				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.000 s
2	When Admin sends Delete Request By Program Name with endpoint	PASSED	0.136 s
3	Then Admin receives 200 Ok status with message for delete by program name	PASSED	0.000 s

### Get (Logout )

<b>PASSED</b>	DURATION - 1.065 s	<b>Scenarios</b> Total - 3 Pass - 3 Fail - 0 Skip - 0		<b>Steps</b> Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 1:20:35.207 PM // 1:20:36.272 PM /					



### Check if Admin able to logout

<b>PASSED</b>	DURATION - 0.190 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:35.207 PM // 1:20:35.397 PM /				
Get (Logout )				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request	PASSED	0.000 s
2	When Admin calls Get Https method with valid endpoint	PASSED	0.188 s



#	Step / Hook Details	Status	Duration
3	Then Admin receives 200 ok and response with "Logout successful"	PASSED	0.001 s

### Check if Admin able to logout with invalid endpoint

PASSED	DURATION - 0.549 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:35.404 PM // 1:20:35.953 PM /				
Get (Logout)				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request	PASSED	0.000 s
2	When Admin calls Get Https method with invalid endpoint	PASSED	0.379 s
3	Then Admin receives 404 Not found	PASSED	0.168 s

### Check if Admin able to logout

PASSED	DURATION - 0.311 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:20:35.961 PM // 1:20:36.272 PM /				
Get (Logout )				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request	PASSED	0.000 s
2	When Admin calls Get Https method with valid endpoint	PASSED	0.150 s
3	Then Admin receives 401 unauthorized	PASSED	0.157 s