

# Cucumber Report

Apr 2, 2024, 10:17:41 AM

Start : Apr 02, 10:17:25.624 AM

End : Apr 02, 10:17:41.129 AM

Duration : 15.505 s

Features



Scenarios

Steps

PASSED - 1  
FAILED - 2  
SKIPPED - 0

PASSED - 49  
FAILED - 4  
SKIPPED - 0


PASSED - 155  
FAILED - 4  
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Post request</u>	4.157 s	3	3	0	0	9	9	0	0
<u>ProgramModule</u>	7.905 s	36	35	1	0	108	107	1	0
<u>Batch Module POST request</u>	3.400 s	14	11	3	0	42	39	3	0

#	Feature Name	Scenario Name
1	<u>ProgramModule</u>	<u>Check if Admin able to create a program with missing additional field</u>
2	<u>Batch Module POST request</u>	<u>Check if admin able to create a batch with missing additional fields</u>
3		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>
4		<u>Check if admin able to delete a Batch with valid Batch ID</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@tag	38	37	1	0	3	1	2	0
@EndToEnd	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>Post request</u>	3	3	0	0	4.157 s
2	<u>ProgramModule</u>	36	35	1	0	7.905 s
3	<u>Batch Module POST request</u>	14	11	3	0	3.400 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Post request</u>	<u>Check if Admin able to generate token with valid credential</u>	3	3	0	0	3.596 s
2		<u>Check if Admin able to generate token with invalid endpoint</u>	3	3	0	0	0.273 s
3		<u>Check if Admin able to generate token with invalid credentials</u>	3	3	0	0	0.174 s
4	<u>ProgramModule</u>	<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>	3	3	0	0	0.628 s
5		<u>Check if Admin able to create a program with valid endpoint and request body without Authorization</u>	3	3	0	0	0.285 s
6		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.374 s
7		<u>Check if Admin able to create a program with already existing program name</u>	3	3	0	0	0.248 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if Admin able to create a program with missing values in the request body</u>	3	3	0	0	0.191 s
9		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.218 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>ProgramModule</u>	<u>Check if Admin able to create a program without program name starting with a number</u>	3	3	0	0	0.207 s
11		<u>Check if Admin able to create a program with missing additional field</u>	3	2	1	0	0.231 s
12		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.161 s
13		<u>Check if Admin able to retrieve all programs with valid Endpoint without auth</u>	3	3	0	0	0.136 s
14		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.210 s
15		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.137 s
16		<u>Check if Admin able to retrieve a program with valid program ID</u>	3	3	0	0	0.138 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
17		<u>Check if Admin able to retrieve all programs with valid prgm id without auth</u>	3	3	0	0	0.151 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>ProgramModule</u>	<u>Check if Admin able to retrieve a program with invalid program ID</u>	3	3	0	0	0.144 s
19		<u>Check if Admin able to retrieve a program with invalid baseURI</u>	3	3	0	0	0.259 s
20		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.152 s
21		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.202 s
22		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.154 s
23		<u>Check if Admin able to retrieve all programs with invalid Method</u>	3	3	0	0	0.135 s
24		<u>Check if Admin able to retrieve all programs without Authorization</u>	3	3	0	0	0.147 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
25	<u>ProgramModule</u>	<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>	3	3	0	0	0.248 s
26		<u>Check if Admin able to update a program with invalid programID endpoint and valid request body</u>	3	3	0	0	0.201 s
27		<u>Check if Admin able to update a program without request body</u>	3	3	0	0	0.206 s
28		<u>Check if Admin able to update a program with invalid baseURI</u>	3	3	0	0	0.199 s
29		<u>Check if Admin able to update a program with invalid method</u>	3	3	0	0	0.184 s
30		<u>Check if Admin able to update a program without Authorization</u>	3	3	0	0	0.220 s
31		<u>Check if Admin able to update a program with Valid program Name and request body</u>	3	3	0	0	0.208 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
32		<u>Check if Admin able to update a program with invalid program Name and request body</u>	3	3	0	0	0.198 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
33	<u>ProgramModule</u>	<u>Check if Admin able to update a program using valid program name - missing mandatory fields in request body</u>	3	3	0	0	0.173 s
34		<u>Check if Admin able to upadte a program with program name starting with a number</u>	3	3	0	0	0.182 s
35		<u>Check if Admin able to update a program with invalid program Description</u>	3	3	0	0	0.209 s
36		<u>Check if Admin able to delete a program with valid LMS API, invalid programName</u>	3	3	0	0	0.163 s
37		<u>Check if Admin able to delete a program by pgrm name without Authorization</u>	3	3	0	0	0.144 s
38		<u>Check if Admin able to delete a program with valid LMS API, invalid programId</u>	3	3	0	0	0.145 s
39		<u>Check if Admin able to delete a program without Authorization</u>	3	3	0	0	0.157 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
40	<u>Batch Module POST request</u>	<u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u>	3	3	0	0	0.284 s
41		<u>Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)</u>	3	3	0	0	0.142 s
42		<u>Check if admin able to create a Batch missing mandatory fields in request body</u>	3	3	0	0	0.190 s
43		<u>Check if admin able to create a batch with invalid endpoint</u>	3	3	0	0	0.313 s
44		<u>Check if admin able to create a batch with missing additional fields</u>	3	2	1	0	0.190 s
45		<u>Check if admin able to create a batch with invalid data in request body</u>	3	3	0	0	0.205 s
46		<u>Check if admin able to retrieve all batches with valid LMS API</u>	3	3	0	0	0.141 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
47		<u>Check if admin able to retrieve all batches with invalid Endpoint</u>	3	3	0	0	0.321 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
48	<u>Batch Module POST request</u>	<u>Check if admin able to retrieve a batch with valid BATCH ID</u>	3	3	0	0	0.144 s
49		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>	3	3	0	0	0.195 s
50		<u>Check if admin able to retrieve a batch with valid Program ID</u>	3	3	0	0	0.138 s
51		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>	3	2	1	0	0.244 s
52		<u>Check if admin able to delete a Batch with valid Batch ID</u>	3	2	1	0	0.134 s
53		<u>Check if admin able to retriive a batch after deleting the batch</u>	3	3	0	0	0.559 s



**Post request**



<b>PASSED</b>	DURATION - 4.157 s	Scenarios		Steps	
/ 10:17:25.624 AM // 10:17:29.781 AM /		Total - 3		Total - 9	
		Pass - 3		Pass - 9	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

**Check if Admin able to generate token with valid credential**

<div><div>PASSED</div><div>DURATION - 3.596 s</div></div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:17:25.627 AM // 10:17:29.223 AM /				
Post request				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.746 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.000 s
3	Then Admin receives 200 created with auto generated token	PASSED	2.804 s

**Check if Admin able to generate token with invalid endpoint**

<b>PASSED</b>	DURATION - 0.273 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:29.314 AM // 10:17:29.587 AM /				
Post request				
@EndToEnd				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with invalid endpoint	PASSED	0.003 s
3	Then Admin receives 401 unauthorized	PASSED	0.264 s

### Check if Admin able to generate token with invalid credentials


PASSED	DURATION - 0.174 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:29.607 AM // 10:17:29.781 AM /				
Post request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with invalid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.001 s
3	Then Admin receives 400 Bad request	PASSED	0.168 s

### ProgramModule


FAILED	DURATION - 7.905 s	Scenarios		Steps	
/ 10:17:29.812 AM // 10:17:37.717 AM /		Total - 36		Total - 108	
		Pass - 35		Pass - 107	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

### Check if Admin able to create a program with valid endpoint and request body with Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.009 s
2	When Admin sends HTTPS Request and request Body with endpoint	PASSED	0.607 s
3	Then Admin receives 201 Created Status with response body.	PASSED	0.001 s

### Check if Admin able to create a program with valid endpoint and request body without Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and request Body with endpoint without Authorization	PASSED	0.281 s
3	Then Admin receives 401 Unauthorized error for post	PASSED	0.001 s

### Check if Admin able to create a program with invalid endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.005 s
2	When Admin sends HTTPS Request and request Body with invalid endpoint	PASSED	0.365 s
3	Then Admin receives 404 not found Status with message and boolean success details	PASSED	0.001 s

### Check if Admin able to create a program with already existing program name





#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request with exsisting prgm name and request Body with endpoint	PASSED	0.243 s
3	Then Admin receives 400 Bad Request Status with message and boolean success details	PASSED	0.000 s

### Check if Admin able to create a program with missing values in the request body

<div>PASSED</div>	<div>DURATION - 0.191 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:17:31.453 AM // 10:17:31.644 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.002 s
2	When Admin sends Post Request and missing Pgm Name in request Body with endpoint	PASSED	0.182 s
3	Then Admin receives 400 Bad Request Status for missing value	PASSED	0.002 s

### Check if Admin able to create a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.218 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:17:31.654 AM // 10:17:31.872 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Get Request instead of post and request Body with endpoint	PASSED	0.215 s
3	Then Admin receives 405 Method Not Allowed	PASSED	0.001 s

### Check if Admin able to create a program without program name starting with a number

PASSED	DURATION - 0.207 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:17:31.896 AM // 10:17:32.103 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.002 s
2	When Admin sends Post Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.203 s
3	Then Admin receives 400 Bad Request Status for Pgm name starting with number	PASSED	0.000 s



### Check if Admin able to create a program with missing additional field

FAILED	DURATION - 0.231 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:17:32.112 AM // 10:17:32.343 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request with request Body with missing additional field with endpoint	PASSED	0.220 s
3	Then Admin receives 200 ok for missing additional fields in program post request body  <pre>java.lang.AssertionError: expected [200] but found [400]     at org.testng.Assert.fail(Assert.java:111)     at org.testng.Assert.failNotEquals(Assert.java:1578)     at org.testng.Assert.assertEqualsImpl(Assert.java:150)     at org.testng.Assert.assertEquals(Assert.java:132)     at org.testng.Assert.assertEquals(Assert.java:1419)     at org.testng.Assert.assertEquals(Assert.java:1449)     at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_for_missing_additional_fields_in_program_post_request_body(ProgramModuleSD.java:136)</pre>	FAILED	0.009 s



#	Step / Hook Details	Status	Duration
	at ?.Admin receives 200 ok for missing additional fields in program post request body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:46) * Not displayable characters are replaced by '?'.  		

### Check if Admin able to retrieve all programs with valid Endpoint

<div>PASSED</div> <div>DURATION - 0.161 s</div>	<div><table><caption>Steps</caption><tr><td>Total</td><td>- 3</td></tr><tr><td>Pass</td><td>- 3</td></tr><tr><td>Fail</td><td>- 0</td></tr><tr><td>Skip</td><td>- 0</td></tr></table></div>	Total	- 3	Pass	- 3	Fail	- 0	Skip	- 0
Total		- 3							
Pass		- 3							
Fail		- 0							
Skip	- 0								
<div>/ 10:17:32.354 AM // 10:17:32.515 AM /</div>									
<div>ProgramModule</div>									
<div>@tag</div>									



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint	PASSED	0.156 s
3	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

### Check if Admin able to retrieve all programs with valid Endpoint without auth

<div>PASSED</div>	<div>DURATION - 0.136 s</div>	<div><table><caption>Steps</caption><tr><td>Total</td><td>- 3</td></tr><tr><td>Pass</td><td>- 3</td></tr><tr><td>Fail</td><td>- 0</td></tr><tr><td>Skip</td><td>- 0</td></tr></table></div>	Total	- 3	Pass	- 3	Fail	- 0	Skip	- 0
Total	- 3									
Pass	- 3									
Fail	- 0									
Skip	- 0									
<div>/ 10:17:32.529 AM // 10:17:32.665 AM /</div>										
<div>ProgramModule</div>										
<div>@tag</div>										



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request and request Body with endpoint without Authorization	PASSED	0.133 s
3	Then Admin receives 401 Unauthorized error for put	PASSED	0.001 s

### Check if Admin able to create a program with invalid endpoint

<div>PASSED</div> <div>DURATION - 0.210 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:17:32.690 AM // 10:17:32.900 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request and request Body with invalid endpoint	PASSED	0.206 s
3	Then Admin receives 404 not found Status for GET with message and boolean success details	PASSED	0.001 s

### Check if Admin able to create a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.137 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 10:17:32.908 AM // 10:17:33.045 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Post Request instead of get and request Body with endpoint	PASSED	0.132 s
3	Then Admin receives 405 Method Not Allowed message	PASSED	0.001 s

### Check if Admin able to retrieve a program with valid program ID



<b>PASSED</b>	<b>DURATION - 0.138 s</b>		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:33.064 AM // 10:17:33.202 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get program Request with endpoint	PASSED	0.136 s
3	Then Admin receives 200 OK Status code with response body.	PASSED	0.000 s

### Check if Admin able to retrieve all programs with valid prgm id without auth

<b>PASSED</b>	<b>DURATION - 0.151 s</b>		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:33.212 AM // 10:17:33.363 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get Request by pgm id and request Body with endpoint without Authorization	PASSED	0.146 s
3	Then Admin receives 401 Unauthorized error for put by pgm id	PASSED	0.001 s

### Check if Admin able to retrieve a program with invalid program ID





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request with invlaid ID and endpoint	PASSED	0.139 s
3	Then Admin receives 404 Not Found Status for invalid PG Id with message and boolean success details	PASSED	0.001 s

### Check if Admin able to retrieve a program with invalid baseURI





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with invalid baseURI	PASSED	0.002 s
2	When Admin sends Get Request Request with endpoint	PASSED	0.254 s
3	Then Admin receives 404 Not Found Status for invalid baseurl with message and boolean success details	PASSED	0.000 s

### Check if Admin able to retrieve a program with invalid Endpoint

<div>PASSED</div>	<div>DURATION - 0.152 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:17:33.826 AM // 10:17:33.978 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request with pgm Id and request Body with invalid endpoint	PASSED	0.148 s
3	Then Admin receives 404 Not Found Status for Get with Pgm Id with message and boolean success details	PASSED	0.002 s

### Check if Admin able to retrieve all programs with valid Endpoint

<div>PASSED</div>	<div>DURATION - 0.202 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:17:33.985 AM // 10:17:34.187 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends Get All programs with users Request with endpoint	PASSED	0.199 s
3	Then Admin receives 200 OK Status with response body of Users	PASSED	0.000 s

### Check if Admin able to retrieve a program with invalid Endpoint

<b>PASSED</b>	DURATION - 0.154 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:34.210 AM // 10:17:34.364 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends Get Request for all users with request Body with invalid endpoint	PASSED	0.148 s
3	Then Admin receives 404 Not Found Status for Get w for all users with message and boolean success details	PASSED	0.001 s

### Check if Admin able to retrieve all programs with invalid Method

<b>PASSED</b>	DURATION - 0.135 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:34.377 AM // 10:17:34.512 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends post all users Request instead of get with endpoint	PASSED	0.130 s
3	Then Admin receives 405 Method Not Allowed for get all users invalid method	PASSED	0.001 s

### Check if Admin able to retrieve all programs without Authorization

<b>PASSED</b>	DURATION - 0.147 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:34.534 AM // 10:17:34.681 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint without auth	PASSED	0.143 s
3	Then Admin receives 401 Status with response body as Unauthorized	PASSED	0.000 s

### Check if Admin able to update a program with valid programID endpoint and valid request body

<b>PASSED</b>	DURATION - 0.248 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:34.690 AM // 10:17:34.938 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with valid endpoint	PASSED	0.244 s
3	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.002 s

### Check if Admin able to update a program with invalid programID endpoint and valid request body

PASSED		DURATION - 0.201 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:17:34.949 AM // 10:17:35.150 AM /						
ProgramModule						
@tag						



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with invalid prgm Id and valid endpoint	PASSED	0.197 s
3	Then Admin receives 404 Not Found Status for update pgm invalid pgm id with message and boolean success details	PASSED	0.001 s

### Check if Admin able to update a program without request body

<div>PASSED</div>	<div>DURATION - 0.206 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:17:35.160 AM // 10:17:35.366 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request missing mandate field and valid endpoint	PASSED	0.200 s
3	Then Admin receives 400 Bad Request Status for put for missing mandate field with message and boolean success details	PASSED	0.000 s

### Check if Admin able to update a program with invalid baseURI

<div>PASSED</div>	<div>DURATION - 0.199 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:17:35.388 AM // 10:17:35.587 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields with invalid baseurl	PASSED	0.001 s
2	When Admin sends Put Request with invalid baseurl valid endpoint	PASSED	0.197 s
3	Then Admin receives 404 Not Found Status for put invalid baseurl with message and boolean success details	PASSED	0.000 s

### Check if Admin able to update a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.184 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:17:35.593 AM // 10:17:35.777 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends get request instead of put Request with valid endpoint	PASSED	0.181 s
3	Then Admin receives 405 Method Not Allowed for using get instead of put	PASSED	0.000 s

### Check if Admin able to update a program without Authorization

PASSED	DURATION - 0.220 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:17:35.796 AM // 10:17:36.016 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with endpoint without auth	PASSED	0.214 s
3	Then Admin receives 401 Status with response body as Unauthorized for put by pgm id	PASSED	0.001 s



### Check if Admin able to update a program with Valid program Name and request body

<div>PASSED</div>	<div>DURATION - 0.208 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:17:36.023 AM // 10:17:36.231 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with Program name with valid endpoint	PASSED	0.205 s
3	Then Admin receives 200 OK Status code with updated value in response body.	PASSED	0.000 s



### Check if Admin able to update a program with invalid program Name and request body



<div>PASSED</div> <div>DURATION - 0.198 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:17:36.245 AM // 10:17:36.443 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with invalid Program name with valid endpoint	PASSED	0.195 s
3	Then Admin receives 404 Not Found Status for put with invalid pg namewith message and boolean success details	PASSED	0.001 s

### Check if Admin able to update a program using valid program name - missing mandatory fields in request body

PASSED	DURATION - 0.173 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:17:36.453 AM // 10:17:36.626 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API with missing mandatory fields	PASSED	0.001 s
2	When Admin sends Put Request with valid prgom name with valid endpoint	PASSED	0.169 s
3	Then Admin receives 400 Bad Request Status for missing field with message and boolean success details	PASSED	0.000 s

### Check if Admin able to upadte a program with program name starting with a number

PASSED	DURATION - 0.182 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:17:36.652 AM // 10:17:36.834 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.179 s
3	Then Admin receives 400 Bad Request Status for put Pgm name starting with number	PASSED	0.000 s

### Check if Admin able to update a program with invalid program Description

<div>PASSED</div>	<div>DURATION - 0.209 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:17:36.841 AM // 10:17:37.050 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request and Pgm Descrip starting with Number in request Body with endpoint	PASSED	0.203 s
3	Then Admin receives 400 Bad Request Status for put Pgm descrip starting with number	PASSED	0.002 s

### Check if Admin able to delete a program with valid LMS API,invalid programName





#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programName	PASSED	0.001 s
2	When Admin sends Delete by invalid ProgramName Request with endpoint	PASSED	0.160 s
3	Then Admin receives 404 Not Found Status for delete invalid pgnamewith message and boolean success details	PASSED	0.001 s

### Check if Admin able to delete a program by pgmr name without Authorization





#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.002 s
2	When Admin sends delete Request by program name with endpoint without auth	PASSED	0.140 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm name	PASSED	0.002 s

### Check if Admin able to delete a program with valid LMS API,invalid programId

PASSED	DURATION - 0.145 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:17:37.407 AM // 10:17:37.552 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programId	PASSED	0.001 s
2	When Admin sends Delete by invalid ProgramID Request with endpoint	PASSED	0.141 s
3	Then Admin receives 404 Not Found Status for delete invalid pgid with message and boolean success details	PASSED	0.001 s

### Check if Admin able to delete a program without Authorization



PASSED	DURATION - 0.157 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:17:37.560 AM // 10:17:37.717 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.001 s
2	When Admin sends delete Request by program id with endpoint without auth	PASSED	0.152 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm id	PASSED	0.001 s

### Batch Module POST request



<b>FAILED</b>	DURATION - 3.400 s	Scenarios Total - 14 Pass - 11 Fail - 3 Skip - 0		Steps Total - 42 Pass - 39 Fail - 3 Skip - 0	
/ 10:17:37.729 AM // 10:17:41.129 AM /					

### Check if admin able to create a Batch with valid endpoint and request body (non existing values)

<b>PASSED</b>	DURATION - 0.284 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:37.729 AM // 10:17:38.013 AM /				
Batch Module POST request				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with valid data in request body	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to create batch	PASSED	0.280 s
3	Then Admin receives 201 Created Status with response body	PASSED	0.000 s



### Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)

<b>PASSED</b>	DURATION - 0.142 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:38.033 AM // 10:17:38.175 AM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with existing value in request body	PASSED	0.001 s
2	When Admin sends HTTPS POST Request with endpoint to create batch	PASSED	0.139 s



#	Step / Hook Details	Status	Duration
3	Then Admin receives 400 Bad Request Status with message in the response body	PASSED	0.001 s

### Check if admin able to create a Batch missing mandatory fields in request body

PASSED	DURATION - 0.190 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:38.181 AM // 10:17:38.371 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data in request body	PASSED	0.000 s
2	When Admin sends POST Request with endpoint to create batch	PASSED	0.187 s
3	Then Admin receives 400 Bad Request Status with message	PASSED	0.001 s

### Check if admin able to create a batch with invalid endpoint

PASSED	DURATION - 0.313 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:38.391 AM // 10:17:38.704 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with invalid endpoint	PASSED	0.309 s
3	Then Admin receives 404 not found Status	PASSED	0.000 s

### Check if admin able to create a batch with missing additional fields

<div>FAILED</div>	<div>DURATION - 0.190 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
<div>/ 10:17:38.720 AM // 10:17:38.910 AM /</div>				
<div>Batch Module POST request</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with missing additional fields	PASSED	0.001 s
2	When Admin sends HTTPS Request with valid endpoint to create batch	PASSED	0.187 s
3	Then Admin receives 201 Created Status with response  java.lang.AssertionError: expected [201] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_created_status_with_response(ProgramBatchModuleSD.java:108) at ?.Admin receives 201 Created Status with response(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:39) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s

### Check if admin able to create a batch with invalid data in request body

<div>PASSED</div>	<div>DURATION - 0.205 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:17:38.928 AM // 10:17:39.133 AM /</div>				
<div>Batch Module POST request</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data fields in request body	PASSED	0.001 s
2	When Admin sends HTTPS POST Request with valid endpoint	PASSED	0.202 s
3	Then Admin receives 400 Bad Request Status with message and boolean success	PASSED	0.001 s

### Check if admin able to retrieve all batches with valid LMS API

PASSED	DURATION - 0.141 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:39.139 AM // 10:17:39.280 AM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Get Request with endpoint to get batch	PASSED	0.138 s
3	Then Admin receives 200 OK Status with response body	PASSED	0.001 s



### Check if admin able to retrieve all batches with invalid Endpoint

PASSED	DURATION - 0.321 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:39.300 AM // 10:17:39.621 AM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with invalid endpoint	PASSED	0.000 s
2	When Admin sends HTTPS GET Request with invalid endpoint to get all batches	PASSED	0.319 s
3	Then Admin receives 404 status with error message Not Found	PASSED	0.000 s





**Check if admin able to retrieve a batch with valid BATCH ID**

<div>PASSED</div>	<div>DURATION - 0.144 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:17:39.629 AM // 10:17:39.773 AM /				
Batch Module POST request				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.002 s
2	When Admin sends Get Request with endpoint for batch module	PASSED	0.140 s
3	Then Admin receives 200 OK Status with response in the response body	PASSED	0.001 s

**Check if admin able to retrieve a batch with valid BATCH NAME**

<div>PASSED</div>	<div>DURATION - 0.195 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:17:39.793 AM // 10:17:39.988 AM /</div>				
<div>Batch Module POST request</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch Name	PASSED	0.001 s
2	When Admin sends Get batch Request with endpoint for batch module	PASSED	0.192 s
3	Then Admin receives 200 Status code with response body	PASSED	0.001 s

**Check if admin able to retrieve a batch with valid Program ID**



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Program Id	PASSED	0.001 s
2	When Admin sends HTTPS Request to get batch by program Id with endpoint	PASSED	0.135 s
3	Then Admin receives status code 200 OK Status with response body	PASSED	0.000 s



### Check if admin able to update a Batch with valid batchID and mandatory fields in request body



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid BatchId and Data	PASSED	0.001 s
2	When Admin sends HTTPS Request to update with endpoint	PASSED	0.239 s
3	Then Admin receives 200 OK Status with updated value in response body for update request.  java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD. admin_receives_ok_status_with_updated_value_in_response_body_for_update_request(ProgramBatchModuleSD.java:237)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at ?.Admin receives 200 OK Status with updated value in response body for update request.(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:88) * Not displayable characters are replaced by '?'.		

### Check if admin able to delete a Batch with valid Batch ID

<div>FAILED</div>	<div>DURATION - 0.134 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:17:40.409 AM // 10:17:40.543 AM /</div>				
<div>Batch Module POST request</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request with valid BatchId	PASSED	0.001 s
2	When Admin sends HTTPS Request to delete with endpoint	PASSED	0.129 s
3	Then Admin receives 200 Ok status with message to delete batch java.lang.AssertionError: expected [200] but found [0] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_status_with_message_to_delete_batch(ProgramModuleSD.java:526) at ?.Admin receives 200 Ok status with message to delete batch(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:95) * Not displayable characters are replaced by '?'.	FAILED	0.001 s


### Check if admin able to retrieve a batch after deleting the batch

PASSED

DURATION - 0.559 s

/ 10:17:40.570 AM // 10:17:41.129 AM /

Batch Module POST request




Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.001 s
2	When Admin sends HTTPS GET Request with valid id	PASSED	0.413 s
3	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body.	PASSED	0.144 s