Cucumber Report

| Start : Apr 02, 9:55:57.425 AM	End : Apr 02, 9:56:13.472 AM	Duration : 16.047 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 11 FAILED - 44 SKIPPED - 0	PASSED - 116 FAILED - 44 SKIPPED - 5

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Post request	3.853 s	3	2	1	0	9	8	1	0
ProgramModule	9.366 s	38	9	29	0	114	80	29	5
Batch Module POST request	2.743 s	14	0	14	0	42	28	14	0

#	Feature Name	Scenario Name
1	Post request	Check if Admin able to generate token with valid credential
2	ProgramModule	Check if Admin able to create a program with valid endpoint and request body with Authorization
3		Check if Admin able to create a program with invalid endpoint
4		Check if Admin able to create a program with already existing program name
5		Check if Admin able to create a program with missing values in the request body
6		Check if Admin able to create a program with invalid method
7		Check if Admin able to create a program without program name starting with a number
8		Check if Admin able to create a program with missing additional field
9		Check if Admin able to retrieve all programs with valid Endpoint
10		Check if Admin able to create a program with invalid endpoint

| #	Feature Name	Scenario Name
11	ProgramModule	Check if Admin able to create a program with invalid method
12		Check if Admin able to retrieve a program with valid program ID
13		Check if Admin able to retrieve a program with invalid program ID
14		Check if Admin able to retrieve a program with invalid Endpoint
15		Check if Admin able to retrieve all programs with valid Endpoint
16		Check if Admin able to retrieve a program with invalid Endpoint
17		Check if Admin able to retrieve all programs with invalid Method
18		Check if Admin able to update a program with valid programID endpoint and valid request body
19		Check if Admin able to update a program with invalid programID endpoint and valid request body
20		Check if Admin able to update a program without request body
21		Check if Admin able to update a program with invalid method

| #	Feature Name	Scenario Name
22	ProgramModule	Check if Admin able to update a program with Valid program Name and request body
23		Check if Admin able to update a program with invalid program Name and request body
24		Check if Admin able to update a program using valid program name - missing mandatory fields in request body
25		Check if Admin able to upadte a program with program name starting with a number
26		Check if Admin able to update a program with invalid program Description
27		Check if Admin able to update a program status
28		Check if Admin able to delete a program with valid LMS API,invalid programName
29		Check if Admin able to delete a program with valid LMS API,invalid programId

#	Feature Name	Scenario Name
30	ProgramModule	Check if Admin able to create a program with valid endpoint and request body with Authorization
31	Batch Module POST request	Check if admin able to create a Batch with valid endpoint and request body (non existing values)
32		Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)
33		Check if admin able to create a Batch missing mandatory fields in request body
34		Check if admin able to create a batch with invalid endpoint
35		Check if admin able to create a batch with missing additional fields
36		Check if admin able to create a batch with invalid data in request body
37		Check if admin able to retrieve all batches with valid LMS API
38		Check if admin able to retrieve all batches with invalid Endpoint
39		Check if admin able to retrieve a batch with valid BATCH ID

#	Feature Name	Scenario Name
40	Batch Module POST request	Check if admin able to retrieve a batch with valid BATCH NAME
41		Check if admin able to retrieve a batch with valid Program ID
42		Check if admin able to update a Batch with valid batchID and mandatory fields in request body
43		Check if admin able to delete a Batch with valid Batch ID
44		Check if admin able to retrive a batch after deleting the batch

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag	40	9	31	0	3	0	3	0
@EndToEnd	1	1	0	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Post request	3	2	1	0	3.853 s
2	ProgramModule	38	9	29	0	9.366 s
3	Batch Module POST request	14	0	14	0	2.743 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Post request	Check if Admin able to generate token with valid credential	3	2	1	0	3.195 s
2		Check if Admin able to generate token with invalid endpoint	3	3	0	0	0.304 s
3		Check if Admin able to generate token with invalid credentials	3	3	0	0	0.202 s
4	ProgramModule	Check if Admin able to create a program with valid endpoint and request body with Authorization	3	1	1	1	0.645 s
5		Check if Admin able to create a program with valid endpoint and request body without Authorization	3	3	0	0	0.817 s
6		Check if Admin able to create a program with invalid endpoint	3	2	1	0	0.326 s
7		Check if Admin able to create a program with already existing program name	3	2	1	0	0.302 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
8		Check if Admin able to create a program with missing values in the request body	3	2	1	0	0.286 s
9		Check if Admin able to create a program with invalid method	3	2	1	0	0.275 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10	ProgramModule	Check if Admin able to create a program without program name starting with a number	3	2	1	0	0.231 s
11		Check if Admin able to create a program with missing additional field	3	2	1	0	0.271 s
12		Check if Admin able to retrieve all programs with valid Endpoint	3	2	1	0	0.144 s
13		Check if Admin able to retrieve all programs with valid Endpoint without auth	3	3	0	0	0.157 s
14		Check if Admin able to create a program with invalid endpoint	3	2	1	0	0.242 s
15		Check if Admin able to create a program with invalid method	3	2	1	0	0.152 s
16		Check if Admin able to retrieve a program with valid program ID	3	2	1	0	0.147 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
17		*Check if Admin able to retrieve all programs with valid prgm id without auth*	3	3	0	0	0.158 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
18	ProgramModule	Check if Admin able to retrieve a program with invalid program ID	3	2	1	0	0.140 s
19		Check if Admin able to retrieve a program with invalid baseURI	3	3	0	0	0.246 s
20		Check if Admin able to retrieve a program with invalid Endpoint	3	2	1	0	0.146 s
21		Check if Admin able to retrieve all programs with valid Endpoint	3	2	1	0	0.152 s
22		Check if Admin able to retrieve a program with invalid Endpoint	3	2	1	0	0.144 s
23		Check if Admin able to retrieve all programs with invalid Method	3	2	1	0	0.139 s
24		Check if Admin able to retrieve all programs without Authorization	3	3	0	0	0.194 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
25	ProgramModule	Check if Admin able to update a program with valid programID endpoint and valid request body	3	1	1	1	0.269 s
26		Check if Admin able to update a program with invalid programID endpoint and valid request body	3	2	1	0	0.206 s
27		Check if Admin able to update a program without request body	3	2	1	0	0.260 s
28		Check if Admin able to update a program with invalid baseURI	3	3	0	0	0.213 s
29		Check if Admin able to update a program with invalid method	3	2	1	0	0.267 s
30		Check if Admin able to update a program without Authorization	3	3	0	0	0.226 s
31		Check if Admin able to update a program with Valid program Name and request body	3	1	1	1	0.197 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
32		Check if Admin able to update a program with invalid program Name and request body	3	2	1	0	0.216 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
33	ProgramModule	Check if Admin able to update a program using valid program name - missing mandatory fields in request body	3	2	1	0	0.200 s
34		Check if Admin able to upadte a program with program name starting with a number	3	2	1	0	0.236 s
35		Check if Admin able to update a program with invalid program Description	3	2	1	0	0.174 s
36		Check if Admin able to update a program status	3	1	1	1	0.202 s
37		Check if Admin able to delete a program with valid LMS API, invalid programName	3	2	1	0	0.162 s
38		Check if Admin able to delete a program by pgrm name without Authorization	3	3	0	0	0.176 s
39		Check if Admin able to delete a program with valid LMS API, invalid programId	3	2	1	0	0.125 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
40		Check if Admin able to delete a program without Authorization	3	3	0	0	0.152 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
41	ProgramModule	Check if Admin able to create a program with valid endpoint and request body with Authorization	3	1	1	1	0.192 s
42	Batch Module POST request	Check if admin able to create a Batch with valid endpoint and request body (non existing values)	3	2	1	0	0.264 s
43		Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)	3	2	1	0	0.139 s
44		Check if admin able to create a Batch missing mandatory fields in request body	3	2	1	0	0.227 s
45		Check if admin able to create a batch with invalid endpoint	3	2	1	0	0.246 s
46		Check if admin able to create a batch with missing additional fields	3	2	1	0	0.194 s
47		Check if admin able to create a batch with invalid data in request body	3	2	1	0	0.224 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
48		Check if admin able to retrieve all batches with valid LMS API	3	2	1	0	0.137 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
49	Batch Module POST request	Check if admin able to retrieve all batches with invalid Endpoint	3	2	1	0	0.144 s
50		Check if admin able to retrieve a batch with valid BATCH ID	3	2	1	0	0.179 s
51		Check if admin able to retrieve a batch with valid BATCH NAME	3	2	1	0	0.140 s
52		Check if admin able to retrieve a batch with valid Program ID	3	2	1	0	0.192 s
53		Check if admin able to update a Batch with valid batchID and mandatory fields in request body	3	2	1	0	0.209 s
54		Check if admin able to delete a Batch with valid Batch ID	3	2	1	0	0.135 s
55		Check if admin able to retrive a batch after deleting the batch	3	2	1	0	0.148 s

Post request

FAILED	DURATION - 3.853 s	Scenarios Total - 3 Pass - 2 Fail - 1 Skip - 0		Steps Total - 9 Pass - 8 Fail - 1 Skip - 0	
/ 9:55:57.425 AM // 9:56:01.278 AM /					

Check if Admin able to generate token with valid credential

FAILED	DURATION - 3.195 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 9:55:57.428 AM // 9:56:00.623 AM /				
Post request				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.737 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.001 s
3	Then Admin receives 200 created with auto generated token	FAILED	2.406 s

	java.lang.AssertionError: expected [200] but found [401]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:1419)
	    at org.testng.Assert.assertEquals(Assert.java:1449)
	    at com.lms.api.StepDefinitions.UserLoginSD.admin_receives_created_with_auto_generated_token(UserLoginSD.java:30)
	    at ?.Admin receives 200 created with auto generated token(file:///C:/Users/sudha/git/
	Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/
	001_UserLogin.feature:8)
	* Not displayable characters are replaced by '?'.		

Check if Admin able to generate token with invalid endpoint

PASSED	*DURATION - 0.304 s*		
/ 9:56:00.732 AM // 9:56:01.036 AM /			
Post request			
@EndToEnd			

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.002 s
2	When Admin calls Post Https method with invalid endpoint	PASSED	0.002 s
3	Then Admin receives 401 unauthorized	PASSED	0.291 s

### Check if Admin able to generate token with invalid credentials

PASSED	*DURATION - 0.202 s*		
/ 9:56:01.076 AM // 9:56:01.278 AM /			
Post request			

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with invalid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.003 s
3	Then Admin receives 400 Bad request	PASSED	0.193 s

ProgramModule

| FAILED	DURATION - 9.366 s			Scenarios			Steps	
				Total - 38			Total - 114	
/ 9:56:01.350 AM // 9:56:10.716 AM /				Pass - 9	38		Pass - 80	114
				Fail - 29			Fail - 29	
				Skip - 0			Skip - 5	

Check if Admin able to create a program with valid endpoint and request body with Authorization

FAILED	DURATION - 0.645 s		Steps	
			Total - 3	
/ 9:56:01.350 AM // 9:56:01.995 AM /			Pass - 1	3
ProgramModule			Fail - 1	
@tag			Skip - 1	

| #	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.007 s
2	When Admin sends HTTPS Request and request Body with endpoint	FAILED	0.622 s

	java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object has missing required properties (["creationTime","lastModTime","programDescription","programId","programName","programStatus"]) level: "error" schema: {"loadingURI":"#","pointer":""} instance: {"pointer":""} domain: "validation" keyword: "required" required: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] missing: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] Actual: {"timestamp":"2024-04-02T13:56:00.538+00:00","status":401,"error":"Unauthorized","path":"/lms/saveprogram"}
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	    at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	    at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at com.lms.api.Request.Program.PostRequest(Program.java:36) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_sends_https_request_and_request_body_with_endpoint(ProgramModuleSD.java:34) at ?.Admin sends HTTPS Request and request Body with endpoint(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:9) * Not displayable characters are replaced by '?'.		
3	Then Admin receives 201 Created Status with response body.	SKIPPED	0.000 s

Check if Admin able to create a program with valid endpoint and request body without Authorization

PASSED	DURATION - 0.817 s		Steps	
/ 9:56:02.017 AM // 9:56:02.834 AM /			Total - 3	
			Pass - 3	3
ProgramModule			Fail - 0	
			Skip - 0	
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.003 s
2	When Admin sends Post Request and request Body with endpoint without Authorization	PASSED	0.806 s
3	Then Admin receives 401 Unauthorized error for post	PASSED	0.002 s

Check if Admin able to create a program with invalid endpoint

FAILED	DURATION - 0.326 s
/ 9:56:02.849 AM // 9:56:03.175 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends HTTPS Request and request Body with invalid endpoint	PASSED	0.316 s
3	Then Admin receives 404 not found Status with message and boolean success details	FAILED	0.003 s

	java.lang.AssertionError: expected [404] but found [401]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:1419)
	    at org.testng.Assert.assertEquals(Assert.java:1449)
	    at com.lms.api.StepDefinitions.ProgramModuleSD.
	admin_receives_not_found_status_with_message_and_boolean_success_details(ProgramModuleSD.java:70)
	    at ?.Admin receives 404 not found Status with message and boolean success details(file:///C:/Users/sudha/git/
	Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/
	002PrgramModule.feature:20)
	* Not displayable characters are replaced by '?'.		

Check if Admin able to create a program with already existing program name

FAILED	DURATION - 0.302 s
/ 9:56:03.209 AM // 9:56:03.511 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request with exsisting prgm name and request Body with endpoint	PASSED	0.295 s
3	Then Admin receives 400 Bad Request Status with message and boolean success details	FAILED	0.002 s
	java.lang.AssertionError: expected [400] but found [401] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD. admin_receives_bad_request_status_with_message_and_boolean_success_details(ProgramModuleSD.java:81) at ?.Admin receives 400 Bad Request Status with message and boolean success details(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 002PrgramModule.feature:25) * Not displayable characters are replaced by '?'.		

Check if Admin able to create a program with missing values in the request body

FAILED	DURATION - 0.286 s
/ 9:56:03.533 AM // 9:56:03.819 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.002 s
2	When Admin sends Post Request and missing Pgm Name in request Body with endpoint	PASSED	0.272 s
3	Then Admin receives 400 Bad Request Status for missing value	FAILED	0.002 s
	java.lang.AssertionError: expected [400] but found [401] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419)		

#	Step / Hook Details	Status	Duration
	at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_bad_request_status_for_missing_value(ProgramModuleSD.java:94) at ?.Admin receives 400 Bad Request Status for missing value(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:30) * Not displayable characters are replaced by '?'.		

Check if Admin able to create a program with invalid method

FAILED	DURATION - 0.275 s
/ 9:56:03.829 AM // 9:56:04.104 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends Get Request instead of post and request Body with endpoint	PASSED	0.272 s
3	Then Admin receives 405 Method Not Allowed	FAILED	0.002 s

	java.lang.AssertionError: expected [405] but found [401]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:1419)
	    at org.testng.Assert.assertEquals(Assert.java:1449)
	    at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_method_not_allowed(ProgramModuleSD.java:106)
	    at ?.Admin receives 405 Method Not Allowed(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:35)
	* Not displayable characters are replaced by '?'.		

Check if Admin able to create a program without program name starting with a number

FAILED	*DURATION - 0.231 s*
/ 9:56:04.117 AM // 9:56:04.348 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.227 s
3	Then Admin receives 400 Bad Request Status for Pgm name starting with number	FAILED	0.000 s

	java.lang.AssertionError: expected [400] but found [401]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:1419)
	    at org.testng.Assert.assertEquals(Assert.java:1449)
	    at com.lms.api.StepDefinitions.ProgramModuleSD.
	admin_receives_bad_request_status_for_pgm_name_starting_with_number(ProgramModuleSD.java:118)
	    at ?.Admin receives 400 Bad Request Status for Pgm name starting with number(file:///C:/Users/sudha/git/
	Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/
	002PrgramModule.feature:40)
	* Not displayable characters are replaced by '?'.		

Check if Admin able to create a program with missing additional field

FAILED	*DURATION - 0.271 s*
/ 9:56:04.359 AM // 9:56:04.630 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends Post Request with request Body with missing additional field with endpoint	PASSED	0.269 s
3	Then Admin receives 200 ok for missing additional fields in program post request body	FAILED	0.001 s

java.lang.AssertionError: expected [200] but found [401]
   at org.testng.Assert.fail(Assert.java:111)
   at org.testng.Assert.failNotEquals(Assert.java:1578)
   at org.testng.Assert.assertEqualsImpl(Assert.java:150)
   at org.testng.Assert.assertEquals(Assert.java:132)
   at org.testng.Assert.assertEquals(Assert.java:1419)
   at org.testng.Assert.assertEquals(Assert.java:1449)
   at com.lms.api.StepDefinitions.ProgramModuleSD.
admin_receives_ok_for_missing_additional_fields_in_program_post_request_body(ProgramModuleSD.java:136)
   at ?.Admin receives 200 ok for missing additional fields in program post request body(file:///C:/Users/sudha/git/
Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/
002PrgramModule.feature:46)
* Not displayable characters are replaced by '?'.

## Check if Admin able to retrieve all programs with valid Endpoint

FAILED	DURATION - 0.144 s	Steps
/ 9:56:04.650 AM // 9:56:04.794 AM /		Total - 3
		Pass - 2
ProgramModule		Fail - 1
		Skip - 0
@tag		

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint	PASSED	0.138 s
3	Then Admin receives 200 OK Status with response body.	FAILED	0.002 s

java.lang.AssertionError: expected [200] but found [401]
   at org.testng.Assert.fail(Assert.java:111)
   at org.testng.Assert.failNotEquals(Assert.java:1578)
   at org.testng.Assert.assertEqualsImpl(Assert.java:150)
   at org.testng.Assert.assertEquals(Assert.java:132)
   at org.testng.Assert.assertEquals(Assert.java:1419)

DETAILED SECTION

#	Step / Hook Details	Status	Duration
	at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_status_with_response_body(ProgramModuleSD.java:157) at ?.Admin receives 200 OK Status with response body.(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:55) * Not displayable characters are replaced by '?'.		

Check if Admin able to retrieve all programs with valid Endpoint without auth

PASSED	DURATION - 0.157 s		Steps	
/ 9:56:04.805 AM // 9:56:04.962 AM /			Total - 3	
			Pass - 3	
ProgramModule			Fail - 0	
			Skip - 0	
@tag				3

| #	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request and request Body with endpoint without Authorization	PASSED	0.154 s
3	Then Admin receives 401 Unauthorized error for put	PASSED	0.001 s

Check if Admin able to create a program with invalid endpoint

FAILED	DURATION - 0.242 s		Steps	
/ 9:56:04.981 AM // 9:56:05.223 AM /			Total - 3	
			Pass - 2	
ProgramModule			Fail - 1	
			Skip - 0	
@tag				3

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request and request Body with invalid endpoint	PASSED	0.236 s

| #	Step / Hook Details	Status	Duration
3	Then Admin receives 404 not found Status for GET with message and boolean success details	FAILED	0.003 s

	java.lang.AssertionError: expected [404] but found [401]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:1419)
	    at org.testng.Assert.assertEquals(Assert.java:1449)
	    at com.lms.api.StepDefinitions.ProgramModuleSD.
	admin_receives_not_found_status_for_get_with_message_and_boolean_success_details(ProgramModuleSD.java:182)
	    at ?.Admin receives 404 not found Status for GET with message and boolean success details(file:///C:/Users/sudha/git/
	Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/
	002PrgramModule.feature:65)
	* Not displayable characters are replaced by '?'.		

Check if Admin able to create a program with invalid method

FAILED	DURATION - 0.152 s
/ 9:56:05.231 AM // 9:56:05.383 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

3

| #	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Post Request instead of get and request Body with endpoint	PASSED	0.147 s
3	Then Admin receives 405 Method Not Allowed message	FAILED	0.003 s

	java.lang.AssertionError: expected [405] but found [401]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:1419)
	    at org.testng.Assert.assertEquals(Assert.java:1449)
	    at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_method_not_allowed_message(ProgramModuleSD.java:195)
	    at ?.Admin receives 405 Method Not Allowed message(file:///C:/Users/sudha/git/		

#	Step / Hook Details	Status	Duration
	Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:70) * Not displayable characters are replaced by '?'.		

Check if Admin able to retrieve a program with valid program ID

FAILED	DURATION - 0.147 s
/ 9:56:05.392 AM // 9:56:05.539 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get program Request with endpoint	PASSED	0.142 s
3	Then Admin receives 200 OK Status code with response body.	FAILED	0.002 s

	java.lang.AssertionError: expected [200] but found [401]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:1419)
	    at org.testng.Assert.assertEquals(Assert.java:1449)
	    at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_status_code_with_response_body(ProgramModuleSD.java:215)
	    at ?.Admin receives 200 OK Status code with response body.(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:75)
	* Not displayable characters are replaced by '?'.		

Check if Admin able to retrieve all programs with valid prgm id without auth

PASSED	DURATION - 0.158 s
/ 9:56:05.551 AM // 9:56:05.709 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.000 s
2	When Admin sends Get Request by pgm id and request Body with endpoint without Authorization	PASSED	0.156 s
3	Then Admin receives 401 Unauthorized error for put by pgm id	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid program ID

FAILED	DURATION - 0.140 s
/ 9:56:05.720 AM // 9:56:05.860 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request with invlaid ID and endpoint	PASSED	0.136 s
3	Then Admin receives 404 Not Found Status for invalid PG Id with message and boolean success details	FAILED	0.001 s

	java.lang.AssertionError: expected [404] but found [401]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:1419)
	    at org.testng.Assert.assertEquals(Assert.java:1449)
	    at com.lms.api.StepDefinitions.ProgramModuleSD.
	admin_receives_not_found_status_for_invalid_pg_id_with_message_and_boolean_success_details(ProgramModuleSD.java:240)		

#	Step / Hook Details	Status	Duration
	at ?.Admin receives 404 Not Found Status for invalid PG Id with message and boolean success details(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:85) * Not displayable characters are replaced by '?'.		

Check if Admin able to retrieve a program with invalid baseURI

PASSED	DURATION - 0.246 s
/ 9:56:05.882 AM // 9:56:06.128 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with invalid baseURI	PASSED	0.001 s
2	When Admin sends Get Request Request with endpoint	PASSED	0.241 s
3	Then Admin receives 404 Not Found Status for invalid baseurl with message and boolean success details	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid Endpoint

FAILED	DURATION - 0.146 s
/ 9:56:06.139 AM // 9:56:06.285 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request with pgm Id and request Body with invalid endpoint	PASSED	0.141 s
3	Then Admin receives 404 Not Found Status for Get with Pgm Id with message and boolean success details	FAILED	0.002 s
	java.lang.AssertionError: expected [404] but found [401]		

#	Step / Hook Details	Status	Duration
	at org.testng.Assert.fail(Assert.java:111)		
	at org.testng.Assert.failNotEquals(Assert.java:1578)		
	at org.testng.Assert.assertEqualsImpl(Assert.java:150)		
	at org.testng.Assert.assertEquals(Assert.java:132)		
	at org.testng.Assert.assertEquals(Assert.java:1419)		
	at org.testng.Assert.assertEquals(Assert.java:1449)		
	at com.lms.api.StepDefinitions.ProgramModuleSD. admin_receives_not_found_status_for_get_with_pgm_id_with_message_and_boolean_success_details(ProgramModuleSD.java:272)		
	at ?.Admin receives 404 Not Found Status for Get with Pgm Id with message and boolean success details(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 002PrgramModule.feature:95)		
	* Not displayable characters are replaced by '?'.		

## Check if Admin able to retrieve all programs with valid Endpoint

FAILED	DURATION - 0.152 s
/ 9:56:06.308 AM // 9:56:06.460 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends Get All programs with users Request with endpoint	PASSED	0.147 s
3	Then Admin receives 200 OK Status with response body of Users	FAILED	0.002 s
	java.lang.AssertionError: expected [200] but found [401]		
	at org.testng.Assert.fail(Assert.java:111)		
	at org.testng.Assert.failNotEquals(Assert.java:1578)		
	at org.testng.Assert.assertEqualsImpl(Assert.java:150)		
	at org.testng.Assert.assertEquals(Assert.java:132)		
	at org.testng.Assert.assertEquals(Assert.java:1419)		
	at org.testng.Assert.assertEquals(Assert.java:1449)		
	at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_status_with_response_body_of_users(ProgramModuleSD.java:291)		
	at ?.Admin receives 200 OK Status with response body of Users(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 002PrgramModule.feature:100)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		

Check if Admin able to retrieve a program with invalid Endpoint

FAILED	DURATION - 0.144 s
/ 9:56:06.468 AM // 9:56:06.612 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.002 s
2	When Admin sends Get Request for all users with request Body with invalid endpoint	PASSED	0.140 s
3	Then Admin receives 404 Not Found Status for Get w for all users with message and boolean success details	FAILED	0.001 s

	java.lang.AssertionError: expected [404] but found [401]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:1419)
	    at org.testng.Assert.assertEquals(Assert.java:1449)
	    at com.lms.api.StepDefinitions.ProgramModuleSD.
	admin_receives_not_found_status_for_get_w_for_all_users_with_message_and_boolean_success_details(ProgramModuleSD.java:305)
	    at ?.Admin receives 404 Not Found Status for Get w for all users with message and boolean success details(file:///C:/Users/sudha/git/
	Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/
	002PrgramModule.feature:105)
	* Not displayable characters are replaced by '?'.		

Check if Admin able to retrieve all programs with invalid Method

FAILED	*DURATION - 0.139 s*

/ 9:56:06.630 AM // 9:56:06.769 AM /

ProgramModule

@tag

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends post all users Request instead of get with endpoint	PASSED	0.134 s
3	Then Admin receives 405 Method Not Allowed for get all users invalid method	FAILED	0.002 s

	java.lang.AssertionError: expected [405] but found [401]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:1419)
	    at org.testng.Assert.assertEquals(Assert.java:1449)
	    at com.lms.api.StepDefinitions.ProgramModuleSD.
	admin_receives_method_not_allowed_for_get_all_users_invalid_method(ProgramModuleSD.java:317)
	    at ?.Admin receives 405 Method Not Allowed for get all users invalid method(file:///C:/Users/sudha/git/
	Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/
	002PrgramModule.feature:110)
	* Not displayable characters are replaced by '?'.		

Check if Admin able to retrieve all programs without Authorization

PASSED	*DURATION - 0.194 s*

/ 9:56:06.786 AM // 9:56:06.980 AM /

ProgramModule

@tag

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint without auth	PASSED	0.190 s
3	Then Admin receives 401 Status with response body as Unauthorized	PASSED	0.000 s

Check if Admin able to update a program with valid programID endpoint and valid request body

FAILED	DURATION - 0.269 s		Steps
/ 9:56:07.000 AM // 9:56:07.269 AM /			Total - 3
			Pass - 1
ProgramModule			Fail - 1
			Skip - 1
@tag			

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with valid endpoint	FAILED	0.265 s
	java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object has missing required properties (["creationTime","lastModTime","programDescription","programId","programName","programStatus"]) level: "error" schema: {"loadingURI":"#","pointer":""} instance: {"pointer":""} domain: "validation" keyword: "required" required: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] missing: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] Actual: {"timestamp":"2024-04-02T13:56:06.058+00:00","status":401,"error":"Unauthorized","path":"/lms/putprogram/null"} at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.		

| #	Step / Hook Details	Status	Duration

	java:198)
	   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
	   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
	   at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107)
	   at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238)
	   at com.lms.api.Request.Program.updateProgramByID(Program.java:551)
	   at com.lms.api.StepDefinitions.ProgramModuleSD.admin_sends_put_request_with_valid_endpoint(ProgramModuleSD.java:343)
	   at ?.Admin sends Put Request with valid endpoint(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:120)
	* Not displayable characters are replaced by '?'.		

3	Then Admin receives 200 OK Status with updated value in response body.	SKIPPED	0.000 s

Check if Admin able to update a program with invalid programID endpoint and valid request body

FAILED	DURATION - 0.206 s		Steps
/ 9:56:07.278 AM // 9:56:07.484 AM /			Total - 3
ProgramModule			Pass - 2
			Fail - 1
@tag			Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with invalid prgm Id and valid endpoint	PASSED	0.200 s
3	Then Admin receives 404 Not Found Status for update pgm invalid pgm id with message and boolean success details	FAILED	0.003 s

	java.lang.AssertionError: expected [404] but found [401]
	   at org.testng.Assert.fail(Assert.java:111)
	   at org.testng.Assert.failNotEquals(Assert.java:1578)
	   at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	   at org.testng.Assert.assertEquals(Assert.java:132)
	   at org.testng.Assert.assertEquals(Assert.java:1419)
	   at org.testng.Assert.assertEquals(Assert.java:1449)
	   at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_not_found_status_for_update_pgm_invalid_pgm_id_with_message_and_boolean_success_details(ProgramModuleSD.java:363)
	   at ?.Admin receives 404 Not Found Status for update pgm invalid pgm id with message and boolean success details(file:///C:/Users/sudha/		

#	Step / Hook Details	Status	Duration
	git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:126) * Not displayable characters are replaced by '?'.		

Check if Admin able to update a program without request body

FAILED	DURATION - 0.260 s
/ 9:56:07.509 AM // 9:56:07.769 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

3

| #	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request missing mandate field and valid endpoint	PASSED	0.256 s
3	Then Admin receives 400 Bad Request Status for put for missing mandate field with message and boolean success details	FAILED	0.002 s
	java.lang.AssertionError: expected [400] but found [401] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_bad_request_status_for_put_for_missing_mandate_field_with_message_and_boolean_success_details(ProgramModuleSD.java:377) at ?.Admin receives 400 Bad Request Status for put for missing mandate field with message and boolean success details(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:132) * Not displayable characters are replaced by '?'.		

Check if Admin able to update a program with invalid baseURI

PASSED	*DURATION - 0.213 s*
/ 9:56:07.784 AM // 9:56:07.997 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields with invalid baseurl	PASSED	0.001 s
2	When Admin sends Put Request with invalid baseurl valid endpoint	PASSED	0.210 s
3	Then Admin receives 404 Not Found Status for put invalid baseurl with message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program with invalid method

FAILED	*DURATION - 0.267 s*
/ 9:56:08.020 AM // 9:56:08.287 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends get request instead of put Request with valid endpoint	PASSED	0.259 s
3	Then Admin receives 405 Method Not Allowed for using get instead of put	FAILED	0.004 s

	java.lang.AssertionError: expected [405] but found [401]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:1419)
	    at org.testng.Assert.assertEquals(Assert.java:1449)
	    at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_method_not_allowed_for_using_get_instead_of_put(ProgramModuleSD.		

#	Step / Hook Details	Status	Duration
	java:408) at ?.Admin receives 405 Method Not Allowed for using get instead of put(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 002PrgramModule.feature:142) * Not displayable characters are replaced by '?'.		

Check if Admin able to update a program without Authorization

PASSED	DURATION - 0.226 s		Steps	
			Total - 3	
/ 9:56:08.299 AM // 9:56:08.525 AM /			Pass - 3	3
			Fail - 0	
ProgramModule			Skip - 0	
@tag				

| #	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with endpoint without auth	PASSED	0.223 s
3	Then Admin receives 401 Status with response body as Unauthorized for put by pgm id	PASSED	0.000 s

Check if Admin able to update a program with Valid program Name and request body

FAILED	DURATION - 0.197 s		Steps	
			Total - 3	
/ 9:56:08.546 AM // 9:56:08.743 AM /			Pass - 1	3
			Fail - 1	
ProgramModule			Skip - 1	
@tag				

| #	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with Program name with valid endpoint	FAILED	0.194 s

#	Step / Hook Details	Status	Duration

	java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object has missing required properties (["creationTime","lastModTime","programDescription","programId","programName","programStatus"]) level: "error" schema: {"loadingURI":"#","pointer":""} instance: {"pointer":""} domain: "validation" keyword: "required" required: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] missing: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] Actual: {"timestamp":"2024-04-02T13:56:07.533+00:00","status":401,"error":"Unauthorized","path":"/lms/program/null"}
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	   at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	   at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
	   at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
	   at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:578)
	   at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
	   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
	   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
	   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
	   at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107)
	   at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238)
	   at com.lms.api.Request.Program.updateProgramByName(Program.java:730)
	   at com.lms.api.StepDefinitions.ProgramModuleSD.admin_sends_put_request_with_program_name_with_valid_endpoint(ProgramModuleSD.java:433)
	   at ?.Admin sends Put Request with Program name with valid endpoint(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:151)
	* Not displayable characters are replaced by '?'.		

3	Then Admin receives 200 OK Status code with updated value in response body.	SKIPPED	0.000 s

Check if Admin able to update a program with invalid program Name and request body

FAILED	*DURATION - 0.216 s*
/ 9:56:08.753 AM // 9:56:08.969 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with invalid Program name with valid endpoint	PASSED	0.209 s
3	Then Admin receives 404 Not Found Status for put with invalid pg namewith message and boolean success details	FAILED	0.003 s

	java.lang.AssertionError: expected [404] but found [401]
	  at org.testng.Assert.fail(Assert.java:111)
	  at org.testng.Assert.failNotEquals(Assert.java:1578)
	  at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	  at org.testng.Assert.assertEquals(Assert.java:132)
	  at org.testng.Assert.assertEquals(Assert.java:1419)
	  at org.testng.Assert.assertEquals(Assert.java:1449)
	  at com.lms.api.StepDefinitions.ProgramModuleSD.
	admin_receives_not_found_status_for_put_with_invalid_pg_namewith_message_and_boolean_success_details(ProgramModuleSD.java:452)
	  at ?.Admin receives 404 Not Found Status for put with invalid pg namewith message and boolean success details(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:157)
	* Not displayable characters are replaced by '?'.		

Check if Admin able to update a program using valid program name - missing mandatory fields in request body

FAILED	*DURATION - 0.200 s*
/ 9:56:08.993 AM // 9:56:09.193 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

3

| #	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API with missing mandatory fields	PASSED	0.000 s
2	When Admin sends Put Request with valid prgom name with valid endpoint	PASSED	0.195 s
3	Then Admin receives 400 Bad Request Status for missing field with message and boolean success details	FAILED	0.002 s

	java.lang.AssertionError: expected [400] but found [401]
	   at org.testng.Assert.fail(Assert.java:111)
	   at org.testng.Assert.failNotEquals(Assert.java:1578)
	   at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	   at org.testng.Assert.assertEquals(Assert.java:132)
	   at org.testng.Assert.assertEquals(Assert.java:1419)
	   at org.testng.Assert.assertEquals(Assert.java:1449)
	   at com.lms.api.StepDefinitions.ProgramModuleSD.
	admin_receives_bad_request_status_for_missing_field_with_message_and_boolean_success_details(ProgramModuleSD.java:471)
	   at ?.Admin receives 400 Bad Request Status for missing field with message and boolean success details(file:///C:/Users/sudha/git/
	Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/
	002PrgramModule.feature:162)
	* Not displayable characters are replaced by '?'.		

Check if Admin able to upadte a program with program name starting with a number

FAILED	DURATION - 0.236 s		Steps	
/ 9:56:09.199 AM // 9:56:09.435 AM /			Total - 3	
			Pass - 2	
ProgramModule			Fail - 1	3
			Skip - 0	
@tag				

| #	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.233 s
3	Then Admin receives 400 Bad Request Status for put Pgm name starting with number	FAILED	0.001 s

	java.lang.AssertionError: expected [400] but found [401]
	   at org.testng.Assert.fail(Assert.java:111)
	   at org.testng.Assert.failNotEquals(Assert.java:1578)
	   at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	   at org.testng.Assert.assertEquals(Assert.java:132)		

#	Step / Hook Details	Status	Duration

	at org.testng.Assert.assertEquals(Assert.java:1419)
	   at org.testng.Assert.assertEquals(Assert.java:1449)
	   at com.lms.api.StepDefinitions.ProgramModuleSD.
	admin_receives_bad_request_status_for_put_pgm_name_starting_with_number(ProgramModuleSD.java:483)
	   at ?.Admin receives 400 Bad Request Status for put Pgm name starting with number(file:///C:/Users/sudha/git/
	Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/
	002PrgramModule.feature:167)
	* Not displayable characters are replaced by '?'.		

Check if Admin able to update a program with invalid program Description

FAILED	DURATION - 0.174 s	Steps
/ 9:56:09.444 AM // 9:56:09.618 AM /		Total - 3
		Pass - 2
ProgramModule		Fail - 1
		Skip - 0
@tag		

| #	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request and Pgm Descrip starting with Number in request Body with endpoint	PASSED	0.170 s
3	Then Admin receives 400 Bad Request Status for put Pgm descrip starting with number	FAILED	0.001 s

	java.lang.AssertionError: expected [400] but found [401]
	   at org.testng.Assert.fail(Assert.java:111)
	   at org.testng.Assert.failNotEquals(Assert.java:1578)
	   at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	   at org.testng.Assert.assertEquals(Assert.java:132)
	   at org.testng.Assert.assertEquals(Assert.java:1419)
	   at org.testng.Assert.assertEquals(Assert.java:1449)
	   at com.lms.api.StepDefinitions.ProgramModuleSD.
	admin_receives_bad_request_status_for_put_pgm_descrip_starting_with_number(ProgramModuleSD.java:495)
	   at ?.Admin receives 400 Bad Request Status for put Pgm descrip starting with number(file:///C:/Users/sudha/git/
	Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/
	002PrgramModule.feature:172)
	* Not displayable characters are replaced by '?'.		

Check if Admin able to update a program status

FAILED	DURATION - 0.202 s
/ 9:56:09.628 AM // 9:56:09.830 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

| #	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request for status change with valid endpoint	FAILED	0.198 s

	java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object has missing required properties (["creationTime","lastModTime","programDescription","programId","programName","programStatus"]) level: "error" schema: {"loadingURI":"#","pointer":""} instance: {"pointer":""} domain: "validation" keyword: "required" required: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] missing: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] Actual: {"timestamp":"2024-04-02T13:56:08.621+00:00","status":401,"error":"Unauthorized","path":"/lms/program/null"}
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	   at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	   at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
	   at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
	   at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:578)
	   at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
	   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
	   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
	   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
	   at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107)
	   at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238)		

#	Step / Hook Details	Status	Duration
	at com.lms.api.Request.Program.updateprgmstatus(Program.java:857) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_sends_put_request_for_status_change_with_valid_endpoint(ProgramModuleSD.java:501) at ?.Admin sends Put Request for status change with valid endpoint(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:176) * Not displayable characters are replaced by '?'.		
3	Then Admin receives 200 OK Status with updated prgm status value in response body.	SKIPPED	0.001 s

Check if Admin able to delete a program with valid LMS API,invalid programName

FAILED	DURATION - 0.162 s
/ 9:56:09.850 AM // 9:56:10.012 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programName	PASSED	0.002 s
2	When Admin sends Delete by invalid ProgramName Request with endpoint	PASSED	0.154 s
3	Then Admin receives 404 Not Found Status for delete invalid pgnamewith message and boolean success details	FAILED	0.002 s

	java.lang.AssertionError: expected [404] but found [401]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:1419)
	    at org.testng.Assert.assertEquals(Assert.java:1449)
	    at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_not_found_status_for_delete_invalid_pgnamewith_message_and_boolean_success_details(ProgramModuleSD.java:546)
	    at ?.Admin receives 404 Not Found Status for delete invalid pgnamewith message and boolean success details(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:188)
	* Not displayable characters are replaced by '?'.		

Check if Admin able to delete a program by pgrm name without Authorization

PASSED	DURATION - 0.176 s

/ 9:56:10.021 AM // 9:56:10.197 AM /

ProgramModule

@tag

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.001 s
2	When Admin sends delete Request by program name with endpoint without auth	PASSED	0.173 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm name	PASSED	0.001 s

Check if Admin able to delete a program with valid LMS API,invalid programId

FAILED	DURATION - 0.125 s

/ 9:56:10.219 AM // 9:56:10.344 AM /

ProgramModule

@tag

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programId	PASSED	0.000 s
2	When Admin sends Delete by invalid ProgramID Request with endpoint	PASSED	0.122 s
3	Then Admin receives 404 Not Found Status for delete invalid pgid with message and boolean success details	FAILED	0.001 s
	java.lang.AssertionError: expected [404] but found [401] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449)		

#	Step / Hook Details	Status	Duration
	at com.lms.api.StepDefinitions.ProgramModuleSD. admin_receives_not_found_status_for_delete_invalid_pgid_with_message_and_boolean_success_details(ProgramModuleSD.java:597) at ?.Admin receives 404 Not Found Status for delete invalid pgid with message and boolean success details(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:204) * Not displayable characters are replaced by '?'.		

Check if Admin able to delete a program without Authorization

PASSED	DURATION - 0.152 s
/ 9:56:10.352 AM // 9:56:10.504 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.001 s
2	When Admin sends delete Request by program id with endpoint without auth	PASSED	0.149 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm id	PASSED	0.000 s

Check if Admin able to create a program with valid endpoint and request body with Authorization

FAILED	DURATION - 0.192 s
/ 9:56:10.524 AM // 9:56:10.716 AM /	
ProgramModule	
@tag	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends HTTPS Request and request Body with endpoint	FAILED	0.188 s

| #	Step / Hook Details	Status	Duration

	java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object has missing required properties (["creationTime","lastModTime","programDescription","programId","programName","programStatus"]) level: "error" schema: {"loadingURI":"#","pointer":""} instance: {"pointer":""} domain: "validation" keyword: "required" required: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] missing: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] Actual: {"timestamp":"2024-04-02T13:56:09.507+00:00","status":401,"error":"Unauthorized","path":"/lms/saveprogram"}
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	  at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	  at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	  at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	  at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
	  at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
	  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:578)
	  at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
	  at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
	  at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
	  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
	  at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107)
	  at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238)
	  at com.lms.api.Request.Program.PostRequest(Program.java:36)
	  at com.lms.api.StepDefinitions.ProgramModuleSD.admin_sends_https_request_and_request_body_with_endpoint(ProgramModuleSD.java:34)
	  at ?.Admin sends HTTPS Request and request Body with endpoint(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:213)
	* Not displayable characters are replaced by '?'.		

3	Then Admin receives 201 Created Status with response body.	SKIPPED	0.000 s

Batch Module POST request

FAILED	DURATION - 2.743 s	Scenarios Total - 14 Pass - 0 Fail - 14 Skip - 0	14	Steps Total - 42 Pass - 28 Fail - 14 Skip - 0	42
/ 9:56:10.729 AM // 9:56:13.472 AM /					

Check if admin able to create a Batch with valid endpoint and request body (non existing values)

FAILED	DURATION - 0.264 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	3
/ 9:56:10.729 AM // 9:56:10.993 AM /				
Batch Module POST request				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with valid data in request body	PASSED	0.002 s
2	When Admin sends HTTPS Request with endpoint to create batch	PASSED	0.258 s
3	Then Admin receives 201 Created Status with response body	FAILED	0.000 s

	java.lang.AssertionError: expected [201] but found [401]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:1419)
	    at org.testng.Assert.assertEquals(Assert.java:1449)
	    at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_created_status_with_response_body(ProgramBatchModuleSD.java:37)
	    at ?.Admin receives 201 Created Status with response body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:10)
	* Not displayable characters are replaced by '?'.		

Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)

FAILED	DURATION - 0.139 s
/ 9:56:11.003 AM // 9:56:11.142 AM /	
Batch Module POST request	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with existing value in request body	PASSED	0.001 s
2	When Admin sends HTTPS POST Request with endpoint to create batch	PASSED	0.134 s
3	Then Admin receives 400 Bad Request Status with message in the response body	FAILED	0.001 s

	java.lang.AssertionError: expected [400] but found [401]
	   at org.testng.Assert.fail(Assert.java:111)
	   at org.testng.Assert.failNotEquals(Assert.java:1578)
	   at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	   at org.testng.Assert.assertEquals(Assert.java:132)
	   at org.testng.Assert.assertEquals(Assert.java:1419)
	   at org.testng.Assert.assertEquals(Assert.java:1449)
	   at com.lms.api.StepDefinitions.ProgramBatchModuleSD.
	admin_receives_bad_request_status_with_message_in_the_reponse_body(ProgramBatchModuleSD.java:55)
	   at ?.Admin receives 400 Bad Request Status with message in the response body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:18)
	* Not displayable characters are replaced by '?'.		

Check if admin able to create a Batch missing mandatory fields in request body

FAILED	DURATION - 0.227 s
/ 9:56:11.154 AM // 9:56:11.381 AM /	
Batch Module POST request	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data in request body	PASSED	0.001 s
2	When Admin sends POST Request with endpoint to create batch	PASSED	0.221 s
3	Then Admin receives 400 Bad Request Status with message	FAILED	0.003 s

	java.lang.AssertionError: expected [400] but found [401]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:1419)
	    at org.testng.Assert.assertEquals(Assert.java:1449)
	    at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_bad_request_status_with_message(ProgramBatchModuleSD.java:72)
	    at ?.Admin receives 400 Bad Request Status with message(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:25)
	* Not displayable characters are replaced by '?'.		

Check if admin able to create a batch with invalid endpoint

FAILED	*DURATION - 0.246 s*
/ 9:56:11.401 AM // 9:56:11.647 AM /	
Batch Module POST request	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request	PASSED	0.000 s
2	When Admin sends HTTPS Request with invalid endpoint	PASSED	0.244 s
3	Then Admin receives 404 not found Status	FAILED	0.001 s

	java.lang.AssertionError: expected [404] but found [401]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:1419)		

#	Step / Hook Details	Status	Duration
	at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_not_found_status(ProgramBatchModuleSD.java:89) at ?.Admin receives 404 not found Status(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 003ProgramBatchModule.feature:32) * Not displayable characters are replaced by '?'.		

Check if admin able to create a batch with missing additional fields

FAILED	DURATION - 0.194 s
/ 9:56:11.659 AM // 9:56:11.853 AM /	
Batch Module POST request	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with missing additional fields	PASSED	0.001 s
2	When Admin sends HTTPS Request with valid endpoint to create batch	PASSED	0.189 s
3	Then Admin receives 201 Created Status with response	FAILED	0.001 s

	java.lang.AssertionError: expected [201] but found [401]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:1419)
	    at org.testng.Assert.assertEquals(Assert.java:1449)
	    at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_created_status_with_response(ProgramBatchModuleSD.java:108)
	    at ?.Admin receives 201 Created Status with response(file:///C:/Users/sudha/git/
	Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/
	003ProgramBatchModule.feature:39)
	* Not displayable characters are replaced by '?'.		

Check if admin able to create a batch with invalid data in request body

FAILED	DURATION - 0.224 s		Steps
/ 9:56:11.873 AM // 9:56:12.097 AM /			Total - 3 Pass - 2 Fail - 1 Skip - 0
Batch Module POST request			

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data fields in request body	PASSED	0.001 s
2	When Admin sends HTTPS POST Request with valid endpoint	PASSED	0.219 s
3	Then Admin receives 400 Bad Request Status with message and boolean success	FAILED	0.002 s

	java.lang.AssertionError: expected [400] but found [401]
	   at org.testng.Assert.fail(Assert.java:111)
	   at org.testng.Assert.failNotEquals(Assert.java:1578)
	   at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	   at org.testng.Assert.assertEquals(Assert.java:132)
	   at org.testng.Assert.assertEquals(Assert.java:1419)
	   at org.testng.Assert.assertEquals(Assert.java:1449)
	   at com.lms.api.StepDefinitions.ProgramBatchModuleSD.
	admin_receives_bad_request_status_with_message_and_boolean_success(ProgramBatchModuleSD.java:126)
	   at ?.Admin receives 400 Bad Request Status with message and boolean success(file:///C:/Users/sudha/git/
	Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/
	003ProgramBatchModule.feature:46)
	* Not displayable characters are replaced by '?'.		

Check if admin able to retrieve all batches with valid LMS API

FAILED	DURATION - 0.137 s		Steps
/ 9:56:12.106 AM // 9:56:12.243 AM /			Total - 3 Pass - 2 Fail - 1 Skip - 0
Batch Module POST request			

| #	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Get Request with endpoint to get batch	PASSED	0.134 s
3	Then Admin receives 200 OK Status with response body	FAILED	0.001 s

	java.lang.AssertionError: expected [200] but found [401]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:1419)
	    at org.testng.Assert.assertEquals(Assert.java:1449)
	    at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_ok_status_with_response_body(ProgramBatchModuleSD.java:145)
	    at ?.Admin receives 200 OK Status with response body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:53)
	 * Not displayable characters are replaced by '?'.		

Check if admin able to retrieve all batches with invalid Endpoint

FAILED	DURATION - 0.144 s
/ 9:56:12.251 AM // 9:56:12.395 AM /	
Batch Module POST request	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with invalid endpoint	PASSED	0.000 s
2	When Admin sends HTTPS GET Request with invalid endpoint to get all batches	PASSED	0.138 s
3	Then Admin receives 404 status with error message Not Found	FAILED	0.001 s

	java.lang.AssertionError: expected [404] but found [401]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:1419)
	    at org.testng.Assert.assertEquals(Assert.java:1449)		

#	Step / Hook Details	Status	Duration
	at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_status_with_error_message_not_found(ProgramBatchModuleSD.java:162) at ?.Admin receives 404 status with error message Not Found(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:60) * Not displayable characters are replaced by '?'.		

Check if admin able to retrieve a batch with valid BATCH ID

FAILED	DURATION - 0.179 s
/ 9:56:12.404 AM // 9:56:12.583 AM /	
Batch Module POST request	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.001 s
2	When Admin sends Get Request with endpoint for batch module	PASSED	0.171 s
3	Then Admin receives 200 OK Status with response in the response body	FAILED	0.003 s
	java.lang.AssertionError: expected [200] but found [401] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_ok_status_with_response_in_the_response_body(ProgramBatchModuleSD.java:180) at ?.Admin receives 200 OK Status with response in the response body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:67) * Not displayable characters are replaced by '?'.		

Check if admin able to retrieve a batch with valid BATCH NAME

FAILED	DURATION - 0.140 s
/ 9:56:12.604 AM // 9:56:12.744 AM /	
Batch Module POST request	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch Name	PASSED	0.001 s
2	When Admin sends Get batch Request with endpoint for batch module	PASSED	0.135 s
3	Then Admin receives 200 Status code with response body	FAILED	0.001 s

	java.lang.AssertionError: expected [200] but found [401]
	   at org.testng.Assert.fail(Assert.java:111)
	   at org.testng.Assert.failNotEquals(Assert.java:1578)
	   at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	   at org.testng.Assert.assertEquals(Assert.java:132)
	   at org.testng.Assert.assertEquals(Assert.java:1419)
	   at org.testng.Assert.assertEquals(Assert.java:1449)
	   at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_status_code_with_response_body(ProgramBatchModuleSD.java:199)
	   at ?.Admin receives 200 Status code with response body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:74)
	* Not displayable characters are replaced by '?'.		

Check if admin able to retrieve a batch with valid Program ID

FAILED	DURATION - 0.192 s
/ 9:56:12.753 AM // 9:56:12.945 AM /	
Batch Module POST request	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Program Id	PASSED	0.001 s
2	When Admin sends HTTPS Request to get batch by program Id with endpoint	PASSED	0.188 s
3	Then Admin receives status code 200 OK Status with response body	FAILED	0.002 s

	java.lang.AssertionError: expected [200] but found [401]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:1419)
	    at org.testng.Assert.assertEquals(Assert.java:1449)
	    at com.lms.api.StepDefinitions.ProgramBatchModuleSD.
	admin_receives_status_code_ok_status_with_response_body(ProgramBatchModuleSD.java:218)
	    at ?.Admin receives status code 200 OK Status with response body(file:///C:/Users/sudha/git/
	Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/
	003ProgramBatchModule.feature:81)
	* Not displayable characters are replaced by '?'.		

Check if admin able to update a Batch with valid batchID and mandatory fields in request body

FAILED	DURATION - 0.209 s
/ 9:56:12.952 AM // 9:56:13.161 AM /	
Batch Module POST request	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid BatchId and Data	PASSED	0.002 s
2	When Admin sends HTTPS Request to update with endpoint	PASSED	0.204 s
3	Then Admin receives 200 OK Status with updated value in response body for update request.	FAILED	0.001 s

	java.lang.AssertionError: expected [200] but found [401]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:1419)		

#	Step / Hook Details	Status	Duration
	at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD. admin_receives_ok_status_with_updated_value_in_response_body_for_update_request(ProgramBatchModuleSD.java:237) at ?.Admin receives 200 OK Status with updated value in response body for update request.(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 003ProgramBatchModule.feature:88) * Not displayable characters are replaced by '?'.		

Check if admin able to delete a Batch with valid Batch ID

FAILED	DURATION - 0.135 s
/ 9:56:13.180 AM // 9:56:13.315 AM /	
Batch Module POST request	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request with valid BatchId	PASSED	0.000 s
2	When Admin sends HTTPS Request to delete with endpoint	PASSED	0.130 s
3	Then Admin receives 200 Ok status with message to delete batch	FAILED	0.002 s
	java.lang.AssertionError: expected [200] but found [0] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_status_with_message_to_delete_batch(ProgramModuleSD.java:526) at ?.Admin receives 200 Ok status with message to delete batch(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 003ProgramBatchModule.feature:95) * Not displayable characters are replaced by '?'.		

Check if admin able to retrive a batch after deleting the batch

FAILED	DURATION - 0.148 s

/ 9:56:13.324 AM // 9:56:13.472 AM /

Batch Module POST request

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.000 s
2	When Admin sends HTTPS GET Request with valid id	PASSED	0.146 s
3	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body.	FAILED	0.001 s

	java.lang.AssertionError: expected [200] but found [401]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:1419)
	    at org.testng.Assert.assertEquals(Assert.java:1449)
	    at com.lms.api.StepDefinitions.ProgramBatchModuleSD.
	admin_receives_ok_status_with_batch_status_field_in_the_response_body(ProgramBatchModuleSD.java:266)
	    at ?.Admin receives 200 OK Status with batchStatus field "Inactive" in the response body.(file:///C:/Users/sudha/git/
	Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/
	003ProgramBatchModule.feature:102)
	* Not displayable characters are replaced by '?'.		