

# Cucumber Report

Apr 2, 2024, 8:13:37 AM

Start : Apr 02, 8:13:04.037 AM

End : Apr 02, 8:13:36.804 AM

Duration : 32.767 s

Features



Scenarios

Steps

PASSED - 2  
FAILED - 4  
SKIPPED - 0

PASSED - 63  
FAILED - 15  
SKIPPED - 0

PASSED - 219  
FAILED - 15  
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Post request</u>	5.028 s	3	3	0	0	9	9	0	0
<u>ProgramModule</u>	11.035 s	37	36	1	0	111	110	1	0
<u>Get (Logout )</u>	0.841 s	3	3	0	0	9	9	0	0
<u>Batch Module POST request</u>	3.973 s	14	6	8	0	42	34	8	0
<u>User Module</u>	9.905 s	13	9	4	0	39	35	4	0
<u>User Role Program Batch Map</u>	1.862 s	8	6	2	0	24	22	2	0


#	Feature Name	Scenario Name
1	<u>ProgramModule</u>	<u>Check if Admin able to create a program with missing additional field</u>
2	<u>Batch Module POST request</u>	<u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u>
3		<u>Check if admin able to create a batch with missing additional fields</u>
4		<u>Check if admin able to retrieve a batch with valid BATCH ID</u>
5		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>
6		<u>Check if admin able to retrieve a batch with valid Program ID</u>
7		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>
8		<u>Check if admin able to delete a Batch with valid Batch ID</u>
9		<u>Check if admin able to retrieve a batch after deleting the batch</u>
10	<u>User Module</u>	<u>Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields</u>
11		<u>Check if admin is able to update role status of a Admin with valid Admin id</u>

#	Feature Name	Scenario Name
12	<u>User Module</u>	<u>Check if admin is able to update role id of a Admin by valid Admin id</u>
13		<u>Check if admin is able to assign Admin to with program/batch by Admin Id</u>
14	<u>User Role Program Batch Map</u>	<u>Admin retrieve assigned program batches for valid AdminId</u>
15		<u>Check if admin is able to delete the program batch for a Admin</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@tag	39	37	2	0	3	1	2	0
@EndToEnd	1	1	0	0	1	1	0	0
@PostRequest	1	0	1	0	1	0	1	0
@GetRequest(allroles)	1	1	0	0	1	0	1	0
@GetRequest(All_Admins)	1	1	0	0	1	0	1	0
@GetRequest(by_AdminID)	1	1	0	0	1	0	1	0
@GetRequest(All_active_admins)	1	1	0	0	1	0	1	0
@GetRequest(Count_of_active_inactive_Admins)	1	1	0	0	1	0	1	0
@GetRequest(Admins_by_program_batches)	1	1	0	0	1	0	1	0
@GetRequest(get_Admin_for_program)	1	1	0	0	1	0	1	0
@GetRequest(get_Admin_by_RoleID)	1	1	0	0	1	0	1	0
@GetRequest(Admin_With_Roles)	1	1	0	0	1	0	1	0
@PutRequest(Update_Admin_Role_Status_By_AdminID)	1	0	1	0	1	0	1	0
@PutRequest(Update_Admin_RoleID)	1	0	1	0	1	0	1	0
@PutRequest(Update_Admin_Role_Program_Batch_Status)	1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Post request</u>	3	3	0	0	5.028 s
2	<u>ProgramModule</u>	37	36	1	0	11.035 s
3	<u>Get (Logout )</u>	3	3	0	0	0.841 s
4	<u>Batch Module POST request</u>	14	6	8	0	3.973 s
5	<u>User Module</u>	13	9	4	0	9.905 s
6	<u>User Role Program Batch Map</u>	8	6	2	0	1.862 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Post request</u>	<u>Check if Admin able to generate token with valid credential</u>	3	3	0	0	4.331 s
2		<u>Check if Admin able to generate token with invalid endpoint</u>	3	3	0	0	0.332 s
3		<u>Check if Admin able to generate token with invalid credentials</u>	3	3	0	0	0.192 s
4	<u>ProgramModule</u>	<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>	3	3	0	0	0.959 s
5		<u>Check if Admin able to create a program with valid endpoint and request body without Authorization</u>	3	3	0	0	0.347 s
6		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.415 s
7		<u>Check if Admin able to create a program with already existing program name</u>	3	3	0	0	0.322 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if Admin able to create a program with missing values in the request body</u>	3	3	0	0	0.277 s
9		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.232 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>ProgramModule</u>	<u>Check if Admin able to create a program without program name starting with a number</u>	3	3	0	0	0.264 s
11		<u>Check if Admin able to create a program with missing additional field</u>	3	2	1	0	0.296 s
12		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.448 s
13		<u>Check if Admin able to retrieve all programs with valid Endpoint without auth</u>	3	3	0	0	0.164 s
14		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.159 s
15		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.145 s
16		<u>Check if Admin able to retrieve a program with valid program ID</u>	3	3	0	0	0.176 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
17		<u>Check if Admin able to retrieve all programs with valid prgm id without auth</u>	3	3	0	0	0.177 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>ProgramModule</u>	<u>Check if Admin able to retrieve a program with invalid program ID</u>	3	3	0	0	0.156 s
19		<u>Check if Admin able to retrieve a program with invalid baseURI</u>	3	3	0	0	0.308 s
20		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.597 s
21		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.358 s
22		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.157 s
23		<u>Check if Admin able to retrieve all programs with invalid Method</u>	3	3	0	0	0.178 s
24		<u>Check if Admin able to retrieve all programs without Authorization</u>	3	3	0	0	0.177 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
25	<u>ProgramModule</u>	<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>	3	3	0	0	0.337 s
26		<u>Check if Admin able to update a program with invalid programID endpoint and valid request body</u>	3	3	0	0	0.229 s
27		<u>Check if Admin able to update a program without request body</u>	3	3	0	0	0.244 s
28		<u>Check if Admin able to update a program with invalid baseURI</u>	3	3	0	0	0.216 s
29		<u>Check if Admin able to update a program with invalid method</u>	3	3	0	0	0.398 s
30		<u>Check if Admin able to update a program without Authorization</u>	3	3	0	0	0.229 s
31		<u>Check if Admin able to update a program with Valid program Name and request body</u>	3	3	0	0	0.307 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
32		<u>Check if Admin able to update a program with invalid program Name and request body</u>	3	3	0	0	0.274 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
33	<u>ProgramModule</u>	<u>Check if Admin able to update a program using valid program name - missing mandatory fields in request body</u>	3	3	0	0	0.213 s
34		<u>Check if Admin able to upadte a program with program name starting with a number</u>	3	3	0	0	0.239 s
35		<u>Check if Admin able to update a program with invalid program Description</u>	3	3	0	0	0.266 s
36		<u>Check if Admin able to update a program status</u>	3	3	0	0	0.285 s
37		<u>Check if Admin able to delete a program with valid LMS API, invalid programName</u>	3	3	0	0	0.160 s
38		<u>Check if Admin able to delete a program by pgrm name without Authorization</u>	3	3	0	0	0.170 s
39		<u>Check if Admin able to delete a program with valid LMS API, invalid programId</u>	3	3	0	0	0.225 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
40		<u>Check if Admin able to delete a program without Authorization</u>	3	3	0	0	0.147 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
41	<u>Get (Logout )</u>	<u>Check if Admin able to logout</u>	3	3	0	0	0.177 s
42		<u>Check if Admin able to logout with invalid endpoint</u>	3	3	0	0	0.290 s
43		<u>Check if Admin able to logout</u>	3	3	0	0	0.339 s
44	<u>Batch Module POST request</u>	<u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u>	3	2	1	0	0.286 s
45		<u>Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)</u>	3	3	0	0	0.158 s
46		<u>Check if admin able to create a Batch missing mandatory fields in request body</u>	3	3	0	0	0.267 s
47		<u>Check if admin able to create a batch with invalid endpoint</u>	3	3	0	0	0.227 s
48		<u>Check if admin able to create a batch with missing additional fields</u>	3	2	1	0	0.419 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
49		<u>Check if admin able to create a batch with invalid data in request body</u>	3	3	0	0	0.328 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
50	<u>Batch Module POST request</u>	<u>Check if admin able to retrieve all batches with valid LMS API</u>	3	3	0	0	0.772 s
51		<u>Check if admin able to retrieve all batches with invalid Endpoint</u>	3	3	0	0	0.171 s
52		<u>Check if admin able to retrieve a batch with valid BATCH ID</u>	3	2	1	0	0.146 s
53		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>	3	2	1	0	0.170 s
54		<u>Check if admin able to retrieve a batch with valid Program ID</u>	3	2	1	0	0.161 s
55		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>	3	2	1	0	0.249 s
56		<u>Check if admin able to delete a Batch with valid Batch ID</u>	3	2	1	0	0.160 s
57		<u>Check if admin able to retrieve a batch after deleting the batch</u>	3	2	1	0	0.210 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
58	<u>User Module</u>	<u>Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields</u>	3	2	1	0	0.844 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
59	<u>User Module</u>	<u>Check if admin is able to retrieve all the available roles</u>	3	3	0	0	2.694 s
60		<u>Check if admin able to retrieve all Admin with valid endpoint</u>	3	3	0	0	1.377 s
61		<u>Check if admin able to retrieve a Admin with valid Admin ID</u>	3	3	0	0	1.045 s
62		<u>Check if admin able to retrieve all active Admins</u>	3	3	0	0	1.117 s
63		<u>Check if admin is able to get count of active and inactive Admins</u>	3	3	0	0	0.330 s
64		<u>Check if admin is able to get the Admins by program batches for valid batch ID</u>	3	3	0	0	0.192 s
65		<u>Check if admin is able to get the Admins for valid program Id</u>	3	3	0	0	0.158 s
66		<u>Check if admin is able to retrieve Admins by valid role ID</u>	3	3	0	0	1.065 s
67		<u>Check if admin able to retrieve all Admins with roles</u>	3	3	0	0	0.146 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
68		<u>Check if admin is able to update role status of a Admin with valid Admin id</u>	3	2	1	0	0.183 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
69	<u>User Module</u>	<u>Check if admin is able to update role id of a Admin by valid Admin id</u>	3	2	1	0	0.391 s
70		<u>Check if admin is able to assign Admin to with program/batch by Admin Id</u>	3	2	1	0	0.173 s
71	<u>User Role Program Batch Map</u>	<u>Admin retrieve all Admins with assigned program batches</u>	3	3	0	0	0.662 s
72		<u>Check if admin is able to retrieve all Admins with assigned program batches with No Authorization</u>	3	3	0	0	0.168 s
73		<u>Admin retrieve assigned program batches for valid AdminId</u>	3	2	1	0	0.141 s
74		<u>Check if admin is able to retrieve assigned program batches for invalid AdminId</u>	3	3	0	0	0.180 s
75		<u>Check if admin is able to retrieve assigned program batches for valid AdminId with No authorization</u>	3	3	0	0	0.151 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
76		<u>Check if admin is able to delete the program batch for a Admin</u>	3	2	1	0	0.162 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
77	<u>User Role Program Batch Map</u>	<u>Check if admin is able to delete the program batch for invalid Admin</u>	3	3	0	0	0.134 s
78		<u>Check if admin is able to delete the program batch for valid Admin and No Authorization</u>	3	3	0	0	0.170 s



**Post request**



<div>PASSED</div>	<div>DURATION - 5.028 s</div>	<div>Scenarios</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>3</div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>9</div></div>
<div>/ 8:13:04.037 AM // 8:13:09.065 AM /</div>					

**Check if Admin able to generate token with valid credential**

<div>PASSED</div>	<div>DURATION - 4.331 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:13:04.042 AM // 8:13:08.373 AM /</div>				
<div>Post request</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.978 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.001 s
3	Then Admin receives 200 created with auto generated token	PASSED	3.290 s

**Check if Admin able to generate token with invalid endpoint**

<b>PASSED</b>	DURATION - 0.332 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0				
/ 8:13:08.494 AM // 8:13:08.826 AM /							
Post request							
@EndToEnd							



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with invalid endpoint	PASSED	0.000 s
3	Then Admin receives 401 unauthorized	PASSED	0.326 s

### Check if Admin able to generate token with invalid credentials



PASSED	DURATION - 0.192 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:13:08.873 AM // 8:13:09.065 AM /				
Post request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with invalid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.001 s
3	Then Admin receives 400 Bad request	PASSED	0.185 s

### ProgramModule



FAILED		DURATION - 11.035 s		Scenarios Total - 37 Pass - 36 Fail - 1 Skip - 0		Steps Total - 111 Pass - 110 Fail - 1 Skip - 0			
/ 8:13:09.108 AM // 8:13:20.143 AM /									

### Check if Admin able to create a program with valid endpoint and request body with Authorization

<div>PASSED</div>	<div>DURATION - 0.959 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:13:09.108 AM // 8:13:10.067 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.012 s
2	When Admin sends HTTPS Request and request Body with endpoint	PASSED	0.932 s
3	Then Admin receives 201 Created Status with response body.	PASSED	0.002 s

### Check if Admin able to create a program with valid endpoint and request body without Authorization

PASSED	DURATION - 0.347 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:13:10.111 AM // 8:13:10.458 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and request Body with endpoint without Authorization	PASSED	0.341 s
3	Then Admin receives 401 Unauthorized error for post	PASSED	0.001 s

### Check if Admin able to create a program with invalid endpoint

<b>PASSED</b>	<b>DURATION - 0.415 s</b>		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:13:10.481 AM // 8:13:10.896 AM /				
<i>ProgramModule</i>				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends HTTPS Request and request Body with invalid endpoint	PASSED	0.410 s
3	Then Admin receives 404 not found Status with message and boolean success details	PASSED	0.001 s

### Check if Admin able to create a program with already existing program name

<b>PASSED</b>	<b>DURATION - 0.322 s</b>		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:13:10.929 AM // 8:13:11.251 AM /				
<i>ProgramModule</i>				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request with existing prgm name and request Body with endpoint	PASSED	0.315 s
3	Then Admin receives 400 Bad Request Status with message and boolean success details	PASSED	0.001 s

### Check if Admin able to create a program with missing values in the request body

PASSED	DURATION - 0.277 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:13:11.268 AM // 8:13:11.545 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and missing Pgm Name in request Body with endpoint	PASSED	0.272 s
3	Then Admin receives 400 Bad Request Status for missing value	PASSED	0.001 s

### Check if Admin able to create a program with invalid method

PASSED	DURATION - 0.232 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:13:11.558 AM // 8:13:11.790 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends Get Request instead of post and request Body with endpoint	PASSED	0.227 s
3	Then Admin receives 405 Method Not Allowed	PASSED	0.001 s

### Check if Admin able to create a program without program name starting with a number

<div>PASSED</div>	<div>DURATION - 0.264 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:13:11.817 AM // 8:13:12.081 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.257 s
3	Then Admin receives 400 Bad Request Status for Pgm name starting with number	PASSED	0.001 s



### Check if Admin able to create a program with missing additional field

FAILED	DURATION - 0.296 s		<b>Steps</b> Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 8:13:12.096 AM // 8:13:12.392 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request with request Body with missing additional field with endpoint	PASSED	0.278 s
3	Then Admin receives 200 ok for missing additional fields in program post request body  <pre>java.lang.AssertionError: expected [200] but found [400]     at org.testng.Assert.fail(Assert.java:111)     at org.testng.Assert.failNotEquals(Assert.java:1578)     at org.testng.Assert.assertEqualsImpl(Assert.java:150)     at org.testng.Assert.assertEquals(Assert.java:132)     at org.testng.Assert.assertEquals(Assert.java:1419)     at org.testng.Assert.assertEquals(Assert.java:1449)     at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_for_missing_additional_fields_in_program_post_request_body(ProgramModuleSD.java:136)</pre>	FAILED	0.013 s



#	Step / Hook Details	Status	Duration
	at ?.Admin receives 200 ok for missing additional fields in program post request body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:46) * Not displayable characters are replaced by '?'.		

### Check if Admin able to retrieve all programs with valid Endpoint

<div>PASSED</div> <div>DURATION - 0.448 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:13:12.421 AM // 8:13:12.869 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint	PASSED	0.442 s
3	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

### Check if Admin able to retrieve all programs with valid Endpoint without auth

PASSED	DURATION - 0.164 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:13:12.885 AM // 8:13:13.049 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.003 s
2	When Admin sends Get Request and request Body with endpoint without Authorization	PASSED	0.155 s
3	Then Admin receives 401 Unauthorized error for put	PASSED	0.001 s

### Check if Admin able to create a program with invalid endpoint

PASSED	DURATION - 0.159 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:13:13.067 AM // 8:13:13.226 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request and request Body with invalid endpoint	PASSED	0.152 s
3	Then Admin receives 404 not found Status for GET with message and boolean success details	PASSED	0.002 s



### Check if Admin able to create a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.145 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:13:13.240 AM // 8:13:13.385 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Post Request instead of get and request Body with endpoint	PASSED	0.140 s
3	Then Admin receives 405 Method Not Allowed message	PASSED	0.001 s



### Check if Admin able to retrieve a program with valid program ID



<div>PASSED</div>	<div>DURATION - 0.176 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:13:13.412 AM // 8:13:13.588 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get program Request with endpoint	PASSED	0.170 s
3	Then Admin receives 200 OK Status code with response body.	PASSED	0.001 s

### Check if Admin able to retrieve all programs with valid prgm id without auth

<div>PASSED</div>	<div>DURATION - 0.177 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:13:13.606 AM // 8:13:13.783 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get Request by pgm id and request Body with endpoint without Authorization	PASSED	0.171 s
3	Then Admin receives 401 Unauthorized error for put by pgm id	PASSED	0.002 s

### Check if Admin able to retrieve a program with invalid program ID





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request with invlaid ID and endpoint	PASSED	0.151 s
3	Then Admin receives 404 Not Found Status for invalid PG Id with message and boolean success details	PASSED	0.001 s

### Check if Admin able to retrieve a program with invalid baseURI





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with invalid baseURI	PASSED	0.004 s
2	When Admin sends Get Request Request with endpoint	PASSED	0.290 s
3	Then Admin receives 404 Not Found Status for invalid baseurl with message and boolean success details	PASSED	0.001 s

### Check if Admin able to retrieve a program with invalid Endpoint

<div>PASSED</div>	<div>DURATION - 0.597 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:13:14.325 AM // 8:13:14.922 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request with pgm Id and request Body with invalid endpoint	PASSED	0.590 s
3	Then Admin receives 404 Not Found Status for Get with Pgm Id with message and boolean success details	PASSED	0.002 s

### Check if Admin able to retrieve all programs with valid Endpoint

<div>PASSED</div>	<div>DURATION - 0.358 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:13:14.938 AM // 8:13:15.296 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends Get All programs with users Request with endpoint	PASSED	0.353 s
3	Then Admin receives 200 OK Status with response body of Users	PASSED	0.001 s

### Check if Admin able to retrieve a program with invalid Endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends Get Request for all users with request Body with invalid endpoint	PASSED	0.152 s
3	Then Admin receives 404 Not Found Status for Get w for all users with message and boolean success details	PASSED	0.000 s

### Check if Admin able to retrieve all programs with invalid Method





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends post all users Request instead of get with endpoint	PASSED	0.173 s
3	Then Admin receives 405 Method Not Allowed for get all users invalid method	PASSED	0.001 s

### Check if Admin able to retrieve all programs without Authorization

<div>PASSED</div>	<div>DURATION - 0.177 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:13:15.707 AM // 8:13:15.884 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint without auth	PASSED	0.161 s
3	Then Admin receives 401 Status with response body as Unauthorized	PASSED	0.001 s

### Check if Admin able to update a program with valid programID endpoint and valid request body

<div>PASSED</div>	<div>DURATION - 0.337 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:13:15.913 AM // 8:13:16.250 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with valid endpoint	PASSED	0.332 s
3	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.001 s

### Check if Admin able to update a program with invalid programID endpoint and valid request body

<div>PASSED</div>	<div>DURATION - 0.229 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:13:16.268 AM // 8:13:16.497 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with invalid prgm Id and valid endpoint	PASSED	0.222 s
3	Then Admin receives 404 Not Found Status for update pgm invalid pgm id with message and boolean success details	PASSED	0.001 s

### Check if Admin able to update a program without request body

<div>PASSED</div>	<div>DURATION - 0.244 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:13:16.517 AM // 8:13:16.761 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request missing mandate field and valid endpoint	PASSED	0.238 s
3	Then Admin receives 400 Bad Request Status for put for missing mandate field with message and boolean success details	PASSED	0.002 s

### Check if Admin able to update a program with invalid baseURI

<div>PASSED</div> <div>DURATION - 0.216 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:13:16.773 AM // 8:13:16.989 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields with invalid baseurl	PASSED	0.001 s
2	When Admin sends Put Request with invalid baseurl valid endpoint	PASSED	0.211 s
3	Then Admin receives 404 Not Found Status for put invalid baseurl with message and boolean success details	PASSED	0.001 s

### Check if Admin able to update a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.398 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:13:17.025 AM // 8:13:17.423 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends get request instead of put Request with valid endpoint	PASSED	0.390 s
3	Then Admin receives 405 Method Not Allowed for using get instead of put	PASSED	0.001 s

### Check if Admin able to update a program without Authorization

<div>PASSED</div>	<div>DURATION - 0.229 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:13:17.437 AM // 8:13:17.666 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with endpoint without auth	PASSED	0.225 s
3	Then Admin receives 401 Status with response body as Unauthorized for put by pgm id	PASSED	0.000 s



### Check if Admin able to update a program with Valid program Name and request body

PASSED	DURATION - 0.307 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:13:17.691 AM // 8:13:17.998 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with Program name with valid endpoint	PASSED	0.301 s
3	Then Admin receives 200 OK Status code with updated value in response body.	PASSED	0.001 s



### Check if Admin able to update a program with invalid program Name and request body



<div>PASSED</div>	<div>DURATION - 0.274 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:13:18.011 AM // 8:13:18.285 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with invalid Program name with valid endpoint	PASSED	0.269 s
3	Then Admin receives 404 Not Found Status for put with invalid pg namewith message and boolean success details	PASSED	0.001 s

### Check if Admin able to update a program using valid program name - missing mandatory fields in request body

PASSED	DURATION - 0.213 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:13:18.312 AM // 8:13:18.525 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API with missing mandatory fields	PASSED	0.001 s
2	When Admin sends Put Request with valid prgom name with valid endpoint	PASSED	0.207 s
3	Then Admin receives 400 Bad Request Status for missing field with message and boolean success details	PASSED	0.001 s

### Check if Admin able to upadte a program with program name starting with a number

PASSED	DURATION - 0.239 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:13:18.542 AM // 8:13:18.781 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.235 s
3	Then Admin receives 400 Bad Request Status for put Pgm name starting with number	PASSED	0.002 s

### Check if Admin able to update a program with invalid program Description

<div>PASSED</div>	<div>DURATION - 0.266 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 8:13:18.803 AM // 8:13:19.069 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request and Pgm Descrip starting with Number in request Body with endpoint	PASSED	0.261 s
3	Then Admin receives 400 Bad Request Status for put Pgm descrip starting with number	PASSED	0.000 s

### Check if Admin able to update a program status

<div>PASSED</div>	<div>DURATION - 0.285 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:13:19.080 AM // 8:13:19.365 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request for status change with valid endpoint	PASSED	0.280 s
3	Then Admin receives 200 OK Status with updated prgm status value in response body.	PASSED	0.001 s

### Check if Admin able to delete a program with valid LMS API,invalid programName

<div>PASSED</div>	<div>DURATION - 0.160 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:13:19.389 AM // 8:13:19.549 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programName	PASSED	0.000 s
2	When Admin sends Delete by invalid ProgramName Request with endpoint	PASSED	0.155 s
3	Then Admin receives 404 Not Found Status for delete invalid pgramewith message and boolean success details	PASSED	0.001 s

### Check if Admin able to delete a program by pgrm name without Authorization





#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.001 s
2	When Admin sends delete Request by program name with endpoint without auth	PASSED	0.166 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm name	PASSED	0.001 s

### Check if Admin able to delete a program with valid LMS API,invalid programId



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programId	PASSED	0.000 s
2	When Admin sends Delete by invalid ProgramID Request with endpoint	PASSED	0.220 s
3	Then Admin receives 404 Not Found Status for delete invalid pgid with message and boolean success details	PASSED	0.001 s

### Check if Admin able to delete a program without Authorization



<div>PASSED</div>	<div>DURATION - 0.147 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:13:19.996 AM // 8:13:20.143 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.001 s
2	When Admin sends delete Request by program id with endpoint without auth	PASSED	0.143 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm id	PASSED	0.001 s

## Get (Logout )

<div>PASSED</div>	<div>DURATION - 0.841 s</div>	<div>Scenarios</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>3</div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>9</div></div>
<div>/ 8:13:20.165 AM // 8:13:21.006 AM /</div>					



## Check if Admin able to logout

<div>PASSED</div>	<div>DURATION - 0.177 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 8:13:20.165 AM // 8:13:20.342 AM /</div>				
<div>Get (Logout )</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request	PASSED	0.001 s
2	When Admin calls Get Https method with valid endpoint	PASSED	0.168 s



#	Step / Hook Details	Status	Duration
3	Then Admin receives 200 ok and response with "Logout successful"	PASSED	0.002 s

### Check if Admin able to logout with invalid endpoint

PASSED	DURATION - 0.290 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:13:20.353 AM // 8:13:20.643 AM /				
Get (Logout)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request	PASSED	0.000 s
2	When Admin calls Get Https method with invalid endpoint	PASSED	0.139 s
3	Then Admin receives 404 Not found	PASSED	0.147 s

### Check if Admin able to logout



PASSED	DURATION - 0.339 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:13:20.667 AM // 8:13:21.006 AM /				
Get (Logout)				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request	PASSED	0.001 s
2	When Admin calls Get Https method with valid endpoint	PASSED	0.157 s
3	Then Admin receives 401 unauthorized	PASSED	0.175 s

### Batch Module POST request


<b>FAILED</b>	<b>DURATION - 3.973 s</b>	Scenarios		Steps	
/ 8:13:21.036 AM // 8:13:25.009 AM /		Total - 14		Total - 42	
		Pass - 6		Pass - 34	
		Fail - 8		Fail - 8	
		Skip - 0		Skip - 0	

### Check if admin able to create a Batch with valid endpoint and request body (non existing values)

<b>FAILED</b>	<b>DURATION - 0.286 s</b>		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 8:13:21.036 AM // 8:13:21.322 AM /				
Batch Module POST request				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with valid data in request body	PASSED	0.009 s
2	When Admin sends HTTPS Request with endpoint to create batch	PASSED	0.262 s
3	Then Admin receives 201 Created Status with response body <pre>java.lang.AssertionError: expected [201] but found [400]     at org.testng.Assert.fail(Assert.java:111)     at org.testng.Assert.failNotEquals(Assert.java:1578)     at org.testng.Assert.assertEqualsImpl(Assert.java:150)     at org.testng.Assert.assertEquals(Assert.java:132)     at org.testng.Assert.assertEquals(Assert.java:1419)     at org.testng.Assert.assertEquals(Assert.java:1449)     at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_created_status_with_response_body(ProgramBatchModuleSD.java:37)     at ?.Admin receives 201 Created Status with response body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:10)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s

### Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with existing value in request body	PASSED	0.001 s
2	When Admin sends HTTPS POST Request with endpoint to create batch	PASSED	0.153 s
3	Then Admin receives 400 Bad Request Status with message in the response body	PASSED	0.001 s


### Check if admin able to create a Batch missing mandatory fields in request body



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data in request body	PASSED	0.000 s
2	When Admin sends POST Request with endpoint to create batch	PASSED	0.262 s
3	Then Admin receives 400 Bad Request Status with message	PASSED	0.001 s


### Check if admin able to create a batch with invalid endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with invalid endpoint	PASSED	0.222 s
3	Then Admin receives 404 not found Status	PASSED	0.001 s



### Check if admin able to create a batch with missing additional fields



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with missing additional fields	PASSED	0.001 s
2	When Admin sends HTTPS Request with valid endpoint to create batch	PASSED	0.409 s
3	Then Admin receives 201 Created Status with response  java.lang.AssertionError: expected [201] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_created_status_with_response(ProgramBatchModuleSD.java:108) at ?.Admin receives 201 Created Status with response(file:///C:/Users/sudha/git/	FAILED	0.004 s



#	Step / Hook Details	Status	Duration
	Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:39) * Not displayable characters are replaced by '?'.  		

### Check if admin able to create a batch with invalid data in request body

<div>PASSED</div>	<div>DURATION - 0.328 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:13:22.502 AM // 8:13:22.830 AM /</div>				
<div>Batch Module POST request</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data fields in request body	PASSED	0.001 s
2	When Admin sends HTTPS POST Request with valid endpoint	PASSED	0.324 s
3	Then Admin receives 400 Bad Request Status with message and boolean success	PASSED	0.001 s

### Check if admin able to retrieve all batches with valid LMS API

<div>PASSED</div>	<div>DURATION - 0.772 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:13:22.858 AM // 8:13:23.630 AM /				
Batch Module POST request				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.000 s
2	When Admin sends HTTPS Get Request with endpoint to get batch	PASSED	0.767 s
3	Then Admin receives 200 OK Status with response body	PASSED	0.001 s

### Check if admin able to retrieve all batches with invalid Endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with invalid endpoint	PASSED	0.001 s
2	When Admin sends HTTPS GET Request with invalid endpoint to get all batches	PASSED	0.166 s
3	Then Admin receives 404 status with error message Not Found	PASSED	0.001 s



### Check if admin able to retrieve a batch with valid BATCH ID



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.001 s
2	When Admin sends Get Request with endpoint for batch module	PASSED	0.140 s
3	Then Admin receives 200 OK Status with response in the response body  java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD. admin_receives_ok_status_with_response_in_the_response_body(ProgramBatchModuleSD.java:180)	FAILED	0.003 s



#	Step / Hook Details	Status	Duration
	at ?.Admin receives 200 OK Status with response in the response body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:67) * Not displayable characters are replaced by '?'. 		

### Check if admin able to retrieve a batch with valid BATCH NAME

FAILED	DURATION - 0.170 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 8:13:23.998 AM // 8:13:24.168 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch Name	PASSED	0.000 s
2	When Admin sends Get batch Request with endpoint for batch module	PASSED	0.166 s
3	Then Admin receives 200 Status code with response body  java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_status_code_with_response_body(ProgramBatchModuleSD.java:199) at ?.Admin receives 200 Status code with response body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:74) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s

### Check if admin able to retrieve a batch with valid Program ID

<div>FAILED</div>	<div>DURATION - 0.161 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
<div>/ 8:13:24.181 AM // 8:13:24.342 AM /</div>				
<div>Batch Module POST request</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Program Id	PASSED	0.000 s
2	When Admin sends HTTPS Request to get batch by program Id with endpoint	PASSED	0.157 s
3	Then Admin receives status code 200 OK Status with response body  java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD. admin_receives_status_code_ok_status_with_response_body(ProgramBatchModuleSD.java:218) at ?.Admin receives status code 200 OK Status with response body(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 003ProgramBatchModule.feature:81) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s

### Check if admin able to update a Batch with valid batchID and mandatory fields in request body

<div>FAILED</div> <div>DURATION - 0.249 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:13:24.355 AM // 8:13:24.604 AM /</div>				
<div>Batch Module POST request</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid BatchId and Data	PASSED	0.001 s
2	When Admin sends HTTPS Request to update with endpoint	PASSED	0.243 s
3	Then Admin receives 200 OK Status with updated value in response body for update request.  <pre>java.lang.AssertionError: expected [200] but found [400]     at org.testng.Assert.fail(Assert.java:111)     at org.testng.Assert.failNotEquals(Assert.java:1578)     at org.testng.Assert.assertEqualsImpl(Assert.java:150)     at org.testng.Assert.assertEquals(Assert.java:132)     at org.testng.Assert.assertEquals(Assert.java:1419)     at org.testng.Assert.assertEquals(Assert.java:1449)     at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_ok_status_with_updated_value_in_response_body_for_update_request(ProgramBatchModuleSD.java:237)     at ?.Admin receives 200 OK Status with updated value in response body for update request.(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:88)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.003 s



### Check if admin able to delete a Batch with valid Batch ID

FAILED	DURATION - 0.160 s		<b>Steps</b> Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 8:13:24.614 AM // 8:13:24.774 AM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request with valid BatchId	PASSED	0.001 s
2	When Admin sends HTTPS Request to delete with endpoint	PASSED	0.152 s
3	Then Admin receives 200 Ok status with message to delete batch  <pre>java.lang.AssertionError: expected [200] but found [0]     at org.testng.Assert.fail(Assert.java:111)     at org.testng.Assert.failNotEquals(Assert.java:1578)     at org.testng.Assert.assertEqualsImpl(Assert.java:150)     at org.testng.Assert.assertEquals(Assert.java:132)     at org.testng.Assert.assertEquals(Assert.java:1419) </pre>	FAILED	0.003 s



#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_status_with_message_to_delete_batch(ProgramModuleSD.java:526) at ?.Admin receives 200 Ok status with message to delete batch(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:95) * Not displayable characters are replaced by '?'. </pre>		

### Check if admin able to retrieve a batch after deleting the batch



<div>FAILED</div> <div>DURATION - 0.210 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 8:13:24.799 AM // 8:13:25.009 AM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.001 s
2	When Admin sends HTTPS GET Request with valid id	PASSED	0.204 s
3	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body.  <pre> java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_ok_status_with_batch_status_field_in_the_response_body(ProgramBatchModuleSD.java:266) at ?.Admin receives 200 OK Status with batchStatus field "Inactive" in the response body.(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:102) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s

### User Module

<b>FAILED</b>	<b>DURATION - 9.905 s</b>	Scenarios Total - 13 Pass - 9 Fail - 4 Skip - 0		Steps Total - 39 Pass - 35 Fail - 4 Skip - 0	
/ 8:13:25.027 AM // 8:13:34.932 AM /					



### Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields

<b>FAILED</b>	<b>DURATION - 0.844 s</b>		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 8:13:25.027 AM // 8:13:25.871 AM /				
User Module				
@PostRequest				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with all mandatory fields for User Module	PASSED	0.002 s
2	When Admin sends HTTPS Request with endpoint for User Module	PASSED	0.001 s
3	Then Admin receives 201 Created Status with response body for User Module  java.lang.AssertionError: expected [201] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.UserModuleSD.admin_receives_created_status_with_response_body_for_user_module(UserModuleSD.java:31) at ?.Admin receives 201 Created Status with response body for User Module(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/004UserModule.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.836 s



### Check if admin is able to retrieve all the available roles



<div>PASSED</div>	<div>DURATION - 2.694 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:13:25.894 AM // 8:13:28.588 AM /</div>				
<div>User Module</div>				
<div>@GetRequest(allroles)</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with GET All Roles endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK for User Module	PASSED	2.691 s

### Check if admin able to retrieve all Admin with valid endpoint

<div>PASSED</div> <div>DURATION - 1.377 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:13:28.626 AM // 8:13:30.003 AM /</div>			
<div>User Module</div>			
<div>@GetRequest(All_Admins)</div>			


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with valid endpoint for User Module	PASSED	0.002 s
3	Then Admin receives 200 OK Status with response body for User Module	PASSED	1.371 s

### Check if admin able to retrieve a Admin with valid Admin ID





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid AdminId	PASSED	0.000 s
2	When Admin sends HTTPS Request with valid endpoint for User Module	PASSED	0.001 s
3	Then Admin receives 200 OK Status with response body for User Module	PASSED	1.042 s

### Check if admin able to retrieve all active Admins





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for active admins	PASSED	0.000 s
2	When Admin sends HTTPS Request with Get ALL Active Users endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK with all Active Admins response body for User Module	PASSED	1.115 s

### Check if admin is able to get count of active and inactive Admins

<div>PASSED</div>	<div>DURATION - 0.330 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:13:32.194 AM // 8:13:32.524 AM /				
User Module				
@GetRequest(Count_of_active_inactive_Admins)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint for User Module	PASSED	0.001 s
3	Then Admin receives 200 OK With count of all active and inactive admins for User Module	PASSED	0.327 s

### Check if admin is able to get the Admins by program batches for valid batch ID

<div>PASSED</div>	<div>DURATION - 0.192 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:13:32.532 AM // 8:13:32.724 AM /				
User Module				
@GetRequest(Admins_by_program_batches)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid batch Id for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint to get Admins by program batch for valid batchId for User Module	PASSED	0.001 s
3	Then Admin receives 200 OK for admins by program batches for valid adminId for User Module	PASSED	0.189 s

### Check if admin is able to get the Admins for valid program Id

<b>PASSED</b>	DURATION - 0.158 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0				
/ 8:13:32.747 AM // 8:13:32.905 AM /							
User Module							
@GetRequest(get_Admin_for_program)							



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to get admins with valid program Id for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to get the Admins for valid program Id for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK to get the Admins for valid program Id for User Module	PASSED	0.155 s

### Check if admin is able to retrieve Admins by valid role ID

<div>PASSED</div>	<div>DURATION - 1.065 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:13:32.915 AM // 8:13:33.980 AM /</div>				
<div>User Module</div>				
<div>@GetRequest(get_Admin_by_RoleID)</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid role ID to retrieve Admins by valid role ID	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to retrieve Admins by valid role ID	PASSED	0.000 s
3	Then Admin receives 200 OK when retrieved Admins by valid role ID for User Module	PASSED	1.063 s

### Check if admin able to retrieve all Admins with roles

<div>PASSED</div>	<div>DURATION - 0.146 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:13:33.992 AM // 8:13:34.138 AM /</div>				
<div>User Module</div>				
<div>@GetRequest(Admin_With_Roles)</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins with roles	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint to retrieve all Admins with roles	PASSED	0.001 s
3	Then Admin receives 200 OK Status with response body after retrieved all Admins with roles for User Module	PASSED	0.144 s



### Check if admin is able to update role status of a Admin with valid Admin id

<div>FAILED</div> <div>DURATION - 0.183 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:13:34.146 AM // 8:13:34.329 AM /</div>			
<div>User Module</div>			
<div>@PutRequest(Update_Admin_Role_Status_By_AdminId)</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid data in request body to update role status	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint to update role status	PASSED	0.000 s
3	Then Admin receives 200 Ok Status with response message after update of role status for User Module  <pre>java.lang.AssertionError: expected [200] but found [404]     at org.testng.Assert.fail(Assert.java:111)     at org.testng.Assert.failNotEquals(Assert.java:1578)     at org.testng.Assert.assertEqualsImpl(Assert.java:150)     at org.testng.Assert.assertEquals(Assert.java:132)     at org.testng.Assert.assertEquals(Assert.java:1419)     at org.testng.Assert.assertEquals(Assert.java:1449)     at com.lms.api.StepDefinitions.UserModuleSD.admin_receives_ok_status_with_response_message_after_update_of_role_status_for_user_module(UserModuleSD.java:223)</pre>	FAILED	0.181 s



#	Step / Hook Details	Status	Duration
	at ?.Admin receives 200 Ok Status with response message after update of role status for User Module(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/004UserModule.feature:74) * Not displayable characters are replaced by '?'.		

### Check if admin is able to update role id of a Admin by valid Admin id

<div>FAILED</div> <div>DURATION - 0.391 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 8:13:34.349 AM // 8:13:34.740 AM /				
User Module				
@PutRequest(Update_Admin_RoleId)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid request body for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint to update Admin roleId by valid AdminId	PASSED	0.001 s
3	Then Admin receives 200 OK Status with response body to update Admin roleId  java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.UserModuleSD.admin_receives_ok_status_with_response_body_to_update_admin_role_id(UserModuleSD.java:204) at ?.Admin receives 200 OK Status with response body to update Admin roleId(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/004UserModule.feature:81) * Not displayable characters are replaced by '?'.	FAILED	0.389 s

### Check if admin is able to assign Admin to with program/batch by Admin Id


<div>FAILED</div> <div>DURATION - 0.173 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
<div>/ 8:13:34.759 AM // 8:13:34.932 AM /</div>			
<div>User Module</div>			
<div>@PutRequest(Update_Admin_Role_Program_Batch_St- atus)</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid data in request body to assign Admin with program/batch by Admin Id	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to assign Admin with program/batch by Admin Id	PASSED	0.000 s
3	Then Admin receives 200 Ok Status with response message to assign Admin to with program/batch by Admin Id  java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.UserModuleSD. admin_receives_ok_status_with_response_message_to_assign_admin_to_with_program_batch_by_admin_id(UserModuleSD.java:243) at ?.Admin receives 200 Ok Status with response message to assign Admin to with program/batch by Admin Id(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/004UserModule.feature:88) * Not displayable characters are replaced by '?'. 	FAILED	0.170 s

## User Role Program Batch Map


<div>FAILED</div> <div>DURATION - 1.862 s</div>		<div>Scenarios</div> <div>Total - 8</div> <div>Pass - 6</div> <div>Fail - 2</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 24</div> <div>Pass - 22</div> <div>Fail - 2</div> <div>Skip - 0</div>	<div></div>
/ 8:13:34.942 AM // 8:13:36.804 AM /					

Admin retrieves all Admins with assigned program batches



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins assigned to programs/batches with Authorization to bearer token	PASSED	0.001 s
2	When Admin sends HTTPS GET Request to retrieve all Admins assigned to programs/batches with Authorization to bearer token	PASSED	0.001 s
3	Then Admin receives statuscode 200 OK for Role Program Batch Map	PASSED	0.659 s



### Check if admin is able to retrieve all Admins with assigned program batches with No Authorization



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins assigned to programs/batches with authorization to No Auth	PASSED	0.000 s
2	When Admin sends HTTPS Request without authorization	PASSED	0.001 s
3	Then Admin receives status 401 with Unauthorized message for Role Program Batch Map	PASSED	0.165 s



### Admin retrieves assigned program batches for valid AdminId



<div>FAILED</div>	<div>DURATION - 0.141 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:13:35.800 AM // 8:13:35.941 AM /</div>				
<div>User Role Program Batch Map</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by AdminId with Authorization to bearer token	PASSED	0.000 s
2	When Admin sends HTTPS Request to get program batches for valid AdminId	PASSED	0.001 s
3	Then Admin will receive 200 OK for Role Program Batch Map  java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.UserRoleProgramBatchMapSD. admin_will_receive_ok_for_role_program_batch_map(UserRoleProgramBatchMapSD.java:79) at ?.Admin will receive 200 OK for Role Program Batch Map(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 005UserRoleProgrmBatchMap.feature:16) * Not displayable characters are replaced by '?'. 	FAILED	0.139 s

### Check if admin is able to retrieve assigned program batches for invalid AdminId

<div>PASSED</div>	<div>DURATION - 0.180 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 8:13:35.952 AM // 8:13:36.132 AM /</div>				
<div>User Role Program Batch Map</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by invalid AdminID with Authorization to bearer token	PASSED	0.000 s
2	When Admin sends HTTPS Request to get program batches for invalid AdminId	PASSED	0.000 s
3	Then Admin receives 404 with message for Role Program Batch Map	PASSED	0.178 s

### Check if admin is able to retrieve assigned program batches for valid AdminId with No authorization

PASSED		DURATION - 0.151 s			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:13:36.139 AM // 8:13:36.290 AM /						
User Role Program Batch Map						

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by valid AdminID with authorization to No Auth	PASSED	0.000 s
2	When Admin sends HTTPS Request to get Program/Batch by valid Admin Id without authorization	PASSED	0.001 s
3	Then Admin will receive status 401 with Unauthorized message for Role Program Batch Map	PASSED	0.149 s



### Check if admin is able to delete the program batch for a Admin

<div>FAILED</div> <div>DURATION - 0.162 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:13:36.312 AM // 8:13:36.474 AM /</div>				
<div>User Role Program Batch Map</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin assigned to program/batch by AdminId with Authorization to bearer token	PASSED	0.001 s
2	When Admin sends HTTPS Request to Delete program/batch by Admin Id	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
3	<p>Then Admin receives Status Code 200 OK after delete operation for Role Program Batch Map</p> <pre> java.lang.AssertionError: expected [200] but found [404]   at org.testng.Assert.fail(Assert.java:111)   at org.testng.Assert.failNotEquals(Assert.java:1578)   at org.testng.Assert.assertEqualsImpl(Assert.java:150)   at org.testng.Assert.assertEquals(Assert.java:132)   at org.testng.Assert.assertEquals(Assert.java:1419)   at org.testng.Assert.assertEquals(Assert.java:1449)   at com.lms.api.StepDefinitions.UserRoleProgramBatchMapSD. admin_receives_status_code_ok_after_delete_operation_for_role_program_batch_map(UserRoleProgramBatchMapSD.java:145)   at ?.Admin receives Status Code 200 OK after delete operation for Role Program Batch Map(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 005UserRoleProgrmBatchMap.feature:31) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.160 s

### Check if admin is able to delete the program batch for invalid Admin

PASSED	DURATION - 0.134 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:13:36.481 AM // 8:13:36.615 AM /				
User Role Program Batch Map				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin assigned to program/batch by invalid AdminId with Authorization to bearer token	PASSED	0.000 s
2	When Admin sends HTTPS Request to delete program/batch by invalid Admin Id	PASSED	0.000 s
3	Then Admin will receive 404 with message for Role Program Batch Map	PASSED	0.133 s

### Check if admin is able to delete the program batch for valid Admin and No Authorization

<div>PASSED</div>	<div>DURATION - 0.170 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:13:36.634 AM // 8:13:36.804 AM /</div>				
<div>User Role Program Batch Map</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin assigned to program/batch by valid AdminId with authorization to No Auth	PASSED	0.001 s
2	When Admin sends HTTPS Request to delete program/batch by Admin id without Authorization	PASSED	0.001 s
3	Then Admin will receive status code 401 with Unauthorized message for Role Program Batch Map	PASSED	0.167 s