

# Cucumber Report

Apr 2, 2024, 9:28:32 AM

Start : Apr 02, 9:28:14.470 AM

End : Apr 02, 9:28:31.239 AM

Duration : 16.769 s

Features



Scenarios

Steps

PASSED - 1  
FAILED - 2  
SKIPPED - 0

PASSED - 42  
FAILED - 12  
SKIPPED - 0

PASSED - 148  
FAILED - 12  
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Post request</u>	4.652 s	3	3	0	0	9	9	0	0
<u>ProgramModule</u>	8.882 s	37	33	4	0	111	105	4	2
<u>Batch Module POST request</u>	3.192 s	14	6	8	0	42	34	8	0


#	Feature Name	Scenario Name
1	<u>ProgramModule</u>	<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>
2		<u>Check if Admin able to create a program with missing additional field</u>
3		<u>Check if Admin able to retrieve a program with valid program ID</u>
4		<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>
5	<u>Batch Module POST request</u>	<u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u>
6		<u>Check if admin able to create a batch with missing additional fields</u>
7		<u>Check if admin able to retrieve a batch with valid BATCH ID</u>
8		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>
9		<u>Check if admin able to retrieve a batch with valid Program ID</u>
10		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>

#	Feature Name	Scenario Name
11	<u>Batch Module POST request</u>	<u>Check if admin able to delete a Batch with valid Batch ID</u>
12		<u>Check if admin able to retrieve a batch after deleting the batch</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@tag	39	34	5	0	3	1	2	0
@EndToEnd	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>Post request</u>	3	3	0	0	4.652 s
2	<u>ProgramModule</u>	37	33	4	0	8.882 s
3	<u>Batch Module POST request</u>	14	6	8	0	3.192 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Post request</u>	<u>Check if Admin able to generate token with valid credential</u>	3	3	0	0	4.054 s
2		<u>Check if Admin able to generate token with invalid endpoint</u>	3	3	0	0	0.266 s
3		<u>Check if Admin able to generate token with invalid credentials</u>	3	3	0	0	0.219 s
4	<u>ProgramModule</u>	<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>	3	1	1	1	0.688 s
5		<u>Check if Admin able to create a program with valid endpoint and request body without Authorization</u>	3	3	0	0	0.326 s
6		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.392 s
7		<u>Check if Admin able to create a program with already existing program name</u>	3	3	0	0	0.292 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if Admin able to create a program with missing values in the request body</u>	3	3	0	0	0.251 s
9		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.242 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>ProgramModule</u>	<u>Check if Admin able to create a program without program name starting with a number</u>	3	3	0	0	0.243 s
11		<u>Check if Admin able to create a program with missing additional field</u>	3	2	1	0	0.205 s
12		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.149 s
13		<u>Check if Admin able to retrieve all programs with valid Endpoint without auth</u>	3	3	0	0	0.146 s
14		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.148 s
15		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.140 s
16		<u>Check if Admin able to retrieve a program with valid program ID</u>	3	2	1	0	0.155 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
17		<u>Check if Admin able to retrieve all programs with valid prgm id without auth</u>	3	3	0	0	0.157 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>ProgramModule</u>	<u>Check if Admin able to retrieve a program with invalid program ID</u>	3	3	0	0	0.210 s
19		<u>Check if Admin able to retrieve a program with invalid baseURI</u>	3	3	0	0	0.291 s
20		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.165 s
21		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.375 s
22		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.162 s
23		<u>Check if Admin able to retrieve all programs with invalid Method</u>	3	3	0	0	0.149 s
24		<u>Check if Admin able to retrieve all programs without Authorization</u>	3	3	0	0	0.253 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
25	<u>ProgramModule</u>	<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>	3	1	1	1	0.212 s
26		<u>Check if Admin able to update a program with invalid programID endpoint and valid request body</u>	3	3	0	0	0.248 s
27		<u>Check if Admin able to update a program without request body</u>	3	3	0	0	0.212 s
28		<u>Check if Admin able to update a program with invalid baseURI</u>	3	3	0	0	0.212 s
29		<u>Check if Admin able to update a program with invalid method</u>	3	3	0	0	0.282 s
30		<u>Check if Admin able to update a program without Authorization</u>	3	3	0	0	0.219 s
31		<u>Check if Admin able to update a program with Valid program Name and request body</u>	3	3	0	0	0.253 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
32		<u>Check if Admin able to update a program with invalid program Name and request body</u>	3	3	0	0	0.183 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
33	<u>ProgramModule</u>	<u>Check if Admin able to update a program using valid program name - missing mandatory fields in request body</u>	3	3	0	0	0.196 s
34		<u>Check if Admin able to upadte a program with program name starting with a number</u>	3	3	0	0	0.208 s
35		<u>Check if Admin able to update a program with invalid program Description</u>	3	3	0	0	0.203 s
36		<u>Check if Admin able to update a program status</u>	3	3	0	0	0.201 s
37		<u>Check if Admin able to delete a program with valid LMS API, invalid programName</u>	3	3	0	0	0.154 s
38		<u>Check if Admin able to delete a program by pgrm name without Authorization</u>	3	3	0	0	0.155 s
39		<u>Check if Admin able to delete a program with valid LMS API, invalid programId</u>	3	3	0	0	0.153 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
40		<u>Check if Admin able to delete a program without Authorization</u>	3	3	0	0	0.156 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
41	<u>Batch Module POST request</u>	<u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u>	3	2	1	0	0.244 s
42		<u>Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)</u>	3	3	0	0	0.135 s
43		<u>Check if admin able to create a Batch missing mandatory fields in request body</u>	3	3	0	0	0.235 s
44		<u>Check if admin able to create a batch with invalid endpoint</u>	3	3	0	0	0.320 s
45		<u>Check if admin able to create a batch with missing additional fields</u>	3	2	1	0	0.252 s
46		<u>Check if admin able to create a batch with invalid data in request body</u>	3	3	0	0	0.200 s
47		<u>Check if admin able to retrieve all batches with valid LMS API</u>	3	3	0	0	0.492 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
48		<u>Check if admin able to retrieve all batches with invalid Endpoint</u>	3	3	0	0	0.177 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
49	<u>Batch Module POST request</u>	<u>Check if admin able to retrieve a batch with valid BATCH ID</u>	3	2	1	0	0.147 s
50		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>	3	2	1	0	0.147 s
51		<u>Check if admin able to retrieve a batch with valid Program ID</u>	3	2	1	0	0.149 s
52		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>	3	2	1	0	0.224 s
53		<u>Check if admin able to delete a Batch with valid Batch ID</u>	3	2	1	0	0.160 s
54		<u>Check if admin able to retriive a batch after deleting the batch</u>	3	2	1	0	0.162 s

**Post request**



<b>PASSED</b>	DURATION - 4.652 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 9:28:14.470 AM // 9:28:19.122 AM /					

**Check if Admin able to generate token with valid credential**

<b>PASSED</b>	DURATION - 4.054 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:28:14.473 AM // 9:28:18.527 AM /				
Post request				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.836 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.001 s
3	Then Admin receives 200 created with auto generated token	PASSED	3.169 s

**Check if Admin able to generate token with invalid endpoint**

<b>PASSED</b>	DURATION - 0.266 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:28:18.616 AM // 9:28:18.882 AM /				
Post request				
@EndToEnd				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.002 s
2	When Admin calls Post Https method with invalid endpoint	PASSED	0.002 s
3	Then Admin receives 401 unauthorized	PASSED	0.255 s

### Check if Admin able to generate token with invalid credentials



PASSED	DURATION - 0.219 s	 <p>A bar chart with a y-axis from 0 to 0.3 and an x-axis with labels 1, 2, and 3. A single black bar is present at x=3, reaching a height of approximately 0.219.</p>	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	 <p>A donut chart that is almost entirely green, with a small white segment. The number 3 is in the center.</p>
/ 9:28:18.903 AM // 9:28:19.122 AM /				
Post request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with invalid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.000 s
3	Then Admin receives 400 Bad request	PASSED	0.213 s

### ProgramModule

FAILED		DURATION - 8.882 s		Scenarios Total - 37 Pass - 33 Fail - 4 Skip - 0		Steps Total - 111 Pass - 105 Fail - 4 Skip - 2			
/ 9:28:19.157 AM // 9:28:28.039 AM /									



### Check if Admin able to create a program with valid endpoint and request body with Authorization

<div>FAILED</div> <div>DURATION - 0.688 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 9:28:19.157 AM // 9:28:19.845 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.009 s
2	When Admin sends HTTPS Request and request Body with endpoint <pre> java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object has missing required properties (["creationTime","lastModTime","programDescription","programId","programName","programStatus"]) level: "error" schema: {"loadingURI":"#","pointer":""} instance: {"pointer":""} domain: "validation" keyword: "required" required: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] missing: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] Actual: {"message":"cannot create program , since already exists","success":false} at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) </pre>	FAILED	0.664 s


#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at com.lms.api.Request.Program.PostRequest(Program.java:36) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_sends_https_request_and_request_body_with_endpoint(ProgramModuleSD.java:34) at ?.Admin sends HTTPS Request and request Body with endpoint(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:9) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin receives 201 Created Status with response body.	SKIPPED	0.001 s

### Check if Admin able to create a program with valid endpoint and request body without Authorization

PASSED	DURATION - 0.326 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:28:19.865 AM // 9:28:20.191 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and request Body with endpoint without Authorization	PASSED	0.321 s
3	Then Admin receives 401 Unauthorized error for post	PASSED	0.001 s

### Check if Admin able to create a program with invalid endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends HTTPS Request and request Body with invalid endpoint	PASSED	0.387 s
3	Then Admin receives 404 not found Status with message and boolean success details	PASSED	0.001 s

### Check if Admin able to create a program with already existing program name





#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.002 s
2	When Admin sends Post Request with exsisting prgm name and request Body with endpoint	PASSED	0.288 s
3	Then Admin receives 400 Bad Request Status with message and boolean success details	PASSED	0.000 s

### Check if Admin able to create a program with missing values in the request body

<div>PASSED</div> <div>DURATION - 0.251 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:28:20.941 AM // 9:28:21.192 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.003 s
2	When Admin sends Post Request and missing Pgm Name in request Body with endpoint	PASSED	0.242 s
3	Then Admin receives 400 Bad Request Status for missing value	PASSED	0.001 s



### Check if Admin able to create a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.242 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:28:21.202 AM // 9:28:21.444 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends Get Request instead of post and request Body with endpoint	PASSED	0.239 s
3	Then Admin receives 405 Method Not Allowed	PASSED	0.002 s



### Check if Admin able to create a program without program name starting with a number



<div>PASSED</div> <div>DURATION - 0.243 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:28:21.464 AM // 9:28:21.707 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.239 s
3	Then Admin receives 400 Bad Request Status for Pgm name starting with number	PASSED	0.000 s



### Check if Admin able to create a program with missing additional field

<div>FAILED</div> <div>DURATION - 0.205 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:28:21.730 AM // 9:28:21.935 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends Post Request with request Body with missing additional field with endpoint	PASSED	0.195 s
3	Then Admin receives 200 ok for missing additional fields in program post request body <pre>java.lang.AssertionError: expected [200] but found [400]     at org.testng.Assert.fail(Assert.java:111)     at org.testng.Assert.failNotEquals(Assert.java:1578)     at org.testng.Assert.assertEqualsImpl(Assert.java:150)     at org.testng.Assert.assertEquals(Assert.java:132)     at org.testng.Assert.assertEquals(Assert.java:1419)     at org.testng.Assert.assertEquals(Assert.java:1449)     at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_for_missing_additional_fields_in_program_post_request_body(ProgramModuleSD.java:136)</pre>	FAILED	0.006 s



#	Step / Hook Details	Status	Duration
	at ?.Admin receives 200 ok for missing additional fields in program post request body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:46) * Not displayable characters are replaced by '?'.  		

### Check if Admin able to retrieve all programs with valid Endpoint

<div>PASSED</div> <div>DURATION - 0.149 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 9:28:21.946 AM // 9:28:22.095 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint	PASSED	0.146 s
3	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

### Check if Admin able to retrieve all programs with valid Endpoint without auth

<div>PASSED</div>	<div>DURATION - 0.146 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 9:28:22.115 AM // 9:28:22.261 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request and request Body with endpoint without Authorization	PASSED	0.142 s
3	Then Admin receives 401 Unauthorized error for put	PASSED	0.000 s

**Check if Admin able to create a program with invalid endpoint**

<div>PASSED</div> <div>DURATION - 0.148 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 9:28:22.270 AM // 9:28:22.418 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request and request Body with invalid endpoint	PASSED	0.144 s
3	Then Admin receives 404 not found Status for GET with message and boolean success details	PASSED	0.001 s

**Check if Admin able to create a program with invalid method**

<b>PASSED</b>	DURATION - 0.140 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:28:22.429 AM // 9:28:22.569 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Post Request instead of get and request Body with endpoint	PASSED	0.137 s
3	Then Admin receives 405 Method Not Allowed message	PASSED	0.000 s

**Check if Admin able to retrieve a program with valid program ID**

<div>FAILED</div> <div>DURATION - 0.155 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:28:22.576 AM // 9:28:22.731 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get program Request with endpoint	PASSED	0.152 s
3	Then Admin receives 200 OK Status code with response body.  java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_status_code_with_response_body(ProgramModuleSD.java:215) at ?.Admin receives 200 OK Status code with response body.(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:75) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s

### Check if Admin able to retrieve all programs with valid prgm id without auth

PASSED	DURATION - 0.157 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:28:22.755 AM // 9:28:22.912 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get Request by pgm id and request Body with endpoint without Authorization	PASSED	0.152 s
3	Then Admin receives 401 Unauthorized error for put by pgm id	PASSED	0.001 s

### Check if Admin able to retrieve a program with invalid program ID

PASSED	DURATION - 0.210 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:28:22.921 AM // 9:28:23.131 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request with invlaid ID and endpoint	PASSED	0.204 s
3	Then Admin receives 404 Not Found Status for invalid PG Id with message and boolean success details	PASSED	0.002 s

### Check if Admin able to retrieve a program with invalid baseURI

PASSED	DURATION - 0.291 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:28:23.152 AM // 9:28:23.443 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with invalid baseURI	PASSED	0.001 s
2	When Admin sends Get Request Request with endpoint	PASSED	0.288 s
3	Then Admin receives 404 Not Found Status for invalid baseurl with message and boolean success details	PASSED	0.001 s

### Check if Admin able to retrieve a program with invalid Endpoint

<div>PASSED</div> <div>DURATION - 0.165 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:28:23.455 AM // 9:28:23.620 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request with pgm Id and request Body with invalid endpoint	PASSED	0.159 s
3	Then Admin receives 404 Not Found Status for Get with Pgm Id with message and boolean success details	PASSED	0.001 s

### Check if Admin able to retrieve all programs with valid Endpoint

<div>PASSED</div>	<div>DURATION - 0.375 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:28:23.629 AM // 9:28:24.004 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends Get All programs with users Request with endpoint	PASSED	0.370 s
3	Then Admin receives 200 OK Status with response body of Users	PASSED	0.002 s

### Check if Admin able to retrieve a program with invalid Endpoint

<b>PASSED</b>	DURATION - 0.162 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:28:24.017 AM // 9:28:24.179 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends Get Request for all users with request Body with invalid endpoint	PASSED	0.155 s
3	Then Admin receives 404 Not Found Status for Get w for all users with message and boolean success details	PASSED	0.002 s

### Check if Admin able to retrieve all programs with invalid Method

<b>PASSED</b>	DURATION - 0.149 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:28:24.188 AM // 9:28:24.337 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends post all users Request instead of get with endpoint	PASSED	0.143 s
3	Then Admin receives 405 Method Not Allowed for get all users invalid method	PASSED	0.001 s

### Check if Admin able to retrieve all programs without Authorization

<div>PASSED</div> <div>DURATION - 0.253 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 9:28:24.349 AM // 9:28:24.602 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint without auth	PASSED	0.250 s
3	Then Admin receives 401 Status with response body as Unauthorized	PASSED	0.001 s

### Check if Admin able to update a program with valid programID endpoint and valid request body



<div>FAILED</div> <div>DURATION - 0.212 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
<div>/ 9:28:24.610 AM // 9:28:24.822 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with valid endpoint  java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object has missing required properties (["creationTime","lastModTime","programDescription","programId","programName","programStatus"]) level: "error" schema: { "loadingURI": "#", "pointer": "" } instance: { "pointer": "" } domain: "validation" keyword: "required" required: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] missing: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] Actual: { "timestamp": "2024-04-02T13:28:23.644+00:00", "status": 400, "error": "Bad Request", "path": "/lms/putprogram/null" } at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)	FAILED	0.209 s





#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at com.lms.api.Request.Program.updateProgramByID(Program.java:551) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_sends_put_request_with_valid_endpoint(ProgramModuleSD.java:343) at ?.Admin sends Put Request with valid endpoint(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:120) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin receives 200 OK Status with updated value in response body.	SKIPPED	0.000 s

### Check if Admin able to update a program with invalid programID endpoint and valid request body

PASSED	DURATION - 0.248 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:28:24.832 AM // 9:28:25.080 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with invalid prgm Id and valid endpoint	PASSED	0.244 s
3	Then Admin receives 404 Not Found Status for update pgm invalid pgm id with message and boolean success details	PASSED	0.000 s

### Check if Admin able to update a program without request body

PASSED		DURATION - 0.212 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:28:25.101 AM // 9:28:25.313 AM /						
ProgramModule						
@tag						



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.002 s
2	When Admin sends Put Request missing mandate field and valid endpoint	PASSED	0.206 s
3	Then Admin receives 400 Bad Request Status for put for missing mandate field with message and boolean success details	PASSED	0.001 s

### Check if Admin able to update a program with invalid baseURI

<div>PASSED</div>	<div>DURATION - 0.212 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:28:25.326 AM // 9:28:25.538 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields with invalid baseurl	PASSED	0.001 s
2	When Admin sends Put Request with invalid baseurl valid endpoint	PASSED	0.205 s
3	Then Admin receives 404 Not Found Status for put invalid baseurl with message and boolean success details	PASSED	0.001 s

### Check if Admin able to update a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.282 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:28:25.549 AM // 9:28:25.831 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends get request instead of put Request with valid endpoint	PASSED	0.275 s
3	Then Admin receives 405 Method Not Allowed for using get instead of put	PASSED	0.001 s

### Check if Admin able to update a program without Authorization

<div>PASSED</div>	<div>DURATION - 0.219 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:28:25.842 AM // 9:28:26.061 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with endpoint without auth	PASSED	0.213 s
3	Then Admin receives 401 Status with response body as Unauthorized for put by pgm id	PASSED	0.001 s

### Check if Admin able to update a program with Valid program Name and request body

<div>PASSED</div>	<div>DURATION - 0.253 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:28:26.069 AM // 9:28:26.322 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with Program name with valid endpoint	PASSED	0.249 s
3	Then Admin receives 200 OK Status code with updated value in response body.	PASSED	0.002 s

### Check if Admin able to update a program with invalid program Name and request body

<div>PASSED</div>	<div>DURATION - 0.183 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:28:26.335 AM // 9:28:26.518 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with invalid Program name with valid endpoint	PASSED	0.180 s
3	Then Admin receives 404 Not Found Status for put with invalid pg namewith message and boolean success details	PASSED	0.000 s

### Check if Admin able to update a program using valid program name - missing mandatory fields in request body

<div>PASSED</div>	<div>DURATION - 0.196 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 9:28:26.534 AM // 9:28:26.730 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API with missing mandatory fields	PASSED	0.000 s
2	When Admin sends Put Request with valid prgom name with valid endpoint	PASSED	0.193 s
3	Then Admin receives 400 Bad Request Status for missing field with message and boolean success details	PASSED	0.000 s

### Check if Admin able to upadte a program with program name starting with a number

<b>PASSED</b>	<i>DURATION - 0.208 s</i>		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:28:26.744 AM // 9:28:26.952 AM /				
<i>ProgramModule</i>				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.203 s
3	Then Admin receives 400 Bad Request Status for put Pgm name starting with number	PASSED	0.001 s

### Check if Admin able to update a program with invalid program Description

<div>PASSED</div> <div>DURATION - 0.203 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:28:26.960 AM // 9:28:27.163 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request and Pgm Descrip starting with Number in request Body with endpoint	PASSED	0.197 s
3	Then Admin receives 400 Bad Request Status for put Pgm descrip starting with number	PASSED	0.002 s

### Check if Admin able to update a program status

<div>PASSED</div>	<div>DURATION - 0.201 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 9:28:27.177 AM // 9:28:27.378 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request for status change with valid endpoint	PASSED	0.199 s
3	Then Admin receives 200 OK Status with updated prgm status value in response body.	PASSED	0.000 s

### Check if Admin able to delete a program with valid LMS API,invalid programName

<b>PASSED</b>	DURATION - 0.154 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:28:27.389 AM // 9:28:27.543 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programName	PASSED	0.000 s
2	When Admin sends Delete by invalid ProgramName Request with endpoint	PASSED	0.152 s
3	Then Admin receives 404 Not Found Status for delete invalid pgnamewith message and boolean success details	PASSED	0.001 s

### Check if Admin able to delete a program by pgmr name without Authorization

<b>PASSED</b>	DURATION - 0.155 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:28:27.554 AM // 9:28:27.709 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.001 s
2	When Admin sends delete Request by program name with endpoint without auth	PASSED	0.152 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm name	PASSED	0.001 s

### Check if Admin able to delete a program with valid LMS API,invalid programId

<b>PASSED</b>	DURATION - 0.153 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:28:27.716 AM // 9:28:27.869 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programId	PASSED	0.001 s
2	When Admin sends Delete by invalid ProgramID Request with endpoint	PASSED	0.151 s
3	Then Admin receives 404 Not Found Status for delete invalid pgid with message and boolean success details	PASSED	0.001 s



### Check if Admin able to delete a program without Authorization

<b>PASSED</b>	DURATION - 0.156 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:28:27.883 AM // 9:28:28.039 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.000 s
2	When Admin sends delete Request by program id with endpoint without auth	PASSED	0.154 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm id	PASSED	0.000 s

### Batch Module POST request




FAILED	DURATION - 3.192 s	Scenarios Total - 14 Pass - 6 Fail - 8 Skip - 0		Steps Total - 42 Pass - 34 Fail - 8 Skip - 0	
/ 9:28:28.047 AM // 9:28:31.239 AM /					

### Check if admin able to create a Batch with valid endpoint and request body (non existing values)

FAILED	DURATION - 0.244 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0				
/ 9:28:28.047 AM // 9:28:28.291 AM /							
Batch Module POST request							
@tag							


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with valid data in request body	PASSED	0.003 s
2	When Admin sends HTTPS Request with endpoint to create batch	PASSED	0.235 s
3	Then Admin receives 201 Created Status with response body  java.lang.AssertionError: expected [201] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_created_status_with_response_body(ProgramBatchModuleSD.java:37) at ?.Admin receives 201 Created Status with response body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:10) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s

### Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with existing value in request body	PASSED	0.001 s
2	When Admin sends HTTPS POST Request with endpoint to create batch	PASSED	0.132 s
3	Then Admin receives 400 Bad Request Status with message in the response body	PASSED	0.001 s

### Check if admin able to create a Batch missing mandatory fields in request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data in request body	PASSED	0.001 s
2	When Admin sends POST Request with endpoint to create batch	PASSED	0.231 s
3	Then Admin receives 400 Bad Request Status with message	PASSED	0.001 s

### Check if admin able to create a batch with invalid endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request	PASSED	0.000 s
2	When Admin sends HTTPS Request with invalid endpoint	PASSED	0.316 s
3	Then Admin receives 404 not found Status	PASSED	0.001 s

### Check if admin able to create a batch with missing additional fields



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with missing additional fields	PASSED	0.000 s
2	When Admin sends HTTPS Request with valid endpoint to create batch	PASSED	0.246 s
3	Then Admin receives 201 Created Status with response  java.lang.AssertionError: expected [201] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_created_status_with_response(ProgramBatchModuleSD.java:108) at ?.Admin receives 201 Created Status with response(file:///C:/Users/sudha/git/	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:39) * Not displayable characters are replaced by '?'.  		

### Check if admin able to create a batch with invalid data in request body

<b>PASSED</b>	DURATION - 0.200 s		
/ 9:28:29.294 AM // 9:28:29.494 AM /			
Batch Module POST request			

Step	Duration (s)
1	0.001
2	0.200
3	0.001

**Steps**  
 Total - 3  
 Pass - 3  
 Fail - 0  
 Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data fields in request body	PASSED	0.001 s
2	When Admin sends HTTPS POST Request with valid endpoint	PASSED	0.197 s
3	Then Admin receives 400 Bad Request Status with message and boolean success	PASSED	0.001 s

### Check if admin able to retrieve all batches with valid LMS API



<b>PASSED</b>	DURATION - 0.492 s		
/ 9:28:29.504 AM // 9:28:29.996 AM /			
Batch Module POST request			

Step	Duration (s)
1	0.001
2	0.492
3	0.001

**Steps**  
 Total - 3  
 Pass - 3  
 Fail - 0  
 Skip - 0



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Get Request with endpoint to get batch	PASSED	0.489 s
3	Then Admin receives 200 OK Status with response body	PASSED	0.001 s

### Check if admin able to retrieve all batches with invalid Endpoint

<div>PASSED</div>	<div>DURATION - 0.177 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:28:30.006 AM // 9:28:30.183 AM /</div>				
<div>Batch Module POST request</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with invalid endpoint	PASSED	0.001 s
2	When Admin sends HTTPS GET Request with invalid endpoint to get all batches	PASSED	0.171 s
3	Then Admin receives 404 status with error message Not Found	PASSED	0.001 s



### Check if admin able to retrieve a batch with valid BATCH ID

FAILED	DURATION - 0.147 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:28:30.207 AM // 9:28:30.354 AM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.001 s
2	When Admin sends Get Request with endpoint for batch module	PASSED	0.140 s
3	Then Admin receives 200 OK Status with response in the response body  <pre>java.lang.AssertionError: expected [200] but found [400]     at org.testng.Assert.fail(Assert.java:111)     at org.testng.Assert.failNotEquals(Assert.java:1578)     at org.testng.Assert.assertEqualsImpl(Assert.java:150)     at org.testng.Assert.assertEquals(Assert.java:132)     at org.testng.Assert.assertEquals(Assert.java:1419)     at org.testng.Assert.assertEquals(Assert.java:1449)     at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_ok_status_with_response_in_the_response_body(ProgramBatchModuleSD.java:180)</pre>	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
	<p>at ?.Admin receives 200 OK Status with response in the response body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:67)</p> <p>* Not displayable characters are replaced by '?'. </p>		

### Check if admin able to retrieve a batch with valid BATCH NAME

<div>FAILED</div>	<div>DURATION - 0.147 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:28:30.363 AM // 9:28:30.510 AM /</div>				
<div>Batch Module POST request</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch Name	PASSED	0.001 s
2	When Admin sends Get batch Request with endpoint for batch module	PASSED	0.142 s
3	<p>Then Admin receives 200 Status code with response body</p> <p>java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_status_code_with_response_body(ProgramBatchModuleSD.java:199) at ?.Admin receives 200 Status code with response body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:74) * Not displayable characters are replaced by '?'. </p>	FAILED	0.001 s

### Check if admin able to retrieve a batch with valid Program ID

FAILED	DURATION - 0.149 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:28:30.519 AM // 9:28:30.668 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Program Id	PASSED	0.001 s
2	When Admin sends HTTPS Request to get batch by program Id with endpoint	PASSED	0.146 s
3	Then Admin receives status code 200 OK Status with response body  java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD. admin_receives_status_code_ok_status_with_response_body(ProgramBatchModuleSD.java:218) at ?.Admin receives status code 200 OK Status with response body(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 003ProgramBatchModule.feature:81) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s

### Check if admin able to update a Batch with valid batchID and mandatory fields in request body

<div>FAILED</div> <div>DURATION - 0.224 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:28:30.678 AM // 9:28:30.902 AM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid BatchId and Data	PASSED	0.000 s
2	When Admin sends HTTPS Request to update with endpoint	PASSED	0.221 s
3	Then Admin receives 200 OK Status with updated value in response body for update request.  java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD. admin_receives_ok_status_with_updated_value_in_response_body_for_update_request(ProgramBatchModuleSD.java:237) at ?.Admin receives 200 OK Status with updated value in response body for update request.(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 003ProgramBatchModule.feature:88) * Not displayable characters are replaced by '?'.	FAILED	0.002 s

### Check if admin able to delete a Batch with valid Batch ID



FAILED	DURATION - 0.160 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 9:28:30.911 AM // 9:28:31.071 AM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request with valid BatchId	PASSED	0.001 s
2	When Admin sends HTTPS Request to delete with endpoint	PASSED	0.157 s
3	Then Admin receives 200 Ok status with message to delete batch  java.lang.AssertionError: expected [200] but found [0] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419)	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_status_with_message_to_delete_batch(ProgramModuleSD.java:526) at ?.Admin receives 200 Ok status with message to delete batch(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:95) * Not displayable characters are replaced by '?'. </pre>		

### Check if admin able to retrieve a batch after deleting the batch

<div>FAILED</div> <div>DURATION - 0.162 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:28:31.077 AM // 9:28:31.239 AM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.001 s
2	When Admin sends HTTPS GET Request with valid id	PASSED	0.156 s
3	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body.  <pre> java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_ok_status_with_batch_status_field_in_the_response_body(ProgramBatchModuleSD.java:266) at ?.Admin receives 200 OK Status with batchStatus field "Inactive" in the response body.(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:102) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.003 s