

Cucumber Report

Apr 2, 2024, 10:06:06 AM

Start : Apr 02, 10:05:49.552 AM

End : Apr 02, 10:06:05.655 AM

Duration : 16.103 s

Features



Scenarios

Steps

PASSED - 1
FAILED - 2
SKIPPED - 0

PASSED - 45
FAILED - 10
SKIPPED - 0


PASSED - 154
FAILED - 10
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Post request</u>	4.310 s	3	3	0	0	9	9	0	0
<u>ProgramModule</u>	9.010 s	38	36	2	0	114	111	2	1
<u>Batch Module POST request</u>	2.742 s	14	6	8	0	42	34	8	0

#	Feature Name	Scenario Name
1	<u>ProgramModule</u>	<u>Check if Admin able to create a program with missing additional field</u>
2		<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>
3	<u>Batch Module POST request</u>	<u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u>
4		<u>Check if admin able to create a batch with missing additional fields</u>
5		<u>Check if admin able to retrieve a batch with valid BATCH ID</u>
6		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>
7		<u>Check if admin able to retrieve a batch with valid Program ID</u>
8		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>
9		<u>Check if admin able to delete a Batch with valid Batch ID</u>
10		<u>Check if admin able to retrieve a batch after deleting the batch</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@tag	40	37	3	0	3	1	2	0
@EndToEnd	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>Post request</u>	3	3	0	0	4.310 s
2	<u>ProgramModule</u>	38	36	2	0	9.010 s
3	<u>Batch Module POST request</u>	14	6	8	0	2.742 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Post request</u>	<u>Check if Admin able to generate token with valid credential</u>	3	3	0	0	3.706 s
2		<u>Check if Admin able to generate token with invalid endpoint</u>	3	3	0	0	0.279 s
3		<u>Check if Admin able to generate token with invalid credentials</u>	3	3	0	0	0.198 s
4	<u>ProgramModule</u>	<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>	3	3	0	0	0.714 s
5		<u>Check if Admin able to create a program with valid endpoint and request body without Authorization</u>	3	3	0	0	0.316 s
6		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.346 s
7		<u>Check if Admin able to create a program with already existing program name</u>	3	3	0	0	0.268 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if Admin able to create a program with missing values in the request body</u>	3	3	0	0	0.229 s
9		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.249 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>ProgramModule</u>	<u>Check if Admin able to create a program without program name starting with a number</u>	3	3	0	0	0.246 s
11		<u>Check if Admin able to create a program with missing additional field</u>	3	2	1	0	0.217 s
12		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.142 s
13		<u>Check if Admin able to retrieve all programs with valid Endpoint without auth</u>	3	3	0	0	0.150 s
14		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.143 s
15		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.147 s
16		<u>Check if Admin able to retrieve a program with valid program ID</u>	3	3	0	0	0.157 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
17		<u>Check if Admin able to retrieve all programs with valid prgm id without auth</u>	3	3	0	0	0.130 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>ProgramModule</u>	<u>Check if Admin able to retrieve a program with invalid program ID</u>	3	3	0	0	0.168 s
19		<u>Check if Admin able to retrieve a program with invalid baseURI</u>	3	3	0	0	0.294 s
20		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.287 s
21		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.152 s
22		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.151 s
23		<u>Check if Admin able to retrieve all programs with invalid Method</u>	3	3	0	0	0.125 s
24		<u>Check if Admin able to retrieve all programs without Authorization</u>	3	3	0	0	0.160 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
25	<u>ProgramModule</u>	<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>	3	3	0	0	0.257 s
26		<u>Check if Admin able to update a program with invalid programID endpoint and valid request body</u>	3	3	0	0	0.211 s
27		<u>Check if Admin able to update a program without request body</u>	3	3	0	0	0.215 s
28		<u>Check if Admin able to update a program with invalid baseURI</u>	3	3	0	0	0.212 s
29		<u>Check if Admin able to update a program with invalid method</u>	3	3	0	0	0.204 s
30		<u>Check if Admin able to update a program without Authorization</u>	3	3	0	0	0.224 s
31		<u>Check if Admin able to update a program with Valid program Name and request body</u>	3	3	0	0	0.249 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
32		<u>Check if Admin able to update a program with invalid program Name and request body</u>	3	3	0	0	0.239 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
33	<u>ProgramModule</u>	<u>Check if Admin able to update a program using valid program name - missing mandatory fields in request body</u>	3	3	0	0	0.336 s
34		<u>Check if Admin able to upadte a program with program name starting with a number</u>	3	3	0	0	0.226 s
35		<u>Check if Admin able to update a program with invalid program Description</u>	3	3	0	0	0.237 s
36		<u>Check if Admin able to update a program status</u>	3	3	0	0	0.242 s
37		<u>Check if Admin able to delete a program with valid LMS API, invalid programName</u>	3	3	0	0	0.185 s
38		<u>Check if Admin able to delete a program by pgrm name without Authorization</u>	3	3	0	0	0.209 s
39		<u>Check if Admin able to delete a program with valid LMS API, invalid programId</u>	3	3	0	0	0.128 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
40		<u>Check if Admin able to delete a program without Authorization</u>	3	3	0	0	0.151 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
41	<u>ProgramModule</u>	<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>	3	1	1	1	0.203 s
42	<u>Batch Module POST request</u>	<u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u>	3	2	1	0	0.309 s
43		<u>Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)</u>	3	3	0	0	0.163 s
44		<u>Check if admin able to create a Batch missing mandatory fields in request body</u>	3	3	0	0	0.209 s
45		<u>Check if admin able to create a batch with invalid endpoint</u>	3	3	0	0	0.199 s
46		<u>Check if admin able to create a batch with missing additional fields</u>	3	2	1	0	0.204 s
47		<u>Check if admin able to create a batch with invalid data in request body</u>	3	3	0	0	0.173 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
48		<u>Check if admin able to retrieve all batches with valid LMS API</u>	3	3	0	0	0.132 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
49	<u>Batch Module POST request</u>	<u>Check if admin able to retrieve all batches with invalid Endpoint</u>	3	3	0	0	0.149 s
50		<u>Check if admin able to retrieve a batch with valid BATCH ID</u>	3	2	1	0	0.154 s
51		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>	3	2	1	0	0.156 s
52		<u>Check if admin able to retrieve a batch with valid Program ID</u>	3	2	1	0	0.162 s
53		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>	3	2	1	0	0.249 s
54		<u>Check if admin able to delete a Batch with valid Batch ID</u>	3	2	1	0	0.157 s
55		<u>Check if admin able to retrieve a batch after deleting the batch</u>	3	2	1	0	0.148 s

Post request



PASSED	DURATION - 4.310 s	Scenarios		Steps	
/ 10:05:49.552 AM // 10:05:53.862 AM /		Total - 3		Total - 9	
		Pass - 3		Pass - 9	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if Admin able to generate token with valid credential

<div>PASSED</div> <div>DURATION - 3.706 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:05:49.555 AM // 10:05:53.261 AM /</div>			
<div>Post request</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.813 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.001 s
3	Then Admin receives 200 created with auto generated token	PASSED	2.843 s

Check if Admin able to generate token with invalid endpoint

<div>PASSED</div>	<div>DURATION - 0.279 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:05:53.368 AM // 10:05:53.647 AM /				
Post request				
@EndToEnd				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with invalid endpoint	PASSED	0.000 s
3	Then Admin receives 401 unauthorized	PASSED	0.273 s

Check if Admin able to generate token with invalid credentials



PASSED	DURATION - 0.198 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:05:53.664 AM // 10:05:53.862 AM /				
Post request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with invalid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.000 s
3	Then Admin receives 400 Bad request	PASSED	0.193 s

ProgramModule



FAILED		DURATION - 9.010 s		Scenarios				Steps			
				Total - 38		38		Total - 114		114	
				Pass - 36				Pass - 111			
				Fail - 2				Fail - 2			
				Skip - 0				Skip - 1			
/ 10:05:53.891 AM // 10:06:02.901 AM /											

Check if Admin able to create a program with valid endpoint and request body with Authorization

<div>PASSED</div>	<div>DURATION - 0.714 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 10:05:53.891 AM // 10:05:54.605 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.007 s
2	When Admin sends HTTPS Request and request Body with endpoint	PASSED	0.691 s
3	Then Admin receives 201 Created Status with response body.	PASSED	0.003 s

Check if Admin able to create a program with valid endpoint and request body without Authorization

<div>PASSED</div>	<div>DURATION - 0.316 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:05:54.624 AM // 10:05:54.940 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and request Body with endpoint without Authorization	PASSED	0.307 s
3	Then Admin receives 401 Unauthorized error for post	PASSED	0.001 s

Check if Admin able to create a program with invalid endpoint

PASSED	DURATION - 0.346 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:05:54.951 AM // 10:05:55.297 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends HTTPS Request and request Body with invalid endpoint	PASSED	0.341 s
3	Then Admin receives 404 not found Status with message and boolean success details	PASSED	0.002 s

Check if Admin able to create a program with already existing program name

PASSED	DURATION - 0.268 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:05:55.308 AM // 10:05:55.576 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.002 s
2	When Admin sends Post Request with existing prgm name and request Body with endpoint	PASSED	0.253 s
3	Then Admin receives 400 Bad Request Status with message and boolean success details	PASSED	0.001 s

Check if Admin able to create a program with missing values in the request body

PASSED	DURATION - 0.229 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:05:55.587 AM // 10:05:55.816 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and missing Pgm Name in request Body with endpoint	PASSED	0.224 s
3	Then Admin receives 400 Bad Request Status for missing value	PASSED	0.000 s

Check if Admin able to create a program with invalid method

PASSED	DURATION - 0.249 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:05:55.826 AM // 10:05:56.075 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends Get Request instead of post and request Body with endpoint	PASSED	0.244 s
3	Then Admin receives 405 Method Not Allowed	PASSED	0.000 s

Check if Admin able to create a program without program name starting with a number

PASSED	DURATION - 0.246 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:05:56.091 AM // 10:05:56.337 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends Post Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.241 s
3	Then Admin receives 400 Bad Request Status for Pgm name starting with number	PASSED	0.001 s



Check if Admin able to create a program with missing additional field

FAILED	DURATION - 0.217 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 10:05:56.346 AM // 10:05:56.563 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request with request Body with missing additional field with endpoint	PASSED	0.203 s
3	Then Admin receives 200 ok for missing additional fields in program post request body java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD. admin_receives_ok_for_missing_additional_fields_in_program_post_request_body(ProgramModuleSD.java:136)	FAILED	0.010 s



#	Step / Hook Details	Status	Duration
	<p>at ?.Admin receives 200 ok for missing additional fields in program post request body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:46)</p> <p>* Not displayable characters are replaced by '?'. </p>		

Check if Admin able to retrieve all programs with valid Endpoint

<div>PASSED</div> <div>DURATION - 0.142 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:05:56.580 AM // 10:05:56.722 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint	PASSED	0.138 s
3	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

Check if Admin able to retrieve all programs with valid Endpoint without auth

<div>PASSED</div>	<div>DURATION - 0.150 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 10:05:56.732 AM // 10:05:56.882 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request and request Body with endpoint without Authorization	PASSED	0.146 s
3	Then Admin receives 401 Unauthorized error for put	PASSED	0.000 s

Check if Admin able to create a program with invalid endpoint

<div>PASSED</div>	<div>DURATION - 0.143 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 10:05:56.890 AM // 10:05:57.033 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request and request Body with invalid endpoint	PASSED	0.139 s
3	Then Admin receives 404 not found Status for GET with message and boolean success details	PASSED	0.001 s

Check if Admin able to create a program with invalid method

PASSED	DURATION - 0.147 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0				
/ 10:05:57.040 AM // 10:05:57.187 AM /							
ProgramModule							
@tag							


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Post Request instead of get and request Body with endpoint	PASSED	0.144 s
3	Then Admin receives 405 Method Not Allowed message	PASSED	0.001 s

Check if Admin able to retrieve a program with valid program ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get program Request with endpoint	PASSED	0.152 s
3	Then Admin receives 200 OK Status code with response body.	PASSED	0.001 s

Check if Admin able to retrieve all programs with valid prgm id without auth




#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get Request by pgm id and request Body with endpoint without Authorization	PASSED	0.127 s
3	Then Admin receives 401 Unauthorized error for put by pgm id	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid program ID





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request with invlaid ID and endpoint	PASSED	0.164 s
3	Then Admin receives 404 Not Found Status for invalid PG Id with message and boolean success details	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid baseURI





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with invalid baseURI	PASSED	0.001 s
2	When Admin sends Get Request Request with endpoint	PASSED	0.288 s
3	Then Admin receives 404 Not Found Status for invalid baseurl with message and boolean success details	PASSED	0.002 s

Check if Admin able to retrieve a program with invalid Endpoint

<div>PASSED</div>	<div>DURATION - 0.287 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:05:57.995 AM // 10:05:58.282 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request with pgm Id and request Body with invalid endpoint	PASSED	0.282 s
3	Then Admin receives 404 Not Found Status for Get with Pgm Id with message and boolean success details	PASSED	0.000 s

Check if Admin able to retrieve all programs with valid Endpoint

PASSED	DURATION - 0.152 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:05:58.302 AM // 10:05:58.454 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends Get All programs with users Request with endpoint	PASSED	0.148 s
3	Then Admin receives 200 OK Status with response body of Users	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid Endpoint

PASSED	DURATION - 0.151 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:05:58.462 AM // 10:05:58.613 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends Get Request for all users with request Body with invalid endpoint	PASSED	0.147 s
3	Then Admin receives 404 Not Found Status for Get w for all users with message and boolean success details	PASSED	0.002 s

Check if Admin able to retrieve all programs with invalid Method

PASSED	DURATION - 0.125 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:05:58.632 AM // 10:05:58.757 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends post all users Request instead of get with endpoint	PASSED	0.121 s
3	Then Admin receives 405 Method Not Allowed for get all users invalid method	PASSED	0.000 s

Check if Admin able to retrieve all programs without Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint without auth	PASSED	0.158 s
3	Then Admin receives 401 Status with response body as Unauthorized	PASSED	0.000 s

Check if Admin able to update a program with valid programID endpoint and valid request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.001 s

Check if Admin able to update a program with invalid programID endpoint and valid request body





#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with invalid prgm Id and valid endpoint	PASSED	0.206 s
3	Then Admin receives 404 Not Found Status for update pgm invalid pgm id with message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program without request body





#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request missing mandate field and valid endpoint	PASSED	0.212 s
3	Then Admin receives 400 Bad Request Status for put for missing mandate field with message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program with invalid baseURI

<div>PASSED</div>	<div>DURATION - 0.212 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:05:59.688 AM // 10:05:59.900 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields with invalid baseurl	PASSED	0.002 s
2	When Admin sends Put Request with invalid baseurl valid endpoint	PASSED	0.207 s
3	Then Admin receives 404 Not Found Status for put invalid baseurl with message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.204 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:05:59.909 AM // 10:06:00.113 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends get request instead of put Request with valid endpoint	PASSED	0.196 s
3	Then Admin receives 405 Method Not Allowed for using get instead of put	PASSED	0.001 s

Check if Admin able to update a program without Authorization

PASSED	DURATION - 0.224 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:06:00.134 AM // 10:06:00.358 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with endpoint without auth	PASSED	0.222 s
3	Then Admin receives 401 Status with response body as Unauthorized for put by pgm id	PASSED	0.000 s

Check if Admin able to update a program with Valid program Name and request body

<div>PASSED</div>	<div>DURATION - 0.249 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 10:06:00.372 AM // 10:06:00.621 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with Program name with valid endpoint	PASSED	0.247 s
3	Then Admin receives 200 OK Status code with updated value in response body.	PASSED	0.001 s

Check if Admin able to update a program with invalid program Name and request body

<div>PASSED</div>	<div>DURATION - 0.239 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:06:00.646 AM // 10:06:00.885 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with invalid Program name with valid endpoint	PASSED	0.231 s
3	Then Admin receives 404 Not Found Status for put with invalid pg namewith message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program using valid program name - missing mandatory fields in request body

<div>PASSED</div>	<div>DURATION - 0.336 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 10:06:00.894 AM // 10:06:01.230 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API with missing mandatory fields	PASSED	0.001 s
2	When Admin sends Put Request with valid prgom name with valid endpoint	PASSED	0.333 s
3	Then Admin receives 400 Bad Request Status for missing field with message and boolean success details	PASSED	0.001 s

Check if Admin able to upadte a program with program name starting with a number

PASSED	DURATION - 0.226 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:06:01.237 AM // 10:06:01.463 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.224 s
3	Then Admin receives 400 Bad Request Status for put Pgm name starting with number	PASSED	0.000 s

Check if Admin able to update a program with invalid program Description

<div>PASSED</div>	<div>DURATION - 0.237 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:06:01.474 AM // 10:06:01.711 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request and Pgm Descrip starting with Number in request Body with endpoint	PASSED	0.233 s
3	Then Admin receives 400 Bad Request Status for put Pgm descrip starting with number	PASSED	0.000 s

Check if Admin able to update a program status

<div>PASSED</div> <div>DURATION - 0.242 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:06:01.720 AM // 10:06:01.962 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request for status change with valid endpoint	PASSED	0.238 s
3	Then Admin receives 200 OK Status with updated prgm status value in response body.	PASSED	0.000 s

Check if Admin able to delete a program with valid LMS API,invalid programName

<div>PASSED</div>	<div>DURATION - 0.185 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:06:01.975 AM // 10:06:02.160 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programName	PASSED	0.002 s
2	When Admin sends Delete by invalid ProgramName Request with endpoint	PASSED	0.180 s
3	Then Admin receives 404 Not Found Status for delete invalid pgramewith message and boolean success details	PASSED	0.001 s

Check if Admin able to delete a program by pgrm name without Authorization

PASSED	DURATION - 0.209 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:06:02.181 AM // 10:06:02.390 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.001 s
2	When Admin sends delete Request by program name with endpoint without auth	PASSED	0.206 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm name	PASSED	0.000 s

Check if Admin able to delete a program with valid LMS API,invalid programId

PASSED	DURATION - 0.128 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:06:02.403 AM // 10:06:02.531 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programId	PASSED	0.001 s
2	When Admin sends Delete by invalid ProgramID Request with endpoint	PASSED	0.124 s
3	Then Admin receives 404 Not Found Status for delete invalid pgid with message and boolean success details	PASSED	0.000 s

Check if Admin able to delete a program without Authorization

<div>PASSED</div> <div>DURATION - 0.151 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:06:02.540 AM // 10:06:02.691 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.000 s
2	When Admin sends delete Request by program id with endpoint without auth	PASSED	0.149 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm id	PASSED	0.000 s



Check if Admin able to create a program with valid endpoint and request body with Authorization

<div>FAILED</div> <div>DURATION - 0.203 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 10:06:02.698 AM // 10:06:02.901 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends HTTPS Request and request Body with endpoint java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object has missing required properties (["creationTime","lastModTime","programDescription","programId","programName","programStatus"]) level: "error" schema: {"loadingURI":"#","pointer":""} instance: {"pointer":""} domain: "validation" keyword: "required" required: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] missing: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] Actual: {"message":"cannot create program , since already exists","success":false} at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)	FAILED	0.199 s

#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at com.lms.api.Request.Program.PostRequest(Program.java:36) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_sends_https_request_and_request_body_with_endpoint(ProgramModuleSD.java:34) at ?.Admin sends HTTPS Request and request Body with endpoint(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:213) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin receives 201 Created Status with response body.	SKIPPED	0.000 s

Batch Module POST request



FAILED	DURATION - 2.742 s	Scenarios		Steps	
/ 10:06:02.913 AM // 10:06:05.655 AM /		Total - 14		Total - 42	
		Pass - 6		Pass - 34	
		Fail - 8		Fail - 8	
		Skip - 0		Skip - 0	

Check if admin able to create a Batch with valid endpoint and request body (non existing values)

<div>FAILED</div>	<div>DURATION - 0.309 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:06:02.913 AM // 10:06:03.222 AM /				
Batch Module POST request				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with valid data in request body	PASSED	0.004 s
2	When Admin sends HTTPS Request with endpoint to create batch	PASSED	0.298 s
3	Then Admin receives 201 Created Status with response body java.lang.AssertionError: expected [201] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_created_status_with_response_body(ProgramBatchModuleSD.java:37) at ?.Admin receives 201 Created Status with response body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:10) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s

Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)

<div>PASSED</div>	<div>DURATION - 0.163 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:06:03.240 AM // 10:06:03.403 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with existing value in request body	PASSED	0.001 s
2	When Admin sends HTTPS POST Request with endpoint to create batch	PASSED	0.159 s
3	Then Admin receives 400 Bad Request Status with message in the response body	PASSED	0.000 s

Check if admin able to create a Batch missing mandatory fields in request body

PASSED	DURATION - 0.209 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:06:03.424 AM // 10:06:03.633 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data in request body	PASSED	0.001 s
2	When Admin sends POST Request with endpoint to create batch	PASSED	0.207 s
3	Then Admin receives 400 Bad Request Status with message	PASSED	0.000 s

Check if admin able to create a batch with invalid endpoint

PASSED	DURATION - 0.199 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:06:03.639 AM // 10:06:03.838 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with invalid endpoint	PASSED	0.196 s
3	Then Admin receives 404 not found Status	PASSED	0.001 s

Check if admin able to create a batch with missing additional fields

<div>FAILED</div> <div>DURATION - 0.204 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:06:03.850 AM // 10:06:04.054 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with missing additional fields	PASSED	0.002 s
2	When Admin sends HTTPS Request with valid endpoint to create batch	PASSED	0.197 s
3	Then Admin receives 201 Created Status with response java.lang.AssertionError: expected [201] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_created_status_with_response(ProgramBatchModuleSD.java:108) at ?.Admin receives 201 Created Status with response(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:39) * Not displayable characters are replaced by '?'. 	FAILED	0.003 s

Check if admin able to create a batch with invalid data in request body

<div>PASSED</div>	<div>DURATION - 0.173 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:06:04.063 AM // 10:06:04.236 AM /</div>				
<div>Batch Module POST request</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data fields in request body	PASSED	0.000 s
2	When Admin sends HTTPS POST Request with valid endpoint	PASSED	0.170 s
3	Then Admin receives 400 Bad Request Status with message and boolean success	PASSED	0.002 s

Check if admin able to retrieve all batches with valid LMS API

PASSED	DURATION - 0.132 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:06:04.255 AM // 10:06:04.387 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.000 s
2	When Admin sends HTTPS Get Request with endpoint to get batch	PASSED	0.128 s
3	Then Admin receives 200 OK Status with response body	PASSED	0.001 s

Check if admin able to retrieve all batches with invalid Endpoint

PASSED	DURATION - 0.149 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:06:04.402 AM // 10:06:04.551 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with invalid endpoint	PASSED	0.001 s
2	When Admin sends HTTPS GET Request with invalid endpoint to get all batches	PASSED	0.144 s
3	Then Admin receives 404 status with error message Not Found	PASSED	0.002 s

Check if admin able to retrieve a batch with valid BATCH ID

<div>FAILED</div> <div>DURATION - 0.154 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:06:04.568 AM // 10:06:04.722 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.001 s
2	When Admin sends Get Request with endpoint for batch module	PASSED	0.150 s
3	Then Admin receives 200 OK Status with response in the response body java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD. admin_receives_ok_status_with_response_in_the_response_body(ProgramBatchModuleSD.java:180) at ?.Admin receives 200 OK Status with response in the response body(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 003ProgramBatchModule.feature:67) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s

Check if admin able to retrieve a batch with valid BATCH NAME

FAILED	DURATION - 0.156 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:06:04.735 AM // 10:06:04.891 AM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch Name	PASSED	0.001 s
2	When Admin sends Get batch Request with endpoint for batch module	PASSED	0.150 s
3	Then Admin receives 200 Status code with response body <pre>java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_status_code_with_response_body(ProgramBatchModuleSD.java:199) at ?.Admin receives 200 Status code with response body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:74) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.003 s

Check if admin able to retrieve a batch with valid Program ID

FAILED		DURATION - 0.162 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:06:04.909 AM // 10:06:05.071 AM /						
Batch Module POST request						

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Program Id	PASSED	0.000 s
2	When Admin sends HTTPS Request to get batch by program Id with endpoint	PASSED	0.157 s
3	Then Admin receives status code 200 OK Status with response body <pre>java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD. admin_receives_status_code_ok_status_with_response_body(ProgramBatchModuleSD.java:218) at ?.Admin receives status code 200 OK Status with response body(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 003ProgramBatchModule.feature:81) * Not displayable characters are replaced by '?'. </pre>		

Check if admin able to update a Batch with valid batchID and mandatory fields in request body

FAILED	DURATION - 0.249 s		
/ 10:06:05.080 AM // 10:06:05.329 AM /			
Batch Module POST request			

Step	Duration	Status
1	0.002 s	PASSED
2	0.243 s	PASSED
3	0.001 s	FAILED

Steps

Total - 3

Pass - 2



Fail - 1

Skip - 0

3



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid BatchId and Data	PASSED	0.002 s
2	When Admin sends HTTPS Request to update with endpoint	PASSED	0.243 s
3	<p>Then Admin receives 200 OK Status with updated value in response body for update request.</p> <pre> java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD. admin_receives_ok_status_with_updated_value_in_response_body_for_update_request(ProgramBatchModuleSD.java:237) at ?.Admin receives 200 OK Status with updated value in response body for update request.(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 003ProgramBatchModule.feature:88) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s

Check if admin able to delete a Batch with valid Batch ID

<div>FAILED</div> <div>DURATION - 0.157 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:06:05.343 AM // 10:06:05.500 AM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request with valid BatchId	PASSED	0.002 s
2	When Admin sends HTTPS Request to delete with endpoint	PASSED	0.154 s
3	Then Admin receives 200 Ok status with message to delete batch java.lang.AssertionError: expected [200] but found [0] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_status_with_message_to_delete_batch(ProgramModuleSD.java:526) at ?.Admin receives 200 Ok status with message to delete batch(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:95) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s

Check if admin able to retrieve a batch after deleting the batch

<div>FAILED</div> <div>DURATION - 0.148 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:06:05.507 AM // 10:06:05.655 AM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.000 s
2	When Admin sends HTTPS GET Request with valid id	PASSED	0.144 s
3	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body. java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD. admin_receives_ok_status_with_batch_status_field_in_the_response_body(ProgramBatchModuleSD.java:266) at ?.Admin receives 200 OK Status with batchStatus field "Inactive" in the response body.(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 003ProgramBatchModule.feature:102) * Not displayable characters are replaced by '?'.	FAILED	0.002 s