Name: Debayan Mondal **Roll. No:** 135 **ExamRoll:** 11600223142

Assignment No.:8

Problem Statement: Deploy a project from a local machine to Github and vice versa.

Solution:

Step 1: Open github Account and click on the profile icon, then click on **repositories.**



Step 2: Click on **New** button to create new repository.



Name: Debayan Mondal **Roll. No:** 135 **ExamRoll:** 11600223142

Step 3: Enter Repository name and a description then click on **Create repository** button.



Step 4: Again click on the profile icon then click on **Settings**.



Name: Debayan Mondal **Roll. No:** 135 **ExamRoll:** 11600223142

Step 5: Inside settings on the left sidebar click on **Developer settings**.



Step 6: Click on **Personal access tokens** and then click on **Tokens(classic).**



Name: Debayan Mondal **Roll. No:** 135 **ExamRoll:** 11600223142

Step 7: On the right-side click on **Generate new token** and then select **Generate new token(classic)**.



Step 8: Enter the name for your token, select **Expiration** to 90days then select the following check boxes – **repo**, **workflow**, **admin:repo_hook**.



Name: Debayan Mondal **Roll. No:** 135 **ExamRoll:** 11600223142



Step 9: Click on the **Generate token** button.



Name: Debayan Mondal **Roll. No:** 135 **ExamRoll:** 11600223142

Step 10: Token has been successfully created. Copy the token key and save it in a text file for using it later.



Step 11: Create a new Folder, and right-click on it and select **Open Git Bash here**.



Step 12: Inside Gitbash Enter the following commands **git init, git config –global user.name "Debayan", git config –global user.email "debayanwb17@gmail.com"** to initialize git and configure the name and email for the user.



Name: Debayan Mondal **Roll. No:** 135 **ExamRoll:** 11600223142

Step 13: Inside the folder there must be the files for the static website present for upload. Enter the commands **git add . , git commit -m "Uploading static website".**

```
debay@LAPTOP-7V7H6VOS MINGW64 ~/Desktop/repo (master)
$ git add .

debay@LAPTOP-7V7H6VOS MINGW64 ~/Desktop/repo (master)
$ git commit -m "Uploading static website"
[master (root-commit) dd355d9] Uploading static website
 3 files changed, 36 insertions(+)
 create mode 100644 index.html
 create mode 100644 next.html
 create mode 100644 prv.html
```

Step 14: Return to the repo and copy its URL.



Step 15: Inside git bash, Enter the commands **git remote add origin <url>, git branch -M main, gitpush -u origin main**.

```
debay@LAPTOP-7V7H6VOS MINGW64 ~/Desktop/repo (master)
$ git remote add origin https://github.com/Debayan-Mondal/a

debay@LAPTOP-7V7H6VOS MINGW64 ~/Desktop/repo (master)
$ git branch -M main

debay@LAPTOP-7V7H6VOS MINGW64 ~/Desktop/repo (main)
$ git push -u origin main
```

Name: Debayan Mondal **Roll. No:** 135 **ExamRoll:** 11600223142

Step 16: Further enter the commands **git remote add origin <url> , git branch -M main**.

```
debay@LAPTOP-7V7H6VOS MINGW64 ~/Desktop/repo (master)
$ git remote add origin https://github.com/Debayan-Mondal/a

debay@LAPTOP-7V7H6VOS MINGW64 ~/Desktop/repo (master)
$ git branch -M main
```

Step 17: A new window will open prompting to sign in to github. Enter the token key copied earlier.



Step 18: Enter the command **git push -u origin main** the Static website will be uploaded.

```
debay@LAPTOP-7V7H6VOS MINGW64 ~/Desktop/repo (main)
$ git push -u origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 691 bytes | 230.00 KiB/s, done.
Total 5 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/Debayan-Mondal/aws-repo.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
```

Name: Debayan Mondal **Roll. No:** 135 **ExamRoll:** 11600223142

Step 19: Copy the URL for the created repo from github.



Step 20: Inside a different folder, Enter the command **git clone <url>** to clone the repo to the local device. Go inside the repo folder and enter **ls** to check the files.



Name: Debayan Mondal **Roll. No:** 135 **ExamRoll:** 11600223142

Step 21: Enter the following commands **git add . , git commit -m "Updating files", git push, git pull origin main** to commit add any changes if made and push to the repo.

```
debay@LAPTOP-7V7H6VOS MINGW64 ~/Desktop/Repo2/aws-repo (main)
$ git add .

debay@LAPTOP-7V7H6VOS MINGW64 ~/Desktop/Repo2/aws-repo (main)
$ git commit -m "Updating files"
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

debay@LAPTOP-7V7H6VOS MINGW64 ~/Desktop/Repo2/aws-repo (main)
$ git push
Everything up-to-date

debay@LAPTOP-7V7H6VOS MINGW64 ~/Desktop/Repo2/aws-repo (main)
$ git pull origin main
From https://github.com/Debayan-Mondal/aws-repo
 * branch            main       -> FETCH_HEAD
Already up to date.

debay@LAPTOP-7V7H6VOS MINGW64 ~/Desktop/Repo2/aws-repo (main)
$
```