Duration : 0.079 s Start: Aug 20, 2:11:23.720 pm End: Aug 20, 2:11:23.799 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 30 33 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90 100

| Feature | | Scenario | | | | Step | | | |
|------------------------------|----------|----------|---|---|---|------|---|---|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| Alliance Home Page Scenarios | 0.079 s | 3 | 0 | 3 | 0 | 33 | 0 | 3 | 30 |


FAIL & SKIP SCENARIOS -- 3 --

| # | Feature Name | Scenario Name |
|---|------------------------------|---------------------------------|
| 1 | Alliance Home Page Scenarios | Verifying MyPlaceSetUp module |
| 2 | | Verifying Select Organization |
| 3 | | Verifying Copy SellNetwork from |

FEATURES SUMMARY -- 4



| # | Feature Name | T | P | F | S | Duration |
|---|------------------------------|---|---|---|---|----------|
| 1 | Alliance Home Page Scenarios | 3 | 0 | 3 | 0 | 0.079 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|------------------------------|---------------------------------|----|---|---|----|----------|
| 1 | Alliance Home Page Scenarios | Verifying MyPlaceSetUp module | 11 | 0 | 1 | 10 | 0.030 s |
| 2 | | Verifying Select Organization | 9 | 0 | 1 | 8 | 0.009 s |
| 3 | | Verifying Copy SellNetwork from | 13 | 0 | 1 | 12 | 0.012 s |

DETAILED SECTION -- 6 --

Alliance Home Page Scenarios

| FAILED | DURATION - 0.079 s | Scenarios | | Steps | |
|---------------------|--------------------|-----------|------------|------------|----|
| | | Total - 3 | | Total - 33 | |
| / 2:11:23.720 pm // | / 2:11:23.799 pm / | Pass - 0 | 3 | Pass - 0 | 33 |
| | | Fail - 3 | 1 3 | Fail - 3 | |
| | | Skip - 0 | | Skip - 30 | |
| | | | | | |

Verifying MyPlaceSetUp module




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I am on Alliance Home Page | FAILED | 0.015 s |
| | io.cucumber.core.exception.CucumberException: Failed to instantiate class stepdefinations.LoginSteps | | |
| | at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) | | |
| | at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:53) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:580) | | |
| | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) | | |
| | at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) | | |
| | at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:992) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) | | |
| | at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) | | |
| | at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:739) | | |
| | at org.testng.TestRunner.run(TestRunner.java:614) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:312) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1112) | | |
| | at org.testng.TestNG.run(TestNG.java:1079) | | |
| | at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) | | |
| | at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) | | |
| | at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91) | | |
| | Caused by: java.lang.reflect.InvocationTargetException | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:72) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) | | |
| | at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) | | |
| | 43 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "this.driver" is | | |
| | null | | |
| | at stepdefinations.LoginSteps. <init>(LoginSteps.java:27)</init> | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) | | |
| 2 | When I click on Sign In button | SKIPPED | 0.000 s |
| 3 | And User is in the sign in page | SKIPPED | 0.000 s |
| 4 | And user is in login page enter the correct username and correct password | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 5 | Then Home is displayed with expectedUserName | SKIPPED | 0.001 s |
| 6 | Given user is in homepage | SKIPPED | 0.000 s |
| 7 | When click on the globe icon | SKIPPED | 0.000 s |
| 8 | And click on Sandbox Private | SKIPPED | 0.001 s |
| 9 | And mousehover to SellNetwork | SKIPPED | 0.000 s |
| 10 | And Click on MyPlaceSetup | SKIPPED | 0.001 s |
| 11 | Then MyPlaceSetUp page should display | SKIPPED | 0.000 s |

Verifying Select Organization




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I am on Alliance Home Page | FAILED | 0.002 s |
| | io.cucumber.core.exception.CucumberException: Failed to instantiate class stepdefinations.LoginSteps | | |
| | at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) | | |
| | at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:53) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:580) | | |
| | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) | | |
| | at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) | | |
| | at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:992) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) | | |
| | at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) | | |
| | at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:739) | | |
| | at org.testng.TestRunner.run(TestRunner.java:614) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:312) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1112) | | |
| | at org.testng.TestNG.run(TestNG.java:1079) | | |
| | at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) | | |
| | at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) | | |
| | at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91) | | |
| | Caused by: java.lang.reflect.InvocationTargetException | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:72) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) | | |
| | at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) | | |
| | 43 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "this.driver" is | | |
| | null | | |
| | at stepdefinations.LoginSteps. <init>(LoginSteps.java:27)</init> | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) | | |
| 2 | When I click on Sign In button | SKIPPED | 0.001 s |
| 3 | And User is in the sign in page | SKIPPED | 0.000 s |
| 4 | And user is in login page enter the correct username and correct password | SKIPPED | 0.001 s |

DETAILED SECTION -- 10 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 5 | Then Home is displayed with expectedUserName | SKIPPED | 0.000 s |
| 6 | Given user is in MyplaceSetup module | SKIPPED | 0.001 s |
| 7 | When click on the organization close icon | SKIPPED | 0.001 s |
| 8 | And enter the orgname and select the org | SKIPPED | 0.000 s |
| 9 | Then MyPlaceforpats page should display as blank | SKIPPED | 0.000 s |

Verifying Copy SellNetwork from



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I am on Alliance Home Page | FAILED | 0.004 s |
| | io.cucumber.core.exception.CucumberException: Failed to instantiate class stepdefinations.LoginSteps | | |
| | at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) | | |
| | at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:53) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:580) | | |
| | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) | | |
| | at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) | | |
| | at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:992) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) | | |
| | at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) | | |
| | at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:739) | | |
| | at org.testng.TestRunner.run(TestRunner.java:614) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:312) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1112) | | |
| | at org.testng.TestNG.run(TestNG.java:1079) | | |
| | at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) | | |
| | at org.testing.remote.RemoteTestNG.initAndRun(RemoteTestNG.java.295) at org.testing.remote.RemoteTestNG.main(RemoteTestNG.java.291) | | |
| | Caused by: java.lang.reflect.InvocationTargetException | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:72) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) | | |
| | at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) | | |
| | 43 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openga.selenium.WebDriver.manage()" because "this.driver" is | | |
| | null | | |
| | at stepdefinations.LoginSteps. <init>(LoginSteps.java:27)</init> | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) | | |
| 2 | When I click on Sign In button | SKIPPED | 0.000 s |
| 3 | And User is in the sign in page | SKIPPED | 0.000 s |
| 4 | And user is in login page enter the correct username and correct password | SKIPPED | 0.000 s |
| 5 | Then Home is displayed with expectedUserName | SKIPPED | 0.000 s |
| 6 | Given user is in MyplaceSetup module to add sellnetwork | SKIPPED | 0.001 s |

DETAILED SECTION -- 12 --

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| 7 | When user select Copy Sellnetwork From checkbox | SKIPPED | 0.000 s |
| 8 | And Select store from dropdown | SKIPPED | 0.001 s |
| 9 | And Select location from dropdown | SKIPPED | 0.000 s |
| 10 | And select Primary Details checkbox | SKIPPED | 0.000 s |
| 11 | And Click on Go button | SKIPPED | 0.000 s |
| 12 | And Click on OK button for confirm message | SKIPPED | 0.000 s |
| 13 | Then It should display the sellnetwork which are available in the selected location | SKIPPED | 0.001 s |