

Cucumber Report

20-Aug-2024, 2:13:19 pm

Start : Aug 20, 2:13:09.481 pm

End : Aug 20, 2:13:18.602 pm

Duration : 9.121 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 3
FAILED - 0
SKIPPED - 30




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Alliance Home Page Scenarios</u>	9.121 s	3	0	3	0	33	3	0	30

#	Feature Name	Scenario Name
1	<u>Alliance Home Page Scenarios</u>	<u>Verifying MyPlaceSetUp module</u>
2		<u>Verifying Select Organization</u>
3		<u>Verifying Copy SellNetwork from</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Alliance Home Page Scenarios</u>	3	0	3	0	9.121 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Alliance Home Page Scenarios</u>	<u>Verifying MyPlaceSetUp module</u>	11	1	0	10	5.405 s
2		<u>Verifying Select Organization</u>	9	1	0	8	1.877 s
3		<u>Verifying Copy SellNetwork from</u>	13	1	0	12	1.818 s

Alliance Home Page Scenarios

FAILED	DURATION - 9.121 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 33 Pass - 3 Fail - 0 Skip - 30	
/ 2:13:09.481 pm // 2:13:18.602 pm /					



Verifying MyPlaceSetUp module

<div><div>FAILED</div><div>DURATION - 5.405 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 11</div><div>Pass - 1</div><div>Fail - 0</div><div>Skip - 10</div></div>	<div></div>
/ 2:13:09.485 pm // 2:13:14.890 pm /				
Alliance Home Page Scenarios				

#	Step / Hook Details	Status	Duration
1	Given I am on Alliance Home Page	PASSED	3.006 s
	AFTER_STEP - AppHooks.ApplicationHooks.takeScreenshotAfterEachStep(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.120) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a9a3a3afb3c5cfe65889f6eaaddc677a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.120, chrome: {chromedriverVersion: 127.0.6533.119 (bdef6783a05..., userDataDir: C:\Users\deben\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52904}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:52904/devtoo..., se.cdpVersion: 127.0.6533.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a9a3a3afb3c5cfe65889f6eaaddc677a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at AppHooks.ApplicationHooks.takeScreenshotAfterEachStep(ApplicationHooks.java:41) </pre>		
2	When I click on Sign In button	SKIPPED	0.002 s
3	And User is in the sign in page	SKIPPED	0.000 s
4	And user is in login page enter the correct username and correct password	SKIPPED	0.001 s
5	Then Home is displayed with expectedUserName	SKIPPED	0.001 s
6	Given user is in homepage	SKIPPED	0.000 s
7	When click on the globe icon	SKIPPED	0.000 s
8	And click on Sandbox Private	SKIPPED	0.000 s
9	And mousehover to SellNetwork	SKIPPED	0.000 s
10	And Click on MyPlaceSetup	SKIPPED	0.000 s
11	Then MyPlaceSetUp page should display	SKIPPED	0.000 s



Verifying Select Organization

<div>FAILED</div> <div>DURATION - 1.877 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 8</div>	<div></div>
/ 2:13:14.900 pm // 2:13:16.777 pm /				
Alliance Home Page Scenarios				

#	Step / Hook Details	Status	Duration
1	Given I am on Alliance Home Page	PASSED	0.961 s
	AFTER_STEP - AppHooks.ApplicationHooks.takeScreenshotAfterEachStep(io.cucumber.java.Scenario)	FAILED	0.003 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.120) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: </pre>		

#	Step / Hook Details	Status	Duration
	<p>[072a86685e77d8d6d0bf1de986f47983, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.120, chrome: {chromedriverVersion: 127.0.6533.119 (bdef6783a05..., userDataDir: C:\Users\deben\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52927}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52927/devtoo..., se:cdpVersion: 127.0.6533.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 072a86685e77d8d6d0bf1de986f47983</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at AppHooks.ApplicationHooks.takeScreenshotAfterEachStep(ApplicationHooks.java:41)</p>		
2	When I click on Sign In button	SKIPPED	0.001 s
3	And User is in the sign in page	SKIPPED	0.000 s
4	And user is in login page enter the correct username and correct password	SKIPPED	0.000 s
5	Then Home is displayed with expectedUserName	SKIPPED	0.000 s
6	Given user is in MyplaceSetup module	SKIPPED	0.000 s
7	When click on the organization close icon	SKIPPED	0.000 s
8	And enter the orgrname and select the org	SKIPPED	0.000 s
9	Then MyPlaceforpats page should display as blank	SKIPPED	0.000 s

Verifying Copy SellNetwork from

<div>FAILED</div> <div>DURATION - 1.818 s</div>			<div>Steps</div> <div>Total - 13</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 12</div>	
/ 2:13:16.784 pm // 2:13:18.602 pm /				
Alliance Home Page Scenarios				

#	Step / Hook Details	Status	Duration
1	Given I am on Alliance Home Page	PASSED	0.871 s
	AFTER_STEP - AppHooks.ApplicationHooks.takeScreenshotAfterEachStep(io.cucumber.java.Scenario) <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.120) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6b1c8dd19dad4fcb6ad6ad5462385294, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.120, chrome: {chromedriverVersion: 127.0.6533.119 (bdef6783a05..., userDataDir: C:\Users\deben\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52943}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52943/devtoo..., se:cdpVersion: 127.0.6533.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6b1c8dd19dad4fcb6ad6ad5462385294 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at AppHooks.ApplicationHooks.takeScreenshotAfterEachStep(ApplicationHooks.java:41)</pre>	FAILED	0.004 s
2	When I click on Sign In button	SKIPPED	0.000 s
3	And User is in the sign in page	SKIPPED	0.000 s
4	And user is in login page enter the correct username and correct password	SKIPPED	0.000 s
5	Then Home is displayed with expectedUserName	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	Given user is in MyplaceSetup module to add sellnetwork	SKIPPED	0.000 s
7	When user select Copy Sellnetwork From checkbox	SKIPPED	0.000 s
8	And Select store from dropdown	SKIPPED	0.000 s
9	And Select location from dropdown	SKIPPED	0.000 s
10	And select Primary Details checkbox	SKIPPED	0.000 s
11	And Click on Go button	SKIPPED	0.000 s
12	And Click on OK button for confirm message	SKIPPED	0.000 s
13	Then It should display the sellnetwork which are available in the selected location	SKIPPED	0.001 s