Document Number: WFH-FMT-AF-AWI-FMR-26-001 – Part 1

Occupational Hygiene

Assessment work instruction / first mine report: – Ablution facilities

03 June 2026

GRACELICA MINING (PTY) LTD
Portion 10 of the farm Goudmyn 337KT
STEELPOORT
Limpopo Province

Signature: _____
Appointed Occupational Hygienist
(Assessment instructor)

Signature: _____
Appointed Occupational Hygiene
Assistant (Assessor)

A Remedial action required from previous site visit

Date of previous site visit: -

27 May 2025.

Occupational Hygiene Assistant's observations / comments / non-conformances: -

↘ None, first visit for 2026.

B **Special / additional instruction/s by appointed Occupational Hygienist**

Date of instruction: -
03 February 2026.

↘ None.

1 Customer information

Date of field visit	Name of client	DME mine code
	Mapochs Mine (Pty) Ltd	10383

Mine Manager	E-Mail address	Mobile number

Site Occupational Hygienist	E-Mail address	Mobile number
Mr N B Letlape	ChiefOH@workforcehealthsa.co.za	+27 (0)83 456 2673

Occupational Medical Practitioner	E-Mail address	Mobile number

This report relates solely to the specific ablution facilities identified herein. It does not imply WorkForce Health SA's approval of the conditions or performance of ablution facilities other than the ablution facilities referred to in this report, and the results do not apply to any similar ablution facilities.

Due to the copyright of this assessment worksheet, assigned for the sole use by WorkForce Health SA, this report or any part thereof may only be reproduced in full, with the written consent of WorkForce Health SA.

Acceptance of an instruction to provide a service and the submission of a report are subject to WorkForce Health SA's conditions of work / sale – available on written request.

2 Environmental conditions on the day of assessment

Start of shift: ____:____	
Temperature – Wet bulb	°C
Temperature – dry bulb	°C
Temperature - Globe	°C
WBGT Index	°C
Relative humidity	%
Wind speed	m/s
General Condition	

Middle of shift: ____:____	
Temperature – Wet bulb	°C
Temperature – dry bulb	°C
Temperature - Globe	°C
WBGT Index	C
Relative humidity	%
Wind speed	m/s
General Condition	

End of shift: ____:____	
Temperature – Wet bulb	°C
Temperature – dry bulb	°C
Temperature - Globe	°C
WBGT Index	°C
Relative humidity	%
Wind speed	m/s
General Condition	

Equipment used / serial number / comments		
WBGT monitor		WBGT Logger model AZ 87786
Anemometer		Kestrell pocket weather tracker model 4000

Note:
The weather conditions in the table above have been obtained from outside in the general environment.

3 Executive summary

Will only be submitted within ten working days from last day of site visit under "Part 2" of this report.

4 Table of contents

Title page		1
	Part 1	
A	Remedial action required from previous site visit	2
B	Special / additional instruction/s by appointed Occupational Hygienist	3
1	Customer information	4
2	Environmental conditions on the day/s of this assessment	5
3	Executive summary	6
4	Table of contents	7
5	Abbreviations / acronyms / definitions / terms	8
6	Introduction	9 - 11
7	Methodology	12 - 13
8	Results	14 -
9	Field Officer's observations / comments	
10	Acknowledgement	
11	Acknowledgement and confirmation of receipt	
	Part 2 (Only to be submitted on the next site visit (all results already conveyed to the mine during the feedback meeting))	
12	Executive summary	
13	Evaluation / recommendations	
14	Conclusion	

5 Abbreviations / acronyms / definitions / terms

Term	Definition
MAP	Mapochs Mine (Pty) Ltd.
MHSA	Mine Health and Safety Act, 29 of 1996 (as amended).
SANS	South African National Standards.
WBGT Index	Wet bulb globe temperature index – a composite heat stress index that combines wet bulb temperature, dry bulb temperature, and globe temperature to assess environmental heat exposure risk.
Wet bulb temperature	The temperature measured using a thermometer with a moistened wick over its bulb (or calculated from the dry bulb temperature and humidity), reflecting the effect of evaporative cooling and used in assessing heat stress.
Dry bulb temperature	The ambient air temperature measured by a standard thermometer shielded from moisture and radiant heat.
Globe temperature	The temperature measured using a globe thermometer, reflecting radiant heat exposure in addition to ambient air temperature.
Anemometer	An instrument used to measure wind speed or air velocity.
Deep cleaning	An intensive cleaning and disinfection process conducted at defined intervals using specialised equipment and chemicals to eliminate accumulated dirt, microorganisms, and contaminants.
Safety Data Sheet (SDS)	A document that provides detailed information on the properties, hazards, safe handling, storage, and emergency measures relating to a chemical substance or product.
SANS 10400-Q	Part Q of the South African National Standard 10400, dealing with non-water-borne sanitation systems and related requirements.
SANS 10400-T	Part T of the South African National Standard 10400, dealing with fire protection requirements for buildings.
SANS 10400-P	Part P of the South African National Standard 10400, dealing with drainage and plumbing installations in buildings.

6 Introduction

6.1 Purpose of this assessment: -

The primary purpose of this assessment is to ensure a safe, sanitary environment that protects user health, maintains dignity, and complies with the requirements of the Mine Health and Safety Act, 29 of 1996 (as amended) and the regulations promulgated under this act.

Key purposes of the ablution facility assessment

- Hygiene and health risk management: -
  - Identifying, assessing, and mitigating risks associated with germs, bacteria, and viruses on frequently touched surfaces (cistern handles, latches, taps) to prevent disease transmission.

- Functionality and maintenance assessment: -
  - Evaluating if toilets, showers, and plumbing are working correctly, and identifying the need for repairs, such as unblocking pans or fixing leaks, to prevent service disruptions.

- Structural and safety assessment: -
  - Checking for structural integrity, ensuring proper ventilation (to control odours), confirming adequate lighting, and identifying hazards.

- Compliance with standards: -
  - Ensuring facilities meet health, safety, and regulatory standards, in workplaces.

- User experience and accessibility: -
  - Evaluating whether facilities meet the needs of users, including accessibility for people with disabilities, and identifying areas for improvement in cleanliness and comfort.

- Resource allocation: -
  - Determining if the number of facilities is sufficient for the user population and if supplies (soap, toilet paper, water) are consistently available.

- Display of signs and posters: -
  - Determining if all signs and posters are displayed and whether all these are in good condition.

- Waste / sanitary bins: -
  - Determining if all waste / sanitary bins are lined and cleaned on a regular basis to ensure hygiene.

- Basic personal hygiene training and awareness: -
  - Assess whether basic hygiene training and awareness forms part of regular training and awareness programmes.

6.2 Details of the assessor: -

Mr R R M Taukobong

Practical certificate in mine environmental control with more than one year's experience, respectively.

Legal appointment as Occupational Hygienist Assistant at Mapochs Mine (Pty) Ltd.

6.3 Scope of this assessment: -

The scope of assessment of ablution facilities encompasses a comprehensive evaluation of sanitation infrastructure, hygiene standards, structural integrity, and user accessibility to ensure compliance with the Mine Health and Safety Act, 29 of 1996 (as amended) and the regulations promulgated under this act.

- Technical functionality and infrastructure
  - Sanitary fixtures and fittings: -
    - Inspection of toilets (pans), seats, cisterns, flush mechanisms, and urinals for damage, leaks, and proper operation.
  - Plumbing and water supply: -
    - Assessment of washbasins, taps, shower heads, drainage systems, and hot / cold water availability.
  - Structural integrity: -
    - Inspection of walls, floors, doors, locks, and roofing for dampness, damage, or structural failure.
  - Electrical and ventilation: -
    - Checking for functional lighting, fans, hand dryers, and overall ventilation to prevent moisture build-up and odours.
- Hygiene and sanitation standards
  - Cleanliness assessment: -
    - Evaluating the cleanliness of all surfaces (floors, walls, partitions) and identifying potential areas of contamination.
  - Consumable replenishment: -
    - Checking the availability of soap, toilet paper, hand sanitiser, and paper towels.
  - Waste management: -
    - Reviewing the presence (including bin liners) and emptying frequency of bins, specifically sanitary disposal bins in female toilets.
  - Deep cleaning requirements: -
    - Assessing the need for deep cleaning, including the use of hot steam and specialised chemicals for disinfection.
- Compliance and accessibility
  - Regulatory standards: -

- Ensuring facilities meet the requirements of the Mine Health and Safety Act, 29 of 1996 (as amended) and the regulations promulgated under this act, and local building codes, such as SANS 10400-Q, 10400-T, or 10400-P.

- Accessibility for people with disabilities: -
  - Assessing the availability of specialised, compliant disabled-friendly facilities (e.g., wider doors, grab rails, lower basins).

- User capacity: -
  - Ensuring the number of toilets, showers (where applicable) and washbasins is adequate for the user population (e.g., employees and contractors).

- Safety and security
  - Security measures: -
    - Verifying that windows and doors are secure, particularly in public or unattended areas.

  - Safety hazards: -
    - Identifying risks such as cracked tiles, slippery floors, or unstable, damaged, or vandalised fixtures.

- Management and maintenance
  - Maintenance schedules: -
    - Reviewing cleaning checklists, maintenance logs, and records of repairs.

  - Cleaning regime performance: -
    - Evaluating the effectiveness of the cleaning service, including the use of authorised chemicals and proper personal protective equipment / clothing.

  - User experience: -
    - Gathering feedback on the accessibility, cleanliness, and usability of the facilities.

- Assessment type
  - Operational assessment: -
    - Ongoing, regular checks (daily, weekly, monthly) of cleanliness and functionality.

7 Methodology

A structured approach to evaluate the condition, functionality, and compliance of ablution facilities. This process ensures that facilities are safe, hygienic, and meet user needs.

Key components of the methodology

- Initial site inspection and assessment audit: -
  - Conduct a walkthrough to identify the exact location and number of existing ablution facilities.
  - Assess the structural integrity of walls, floors, and ceilings.
  - Check for damage to fixtures and fittings, such as sinks, showers, urinal, and toilet units.

- Compliance and standards review: -
  - Evaluate the facility against the requirements of the Mine Health and Safety Act, 29 of 1996 (as amended) and the regulations promulgated un this act and local regulations and health and safety standards (e.g., SANS 10400-Q, SANS 10400-T).
  - Verify the existence of accessible (disabled-friendly) facilities.
  - Assess the adequacy of the number of toilets and showers based on user occupancy.

- Functional assessment: -
  - Check that toilets, urinals, and basins drain freely and that plumbing is free of leaks.
  - Inspect ventilation systems for functionality.
  - Ensure proper lighting and electrical safety, particularly in wet areas.

- Hygiene and maintenance review: -
  - Assess the cleanliness and presence of mold, yeast, or grime.
  - Evaluate the availability of hygiene consumables (soap, toilet paper, sanitisers).
  - Review the efficiency of cleaning schedules, including the handling of waste.

- User experience and operational evaluation: -
  - Gather feedback on user satisfaction and identify issues such as, odour or lack of privacy.
  - Assess the security of the facilities (e.g., locking mechanisms).

- Reporting, evaluation, and recommendations: -
  - Compile a "status quo" report summarising findings.

- Common assessment focus areas
  - Toilets and urinals: -
    - Proper flushing and sanitation.
  - Basins and countertops: -
    - Cleanliness and functionality.

- Showers: -
  - Water pressure and drainage.

- Ventilation: -
  - Odour control and airflow.

This methodology is essential for ensuring that ablution facilities, in workplaces or public spaces, are well-maintained and compliant with occupational health and safety statutory requirements.

8 Results

Description and / or location	Clinic men's

Monthly toilet and basin checklist
Male / Female

Number	Compliance question	Comply		Remarks
		Yes	No	
Basins				
1	Are the basins clean?			
2	Are the soap dispensers filled with liquid soap?			
3	Do both water taps closing properly?			
4	Is there a sign / poster above each basin illustrating the correct way to wash your hands properly?			
5	Are there any signs of molds / yeast / mildew around or inside the basin?			
Toilets				
1	Are the toilets clean and the floors dry?			
2	Are all toilet water bowls fitted with lids?			
3	Are all toilets fitted with seats?			
4	Are all toilets flushing properly?			
5	Is there enough toilet paper in all the toilets?			
6	Does the toilet door close properly?			
7	Are there any signs of molds / yeast / mildew?			
Urinals				
1	Are all urinals clean?			
2	Do all the urinals flush properly?			
3	Are the floors around the urinals clean and dry?			
4	Are there any bad odours in the urinal area?			
5	Are there any signs of moulds / yeast / mildew?			
Sanitary bins				
1	Are all sanitary bins clean?			
2	Do all the sanitary bins have bin liners?			
3	Are there any bad odours emanating from the sanitary bins?			
4	Are sanitary bins cleaned regularly – state frequency under remarks column?			
General				
1	Is there a sign on the toilet door indicating the gender?			

2	Is there a rubbish bin?			
3	Is there a bin liner in the rubbish bin?			
4	Is the facility deeply cleaned / sanitised – state frequency under remarks column?			
5	Has a certificate been issued by the deep cleaning / sanitising company?			
6	Is there a cleaning schedule and register in the toilet – state frequency under remarks column?			
7	Is the register signed off after cleaning and up to date?			
8	Is the area around the toilet clean and tidy?			
9	Is personal hygiene in the toilet up to standard?			
10	Are there any bad odours in the toilet?			
11	Are employees trained on the importance of personal hygiene at work – state frequency under remarks column?			
12	Has a ventilation assessment been conducted in the facility – reference date and report number in the remarks column?			
13	Has an illumination assessment been conducted in the facility – reference date and reports number in the remarks column?			
14	Review all complaints / compliments in the complaint book and log in the remarks column – if none, state this fact.			
15	List the approximate total of employees using the facility in the remarks column.			

16 Provide full details of the deep cleaning methods (procedure) and chemicals (with safety data sheets = SDS) used by the person / organisation conducting deep cleaning – log in the remarks column.

Copy of procedure obtained (mark with X)		**Copy of procedure returned** (mark with X)	
Yes	**No**	Yes	**No**

List all chemicals used

Chemical name	**SDS returned**	
	Yes	**No**

17	Are windows in the facility of the frozen type to protect privacy in the facility – give full details in the remarks column.					
18	Obtain full list of chemicals used for daily / weekly / monthly cleaning, excluding deep cleaning, as well as copies of safety data sheets for these chemicals and the procedure for cleaning.	**Copy of procedure obtained** (mark with X)		**Copy of procedure returned** (mark with X)		
		Yes	**No**	Yes	**No**	
		List all chemicals used				
		Chemical name		**SDS returned**		
				Yes	**No**	
19	Are the facilities disabled person friendly?					
Other, please list below						

Description and / or location	Main mine office unisex change house

Monthly ablution facilities checklist

Unisex

Number	**Compliance question**	**Comply**		**Remarks**
		Yes	**No**	
Basins				
1	Are the basins clean?			

2	Are the soap dispensers filled with liquid soap?			
3	Do both water taps close properly?			
4	Is there a sign / poster above each basin illustrating the correct way to wash your hands properly?			
5	Are there any signs of molds / yeast / mildew around or inside the basin?			
Showers				
1	Are al the showers clean?			
2	Do both water taps close properly?			
3	Are proper shower heads fitted on all the showers?			
4	Are the shower curtains / doors in good condition and closes properly providing the necessary privacy?			
5	Is there an informative poster explaining bacterial infections?			
Toilets				
1	Are the toilets clean and the floors dry?			
2	Are all toilet water bowls fitted with lids?			
3	Are all toilets fitted with sitting seats?			
4	Do all the toilets flush properly?			
5	Is there enough toilet paper in all the toilets?			
6	Do all the toilet doors close properly?			
7	Are there any signs of molds / yeast / mildew?			
Urinals				
1	Are all urinals clean?			
2	Do all the urinals flush properly?			
3	Are the floors around the urinals clean and dry?			
4	Are there any bad odours in the urinal area?			
5	Are there any signs of moulds / yeast / mildew?			
Sanitary bins				
1	Are all sanitary bins clean?			
2	Do all the sanitary bins have bin liners in?			
3	Are there any bad odours in the sanitary bin area?			
4	Are the sanitary bins cleaned regularly – state frequency under remarks column?			
5	Are there any signs of molds / yeast / mildew?			
Lockers				
1	Are all employees issued with their own lockers?			
2	Are all lockers marked with their respective owner's names and / or coy numbers?			
3	Do the doors of the lockers close			

	properly?			
4	Can the doors of the lockers lock?			
5	Is the locker area clean?			
General				
1	Is there a sign on the change house door indicating the gender?			
2	Are there signs / posters above every basin illustrating the correct way to wash your hands properly?			
3	Are there signs / posters at the showers educating employees about the dangers of fungal infections?			
4	Is there a rubbish bin inside the change house?			
5	Is there a bin liner in the rubbish bin?			
6	Is the change house deeply sanitised – state frequency under remarks column?			
7	Has a certificate been issued by the service provider who did the sanitising?			
8	Is there a cleaning schedule and register in the change house – state frequency under remarks column?			
9	Is the register signed off after cleaning and up to date?			
10	Is there a complaint / complement book in the change house?			
11	Is the change house clean and tidy?			
12	Is personal hygiene in the change house up to standard?			
13	Do the change house doors close automatically and properly?			
14	Are there any bad odours in the change house?			
15	Are employees trained on the importance of personal hygiene at work – state frequency under remarks column?			
16	Has a ventilation assessment been conducted in the facility – reference date and report number in the remarks column?			
17	Has an illumination assessment been conducted in the facility – reference date and reports number in the remarks column?			
18	Review all complaints / compliments in the complaint book and log in the remarks column – if none, state this fact.			
19	List the approximate total of employees using the facility in the remarks column.			

20	Provide full details of the deep cleaning methods (procedure) and chemicals (with safety data sheets = SDS) used by the person / organisation conducting deep cleaning – log in the remarks column.	**Copy of procedure obtained** (mark with X)		**Copy of procedure returned** (mark with X)	
		Yes	**No**	Yes	**No**

		List all chemicals used				
		Chemical name			**SDS returned**	
					Yes	**No**
21	Are windows in the facility of the frozen type to protect privacy in the facility – give full details in the remarks column.					
22	Obtain full list of chemicals used for daily / weekly / monthly cleaning, excluding deep cleaning, as well as copies of safety data sheets for these chemicals.	**Copy of procedure obtained** (mark with X)		**Copy of procedure returned** (mark with X)		
		Yes	**No**	Yes	**No**	
		List all chemicals used				
		Chemical name			**SDS returned**	
					Yes	**No**
23	Are the facilities disabled person friendly?					
OTHER, PLEASE LIST BELOW						

Description and / or location	Men's change house

Monthly ablution facilities checklist

Male

Number	Compliance questions	Comply		Remarks
		Yes	No	
Basins				
1	Are the basins clean?			
2	Are the soap dispensers filled with liquid soap?			
3	Do both water taps close properly?			
4	Is there a sign / poster above each basin illustrating the correct way to wash your hands properly?			
5	Are there any signs of moulds / yeast / mildew around or inside the basin?			
Showers				
1	Are al the showers clean?			
2	Do both water taps close properly?			
3	Are proper shower heads fitted on all the showers?			
4	Are the shower curtains / doors in good condition and closes properly providing the necessary privacy?			
5	Are there any signs of moulds / yeast / mildew on the shower floors and / or walls?			
Toilets				
1	Are the toilets clean and the floors dry?			
2	Are all toilet water bowls fitted with lids?			

3	Are all toilets fitted with sitting seats?			
4	Do all the toilets flush properly?			
5	Is there enough toilet paper in all the toilets?			
6	Do all the toilet doors close properly?			
7	Are there any signs of moulds / yeast / mildew?			
Urinals				
1	Are all urinals clean?			
2	Do all the urinals flush properly?			
3	Are the floors around the urinals clean and dry?			
4	Are there any bad odours in the urinal area?			
5	Are there any signs of moulds / yeast / mildew?			
Lockers				
1	Are all employees issued with their own lockers?			
2	Are all lockers marked with their respective owner's names and / or coy numbers?			
3	Do the doors of the lockers close properly?			
4	Can the doors of the lockers lock?			
5	Is the locker area clean?			
General				
1	Is there a sign on the change house door indicating the gender?			
2	Are there signs / posters above every basin illustrating the correct way to wash your hands properly?			
3	Are there signs / posters at the showers educating employees about the dangers of fungal infections?			
4	Is there a rubbish bin inside the change house?			
5	Is there a bin liner in the rubbish bin?			
6	Is the change house deeply sanitised – state frequency under remarks column?			
7	Has a certificate been issued by the service provider who did the sanitising?			
8	Is there a cleaning schedule and register in the change house – state frequency under remarks column?			
9	Is the register signed off after cleaning and up to date?			
10	Is there a complaint / complement book in the change house?			
11	Is the change house clean and tidy?			
12	Is personal hygiene in the change house up to standard?			
13	Do the change house doors close automatically and properly?			
14	Are there any bad odours in the change house?			

15	Are employees trained on the importance of personal hygiene at work – state frequency under remarks column?			
16	Has a ventilation assessment been conducted in the facility – reference date and report number in the remark's column?			
17	Has an illumination assessment been conducted in the facility – reference date and reports number in the remark's column?			
18	Review all complaints / compliments in the complaint book and log in the remark's column – if none, state this fact.			
19	List the approximate total of employees using the facility in the remark's column.			

20	Provide full details of the deep cleaning methods (procedure) and chemicals (with safety data sheets = SDS) used by the person / organisation conducting deep cleaning – log in the remarks column.	**Copy of procedure obtained** (mark with X)		**Copy of procedure returned** (mark with X)	
		Yes	**No**	Yes	**No**
		List all chemicals used			
		Chemical name		**SDS returned**	
				Yes	**No**

21	Are windows in the facility of the frozen type to protect privacy in the facility – give full details in the remark's column.			

22	Obtain full list of chemicals used for daily / weekly / monthly cleaning, excluding deep cleaning, as well as copies of safety data sheets for these chemicals.	**Copy of procedure obtained** (mark with X)		**Copy of procedure returned** (mark with X)	
		Yes	**No**	Yes	**No**
		List all chemicals used			
		Chemical name		**SDS returned**	
				Yes	**No**

23	Are the facilities disabled person friendly?			
OTHER, PLEASE LIST BELOW				

Description and / or location	Lady's change house

Monthly ablution facilities checklist

Female

Number	Compliance question	Comply		Remarks
		Yes	No	
Basins				
1	Are the basins clean?			
2	Are the soap dispensers filled with liquid soap?			
3	Do both water taps close properly?			
4	Is there a sign / poster above each basin illustrating the correct way to wash your hands properly?			
5	Are there any signs of molds / yeast / mildew around or inside the basin?			
Showers				
1	Are al the showers clean?			
2	Do both water taps close properly?			
3	Are proper shower heads fitted on all the showers?			
4	Are the shower curtains / doors in good condition and closes properly providing the necessary privacy?			
5	Is there an informative poster explaining bacterial infections?			
Toilets				
1	Are the toilets clean and the floors dry?			
2	Are all toilet water bowls fitted with lids?			
3	Are all toilets fitted with sitting seats?			
4	Do all the toilets flush properly?			
5	Is there enough toilet paper in all the toilets?			
6	Do all the toilet doors close properly?			
7	Are there any signs of molds / yeast / mildew?			
Sanitary Bins				
1	Are all sanitary bins clean?			
2	Do all the sanitary bins have bin liners in?			
3	Are there any bad odours in the sanitary bin area?			
4	Are the sanitary bins cleaned regularly – state frequency under remarks column?			
5	Are there any signs of molds / yeast / mildew?			
Lockers				
1	Are all employees issued with their own lockers?			
2	Are all lockers marked with their respective owner's names and / or coy numbers?			

3	Do the doors of the lockers close properly?			
4	Can the doors of the lockers lock?			
5	Is the locker area clean?			
General				
1	Is there a sign on the change house door indicating the gender?			
2	Are there signs / posters above every basin illustrating the correct way to wash your hands properly?			
3	Are there signs / posters at the showers educating employees about the dangers of fungal infections?			
4	Is there a rubbish bin inside the change house?			
5	Is there a bin liner in the rubbish bin?			
6	Is the change house deeply sanitised – state frequency under remarks column?			
7	Has a certificate been issued by the service provider who did the sanitising?			
8	Is there a cleaning schedule and register in the change house – state frequency under remarks column?			
9	Is the register signed off after cleaning and up to date?			
10	Is there a complaint / complement book in the change house?			
11	Is the change house clean and tidy?			
12	Is personal hygiene in the change house up to standard?			
13	Do the change house doors close automatically and properly?			
14	Are there any bad odours in the change house?			
15	Are employees trained on the importance of personal hygiene at work – state frequency under remarks column?			
16	Has a ventilation assessment been conducted in the facility – reference date and report number in the remark's column?			
17	Has an illumination assessment been conducted in the facility – reference date and reports number in the remark's column?			
18	Review all complaints / compliments in the complaint book and log in the remark's column – if none, state this fact.			
19	List the approximate total of employees using the facility in the remark's column.			

20	Provide full details of the deep cleaning methods (procedure) and chemicals (with safety data sheets = SDS) used by the person / organisation conducting deep cleaning – log in the remarks column.	**Copy of procedure obtained** (mark with X)		**Copy of procedure returned** (mark with X)	
		Yes	**No**	Yes	**No**

		List all chemicals used				
		Chemical name			**SDS returned**	
					Yes	**No**
21	Are windows in the facility of the frozen type to protect privacy in the facility – give full details in the remark's column.					
22	Obtain full list of chemicals used for daily / weekly / monthly cleaning, excluding deep cleaning, as well as copies of safety data sheets for these chemicals.	**Copy of procedure obtained** (mark with X)		**Copy of procedure returned** (mark with X)		
		Yes	**No**	Yes	**No**	
		List all chemicals used				
		Chemical name			**SDS returned**	
					Yes	**No**
23	Are the facilities disabled person friendly?					
OTHER, PLEASE LIST BELOW						

9 Field Officer's observations / comments

10 Acknowledgement

10.1 We acknowledge that the above assessment/s have been conducted in the relevant areas and that all information, e.g., descriptions and references to work areas / equipment contained in this document are correct.

10.2 We noted / agreed upon certain remedial action/s required, as listed in the table below, and that the relevant target dates provided will be met.

10.3 We further acknowledge that once remedial action is completed, we will inform the appointed Occupational Hygienist, via email, administrator@workforcehealthsa.co.za, to ensure re-assessment / re-evaluation is done during the next site visit.

Responsible person	Detail of remedial action required	Target date	Responsible person signature and date of completion

11 Acknowledgement and confirmation of receipt

_____ **Mine Manager**	_____ **Engineer / Competent Person**
_____ **Employee Representative**	_____ **SHE Representative**
_____	_____
_____ **WFH Occupational Hygiene Assistant**	_____ **Date**