

DATA STRUCTURE & ALGORITHMS




(By Prince Agarwal)
["HELLO WORLD"]



In universities, each student is assigned a unique roll number that can be used to retrieve information about them.


from a group of similar objects.



For Example,



In libraries, each book is assigned a unique number that can be used to determine information about the book, such as its exact position in the library or the users it has been issued to etc



For Example,

In both these examples the students and books were hashed to a unique number.

Assume that you have an object and you want to assign a key to it to make searching easy.

To store the key/value pair

you can use a simple array like a data structure where keys (integers) can be used directly as an index to store values

PRINCE

SUMIT

PRADEEP

ANANT

1 2 3 4

PRINCE SUMIT PRADEEP ANANT

FOR EXAMPLE :-

BOOK ID: BOOKEW12 REF7201Q UIQ793QAZ WEQ13B

where the keys are large and cannot be used directly as an index, you should use *hashing*.

In hashing,

large keys are converted into small keys by using hash functions.

The values are then stored in a data structure called hash table

The idea of hashing is to distribute entries (key/value pairs) uniformly across an array

Each element is assigned a key (converted key)

By using that key you can access the element in O(1) time

Using the key, the algorithm (hash function) computes an index that suggests where an entry can be found or inserted.

Let's Suppose

"abcdef", "bcdefa", "cdefab", "defabc"


KEY	abcdef	bcdefa	cdefab	defabc
VALUE	BOOK OF	BOOK OF	DUMMY INFORMATI	BOOK OF SHUYS
	SCIENCE	ROOW NUMBER	OF BOOKS AND RIJ	IBAJD JYEE

	Hash Tal
11	defabc
12	
13	
14	cdefab
-	

Hash Table

Index	
0	
1	
-	
-	
-	
11	defabc
12	
13	
14	cdefab
-	
-	
-	
-	
23	bcdefa
-	
-	
-	
38	abcdef


abcdef bcdefa		cdefab	defabc
BOOK OF SCIENCE	BOOK OF ROOW NUMBER	DUMMY INFORMATI OF BOOKS AND RIJ	BOOK OF SHUYS IBAJD JYEE
	_		
11	14	23	38
			BOOK OF





Check the ith bit is set, in the binary form of given numbe...

1.1K views • 1 year ago



#COMPETITIVE PROGRAM 13:44

Count the number of one's in binary representation of...

1.6K views • 1 year ago



Check a given number is power of 2 | Bitwise operato...

3.2K views • 1 year ago



Left shift and right shift bitwise operator ||...

1.4K views • 1 year ago



Bitwise Operators | AND | NOT | OR | XOR || Competitiv...

1.8K views • 1 year ago



Bits Manipulation | Decimal to Binary | Binary to Decimal...

1.5K views • 1 year ago



Program of Two vs Ten Codechef - TWOVSTEN II...

1.3K views • 1 year ago



Program of chef and his daily routine - CHEFROUT ||...

1.7K views • 1 year ago



Euclidean algorithm for finding GCD of 2 numbers ||...

2K views • 1 year ago



Sieve of Eratosthenes -part 2 || Competitive programming...

2.2K views • 1 year ago



Sieve of Eratosthenes -part 1 || Competitive programming...

B.4K views • 1 year ago

#Prime Numbers

CONCEPT OF

PRIME NUMBERS

#COMPETITIVE PROGRAM 13:38

Program and concept of prime numbers. ||...

2.1K views • 1 year ago



#COMPETITIVE PROGRAMMING

memset() function in C/C++ and its syntax. || Competitiv...

4.3K views • 1 year ago



problem of Fancy Quotes || getline() in strings --FANCY...

2.1K views • 1 year ago



Concept of Handling the String related problems -...

3.4K views • 1 year ago

If You loved it: SHARE IT Subscribe and Comment Below

https://www.facebook.com/helloworldofficials