


DATA STRUCTURE & ALGORITHMS



(By Prince Agarwal)
[“HELLO WORLD”]


LEETCODE

Array: [3 , 4 , 7 , 2 , -3 , 1 , 4 , 2]

K = 7

Answer = 4

Array: [3 , 4 , 7 , 2 , -3 , 1 , 4 , 2]



Hello world

LEETCODE

Array: [3 , 4 , 7 , 2 , -3 , 1 , 4 , 2]

K = 7

Answer = 4

unordered_map

NUMS [] = [3 , 4 , 7 , 2 , -3 , 1 , 4 , 2]

Prefix sum Array = [3 , 7 , 14 , 16 , 13 , 14 , 18 , 20]

PSA [0] = NUMS [0]

PSA [i] = PSA[i] + NUMS[i+1]

SUM [i, j] = PSA[j] - PSA[i-1]

RULE

Hello world

LEETCODE

Array: [3 , 4 , 7 , 2 , -3 , 1 , 4 , 2]

K = 7

unordered_map

NUMS [] = [3 , 4 , 7 , 2 , -3 , 1 , 4 , 2]
















PSA [] = 3 7 14 16 13 14 18 20

Count = 4

Sum	Count
3	1
7	1
14	2
16	1
13	1
18	1
20	1

PSA [i] == k
count++;
PSA [i] - k is present
count+= map(PSA [i] - k);

Hello world

 <p>CHECK the i^{th} Bit is set In the Binary Form Of any Given Number</p> <p>IMPORTANT</p> <p>#COMPETITIVE PROGRAMMING 10:03</p>	 <p>COUNT THE NUMBER OF ONE'S PRESENT IN BINARY NUMBER</p> <p>VERY EASY</p> <p>#COMPETITIVE PROGRAMMING 13:44</p>	 <p>CHECK GIVEN NUMBER IS POWER OF 2 ?</p> <p>(FULL EXPLANATION WITH CODE)</p> <p>#BITWISE #BINARY</p> <p>15:28</p>	 <p>LEFT SHIFT RIGHT SHIFT BITWISE OPERATOR</p> <p>EASY WAY</p> <p>(PART - 02)</p> <p>15:24</p>	 <p>AND NOT XOR OR BITWISE OPERATOR</p> <p>EASY WAY</p> <p>(PART - 01)</p> <p>13:06</p>
<p>Check the i^{th} bit is set, in the binary form of given numbe...</p> <p>1.1K views • 1 year ago</p>	<p>Count the number of one's in binary representation of...</p> <p>1.6K views • 1 year ago</p>	<p>Check a given number is power of 2 Bitwise operato...</p> <p>3.2K views • 1 year ago</p>	<p>Left shift and right shift bitwise operator ...</p> <p>1.4K views • 1 year ago</p>	<p>Bitwise Operators AND NOT OR XOR Competitiv...</p> <p>1.8K views • 1 year ago</p>
 <p>BITS MANIPULATION</p> <p>DECIMAL TO BINARY & BINARY TO DECIMAL</p> <p>EASY WAY</p> <p>8:25</p>	 <p>TWO VS TEN</p> <p>#COMPETITIVE PROGRAMMING</p> <p>#MODULO #LOGICS</p> <p>(SOLUTIONS + CODE) With LOGI 11:11</p>	 <p>CHEF AND HIS DAILY ROUTINE</p> <p>(SOLUTIONS + CODE) With LOGI 12:56</p>	 <p>EUCLIDEAN ALGORITHM</p> <p>FINDING GCD OF TWO NUMBERS</p> <p>#COMPETITIVE PROGRAMMING</p> <p>12:31</p>	 <p>SEIVE OF ERATOSTHENES</p> <p>PART - 02 (CODE)</p> <p>#COMPETITIVE PROGRAMMING 12:01</p>
<p>Bits Manipulation Decimal to Binary Binary to Decimal...</p> <p>1.5K views • 1 year ago</p>	<p>Program of Two vs Ten Codechef - TWOVSTEN ...</p> <p>1.3K views • 1 year ago</p>	<p>Program of chef and his daily routine - CHEFROUT ...</p> <p>1.7K views • 1 year ago</p>	<p>Euclidean algorithm for finding GCD of 2 numbers ...</p> <p>2K views • 1 year ago</p>	<p>Sieve of Eratosthenes -part 2 Competitive programming...</p> <p>2.2K views • 1 year ago</p>
 <p>SEIVE OF ERATOSTHENES</p> <p>PART - 01 (LOGIC)</p> <p>#COMPETITIVE PROGRAMMING 8:38</p>	 <p>CONCEPT OF PRIME NUMBERS</p> <p>#COMPETITIVE PROGRAMMING 13:38</p>	 <p>USE OF MEMSET()</p> <p>#COMPETITIVE PROGRAMMING 12:00</p>	 <p>FANCY QUOTES</p> <p>#COMPETITIVE PROGRAMMING (SOLUTIONS + CODE) With LOGI 15:46</p>	 <p>STUDYING ALPHABET</p> <p>#COMPETITIVE PROGRAMMING (SOLUTIONS + CODE) With LOGIC 24:28</p>
<p>Sieve of Eratosthenes -part 1 Competitive programming...</p> <p>3.4K views • 1 year ago</p>	<p>Program and concept of prime numbers. ...</p> <p>2.1K views • 1 year ago</p>	<p>memset() function in C/C++ and its syntax. Competitiv...</p> <p>4.3K views • 1 year ago</p>	<p>problem of Fancy Quotes getline() in strings --FANCY...</p> <p>2.1K views • 1 year ago</p>	<p>Concept of Handling the String related problems -...</p> <p>3.4K views • 1 year ago</p>

If You loved it : **SHARE IT**
Subscribe and Comment Below

<https://www.facebook.com/helloworldofficials>