

Control Statements – 2

1. What would be the output of the following code snippet if variable a=10?

```
if(a<=0)
{
    if(a==0)
    {
        System.out.println("1 ");
    }
    else
    {
        System.out.println("2 ");
    }
}
System.out.println("3 ");
```

- a) 1 2
- b) 2 3
- c) 1 3
- d) 3

2. The while loop repeats a set of code while the condition is not met?

- a) True
- b) False

3. What is true about a break?

- a) Break stops the execution of entire program
- b) Break halts the execution and forces the control out of the loop
- c) Break forces the control out of the loop and starts the execution of next iteration
- d) Break halts the execution of the loop for certain time frame

4. What is true about do statement?

- a) do statement executes the code of a loop at least once
- b) do statement does not get execute if condition is not matched in the first iteration
- c) do statement checks the condition at the beginning of the loop
- d) do statement executes the code more than once always

5. Which of the following is used with the switch statement?

- a) Continue
- b) Exit
- c) break
- d) do

6. What is the valid data type for variable “a” to print “Hello World”?

`switch(a)`

```
{  
    System.out.println("Hello World");  
}
```

- a) int and float
- b) byte and short
- c) char and long
- d) byte and char

7. Which of the following is not a decision making statement?

- a) if
- b) if-else
- c) switch
- d) do-while

8. Which of the following is not a valid jump statement?

- a) break
- b) goto
- c) continue
- d) return

9. From where break statement causes an exit?

- a) Only from innermost loop
- b) Terminates a program
- c) Only from innermost switch
- d) From innermost loops or switches

10. Which of the following is not a valid flow control statement?

- a) exit()
- b) break
- c) continue
- d) return