



2022 • LAWN MOWERS, LAWN TRACTORS, ZERO TURNS & CORDLESS GARDEN TOOLS

EST 1951
SNAPPER[®]
—LEGENDARY—

Snapper® is the brand that started it all.

Over the past 70 years, we've built a legacy
of crafting easy to use and easy to own
equipment to help generations of users
tackle their outdoor to-do lists.

OUR LEGACY

Today's Snapper lineup continues to evolve
along with the needs of its customers.

From a first-time homeowner to the
seasoned lawn care enthusiast our
product lineup meets your unique needs.

**One thing that hasn't changed over the
years is that buying, owning and using
Snapper products remain effortless.**

You don't become a legend overnight.

SNAPPER®



XD CORDLESS GARDEN TOOLS	4
XD CORDLESS LAWN MOWERS	8
ESXD19PWM82K	
ESXD19SPWM82K	
ESXD21SPWM82K	
NX PETROL LAWN MOWERS	10
NX-80S	
NX-90V	
RPX LAWN TRACTORS WITH COLLECTOR	14
RPX210	
RPX310	
RPX360	
SPX LAWN TRACTORS	18
SPX110	
SPX175	
SPX210	
SPX275	
ZTX ZERO TURN MOWERS	22
ZTX105	
ZTX175	
ZTX275	
ZTX350	
SPECIFICATIONS.....	28
ACCESSORIES	30



BRUSHLESS
MOTOR TECHNOLOGY



4

* Maximum initial battery voltage (measured without workload) is 82-volts. Nominal voltage is 72.

** See operator's manual or dealer for complete warranty details; 2-year battery warranty valid for residential consumer use only.

*** Chainsaw for use with 2Ah battery only.

XD

CORDLESS
GARDEN TOOLS



One Battery, Multiple Tools.

The Snapper XD 82-Volt Max* Lawn and Garden System powered by Briggs & Stratton offers powerful, durable and reliable battery powered tools that deliver on performance. The product range consists of walk behind mowers, handheld tools and a utility cart.

All products are compatible with a 2 Ah, 4 Ah or 5Ah Briggs & Stratton® Lithium-Ion Battery***.

Trim, saw, clip and blow through your garden work with ease.



LIMITED
BATTERY/CHARGER
WARRANTY**



LIMITED
PRODUCT
WARRANTY**

2 Ah, 4 Ah or 5Ah Lithium-Ion Battery



- 82V Max* Lithium-ion battery technology for consistent power.
- Four charging indicator lights display the level of charge.
- Charging time 2 Ah: 30 Minutes (100%).
- Charging time 4 Ah: 60 Minutes (100%).
- Charging time 5 Ah: 75 Minutes (100%).
- Charges with Briggs & Stratton® Rapid Charging Station.

BSB2AH82 (2 Ah), BSB4AH82 (4 Ah), BSB5AH82 (5 Ah)

Rapid Battery Charging Station



- Wall/surface mountable for space saving storage.
- Charges Briggs & Stratton® 82V Max* 2 Ah, 4 Ah and 5Ah Lithium-ion batteries.
- Blue indicator lights display charging level diagnostics.

EBSRC82



Hedge Trimmer SXDHT82

- 800 Watt high efficiency brushless engine.
- 26" / 66 cm high grade steel alloy blades.
- Up to 90 minutes* run time (Fully charged 2 Ah battery).
- Innovative 180° rotating handle locks in increments of 45° for easy angled operation.
- Unique blade reverse function helps remove jams effortlessly.
- Cast metal tip for bump protection.
- Comfortable, ergonomic rubber handle and touch points.



Chainsaw SXDCS82

- 1200 Watt high efficiency brushless engine.
- Oregon® Chain 3/8 LP.
- 18" Oregon® Guide Bar 0,050" / 1,3 mm.
- Capable of 160+ cuts* 4" x 4" soft pine (Fully charged 2 Ah battery***).
- Auto-oil system for chain lubrication (200 ml capacity).
- Onboard tension adjustment tool.
- Rugged metal handle with comfortable, ergonomic rubber grip and touch points.
- Base-mounted metal gripping teeth for maximum cutting leverage.



Leaf Blower SXDBL82

- 750 Watt high efficiency brushless engine.
- 201 km/h air speed; 14,2 m³/min air volume**.
- Up to 40 minutes* run time (Fully charged 2 Ah battery).
- Infinite speed control maintains desired airflow at any speed.
- Stable, anti-tip base design.
- Metal tube bump/scrape protecting end ring.
- Comfortable, ergonomic rubber handle and touch points.



String Trimmer / Multi-tool SXDST82



- 800 Watt high efficiency brushless engine.
- 16"/41 cm cutting diameter.
- Up to 25 minutes* run time (Fully charged 2 Ah battery).
- Dual line bump feed head.
- Durable 1-inch aluminium shaft with cast metal connector.
- Push button multi-speed controls with indicator light.
- Comfortable, ergonomic rubber handle and touch points.

See page 7 for attachments.

Battery Harness Part #: 770294

For use with our XD battery tools.

String Trimmer / Multi-tool Attachments

Cultivator Part #: 1696891

- Aluminium shaft 1" – square spline.
- Working width 10" / 25 cm - or smaller when you take the two outer tines off.
- 12 teeth, 4 tines ø20 cm.
- Cast aluminium housing.



Pole Saw Part #: 1696893

- Aluminium shaft 1" – square spline.
- Equipped with Oregon® guide bar and chain, length 10" / 25 cm.
- Automatic oiler.
- Oil tank.



Extension Pole
Part #: 1696901

Utility Cart ESXDUC82

A self propelled cart that helps you moving heavy supplies and materials and includes a lift assistance that allows unloading with ease. Equipped with unique foldable drawbar which gives you the possibility to use this utility cart behind your tractor.

- High loading capacity of 100 kg / 106 L*.
- Easy-to-control variable speed.
- Two forward speeds and reverse.
- Lift assistance for easy unloading.
- 300 watt brushless engine.
- Unique foldable hitchpoint, to be used as a cart behind your tractor.

High loading capacity
of 100 kg / 106 L



* 100 kg. capacity, do not overload; do not carry passengers.
See operator's manual for details.

Hedge Trimmer Part #: 1696895

- Aluminium shaft 1" – square spline.
- Cutting length 17" / 43 cm.
- 90° pivoting head.



Brush Cutter Part #: 1696899

- Aluminium shaft 1" – square spline.
- Cutting width 10" / 25,5 cm.
- 3 teeth steel blade.
- Plastic Guard.
- Cast aluminium housing.



Pneumatic
turf friendly
traction
tyres



Hard-wearing steel decks, high rear wheels and single lever operated height of cut adjustment. With the 3-in-1 convertibility bagging, rear and side discharge is possible.

The Briggs and Stratton Lithium-Ion 82-Volt Max* Battery makes these lawn mowers powerful, durable and reliable. Compact vertical storage capability allows you to store your mower in tight spaces in your garage or shed.



XD

CORDLESS LAWN MOWERS



SMART AND EFFICIENT

Load Sensing Technology detects grass cutting conditions and automatically delivers the power needed for the cutting environment. This results in an optimised runtime.



ALL ABOUT ERGONOMICS

Overmoulded rubber handle provides an ergonomic grip and comfort for the operator. It also includes easy-to-reach touch points, including push button start.



BRUSHLESS MOTOR TECHNOLOGY

A long life, 1000 or 1200-watt high-efficiency brushless motor provides the power and reliability you need to mow your lawn for years to come.



ESXD19PWM82K

- 82V Max* Lithium-Ion (2 Ah, 4 Ah or 5 Ah)
- 2x 2 Ah batteries included
- Run time 2 Ah battery: up until 40 min
- Charge time 2 Ah battery: 30 min
- Push
- Cutting width: 18" / 46 cm
- Bag capacity: 55 litres



ESXD19SPWM82K

- 82V Max* Lithium-Ion (2 Ah, 4 Ah or 5 Ah)
- 2x 2 Ah batteries included
- Run time 2 Ah battery: up until 35 min
- Charge time 2 Ah battery: 30 min
- Self propelled - variable speed
- Cutting width: 18" / 46 cm
- Bag capacity: 55 litres



ESXD21SPWM82K

- 82V Max* Lithium-Ion (2 Ah, 4 Ah or 5 Ah)
- 2x 2 Ah batteries included
- Run time 2 Ah battery: up until 30 min
- Charge time 2 Ah battery: 30 min
- Self propelled - variable speed
- Cutting width: 20" / 51 cm
- Bag capacity: 60 litres

* Maximum initial battery voltage (measured without a workload) is 82-volts. Nominal voltage is 72.



The Snapper NX-SERIES lawn mowers are powered by Briggs & Stratton® engines which offer a number of benefits including reduced emissions and technology for quick and easy starting.

The top-of-the-line Snapper NX-80S lawn mower features the ultimate performance in engine technology: InStart®. You don't have to pull the cord anymore to start the engine. A gentle push on the button is enough to unleash its power.

NX-80S

NX-SERIES

NX

PETROL LAWN MOWERS



READYSTART

HI-SPEED TRANSMISSION



NX-90V

- Briggs & Stratton 875EXi Series™
- Recoil start, ReadyStart®
- Self propelled - variable speed
- Hi-Speed transmission
- Bagging, mulching, side and rear discharge
- Cutting width: 21" / 53 cm
- Bag capacity: 70 litres

NX-80S

- Briggs & Stratton 575IS Series™ OHV
- InStart® push button start
- Self propelled - variable speed
- Bagging, mulching, side and rear discharge
- Cutting width: 18" / 46 cm
- Bag capacity: 60 litres

instartis
INSTANT STARTING TECHNOLOGY

InStart® technology means no more pulling the cord to start mowing: just push the button for instant starting!

The Lithium-Ion battery delivers more than 50 starts from a fully charged battery (and more than 10 starts from a quick charge).



...charge it!



...clip it!



...push it!



...mow!



The stylish RPX tractor line up is renowned for delivering a smooth ride for improved user experience. Features include the Tuff-Torq® hydrostatic transmission and high comfort ergonomic seating. Additionally each tractor has a well equipped dashboard including hour and fuel meters, cruise control and a maintenance reminder.

All RPX tractors are powered by reliable Briggs & Stratton® engines.

These hardworking machines are easy to use and will leave lawns looking great.

RPX310

RPX

LAWN TRACTORS WITH COLLECTOR



OUTSTANDING DURABILITY

Durable pivoting cast-iron front axle and front wheel ball bearings.



ERGONOMIC DASHBOARD

The dashboard includes an hour meter, clock and maintenance monitor, fuel meter and RMO switch.



STEEL FRONT BUMPER

The steel front bumper adds extra durability to the front-end of the tractor.

RPX210

- Briggs & Stratton 7220 EXi V-Twin
- 38" / 96 cm stamped steel mower deck
- Fuel capacity: 11 litres
- Forward speed: 0 - 7,7 km/h
- Reverse speed: 0 - 4,5 km/h
- Tyres front/rear: 15" x 6" / 22" x 10"
- Warranty: 3-year limited
- Mid-back, premium seat

RPX310

- Briggs & Stratton 8270 PXi V-Twin
- 42" / 107 cm stamped steel mower deck
- Fuel capacity: 11 litres
- Forward speed: 0 - 7,7 km/h
- Reverse speed: 0 - 4,5 km/h
- Tyres front/rear: 15" x 6" / 22" x 9,5"
- Warranty: 3-year limited
- Mid-back, premium seat

For accessories see page 30.



Model Illustrated RPX210



The Snapper RPX360 delivers top of the range performance. This rear discharge tractor is powerful, easy to control, intelligent and comfortable to use. It has been equipped with an exclusive Suspension System to ensure the best possible mowing experience.



RPX

LAWN TRACTORS WITH COLLECTOR



SUSPENSION SYSTEM

The RPX360 lawn tractor is designed with a patented suspension system to deliver the smoothest driving experience.

This system consists of front and rear springs for all round comfort and improves operator comfort by up to 25% depending on grass conditions.



BRIGGS & STRATTON® ENGINE

The 8270 PXi V-Twin engine features full pressure lubrication, cartridge style air cleaner and a spin-on oil filter.

RPX360

- Briggs & Stratton 8270 PXi V-Twin
- 42" / 107 cm stamped steel mower deck
- **Front and Rear Suspension**
- Fuel capacity: 11 litres
- Forward speed: 0 - 7,7 km/h
- Reverse speed: 0 - 4,5 km/h
- Tyres front/rear: 15" x 6" / 22" x 9,5"
- Warranty: 3-year limited
- Mid-back, premium seat

For accessories see page 30.



The highly successful Snapper SPX™ tractor range includes a comprehensive range of four models. Each model comes packed with innovative features.

Choose between a lighter stamped deck with side discharge or a durable fabricated CentreCut™ deck that enables you to choose your favorite way of mowing.

Our best selling Snapper SPX210 tractor with a high comfort, ergonomic seat remains at the heart of the range.



SPX

SIDE DISCHARGE LAWN TRACTORS



OUTSTANDING DURABILITY

Durable pivoting cast-iron front axle and front wheel ball bearings.



ERGONOMIC DASHBOARD

With cruise control and RMO (Reverse Mow Option) switch.



STEEL FRONT BUMPER

The steel front bumper adds extra durability to the front-end of the tractor. (SPX210 only).

SPX110

- Briggs & Stratton 7200 EXi V-Twin
- 42" / 107 cm stamped steel mower deck
- Fuel capacity: 15 litres
- Forward speed: 0 - 7,7 km/h
- Reverse speed: 0 - 5,2 km/h
- Tyres front/rear: 15" x 6" / 20" x 8"
- Warranty: 3-year limited
- Mid-back seat

SPX210

- Briggs & Stratton 7220 EXi V-Twin
- 46" / 117 cm stamped steel mower deck
- Fuel capacity: 15 litres
- Forward speed: 0 - 6,9 km/h
- Reverse speed: 0 - 4,4 km/h
- Tyres front/rear: 15" x 6" / 22 x 10"
- Warranty: 3-year limited
- Mid-back, premium seat

For accessories see page 30.



Model Illustrated SPX210



Should you require rugged performance, both the SPX175 and SPX275 offer a durable fabricated steel CentreCut™ mower deck, delivering unparalleled performance and convenience.

Both lawn tractors feature a premium two cylinder Briggs & Stratton engine to handle the toughest of jobs.

Our convertible CentreCut™ mowing technology offers total flexibility without stress of choice when buying your next mower.

The SPX175 and SPX275 tractors will be delivered by your dealer with either a side or rear discharge configuration kit already fitted. Should you need a different cutting configuration in the future, then you will only need a new kit instead of buying a whole new mower deck or even a new tractor.

CENTRECUT™ CONVERTIBLE MOWING TECHNOLOGY



The CentreCut™ equipped SPX lawn tractors come in a pre-configured side or rear discharge version. With an optional kit you can easily convert to a different mowing configuration if needed.

With the side discharge kit fitted you will have the highest mowing capacity possible. The rear discharge kit comes with a half height mulching baffle and Eliminator® blades and provides a perfect balance between mowing capacity and mulching performance. Mounting the full height mulching baffle, which is also available as an accessory, provides you with the best mulching performance.

SPX175

- Briggs & Stratton 7220 EXi V-Twin
- 42" / 107 cm fabricated steel CentreCut™ mower deck
- Available in side or rear discharge configuration
- Fuel capacity: 15 litres
- Forward speed: 0 - 6,9 km/h
- Reverse speed: 0 - 4,4 km/h
- Tyres front/rear: 15" x 6" / 22" x 10"
- Warranty: 3-year limited
- Mid-back, premium seat

SPX275

- Briggs & Stratton 8240 PXi V-Twin
- 48" / 122 cm fabricated steel CentreCut™ mower deck
- Available in side or rear discharge configuration
- Fuel capacity: 15 litres
- Forward speed: 0 - 8,2 km/h
- Reverse speed: 0 - 5,4 km/h
- Tyres front/rear: 15" x 6" / 22" x 9,5"
- Warranty: 3-year limited
- Mid-back, premium seat

For accessories see page 30.



See operator's manual or dealer
for complete warranty details.



Model Illustrated SPX275



The ZTX105 brings a whole new level of performance to the comprehensive Snapper zero turn range. Designed for maximum garden access, this compact zero turn mower gets to places other zero turns cannot go. Its compact size makes it easy to navigate even the tightest parts of your lawn and takes up less space when in storage.



ZTX

ZERO TURN MOWERS



COMPACT DESIGN

The high quality 91 cm compact mower deck is smallest in class and delivers unparalleled garden access.



DURABLE MOWER DECK

Fabricated steel mower deck featuring limited lifetime warranty.



USER COMFORT GUARANTEED

A compact zero turn with high levels of comfort. A big seat and lots of legroom.



BRIGGS & STRATTON® ENGINE

The EXi engine provides consistent starting and guarantees durable performance.



See operator's manual or dealer for complete warranty details.

ZTX105

- Briggs & Stratton 7200 EXi V-Twin
- Hydro-Gear® EZT® transmissions
- 36" / 91 cm fabricated steel mower deck
- Forward speed: 0 - 8,0 km/h
- Reverse speed: 0 - 4,0 km/h
- Tyres front/rear: 11 x 4" / 18 x 6,5"
- **Cargo bed optional***
- Warranty: 3-year limited

For accessories see page 30.

* 22,7 kg. capacity, do not overload; do not carry passengers. See operator's manual for details.





Designed for bigger lawns, the ZTX175 and ZTX275 deliver the next level in superb all round cutting performance.

Our convertible CentreCut™ mowing technology offers total flexibility without stress of choice when buying your next zero turn mower.

The ZTX175 and ZTX275 zero turns will be delivered by your dealer with either a side or rear discharge configuration kit already fitted. Should you need a different cutting configuration in the future, then you will only need a new kit instead of buying a whole new mower deck or even a new zero turn.

With the side discharge kit fitted you will have the highest mowing capacity possible. The rear discharge kit comes with a half height mulching baffle and Eliminator® blades and provides a perfect balance between mowing capacity and mulching performance. Mounting the full height mulching baffle, which is also available as an accessory, provides you with the best mulching performance.

CENTRE CUT™
CONVERTIBLE MOWING TECHNOLOGY

ZTX

ZERO TURN MOWERS



EASY ENGINE ACCESS

Flip up the cargo bed easily for full access to the engine compartment.



ENGINE PROTECTION

This wrap-around steel engine enclosure helps protect critical components.



INTUITIVE CONTROLS

Easy-to-use lawn mower controls, including an hourmeter, are all within reach.

ZTX175

- Briggs & Stratton 7220 EXi V-Twin
- Hydro-Gear® EZT® transmissions
- 42" / 107 cm fabricated steel CentreCut™ mower deck
- Available in side or rear discharge configuration
- Forward speed: 0 - 11,0 km/h
- Reverse speed: 0 - 4,0 km/h
- Tyres front/rear: 11 x 6" / 18 x 8,5"
- **Cargo bed optional***
- Warranty: 3-year limited

ZTX275

- Briggs & Stratton 8240 PXi V-Twin
- Hydro-Gear® EZT® transmissions
- 48" / 122 cm fabricated steel CentreCut™ mower deck
- Available in side or rear discharge configuration
- Forward speed: 0 - 11,0 km/h
- Reverse speed: 0 - 4,0 km/h
- Tyres front/rear: 11 x 6" / 20 x 8"
- **Cargo bed included***
- Warranty: 3-year limited
- Mid-back, premium seat

For accessories see page 30.

* 22,7 kg. capacity, do not overload; do not carry passengers. See operator's manual for details.



See operator's manual or dealer for complete warranty details.

Foot-assisted mower deck lift
No more heavy manual lifting of the mower deck.

Commercial-style welded steel frame
The ZTX series can withstand even the roughest terrains.

Model Illustrated ZTX275



The ZTX350 represents the ultimate level of all round premium performance for the most demanding home owner. From cutting flexibility and versatility to driver comfort and efficiency, the ZTX350 delivers it all.



ZTX

ZERO TURN MOWERS



FOOT-ASSISTED MOWER DECK LIFT

No more heavy manual lifting of the mower deck.



LARGE REAR TYRES

The large 20" rear tyres provide superior traction in order to protect your turf.



DURABLE MOWER DECK

Fabricated steel mower deck featuring limited lifetime warranty.



INTUITIVE CONTROLS

Easy-to-use lawn mower controls, including an hourmeter, are all within reach.

ZTX350

- Briggs & Stratton 8270 PXi V-Twin
- Hydro-Gear® ZT-2800® transmissions
- 52" / 132 cm fabricated steel mower deck
- Forward speed: 0 - 12,0 km/h
- Reverse speed: 0 - 4,0 km/h
- Tyres front/rear: 11 x 4" / 20 x 10"
- **Cargo bed included***
- Warranty: 3-year limited
- Mid-back, premium seat



See operator's manual or dealer for complete warranty details.



For accessories see page 30.

* 22,7 kg. capacity, do not overload; do not carry passengers. See operator's manual for details.

CORDLESS LAWN MOWERS

SPECIFICATIONS



Model Name	ESXD19PWM82K BATTERY XD	ESXD19SPWM82K BATTERY XD	ESXD21SPWM82K BATTERY XD
Power			
Max Voltage*	82V	82V	82V
Battery	Lithium-Ion 2Ah, 4Ah or 5Ah	Lithium-Ion 2Ah, 4Ah or 5Ah	Lithium-Ion 2Ah, 4Ah or 5Ah
Quantity of batteries	2 x 2Ah Included	2 x 2Ah Included	2 x 2Ah Included
Rapid Charger	Included	Included	Included
Charge Time at 100%	2Ah - 30 min 4Ah - 60 min 5Ah - 75 min	2Ah - 30 min 4Ah - 60 min 5Ah - 75 min	2Ah - 30 min 4Ah - 60 min 5Ah - 75 min
Run Time**	2 Ah: up until 40 min	2 Ah: up until 35 min	2 Ah: up until 30 min
Motor	Brushless, 1000 Watts	Brushless, 1000 Watts	Brushless, 1200 Watts
Deck			
Size (Cutting Width)	46 cm	46 cm	51 cm
Deck Material	Steel	Steel	Steel
Deck Type	3-in-1	3-in-1	3-in-1
Height-of-Cut	1 point, 7 positions 25 - 80 mm	1 point, 7 positions 25 - 80 mm	1 point, 7 positions 25 - 80 mm
Blade Type	Steel	Steel	Steel
Transmission			
Transmission Style	Push	Self Propelled	Self Propelled
Drive Type	-	Variable Speed	Variable Speed
Forward Speeds	-	3 - 6 km/h	3 - 6 km/h
Other Features			
Wheel Size (Front / Rear)	8" / 10"	8" / 10"	8" / 10"
Handle Type	Quick release & Lock-in holes	Quick release & Lock-in holes	Quick release & Lock-in holes
Storage Possibility	Mow N' Stow	Mow N' Stow	Mow N' Stow
Bag Capacity	55 litres	55 litres	60 litres
Weight	31,4 kg	32,4 kg	37,1 kg
Product Warranty***	5 year	5 year	5 year
Battery Warranty***	2 year	2 year	2 year

* Maximum initial battery voltage (measured without a workload) is 82-volts. Nominal voltage is 72.

** See operator's manual or dealer for complete warranty details; 2-year battery warranty valid for residential consumer only.

*** Applies to residential use only. See operator's manual for complete warranty details.



PETROL LAWN MOWERS

SPECIFICATIONS

Model Name	NX-80S InStart®	NX-90V ReadyStart®
Power		
Engine Make	Briggs & Stratton	Briggs & Stratton
Engine Model	575IS Series™	875EXi Series™
Engine Features	OHV	OHV
Displacement	150cc	190cc
Starting System	InStart®, ReadyStart®	Recoil, ReadyStart®
Fuel Capacity	0,8 litres	1 litre
Deck		
Size (Cutting Width)	18" / 46 cm	21" / 53 cm
Deck Material	Steel	Steel
Deck Type	4-in-1	4-in-1
Height-of-Cut	1 point / 28 - 92 mm	1 point / 28 - 92 mm
Blade Type	High Lift	High Lift
Wheels		
Size (Front / Rear)	18 cm / 28 cm	20 cm / 28 cm
Bearing Type Front/Rear	Ball Bearing	Ball Bearing
Transmission		
Transmission Style	Self Propelled	Self Propelled
Drive Type	Variable Speed	Variable Speed
Forward Speeds	2,8 - 4,5 km/h	2,8 - 5,5 km/h Hi-Speed
Other Features		
Handle Type	Ergo, full fold with quick release and foam grip	Ergo, full fold with quick release and foam grip
Bag Type	Soft textile with hard top	Soft textile with hard top
Bag Full Indicator	Yes	Yes
Bag Capacity	60 litres	70 litres
Rear Discharge	Yes	Yes
Side Discharge	Yes	Yes
Mulching option	Included	Included
Wash Port	Yes	Yes
Weight	37 kg	38 kg
Product Warranty*	2-Year Limited	2-Year Limited

* Applies to residential use only. See operator's manual for complete warranty details.

SPECIFICATIONS

LAWN TRACTORS

Model Name	RPX210	RPX310	RPX360	SPX110	SPX175	SPX210	SPX275
Power	Rear Collection	Rear Collection	Rear Collection	Side Discharge	Side/Rear Discharge	Side Discharge	Side/Rear Discharge
Engine Make	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton
Engine Model	7220 EXi V-Twin OHV	8270 PXi V-Twin OHV	8270 PXi V-Twin OHV	7200 EXi V-Twin OHV	7220 EXi V-Twin OHV	7220 EXi V-Twin OHV	8240 PXi V-Twin OHV
Cylinders	2	2	2	2	2	2	2
Starting System	Electric Start	Electric Start	Electric Start	Electric Start	Electric Start	Electric Start	Electric Start
Fuel Capacity	11 litres	11 litres	11 litres	15 litres	15 litres	15 litres	15 litres
Transmission							
Drive Type	Tuff Torq® K46	Tuff Torq® K46	Tuff Torq® K46	Tuff Torq® K46	Tuff Torq® K46	Tuff Torq® K46	Tuff Torq® K46
Forward Speed	0 - 7,7 km/h	0 - 7,7 km/h	0 - 7,7 km/h	0 - 7,7 km/h	0 - 6,9 km/h	0 - 6,9 km/h	0 - 8,2 km/h
Reverse Speed	0 - 4,5 km/h	0 - 4,5 km/h	0 - 4,5 km/h	0 - 5,2 km/h	0 - 4,4 km/h	0 - 4,4 km/h	0 - 5,4 km/h
Configuration	Rear Wheel Drive	Rear Wheel Drive	Rear Wheel Drive	Rear Wheel Drive	Rear Wheel Drive	Rear Wheel Drive	Rear Wheel Drive
Chassis							
Front Axle	Cast Iron	Cast Iron	Cast Iron	Cast Iron	Cast Iron	Cast Iron	Cast Iron
Tyres Front/Rear	15" x 6" / 22" x 10"	15" x 6" / 22" x 9,5"	15" x 6" / 22" x 9,5"	15" x 6" / 20" x 8"	15" x 6" / 22" x 8"	15" x 6" / 22" x 10"	15" x 6" / 22" x 9,5"
Turning Radius	36 cm	36 cm	36 cm	36 cm	36 cm	36 cm	36 cm
Mower Deck Lift	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical
Blade Engagement	Electric	Electric	Electric	Electric	Electric	Electric	Electric
Suspension	-	-	Front and Rear	-	-	-	-
Dimensions							
Assembled (LxWxH)	260 x 102 x 121 cm	260 x 114 x 123 cm	260 x 114 x 123 cm	185 x 134 x 111 cm	185 x 112 x 117 cm	185 x 149 x 117 cm	185 x 123 x 117 cm
Wheel Base	125 cm	125 cm	125 cm	125 cm	125 cm	125 cm	125 cm
Assembled Weight	276 kg	291 kg	291 kg	211 kg	232 kg	223 kg	256 kg
Mower							
Cutting Width	38" / 96 cm	42" / 107 cm	42" / 107 cm	42" / 107 cm	42" / 107 cm	46" / 117 cm	48" / 122 cm
Mower Deck	Frame Hung	Frame Hung	Frame Hung	Frame Hung	Frame Hung	Frame Hung	Frame Hung
Deck Construction	Stamped Steel	Stamped Steel	Stamped Steel	Stamped Steel	Fabricated Steel	Stamped Steel	Fabricated Steel
Deck Configuration	Rear Discharge	Rear Discharge	Rear Discharge	Side Discharge	CentreCut™	Side Discharge	CentreCut™
Deck Support Wheels	2	4	4	4	2	4	4
Collector Capacity	350 litres	350 litres	350 litres	-	-	-	-
Height-of-Cut	7 pos. / 45 - 90 mm	7 pos. / 45 - 90 mm	7 pos. / 45 - 90 mm	7 pos. / 38 - 102 mm	7 pos. / 38 - 110 mm	7 pos. / 38 - 102 mm	7 pos. / 38 - 110 mm
Blades	2	2	2	2	3	3	3
Seat	Premium Mid-Back	Premium Mid-Back	Premium Mid-Back	Mid-Back	Premium Mid-Back	Premium Mid-Back	Premium Mid-Back
Wash Port	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Mulch Kit/Plug	Included	Included	Included	Optional	Optional	Optional	Optional
Cruise Control	Yes	Yes	Yes	Yes	Yes	Yes	Yes

ZERO TURN MOWERS

SPECIFICATIONS

Model Name	ZTX105	ZTX175	ZTX275	ZTX350
Power	Side Discharge	Side / Rear Discharge	Side / Rear Discharge	Side Discharge
Engine Make	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton
Engine Model	7200 EXi V-Twin OHV	7220 EXi V-Twin OHV	8240 PXi V-Twin OHV	8270 PXi V-Twin OHV
Cylinders	2	2	2	2
Starting System	Electric Start	Electric Start	Electric Start	Electric Start
Fuel Capacity	11 litres	11 litres	11 litres	11 litres
Transmission				
Drive Type	Hydro-Gear® EZT®	Hydro-Gear® EZT®	Hydro-Gear® EZT®	Hydro-Gear® ZT-2800®
Forward Speed	0 - 8,0 km/h	0 - 11,0 km/h	0 - 11,0 km/h	0 - 12,0 km/h
Reverse Speed	0 - 4,0 km/h	0 - 4,0 km/h	0 - 4,0 km/h	0 - 4,0 km/h
Chassis				
Frame	Welded Steel	Welded Steel	Welded Steel	Welded Steel
Tyres Front/Rear	11" x 4" / 18" x 6,5"	11" x 6" / 18" x 8,5"	11" x 6" / 20" x 8"	11" x 6" / 20" x 10"
Turning Radius	0 cm	0 cm	0 cm	0 cm
Mower Deck Lift	Foot operated	Foot operated	Foot operated	Foot operated
Blade Engagement	Electric	Electric	Electric	Electric
Dimensions				
Length	178 cm	187 cm	187 cm	187 cm
Width*	125 cm	112 cm	125 cm	167 cm
Height	107 cm	105 cm	105 cm	105 cm
Wheel Base	112 cm	112 cm	112 cm	112 cm
Weight	231 kg	237 kg	287 kg	310 kg
Mower				
Cutting Width	36" / 91 cm	42" / 107 cm	48" / 122 cm	52" / 132 cm
Mower Deck	Frame Hung	Frame Hung	Frame Hung	Frame Hung
Deck Construction	Fabricated Steel	Fabricated Steel	Fabricated Steel	Fabricated Steel
Deck Configuration	Side Discharge	CentreCut™	CentreCut™	Side Discharge
Deck Support Wheels	-	2	2	2
Height-of-Cut	7 positions 38 - 114 mm	13 positions 38 - 110 mm	13 positions 38 - 110 mm	13 positions 38 - 110 mm
Blades	2	2	3	3
Seat	Mid-Back & armrests	Mid-Back & armrests	Premium Mid-Back & armrests	Premium Mid-Back & armrests
Cargo bed**	Optional	Optional	Included	Included
Wash Port	Yes	Yes	Yes	Yes
Mulch Kit/Plug	Optional	Optional	Optional	Optional

* Measured with deflector down. ** 22,7 kg. capacity, do not overload; do not carry passengers. See operator's manual for details.

LAWN TRACTORS

ACCESSORIES

DESCRIPTION	PART#	RPX210	RPX310	RPX360	
		2691704	2691705	2691706	
Rear Deflector Chute	1688033	•	•	•	
Tyre Chains, 22" x 10" Tyres	1695092SM	•	•	•	
Armrest Kit	1687810YP	•	•	•	
DESCRIPTION	PART#	SPX110	SPX175	SPX210	SPX275
		2691487	2691928	2691701	2691929
MOWER DECK		1696439	1697442	1696798	1697443
Mulch Kit for Side Discharge Deck		1696374YP	1697447	1696910	1697449
Mulch Kit for Rear Discharge Deck (High Rear Baffle)			84007258		84007244
Twin Bag Collector	1697358A	•	•		
Requires : Deck Boot Adapter		1697367A	1697373A		
Triple Bag Collector	1697359A			•	•
Requires : Deck Boot Adapter				1697375A	1697376A
Optional: Turbo Fan				1697366A	1696750A
Deck Boot Adapter		1697367A	1697373A	1697375A	1697367A
Dozer Blade, 42"	1696092	•	•	•	•
Requires: Weight Carrier, Rear	1694922SM	•	•	•	•
Requires: Weight, 33Lbs, 15kg	1691319SM	•	•	•	•
Requires: Tyre Chains, 22" x 10" Tyres	1695092SM	•	•	•	•
Snow Thrower, Single Stage, 42"	1696423	•	•	•	•
Requires: Weight Carrier, Rear	1694922SM	•	•	•	•
Requires: Weight, 33Lbs, 15kg	1691319SM	•	•	•	•
Requires: Tyre Chains, 22" x 10" Tyres	1695092SM	•	•	•	•
Armrest Kit	1687810YP	•	•	•	•
Weight, 33Lbs, 15kg	1691319SM	•	•	•	•
Weight Carrier, Rear	1694922SM	•	•	•	•
Requires: Weight, 33Lbs, 15kg	1691319SM	•	•	•	•
Wheel Weights (needs 2)	1690555SM	•	•	•	•
Tyre Chains, 22" x 10" Tyres	1695092SM	•	•	•	•
Configuration Kit Side Discharge			1697446		1697448
Configuration Kit Rear Discharge			1697447		1697449

ZERO ZURNS

ACCESSORIES

DESCRIPTION	PART#	ZTX105	ZTX175	ZTX275	ZTX350
		2691707	2691924	2691925	2691713
Mulch Kit for Side Discharge Deck		1697428	1697447	1697449	1696908
Mulch Kit for Rear Discharge Deck (High Rear Baffle)			84007258	84007244	
Twin Bag Collector	1697408A	•	•	•	•
Requires: Deck Boot Adapter		1697101	1697373A	1697376A	
Requires: Deck Boot Adapter + Turbo Fan					1696768A
Cargo Bed	1697133	•	•		
Cargo Bed Rhino Grips (pair)	1687855YP	•	•	•	•
Cargo Bed Rhino Grips with Ratchet (pair)	1687856YP	•	•	•	•
Light Kit	1697104	•	•	•	•
Service Jack	5601305	•	•	•	•
Requires: Service Jack Mount	5601306	•	•	•	•
Service Jack Mount		•	•	•	•
Configuration Kit Side Discharge			1697446	1697448	
Configuration Kit Rear Discharge		1697447	1697449		



SERVICE JACK

For easy maintenance access to the underside of the mowing deck.



Snapper's cargo bed* provides on-the-go versatility and convenience.

The cargo bed dumps to the rear for easy clean-out and provides the flexibility needed for all your garden transportation needs.

ACCESSORIES



Mulching Kit
Converts easily to a mulching deck.



Tyre Chains
For use on slippery surfaces.



Dozer Blade
Great for clearing paths.



Twin Bag Collector
Bag your clippings on a
Side Discharge mower.



Triple Bag Collector
Bag your clippings on a
Side Discharge mower.



Rhino Grip Set
Easily mount additional garden tools
on your zero turn.



Front Bumper
Adds extra durability to the
front-end of the tractor.



Light Kit
Two LED headlights for
all round mowing.





SNAPPER[®]

—LEGENDARY—

Snapper, a Briggs & Stratton® brand, manufactures a wide variety of outdoor power equipment, lawn tractors and zero turn mowers for consumer use. Your independent Snapper dealer has a full line of outdoor power equipment to suit every need. Factory approved parts, accessories and maintenance items are available at authorised dealers.

YOUR SNAPPER DEALER:



BRIGGS & STRATTON NETHERLANDS BV
SCHEPERSWEG 4C • 6049 CV HERTEN
THE NETHERLANDS
TEL: +31 (0) 475 408 383

 SnapperEurope
SNAPPER.COM