

Title:Request and Response

Room-HTTP in Detail

Task-1

What does HTTP stand for?


Answer:HyperText Transfer Protocol

What does the S in HTTPS stand for?

Answer-secure

On the mock webpage on the right there is an issue, once you've found it, click on it. What is the challenge flag?

Answer-THM{INVALID_HTTP_CERT}



The issue was the protocol was http and https.

Task-2

What HTTP protocol is being used in the above example?

Answer-HTTP/1.1

What response header tells the browser how much data to expect?

Answer:Content-Length

Task-3

What method would be used to create a new user account?

Answer:POST

What method would be used to update your email address?

Answer:PUT

What method would be used to remove a picture you've uploaded to your account?

Answer:DELETE

What method would be used to view a news article?

Answer:GET

Task-4

What response code might you receive if you've created a new user or blog post article?

Answer:201

What response code might you receive if you've tried to access a page that doesn't exist?

Answer:404

What response code might you receive if the web server cannot access its database and the application crashes?

Answer:503

What response code might you receive if you try to edit your profile without logging in first?

Answer:401

Task-5

What header tells the web server what browser is being used?

Answer:User-Agent

What header tells the browser what type of data is being returned?

Answer:Content-Type

What header tells the web server which website is being requested?

Answer:Host

Task-6


Which header is used to save cookies to your computer?

Answer: Set-Cookie

Task-7

Make a **GET** request to **/room** page


Answer- **THM{YOU'RE_IN_THE_ROOM}**



Make a **GET** request to **/blog** page and set the **id** parameter to **1**

Note: Use the gear button on the right to manage URI parameters

Answer:THM{YOU_FOUND_THE_BLOG}



Make a DELETE request to /user/1 page

Answer:THM{USER_IS_DELETED}

The screenshot shows a web browser interface with a dark theme. At the top, there is a search bar with a dropdown menu set to 'DELETE' and the URL 'http://tryhackme.com/user/1'. Below the search bar, the request details are displayed in a dark box. The response details are shown in a light box below the request. At the bottom, there is a browser window titled 'THM Browser' showing the rendered HTML page.

DELETE /user/1 HTTP/1.1
Host: tryhackme.com
User-Agent: Mozilla/5.0 Firefox/87.0
Content-Length: 4
Content-Type: application/x-www-form-urlencoded
id=1

Response

HTTP/1.1 200 Ok
Server: nginx/1.15.8
Tue, 10 Feb 2026 16:20:16 GMT
Content-Type: text/html; charset=utf-8
Content-Length: 250
Last-Modified: Tue, 10 Feb 2026 16:20:16 GMT

<html>
<head>
 <title>TryHackMe</title>
</head>
<body>
 The user has been deleted THM{USER_IS_DELETED}
</body>
</html>


THM Browser

The user has been deleted THM{USER_IS_DELETED}

Make a PUT request to /user/2 page with the username parameter set to admin

Note: Use the gear button on the right to manage body parameters

Answer:THM{USER_HAS_UPDATED}



Make a POST request to /login page with the username of thm and a password of letmein

Note: Use the gear button on the right to manage body parameters

Answer:THM{HTTP_REQUEST_MASTER}

POST http://tryhackme.com/login

POST /login HTTP/1.1
Host: tryhackme.com
User-Agent: Mozilla/5.0 Firefox/87.0
Content-Length: 29
Content-Type: application/x-www-form-urlencoded

username=thm&password=letmein

Response

HTTP/1.1 200 Ok
Server: nginx/1.15.8
Tue, 10 Feb 2026 16:23:53 GMT
Content-Type: text/html; charset=utf-8
Content-Length: 256
Last-Modified: Tue, 10 Feb 2026 16:23:53 GMT

<html>
<head>
 <title>TryHackMe</title>
</head>
<body>
 You logged in! Welcome Back THM{HTTP_REQUEST_MASTER}
</body>
</html>

THM Browser

You logged in! Welcome Back THM{HTTP_REQUEST_MASTER}

Room: Web Application Basics

Task-1

Answer: Not needed

Task-2

Which component on a computer is responsible for hosting and delivering content for web applications?

Answer: web server

Which tool is used to access and interact with web applications?

Answer: web browser

Which component acts as a protective layer, filtering incoming traffic to block malicious attacks, and ensuring the security of the the web application?

Answer: web application firewall.

Task-3

Which protocol provides encrypted communication to ensure secure data transmission between a web browser and a web server?

Answer: HTTPS

What term describes the practice of registering domain names that are misspelt variations of popular websites to exploit user errors and potentially engage in fraudulent activities?

Answer: Typosquatting

What part of a URL is used to pass additional information , such as search terms or form inputs, to the web server?

Answer: Query String

Task-4

Which HTTP message is returned by the web server after processing a client's request?

Answer: HTTP response

What follows the headers in an HTTP message?

Answer: Empty line

Task-5

Which HTTP protocol version became widely adopted and remains the most commonly used version for web communication, known for introducing features like persistent connections and chunked transfer encoding?

Answer:HTTP/1.1

Which HTTP request method describes the communication options for the target resource, allowing clients to determine which HTTP methods are supported by the web server?

Answer:OPTIONS

In an HTTP request, which component specifies the specific resource or endpoint on the web server that the client is requesting, typically appearing after the domain name in the URL?

Answer:URL Path

Task-6

Which HTTP request header specifies the domain name of the web server to which the request is being sent?

Answer:HOST

What is the default content type for form submissions in an HTTP request where the data is encoded as key=value pairs in a query string format?

Answer:application/x-www-form-urlencoded

Which part of an HTTP request contains additional information like host, user agent, and content type, guiding how the web server should process the request?

Answer:Request Headers

Task-7

What part of an HTTP response provides the HTTP version, status code, and a brief explanation of the response's outcome?

Answer:Status line

Which category of HTTP response codes indicates that the web server encountered an internal issue or is unable to fulfil the client's request?

Answer:Server Error Responses

Which HTTP status code indicates that the requested resource could not be found on the web server?

Answer:404

Task-8

Which HTTP response header can reveal information about the web server's software and version, potentially exposing it to security risks if not removed?

Answer:Server

Which flag should be added to cookies in the Set-Cookie HTTP response header to ensure they are only transmitted over HTTPS, protecting them from being exposed during unencrypted transmissions?

Answer:Secure

Which flag should be added to cookies in the Set-Cookie HTTP response header to prevent them from being accessed via JavaScript, thereby enhancing security against XSS attacks?

Answer:Httponly

Task-9

In a Content Security Policy (CSP) configuration, which property can be set to define where scripts can be loaded from?

Answer:script-src

When configuring the Strict-Transport-Security (HSTS) header to ensure that all subdomains of a site also use HTTPS, which directive should be included to apply the security policy to both the main domain and its subdomains?

Answer:includeSubDomains

Which HTTP header directive is used to prevent browsers from interpreting files as a different MIME type than what is specified by the server, thereby mitigating content type sniffing attacks?

Answer:nosniff

Task-10

Make a GET request to /api/users. What is the flag?

THM{YOU_HAVE_JUST_FOUND_THE_USER_LIST}

Make a POST request to /api/user/2 and update the country of Bob from UK to US. What is the flag?

THM{YOU_HAVE_MODIFIED_THE_USER_DATA}

Make a DELETE request to /api/user/1 to delete the user. What is the flag?

THM{YOU_HAVE_JUST_DELETED_A_USER}

Room:HTTP/2 Request Smuggling

Task-1

No answer

Task-2

Which version of the HTTP protocol uses \r\n to separate headers in a request?

Answer:http/1.1

Which version of the HTTP protocol uses a binary format and clearly defines boundaries for elements in requests/responses?

Answer:http/2

Task-3

Repeat the request shown in the practical example against the app and wait for a user to fall for our trap. What is the username of the victim user who liked our post?

Answer:THM{my_name_is_a_flag}

Task-4

No answer

Task-5

What's the value of the leaked internal header?

Answer:THM{not_secret_anymore}

Task-6

What is the value of the flag in /admin?

Answer:THM{staff_only}

Task-7

What is the value of the cookie stolen using web cache poisoning?

Answer:THM{nom_nom_cookies}

Task-8

What's the value of the flag on /private?

Answer:THM{walls_are_a_suggestion}