

Angular Forms and Validation

Deborah Kurata

Consultant | Developer | Mentor

The Ultimate Education Destination



2015
Orlando
ROYAL PACIFIC RESORT AT UNIVERSAL

Level: Intermediate

Deborah Kurata

- Independent Consultant | Developer | Mentor
 - Web (Angular), .NET
- Pluralsight Author
 - Angular with TypeScript
 - AngularJS Line of Business Applications
 - Angular Front to Back with Web API
 - Object-Oriented Programming Fundamentals in C#
- Microsoft MVP

Session Materials & Sample Code

<https://github.com/DeborahK/VSLive2015-Orlando>

Rate Yourself on **Angular Forms**

- New to Angular - **no** proficiency
- Just starting out - **limited** proficiency
- Doing it, not fully understanding it - **working** proficiency
- Been there, done that, can help others - **full** proficiency

Overview



Building a data entry form

Basic validation

Validation messages

Data Binding Options

Custom validators

Asynchronous validators

Peek at Angular 2 Forms

DEMO: ANGULAR IN ACTION

```
<form name="movieForm">  
  <fieldset>  
    <legend>Edit Movie Information</legend>  
  </fieldset>  
</form>
```

Creating a Form

It's just HTML

Data Binding

- One-Way Binding
 - View is the projection of the model
 - When the model changes, the view reflects the change
- Two-Way Binding
 - View and model data are synchronized
 - Changes to the model are reflected in the view
 - Changes in the view are reflected in the model

Two-Way Binding

```
<div>
  <label for="inputMovieTitle">
    Movie Title</label>
  <input id ="inputMovieTitle"
    type="text"
    placeholder="Movie Title" />
</div>
<div>
  <label for="inputDescription">
    Description</label>
  <textarea id="inputDescription"
    placeholder="Description"
    rows="3" />
</div>
```

Two-Way Binding

```
<div>
  <label for="inputMovieTitle">
    Movie Title</label>
  <input id="inputMovieTitle"
    type="text"
    placeholder="Movie Title"
    ng-model="vm.movie.title" />
</div>
<div>
  <label for="inputDescription">
    Description</label>
  <textarea id="inputDescription"
    placeholder="Description"
    rows="3"
    ng-model="vm.movie.description" />
</div>
```

The Result

InStep Movie Hunter

Search by Title

+ Add Movie

Edit Movie Information

Movie Title

Description

While Frodo and
Sam edge closer
to Mordor with the



Bootstrap

- Framework for prettifying Web pages
- Developed by Twitter
 - <http://getbootstrap.com/>
- Large third party community



Bootstrap Grid System

.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1
.col-md-8								.col-md-4			
.col-md-4				.col-md-4				.col-md-4			
.col-md-6						.col-md-6					

Bootstrap Styles

```
<div class="form-group">
  <label class="col-md-2 control-label"
    for="inputMovieTitle">
    Movie Title</label>
  <div class="col-md-6">
    <input class="form-control"
      id="inputMovieTitle"
      type="text"
      placeholder="Movie Title"
      ng-model="vm.movie.title" />
  </div>
</div>
```

The Result

InStep Movie Hunter

Search by Title

+ Add Movie

The Lord of the Rings: The Two Towers

Edit Movie Information

Movie Title

The Lord of the Rings: The Two Towers

Description

While Frodo and Sam edge closer to Mordor with the help of the shifty Gollum, the divided fellowship makes a stand against Sauron's new ally, Saruman, and his hordes of Isengard.

Save

Cancel

Validation

InStep Movie Hunter

Search by Title

+ Add Movie

The Lord of the Rings: The Two Towers

Edit Movie Information

Movie Title

Movie title is required.

Description

While Frodo and Sam edge closer to Mordor with the help of the shifty Gollum, the divided fellowship makes a stand against Sauron's new ally, Saruman, and his hordes of Isengard.

Save

Cancel

Prepare the form

Ensure the
form has a
name

Set the
novalidate
attribute

```
<form class="form-horizontal"  
      name="movieForm">  
  novalidate>
```

Validation Techniques

Type Attribute

`type="email"`

Required Attribute

`required`

HTML Validation Attributes

`min = "1"`

Angular Validation Attributes

`ng-minlength = "3"`

Custom Angular Directive

`my-directive=""`

Validation Attributes

```
<div class="col-md-8">  
  <input class="form-control"  
    id="inputMovieTitle"  
    name="inputMovieTitle"  
    type="text"  
    placeholder="Title (required)"  
    ng-model="vm.movie.title"  
    required  
    ng-minlength="3"  
    ng-maxlength="50" />  
</div>
```

Marking Invalid Elements


**ngClass
Directive**

**Bootstrap
Style**

**Angular
Validation
States**

```
<div class="form-group"  
  ng-class="{ 'has-error':  
    movieForm.inputMovieTitle.$invalid &&  
    movieForm.inputMovieTitle.$dirty}">  
</div>
```

Angular Validation States



Validation States: New in 1.3

\$touched

Control was "touched" (on blur)

\$untouched

Control never "touched" (blur)

Validation Messages

InStep Movie Hunter

Search by Title

+ Add Movie

The Lord of the Rings: The Two Towers

Edit Movie Information

Movie Title

Description

While Frodo and Sam edge closer to Mordor with the help of the shifty Gollum, the divided fellowship makes a stand against Sauron's new ally, Saruman, and his hordes of Isengard.

Save

Cancel

ngMessages: New in 1.3

Requires

- angular-messages
- ngMessages

ng-Messages

- Shows or hides messages
- Similar to a switch or case statement

ng-Message

- Defines specific cases

```
<span class="help-block">
  <span ng-messages="movieForm.inputMovieTitle.$error">
    <span ng-message="required">movie title is required</span>
    <span ng-message="minlength">Must be at least 3 characters</span>
    <span ng-message="maxlength">Cannot exceed 50 characters</span>
  </span>
</span>
```

DEMO: FORMS & VALIDATION

Data Binding Options

- By default, synchronization occurs as the user types
- Use ng-model-options to change when the synchronization occurs
 - {updateOn: 'blur'}
 - {debounce: 1500}
 - {updateOn: 'submit'}

DEMO: BINDING OPTIONS

Custom Validator

- Developed as a directive
- `ngModel.$validators`
 - Collection of validators
 - Returns true/false
- Used as an attribute

```
directorMinRatingValidator.js

function directorMinRatingValidator() {
    . . .
}
```

```
movieEditView.html
<input id="inputStarRating"
       type="number"
       ng-model="vm.movie.starRating"
       required
       director-min-rating-validator="vm.movie.director"
       min="1"
       max="5"/>
```

DEMO: CUSTOM VALIDATORS

Asynchronous Validator

- Developed as a directive
- `ngModel.$asyncValidators`
 - Collection of validators
 - Returns promise
- Used as an attribute

```
duplicateTitleValidator.js

function duplicateTitleValidator () {
  . . .
}
```

```
movieEditView.html
<input id="inputMovieTitle"
      type="text"
      ng-model="vm.movie.title"
      required
      duplicate-title-validator="vm.movie.movieId"
      ng-minlength="3"
      ng-maxlength="50"/>
```

DEMO: ASYNC VALIDATORS

Angular 2 Forms

<https://angular.io/>

<https://github.com/DeborahK/AngularU2015-Angular2Forms>

Angular 2 Form Techniques

Template
Driven

Similar to 1.x

Imperative
(Model)
Driven

Built w/Code

Data Driven

Automatic

Controller

TypeScript class

Bindable
Controller
Properties

Controller
Methods

```
class checkoutCtrl {  
  model = new CheckoutModel();  
  countries = ['US', 'Canada'];  
  
  onSubmit() {  
    console.log("Submitting:");  
    console.log(this.model);  
  }  
}
```

Model

TypeScript class

Strongly Typed
Properties

```
class CheckoutModel {  
  firstName: string;  
  middleName: string;  
  lastName: string;  
  country: string = "Canada";  
  
  creditCard: string;  
  amount: number;  
  email: string;  
  comments: string;  
}
```

View

Event Binding

Local Variable

Two-way
Binding

Property
Binding

```
<h1>Checkout Form</h1>

<form (ng-submit)="onSubmit()" #f="form">
  <p>
    <label for="firstName">First Name</label>
    <input type="text" id="firstName" ng-control="firstName"
      [(ng-model)]="model.firstName" required>
    <show-error control="firstName"
      [errors]="['required']"></show-error>
  </p>
  . . .
  <button type="submit" [disabled]="!f.form.valid">
    Submit
  </button>
</form>
```

ng-repeat -> *ng-for

Two-way
Binding

*ng-for

Local
Variable

Property
Binding

One-Way
Binding

```
<p>
  <label for="country">Country</label>
  <select id="country" ng-control="country"
    [(ng-model)]="model.country">
    <option *ng-for="#c of countries" [value]="c">{{c}}
    </option>
  </select>
</p>
```

Key Differences

Template-Driven

- Controller exposes **data**

```
class CheckoutCtrl {  
    model = new CheckoutModel();  
    countries = ['US', 'Canada'];  
    ...  
}
```

Model-Driven

- Controller exposes **form**

```
class CheckoutCtrl {  
    formModel;  
    countries = ['US', 'Canada'];  
    ...  
}
```

Key Differences

Template-Driven

- Controller exposes data model

```
<input
  type="text"
  id="firstName"
  ng-control="firstName"
  [(ng-model)]="model.firstName"
  required>
```

Model-Driven

- Controller exposes form model

```
class CheckoutCtrl {
  formModel;
  countries = ['US', 'Canada'];

  constructor(fb: FormBuilder) {
    this.formModel = fb.group({
      "firstName": [ "", validators.required ],
      "lastName": [ "", validators.required ],
      . . .
    });
  }
  . . .
}
```


Key Differences

Template-Driven

- Controller exposes data model
- Binding & Validation in

```
<input
  type="text"
  id="firstName"
  ng-control="firstName"
  [(ng-model)]="model.firstName"
  required>
```

Model-Driven

- Controller exposes form model
- Binding & Validation in

```
<input
  type="text"
  id="firstName"
  ng-control="firstName">
```

Take Away



Use client-side validation where possible

Display friendly and helpful messages

Use directives to create custom & async validation

Keep an eye on Angular 2 progress

Thank You!

@deborahkurata

deborahk@insteptech.com

<http://blogs.msmvps.com/deborahk>

<https://github.com/DeborahK/VSLive2015-Orlando>