



The Ultimate Education Destination

2015
Orlando
ROYAL PACIFIC RESORT AT UNIVERSAL

Angular 101

Deborah Kurata

Consultant | Developer | Mentor

Level: Beginner

Deborah Kurata

- Independent Consultant | Developer | Mentor
 - Web (Angular), .NET
- Pluralsight Author
 - Angular with TypeScript
 - AngularJS Line of Business Applications
 - Angular Front to Back with Web API
 - Object-Oriented Programming Fundamentals in C#
- Microsoft MVP

Session Materials & Sample Code

<https://github.com/DeborahK/VSLive2015-Orlando>

Rate Yourself on Angular

- New to Angular - **no** proficiency
- Just starting out - **limited** proficiency
- Doing it, not fully understanding it - **working** proficiency
- Been there, done that, can help others - **full** proficiency

Overview



Introduction to Angular

Angular and HTML: Building a View

Data Binding

Angular Code: Building the Module & Controller

Bootstrap: Styling the View

Rule-based Navigation: Routing

Retrieving Data via HTTP Service




- A client-side JavaScript framework for building interactive Web applications
- Brings simple/clean back to complex Web apps
- Originally developed by Google
- Now open source: <https://angularjs.org/>

DEMO: ANGULAR APPS




Web Browser

Web Server





Web Browser




URL Request (www.mysite.com)

Response (Page and Assets)

(http://mysite/api/movies)

Response

Web Server



Why Angular?

Expressive
HTML

Powerful
Data Binding

Modularity

Rule-based
Navigation

Easily Call
HTTP Service

Testable

It's Popular

Expressive HTML

```
<div ng-controller="MovieListCtrl">
  <div>{{title}}</div>
  <div>Filter by:</div><input type="text" ng-model="listFilter" />
  <div ng-show="listFilter">
    <h3>Movies filtered by: {{listFilter}}</h3>
  </div>
```

```
<table ng-if="movies.length">
  <thead>
    <tr>
      <td><button type="button"
        ng-click="toggleImage()"
        {{showImage ? "Hide" : "Show"}} Poster
      </button></td>
      <td>Title</td> <td>Director</td> <td>Release Date</td> <td>Rating</td>
    </tr>
  </thead>
```

```
<tbody>
  <tr ng-repeat="movie in movies | filter : {title:listFilter} | orderBy : 'title'">
    <td></td>
    <td>{{ movie.title }}</td>
    <td>{{ movie.director }}</td>
    <td>{{ movie.releaseDate | date }}</td>
    <td>{{ movie.mpaa | uppercase }}</td>
  </tr>
</tbody>
</table>
</div>
```

Directives

Expressive
HTML

- Extend HTML
 - Apply special behavior to attributes or elements in the HTML
 - Are simple to define in the HTML
 - Prefixed with "ng-"
- Provide an extensive set of features and capabilities

Directives

```
<body ng-app="movieHunter">  
  
<table ng-if="movies.length">  
  
<tr ng-repeat="movie in movies | orderBy:'title' ">  
  
<img ng-show="showImage"  
      ng-src="" />  
  
<button type="button"  
      ng-click="toggleImage()">Poster  
</button>
```

One Way Data Binding

Powerful
Data Binding

- View is a projection of the model
 - When the model changes, the view reflects the change
- Binding Expression
 - {{movie.title}}

One Way Data Binding

```
<tr ng-repeat="movie in movies | orderBy:'title' ">
  <td>
    
  </td>
  <td>
    <a>{{movie.title}}</a>
  </td>
  <td>{{movie.director}}</td>
  <td>{{movie.date | date}}</td>
  <td>{{movie.mpaa | uppercase}}</td>
</tr>
```

Two Way Data Binding

Powerful
Data Binding

- Data in the model and the view are synchronized
 - Changes to the model are reflected in the view
 - Changes in the view are reflected in the model
- Define using a directive: ng-model
 - ng-model="listFilter"

Two Way Data Binding

```
<div>
  <div>Filter by:</div>
  <div>
    <input type="text" ng-model="listFilter" />
  </div>
</div>

<div ng-show="listFilter">
  <h3>Movies filtered by: {{listFilter}}</h3>
</div>

<tr ng-repeat="movie in movies | orderBy:'title'
  | filter : {title : listFilter}">
```

Building a View

- Directives
 - ng-app, ng-if, ng-repeat, ...
- Data Binding
 - One way binding
 - {{movie.title}}
 - Two way binding
 - ng-model="listFilter"

Expressive
HTML

Powerful
Data Binding

Angular Code

Modularity

- Write using
 - JavaScript
 - TypeScript
- Divided into
 - Modules
 - Controllers
 - Services

Module

**Defines an
Angular
component**

**Tracks the
code**

**Tracks the
dependencies**

**Keeps the
application
modularized**

Angular Module Method

Setter Method

```
angular.module("movieHunter", ["ngRoute",  
                               "common.services"]);
```

Getter Method

```
angular.module("movieHunter");
```

Angular Main Module

```
var app = angular.module("movieHunter",  
                          []);
```

Angular Main Module

```
function () {  
    var app = angular.module("movieHunter",  
                             []);  
}
```

Angular Main Module - IIFE

```
(function () {  
    var app = angular.module("movieHunter",  
                               []);  
})();
```


The IIFE JavaScript Pattern

- Immediately-Invoked Function Expression
- JavaScript var declarations have global scope
- JavaScript variables and functions defined within a function have local scope

```
(function () {  
    // Code here  
  
})();
```

Module

- One "main" module for the application
- Any number of additional modules
 - Group related functionality
 - Define reusable common code

Controller


Defines the Model

- Movies

Implements Methods

- Hide/Show Images

View, Controller, and \$scope



Angular Controller

```
(function () {  
  angular  
    .module("movieHunter")  
    .controller("MovieListCtrl",  
      ["$scope",  
       MovieListCtrl]);  
  
  function MovieListCtrl($scope) {  
    $scope.movies = [];  
    $scope.title = "Search by Movie Title";  
    $scope.showImage = false;  
  
    $scope.toggleImage = function () {  
      $scope.showImage = !$scope.showImage;  
    };  
  }  
})();
```

"Controller As" Syntax

```
(function () {  
    angular  
        .module("movieHunter")  
        .controller("MovieListCtrl",  
                    ["$scope",  
                     MovieListCtrl]);  
  
    function MovieListCtrl($scope) {  
  
        $scope.movies = [];  
        $scope.title = "Search by Movie Title";  
        $scope.showImage = false;  
  
        $scope.toggleImage = function () {  
            $scope.showImage = !$scope.showImage;  
        };  
  
    }()  
})();
```

"Controller As" Syntax

```
(function () {  
    angular  
        .module("movieHunter")  
        .controller("MovieListCtrl",  
                    [MovieListCtrl]);  
  
    function MovieListCtrl() {  
  
        $scope.movies = [];  
        $scope.title = "Search by Movie Title";  
        $scope.showImage = false;  
  
        $scope.toggleImage = function () {  
            $scope.showImage = !$scope.showImage;  
        };  
  
    }()  
})();
```

"Controller As" Syntax

```
(function () {  
    angular  
        .module("movieHunter")  
        .controller("MovieListCtrl",  
                    [MovieListCtrl]);  
  
    function MovieListCtrl() {  
        var vm = this;  
        $scope.movies = [];  
        $scope.title = "Search by Movie Title";  
        $scope.showImage = false;  
  
        $scope.toggleImage = function () {  
            $scope.showImage = !$scope.showImage;  
        };  
  
    }()  
})();
```


"Controller As" Syntax

```
(function () {  
    angular  
        .module("movieHunter")  
        .controller("MovieListCtrl",  
                    [MovieListCtrl]);  
  
    function MovieListCtrl() {  
        var vm = this;  
        vm.movies = [];  
        vm.title = "Search by Movie Title";  
        vm.showImage = false;  
  
        vm.toggleImage = function () {  
            vm.showImage = !vm.showImage;  
        };  
  
    }()  
})();
```

View "Controller As" Syntax

```
<div ng-controller="MovieListCtrl">
  <div>{{title}}</div>
  <div>Filter by:</div><input type="text" ng-model="listFilter" />

  <div ng-show="listFilter">
    <h3>Movies filtered by: {{listFilter}}</h3>
  </div>

  <table ng-if="movies.length">
    <thead>
      <tr>
        <td><button type="button"
          ng-click="toggleImage()"
          {{showImage ? "Hide" : "Show"}} Poster
        </button></td>
        <td>Title</td> <td>Director</td> <td>Release Date</td> <td>Rating</td>
      </tr>
    </thead>
    <tbody>
      <tr ng-repeat="movie in movies | filter : {title:listFilter} | orderBy : 'title'">
        <td></td>
        <td>{{ movie.title }}</td>
        <td>{{ movie.director }}</td>
        <td>{{ movie.releaseDate | date }}</td>
        <td>{{ movie.mpaal | uppercase }}</td>
      </tr>
    </tbody>
  </table>
</div>
```

View "Controller As" Syntax

```
<div ng-controller="MovieListCtrl as vm">
  <div>{{title}}</div>
  <div>Filter by:</div><input type="text" ng-model="listFilter" />

  <div ng-show="listFilter">
    <h3>Movies filtered by: {{listFilter}}</h3>
  </div>

  <table ng-if="movies.length">
    <thead>
      <tr>
        <td><button type="button"
          ng-click="toggleImage()">
            {{showImage ? "Hide" : "Show"}} Poster
          </button></td>
        <td>Title</td> <td>Director</td> <td>Release Date</td> <td>Rating</td>
      </tr>
    </thead>
    <tbody>
      <tr ng-repeat="movie in movies | filter : {title:listFilter} | orderBy : 'title'">
        <td></td>
        <td>{{ movie.title}}</td>
        <td>{{ movie.director }}</td>
        <td>{{ movie.releaseDate | date }}</td>
        <td>{{ movie.mpaa | uppercase}}</td>
      </tr>
    </tbody>
  </table>
</div>
```


View "Controller As" Syntax

```
<div ng-controller="MovieListCtrl as vm">
  <div>{{vm.title}}</div>
  <div>Filter by:</div><input type="text" ng-model="listFilter" />


  <div ng-show="listFilter">
    <h3>Movies filtered by: {{listFilter}}</h3>
  </div>

  <table ng-if="vm.movies.length">
    <thead>
      <tr>
        <td><button type="button"
          ng-click="vm.toggleImage()"
          {{vm.showImage ? "Hide" : "Show"}} Poster
        </button></td>
        <td>Title</td> <td>Director</td> <td>Release Date</td> <td>Rating</td>
      </tr>
    </thead>
    <tbody>
      <tr ng-repeat="movie in vm.movies | filter : {title:listFilter} | orderBy : 'title'">
        <td></td>
        <td>{{ movie.title }}</td>
        <td>{{ movie.director }}</td>
        <td>{{ movie.releaseDate | date }}</td>
        <td>{{ movie.mpaa | uppercase }}</td>
      </tr>
    </tbody>
  </table>
</div>
```


Creating an Angular Project




Selecting a Template




Generated Solution



NuGet Package Manager



Solution Explorer



index.html

```
<head>
  <link .../>
</head>
<body ng-app=
  "movieHunter">

  [menu code here]
  <ng-include=
    "movieListView.html">

  <script .../>
</body>
```

movieListView.html

```
<div ng-controller=
  "MovieListCtrl as vm">
  ...
</div>
```

app.js (movieHunter)

movieListCtrl.js
(MovieListCtrl)

Model

Methods

DEMO: ANGULAR CODE SO FAR

Bootstrap

- Framework for prettifying Web pages
- Developed by Twitter
 - <http://getbootstrap.com/>
- Large third party community




Bootstrap Grid System

.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1
.col-md-8								.col-md-4			
.col-md-4				.col-md-4				.col-md-4			
.col-md-6						.col-md-6					

DEMO: BOOTSTRAP

Multiple Views

Rule-based Navigation



Search by Movie Title				
Filter by: <input type="text"/>				
Show Poster	Title	Director	Release Date	Rating
	Pirates Of The Caribbean: Curse Of The Black Pearl	Gore Verbinski	Jul 9, 2003	PG-13
	Pirates Of The Caribbean: Dead Man's Chest	Gore Verbinski	Jul 7, 2006	PG-13
	The Lord of the Rings: The Fellowship of the Ring	Peter Jackson	Dec 19, 2001	PG-13
	The Lord of the Rings: The Return of the King	Peter Jackson	Dec 17, 2003	PG-13
	The Lord of the Rings: The Two Towers	Peter Jackson	Dec 18, 2002	PG-13
	The Point	Fred Wolf	Feb 2, 1971	NR

The Fellowship of the Ring


Description: A meek hobbit of the Shire and eight companions set out on a journey to Mount Doom to destroy the One Ring and the dark lord Sauron.

Director: Jackson

Release Date: Dec 19, 2001

Rating: PG-13

Routes



Routing Frameworks

ngRoute

UI Router



DEMO: ROUTING


Calling HTTP Service

\$http

\$resource

\$httpBackend

Reusable Data Access Service



DEMO: RETRIEVING DATA

Take Away

Expressive
HTML

Powerful
Data Binding

Modularity

Rule-based
Navigation

Easily Call
HTTP Service

Thank You!

@deborahkurata

deborahk@insteptech.com

<http://blogs.msmvps.com/deborahk>

<https://github.com/DeborahK/VSLive2015-Orlando>