

Defensive Coding Techniques

Deborah Kurata
Consultant | Developer | Mentor

Level: Beginner/Intermediate













Deborah Kurata

- Independent Consultant | Developer | Mentor
 - Web (Angular), .NET
- Pluralsight Author
 - Angular with TypeScript
 - Angular Front to Back with Web API
 - Defensive Coding in C#
 - Object-Oriented Programming Fundamentals in C#
- Microsoft MVP



Session Materials & Sample Code

https://github.com/DeborahK/VSLive2015-Orlando



What is Defensive Coding?

... an approach to improve software and source code, in terms of:

- General quality Reducing the number of software bugs and problems.
- Making the source code comprehensible the source code should be readable and understandable so it is approved in a code audit.
- Making the software behave in a predictable manner despite unexpected inputs or user actions.

- Wikipedia as of 2/12/15

Clean Code

Automated Code Testing

Validation +
Exception
Handling



Defensive Coding

Clean Code



- Improves Comprehension
- Simplifies Maintenance
- Reduces Bugs

Testable Code

+

Unit Tests



- Improves Quality
- Confirms Maintenance
- Reduces Bugs

Validation

+

Exception Handling



- Improves Predictability
- More Consistent
- Reduces Bugs




What Is Clean Code?






Why Automated Testing?






Why Automated Testing?



Automated Code Testing





Validation: Trust bu

Contract


- Parameters
- Return Type
- Exceptions

Verify

- Parameters
- Return Type
- Data
- Exceptions



Clean yet Protected







Defensive Coding

Clean Code



- Improves Comprehension
- Simplifies Maintenance
- Reduces Bugs

Testable Code

+

Unit Tests



- Improves Quality
- Confirms Maintenance
- Reduces Bugs

Validation

+

Exception Handling



- Improves Predictability
- More Consistent
- Reduces Bugs



Considerations

Clean Code

Clear Purpose

Good Name

Focused Code

Short Length

Testable Code + Unit Tests

Testable

Automated Code Test

Validation + Exception Handling

Validation

Predictable Result

Exception Handling



```
private void button1 Click(object sender, EventArgs e)
                                                                                                        Clear Purpose
   // -- If this is a new customer, create the customer record --
   // Determine whether the customer is an existing customer.
                                                                                                          Good Name
   // If not, validate entered customer information
   // If not valid, notify the user.
   // If valid,
                                                                                                         Focused Code
   // Open a connection
   // Set stored procedure parameters with the customer data.
   // Call the save stored procedure.
                                                      // -- Order the items from inventory --
                                                                                                          Short Length
                                                     // For each item ordered.
   // -- Create the order for the customer. --
                                                     // Locate the item in inventory.
   // For each item ordered.
                                                     // If no longer available, notify the user.
   // Validate the entered information.
                                                     // If any items are back ordered and
                                                                                                             Testable
   // If not valid, notify the user.
                                                     // the customer does not want split orders,
   // If valid.
                                                     // notify the user.
   // Open a connection
                                                     // If the item is available,
   // Set stored procedure parameters with the order da
                                                                                                           Automated
                                                     // Decrement the quantity remaining.
   // Call the save stored procedure.
                                                     // Open a connection
                                                                                                            Code Test
                                                     // Set stored procedure parameters with the inventor
                                                      // Call the save stored procedure.
   // -- Send an email receipt --
                                                     // -- Process the payment --
                                                                                                           Validation
   // If the user requested a receipt
                                                     // If credit card.
   // Get the customer data
                                                     // process the credit card payment.
   // Ensure a valid email address was provided.
                                                     // If PayPal,
                                                                                                           Predictable
   // If not.
                                                     // process the PayPal payment.
   // request an email address from the user.
                                                     // If there is a payment problem, notify the user.
   // Open a connection
                                                                                                               Result
                                                     // Open a connection
   // Set stored procedure parameters with the custo
                                                      // Set stored procedure parameters with the payment data
   // Call the save stored procedure.
                                                                                                            Exception
                                                     // Call the save stored procedure.
   // If a valid email address is provided,
    // Send an email.
                                                                                                             Handling
```

Refactoring

- Restructuring code without changing its behavior
- Transform "code smells" into "clean code"

Process:

Build unit tests

Refactor

Rerun tests

Clear Purpose

Good Name

Focused Code

Short Length

Testable

Automated Code Test

Validation

Predictable Result

Exception Handling

What's Wrong?

Good Name Focused Code

Clear Purpose

Short Length

Testable

Automated

Code Test

Validation

Predictable

Result

Exception

Handling

public decimal CalculatePercentOfGoalSteps(string goalSteps,

string actualSteps)

return Math.Round(decimal.Parse(actualSteps) / decimal.Parse(goalSteps)*100M, 2);

Guard Clauses

```
public decimal CalculatePercentOfGoalSteps(string goalSteps, string actualSteps)
   if (string.IsNullOrWhiteSpace(goalSteps))
      throw new ArgumentNullException(nameof(goalSteps));
   if (string.IsNullOrWhiteSpace(actualSteps))
      throw new ArgumentNullException(nameof(actualSteps));
   decimal goalStepCount = 0;
   if (!decimal.TryParse(goalSteps, out goalStepCount))
      throw new ArgumentException(nameof(goalSteps));
  decimal actualStepCount = 0;
  if (!decimal.TryParse(actualSteps, out actualStepCount))
      throw new ArgumentException(nameof(actualSteps));
  return Math.Round(actualStepCount / goalStepCount * 100M,2);
```

Method Overloading

```
private decimal CalculatePercentOfGoalSteps(decimal goalCount, decimal actualCount)
{
  if (goalCount <= 0) throw new ArgumentException(nameof(goalStepCount));
  return Math.Round(actualCount / goalCount * 100M,2);
}</pre>
```

```
public decimal CalculatePercentOfGoalSteps(string goalSteps, string actualSteps)
{
   if (string.IsNullOrWhiteSpace(goalSteps)) throw new ArgumentNullException(nameof(goalSteps));
   if (string.IsNullOrWhiteSpace(actualSteps)) throw new ArgumentNullException(nameof(actualSteps));

   decimal goalStepCount = 0;
   if (!decimal.TryParse(goalSteps, out goalStepCount)) throw new ArgumentException(nameof(goalSteps));

   decimal actualStepCount = 0;
   if (!decimal.TryParse(actualSteps, out actualStepCount)) throw new ArgumentException(nameof(actualSteps));

   return CalculatePercentOfGoalSteps(goalStepCount, actualStepCount);
}
```



Returning Predictable Results

Value

Exceptions

Multiple Values

Null



Returning Multiple Values

ref parameters

```
public decimal Calc(string goal, string actual, ref string message)
```

out parameters

```
public decimal Calc(string goal, string actual, out string message)
```

Tuples

```
public Tuple<decimal, string> Calc(string goal, string actual)
```

object

```
public OperationResult<decimal> Calc(string goal, string actual)
```

Adding Exception Handling

Invalid User Entry

Invalid or Missing Data

Code Issues

System Issues

Use restrictive controls and binding

Use validation methods


Use good defaults

Return OperationResult

Throw exceptions



Global Exception Handler





Example

```
// For UI thread exceptions
Application.ThreadException +=
           new ThreadExceptionEventHandler(GlobalExceptionHandler);
// Force all Windows Forms errors to go through our handler.
Application.SetUnhandledExceptionMode(
                            UnhandledExceptionMode.CatchException);
// For non-UI thread exceptions
AppDomain.CurrentDomain.UnhandledException +=
       new UnhandledExceptionEventHandler(GlobalExceptionHandler);
```



Defensive Coding

Clean Code



- Improves Comprehension
- Simplifies Maintenance
- Reduces Bugs

Testable Code

4

Unit Tests



- Improves Quality
- Confirms Maintenance
- Reduces Bugs

Validation

+

Exception Handling



- Improves Predictability
- More Consistent
- Reduces Bugs



Thank You!

@deborahkurata

deborahk@insteptech.com

http://blogs.msmvps.com/deborahk

https://github.com/DeborahK/VSLive2015-Orlando

