


Nama : Pangeran Clevario Decaesario

NIM : 103012400148

Kelas : IF-48-06


Kode Asprak : FND

## Main class




```
1  /*
2  * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
3  */
4
5  package com.mycompany.tpmod3;
6
7  /**
8   *
9   * @author Pangeran
10  */
11  public class TPMod3 {
12
13      public static void main(String[] args) {
14          Dokter dt1 = new Dokter("Grisha", "Mata");
15          Dokter dt2 = new Dokter("Faye", "Gigi");
16          Dokter dt3 = new Dokter("Zeke", "Telinga");
17
18          Pasien ps1 = new Pasien("Historia", 20);
19          Pasien ps2 = new Pasien("Sasha", 37);
20          Pasien ps3 = new Pasien("Petra", 55);
21
22          Pemesanan[] daftarPemesanan = new Pemesanan[5];
23          daftarPemesanan[0] = new Pemesanan(dt1, ps1, "Selasa");
24          daftarPemesanan[1] = new Pemesanan(dt2, ps1, "Kamis");
25          daftarPemesanan[2] = new Pemesanan(dt2, ps2, "Selasa");
26          daftarPemesanan[3] = new Pemesanan(dt3, ps2, "Jumat");
27          daftarPemesanan[4] = new Pemesanan(dt1, ps3, "Senin");
28
29          for (int i = 0; i < daftarPemesanan.length; i++){
30              System.out.println("Urutan ke-" + (i+1));
31              System.out.println("Nama Dokter : " + daftarPemesanan[i].getDokter().getNama());
32              System.out.println("Spesialis : " + daftarPemesanan[i].getDokter().getSpesialis());
33              System.out.println("Nama Pasien : " + daftarPemesanan[i].getPasien().getNama() + "(" + daftarPemesanan[i].getPasien().getUmur() + ")");
34              System.out.println("Hari : " + daftarPemesanan[i].getHari());
35          }
36      }
37  }
```

## Class Dokter



```
2  * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to
3  * Click nbfs://nbhost/SystemFileSystem/Templates/Classes/Class.java to edit thi
4  */
5  package com.mycompany.tpmod3;
6
7  /**
8   *
9   * @author Pangeran
10  */
11  public class Dokter {
12      private String nama;
13      private String spesialis;
14
15      public Dokter(String nama, String spesialis) {
16          this.nama = nama;
17          this.spesialis = spesialis;
18      }
19
20      public String getNama() {
21          return nama;
22      }
23
24      public void setNama(String nama) {
25          this.nama = nama;
26      }
27
28      public String getSpesialis() {
29          return spesialis;
30      }
31
32      public void setSpesialis(String spesialis) {
33          this.spesialis = spesialis;
34      }
35  }
```

## Class Pasien



The screenshot shows an IDE with four tabs: TMod3.java, Dokter.java, Pasien.java (active), and Pemesanan.java. The 'Source' view is open, displaying the code for the 'Pasien' class. The code includes package declarations, a Javadoc comment, and the class definition with its attributes, constructor, and methods.

```
2  Click nbfs://nbhost/systemFileSystem/templates/licenses/license-default.txt to  
3  * Click nbfs://nbhost/SystemFileSystem/Templates/Classes/Class.java to edit thi  
4  */  
5  package com.mycompany.tpm3;  
6  
7  /**  
8   *  
9   * @author Pangeran  
10  */  
11  public class Pasien {  
12      private String nama;  
13      private int umur;  
14  
15      public Pasien (String nama, int umur) {  
16          this.nama = nama;  
17          this.umur = umur;  
18      }  
19      public String getNama() {  
20          return nama;  
21      }  
22  
23      public void setNama(String nama) {  
24          this.nama = nama;  
25      }  
26  
27      public int getUmur() {  
28          return umur;  
29      }  
30  
31      public void setUmur(int umur) {  
32          this.umur = umur;  
33      }  
34  }
```

## Class Pemesanan



```
1  /**
2   * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-def
3   * Click nbfs://nbhost/SystemFileSystem/Templates/Classes/Class.java to
4   */
5   package com.mycompany.tpmod3;
6
7   /**
8    *
9    * @author Pangeran
10   */
11  public class Pemesanan {
12      private Dokter dokter;
13      private Pasien pasien;
14      private String hari;
15
16      public Pemesanan (Dokter dokter, Pasien pasien, String hari){
17          this.dokter = dokter;
18          this.pasien = pasien;
19          this.hari = hari;
20      }
21      public Dokter getDokter() {
22          return dokter;
23      }
24
25      public void setDokter(Dokter dokter) {
26          this.dokter = dokter;
27      }
28
29      public Pasien getPasien() {
30          return pasien;
31      }
32
33      public void setPasien(Pasien pasien) {
34          this.pasien = pasien;
35      }
36
37      public String getHari() {
38          return hari;
39      }
40
41      public void setHari (String hari) {
42          this.hari = hari;
43      }
44  }
```

## Output

```
--- exec:3.5.1:exec (default-cli) @ TPMod3 ---
Urutan ke-1
Nama Dokter : Grisha
Spesialis   : Mata
Nama Pasien : Historia(20)
Hari        : Selasa
Urutan ke-2
Nama Dokter : Faye
Spesialis   : Gigi
Nama Pasien : Historia(20)
Hari        : Kamis
Urutan ke-3
Nama Dokter : Faye
Spesialis   : Gigi
Nama Pasien : Sasha(37)
Hari        : Selasa
Urutan ke-4
Nama Dokter : Zeke
Spesialis   : Telinga
Nama Pasien : Sasha(37)
Hari        : Jumat
Urutan ke-5
Nama Dokter : Grisha
Spesialis   : Mata
Nama Pasien : Petra(55)
Hari        : Senin
-----
BUILD SUCCESS
```