Formules et Tableaux

TABLE 1.1

	Input	Function	Description	Sketch	Use
Réponse impulsionnelle	Impulse	$\delta(t)$	$\delta(t) = \infty$ for $0- < t < 0+$ $= 0$ elsewhere $\int_{0-}^{0+} \delta(t)dt = 1$		Transient response Modeling
Réponse à une échelon unité	Step	$u(t)$	$u(t) = 1$ for $t > 0$ $= 0$ for $t < 0$		Transient response Steady-state error
Réponse de rampe	Ramp	$tu(t)$	$tu(t) = t$ for $t \geq 0$ $= 0$ elsewhere		Steady-state error
Réponse à une entrée de type parabole	Parabola	$\frac{1}{2}t^2u(t)$	$\frac{1}{2}t^2u(t) = \frac{1}{2}t^2$ for $t \geq 0$ $= 0$ elsewhere		Steady-state error
Réponse à une entrée sinusoïdale	Sinusoid	$\sin \omega t$			Transient response Modeling Steady-state error

TABLE 7.1 Test waveforms for evaluating steady-state errors of position control systems

Waveform	Name	Physical interpretation	Time function	Laplace
	Step	Constant position	1	
	Ramp	Constant velocity	t	
	Parabola	Constant acceleration	$\frac{1}{2}t^2$	

TABLE 7.2 Relationships between input, system type, static error constants, and steady-state errors

		Type 0		Type 1		Type
Input	Steady-state error formula	Static error constant	Error	Static error constant	Error	Static error constant
Step, $u(t)$	$\frac{1}{1+K_p}$	K_p = Constant	$\frac{1}{1+K_p}$	$K_p = \infty$	0	$K_p = \infty$
Ramp, $tu(t)$	$\frac{1}{K_v}$	$K_v = 0$	∞	K_v = Constant	$\frac{1}{K_v}$	$K_v = \infty$
Parabola, $\frac{1}{2}t^2u(t)$	$\frac{1}{K_a}$	$K_a = 0$	∞	$K_a = 0$	∞	K_a = Constant

TABLE 2.1 Laplace transform table

Item no.	$f(t)$	$F(s)$
1.	$\delta(t)$	1
2.	$u(t)$	$\frac{1}{s}$
3.	$tu(t)$	$\frac{1}{s^2}$
4.	$t^n u(t)$	$\frac{n!}{s^{n+1}}$
5.	$e^{-at}u(t)$	$\frac{1}{s+a}$
6.	$\sin \omega t u(t)$	$\frac{\omega}{s^2+\omega^2}$
7.	$\cos \omega t u(t)$	$\frac{s}{s^2+\omega^2}$

TABLE 2.2 Laplace transform theorems

Item no.	Theorem	Name
1.	$\mathscr{L}[f(t)] = F(s) = \int_{0-}^{\infty} f(t)e^{-st}dt$	Definition
2.	$\mathscr{L}[kf(t)] = kF(s)$	Linearity theorem
3.	$\mathscr{L}[f_1(t)+f_2(t)] = F_1(s)+F_2(s)$	Linearity theorem
4.	$\mathscr{L}[e^{-at}f(t)] = F(s+a)$	Frequency shift theorem
5.	$\mathscr{L}[f(t-T)] = e^{-sT}F(s)$	Time shift theorem
6.	$\mathscr{L}[f(at)] = \frac{1}{a}F\left(\frac{s}{a}\right)$	Scaling theorem
7.	$\mathscr{L}\left[\frac{df}{dt}\right] = sF(s)-f(0-)$	Differentiation theorem
8.	$\mathscr{L}\left[\frac{d^2f}{dt^2}\right] = s^2F(s)-sf(0-)-f'(0-)$	Differentiation theorem
9.	$\mathscr{L}\left[\frac{d^nf}{dt^n}\right] = s^nF(s)-\sum_{k=1}^{n} s^{n-k}f^{k-1}(0-)$	Differentiation theorem
10.	$\mathscr{L}\left[\int_{0-}^{t} f(\tau)d\tau\right] = \frac{F(s)}{s}$	Integration theorem
11.	$f(\infty) = \lim_{s\to 0} sF(s)$	Final value theorem
12.	$f(0+) = \lim_{s\to \infty} sF(s)$	Initial value theorem

TL 1 (tableau supplémentaire)

	$f(t)$	$F(s)$
1	Unit impulse $\delta(t)$	1
2	Unit step $1(t)$	$\frac{1}{s}$
3	t	$\frac{1}{s^2}$
4	$\frac{t^{n-1}}{(n-1)!} \quad (n = 1, 2, 3, \ldots)$	$\frac{1}{s^n}$
5	$t^n \quad (n = 1, 2, 3, \ldots)$	$\frac{n!}{s^{n+1}}$
6	e^{-at}	$\frac{1}{s+a}$
7	te^{-at}	$\frac{1}{(s+a)^2}$
8	$\frac{1}{(n-1)!} t^{n-1}e^{-at} \quad (n = 1, 2, 3, \ldots)$	$\frac{1}{(s+a)^n}$
9	$t^n e^{-at} \quad (n = 1, 2, 3, \ldots)$	$\frac{n!}{(s+a)^{n+1}}$
10	$\sin \omega t$	$\frac{\omega}{s^2+\omega^2}$
11	$\cos \omega t$	$\frac{s}{s^2+\omega^2}$
12	$\sinh \omega t$	$\frac{\omega}{s^2-\omega^2}$
13	$\cosh \omega t$	$\frac{s}{s^2-\omega^2}$
14	$\frac{1}{a}(1 - e^{-at})$	$\frac{1}{s(s+a)}$
15	$\frac{1}{b-a}(e^{-at} - e^{-bt})$	$\frac{1}{(s+a)(s+b)}$
16	$\frac{1}{b-a}(be^{-bt} - ae^{-at})$	$\frac{s}{(s+a)(s+b)}$
17	$\frac{1}{ab}\left[1 + \frac{1}{a-b}(be^{-at} - ae^{-bt})\right]$	$\frac{1}{s(s+a)(s+b)}$

18	$\frac{1}{a^2}(1 - e^{-at} - ate^{-at})$	$\frac{1}{s(s+a)^2}$
19	$\frac{1}{a^2}(at - 1 + e^{-at})$	$\frac{1}{s^2(s+a)}$
20	$e^{-at}\sin \omega t$	$\frac{\omega}{(s+a)^2 + \omega^2}$
21	$e^{-at}\cos \omega t$	$\frac{s+a}{(s+a)^2 + \omega^2}$
22	$\frac{\omega_n}{\sqrt{1-\zeta^2}} e^{-\zeta\omega_n t}\sin \omega_n \sqrt{1-\zeta^2}\, t$	$\frac{\omega_n^2}{s^2 + 2\zeta\omega_n s + \omega_n^2}$
23	$-\frac{1}{\sqrt{1-\zeta^2}} e^{-\zeta\omega_n t}\sin(\omega_n \sqrt{1-\zeta^2}\, t - \phi)$ $\phi = \tan^{-1}\frac{\sqrt{1-\zeta^2}}{\zeta}$	$\frac{s}{s^2 + 2\zeta\omega_n s + \omega_n^2}$
24	$1 - \frac{1}{\sqrt{1-\zeta^2}} e^{-\zeta\omega_n t}\sin(\omega_n \sqrt{1-\zeta^2}\, t + \phi)$ $\phi = \tan^{-1}\frac{\sqrt{1-\zeta^2}}{\zeta}$	$\frac{\omega_n^2}{s(s^2 + 2\zeta\omega_n s + \omega_n^2)}$
25	$1 - \cos \omega t$	$\frac{\omega^2}{s(s^2 + \omega^2)}$
26	$\omega t - \sin \omega t$	$\frac{\omega^3}{s^2(s^2 + \omega^2)}$
27	$\sin \omega t - \omega t \cos \omega t$	$\frac{2\omega^3}{(s^2 + \omega^2)^2}$
28	$\frac{1}{2\omega} t \sin \omega t$	$\frac{s}{(s^2 + \omega^2)^2}$
29	$t \cos \omega t$	$\frac{s^2 - \omega^2}{(s^2 + \omega^2)^2}$
30	$\frac{1}{\omega_2^2 - \omega_1^2}(\cos \omega_1 t - \cos \omega_2 t) \quad (\omega_1^2 \neq \omega_2^2)$	$\frac{s}{(s^2 + \omega_1^2)(s^2 + \omega_2^2)}$
31	$\frac{1}{2\omega}(\sin \omega t + \omega t \cos \omega t)$	$\frac{s^2}{(s^2 + \omega^2)^2}$

TL 2 (tableau supplémentaire)

1	$\mathcal{L}[Af(t)] = AF(s)$
2	$\mathcal{L}[f_1(t) \pm f_2(t)] = F_1(s) \pm F_2(s)$
3	$\mathcal{L}_{\pm}\left[\frac{d}{dt} f(t)\right] = sF(s) - f(0\pm)$
4	$\mathcal{L}_{\pm}\left[\frac{d^2}{dt^2} f(t)\right] = s^2F(s) - sf(0\pm) - \dot{f}(0\pm)$
5	$\mathcal{L}_{\pm}\left[\frac{d^n}{dt^n} f(t)\right] = s^nF(s) - \sum_{k=1}^{n} s^{n-k} f^{(k-1)}(0\pm)$ where $f^{(k-1)}(t) = \frac{d^{k-1}}{dt^{k-1}} f(t)$
6	$\mathcal{L}_{\pm}\left[\int f(t)\,dt\right] = \frac{F(s)}{s} + \frac{1}{s}\left[\int f(t)\,dt\right]_{t=0\pm}$
7	$\mathcal{L}_{\pm}\left[\int \cdots \int f(t)(dt)^n\right] = \frac{F(s)}{s^n} + \sum_{k=1}^{n} \frac{1}{s^{n-k+1}}\left[\int \cdots \int f(t)(dt)^k\right]_{t=0\pm}$
8	$\mathcal{L}\left[\int_0^t f(t)\,dt\right] = \frac{F(s)}{s}$
9	$\int_0^{\infty} f(t)\,dt = \lim_{s\to 0} F(s)$ if $\int_0^{\infty} f(t)\,dt$ exists
10	$\mathcal{L}[e^{-at} f(t)] = F(s + a)$
11	$\mathcal{L}[f(t - \alpha)1(t - \alpha)] = e^{-\alpha s}F(s) \quad \alpha \geq 0$
12	$\mathcal{L}[tf(t)] = -\frac{dF(s)}{ds}$
13	$\mathcal{L}[t^2 f(t)] = \frac{d^2}{ds^2} F(s)$
14	$\mathcal{L}[t^n f(t)] = (-1)^n \frac{d^n}{ds^n} F(s) \quad n = 1, 2, 3, \ldots$
15	$\mathcal{L}\left[\frac{1}{t} f(t)\right] = \int_s^{\infty} F(s)\,ds$ if $\lim_{t\to 0} \frac{1}{t} f(t)$ exists
16	$\mathcal{L}\left[f\left(\frac{t}{a}\right)\right] = aF(as)$
17	$\mathcal{L}\left[\int_0^t f_1(t - \tau) f_2(\tau)\,d\tau\right] = F_1(s)F_2(s)$
18	$\mathcal{L}[f(t)g(t)] = \frac{1}{2\pi j} \int_{c-j\infty}^{c+j\infty} F(p)G(s - p)\,dp$

TABLE 2.3 Voltage-current, voltage-charge, and impedance relationships for capacitors, resistors, an

Component	Voltage-current	Current-voltage	Voltage-charge	Imp $Z(s) =$
Capacitor	$v(t) = \frac{1}{C}\int_0^t i(\tau)d\tau$	$i(t) = C\frac{dv(t)}{dt}$	$v(t) = \frac{1}{C}q(t)$	
Resistor	$v(t) = Ri(t)$	$i(t) = \frac{1}{R}v(t)$	$v(t) = R\frac{dq(t)}{dt}$	
Inductor	$v(t) = L\frac{di(t)}{dt}$	$i(t) = \frac{1}{L}\int_0^t v(\tau)d\tau$	$v(t) = L\frac{d^2q(t)}{dt^2}$	

Note: The following set of symbols and units is used throughout this book: $v(t)$ – V (volts), $i(t)$ – A (amps), $q(t$ R – Ω (ohms), G – Ω (mhos), L – H (henries).

Graphe de Fluence (Resume)

Form	Transfer function	Signal-flow diagram	State equati
Phase variable	$\frac{1}{(s^2+10s+24)} * (s+3)$		$\dot{\mathbf{x}} = \begin{bmatrix} 0 & 1 \\ -24 & -10 \end{bmatrix}$ $y = [3 \;\; 1]\,\mathbf{x}$
Parallel	$\frac{-1/2}{(s+4)} + \frac{3/2}{s+6}$		$\dot{\mathbf{x}} = \begin{bmatrix} -4 & 0 \\ 0 & -6 \end{bmatrix}$ $y = [1 \;\; 1]\,\mathbf{x}$
Cascade	$\frac{1}{(s+4)} * \frac{(s+3)}{(s+6)}$		$\dot{\mathbf{x}} = \begin{bmatrix} -6 & 1 \\ 0 & -4 \end{bmatrix}$ $y = [-3 \;\; 1]\,\mathbf{x}$
Controller canonical	$\frac{1}{(s^2+10s+24)} * (s+3)$		$\dot{\mathbf{x}} = \begin{bmatrix} -10 & -24 \\ 1 & 0 \end{bmatrix}$ $y = [1 \;\; 3]\,\mathbf{x}$