Project Design Phase-2 Technology Stack (Architecture & Stack)

Team ID	PNT2022TMID40050	
Project Name	Smart Waste Management System for Metropolitan Cities	
Maximum Marks 4 Marks		

Technical Architecture:




Table-1: Components & Technologies:

S. No	Component	Description	Technology
1.	Arduino Uno	The Arduino Uno is an open-source microcontroller board based on the Microchip ATmega328P microcontroller.	Arduino programming itself is done in C++.
2.	Application Logic-1	Logic for IR sensor data.	C++/Python
3.	Application Logic-2	Logic for Ultrasonic sensor data.	C++/Python

4.	Application Logic-3	Logic for a Weight sensor data	C++/Python
5.	GPRS/GSM	The Arduino GSM shield allows an Arduino board to connect to the internet, send and receive SMS, and make voice calls using the GSM library.	C++/Python
6.	Cloud Sever	Application deployment on Local System / Cloud	IBM Watson IoT Platform, Node Red
7.	Cloud Database	Database Service on Cloud	IBM Watson IoT platform, Cloud ant DB
8.	User Interface	How user interacts with application to alert the truck driver.	HTML, CSS, JavaScript, Python etc.
9.	External API-1	Purpose of External API used in the application to locate the trashcans.	Google Maps Geolocation API

Table-2: Application Characteristics:

S.	Characteristics	Description	Technology
No			
1.	Open-Source	Arduino Uno is used to make the	C++/Python
	Microcontroller	IoT device	
2.	Security	Encryption/Decryption used for	GSM/GPRS, Python
		security purpose	
3.	Scalable Architecture	New features can be added.	Node Red
4.	Availability	Web application can be accessed	IBM Watson IoT
		from anywhere	Platform, HTML, CSS,
			JavaScript

5.		All truck drivers can access the	Cloud ant DB, IBM
	Performance	application at same time.	Watson IoT Platform