Boring but important disclaimers:

- If you are not getting this from the GitHub repository or the associated Canvas page (e.g. CourseHero, Chegg etc.), you are probably getting the substandard version of these slides Don't pay money for those, because you can get the most updated version for free at

  `https://github.com/julianmak/academic-notes`

  The repository principally contains the compiled products rather than the source for size reasons.
- Associated Python code (as Jupyter notebooks mostly) will be held on the same repository. The source data however might be big, so I am going to be naughty and possibly just refer you to where you might get the data if that is the case (e.g. JRA-55 data). I know I should make properly reproducible binders etc., but I didn't...
- I do not claim the compiled products and/or code are completely mistake free (e.g. I know I don't write Pythonic code). Use the material however you like, but use it at your own risk.
- As said on the repository, I have tried to honestly use content that is self made, open source or explicitly open for fair use, and citations should be there. If however you are the copyright holder and you want the material taken down, please flag up the issue accordingly and I will happily try and swap out the relevant material.

OCES 2003 :
Descriptive Physical Oceanography

(a.k.a. physical oceanography by drawing pictures)

Lecture 13: Southern Ocean and ACC

Outline

- Southern Ocean and the Antarctic Circumpolar Current (ACC)

  $\rightarrow$ largest/strongest current in the world
- beyond the homogeneous gyre example

  $\rightarrow$ wind forcing and Ekman overturning cell (+ existence of counter overturning cell)

  $\rightarrow$ thermal wind shear relation (cf. Lec. 7 + 8)

  $\rightarrow$ stratification + form stress

  $\rightarrow$ baroclinic instability (see Lec. 17)

  $\rightarrow$ influence on MOC (see next Lec.)

Key terms: ACC, Ekman + eddy overturning cell, thermal wind, (interfacial/topographic) form stress, baroclinicity

Recap: Southern ocean (slide from Lec 2)

Oceans separated horizontally by continental land masses

- constraints on dynamics + circulation (contrast this to atmosphere)

  → Southern ocean slightly different...



Recap: Southern ocean



Figure: Spillhaus projection with a focus on the oceans and, in particular, of the Southern Ocean. See diagram for origin of diagram.

- **unblocked** latitudes, no zonal landmass boundaries

  → dynamical implications? (see later)

  → paleoclimate consequences? (see OCES 4001)
- forced by SH mid-latitude pervailing Eastward wind (Westerlies)
- connected to all other major ocean basins

Recap: Southern ocean



Figure: Spillhaus projection with a focus on the oceans and, in particular, of the Southern Ocean, with a schematic of the MOC put on (red = warm surface waters, blue = cold deep/abyssal waters). From Mike Meredith (BAS), from his Challenger Medal ceremony talk in 2018.

- **Antarctic Circumpolar Current** (ACC)

  $\rightarrow$ world's largest current, transport of ≈ 130 Sv ($1\ \mathrm{Sv} = 10^6\ \mathrm{m}^3\ \mathrm{s}^{-1}$)

  $\rightarrow$ very turbulent/unstable region (see Lec. 17)
- **subpolar** gyres on Antarctic side

  $\rightarrow$ cyclonic (clockwise in SH), e.g. Ross + Weddell
- central role in global MOC (see Lec. 14)

Recap: stratification



Figure: Meridional section in the Atlantic of σ_2. See `plot_eos.ipynb`. Strongly tilting isopycnals present in the Southern Ocean, in contrast to relatively flat isopycnals in the basins.

- meridional section plot of σ_2 (see Lec. 6)
- strongly tilting isopycnals (see Lec. 6) in Southern Ocean
- wind coming out of page
- $\rightarrow$ but sign + profile of wind stress curl? (see Lec. 9)

Forcings around the Southern Ocean

buoyancy/thermodynamic forcing:

- T_{air} **cold** (high latitudes), heat **loss** from ocean
- $\Rightarrow$ buoyancy **loss** (water getting denser)

Forcings around the Southern Ocean

buoyancy/thermodynamic forcing:

- T_{air} **cold** (high latitudes), heat **loss** from ocean
- $\Rightarrow$ buoyancy **loss** (water getting denser)
- if ice **melting**, release freshwater

  $\Rightarrow$ buoyancy **gain** (water getting lighter)

  $\rightarrow$ vice-versa if forming ice (brine rejection)

Forcings around the Southern Ocean

buoyancy/thermodynamic forcing:

- T_{air} **cold** (high latitudes), heat **loss** from ocean
- $\Rightarrow$ buoyancy **loss** (water getting denser)
- if ice **melting**, release freshwater

  $\Rightarrow$ buoyancy **gain** (water getting lighter)

  $\rightarrow$ vice-versa if forming ice (brine rejection)

mechanical forcing:

- mid-latitude prevailing Eastward winds (Westerlies)

  $\Rightarrow$ **E-ward** momentum injection

Forcings around the Southern Ocean

buoyancy/thermodynamic forcing:

- T_{air} **cold** (high latitudes), heat **loss** from ocean
- $\Rightarrow$ buoyancy **loss** (water getting denser)
- if ice **melting**, release freshwater

  $\Rightarrow$ buoyancy **gain** (water getting lighter)

  $\rightarrow$ vice-versa if forming ice (brine rejection)

mechanical forcing:

- mid-latitude prevailing Eastward winds (Westerlies)

  $\Rightarrow$ **E-ward** momentum injection
- bathymetric feautres

  $\Rightarrow$ **take out** momentum (see Lec 10) via topographic form stress

  (see later)

Forcings around the Southern Ocean



Figure: Bathymetry around the Drake passage. Figure modified from Civile *et al.* (2012), *Tectonophysics* (top half of their Fig. 1)

Some notable bathymetric features:

- Drake passage, a choke point for the ACC
- Kerguelen plateau, a wide ridge (not shown here)

  $\rightarrow$ water depth can vary from 4000 to 1000 m (recall PV conservation Lec. 12)

gyres vs. ACC

gyres	ACC
bounded latitudes	unblocked latitudes
	cf. **atmosphere**
WBC: intense narrow current	ACC: reasonably "fast", but broad
$\approx$ 30 Sv transport	$\approx$ 130 Sv transport
depth-independent theory ok?	depth-independent theory "fails"
	e.g. Gill (1968) *J. Fluid Mech.*
	but see Marshall *et al.* (2016) *Ocean Modell.*
Sverdrup balance OK	eddies important

- despite differences, dynamical concepts shared between the two

again, dynamics important!

Ekman driven circulation



Figure: Schematic of wind forcing over Southern Ocean and associated Ekman circulation (recall Lec. 9). $f < 0$ because we are in the Southern Hemisphere. Diagram based on Olbers ref here

Ekman driven circulation



Figure: Schematic of wind forcing over Southern Ocean and associated Ekman circulation (recall Lec. 9). $f < 0$ because we are in the Southern Hemisphere. Diagram based on Olbers ref here

Ekman driven circulation



Figure: Schematic of wind forcing over Southern Ocean and associated Ekman circulation (recall Lec. 9). $f < 0$ because we are in the Southern Hemisphere. Diagram based on Olbers ref here

Ekman driven circulation



Figure: Schematic of wind forcing over Southern Ocean and associated Ekman circulation (recall Lec. 9). $f < 0$ because we are in the Southern Hemisphere. Diagram based on Olbers ref here

Ekman driven circulation



Figure: Ekman overturning and its consequences.

Ekman driven circulation



Figure: Ekman overturning and its consequences.

Ekman driven circulation



Figure: Ekman overturning and its consequences.

Ekman driven circulation



Figure: Ekman overturning and its consequences.

Ekman driven circulation



Figure: Ekman overturning and its consequences.

Ekman driven circulation



Figure: Ekman overturning and its consequences.

Thermal wind relation

SO stratification control, how is it related to ACC?

Thermal wind relation

SO stratification control, how is it related to ACC? Recall hydrostatic balance (Lec 7) and geostrophic balance (Lec 8):

$$\frac{\partial p}{\partial z} = -\rho g, \qquad f\boldsymbol{e}_z \times \boldsymbol{u}_g = -\frac{1}{\rho_0}\nabla p$$

Thermal wind relation

SO stratification control, how is it related to ACC? Recall hydrostatic balance (Lec 7) and geostrophic balance (Lec 8):

$$\frac{\partial p}{\partial z} = -\rho g, \qquad f\boldsymbol{e}_z \times \boldsymbol{u}_g = -\frac{1}{\rho_0}\nabla p$$

Combine the two?

Thermal wind relation

SO stratification control, how is it related to ACC? Recall hydrostatic balance (Lec 7) and geostrophic balance (Lec 8):

$$\frac{\partial p}{\partial z} = -\rho g, \qquad f\boldsymbol{e}_z \times \boldsymbol{u}_g = -\frac{1}{\rho_0}\nabla p$$

Combine the two?

- eliminate p, so take ∇ or hydrostatic balance and $\partial/\partial z$ of geostrophic balance (shenanigans here!):

$$\frac{\partial \nabla p}{\partial z} = -g\nabla\rho, \qquad f\boldsymbol{e}_z \times \frac{\partial \boldsymbol{u}_g}{\partial z} \stackrel{!}{=} -\frac{1}{\rho_0}\frac{\partial}{\partial z}\nabla p$$

Thermal wind relation

SO stratification control, how is it related to ACC? Recall hydrostatic balance (Lec 7) and geostrophic balance (Lec 8):

$$\frac{\partial p}{\partial z} = -\rho g, \qquad f\boldsymbol{e}_z \times \boldsymbol{u}_g = -\frac{1}{\rho_0}\nabla p$$

Combine the two?

- eliminate p, so take ∇ or hydrostatic balance and $\partial/\partial z$ of geostrophic balance (shenanigans here!):

$$\frac{\partial \nabla p}{\partial z} = -g\nabla\rho, \qquad f\boldsymbol{e}_z \times \frac{\partial \boldsymbol{u}_g}{\partial z} \overset{!}{=} -\frac{1}{\rho_0}\frac{\partial}{\partial z}\nabla p$$

- eliminate pressure to get

$$\boxed{f\boldsymbol{e}_z \times \frac{\partial \boldsymbol{u}_g}{\partial z} \overset{!}{=} -\frac{g}{\rho_0}\nabla\rho}$$

Thermal wind relation

$$f\boldsymbol{e}_z \times \frac{\partial \boldsymbol{u}_g}{\partial z} \stackrel{!}{=} -\frac{g}{\rho}\nabla\rho$$

- thermal wind relation (ignoring some shenanigans for now) says that

  horizontal gradients in $\rho \sim$ vertical gradients in $\boldsymbol{u}_g$

- tilting isopycnals implies there a geostrophic flow

  $\rightarrow$ system needs to be rotating

  $\rightarrow$ more tilt = stronger flow

  $\rightarrow$ direction depends on tilt and hemisphere (because f changes sign)

? combine with SSH to get vertical profile of geostrophic flow? (see Lec. 20, OCES 3203, maybe OCES 3301)

Thermal wind relation



Figure: Meridional section in the Atlantic of (top) in-situ density and (bot) σ_0. See `plot_eos.ipynb`. σ_0 implies there is a thermal wind coming out of the page in the Southern Ocean (because $f < 0$), consistent with what we know. On the other hand, in-situ density σ implies basically nothing is going on, which we know is not true.

2/3 way point

- wind puts momentum in + induces an overturning via Ekman suction/pumping (Lec. 9)

  $\rightarrow$ **steepens** isopycnals (Lec. 5 + 6)

  $\rightarrow$ cannot continue indefinitely (otherwise convectively unstable), existence of counter overturning cell (see later)

- thermal wind shear relation

  $\rightarrow$ hydrostatic + geostrophic balance (Lec. 7 + 8)

  $\rightarrow$ tilting isopycnals = geostrophic flow

  $\rightarrow$ consistent with E-ward wind momentum input

2/3 way point

- wind puts momentum in + induces an overturning via Ekman suction/pumping (Lec. 9)

  → **steepens** isopycnals (Lec. 5 + 6)

  → cannot continue indefinitely (otherwise convectively unstable), existence of counter overturning cell (see later)
- thermal wind shear relation

  → hydrostatic + geostrophic balance (Lec. 7 + 8)

  → tilting isopycnals = geostrophic flow

  → consistent with E-ward wind momentum input
- baroclinic theory here, vertical structure + stratification involved

  → cf. homogeneous gyre theory, but ideas here also apply somewhat there

Form stress

How is momentum removed?

- removal at bottom (momentum input by wind $\sim$ momentum removal at ocean floor loss to land)

  $\rightarrow$ but how? (topographic form stress)

  $\rightarrow$ role of PV conservation? (Lec. 12)
- how is it **transferred** vertically? (interfacial form stress)

Form stress

How is momentum removed?

- removal at bottom (momentum input by wind $\sim$ momentum removal at ocean floor loss to land)

  $\rightarrow$ but how? (topographic form stress)

  $\rightarrow$ role of PV conservation? (Lec. 12)
- how is it **transferred** vertically? (interfacial form stress)

in essence pressure gradients (Lec. 7)

Form stress



Figure: Schematic of (interfacial + topographic) form stress.

Form stress



Figure: Schematic of (interfacial + topographic) form stress.

Form stress



Figure: Schematic of (interfacial + topographic) form stress.

Form stress



Figure: Schematic of (interfacial + topographic) form stress.

Form stress



Figure: Schematic of (interfacial + topographic) form stress.

Form stress



Figure: Schematic of (interfacial + topographic) form stress.

Form stress



Figure: Schematic of (interfacial + topographic) form stress.

Form stress



Figure: Schematic of (interfacial + topographic) form stress.

Form stress



Figure: Schematic of (interfacial + topographic) form stress.

f/H contours (recall Lec. 12)



Figure: Conservation of $q = \omega/H$ (assuming $|\omega| \gg |f|$ for illustration). As H decreases, the spinning gets faster to compensate so that q is conserved.

Recall PV was loosely defined as (Lec 12) $q = (f + \omega)/H$

- planetary f + relative $\omega = \boldsymbol{e}_z \cdot \nabla \times \boldsymbol{u}$ vorticity, scaled by fluid depth H

  $\rightarrow$ on large-scales $|\omega| \ll |f|$ (homework exercise)
- geostrophic flow **wants** to travel along $q \approx f/H$ contours

  $\rightarrow$ to conserve angular momentum

Q. at given latitude, f is fixed by H might not be, so whats the consequences?

f/H contours



Figure: Some consequences of f/H contours.

- if bathymetric feature not that tall ($H \approx H_{\mathrm{ref}}$), just go **over**

  $\rightarrow$ not that much "pressing" onto bathymetry

  $\rightarrow$ weaker ∇p so smaller topographic form stress

  $\rightarrow$ **weak** deceleration, weak topographic influence
- theories neglecting baroclinicity + topography results in ACC transport being ridiculously large

f/H contours



Figure: Some consequences of f/H contours.

- if bathymetric feature tall enough ($H < H_{\mathrm{ref}}$), f/H contours can be blocked

  $\rightarrow$ significant "pressing" onto bathymetry

  $\rightarrow$ strong ∇p so stronger topographic form stress

  $\rightarrow$ **strong** deceleration, topographic influence significant

  $\rightarrow$ e.g. Drake passage, Kerguelen plateau

Quick brief on baroclinic instability (more in Lec. 17)



- what is the source of the counter overturning cell?

  → strength probably needs to be related to isopycnal slopes

Quick brief on baroclinic instability (more in Lec. 17)



- what is the source of the counter overturning cell?

  → strength probably needs to be related to isopycnal slopes

baroclinic instability

- sloping isopycnals ∼ vertically sheared flow (thermal wind)
- sheared flow ⇒ instability (see Lec. 17)

  → **reduce** vertical shear ∼ **flatten** isopycnals



Quick brief on baroclinic instability (more in Lec. 17)

eye candy

Quick brief on baroclinic instability (more in Lec. 17)





Figure: Idealised sector model from Munday, Johnson & Marshall (2013), *J. Phys Oceanogr.* and results on ACC transport (related to Southern Ocean overturning) sensitivity with changes of wind depending on mesoscale parameterisation, from Mak *et al.* (2018), *J. Phys Oceanogr.*.

- residual of Ekman and eddy cell affects SO stratification
  $\rightarrow$ affects ACC transport through thermal wind
  $\rightarrow$ can have **global** effect via isopycnal connectivity to all ocean basins (see Lec. 14)

Quick brief on baroclinic instability (more in Lec. 17)



Figure: Snapshots of surface relative vorticity of a double gyre model at different resolutions. From Lévy *et al.*, (2010), *Ocean Model.* (modified from their Fig. 3).

- important in gyres too (see Lec. 12)

  $\rightarrow$ shaping the WBC, bio-physical interaction, momentum transfer etc.

Summary

- Southern Ocean the “center” of the global ocean

  → unblocked latitudes

  → stratification here can influence **global** stratification (and in turn global MOC, ocean heat content etc.) (see Lec. 14)

- ACC largest current in the world

  → tilting isopycnals, thermal wind relation (geostrophic + hydrostatic balance) (more in Lec. 20)

  → Ekman vs. eddy overturning cell, residual affecting overall stratification

  → role of form stress and f/H contours

  → baroclinic eddies a source of form stress + flattens isopycnals (more in Lec. 17)

Key role of dynamics, applicable to ACC + gyres!