

SEC-STD-DETECT-001 - Detection Rule Catalogue and Tuning Rules (APPROVED)

Synthetic training document. Not for operational use.

Document ID: SEC-STD-DETECT-001 | Version 1.0 | Status: APPROVED | Effective: 2025-12-01 |
Owner: Technical Security Services

1. Rule catalogue

Rule	Name	Condition	Severity
R-AUTH-01	Repeated failed logins from one source	8 or more failures from one source address within 30 minutes	Medium; High at 25 or more
R-AUTH-02	Remote login without MFA	Successful login from the DMZ or outside without MFA	Medium; High if off hours
R-NET-01	Port scan from unapproved source	10 or more distinct destination ports from one unapproved source in 15 minutes	Medium
R-NET-02	Connection flood from many sources	40 or more flows from 15 or more sources in 15 minutes	High
R-NET-03	Large outbound transfer to external address	More than 30 MB to an external address	High
R-OT-01	Controller change without ticket or outside window	A state-changing command with no ticket, or outside the approved change window	High

2. Alert handling

- 1 Every alert is triaged by an analyst and given a status: Open, Triaged, Escalated or Closed - false positive.
- 2 Closing an alert as a false positive requires a recorded reason. An alert closed without a reason is reopened at the next review.
- 3 An escalated alert is linked to an incident.

3. Tuning

- 1 A threshold change needs a recorded comparison of alerts, missed events and false alarms before and after.
- 2 Approved scans and backups are excluded by named source address, not by lowering severity.
- 3 Tuning is approved by the Technical Security Services Lead. A model or a script proposes; a person approves.