

INTERNSHIP PROJECT REPORT

Project: Food Delivery

Submitted as part of the internship program at:

UPSKILL CAMPUS

Date: June 19, 2026

1. Introduction

PlateLink is a static multi-page food delivery website prototype designed to connect customers, restaurant owners, and delivery partners in one browser-based workflow. The application demonstrates the full order cycle, from account entry and restaurant browsing to cart checkout, restaurant order handling, driver assignment, and delivery tracking.

2. Problem Statement

Food delivery platforms require a clear bridge between restaurants and consumers. Restaurants need a way to list food items with prices and images, customers need to discover nearby restaurants and place orders through a common cart and payment page, and delivery partners need a simple dashboard to update pickup and delivery progress. The project addresses these needs as a frontend prototype using shared browser storage.

3. Project Objectives

- Provide login and signup screens for customers, restaurant owners, and delivery persons.
- Allow restaurant owners to add restaurant details and food menu items.
- Allow customers to search restaurants, browse menus, add items to a universal cart, and complete checkout.
- Show incoming customer order details to the restaurant dashboard.
- Allow delivery status updates and display simulated live ETA tracking to the customer.
- Keep the interface responsive and usable across the project pages.

4. Technical Stack

Frontend

HTML5, CSS3, and vanilla JavaScript.

State Storage

Browser localStorage using the key platelink-state-v2.

Media

Remote food image URLs are used for restaurant and menu visuals.

Deployment Type

Static website prototype that can run directly in a browser without a backend server.

5. System Design

The application is organized as separate HTML pages connected by shared JavaScript. Login and signup route users to role-specific workflows. app.js owns the seeded demo state, restaurant and menu rendering, cart operations, checkout creation, dashboard status updates, and simulated tracking progress.

- index.html and signup.html manage entry into the prototype.
- restaurant.html captures restaurant and dish information.
- order.html displays restaurant discovery, menu browsing, and recommendations.
- cart.html handles order review, address selection, payment method, and loyalty point discount.
- dashboard.html combines restaurant order handling, driver job controls, timeline status, and ETA display.

6. Implementation

Authentication Flow

Users can enter through login or signup and choose a role. The selected role controls whether the user lands on the customer order page, restaurant page, or driver dashboard.

Restaurant Module

Restaurant owners can add business details and add menu items with names, categories, prices, and photo URLs. Saved restaurants appear in customer browsing views.

Consumer Module

Customers can search restaurants, filter by cuisine, inspect menu items, add dishes to the shared cart, and complete checkout from a single cart page.

Delivery Lifecycle

Orders move through Placed, Restaurant accepted, Prep started, Driver assigned, Picked up, and Delivered statuses. ETA and driver position are simulated after assignment.

7. Testing And Validation

- Verified page-to-page navigation for login, signup, restaurant, order, cart, and dashboard views.
- Verified localStorage persistence for restaurants, cart items, active order, and selected user role.
- Verified order status controls for restaurant and driver workflow updates.

8. Limitations

- The prototype does not include a real backend, database, or server-side authentication.
- Restaurant images and dish images are added through URLs instead of file uploads.
- Driver location and ETA are simulated rather than connected to a map or GPS API.
- Payment processing is represented as a frontend selection, not a real payment gateway.

9. Future Scope

- Add backend APIs, database persistence, and secure role-based authentication.
- Add restaurant owner validation, order history, customer ratings, and reviews.
- Integrate image upload, real maps, live driver tracking, and payment gateway support.

10. Conclusion

PlateLink successfully demonstrates the core workflow of a food delivery system in a static frontend prototype. It connects restaurant listing, customer ordering, cart checkout, restaurant acceptance, driver assignment, and simulated tracking into one coherent application flow. The current implementation is suitable as a functional proof of concept and can be expanded into a production-ready system by adding backend services and persistent database support.

git hub :<https://github.com/DedeePYa1308sai/UpskillCampus>