```
(AMD64)] on win32
Type "copyright", "credits" or "license()" for more information.
RESTART: C:\Users\teleuser\Documents\Kantor\Kuliah\Master\Semester
3\Perencanaan
Jaringan\Tugas\program\Python\tsp-atncolony\Python-Ant-Colony-TSP-Solver-master\
anttsp.py
[[0, 10, 30, 31], [10, 0, 22, 18], [30, 22, 0, 18], [31, 18, 18, 0]]
Average = 16
Tau0 = 0.03125
iter counter = 1
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [2, 3], 18starting ant = 2
Exploitationstarting ant = 3
Ant 1 : [2, 3], 18starting ant = 4
Explorationstarting ant = 5
avg = 0.00137208781362starting ant = 6
Ant 0 : [2, 3, 1], 36starting ant = 8
Exploitationstarting ant = 9
Ant 2 : [1, 0], 10starting ant = 10
Exploitationstarting ant = 11
Ant 3: [1, 0], 10starting ant = 12
Exploitationstarting ant = 13
Ant 1 : [2, 3, 1], 36starting ant = 14
Exploitationstarting ant = 15
Ant 4 : [0, 1], 10starting ant = 16
Exploitationstarting ant = 17
Ant 5 : [0, 1], 10 starting ant = 18
Explorationstarting ant = 19
avg = 0.00209385521886
p = 0.003125
```

Python 2.7.13 (v2.7.13:a06454b1afa1, Dec 17 2016, 20:53:40) [MSC v.1500 64 bit

```
Ant 6: [1, 0], 10
Exploration
avg = 0.00172491039427
p = 0.003125
Ant 7 : [0, 1], 10
Exploration
avg = 0.003125
Ant 0 : [2, 3, 1, 0], 46
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 8: [2, 3], 18
Exploration
avg = 0.00139941077441
p = 0.00142045454545
p = 0.00173611111111
Ant 9 : [2, 3], 18
Exploitation
Ant 2: [1, 0, 2], 40
Exploitation
Ant 10 : [0, 1], 10
Exploration
avg = 0.00209385521886
p = 0.003125
Ant 11 : [1, 0], 10
Exploration
avg = 0.0010248655914
p = 0.00104166666667
Ant 3: [1, 0, 2], 40
Exploitation
Ant 12 : [2, 3], 18
Exploration
avg = 0.00172491039427
p = 0.003125
Ant 13 : [0, 1], 10
Exploration
avg = 0.003125
Ant 1: [2, 3, 1, 0], 46
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.00172491039427
p = 0.003125
Ant 14: [0, 1], 10
Exploration
avg = 0.00209385521886
p = 0.003125
Ant 15 : [1, 0], 10
Exploitation
Ant 4: [0, 1, 3], 28
Exploitation
Ant 16 : [2, 3], 18
Exploration
avg = 0.00209385521886
```

```
p = 0.003125
Ant 17 : [1, 0], 10
Exploitation
Ant 5 : [0, 1, 3], 28
Exploration
avg = 0.00209385521886
p = 0.003125
Ant 18: [1, 0], 10
Exploitation
Ant 19 : [2, 3], 18
Exploration
avg = 0.0010248655914
p = 0.00104166666667
Ant 6: [1, 0, 2], 40
Exploration
avg = 0.00157828282828
p = 0.00173611111111
Ant 7 : [0, 1, 3], 28
Exploitation
Ant 8 : [2, 3, 1], 36
Exploitation
Ant 9: [2, 3, 1], 36
Exploitation
Ant 2 : [1, 0, 2, 3], 58
ExploitationUpdate called by 2
Ant 10 : [0, 1, 3], 28Ant thread 2 terminating.
Exploitation
Ant 11 : [1, 0, 2], 40
Exploitation
Ant 3: [1, 0, 2, 3], 58
Update called by 3Exploitation
Ant thread 3 terminating. Ant 12 : [2, 3, 1], 36
Exploration
avg = 0.00157828282828
p = 0.00173611111111
Ant 13 : [0, 1, 3], 28
Exploitation
Ant 14 : [0, 1, 3], 28
Exploration
avg = 0.0010248655914
p = 0.00104166666667
Ant 15 : [1, 0, 2], 40
Exploitation
Ant 4: [0, 1, 3, 2], 46
Update called by 4Exploration
Ant thread 4 terminating.avg = 0.00137208781362
p = 0.00173611111111
Ant 16 : [2, 3, 1], 36
```

Exploitation

Ant 17: [1, 0, 2], 40

Exploitation

Ant 5 : [0, 1, 3, 2], 46

Update called by 5Exploration

Ant thread 5 terminating.avg = 0.0010248655914

p = 0.00104166666667

Ant 18: [1, 0, 2], 40

Exploitation

Ant 19: [2, 3, 1], 36

Exploration

avg = 0.00173611111111

Ant 6 : [1, 0, 2, 3], 58

Ant thread 6 terminating.avg = 0.00173611111111

Ant 7: [0, 1, 3, 2], 46

Update called by 7Exploration

Update called by 6Exploration

Ant thread 7 terminating.avg = 0.003125

Ant 8: [2, 3, 1, 0], 46

Update called by 8Exploitation

Ant thread 8 terminating. Ant 9 : [2, 3, 1, 0], 46

Update called by 9Exploration

Ant thread 9 terminating.avg = 0.00173611111111

Ant 10 : [0, 1, 3, 2], 46

ExplorationUpdate called by 10

avg = 0.001736111111111Ant thread 10 terminating.

Ant 11 : [1, 0, 2, 3], 58

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.003125

Ant 12: [2, 3, 1, 0], 46

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00173611111111

Ant 13 : [0, 1, 3, 2], 46

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00173611111111

Ant 14 : [0, 1, 3, 2], 46

Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00173611111111

Ant 15 : [1, 0, 2, 3], 58
Update called by 15Exploration

Ant thread 15 terminating.avg = 0.003125

Ant 16: [2, 3, 1, 0], 46 ExplorationUpdate called by 16

avg = 0.001736111111111Ant thread 16 terminating.

Ant 17: [1, 0, 2, 3], 58
Update called by 17Exploration

Ant thread 17 terminating.avg = 0.00173611111111

Ant 18: [1, 0, 2, 3], 58
Update called by 18Exploration

Ant thread 18 terminating.avg = 0.003125

Ant 19 : [2, 3, 1, 0], 46 Update called by 19

Best: [2, 3, 1, 0], 76, 1, 76

Ant thread 19 terminating.iter_counter = 2

starting ant = 0
Explorationstarting ant = 1

avg = 0.00125946969697starting ant = 2

p = 0.00127840909091starting ant = 3

p = 0.0015625starting ant = 4

Ant 0 : [2, 3], 18 starting ant = 5

Exploitationstarting ant = 6

Ant 1 : [2, 3], 18starting ant = 7

Explorationstarting ant = 8

avg = 0.00188446969697starting ant = 9

p = 0.0028125starting ant = 10

Ant 2 : [1, 0], 10starting ant = 11

Explorationstarting ant = 12

```
avg = 0.00198759469697starting ant = 13
p = 0.003121875starting ant = 14
Ant 3: [1, 0], 10starting ant = 15
Explorationstarting ant = 16
avg = 0.00155241935484starting ant = 17
p = 0.0028125starting ant = 18
Ant 4 : [0, 1], 10starting ant = 19
Exploitation
Ant 0 : [2, 3, 1], 36
Exploration
avg = 0.00165554435484
p = 0.003121875
Ant 5 : [0, 1], 10
Exploitation
Ant 6: [1, 0], 10
Exploration
avg = 0.00132081653226
p = 0.001734375
Ant 1 : [2, 3, 1], 36
Exploitation
Ant 7: [0, 1], 10
Exploitation
Ant 8 : [2, 3], 18
Exploitation
Ant 9: [2, 3], 18
Exploration
avg = 0.00165658591734
p = 0.0031249996875
Ant 10 : [0, 1], 10
Exploitation
Ant 2 : [1, 0, 2], 40
Exploitation
Ant 11 : [1, 0], 10
Exploration
avg = 0.00131734006676
p = 0.00173611110937
Ant 12 : [2, 3], 18
Exploration
avg = 0.00169096102046
p = 0.00312499999688
Ant 13 : [0, 1], 10
Exploration
avg = 0.00169096102149
p = 0.00312499999997
Ant 14 : [0, 1], 10
Exploitation
Ant 3 : [1, 0, 2], 40
```

```
Exploitation
Ant 15 : [1, 0], 10
Exploration
avg = 0.00131734006733
p = 0.00173611111109
Ant 16 : [2, 3], 18
Exploration
avg = 0.00198863636363
p = 0.00312499999997
Ant 17 : [1, 0], 10
Exploitation
Ant 18 : [1, 0], 10
Exploitation
Ant 4 : [0, 1, 3], 28
Exploitation
Ant 19 : [2, 3], 18
Exploitation
Ant 0: [2, 3, 1, 0], 46
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 5 : [0, 1, 3], 28
Exploration
avg = 0.000974457157258
p = 0.00104165625
Ant 6: [1, 0, 2], 40
Exploitation
Ant 1 : [2, 3, 1, 0], 46
Update called by 1Exploitation
Ant thread 1 terminating. Ant 7 : [0, 1, 3], 28
Exploration
avg = 0.00132167590726
p = 0.00173609375
Ant 8 : [2, 3, 1], 36
Exploration
avg = 0.00132168450101
p = 0.0017361109375
Ant 9 : [2, 3, 1], 36
Exploitation
Ant 10 : [0, 1, 3], 28
Exploration
avg = 0.001736111111111
Ant 2 : [1, 0, 2, 3], 58
Update called by 2Exploitation
Ant thread 2 terminating. Ant 11 : [1, 0, 2], 40
Exploration
avg = 0.00132168458695
p = 0.00173611110937
Ant 12 : [2, 3, 1], 36
Exploration
```

```
avg = 0.00150726010014
p = 0.00173611110937
Ant 13 : [0, 1, 3], 28
Exploration
avg = 0.001507260101
p = 0.00173611111109
Ant 14: [0, 1, 3], 28
Exploration
avg = 0.001736111111111
Ant 3: [1, 0, 2, 3], 58
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.000974462365071
p = 0.00104166666563
Ant 15 : [1, 0, 2], 40
Exploitation
Ant 16 : [2, 3, 1], 36
Exploration
avg = 0.000974462365586
p = 0.00104166666666
Ant 17 : [1, 0, 2], 40
Exploitation
Ant 18 : [1, 0, 2], 40
Exploration
avg = 0.0015625
Ant 4: [0, 1, 3, 2], 46
Update called by 4Exploration
Ant thread 4 terminating.avg = 0.00132168458781
p = 0.00173611111111
Ant 19 : [2, 3, 1], 36
Exploration
avg = 0.001734375
Ant 5 : [0, 1, 3, 2], 46
ExploitationUpdate called by 5
Ant 6 : [1, 0, 2, 3], 58Ant thread 5 terminating.
Update called by 6Exploration
Ant thread 6 terminating.avg = 0.00173609375
Ant 7: [0, 1, 3, 2], 46
Update called by 7Exploration
Ant thread 7 terminating.avg = 0.003125
Ant 8: [2, 3, 1, 0], 46
Update called by 8Exploration
```

Ant thread 8 terminating.avg = 0.003125

Ant 9 : [2, 3, 1, 0], 46 Update called by 9Exploration

Ant thread 9 terminating.avg = 0.0017361109375

Ant 10 : [0, 1, 3, 2], 46
Update called by 10Exploration

Ant thread 10 terminating.avg = 0.00173611111111

Ant 11: [1, 0, 2, 3], 58
Update called by 11Exploitation

Ant thread 11 terminating. Ant 12 : [2, 3, 1, 0], 46

Update called by 12Exploitation

Ant thread 12 terminating. Ant 13: [0, 1, 3, 2], 46

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.001736111111109

Ant 14: [0, 1, 3, 2], 46
Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00173611111111

Ant 15 : [1, 0, 2, 3], 58 Update called by 15Exploitation

Ant thread 15 terminating. Ant 16: [2, 3, 1, 0], 46

Update called by 16Exploration

Ant thread 16 terminating.avg = 0.00173611111111

Ant 17 : [1, 0, 2, 3], 58
Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [1, 0, 2, 3], 58

Update called by 18Exploration

Ant thread 18 terminating.avg = 0.003125

Ant 19 : [2, 3, 1, 0], 46 Update called by 19

Best: [2, 3, 1, 0], 76, 2, 76

Ant thread 19 terminating.iter counter = 3

starting ant = 0
Explorationstarting ant = 1

```
avg = 0.00118560606061starting ant = 2
p = 0.0015625starting ant = 3
Ant 0 : [2, 3], 18 starting ant = 4
Explorationstarting ant = 5
avg = 0.00124289772727starting ant = 6
p = 0.001734375starting ant = 7
Ant 1 : [2, 3], 18starting ant = 8
Explorationstarting ant = 9
avg = 0.00184185606061starting ant = 10
p = 0.0028125starting ant = 11
Ant 2 : [1, 0], 10starting ant = 12
Exploitationstarting ant = 13
Ant 3: [1, 0], 10starting ant = 14
Exploitationstarting ant = 15
Ant 0 : [2, 3, 1], 36starting ant = 16
Exploitationstarting ant = 17
Ant 4 : [0, 1], 10starting ant = 18
Explorationstarting ant = 19
avg = 0.00162530241935
p = 0.003121875
Ant 5 : [0, 1], 10
Exploration
avg = 0.00194601231061
p = 0.00312496875
Ant 6: [1, 0], 10
Exploration
avg = 0.00162633366935
p = 0.00312496875
Ant 7: [0, 1], 10
Exploitation
Ant 1 : [2, 3, 1], 36
Exploration
avg = 0.00124347064394
p = 0.00173609375
Ant 8 : [2, 3], 18
Exploitation
```

Ant 9: [2, 3], 18 Exploitation Ant 10 : [0, 1], 10 Exploration avg = 0.00194602262311p = 0.0031249996875Ant 11 : [1, 0], 10 Exploitation Ant 2 : [1, 0, 2], 40 Exploitation Ant 12 : [2, 3], 18 Exploration avg = 0.00166071908498 p = 0.00312499999688Ant 13 : [0, 1], 10 Exploration avg = 0.000928578629032p = 0.001040625Ant 3: [1, 0, 2], 40 Exploitation Ant 14: [0, 1], 10 Exploration avg = 0.00194602272623p = 0.00312499999688Ant 15 : [1, 0], 10 Exploitation Ant 0: [2, 3, 1, 0], 46 Update called by <code>OExploration</code>

Ant thread 0 terminating.avg = 0.00124347643097

p = 0.00173611111109Ant 16: [2, 3], 18 Exploitation Ant 17 : [1, 0], 10 Exploration avg = 0.00135653409091p = 0.0015625Ant 4: [0, 1, 3], 28 Exploitation Ant 18 : [1, 0], 10 Exploitation Ant 19 : [2, 3], 18 Exploration avg = 0.00144247159091p = 0.001734375Ant 5 : [0, 1, 3], 28 Exploitation Ant 6: [1, 0, 2], 40 Exploration avg = 0.00144333096591p = 0.00173609375Ant 7 : [0, 1, 3], 28 Exploitation

```
Ant 1 : [2, 3, 1, 0], 46
Update called by 1Exploitation
Ant thread 1 terminating. Ant 8: [2, 3, 1], 36
Exploration
avg = 0.00127632159778
p = 0.0017361109375
Ant 9: [2, 3, 1], 36
Exploitation
Ant 10 : [0, 1, 3], 28
Exploration
avg = 0.000929099410282
p = 0.0010416665625
Ant 11: [1, 0, 2], 40
Exploration
avg = 0.00173611111111
Ant 2 : [1, 0, 2, 3], 58
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.00127632168372
p = 0.00173611110937
Ant 12 : [2, 3, 1], 36
Exploration
avg = 0.0014433396456
p = 0.00173611110937
Ant 13 : [0, 1, 3], 28
Exploitation
Ant 3: [1, 0, 2, 3], 58
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.00144333964646
p = 0.00173611111109
Ant 14 : [0, 1, 3], 28
Exploration
avg = 0.000929099461845
p = 0.00104166666563
Ant 15 : [1, 0, 2], 40
Exploitation
Ant 16: [2, 3, 1], 36
Exploitation
Ant 17 : [1, 0, 2], 40
Exploitation
Ant 4: [0, 1, 3, 2], 46
Update called by 4Exploration
Ant thread 4 terminating.avg = 0.000929099462366
p = 0.00104166666667
Ant 18: [1, 0, 2], 40
Exploitation
Ant 19 : [2, 3, 1], 36
```

Exploration

avg = 0.001734375

Ant 5 : [0, 1, 3, 2], 46

Update called by 5Exploitation

Ant thread 5 terminating. Ant 6 : [1, 0, 2, 3], 58

Update called by 6Exploitation

Ant thread 6 terminating. Ant 7 : [0, 1, 3, 2], 46

Update called by 7Exploitation

Ant thread 7 terminating. Ant 8 : [2, 3, 1, 0], 46

ExplorationUpdate called by 8

avg = 0.003125Ant thread 8 terminating.

Ant 9 : [2, 3, 1, 0], 46

Update called by 9Exploration

Ant thread 9 terminating.avg = 0.0017361109375

Ant 10 : [0, 1, 3, 2], 46

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [1, 0, 2, 3], 58

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.003125

Ant 12 : [2, 3, 1, 0], 46

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00173611110937

Ant 13 : [0, 1, 3, 2], 46

Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [0, 1, 3, 2], 46

Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00173611111111

Ant 15 : [1, 0, 2, 3], 58

Update called by 15Exploration

Ant thread 15 terminating.avg = 0.003125

Ant 16: [2, 3, 1, 0], 46

ExplorationUpdate called by 16

```
Ant 17: [1, 0, 2, 3], 58
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18 : [1, 0, 2, 3], 58
Update called by 18Exploration
Ant thread 18 terminating.avg = 0.003125
Ant 19 : [2, 3, 1, 0], 46
Update called by 19
Best: [2, 3, 1, 0], 76, 3, 76
Ant thread 19 terminating.iter_counter = 4
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [2, 3], 18 starting ant = 2
Explorationstarting ant = 3
avg = 0.00117642045455starting ant = 4
p = 0.001734375starting ant = 5
Ant 1: [2, 3], 18starting ant = 6
Explorationstarting ant = 7
avg = 0.00114868951613starting ant = 8
p = 0.0015625starting ant = 9
Ant 0 : [2, 3, 1], 36starting ant = 10
Exploitationstarting ant = 11
Ant 2 : [1, 0], 10starting ant = 12
Exploitationstarting ant = 13
Ant 3: [1, 0], 10starting ant = 14
Exploitationstarting ant = 15
Ant 4 : [0, 1], 10starting ant = 16
Explorationstarting ant = 17
avg = 0.00159808467742starting ant = 18
```

avg = 0.001736111111111Ant thread 16 terminating.

```
p = 0.003121875starting ant = 19
Ant 5 : [0, 1], 10
Exploitation
Ant 1 : [2, 3, 1], 36
Exploration
avg = 0.00190766003788
p = 0.00312496875
Ant 6: [1, 0], 10
Exploration
avg = 0.00159911592742
p = 0.00312496875
Ant 7: [0, 1], 10
Exploitation
Ant 8 : [2, 3], 18
Exploration
avg = 0.00117699910038
p = 0.0017361109375
Ant 9 : [2, 3], 18
Exploration
avg = 0.0031249996875
Ant 0 : [2, 3, 1, 0], 46
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 10 : [0, 1], 10
Exploitation
Ant 11 : [1, 0], 10
Exploitation
Ant 2 : [1, 0, 2], 40
Exploration
avg = 0.00117699915767
p = 0.00173611110937
Ant 12 : [2, 3], 18
Exploration
avg = 0.00163350134304
p = 0.00312499999688
Ant 13 : [0, 1], 10
Exploitation
Ant 3: [1, 0, 2], 40
Exploration
avg = 0.00163384509408
p = 0.00312499999997
Ant 14 : [0, 1], 10
Exploitation
Ant 15 : [1, 0], 10
Exploitation
Ant 4 : [0, 1, 3], 28
Exploitation
Ant 16: [2, 3], 18
Exploration
avg = 0.00196496212121
p = 0.003125
Ant 17 : [1, 0], 10
```

```
Exploration
avg = 0.00196496212121
p = 0.003125
Ant 18 : [1, 0], 10
Exploration
avg = 0.00117699915825
p = 0.00173611111111
Ant 19 : [2, 3], 18
Exploration
avg = 0.00138494318182
p = 0.001734375
Ant 5 : [0, 1, 3], 28
Exploitation
Ant 1 : [2, 3, 1, 0], 46
Update called by 1Exploitation
Ant thread 1 terminating. Ant 6: [1, 0, 2], 40
Exploration
avg = 0.00138580255682
p = 0.00173609375
Ant 7 : [0, 1, 3], 28
Exploration
avg = 0.00123548639113
p = 0.00173609375
Ant 8 : [2, 3, 1], 36
Exploration
avg = 0.00123549498488
p = 0.0017361109375
Ant 9 : [2, 3, 1], 36
Exploitation
Ant 10 : [0, 1, 3], 28
Exploration
avg = 0.000888272797379
p = 0.0010416665625
Ant 11 : [1, 0, 2], 40
Exploitation
Ant 2: [1, 0, 2, 3], 58
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.00123549507082
p = 0.00173611110937
Ant 12 : [2, 3, 1], 36
Exploitation
Ant 13 : [0, 1, 3], 28
Exploitation
Ant 3: [1, 0, 2, 3], 58
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.00138581123737
p = 0.00173611111109
Ant 14 : [0, 1, 3], 28
```

```
Exploitation
```

Ant 15 : [1, 0, 2], 40

Exploitation

Ant 4: [0, 1, 3, 2], 46

Update called by 4Exploration

Ant thread 4 terminating.avg = 0.00123549507168

p = 0.00173611111109

Ant 16 : [2, 3, 1], 36

Exploration

avg = 0.000888272849457

p = 0.00104166666666

Ant 17 : [1, 0, 2], 40

Exploitation

Ant 18: [1, 0, 2], 40

Exploration

avg = 0.00123549507168

p = 0.00173611111111

Ant 19 : [2, 3, 1], 36

Exploitation

Ant 5 : [0, 1, 3, 2], 46

Update called by 5Exploitation

Ant thread 5 terminating. Ant 6 : [1, 0, 2, 3], 58

Update called by 6Exploration

Ant thread 6 terminating.avg = 0.00173609375

Ant 7 : [0, 1, 3, 2], 46

Update called by 7Exploration

Ant thread 7 terminating.avg = 0.003125

Ant 8: [2, 3, 1, 0], 46

Update called by 8Exploration

Ant thread 8 terminating.avg = 0.003125

Ant 9: [2, 3, 1, 0], 46

Update called by 9Exploration

Ant thread 9 terminating.avg = 0.0017361109375

Ant 10 : [0, 1, 3, 2], 46

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.00173611111111

Ant 11 : [1, 0, 2, 3], 58

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12 : [2, 3, 1, 0], 46

```
Update called by 12Exploration
Ant thread 12 terminating.avg = 0.00173611110937
Ant 13 : [0, 1, 3, 2], 46
Update called by 13Exploitation
Ant thread 13 terminating. Ant 14: [0, 1, 3, 2], 46
Update called by 14Exploitation
Ant thread 14 terminating. Ant 15: [1, 0, 2, 3], 58
Update called by 15Exploitation
Ant thread 15 terminating. Ant 16 : [2, 3, 1, 0], 46
Update called by 16Exploration
Ant thread 16 terminating.avg = 0.00173611111111
Ant 17 : [1, 0, 2, 3], 58
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18: [1, 0, 2, 3], 58
Update called by 18Exploration
Ant thread 18 terminating.avg = 0.003125
Ant 19: [2, 3, 1, 0], 46
Update called by 19
Best: [2, 3, 1, 0], 76, 4, 76
Ant thread 19 terminating.iter_counter = 5
starting ant = 0
Explorationstarting ant = 1
avg = 0.00105929924242starting ant = 2
p = 0.0015625starting ant = 3
Ant 0 : [2, 3], 18 starting ant = 4
Exploitationstarting ant = 5
```

Ant 1 : [2, 3], 18starting ant = 6

avg = 0.00176898674242starting ant = 8

Explorationstarting ant = 7

p = 0.0028125starting ant = 9

```
Ant 2 : [1, 0], 10starting ant = 10
Exploitationstarting ant = 11
Ant 3: [1, 0], 10starting ant = 12
Explorationstarting ant = 13
avg = 0.00111194556452starting ant = 14
p = 0.0015625starting ant = 15
Ant 0 : [2, 3, 1], 36starting ant = 16
Exploitationstarting ant = 17
Ant 4 : [0, 1], 10starting ant = 18
Explorationstarting ant = 19
avg = 0.00157358870968
p = 0.003121875
Ant 5 : [0, 1], 10
Exploration
avg = 0.00119788306452
p = 0.001734375
Ant 1 : [2, 3, 1], 36
Exploitation
Ant 6 : [1, 0], 10
Exploitation
Ant 7: [0, 1], 10
Exploitation
Ant 8 : [2, 3], 18
Exploitation
Ant 9 : [2, 3], 18
Exploration
avg = 0.000799445564516
p = 0.0009375
Ant 2: [1, 0, 2], 40
Exploitation
Ant 10 : [0, 1], 10
Exploitation
Ant 11 : [1, 0], 10
Exploitation
Ant 3 : [1, 0, 2], 40
Exploration
avg = 0.00111716961222
p = 0.00173611110937
Ant 12 : [2, 3], 18
Exploitation
Ant 13 : [0, 1], 10
Exploration
avg = 0.00160934912633
```

```
p = 0.00312499999997
Ant 14 : [0, 1], 10
Exploitation
Ant 15 : [1, 0], 10
Exploitation
Ant 0 : [2, 3, 1, 0], 46
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 16: [2, 3], 18
Exploitation
Ant 17 : [1, 0], 10
Exploitation
Ant 4 : [0, 1, 3], 28
Exploration
avg = 0.00193044507576
p = 0.003125
Ant 18: [1, 0], 10
Exploration
avg = 0.00111716961279
p = 0.00173611111111
Ant 19 : [2, 3], 18
Exploitation
Ant 5 : [0, 1, 3], 28
Exploitation
Ant 1: [2, 3, 1, 0], 46
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000851523689516
p = 0.00104165625
Ant 6: [1, 0, 2], 40
Exploitation
Ant 7 : [0, 1, 3], 28
Exploration
avg = 0.00119874243952
p = 0.00173609375
Ant 8 : [2, 3, 1], 36
Exploitation
Ant 9 : [2, 3, 1], 36
Exploration
avg = 0.00173611111111
Ant 2 : [1, 0, 2, 3], 58
Update called by 2Exploitation
Ant thread 2 terminating. Ant 10 : [0, 1, 3], 28
Exploitation
Ant 11 : [1, 0, 2], 40
Exploration
avg = 0.001736111111111
Ant 3: [1, 0, 2, 3], 58
Update called by 3Exploration
```

```
Ant thread 3 terminating.avg = 0.0011987511192
```

```
p = 0.00173611110937
Ant 12 : [2, 3, 1], 36
Exploration
avg = 0.00133403566832
p = 0.00173611110937
Ant 13 : [0, 1, 3], 28
Exploration
avg = 0.00133403566918
p = 0.00173611111109
Ant 14 : [0, 1, 3], 28
Exploitation
Ant 15 : [1, 0, 2], 40
Exploitation
Ant 16 : [2, 3, 1], 36
Exploitation
Ant 17: [1, 0, 2], 40
Exploration
avg = 0.0015625
Ant 4: [0, 1, 3, 2], 46
Update called by 4Exploitation
Ant thread 4 terminating. Ant 18 : [1, 0, 2], 40
Exploration
avg = 0.00119875112007
p = 0.00173611111111
Ant 19 : [2, 3, 1], 36
Exploration
avg = 0.001734375
Ant 5 : [0, 1, 3, 2], 46
Update called by 5Exploration
Ant thread 5 terminating.avg = 0.00173611111111
Ant 6: [1, 0, 2, 3], 58
Update called by 6Exploitation
Ant thread 6 terminating. Ant 7 : [0, 1, 3, 2], 46
Update called by 7Exploitation
Ant thread 7 terminating. Ant 8 : [2, 3, 1, 0], 46
Update called by 8Exploitation
Ant thread 8 terminating. Ant 9 : [2, 3, 1, 0], 46
Update called by 9Exploration
Ant thread 9 terminating.avg = 0.0017361109375
Ant 10 : [0, 1, 3, 2], 46
```

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [1, 0, 2, 3], 58

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.003125

Ant 12 : [2, 3, 1, 0], 46 Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00173611110937

Ant 13 : [0, 1, 3, 2], 46 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.001736111111109

Ant 14 : [0, 1, 3, 2], 46 Update called by 14Exploitation

Ant thread 14 terminating. Ant 15: [1, 0, 2, 3], 58

ExplorationUpdate called by 15

avg = 0.003125Ant thread 15 terminating.

Ant 16: [2, 3, 1, 0], 46 Update called by 16Exploitation

Ant thread 16 terminating. Ant 17 : [1, 0, 2, 3], 58

Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [1, 0, 2, 3], 58

Update called by 18Exploitation

Ant thread 18 terminating. Ant 19 : [2, 3, 1, 0], 46

Update called by 19

Best: [2, 3, 1, 0], 76, 5, 76

Ant thread 19 terminating.iter_counter = 6

starting ant = 0

starting ant = 1Exploration

starting ant = 2avg = 0.00100545265152

starting ant = 3p = 0.0015625

starting ant = 4Ant 0 : [2, 3], 18

starting ant = 5Exploitation

```
starting ant = 6Ant 1 : [2, 3], 18
```

starting ant = 7Exploration

starting ant = 8avg = 0.00173792140152

starting ant = 9p = 0.0028125

starting ant = 10Ant 2 : [1, 0], 10

starting ant = 11Exploration

starting ant = 12avg = 0.00184104640152

starting ant = 13p = 0.003121875

starting ant = 14Ant 3 : [1, 0], 10

starting ant = 15Exploration

starting ant = 16avg = 0.00144841733871

starting ant = 17p = 0.0028125

starting ant = 18Ant 4 : [0, 1], 10

starting ant = 19Exploitation

Ant 0 : [2, 3, 1], 36

Exploration

avg = 0.00155154233871

p = 0.003121875

Ant 5 : [0, 1], 10

Exploration

avg = 0.00184207765152

p = 0.00312496875

Ant 6: [1, 0], 10

Exploitation

Ant 1 : [2, 3, 1], 36

Exploration

avg = 0.00155257358871

p = 0.00312496875

Ant 7: [0, 1], 10

Exploration

avg = 0.00106331723485

p = 0.00173609375

Ant 8 : [2, 3], 18

Exploration

avg = 0.00106332296402

p = 0.0017361109375

Ant 9 : [2, 3], 18

Exploitation

Ant 10 : [0, 1], 10

```
Exploration
avg = 0.000766376008065
p = 0.0009375
Ant 2 : [1, 0, 2], 40
Exploration
avg = 0.00184208796402
p = 0.0031249996875
Ant 11 : [1, 0], 10
Exploitation
Ant 12 : [2, 3], 18
Exploration
avg = 0.00158695900433
p = 0.00312499999688
Ant 13 : [0, 1], 10
Exploration
avg = 0.00158695900537
p = 0.00312499999997
Ant 14 : [0, 1], 10
Exploration
avg = 0.000817938508065
p = 0.001040625
Ant 3: [1, 0, 2], 40
Exploitation
Ant 15 : [1, 0], 10
Exploration
avg = 0.00106332302188
p = 0.00173611111109
Ant 16 : [2, 3], 18
Exploitation
Ant 17 : [1, 0], 10
Exploration
avg = 0.00184208806818
p = 0.003125
Ant 18 : [1, 0], 10
Exploration
avg = 0.00120063210227
p = 0.0015625
Ant 4 : [0, 1, 3], 28
Exploration
avg = 0.00106332302189
p = 0.00173611111111
Ant 19 : [2, 3], 18
Exploitation
Ant 0: [2, 3, 1, 0], 46
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 5 : [0, 1, 3], 28
Exploration
avg = 0.000818454133065
p = 0.00104165625
Ant 6 : [1, 0, 2], 40
Exploration
avg = 0.003125
```

```
Ant 1 : [2, 3, 1, 0], 46
Update called by 1Exploitation
Ant thread 1 terminating. Ant 7 : [0, 1, 3], 28
Exploitation
Ant 8 : [2, 3, 1], 36
Exploration
avg = 0.00116568147681
p = 0.0017361109375
Ant 9: [2, 3, 1], 36
Exploration
avg = 0.00128743757102
p = 0.0017361109375
Ant 10 : [0, 1, 3], 28
Exploitation
Ant 2 : [1, 0, 2, 3], 58
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000818459289315
p = 0.0010416665625
Ant 11: [1, 0, 2], 40
Exploration
avg = 0.00116568156275
p = 0.00173611110937
Ant 12 : [2, 3, 1], 36
Exploitation
Ant 13 : [0, 1, 3], 28
Exploitation
Ant 14 : [0, 1, 3], 28
Exploration
avg = 0.00173611111111
Ant 3: [1, 0, 2, 3], 58
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.000818459340877
p = 0.00104166666563
Ant 15 : [1, 0, 2], 40
Exploration
avg = 0.00116568156361
p = 0.00173611111109
Ant 16 : [2, 3, 1], 36
Exploitation
Ant 17: [1, 0, 2], 40
Exploration
avg = 0.000818459341398
p = 0.00104166666667
Ant 18 : [1, 0, 2], 40
Exploitation
Ant 4: [0, 1, 3, 2], 46
Update called by 4Exploitation
```

Ant thread 4 terminating. Ant 19 : [2, 3, 1], 36

Exploration avg = 0.001734375

Ant 5 : [0, 1, 3, 2], 46

Update called by 5Exploration

Ant thread 5 terminating.avg = 0.00173611111111

Ant 6: [1, 0, 2, 3], 58
Update called by 6Exploration

Ant thread 6 terminating.avg = 0.00173609375

Ant 7 : [0, 1, 3, 2], 46
Update called by 7Exploration

Ant thread 7 terminating.avg = 0.003125

Ant 8 : [2, 3, 1, 0], 46
Update called by 8Exploration

Ant thread 8 terminating.avg = 0.003125

Ant 9: [2, 3, 1, 0], 46 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [0, 1, 3, 2], 46

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.00173611111111

Ant 11 : [1, 0, 2, 3], 58
Update called by 11Exploitation

Ant thread 11 terminating. Ant 12 : [2, 3, 1, 0], 46

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00173611110937

Ant 13 : [0, 1, 3, 2], 46
Update called by 13Exploration

Ant thread 13 terminating.avg = 0.001736111111109

Ant 14 : [0, 1, 3, 2], 46 Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00173611111111

Ant 15 : [1, 0, 2, 3], 58
Update called by 15Exploitation

```
Ant thread 15 terminating. Ant 16: [2, 3, 1, 0], 46
Update called by 16Exploitation
Ant thread 16 terminating. Ant 17: [1, 0, 2, 3], 58
Update called by 17Exploration
Ant thread 17 terminating.avg = 0.00173611111111
Ant 18 : [1, 0, 2, 3], 58
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19 : [2, 3, 1, 0], 46
Update called by 19
Best: [2, 3, 1, 0], 76, 6, 76
Ant thread 19 terminating.iter_counter = 7
starting ant = 0
Explorationstarting ant = 1
avg = 0.000956990719697starting ant = 2
p = 0.0015625starting ant = 3
Ant 0 : [2, 3], 18 starting ant = 4
Explorationstarting ant = 5
avg = 0.00101428238636starting ant = 6
p = 0.001734375starting ant = 7
Ant 1: [2, 3], 18starting ant = 8
Exploitationstarting ant = 9
Ant 2 : [1, 0], 10starting ant = 10
Exploitationstarting ant = 11
Ant 3: [1, 0], 10starting ant = 12
Exploitationstarting ant = 13
Ant 0 : [2, 3, 1], 36starting ant = 14
Explorationstarting ant = 15
avg = 0.00142857560484starting ant = 16
p = 0.0028125starting ant = 17
```

```
Ant 4 : [0, 1], 10starting ant = 18
```

Exploitationstarting ant = 19

```
Ant 5 : [0, 1], 10
Exploration
avg = 0.0018141188447
p = 0.00312496875
Ant 6 : [1, 0], 10
Exploration
avg = 0.00153273185484
p = 0.00312496875
Ant 7 : [0, 1], 10
Exploration
avg = 0.00113505090726
p = 0.001734375
Ant 1 : [2, 3, 1], 36
Exploration
avg = 0.00101485530303
p = 0.00173609375
Ant 8 : [2, 3], 18
Exploration
avg = 0.0010148610322
p = 0.0017361109375
Ant 9: [2, 3], 18
Exploration
avg = 0.000736613407258
p = 0.0009375
Ant 2: [1, 0, 2], 40
Exploration
avg = 0.00156711716734
p = 0.0031249996875
Ant 10 : [0, 1], 10
Exploration
avg = 0.0018141291572
p = 0.0031249996875
Ant 11 : [1, 0], 10
Exploration
avg = 0.000788175907258
p = 0.001040625
Ant 3: [1, 0, 2], 40
Exploration
avg = 0.00101486108949
p = 0.00173611110937
Ant 12 : [2, 3], 18
Exploration
avg = 0.00156746102046
p = 0.00312499999688
Ant 13 : [0, 1], 10
Exploitation
Ant 0 : [2, 3, 1, 0], 46
Update called by <code>OExploitation</code>
```

```
Ant thread 0 terminating. Ant 14 : [0, 1], 10
Exploitation
Ant 15 : [1, 0], 10
Exploration
avg = 0.00101486109006
p = 0.001736111111109
Ant 16 : [2, 3], 18
Exploitation
Ant 17 : [1, 0], 10
Exploration
avg = 0.00115869389205
p = 0.0015625
Ant 4 : [0, 1, 3], 28
Exploitation
Ant 18: [1, 0], 10
Exploitation
Ant 19 : [2, 3], 18
Exploitation
Ant 5 : [0, 1, 3], 28
Exploitation
Ant 6: [1, 0, 2], 40
Exploration
avg = 0.00124549076705
p = 0.00173609375
Ant 7 : [0, 1, 3], 28
Exploitation
Ant 1 : [2, 3, 1, 0], 46
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.00113591028226
p = 0.00173609375
Ant 8 : [2, 3, 1], 36
Exploration
avg = 0.00113591887601
p = 0.0017361109375
Ant 9 : [2, 3, 1], 36
Exploration
avg = 0.001736111111111
Ant 2: [1, 0, 2, 3], 58
Update called by 2Exploitation
Ant thread 2 terminating. Ant 10 : [0, 1, 3], 28
Exploitation
Ant 11: [1, 0, 2], 40
Exploitation
Ant 3: [1, 0, 2, 3], 58
Update called by 3Exploitation
Ant thread 3 terminating. Ant 12 : [2, 3, 1], 36
Exploitation
```

```
Ant 13 : [0, 1, 3], 28
Exploration
avg = 0.00124549944759
p = 0.001736111111109
Ant 14 : [0, 1, 3], 28
Exploration
avg = 0.000788696740071
p = 0.00104166666563
Ant 15 : [1, 0, 2], 40
Exploitation
Ant 16: [2, 3, 1], 36
Exploitation
Ant 17 : [1, 0, 2], 40
Exploration
avg = 0.0015625
Ant 4: [0, 1, 3, 2], 46
Update called by 4Exploitation
Ant thread 4 terminating. Ant 18 : [1, 0, 2], 40
Exploration
avg = 0.00113591896281
p = 0.00173611111111
Ant 19 : [2, 3, 1], 36
Exploration
avg = 0.001734375
Ant 5 : [0, 1, 3, 2], 46
Update called by 5Exploitation
Ant thread 5 terminating. Ant 6 : [1, 0, 2, 3], 58
Update called by 6Exploitation
Ant thread 6 terminating. Ant 7 : [0, 1, 3, 2], 46
Update called by 7Exploration
Ant thread 7 terminating.avg = 0.003125
Ant 8 : [2, 3, 1, 0], 46
Update called by 8Exploration
Ant thread 8 terminating.avg = 0.003125
Ant 9 : [2, 3, 1, 0], 46
Update called by 9Exploitation
Ant thread 9 terminating. Ant 10 : [0, 1, 3, 2], 46
Update called by 10Exploration
```

Ant thread 10 terminating.avg = 0.00173611111111

Ant 11 : [1, 0, 2, 3], 58

```
ExplorationUpdate called by 11
```

avg = 0.003125Ant thread 11 terminating.

Ant 12: [2, 3, 1, 0], 46
Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00173611110937

Ant 13 : [0, 1, 3, 2], 46 Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [0, 1, 3, 2], 46

Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00173611111111

Ant 15 : [1, 0, 2, 3], 58
Update called by 15Exploration

Ant thread 15 terminating.avg = 0.003125

Ant 16 : [2, 3, 1, 0], 46 ExploitationUpdate called by 16

Ant 17: [1, 0, 2, 3], 58Ant thread 16 terminating.

Update called by 17Exploitation

Ant thread 17 terminating. Ant 18 : [1, 0, 2, 3], 58

Update called by 18Exploitation

Ant thread 18 terminating. Ant 19: [2, 3, 1, 0], 46

Update called by 19

Best: [2, 3, 1, 0], 76, 7, 76

Ant thread 19 terminating.iter_counter = 8

starting ant = 0

Exploitationstarting ant = 1

Ant 0 : [2, 3], 18starting ant = 2

Explorationstarting ant = 3

avg = 0.000970666647727starting ant = 4

p = 0.001734375starting ant = 5

Ant 1 : [2, 3], 18starting ant = 6

Exploitationstarting ant = 7

```
Ant 0 : [2, 3, 1], 36starting ant = 8
Explorationstarting ant = 9
avg = 0.00168479966856starting ant = 10
p = 0.0028125starting ant = 11
Ant 2 : [1, 0], 10starting ant = 12
Explorationstarting ant = 13
avg = 0.00178792466856starting ant = 14
p = 0.003121875starting ant = 15
Ant 3 : [1, 0], 10starting ant = 16
Exploitationstarting ant = 17
Ant 4 : [0, 1], 10starting ant = 18
Exploitationstarting ant = 19
Ant 5 : [0, 1], 10
Exploration
avg = 0.00110826456653
p = 0.001734375
Ant 1 : [2, 3, 1], 36
Exploitation
Ant 6: [1, 0], 10
Exploration
avg = 0.00151487429435
p = 0.00312496875
Ant 7 : [0, 1], 10
Exploration
avg = 0.0031249996875
Ant 0: [2, 3, 1, 0], 46
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 8 : [2, 3], 18
Exploration
avg = 0.000971245293561
p = 0.0017361109375
Ant 9 : [2, 3], 18
Exploration
avg = 0.00151488460685
p = 0.0031249996875
Ant 10 : [0, 1], 10
Exploitation
Ant 11: [1, 0], 10
Exploitation
```

```
Ant 2: [1, 0, 2], 40
Exploration
avg = 0.000971245350852
p = 0.00173611110937
Ant 12 : [2, 3], 18
Exploration
avg = 0.00154925970998
p = 0.00312499999688
Ant 13 : [0, 1], 10
Exploration
avg = 0.00154925971101
p = 0.00312499999997
Ant 14 : [0, 1], 10
Exploitation
Ant 15 : [1, 0], 10
Exploration
avg = 0.000761389566532
p = 0.001040625
Ant 3 : [1, 0, 2], 40
Exploration
avg = 0.000971245351425
p = 0.00173611111109
Ant 16 : [2, 3], 18
Exploitation
Ant 17 : [1, 0], 10
Exploitation
Ant 4: [0, 1, 3], 28
Exploration
avg = 0.00184625800189
p = 0.003125
Ant 18 : [1, 0], 10
Exploration
avg = 0.000971245351431
p = 0.00173611111111
Ant 19 : [2, 3], 18
Exploitation
Ant 5 : [0, 1, 3], 28
Exploration
avg = 0.003125
Ant 1: [2, 3, 1, 0], 46
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000761905191532
p = 0.00104165625
Ant 6: [1, 0, 2], 40
Exploitation
Ant 7 : [0, 1, 3], 28
Exploration
avg = 0.00110912394153
p = 0.00173609375
Ant 8 : [2, 3, 1], 36
Exploration
avg = 0.00110913253528
```

```
p = 0.0017361109375
Ant 9 : [2, 3, 1], 36
Exploration
avg = 0.00120775497159
p = 0.0017361109375
Ant 10 : [0, 1, 3], 28
Exploitation
Ant 11: [1, 0, 2], 40
Exploitation
Ant 2 : [1, 0, 2, 3], 58
ExplorationUpdate called by 2
avg = 0.00110913262122Ant thread 2 terminating.
p = 0.00173611110937
Ant 12 : [2, 3, 1], 36
Exploration
avg = 0.00120775505753
p = 0.00173611110937
Ant 13 : [0, 1, 3], 28
Exploitation
Ant 14 : [0, 1, 3], 28
Exploration
avg = 0.000761910399345
p = 0.00104166666563
Ant 15 : [1, 0, 2], 40
Exploration
avg = 0.00173611111111
Ant 3: [1, 0, 2, 3], 58
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.00110913262208
p = 0.00173611111109
Ant 16 : [2, 3, 1], 36
Exploitation
Ant 17 : [1, 0, 2], 40
Exploration
avg = 0.0015625
Ant 4: [0, 1, 3, 2], 46
Update called by 4Exploration
Ant thread 4 terminating.avg = 0.000761910399866
p = 0.00104166666667
Ant 18: [1, 0, 2], 40
Exploration
avg = 0.00110913262209
p = 0.00173611111111
Ant 19 : [2, 3, 1], 36
Exploitation
Ant 5 : [0, 1, 3, 2], 46
Update called by 5Exploitation
```

Ant thread 5 terminating. Ant 6 : [1, 0, 2, 3], 58

Update called by 6Exploration

Ant thread 6 terminating.avg = 0.00173609375

Ant 7 : [0, 1, 3, 2], 46
Update called by 7Exploration

Ant thread 7 terminating.avg = 0.003125

Ant 8 : [2, 3, 1, 0], 46 Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [2, 3, 1, 0], 46

Update called by 9Exploration

Ant thread 9 terminating.avg = 0.0017361109375

Ant 10 : [0, 1, 3, 2], 46
Update called by 10Exploration

Ant thread 10 terminating.avg = 0.00173611111111

Ant 11 : [1, 0, 2, 3], 58
Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [2, 3, 1, 0], 46

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00173611110937

Ant 13 : [0, 1, 3, 2], 46 Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [0, 1, 3, 2], 46

Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00173611111111

Ant 15 : [1, 0, 2, 3], 58
Update called by 15Exploitation

Ant thread 15 terminating. Ant 16: [2, 3, 1, 0], 46

Update called by 16Exploitation

Ant thread 16 terminating. Ant 17 : [1, 0, 2, 3], 58

Update called by 17Exploitation

```
Ant thread 17 terminating. Ant 18: [1, 0, 2, 3], 58
Update called by 18Exploration
Ant thread 18 terminating.avg = 0.003125
Ant 19 : [2, 3, 1, 0], 46
Update called by 19
Best: [2, 3, 1, 0], 76, 8, 76
Ant thread 19 terminating.iter_counter = 9
starting ant = 0
Explorationstarting ant = 1
avg = 0.000874120816288starting ant = 2
p = 0.0015625starting ant = 3
Ant 0 : [2, 3], 18starting ant = 4
Explorationstarting ant = 5
avg = 0.000931412482955starting ant = 6
p = 0.001734375starting ant = 7
Ant 1 : [2, 3], 18starting ant = 8
Explorationstarting ant = 9
avg = 0.00166215303504starting ant = 10
p = 0.0028125starting ant = 11
Ant 2 : [1, 0], 10starting ant = 12
Exploitationstarting ant = 13
Ant 3: [1, 0], 10starting ant = 14
Explorationstarting ant = 15
avg = 0.000998219359879starting ant = 16
p = 0.0015625starting ant = 17
Ant 0 : [2, 3, 1], 36starting ant = 18
Exploitationstarting ant = 19
Ant 4: [0, 1], 10
Exploitation
Ant 5 : [0, 1], 10
Exploration
```

```
avg = 0.00176630928504
p = 0.00312496875
Ant 6: [1, 0], 10
Exploration
avg = 0.00149880248992
p = 0.00312496875
Ant 7 : [0, 1], 10
Exploration
avg = 0.00108415685988
p = 0.001734375
Ant 1: [2, 3, 1], 36
Exploitation
Ant 8 : [2, 3], 18
Exploitation
Ant 9: [2, 3], 18
Exploitation
Ant 10 : [0, 1], 10
Exploration
avg = 0.00176631959754
p = 0.0031249996875
Ant 11 : [1, 0], 10
Exploration
avg = 0.000685719359879
p = 0.0009375
Ant 2 : [1, 0, 2], 40
Exploration
avg = 0.00093199118608
p = 0.00173611110937
Ant 12 : [2, 3], 18
Exploitation
Ant 13 : [0, 1], 10
Exploration
avg = 0.000737281859879
p = 0.001040625
Ant 3: [1, 0, 2], 40
Exploitation
Ant 14 : [0, 1], 10
Exploitation
Ant 15 : [1, 0], 10
Exploitation
Ant 16 : [2, 3], 18
Exploration
avg = 0.00176631970169
p = 0.00312499999997
Ant 17 : [1, 0], 10
Exploration
avg = 0.003125
Ant 0 : [2, 3, 1, 0], 46
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 18: [1, 0], 10
Exploration
avg = 0.000931991186658
```

```
p = 0.00173611111111
Ant 19 : [2, 3], 18
Exploration
avg = 0.00108697955256
p = 0.0015625
Ant 4 : [0, 1, 3], 28
Exploitation
Ant 5 : [0, 1, 3], 28
Exploitation
Ant 6: [1, 0, 2], 40
Exploitation
Ant 7: [0, 1, 3], 28
Exploration
avg = 0.003125
Ant 1 : [2, 3, 1, 0], 46
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.00108501623488
p = 0.00173609375
Ant 8 : [2, 3, 1], 36
Exploitation
Ant 9 : [2, 3, 1], 36
Exploration
avg = 0.00117378502131
p = 0.0017361109375
Ant 10 : [0, 1, 3], 28
Exploitation
Ant 11: [1, 0, 2], 40
Exploitation
Ant 2 : [1, 0, 2, 3], 58
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.00108502491457
p = 0.00173611110937
Ant 12 : [2, 3, 1], 36
Exploitation
Ant 13 : [0, 1, 3], 28
Exploration
avg = 0.00173611111111
Ant 3: [1, 0, 2, 3], 58
Update called by 3Exploitation
Ant thread 3 terminating. Ant 14 : [0, 1, 3], 28
Exploitation
Ant 15 : [1, 0, 2], 40
Exploitation
Ant 16 : [2, 3, 1], 36
Exploration
avg = 0.000737802693207
p = 0.00104166666666
Ant 17 : [1, 0, 2], 40
```

Exploitation

Ant 18: [1, 0, 2], 40

Exploration

avg = 0.00108502491543

p = 0.00173611111111

Ant 19 : [2, 3, 1], 36

Exploitation

Ant 4: [0, 1, 3, 2], 46

Update called by 4Exploitation

Ant thread 4 terminating. Ant 5 : [0, 1, 3, 2], 46

Update called by 5Exploration

Ant thread 5 terminating.avg = 0.00173611111111

Ant 6 : [1, 0, 2, 3], 58

Update called by 6Exploitation

Ant thread 6 terminating. Ant 7 : [0, 1, 3, 2], 46

Update called by 7Exploration

Ant thread 7 terminating.avg = 0.003125

Ant 8 : [2, 3, 1, 0], 46

Update called by 8Exploration

Ant thread 8 terminating.avg = 0.003125

Ant 9 : [2, 3, 1, 0], 46

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [0, 1, 3, 2], 46

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [1, 0, 2, 3], 58

ExploitationUpdate called by 11

Ant 12 : [2, 3, 1, 0], 46Ant thread 11 terminating.

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00173611110937

Ant 13 : [0, 1, 3, 2], 46

Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [0, 1, 3, 2], 46

Update called by 14Exploration

```
Ant 15 : [1, 0, 2, 3], 58
Update called by 15Exploitation
Ant thread 15 terminating. Ant 16 : [2, 3, 1, 0], 46
Update called by 16Exploitation
Ant thread 16 terminating. Ant 17 : [1, 0, 2, 3], 58
Update called by 17Exploration
Ant thread 17 terminating.avg = 0.00173611111111
Ant 18 : [1, 0, 2, 3], 58
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19 : [2, 3, 1, 0], 46
Update called by 19
Best: [2, 3, 1, 0], 76, 9, 76
Ant thread 19 terminating.iter_counter = 10
starting ant = 0
Explorationstarting ant = 1
avg = 0.000838792067992starting ant = 2
p = 0.0015625starting ant = 3
Ant 0 : [2, 3], 18 starting ant = 4
Explorationstarting ant = 5
avg = 0.000896083734659starting ant = 6
p = 0.001734375starting ant = 7
Ant 1: [2, 3], 18starting ant = 8
Exploitationstarting ant = 9
Ant 2 : [1, 0], 10starting ant = 10
Explorationstarting ant = 11
avg = 0.00174489606487starting ant = 12
p = 0.003121875starting ant = 13
Ant 3 : [1, 0], 10starting ant = 14
Explorationstarting ant = 15
```

Ant thread 14 terminating.avg = 0.00173611111111

```
avg = 0.000976522423891starting ant = 16
p = 0.0015625starting ant = 17
Ant 0 : [2, 3, 1], 36starting ant = 18
Explorationstarting ant = 19
avg = 0.00138018161593
p = 0.0028125
Ant 4 : [0, 1], 10
Exploitation
Ant 5 : [0, 1], 10
Exploration
avg = 0.00174592731487
p = 0.00312496875
Ant 6: [1, 0], 10
Exploitation
Ant 7: [0, 1], 10
Exploitation
Ant 1 : [2, 3, 1], 36
Exploitation
Ant 8 : [2, 3], 18
Exploitation
Ant 9: [2, 3], 18
Exploration
avg = 0.000664022423891
p = 0.0009375
Ant 2 : [1, 0, 2], 40
Exploration
avg = 0.00151872317843
p = 0.0031249996875
Ant 10 : [0, 1], 10
Exploration
avg = 0.00174593762737
p = 0.0031249996875
Ant 11 : [1, 0], 10
Exploration
avg = 0.000896662437784
p = 0.00173611110937
Ant 12 : [2, 3], 18
Exploration
avg = 0.00151872328155
p = 0.00312499999688
Ant 13 : [0, 1], 10
Exploitation
Ant 3 : [1, 0, 2], 40
Exploitation
Ant 14: [0, 1], 10
Exploration
avg = 0.00174593773049
p = 0.00312499999688
Ant 15 : [1, 0], 10
```

```
Exploration
avg = 0.000896662438357
p = 0.00173611111109
Ant 16 : [2, 3], 18
Exploitation
Ant 17 : [1, 0], 10
Exploration
avg = 0.003125
Ant 0: [2, 3, 1, 0], 46
Update called by OExploitation
Ant thread 0 terminating. Ant 18 : [1, 0], 10
Exploitation
Ant 19: [2, 3], 18
Exploration
avg = 0.0010564065973
p = 0.0015625
Ant 4: [0, 1, 3], 28
Exploitation
Ant 5 : [0, 1, 3], 28
Exploitation
Ant 6: [1, 0, 2], 40
Exploitation
Ant 7 : [0, 1, 3], 28
Exploration
avg = 0.003125
Ant 1 : [2, 3, 1, 0], 46
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.00106331929889
p = 0.00173609375
Ant 8 : [2, 3, 1], 36
Exploration
avg = 0.00106332789264
p = 0.0017361109375
Ant 9: [2, 3, 1], 36
Exploitation
Ant 2: [1, 0, 2, 3], 58
Update called by 2Exploitation
Ant thread 2 terminating. Ant 10 : [0, 1, 3], 28
Exploration
avg = 0.000716105705141
p = 0.0010416665625
Ant 11 : [1, 0, 2], 40
Exploration
avg = 0.00106332797858
p = 0.00173611110937
Ant 12 : [2, 3, 1], 36
Exploitation
Ant 13 : [0, 1, 3], 28
```

```
Exploration

avg = 0.00173611111111

Ant 3 : [1, 0, 2, 3], 58

Update called by 3Exploitation
```

Ant thread 3 terminating. Ant 14 : [0, 1, 3], 28

Exploration avg = 0.000716105756704p = 0.00104166666563Ant 15 : [1, 0, 2], 40 Exploration avg = 0.00106332797944p = 0.00173611111109Ant 16 : [2, 3, 1], 36 Exploration avg = 0.000716105757219p = 0.00104166666666Ant 17 : [1, 0, 2], 40 Exploitation Ant 18 : [1, 0, 2], 40 Exploration avg = 0.00106332797945p = 0.00173611111111Ant 19 : [2, 3, 1], 36 Exploitation Ant 4: [0, 1, 3, 2], 46

Ant thread 4 terminating.avg = 0.001734375

Ant 5 : [0, 1, 3, 2], 46
Update called by 5Exploration

Update called by 4Exploration

Ant thread 5 terminating.avg = 0.00173611111111

Ant 6 : [1, 0, 2, 3], 58 ExplorationUpdate called by 6

avg = 0.00173609375Ant thread 6 terminating.

Ant 7 : [0, 1, 3, 2], 46 Update called by 7Exploitation

Ant thread 7 terminating. Ant 8 : [2, 3, 1, 0], 46

Update called by 8Exploration

Ant thread 8 terminating.avg = 0.003125

Ant 9 : [2, 3, 1, 0], 46 ExplorationUpdate called by 9

avg = 0.0017361109375Ant thread 9 terminating.

Ant 10 : [0, 1, 3, 2], 46
Update called by 10Exploration

Ant thread 10 terminating.avg = 0.00173611111111

Ant 11: [1, 0, 2, 3], 58
Update called by 11Exploration

Ant thread 11 terminating.avg = 0.003125

Ant 12: [2, 3, 1, 0], 46
Update called by 12Exploitation

Ant thread 12 terminating. Ant 13: [0, 1, 3, 2], 46

Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [0, 1, 3, 2], 46

ExploitationUpdate called by 14

Ant 15 : [1, 0, 2, 3], 58Ant thread 14 terminating.

Update called by 15Exploration

Ant thread 15 terminating.avg = 0.003125

Ant 16: [2, 3, 1, 0], 46
Update called by 16Exploration

Ant thread 16 terminating.avg = 0.00173611111111

Ant 17 : [1, 0, 2, 3], 58
Update called by 17Exploration

Ant thread 17 terminating.avg = 0.00173611111111

Ant 18: [1, 0, 2, 3], 58
Update called by 18Exploration

Ant thread 18 terminating.avg = 0.003125

Ant 19 : [2, 3, 1, 0], 46 Update called by 19

Best: [2, 3, 1, 0], 76, 10, 76

Ant thread 19 terminating.iter_counter = 11

starting ant = 0

Explorationstarting ant = 1

avg = 0.000806996194527starting ant = 2

p = 0.0015625starting ant = 3

```
Ant 0 : [2, 3], 18starting ant = 4
Exploitationstarting ant = 5
Ant 1 : [2, 3], 18starting ant = 6
Explorationstarting ant = 7
avg = 0.00162342729171starting ant = 8
p = 0.0028125starting ant = 9
Ant 2 : [1, 0], 10starting ant = 10
Explorationstarting ant = 11
avg = 0.00172655229171starting ant = 12
p = 0.003121875starting ant = 13
Ant 3 : [1, 0], 10starting ant = 14
Explorationstarting ant = 15
avg = 0.000956995181502starting ant = 16
p = 0.0015625starting ant = 17
Ant 0 : [2, 3, 1], 36starting ant = 18
Exploitationstarting ant = 19
Ant 4: [0, 1], 10
Exploitation
Ant 5 : [0, 1], 10
Exploration
avg = 0.0010429326815
p = 0.001734375
Ant 1 : [2, 3, 1], 36
Exploration
avg = 0.00172758354171
p = 0.00312496875
Ant 6: [1, 0], 10
Exploitation
Ant 7 : [0, 1], 10
Exploration
avg = 0.00086486077786
p = 0.00173609375
Ant 8 : [2, 3], 18
Exploration
avg = 0.000864866507027
p = 0.0017361109375
Ant 9 : [2, 3], 18
```

```
Exploitation
Ant 2 : [1, 0, 2], 40
Exploitation
Ant 10 : [0, 1], 10
Exploration
avg = 0.00172759385421
p = 0.0031249996875
Ant 11 : [1, 0], 10
Exploitation
Ant 12 : [2, 3], 18
Exploration
avg = 0.00150570511996
p = 0.00312499999688
Ant 13 : [0, 1], 10
Exploitation
Ant 3: [1, 0, 2], 40
Exploration
avg = 0.00150604887099
p = 0.00312499999997
Ant 14 : [0, 1], 10
Exploration
avg = 0.00172759395734
p = 0.00312499999688
Ant 15 : [1, 0], 10
Exploration
avg = 0.000864866564891
p = 0.00173611111109
Ant 16 : [2, 3], 18
Exploration
avg = 0.00172759395837
p = 0.00312499999997
Ant 17 : [1, 0], 10
Exploitation
Ant 0 : [2, 3, 1, 0], 46
Update called by <code>OExploration</code>
Ant thread 0 terminating.avg = 0.00172759395838
p = 0.003125
Ant 18: [1, 0], 10
Exploitation
Ant 19 : [2, 3], 18
Exploitation
Ant 4: [0, 1, 3], 28
Exploitation
Ant 5 : [0, 1, 3], 28
Exploitation
Ant 1 : [2, 3, 1, 0], 46
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000696573306502
p = 0.00104165625
Ant 6 : [1, 0, 2], 40
```

```
Exploitation
Ant 7 : [0, 1, 3], 28
Exploitation
Ant 8 : [2, 3, 1], 36
Exploration
avg = 0.00104380065025
p = 0.0017361109375
Ant 9 : [2, 3, 1], 36
Exploitation
Ant 2 : [1, 0, 2, 3], 58
Update called by 2Exploitation
Ant thread 2 terminating. Ant 10 : [0, 1, 3], 28
Exploitation
Ant 11: [1, 0, 2], 40
Exploitation
Ant 12 : [2, 3, 1], 36
Exploration
avg = 0.00111569649226
p = 0.00173611110937
Ant 13 : [0, 1, 3], 28
Exploitation
Ant 3: [1, 0, 2, 3], 58
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.00111569649312
p = 0.00173611111109
Ant 14 : [0, 1, 3], 28
Exploitation
Ant 15 : [1, 0, 2], 40
Exploration
avg = 0.00104380073705
p = 0.00173611111109
Ant 16 : [2, 3, 1], 36
Exploitation
Ant 17: [1, 0, 2], 40
Exploration
avg = 0.000696578514835
p = 0.00104166666667
Ant 18 : [1, 0, 2], 40
Exploitation
Ant 19: [2, 3, 1], 36
Exploitation
Ant 4: [0, 1, 3, 2], 46
Update called by 4Exploitation
Ant thread 4 terminating. Ant 5 : [0, 1, 3, 2], 46
Update called by 5Exploration
Ant thread 5 terminating.avg = 0.00173611111111
```

Ant 6: [1, 0, 2, 3], 58
Update called by 6Exploration

Ant thread 6 terminating.avg = 0.00173609375

Ant 7 : [0, 1, 3, 2], 46 Update called by 7Exploration

Ant thread 7 terminating.avg = 0.003125

Ant 8 : [2, 3, 1, 0], 46
Update called by 8Exploration

Ant thread 8 terminating.avg = 0.003125

Ant 9: [2, 3, 1, 0], 46
Update called by 9Exploration

Ant thread 9 terminating.avg = 0.0017361109375

Ant 10 : [0, 1, 3, 2], 46 ExploitationUpdate called by 10

Ant 11: [1, 0, 2, 3], 58Ant thread 10 terminating.

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.003125

Ant 12 : [2, 3, 1, 0], 46 Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00173611110937

Ant 13 : [0, 1, 3, 2], 46 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.001736111111109

Ant 14 : [0, 1, 3, 2], 46 Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00173611111111

Ant 15 : [1, 0, 2, 3], 58
Update called by 15Exploration

Ant thread 15 terminating.avg = 0.003125

Ant 16: [2, 3, 1, 0], 46 Update called by 16Exploitation

Ant thread 16 terminating. Ant 17: [1, 0, 2, 3], 58

```
Ant thread 17 terminating. Ant 18: [1, 0, 2, 3], 58
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19: [2, 3, 1, 0], 46
Update called by 19
Best: [2, 3, 1, 0], 76, 11, 76
Ant thread 19 terminating.iter_counter = 12
starting ant = 0
Explorationstarting ant = 1
avg = 0.000778379908407starting ant = 2
p = 0.0015625starting ant = 3
Ant 0 : [2, 3], 18 starting ant = 4
Explorationstarting ant = 5
avg = 0.000835671575074starting ant = 6
p = 0.001734375starting ant = 7
Ant 1 : [2, 3], 18starting ant = 8
Exploitationstarting ant = 9
Ant 2 : [1, 0], 10starting ant = 10
Exploitationstarting ant = 11
Ant 3: [1, 0], 10starting ant = 12
Explorationstarting ant = 13
avg = 0.000939420663352starting ant = 14
p = 0.0015625starting ant = 15
Ant 0 : [2, 3, 1], 36starting ant = 16
Exploitationstarting ant = 17
Ant 4 : [0, 1], 10starting ant = 18
Explorationstarting ant = 19
avg = 0.0014585721089
p = 0.003121875
Ant 5 : [0, 1], 10
```

Update called by 17Exploitation

```
Exploitation
Ant 6 : [1, 0], 10
Exploitation
Ant 7: [0, 1], 10
Exploration
avg = 0.00102535816335
p = 0.001734375
Ant 1 : [2, 3, 1], 36
Exploitation
Ant 8 : [2, 3], 18
Exploration
avg = 0.000836250220907
p = 0.0017361109375
Ant 9 : [2, 3], 18
Exploration
avg = 0.000626920663352
p = 0.0009375
Ant 2: [1, 0, 2], 40
Exploration
avg = 0.0014939886714
p = 0.0031249996875
Ant 10 : [0, 1], 10
Exploitation
Ant 11 : [1, 0], 10
Exploitation
Ant 3: [1, 0, 2], 40
Exploration
avg = 0.000836250278199
p = 0.00173611110937
Ant 12 : [2, 3], 18
Exploitation
Ant 13 : [0, 1], 10
Exploitation
Ant 14: [0, 1], 10
Exploration
avg = 0.0017110845615
p = 0.00312499999688
Ant 15 : [1, 0], 10
Exploration
avg = 0.00312499999997
Ant 0 : [2, 3, 1, 0], 46
Update called by <code>OExploration</code>
Ant thread 0 terminating.avg = 0.000836250278772
p = 0.001736111111109
Ant 16 : [2, 3], 18
Exploitation
Ant 17 : [1, 0], 10
Exploration
avg = 0.00100412684381
p = 0.0015625
Ant 4: [0, 1, 3], 28
Exploitation
```

```
Ant 18: [1, 0], 10
Exploration
avg = 0.000836250278778
p = 0.00173611111111
Ant 19 : [2, 3], 18
Exploitation
Ant 5 : [0, 1, 3], 28
Exploitation
Ant 6: [1, 0, 2], 40
Exploration
avg = 0.00109092371881
p = 0.00173609375
Ant 7 : [0, 1, 3], 28
Exploration
avg = 0.003125
Ant 1: [2, 3, 1, 0], 46
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.00102621753835
p = 0.00173609375
Ant 8: [2, 3, 1], 36
Exploitation
Ant 9 : [2, 3, 1], 36
Exploitation
Ant 2: [1, 0, 2, 3], 58
Update called by 2Exploitation
Ant thread 2 terminating. Ant 10 : [0, 1, 3], 28
Exploitation
Ant 11: [1, 0, 2], 40
Exploration
avg = 0.00173611111111
Ant 3: [1, 0, 2, 3], 58
Update called by 3Exploitation
Ant thread 3 terminating. Ant 12 : [2, 3, 1], 36
Exploitation
Ant 13 : [0, 1, 3], 28
Exploitation
Ant 14 : [0, 1, 3], 28
Exploration
avg = 0.000679003996164
p = 0.00104166666563
Ant 15 : [1, 0, 2], 40
Exploitation
Ant 16 : [2, 3, 1], 36
Exploration
avg = 0.00067900399668
p = 0.00104166666666
Ant 17: [1, 0, 2], 40
Exploitation
```

Ant 4 : [0, 1, 3, 2], 46 Update called by 4Exploration

Ant thread 4 terminating.avg = 0.000679003996685

p = 0.00104166666667
Ant 18 : [1, 0, 2], 40
Exploration
avg = 0.00102622621891
p = 0.00173611111111
Ant 19 : [2, 3, 1], 36

Exploitation

Ant 5 : [0, 1, 3, 2], 46 Update called by 5Exploration

Ant thread 5 terminating.avg = 0.00173611111111

Ant 6 : [1, 0, 2, 3], 58
Update called by 6Exploration

Ant thread 6 terminating.avg = 0.00173609375

Ant 7 : [0, 1, 3, 2], 46 Update called by 7Exploration

Ant thread 7 terminating.avg = 0.003125

Ant 8 : [2, 3, 1, 0], 46 Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [2, 3, 1, 0], 46

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [0, 1, 3, 2], 46

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.00173611111111

Ant 11 : [1, 0, 2, 3], 58 Update called by 11Exploration

Ant thread 11 terminating.avg = 0.003125

Ant 12: [2, 3, 1, 0], 46 Update called by 12Exploitation

Ant thread 12 terminating. Ant 13: [0, 1, 3, 2], 46

Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [0, 1, 3, 2], 46

```
Update called by 14Exploration
Ant thread 14 terminating.avg = 0.00173611111111
Ant 15 : [1, 0, 2, 3], 58
Update called by 15Exploitation
Ant thread 15 terminating. Ant 16 : [2, 3, 1, 0], 46
Update called by 16Exploration
Ant thread 16 terminating.avg = 0.00173611111111
Ant 17: [1, 0, 2, 3], 58
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18 : [1, 0, 2, 3], 58
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19 : [2, 3, 1, 0], 46
Update called by 19
Best: [2, 3, 1, 0], 76, 12, 76
Ant thread 19 terminating.
_____
                     Results
Best path = [2, 3, 1, 0]
('C',)
('D',)
('B',)
('A',)
Best path cost = 76
>>>
RESTART: C:\Users\teleuser\Documents\Kantor\Kuliah\Master\Semester
3\Perencanaan
Jaringan\Tugas\program\Python\tsp-atncolony\Python-Ant-Colony-TSP-Solver-master\
anttsp.py
[[0, 10, 30, 31, 20], [10, 0, 22, 18, 40], [30, 22, 0, 18, 26], [31, 18, 18, 0,
15], [20, 40, 26, 15, 0]]
5
Average = 18
Tau0 = 0.022222222222
iter_counter = 1
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [3, 4], 15starting ant = 2
```

```
avg = 0.00100071225071starting ant = 4
p = 0.00148148148148starting ant = 6
Ant 1: [4, 3], 15starting ant = 7
Exploitationstarting ant = 8
Ant 0 : [3, 4, 0], 35starting ant = 9
Explorationstarting ant = 10
avg = 0.00116686579052starting ant = 11
p = 0.00123456790123starting ant = 12
p = 0.00123456790123starting ant = 13
Ant 2 : [3, 4], 15starting ant = 15
Explorationstarting ant = 16
avg = 0.00119772998805starting ant = 17
p = 0.00222222222222223 ant = 18
Ant 3 : [0, 1], 10starting ant = 19
Exploitation
Ant 4 : [0, 1], 10
Exploration
avg = 0.00116686579052
p = 0.00123456790123
p = 0.00123456790123
p = 0.00148148148148
Ant 5 : [3, 4], 15
Exploitation
Ant 6: [3, 4], 15
Exploitation
Ant 1 : [4, 3, 1], 33
Exploitation
Ant 7 : [0, 1], 10
Exploration
avg = 0.00100071225071
p = 0.00111111111111
p = 0.00148148148148
Ant 8: [4, 3], 15
Exploitation
```

Explorationstarting ant = 3

```
Ant 0: [3, 4, 0, 1], 45
Exploration
avg = 0.00119772998805
p = 0.002222222222
Ant 9 : [0, 1], 10
Exploration
avg = 0.00116686579052
p = 0.00123456790123
p = 0.00123456790123
p = 0.00148148148148
Ant 10: [3, 4], 15
Exploitation
Ant 11 : [0, 1], 10
Exploitation
Ant 12: [1, 0], 10
Exploitation
Ant 13 : [1, 0], 10
Exploitation
Ant 14 : [2, 3], 18
Exploration
avg = 0.000840455840456
p = 0.00111111111111
p = 0.000854700854701
Ant 2 : [3, 4, 2], 41
Exploitation
Ant 15 : [1, 0], 10
Exploitation
Ant 16 : [1, 0], 10
Exploitation
Ant 17 : [1, 0], 10
Exploitation
Ant 18: [2, 3], 18
Exploitation
Ant 3 : [0, 1, 3], 28
Exploitation
Ant 19 : [2, 3], 18
Exploitation
Ant 4: [0, 1, 3], 28
Exploitation
Ant 5 : [3, 4, 0], 35
Exploitation
Ant 6: [3, 4, 0], 35
Exploration
avg = 0.001616161616
p = 0.0022222222222
Ant 1: [4, 3, 1, 0], 43
Exploitation
Ant 7 : [0, 1, 3], 28
Exploration
avg = 0.00106199389354
p = 0.00123456790123
p = 0.00123456790123
Ant 8 : [4, 3, 2], 33
Exploitation
```

Ant 0: [3, 4, 0, 1, 2], 67 Update called by 0Exploitation

Ant thread 0 terminating. Ant 9: [0, 1, 3], 28

Exploitation Ant 10: [3, 4, 0], 35 Exploration avg = 0.00093340815563p = 0.0010101010101p = 0.00123456790123Ant 11 : [0, 1, 3], 28 Exploitation Ant 12: [1, 0, 4], 30 Exploitation Ant 13 : [1, 0, 4], 30 Exploration avg = 0.00114429842028p = 0.00123456790123p = 0.00148148148148Ant 14 : [2, 3, 4], 33 Exploration avg = 0.000875420875421p = 0.0010101010101Ant 2 : [3, 4, 2, 1], 63 Exploration avg = 0.000856232576663p = 0.00111111111111Ant 15 : [1, 0, 4], 30 Exploitation Ant 16 : [1, 0, 4], 30 Exploration avg = 0.000856232576663p = 0.00111111111111Ant 17 : [1, 0, 4], 30 Exploitation Ant 18 : [2, 3, 4], 33 Exploitation Ant 3 : [0, 1, 3, 4], 43 Exploration avg = 0.00114429842028p = 0.00123456790123p = 0.00148148148148Ant 19 : [2, 3, 4], 33 Exploitation Ant 4: [0, 1, 3, 4], 43 Exploration avg = 0.00148148148148 p = 0.0022222222222Ant 5 : [3, 4, 0, 1], 45 Exploration avg = 0.00148148148148p = 0.0022222222222Ant 6: [3, 4, 0, 1], 45

```
Exploration
avg = 0.000740740740741
Ant 1: [4, 3, 1, 0, 2], 73
Update called by 1Exploitation
Ant thread 1 terminating. Ant 7 : [0, 1, 3, 4], 43
Exploitation
Ant 8: [4, 3, 2, 1], 55
Exploitation
Ant 9: [0, 1, 3, 4], 43
Exploration
avg = 0.00148148148148
p = 0.0022222222222
Ant 10 : [3, 4, 0, 1], 45
Exploration
avg = 0.00135802469136
p = 0.00148148148148
Ant 11 : [0, 1, 3, 4], 43
Exploration
avg = 0.00116809116809
p = 0.00148148148148
Ant 12 : [1, 0, 4, 3], 45
Exploitation
Ant 13: [1, 0, 4, 3], 45
Exploitation
Ant 14 : [2, 3, 4, 0], 53
Exploration
avg = 0.0022222222222
Ant 2 : [3, 4, 2, 1, 0], 73
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.00116809116809
p = 0.00148148148148
Ant 15 : [1, 0, 4, 3], 45
Exploitation
Ant 16: [1, 0, 4, 3], 45
Exploration
avg = 0.00116809116809
p = 0.00148148148148
Ant 17 : [1, 0, 4, 3], 45
Exploration
p = 0.00111111111111
Ant 18 : [2, 3, 4, 0], 53
Exploration
avg = 0.000854700854701
Ant 3 : [0, 1, 3, 4, 2], 69
Update called by 3Exploitation
Ant thread 3 terminating. Ant 19 : [2, 3, 4, 0], 53
Exploration
```

avg = 0.000854700854701 Ant 4 : [0, 1, 3, 4, 2], 69 Update called by 4Exploration

Ant thread 4 terminating.avg = 0.0010101010101

Ant 5: [3, 4, 0, 1, 2], 67 Update called by 5Exploitation

Ant thread 5 terminating. Ant 6: [3, 4, 0, 1, 2], 67

Update called by 6Exploitation

Ant thread 6 terminating. Ant 7 : [0, 1, 3, 4, 2], 69

Update called by 7Exploration

Ant thread 7 terminating.avg = 0.0022222222222

Ant 8 : [4, 3, 2, 1, 0], 65 Update called by 8Exploration

Ant thread 8 terminating.avg = 0.000854700854701

Ant 9: [0, 1, 3, 4, 2], 69 Update called by 9Exploration

Ant thread 9 terminating.avg = 0.0010101010101

Ant 10 : [3, 4, 0, 1, 2], 67 Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [0, 1, 3, 4, 2], 69

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12 : [1, 0, 4, 3, 2], 63

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00123456790123

Ant 13 : [1, 0, 4, 3, 2], 63 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.0022222222222

Ant 14 : [2, 3, 4, 0, 1], 63 Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00123456790123

Ant 15 : [1, 0, 4, 3, 2], 63 Update called by 15Exploitation

```
Ant thread 15 terminating. Ant 16: [1, 0, 4, 3, 2], 63
Update called by 16Exploration
Ant thread 16 terminating.avg = 0.00123456790123
Ant 17 : [1, 0, 4, 3, 2], 63
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18: [2, 3, 4, 0, 1], 63
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19: [2, 3, 4, 0, 1], 63
Update called by 19
Best: [3, 4, 0, 1, 2], 85, 1, 90
Ant thread 19 terminating.iter_counter = 2
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [3, 4], 15starting ant = 2
Explorationstarting ant = 3
avg = 0.000900641025641starting ant = 4
p = 0.001starting ant = 5
Ant 1: [4, 3], 15starting ant = 7
Exploitationstarting ant = 8
Ant 0: [3, 4, 0], 35starting ant = 9
Exploitationstarting ant = 10
Ant 2: [3, 4], 15starting ant = 11
Exploitationstarting ant = 12
Ant 3 : [0, 1], 10starting ant = 13
Explorationstarting ant = 14
avg = 0.00113295698925starting ant = 15
p = 0.00222starting ant = 16
Ant 4 : [0, 1], 10starting ant = 17
```

```
avg = 0.0010872125448starting ant = 19
p = 0.00111111111111
p = 0.00111111111111
p = 0.00148146666667
Ant 5 : [3, 4], 15
Exploration
avg = 0.00108721621147
p = 0.00111111111111
p = 0.001111111111111
p = 0.00148148133333
Ant 6: [3, 4], 15
Exploration
avg = 0.000955794504182
p = 0.001111111111111
p = 0.001111111111111
Ant 1: [4, 3, 2], 33
Exploitation
Ant 7: [0, 1], 10
Exploration
avg = 0.000964807692308
p = 0.00111
p = 0.00148
Ant 8: [4, 3], 15
Exploration
avg = 0.00144444433333
p = 0.002222222
Ant 0 : [3, 4, 0, 1], 45
Exploitation
Ant 9: [0, 1], 10
Exploitation
Ant 10 : [3, 4], 15
Exploitation
Ant 2 : [3, 4, 0], 35
Exploration
avg = 0.0011335125448
p = 0.002222222222
Ant 11 : [0, 1], 10
Exploitation
Ant 12 : [1, 0], 10
Exploration
avg = 0.000840067340067
p = 0.000909090909091
p = 0.00111111111111
Ant 3 : [0, 1, 3], 28
Exploration
avg = 0.00121560606061
p = 0.00222
p = 0.001233333333333
```

Ant 13 : [1, 3], 18

Exploitation

```
Ant 14: [2, 3], 18
Exploration
avg = 0.00121591161616
p = 0.00222
p = 0.00123455555556
Ant 15 : [1, 3], 18
Exploitation
Ant 16 : [1, 0], 10
Exploitation
Ant 4 : [0, 1, 3], 28
Exploration
avg = 0.00121646470227
p = 0.0022222
p = 0.0012345679
Ant 17 : [1, 3], 18
Exploitation
Ant 18 : [2, 3], 18
Exploitation
Ant 19 : [2, 3], 18
Exploitation
Ant 5 : [3, 4, 0], 35
Exploration
avg = 0.00079344725641
p = 0.001111111
Ant 6: [3, 4, 0], 35
Exploitation
Ant 1: [4, 3, 2, 1], 55
Exploration
avg = 0.000881219603438
p = 0.0009090909091
p = 0.00123456790122
Ant 7: [0, 1, 3], 28
Exploration
avg = 0.000996535244922
p = 0.001111111111111
Ant 8: [4, 3, 2], 33
Exploitation
Ant 0: [3, 4, 0, 1, 2], 67
Update called by OExploration
Ant thread 0 terminating.avg = 0.000914552936775
p = 0.00100909090909
p = 0.00123456790123
Ant 9 : [0, 1, 3], 28
Exploration
avg = 0.000793447293077
p = 0.00111111111
Ant 10 : [3, 4, 0], 35
Exploration
avg = 0.00144444444444
p = 0.0022222222222
Ant 2 : [3, 4, 0, 1], 45
```

```
Exploration
avg = 0.000914552936775
p = 0.00100909090909
p = 0.00123456790123
Ant 11 : [0, 1, 3], 28
Exploitation
Ant 12 : [1, 0, 4], 30
Exploration
avg = 0.00135801851851
p = 0.00148148148147
Ant 3: [0, 1, 3, 4], 43
Exploitation
Ant 13 : [1, 3, 4], 33
Exploitation
Ant 14 : [2, 3, 4], 33
Exploitation
Ant 15 : [1, 3, 4], 33
Exploration
avg = 0.000807275985663
p = 0.00111
Ant 16: [1, 0, 4], 30
Exploitation
Ant 4: [0, 1, 3, 4], 43
Exploitation
Ant 17 : [1, 3, 4], 33
Exploitation
Ant 18 : [2, 3, 4], 33
Exploitation
Ant 19 : [2, 3, 4], 33
Exploitation
Ant 5 : [3, 4, 0, 1], 45
Exploration
avg = 0.00144444444444
p = 0.0022222222222
Ant 6: [3, 4, 0, 1], 45
Exploration
avg = 0.0022222
Ant 1: [4, 3, 2, 1, 0], 65
Update called by 1Exploitation
Ant thread 1 terminating. Ant 7 : [0, 1, 3, 4], 43
Exploitation
Ant 8: [4, 3, 2, 1], 55
Exploitation
Ant 9: [0, 1, 3, 4], 43
Exploration
avg = 0.001444444444444
p = 0.0022222222222
Ant 10 : [3, 4, 0, 1], 45
Exploration
avg = 0.00100909090909
Ant 2: [3, 4, 0, 1, 2], 67
Update called by 2Exploitation
```

```
Ant thread 2 terminating. Ant 11: [0, 1, 3, 4], 43
Exploitation
Ant 12: [1, 0, 4, 3], 45
Exploitation
Ant 3 : [0, 1, 3, 4, 2], 69
ExploitationUpdate called by 3
Ant 13 : [1, 3, 4, 0], 53Ant thread 3 terminating.
Exploitation
Ant 14 : [2, 3, 4, 0], 53
Exploitation
Ant 15 : [1, 3, 4, 0], 53
Exploitation
Ant 16 : [1, 0, 4, 3], 45
Exploration
avg = 0.000853846153846
Ant 4: [0, 1, 3, 4, 2], 69
Update called by 4Exploitation
Ant thread 4 terminating. Ant 17 : [1, 3, 4, 0], 53
Exploitation
Ant 18 : [2, 3, 4, 0], 53
Exploitation
Ant 19 : [2, 3, 4, 0], 53
Exploration
avg = 0.00101009090909
Ant 5 : [3, 4, 0, 1, 2], 67
Update called by 5Exploration
Ant thread 5 terminating.avg = 0.00101010090909
Ant 6: [3, 4, 0, 1, 2], 67
Update called by 6Exploration
Ant thread 6 terminating.avg = 0.000854692307692
Ant 7: [0, 1, 3, 4, 2], 69
Update called by 7Exploration
Ant thread 7 terminating.avg = 0.002222222
Ant 8: [4, 3, 2, 1, 0], 65
Update called by 8Exploitation
Ant thread 8 terminating. Ant 9: [0, 1, 3, 4, 2], 69
Update called by 9Exploration
Ant thread 9 terminating.avg = 0.00101010100909
```

```
Ant 10 : [3, 4, 0, 1, 2], 67
Update called by 10Exploitation
```

Ant thread 10 terminating. Ant 11: [0, 1, 3, 4, 2], 69

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [1, 0, 4, 3, 2], 63

Update called by 12Exploitation

Ant thread 12 terminating. Ant 13: [1, 3, 4, 0, 2], 83

Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [2, 3, 4, 0, 1], 63

Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00074

Ant 15 : [1, 3, 4, 0, 2], 83 Update called by 15Exploration

Ant thread 15 terminating.avg = 0.00123456777778

Ant 16 : [1, 0, 4, 3, 2], 63 Update called by 16Exploration

Ant thread 16 terminating.avg = 0.000740733333333

Ant 17 : [1, 3, 4, 0, 2], 83 Update called by 17Exploration

Ant thread 17 terminating.avg = 0.0022222222222

Ant 18 : [2, 3, 4, 0, 1], 63 Update called by 18Exploitation

Ant thread 18 terminating. Ant 19: [2, 3, 4, 0, 1], 63

Update called by 19
Best: [3, 4, 0, 1, 2], 85, 2, 91
Ant thread 19 terminating.iter_counter = 3

starting ant = 0
Explorationstarting ant = 1

avg = 0.00100627240116starting ant = 2

```
Ant 0 : [3, 4], 15starting ant = 5
Explorationstarting ant = 6
avg = 0.000888141025306starting ant = 7
p = 0.001starting ant = 8
p = 0.0013333333333333
Ant 1: [4, 3], 15starting ant = 10
Explorationstarting ant = 11
avg = 0.00104293906782starting ant = 12
p = 0.00148starting ant = 14
Ant 2: [3, 4], 15starting ant = 15
Exploitationstarting ant = 16
Ant 3 : [0, 1], 10starting ant = 17
Explorationstarting ant = 18
avg = 0.00111682544032starting ant = 19
p = 0.00222
Ant 4: [0, 1], 10
Exploitation
Ant 0: [3, 4, 0], 35
Exploitation
Ant 5 : [3, 4], 15
Exploitation
Ant 6: [3, 4], 15
Exploitation
Ant 7: [0, 1], 10
Exploitation
Ant 8: [4, 3], 15
Exploitation
Ant 9 : [0, 1], 10
Exploration
avg = 0.00089725209043
p = 0.001
p = 0.00111111111
Ant 1 : [4, 3, 2], 33
Exploration
avg = 0.00107386499365
p = 0.00123333333333
p = 0.00148148148
Ant 10 : [3, 4], 15
```

```
Exploration
avg = 0.00111738099532
p = 0.00222222222
Ant 11 : [0, 1], 10
Exploration
avg = 0.00111755050455
p = 0.00199999998
Ant 12: [1, 0], 10
Exploitation
Ant 13 : [1, 0], 10
Exploration
avg = 0.000828125127622
p = 0.000909081818182
p = 0.001111111
Ant 14: [2, 3], 18
Exploration
avg = 0.000776410256408
p = 0.00111
Ant 2 : [3, 4, 0], 35
Exploration
avg = 0.00117310050505
p = 0.0022222
Ant 15 : [1, 0], 10
Exploitation
Ant 16 : [1, 0], 10
Exploration
avg = 0.000823400673398
p = 0.0009090909082
p = 0.00111111111111
Ant 3 : [0, 1, 3], 28
Exploration
avg = 0.0012036616156
p = 0.0022222222
p = 0.001233333333333
Ant 17 : [1, 3], 18
Exploitation
Ant 18 : [2, 3], 18
Exploitation
Ant 19: [2, 3], 18
Exploration
avg = 0.000864548821546
p = 0.000909090909082
p = 0.0012345555556
Ant 4: [0, 1, 3], 28
Exploitation
Ant 0: [3, 4, 0, 1], 45
Exploration
avg = 0.000776776923074
p = 0.0011111
Ant 5 : [3, 4, 0], 35
Exploration
avg = 0.000776780589741
p = 0.001111111
Ant 6 : [3, 4, 0], 35
```

```
Exploitation
Ant 7 : [0, 1, 3], 28
Exploration
avg = 0.000937992831538
p = 0.001
p = 0.00123333333333
Ant 8 : [4, 3, 2], 33
Exploration
avg = 0.000864552936361
p = 0.000909090909082
p = 0.0012345679
Ant 9 : [0, 1, 3], 28
Exploration
avg = 0.000754540909091
p = 0.000909081818182
Ant 1: [4, 3, 2, 1], 55
Exploitation
Ant 10: [3, 4, 0], 35
Exploration
avg = 0.000864552936768
p = 0.0009090909082
p = 0.00123456790122
Ant 11 : [0, 1, 3], 28
Exploitation
Ant 12 : [1, 0, 4], 30
Exploration
avg = 0.000785770553763
p = 0.0011099999
Ant 13 : [1, 0, 4], 30
Exploitation
Ant 14 : [2, 3, 4], 33
Exploitation
Ant 2: [3, 4, 0, 1], 45
Exploration
avg = 0.00078613725343
p = 0.001111099999
Ant 15 : [1, 0, 4], 30
Exploration
avg = 0.000786140920427
p = 0.00111111099999
Ant 16 : [1, 0, 4], 30
Exploitation
Ant 3: [0, 1, 3, 4], 43
Exploration
avg = 0.00109889406611
p = 0.00123455555556
p = 0.00148148148148
Ant 17 : [1, 3, 4], 33
Exploitation
Ant 18 : [2, 3, 4], 33
Exploration
avg = 0.00102070888092
p = 0.00148148148148
Ant 19 : [2, 3, 4], 33
```

```
Exploration
avg = 0.00135801851852
p = 0.00148148148148
Ant 4: [0, 1, 3, 4], 43
Exploitation
Ant 0: [3, 4, 0, 1, 2], 67
Update called by OExploration
Ant thread 0 terminating.avg = 0.00144444441111
p = 0.0022222222222
Ant 5 : [3, 4, 0, 1], 45
Exploration
avg = 0.00144444441111
p = 0.0022222222222
Ant 6: [3, 4, 0, 1], 45
Exploration
avg = 0.00135801851852
p = 0.00148148148148
Ant 7 : [0, 1, 3, 4], 43
Exploration
avg = 0.000804545409091
p = 0.00100909081818
Ant 8: [4, 3, 2, 1], 55
Exploitation
Ant 9: [0, 1, 3, 4], 43
Exploration
avg = 0.00222222222
Ant 1 : [4, 3, 2, 1, 0], 65
Update called by 1Exploitation
Ant thread 1 terminating. Ant 10: [3, 4, 0, 1], 45
Exploitation
Ant 11 : [0, 1, 3, 4], 43
Exploitation
Ant 12 : [1, 0, 4, 3], 45
Exploration
avg = 0.00112535605128
p = 0.00148148133333
Ant 13 : [1, 0, 4, 3], 45
Exploitation
Ant 14: [2, 3, 4, 0], 53
Exploitation
Ant 2: [3, 4, 0, 1, 2], 67
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.00112535612461
p = 0.00148148148
Ant 15 : [1, 0, 4, 3], 45
Exploration
avg = 0.00112535612534
p = 0.00148148148147
```

Ant 16: [1, 0, 4, 3], 45

Exploitation

Ant 3 : [0, 1, 3, 4, 2], 69 Update called by 3Exploration

Ant thread 3 terminating.avg = 0.000982478632479

p = 0.001111111111111

Ant 17: [1, 3, 4, 0], 53

Exploitation

Ant 18 : [2, 3, 4, 0], 53

Exploration

avg = 0.000780555555556

p = 0.00111111111111

Ant 19 : [2, 3, 4, 0], 53

Exploitation

Ant 4 : [0, 1, 3, 4, 2], 69

Update called by 4Exploration

Ant thread 4 terminating.avg = 0.00101009090909

Ant 5 : [3, 4, 0, 1, 2], 67

Update called by 5Exploitation

Ant thread 5 terminating. Ant 6 : [3, 4, 0, 1, 2], 67

Update called by 6Exploration

Ant thread 6 terminating.avg = 0.000854692307692

Ant 7: [0, 1, 3, 4, 2], 69

Update called by 7Exploitation

Ant thread 7 terminating. Ant 8 : [4, 3, 2, 1, 0], 65

Update called by 8Exploitation

Ant thread 8 terminating. Ant 9 : [0, 1, 3, 4, 2], 69

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [3, 4, 0, 1, 2], 67

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [0, 1, 3, 4, 2], 69

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [1, 0, 4, 3, 2], 63

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00123456777778

Ant 13 : [1, 0, 4, 3, 2], 63 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.0022222222222

Ant 14 : [2, 3, 4, 0, 1], 63 Update called by 14Exploration

Ant thread 14 terminating.avg = 0.0012345679

Ant 15 : [1, 0, 4, 3, 2], 63 ExplorationUpdate called by 15

avg = 0.00123456790122Ant thread 15 terminating.

Ant 16 : [1, 0, 4, 3, 2], 63 Update called by 16Exploitation

Ant thread 16 terminating. Ant 17 : [1, 3, 4, 0, 2], 83

Update called by 17Exploration

Ant thread 17 terminating.avg = 0.0022222222222

Ant 18 : [2, 3, 4, 0, 1], 63 Update called by 18Exploration

Ant thread 18 terminating.avg = 0.0022222222222

Ant 19 : [2, 3, 4, 0, 1], 63

Update called by 19

Best: [3, 4, 0, 1, 2], 85, 3, 89

Ant thread 19 terminating.iter_counter = 4

starting ant = 0

Exploitationstarting ant = 1

Ant 0 : [3, 4], 15starting ant = 2

Exploitationstarting ant = 3

Ant 1: [4, 3], 15starting ant = 4

Exploitationstarting ant = 5

Ant 0 : [3, 4, 0], 35starting ant = 6

Exploitationstarting ant = 7

Ant 2: [3, 4], 15starting ant = 8

Explorationstarting ant = 9

```
avg = 0.00104714516089starting ant = 10
p = 0.002starting ant = 11
Ant 3 : [0, 1], 10 starting ant = 12
Explorationstarting ant = 13
avg = 0.000844563918757starting ant = 14
p = 0.0009starting ant = 15
Ant 1: [4, 3, 2], 33starting ant = 17
Exploitationstarting ant = 18
Ant 4 : [0, 1], 10starting ant = 19
Exploitation
Ant 5 : [3, 4], 15
Exploration
avg = 0.0014440999997
p = 0.0022222
Ant 0: [3, 4, 0, 1], 45
Exploration
avg = 0.00103434882796
p = 0.001233333333333
p = 0.00148148133333
Ant 6: [3, 4], 15
Exploration
avg = 0.00110270066089
p = 0.002222222
Ant 7 : [0, 1], 10
Exploitation
Ant 2: [3, 4, 0], 35
Exploration
avg = 0.000941332692306
p = 0.0011111
p = 0.00148
Ant 8: [4, 3], 15
Exploration
avg = 0.00110270071589
p = 0.0022222222
Ant 9: [0, 1], 10
Exploration
avg = 0.00103434886462
p = 0.00148148148
Ant 10: [3, 4], 15
Exploration
avg = 0.00110270071644
p = 0.002222222222
```

```
Ant 11 : [0, 1], 10
Exploration
avg = 0.000808400673398
p = 0.000909090909082
p = 0.00111111111111
Ant 3 : [0, 1, 3], 28
Exploration
avg = 0.0011368560606
p = 0.002
p = 0.00123333333333
Ant 12: [1, 3], 18
Exploration
avg = 0.00113716161616
p = 0.002
p = 0.0012345555556
Ant 13 : [1, 3], 18
Exploitation
Ant 14 : [2, 3], 18
Exploration
avg = 0.00113716467171
p = 0.002
p = 0.00123456777778
Ant 15 : [1, 3], 18
Exploration
avg = 0.00113716470227
p = 0.002
p = 0.0012345679
Ant 16 : [1, 3], 18
Exploitation
Ant 1: [4, 3, 2, 1], 55
Exploitation
Ant 17 : [1, 0], 10
Exploration
avg = 0.000851375268368
p = 0.00100909081817
p = 0.00123333333222
Ant 18 : [2, 3], 18
Exploration
avg = 0.000849552936768
p = 0.000909090909082
p = 0.00123456790122
Ant 4: [0, 1, 3], 28
Exploration
avg = 0.000851680824199
p = 0.00100909081817
p = 0.00123455555554
Ant 19 : [2, 3], 18
Exploration
avg = 0.000761776923074
p = 0.0011111
p = 0.000769230769223
Ant 5 : [3, 4, 2], 41
Exploitation
Ant 0: [3, 4, 0, 1, 2], 67
```

Update called by <code>OExploitation</code>

Ant thread 0 terminating. Ant 6 : [3, 4, 0], 35

```
Exploitation
Ant 7: [0, 1, 3], 28
Exploration
avg = 0.00144411111081
p = 0.0022222222222
Ant 2 : [3, 4, 0, 1], 45
Exploration
avg = 0.000885304659498
p = 0.0009
p = 0.001233333333333
Ant 8: [4, 3, 2], 33
Exploration
avg = 0.000882886270108
p = 0.00100909090909
p = 0.00123456790123
Ant 9: [0, 1, 3], 28
Exploration
avg = 0.000789985717949
p = 0.001111111
p = 0.000853846153846
Ant 10 : [3, 4, 2], 41
Exploration
avg = 0.000882886270108
p = 0.00100909090909
p = 0.00123456790123
Ant 11 : [0, 1, 3], 28
Exploration
avg = 0.00135801851851
p = 0.00148148148147
Ant 3 : [0, 1, 3, 4], 43
Exploration
avg = 0.0010795392274
p = 0.0012345555556
p = 0.00148148148148
Ant 12: [1, 3, 4], 33
Exploitation
Ant 13 : [1, 3, 4], 33
Exploration
avg = 0.000968020708881
p = 0.00148148148148
Ant 14 : [2, 3, 4], 33
Exploitation
Ant 15 : [1, 3, 4], 33
Exploration
avg = 0.0010795392274
p = 0.0012345555556
p = 0.00148148148148
Ant 16 : [1, 3, 4], 33
Exploration
avg = 0.00222
```

```
Ant 1: [4, 3, 2, 1, 0], 65
Update called by 1Exploitation
Ant thread 1 terminating. Ant 17 : [1, 0, 4], 30
Exploration
avg = 0.000968020708881
p = 0.00148148148148
Ant 18 : [2, 3, 4], 33
Exploration
avg = 0.00135801851852
p = 0.00148148148148
Ant 4 : [0, 1, 3, 4], 43
Exploitation
Ant 19 : [2, 3, 4], 33
Exploration
avg = 0.000774545409087
p = 0.00100909081817
Ant 5 : [3, 4, 2, 1], 63
Exploration
avg = 0.00144411111081
p = 0.0022222222222
Ant 6: [3, 4, 0, 1], 45
Exploration
avg = 0.00135801851852
p = 0.00148148148148
Ant 7 : [0, 1, 3, 4], 43
Exploration
avg = 0.00100909090909
Ant 2: [3, 4, 0, 1, 2], 67
Update called by 2Exploitation
Ant thread 2 terminating. Ant 8 : [4, 3, 2, 1], 55
Exploitation
Ant 9: [0, 1, 3, 4], 43
Exploration
avg = 0.000775050454541
p = 0.00101010090908
Ant 10 : [3, 4, 2, 1], 63
Exploration
avg = 0.00135801851852
p = 0.00148148148148
Ant 11 : [0, 1, 3, 4], 43
Exploitation
Ant 3: [0, 1, 3, 4, 2], 69
Update called by 3Exploitation
Ant thread 3 terminating. Ant 12 : [1, 3, 4, 0], 53
Exploration
avg = 0.000982905939615
p = 0.00111111111
Ant 13 : [1, 3, 4, 0], 53
```

```
Exploration
avg = 0.00075805555555
p = 0.0011111111111
Ant 14: [2, 3, 4, 0], 53
Exploitation
Ant 15 : [1, 3, 4, 0], 53
Exploitation
Ant 16 : [1, 3, 4, 0], 53
Exploration
avg = 0.00116808371795
p = 0.00148146666667
Ant 17 : [1, 0, 4, 3], 45
Exploration
avg = 0.000758055555556
p = 0.00111111111111
Ant 18: [2, 3, 4, 0], 53
Exploration
avg = 0.000854700769231
Ant 4 : [0, 1, 3, 4, 2], 69
Update called by 4Exploitation
Ant thread 4 terminating. Ant 19 : [2, 3, 4, 0], 53
Exploitation
Ant 5 : [3, 4, 2, 1, 0], 73
Update called by 5Exploitation
Ant thread 5 terminating. Ant 6: [3, 4, 0, 1, 2], 67
Update called by 6Exploitation
Ant thread 6 terminating. Ant 7: [0, 1, 3, 4, 2], 69
Update called by 7Exploitation
Ant thread 7 terminating. Ant 8 : [4, 3, 2, 1, 0], 65
Update called by 8Exploitation
Ant thread 8 terminating. Ant 9 : [0, 1, 3, 4, 2], 69
Update called by 9Exploration
Ant thread 9 terminating.avg = 0.00222222222
Ant 10: [3, 4, 2, 1, 0], 73
Update called by 10Exploitation
Ant thread 10 terminating. Ant 11: [0, 1, 3, 4, 2], 69
Update called by 11Exploration
```

Ant thread 11 terminating.avg = 0.0006659999994

```
Ant 12 : [1, 3, 4, 0, 2], 83
Update called by 12Exploration
```

Ant thread 12 terminating.avg = 0.000739993333327

Ant 13 : [1, 3, 4, 0, 2], 83 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.0022222222222

Ant 14 : [2, 3, 4, 0, 1], 63 Update called by 14Exploration

Ant thread 14 terminating.avg = 0.000740733266667

Ant 15 : [1, 3, 4, 0, 2], 83 Update called by 15Exploitation

Ant thread 15 terminating. Ant 16: [1, 3, 4, 0, 2], 83

Update called by 16Exploration

Ant thread 16 terminating.avg = 0.00123455555556

Ant 17: [1, 0, 4, 3, 2], 63
Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [2, 3, 4, 0, 1], 63

Update called by 18Exploitation

Ant thread 18 terminating. Ant 19: [2, 3, 4, 0, 1], 63

Update called by 19
Best: [3, 4, 0, 1, 2], 85, 4, 94
Ant thread 19 terminating.iter_counter = 5

starting ant = 0
Explorationstarting ant = 1

avg = 0.000931191728495starting ant = 2

Ant 0 : [3, 4], 15starting ant = 5

Explorationstarting ant = 6

avg = 0.000866765992308starting ant = 7

p = 0.001starting ant = 8

```
p = 0.0013333332starting ant = 9
Ant 1: [4, 3], 15starting ant = 10
Explorationstarting ant = 11
avg = 0.000967858395161starting ant = 12
p = 0.00148starting ant = 14
Ant 2 : [3, 4], 15starting ant = 15
Exploitationstarting ant = 16
Ant 3 : [0, 1], 10starting ant = 17
Explorationstarting ant = 18
avg = 0.00108899731166starting ant = 19
p = 0.00222
Ant 4 : [0, 1], 10
Exploration
avg = 0.000711243589744
p = 0.001
p = 0.000769230769231
Ant 0: [3, 4, 2], 41
Exploration
avg = 0.000968225061828
p = 0.001111111
p = 0.00148146666667
Ant 5 : [3, 4], 15
Exploration
avg = 0.000968228728495
p = 0.001111111
p = 0.00148148133333
Ant 6: [3, 4], 15
Exploration
avg = 0.00108954731166
p = 0.0022222
Ant 7: [0, 1], 10
Exploitation
Ant 8: [4, 3], 15
Exploitation
Ant 9: [0, 1], 10
Exploration
avg = 0.000797144526882
p = 0.00081
p = 0.001111111
Ant 1: [4, 3, 2], 33
Exploitation
Ant 10 : [3, 4], 15
```

```
Exploitation
Ant 11 : [0, 1], 10
Exploration
avg = 0.00109617548232
p = 0.0019999999998
p = 0.00111111111111
Ant 12 : [1, 3], 18
Exploitation
Ant 13 : [1, 0], 10
Exploitation
Ant 14: [2, 3], 18
Exploration
avg = 0.000739448717949
p = 0.001
p = 0.000853846153846
Ant 2: [3, 4, 2], 41
Exploitation
Ant 15 : [1, 0], 10
Exploitation
Ant 16 : [1, 0], 10
Exploration
avg = 0.000835641383838
p = 0.000909090818182
p = 0.001233333333333
Ant 3: [0, 1, 3], 28
Exploration
avg = 0.00118259209343
p = 0.002222222
p = 0.0012345555556
Ant 17 : [1, 3], 18
Exploitation
Ant 18: [2, 3], 18
Exploration
avg = 0.000797603923624
p = 0.000909090908182
p = 0.00123455555554
Ant 19 : [2, 3], 18
Exploration
avg = 0.00083605286532
p = 0.000909090818182
p = 0.00123456777778
Ant 4: [0, 1, 3], 28
Exploration
avg = 0.000697545454091
p = 0.000909090908182
Ant 0: [3, 4, 2, 1], 63
Exploration
avg = 0.000739730769231
p = 0.001
p = 0.000854692307692
Ant 5 : [3, 4, 2], 41
Exploration
avg = 0.000739733589744
p = 0.001
```

```
p = 0.000854700769231
Ant 6: [3, 4, 2], 41
Exploration
avg = 0.000836052906061
p = 0.000909090818182
p = 0.0012345679
Ant 7 : [0, 1, 3], 28
Exploration
avg = 0.000837885304289
p = 0.00123333333222
Ant 8: [4, 3, 2], 33
Exploitation
Ant 9 : [0, 1, 3], 28
Exploitation
Ant 1: [4, 3, 2, 1], 55
Exploration
avg = 0.000739733617949
p = 0.001
p = 0.000854700853846
Ant 10 : [3, 4, 2], 41
Exploitation
Ant 11 : [0, 1, 3], 28
Exploration
avg = 0.00106211987255
p = 0.00123455555554
p = 0.00148148148147
Ant 12 : [1, 3, 4], 33
Exploration
avg = 0.000711996415543
p = 0.00099899999991
Ant 13 : [1, 0, 4], 30
Exploitation
Ant 14 : [2, 3, 4], 33
Exploration
avg = 0.000748045454545
p = 0.00101009090909
Ant 2 : [3, 4, 2, 1], 63
Exploitation
Ant 15 : [1, 0, 4], 30
Exploitation
Ant 16 : [1, 0, 4], 30
Exploration
avg = 0.00135801851851
p = 0.00148148148148
Ant 3 : [0, 1, 3, 4], 43
Exploration
avg = 0.00106211987256
p = 0.00123455555554
p = 0.00148148148148
Ant 17 : [1, 3, 4], 33
Exploration
avg = 0.000920601354042
p = 0.00148148148148
Ant 18 : [2, 3, 4], 33
```

```
Exploration
avg = 0.000920601354042
p = 0.00148148148148
Ant 19: [2, 3, 4], 33
Exploitation
Ant 4: [0, 1, 3, 4], 43
Exploration
avg = 0.002222222
Ant 0 : [3, 4, 2, 1, 0], 73
Update called by OExploitation
Ant thread 0 terminating. Ant 5 : [3, 4, 2, 1], 63
Exploitation
Ant 6: [3, 4, 2, 1], 63
Exploration
avg = 0.00135801851851
p = 0.00148148148148
Ant 7 : [0, 1, 3, 4], 43
Exploration
avg = 0.000748050505045
p = 0.00101010101009
Ant 8: [4, 3, 2, 1], 55
Exploration
avg = 0.00135801851851
p = 0.00148148148148
Ant 9 : [0, 1, 3, 4], 43
Exploration
avg = 0.00222222222
Ant 1: [4, 3, 2, 1, 0], 65
Update called by 1Exploitation
Ant thread 1 terminating. Ant 10: [3, 4, 2, 1], 63
Exploitation
Ant 11 : [0, 1, 3, 4], 43
Exploration
avg = 0.000927350427346
p = 0.001
Ant 12 : [1, 3, 4, 0], 53
Exploitation
Ant 13 : [1, 0, 4, 3], 45
Exploitation
Ant 14 : [2, 3, 4, 0], 53
Exploitation
Ant 2 : [3, 4, 2, 1, 0], 73
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.00116809109401
p = 0.00148148133333
Ant 15 : [1, 0, 4, 3], 45
Exploitation
Ant 16 : [1, 0, 4, 3], 45
```

Exploitation

Ant 3 : [0, 1, 3, 4, 2], 69 Update called by 3Exploration

Ant thread 3 terminating.avg = 0.00098290042735

p = 0.0011111

Ant 17 : [1, 3, 4, 0], 53

Exploration

avg = 0.0007378055

p = 0.001111111

Ant 18 : [2, 3, 4, 0], 53

Exploitation

Ant 19 : [2, 3, 4, 0], 53

Exploration

avg = 0.000854700854701

Ant 4 : [0, 1, 3, 4, 2], 69 Update called by 4Exploration

Ant thread 4 terminating.avg = 0.0022222222222

Ant 5 : [3, 4, 2, 1, 0], 73 Update called by 5Exploitation

Ant thread 5 terminating. Ant 6 : [3, 4, 2, 1, 0], 73

Update called by 6Exploration

Ant thread 6 terminating.avg = 0.000854700854701

Ant 7 : [0, 1, 3, 4, 2], 69 Update called by 7Exploration

Ant thread 7 terminating.avg = 0.0022222222222

Ant 8: [4, 3, 2, 1, 0], 65 Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [0, 1, 3, 4, 2], 69

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [3, 4, 2, 1, 0], 73

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [0, 1, 3, 4, 2], 69

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [1, 3, 4, 0, 2], 83

Update called by 12Exploration

```
Ant thread 12 terminating.avg = 0.00123455555554
Ant 13 : [1, 0, 4, 3, 2], 63
Update called by 13Exploitation
Ant thread 13 terminating. Ant 14: [2, 3, 4, 0, 1], 63
Update called by 14Exploitation
Ant thread 14 terminating. Ant 15 : [1, 0, 4, 3, 2], 63
Update called by 15Exploitation
Ant thread 15 terminating. Ant 16: [1, 0, 4, 3, 2], 63
Update called by 16Exploitation
Ant thread 16 terminating. Ant 17 : [1, 3, 4, 0, 2], 83
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18: [2, 3, 4, 0, 1], 63
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19: [2, 3, 4, 0, 1], 63
Update called by 19
Best: [3, 4, 0, 1, 2], 85, 5, 95
Ant thread 19 terminating.iter_counter = 6
starting ant = 0
Explorationstarting ant = 1
avg = 0.000899183691753starting ant = 2
Ant 0 : [3, 4], 15starting ant = 5
Exploitationstarting ant = 6
Ant 1: [4, 3], 15starting ant = 7
Explorationstarting ant = 8
avg = 0.00093585035842starting ant = 9
p = 0.00148starting ant = 11
```

```
Ant 2: [3, 4], 15starting ant = 12
Exploitationstarting ant = 13
Ant 3 : [0, 1], 10 starting ant = 14
Exploitationstarting ant = 15
Ant 4 : [0, 1], 10starting ant = 16
Exploitationstarting ant = 17
Ant 0 : [3, 4, 0], 35starting ant = 18
Exploitationstarting ant = 19
Ant 5 : [3, 4], 15
Exploration
avg = 0.000936220691753
p = 0.0011111111111
p = 0.00148148133333
Ant 6: [3, 4], 15
Exploitation
Ant 1 : [4, 3, 2], 33
Exploitation
Ant 7: [0, 1], 10
Exploitation
Ant 8: [4, 3], 15
Exploration
avg = 0.00107804305542
p = 0.002222222
Ant 9: [0, 1], 10
Exploration
avg = 0.000966776283978
p = 0.00148148148
Ant 10: [3, 4], 15
Exploration
avg = 0.00107804311042
p = 0.00222222222
Ant 11 : [0, 1], 10
Exploration
avg = 0.00073576025641
p = 0.00111
p = 0.000769230769231
Ant 2: [3, 4, 2], 41
Exploration
avg = 0.00106433571187
p = 0.002
p = 0.00111111111111
Ant 12 : [1, 3], 18
Exploration
avg = 0.00109489126742
```

p = 0.002

```
p = 0.00123333333333
Ant 13 : [1, 3], 18
Exploration
avg = 0.000793595763973
p = 0.000818181736364
p = 0.00123455555556
Ant 3 : [0, 1, 3], 28
Exploration
avg = 0.000740573554196
p = 0.000909090909091
p = 0.001111111
Ant 14 : [2, 3], 18
Exploration
avg = 0.00109519987854
p = 0.002
p = 0.00123456777778
Ant 15 : [1, 3], 18
Exploitation
Ant 4: [0, 1, 3], 28
Exploitation
Ant 16 : [1, 0], 10
Exploitation
Ant 17 : [1, 0], 10
Exploitation
Ant 0: [3, 4, 0, 1], 45
Exploitation
Ant 18: [2, 3], 18
Exploration
avg = 0.000771434693082
p = 0.000909090909091
p = 0.00123455555554
Ant 19 : [2, 3], 18
Exploitation
Ant 5 : [3, 4, 0], 35
Exploitation
Ant 6: [3, 4, 0], 35
Exploration
avg = 0.000673245454545
p = 0.000909090909091
Ant 1: [4, 3, 2, 1], 55
Exploitation
Ant 7 : [0, 1, 3], 28
Exploration
avg = 0.000795207885305
p = 0.001233333333333
Ant 8 : [4, 3, 2], 33
Exploitation
Ant 9 : [0, 1, 3], 28
Exploration
avg = 0.000764335717949
p = 0.001111111
p = 0.000853846153846
Ant 10 : [3, 4, 2], 41
Exploration
```

```
avg = 0.000793599879199
p = 0.000818181736364
p = 0.00123456790123
Ant 11 : [0, 1, 3], 28
Exploration
avg = 0.000723245454545
p = 0.00100909090909
Ant 2: [3, 4, 2, 1], 63
Exploitation
Ant 12 : [1, 3, 4], 33
Exploitation
Ant 13 : [1, 3, 4], 33
Exploitation
Ant 3: [0, 1, 3, 4], 43
Exploitation
Ant 14: [2, 3, 4], 33
Exploration
avg = 0.00104644245321
p = 0.0012345555556
p = 0.00148148148148
Ant 15 : [1, 3, 4], 33
Exploration
avg = 0.00135801851852
p = 0.00148148148148
Ant 4 : [0, 1, 3, 4], 43
Exploitation
Ant 16: [1, 0, 4], 30
Exploitation
Ant 17 : [1, 0, 4], 30
Exploration
avg = 0.000818181736364
Ant 0: [3, 4, 0, 1, 2], 67
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 18 : [2, 3, 4], 33
Exploitation
Ant 19: [2, 3, 4], 33
Exploration
avg = 0.00144444111111
p = 0.0022222222222
Ant 5 : [3, 4, 0, 1], 45
Exploitation
Ant 6: [3, 4, 0, 1], 45
Exploration
avg = 0.0022222
Ant 1 : [4, 3, 2, 1, 0], 65
Update called by 1Exploitation
Ant thread 1 terminating. Ant 7 : [0, 1, 3, 4], 43
Exploration
avg = 0.000723745454545
p = 0.00101009090909
```

```
Ant 8: [4, 3, 2, 1], 55
Exploration
avg = 0.00135801851852
p = 0.00148148148148
Ant 9 : [0, 1, 3, 4], 43
Exploration
avg = 0.000723750454545
p = 0.00101010090909
Ant 10 : [3, 4, 2, 1], 63
Exploitation
Ant 11 : [0, 1, 3, 4], 43
Exploration
avg = 0.002222222
Ant 2: [3, 4, 2, 1, 0], 73
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000982901653846
p = 0.001111111
Ant 12: [1, 3, 4, 0], 53
Exploitation
Ant 13 : [1, 3, 4, 0], 53
Exploitation
Ant 3 : [0, 1, 3, 4, 2], 69
Update called by 3Exploitation
Ant thread 3 terminating. Ant 14 : [2, 3, 4, 0], 53
Exploitation
Ant 15 : [1, 3, 4, 0], 53
Exploitation
Ant 4: [0, 1, 3, 4, 2], 69
Update called by 4Exploration
Ant thread 4 terminating.avg = 0.00116808376026
p = 0.00148146666667
Ant 16: [1, 0, 4, 3], 45
Exploration
avg = 0.00116809109359
p = 0.00148148133333
Ant 17 : [1, 0, 4, 3], 45
Exploitation
Ant 18: [2, 3, 4, 0], 53
Exploitation
Ant 19: [2, 3, 4, 0], 53
Exploitation
Ant 5 : [3, 4, 0, 1, 2], 67
Update called by 5Exploitation
Ant thread 5 terminating. Ant 6: [3, 4, 0, 1, 2], 67
Update called by 6Exploration
```

Ant thread 6 terminating.avg = 0.000854700853846

Ant 7 : [0, 1, 3, 4, 2], 69 Update called by 7Exploration

Ant thread 7 terminating.avg = 0.00222222222

Ant 8: [4, 3, 2, 1, 0], 65 Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [0, 1, 3, 4, 2], 69

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [3, 4, 2, 1, 0], 73

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.000854700854701

Ant 11 : [0, 1, 3, 4, 2], 69 Update called by 11Exploration

Ant thread 11 terminating.avg = 0.00066666

Ant 12 : [1, 3, 4, 0, 2], 83 Update called by 12Exploration

Ant thread 12 terminating.avg = 0.000739999933333

Ant 13 : [1, 3, 4, 0, 2], 83 Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [2, 3, 4, 0, 1], 63

Update called by 14Exploitation

Ant thread 14 terminating. Ant 15 : [1, 3, 4, 0, 2], 83

ExplorationUpdate called by 15

avg = 0.00123455555556Ant thread 15 terminating.

Ant 16 : [1, 0, 4, 3, 2], 63 Update called by 16Exploration

Ant thread 16 terminating.avg = 0.00123456777778

Ant 17 : [1, 0, 4, 3, 2], 63 Update called by 17Exploitation

Ant thread 17 terminating. Ant 18 : [2, 3, 4, 0, 1], 63

Update called by 18Exploration

```
Ant 19: [2, 3, 4, 0, 1], 63
Update called by 19
Best: [3, 4, 0, 1, 2], 85, 6, 93
Ant thread 19 terminating.iter_counter = 7
starting ant = 0
Explorationstarting ant = 1
avg = 0.000870376433414starting ant = 2
Ant 0: [3, 4], 15starting ant = 5
Exploitationstarting ant = 6
Ant 1 : [4, 3], 15starting ant = 7
Exploitationstarting ant = 8
Ant 2: [3, 4], 15starting ant = 9
Explorationstarting ant = 10
avg = 0.00101190447258starting ant = 11
p = 0.002starting ant = 12
Ant 3: [0, 1], 10starting ant = 13
Exploitationstarting ant = 14
Ant 4 : [0, 1], 10starting ant = 15
Explorationstarting ant = 16
avg = 0.000688158589744starting ant = 17
p = 0.001starting ant = 18
p = 0.000769230769231starting ant = 19
Ant 0 : [3, 4, 2], 41
Exploration
avg = 0.000907409766747
p = 0.00111111111
p = 0.00148146666667
Ant 5 : [3, 4], 15
Exploration
```

Ant thread 18 terminating.avg = 0.0022222222222

```
avg = 0.000907413433414
p = 0.00111111111
p = 0.00148148133333
Ant 6: [3, 4], 15
Exploration
avg = 0.000716057466774
p = 0.00111111111
Ant 1 : [4, 3, 2], 33
Exploration
avg = 0.00106745447258
p = 0.0022222
Ant 7 : [0, 1], 10
Exploration
avg = 0.000907272788458
p = 0.001
Ant 8 : [4, 3], 15
Exploration
avg = 0.000716363717949
p = 0.001
p = 0.000853846153846
Ant 2 : [3, 4, 2], 41
Exploration
avg = 0.00106745997258
p = 0.002222222
Ant 9 : [0, 1], 10
Exploration
avg = 0.000937969025911
p = 0.00123333333333
p = 0.00148148148
Ant 10 : [3, 4], 15
Exploitation
Ant 11 : [0, 1], 10
Exploration
avg = 0.00107886171187
p = 0.002
p = 0.001111111111111
Ant 12 : [1, 3], 18
Exploration
avg = 0.000812556356566
p = 0.0009090736364
p = 0.001233333333333
Ant 3: [0, 1, 3], 28
Exploration
avg = 0.00110972282298
p = 0.002
p = 0.00123455555556
Ant 13 : [1, 3], 18
Exploration
avg = 0.000717021246276
p = 0.000909090908182
p = 0.001111111
Ant 14: [2, 3], 18
Exploration
```

```
avg = 0.000812967838047
p = 0.0009090736364
p = 0.00123456777778
Ant 4: [0, 1, 3], 28
Exploitation
Ant 15 : [1, 0], 10
Exploitation
Ant 16: [1, 0], 10
Exploration
avg = 0.00116527590909
p = 0.0022222
p = 0.0012345679
Ant 17 : [1, 3], 18
Exploration
avg = 0.000747576829332
p = 0.000909090908182
p = 0.00123333333222
Ant 18 : [2, 3], 18
Exploitation
Ant 19 : [2, 3], 18
Exploration
avg = 0.000651375454091
p = 0.000909090908182
Ant 0 : [3, 4, 2, 1], 63
Exploitation
Ant 5 : [3, 4, 0], 35
Exploitation
Ant 6: [3, 4, 0], 35
Exploitation
Ant 1: [4, 3, 2, 1], 55
Exploitation
Ant 7: [0, 1, 3], 28
Exploitation
Ant 8 : [4, 3, 2], 33
Exploitation
Ant 2 : [3, 4, 2, 1], 63
Exploitation
Ant 9: [0, 1, 3], 28
Exploration
avg = 0.000753679102564
p = 0.0011111
p = 0.000854692307692
Ant 10 : [3, 4, 2], 41
Exploration
avg = 0.000812967879199
p = 0.000909090736364
p = 0.00123456790123
Ant 11 : [0, 1, 3], 28
Exploration
avg = 0.00103233277578
p = 0.00123455555556
p = 0.00148148148147
Ant 12 : [1, 3, 4], 33
Exploration
```

```
avg = 0.00135801851852
p = 0.00148148148148
Ant 3: [0, 1, 3, 4], 43
Exploration
avg = 0.00103233277579
p = 0.00123455555556
p = 0.00148148148148
Ant 13 : [1, 3, 4], 33
Exploitation
Ant 14 : [2, 3, 4], 33
Exploitation
Ant 4 : [0, 1, 3, 4], 43
Exploration
avg = 0.000682539296769
p = 0.00099998999991
Ant 15 : [1, 0, 4], 30
Exploration
avg = 0.000719209263439
p = 0.0011099999
Ant 16: [1, 0, 4], 30
Exploration
avg = 0.00103233277579
p = 0.0012345555556
p = 0.00148148148148
Ant 17 : [1, 3, 4], 33
Exploration
avg = 0.000839514257268
p = 0.00148148148148
Ant 18: [2, 3, 4], 33
Exploration
avg = 0.000839514257268
p = 0.00148148148148
Ant 19 : [2, 3, 4], 33
Exploration
avg = 0.0022222
Ant 0: [3, 4, 2, 1, 0], 73
Update called by OExploration
Ant thread 0 terminating.avg = 0.0014444444111
p = 0.002222222222
Ant 5 : [3, 4, 0, 1], 45
Exploration
avg = 0.00144444441111
p = 0.0022222222222
Ant 6: [3, 4, 0, 1], 45
Exploitation
Ant 1 : [4, 3, 2, 1, 0], 65
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.00135801851852
p = 0.00148148148148
Ant 7 : [0, 1, 3, 4], 43
```

```
Exploration
avg = 0.000701880454545
p = 0.00101010090909
Ant 8: [4, 3, 2, 1], 55
Exploration
avg = 0.00222222222
Ant 2 : [3, 4, 2, 1, 0], 73
Update called by 2Exploitation
Ant thread 2 terminating. Ant 9 : [0, 1, 3, 4], 43
Exploitation
Ant 10 : [3, 4, 2, 1], 63
Exploitation
Ant 11 : [0, 1, 3, 4], 43
Exploration
avg = 0.000982900384615
p = 0.0011111
Ant 12 : [1, 3, 4, 0], 53
Exploration
avg = 0.000854700769231
Ant 3: [0, 1, 3, 4, 2], 69
Update called by 3Exploitation
Ant thread 3 terminating. Ant 13 : [1, 3, 4, 0], 53
Exploitation
Ant 14 : [2, 3, 4, 0], 53
Exploration
avg = 0.000854700853846
Ant 4: [0, 1, 3, 4, 2], 69
Update called by 4Exploitation
Ant thread 4 terminating. Ant 15 : [1, 0, 4, 3], 45
Exploration
avg = 0.00116809109401
p = 0.00148148133333
Ant 16: [1, 0, 4, 3], 45
Exploitation
Ant 17 : [1, 3, 4, 0], 53
Exploration
avg = 0.000703178055556
p = 0.00111111111111
Ant 18 : [2, 3, 4, 0], 53
Exploration
avg = 0.000703178055556
p = 0.00111111111111
Ant 19 : [2, 3, 4, 0], 53
Exploitation
Ant 5 : [3, 4, 0, 1, 2], 67
Update called by 5Exploitation
Ant thread 5 terminating. Ant 6 : [3, 4, 0, 1, 2], 67
```

Update called by 6Exploitation

Ant thread 6 terminating. Ant 7 : [0, 1, 3, 4, 2], 69

Update called by 7Exploration

Ant thread 7 terminating.avg = 0.002222222222

Ant 8 : [4, 3, 2, 1, 0], 65 Update called by 8Exploration

Ant thread 8 terminating.avg = 0.000854700854701

Ant 9: [0, 1, 3, 4, 2], 69 Update called by 9Exploration

Ant thread 9 terminating.avg = 0.0022222222222

Ant 10 : [3, 4, 2, 1, 0], 73 Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [0, 1, 3, 4, 2], 69

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.000666666599994

Ant 12 : [1, 3, 4, 0, 2], 83 Update called by 12Exploitation

Ant thread 12 terminating. Ant 13: [1, 3, 4, 0, 2], 83

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.0022222222222

Ant 14: [2, 3, 4, 0, 1], 63 Update called by 14Exploitation

Ant thread 14 terminating. Ant 15 : [1, 0, 4, 3, 2], 63

Update called by 15Exploitation

Ant thread 15 terminating. Ant 16: [1, 0, 4, 3, 2], 63

Update called by 16Exploration

Ant thread 16 terminating.avg = 0.000740733333327

Ant 17 : [1, 3, 4, 0, 2], 83 Update called by 17Exploration

Ant thread 17 terminating.avg = 0.0022222222222

```
Ant 18 : [2, 3, 4, 0, 1], 63
Update called by 18Exploration
Ant thread 18 terminating.avg = 0.0022222222222
Ant 19 : [2, 3, 4, 0, 1], 63
Update called by 19
Best: [3, 4, 0, 1, 2], 85, 7, 94
Ant thread 19 terminating.iter_counter = 8
starting ant = 0
Explorationstarting ant = 1
avg = 0.000844449901156starting ant = 2
Ant 0 : [3, 4], 15starting ant = 5
Explorationstarting ant = 6
avg = 0.000842071150308starting ant = 7
p = 0.001starting ant = 8
Ant 1: [4, 3], 15starting ant = 10
Explorationstarting ant = 11
avg = 0.000881116567823starting ant = 12
p = 0.00148starting ant = 14
Ant 2 : [3, 4], 15starting ant = 15
Exploitationstarting ant = 16
Ant 3: [0, 1], 10starting ant = 17
Exploitationstarting ant = 18
Ant 4 : [0, 1], 10starting ant = 19
Exploitation
Ant 0: [3, 4, 0], 35
Exploration
avg = 0.000881483234489
```

```
p = 0.00111111111
p = 0.00148146666667
Ant 5 : [3, 4], 15
Exploration
avg = 0.000881486901156
p = 0.00111111111
p = 0.00148148133333
Ant 6: [3, 4], 15
Exploration
avg = 0.0010579304401
p = 0.0022222
Ant 7 : [0, 1], 10
Exploration
avg = 0.000906237817304
p = 0.00111
Ant 8 : [4, 3], 15
Exploration
avg = 0.0010579359401
p = 0.002222222
Ant 9: [0, 1], 10
Exploitation
Ant 1: [4, 3, 2], 33
Exploitation
Ant 10 : [3, 4], 15
Exploration
avg = 0.0010579359951
p = 0.00222222222
Ant 11 : [0, 1], 10
Exploitation
Ant 12 : [1, 0], 10
Exploration
avg = 0.00112647835732
p = 0.00222
Ant 13 : [1, 0], 10
Exploitation
Ant 14 : [2, 3], 18
Exploitation
Ant 2: [3, 4, 0], 35
Exploitation
Ant 15 : [1, 0], 10
Exploitation
Ant 16 : [1, 0], 10
Exploration
avg = 0.000761971143092
p = 0.000909081818166
p = 0.00111111111111
Ant 3: [0, 1, 3], 28
Exploitation
Ant 17 : [1, 0], 10
Exploitation
Ant 18 : [2, 3], 18
Exploitation
```

Ant 4: [0, 1, 3], 28

```
Exploitation
Ant 19 : [2, 3], 18
Exploration
avg = 0.001444444111
p = 0.002222222222
Ant 0: [3, 4, 0, 1], 45
Exploitation
Ant 5 : [3, 4, 0], 35
Exploitation
Ant 6: [3, 4, 0], 35
Exploitation
Ant 7 : [0, 1, 3], 28
Exploitation
Ant 8: [4, 3, 2], 33
Exploitation
Ant 9 : [0, 1, 3], 28
Exploration
avg = 0.000631692454541
p = 0.0009090909082
Ant 1: [4, 3, 2, 1], 55
Exploitation
Ant 10 : [3, 4, 0], 35
Exploration
avg = 0.000803123406055
p = 0.000909081818166
p = 0.0012345679
Ant 11 : [0, 1, 3], 28
Exploitation
Ant 12 : [1, 0, 4], 30
Exploitation
Ant 13 : [1, 0, 4], 30
Exploitation
Ant 14: [2, 3, 4], 33
Exploitation
Ant 2: [3, 4, 0, 1], 45
Exploration
avg = 0.00070687725343
p = 0.001111099999
Ant 15 : [1, 0, 4], 30
Exploitation
Ant 16: [1, 0, 4], 30
Exploitation
Ant 3 : [0, 1, 3, 4], 43
Exploitation
Ant 17 : [1, 0, 4], 30
Exploration
avg = 0.000804945547591
p = 0.00148148148148
Ant 18 : [2, 3, 4], 33
Exploration
avg = 0.00135801851852
p = 0.00148148148148
Ant 4 : [0, 1, 3, 4], 43
Exploitation
```

```
Ant 19 : [2, 3, 4], 33
Exploitation
Ant 0: [3, 4, 0, 1, 2], 67
Update called by <code>OExploration</code>
Ant thread 0 terminating.avg = 0.00144444441111
p = 0.0022222222222
Ant 5 : [3, 4, 0, 1], 45
Exploration
avg = 0.00144444441111
p = 0.0022222222222
Ant 6: [3, 4, 0, 1], 45
Exploration
avg = 0.00135801851852
p = 0.00148148148148
Ant 7 : [0, 1, 3, 4], 43
Exploitation
Ant 8: [4, 3, 2, 1], 55
Exploration
avg = 0.00135801851852
p = 0.00148148148148
Ant 9 : [0, 1, 3, 4], 43
Exploration
avg = 0.002222222222
Ant 1: [4, 3, 2, 1, 0], 65
Update called by 1Exploitation
Ant thread 1 terminating. Ant 10 : [3, 4, 0, 1], 45
Exploration
avg = 0.00135801851852
p = 0.00148148148148
Ant 11 : [0, 1, 3, 4], 43
Exploitation
Ant 12: [1, 0, 4, 3], 45
Exploitation
Ant 13 : [1, 0, 4, 3], 45
Exploration
avg = 0.00068841580555
p = 0.0011111111111
Ant 14 : [2, 3, 4, 0], 53
Exploration
avg = 0.00100909081818
Ant 2: [3, 4, 0, 1, 2], 67
Update called by 2Exploitation
Ant thread 2 terminating. Ant 15 : [1, 0, 4, 3], 45
Exploitation
Ant 16: [1, 0, 4, 3], 45
Exploitation
Ant 3: [0, 1, 3, 4, 2], 69
Update called by 3Exploration
```

Ant thread 3 terminating.avg = 0.00116766381766

p = 0.00148148148148

Ant 17: [1, 0, 4, 3], 45

Exploitation

Ant 18: [2, 3, 4, 0], 53

Exploitation

Ant 4 : [0, 1, 3, 4, 2], 69 Update called by 4Exploitation

Ant thread 4 terminating. Ant 19: [2, 3, 4, 0], 53

Exploitation

Ant 5 : [3, 4, 0, 1, 2], 67 Update called by 5Exploration

Ant thread 5 terminating.avg = 0.00101010090908

Ant 6: [3, 4, 0, 1, 2], 67 Update called by 6Exploitation

Ant thread 6 terminating. Ant 7 : [0, 1, 3, 4, 2], 69

Update called by 7Exploration

Ant thread 7 terminating.avg = 0.0022222222222

Ant 8 : [4, 3, 2, 1, 0], 65 Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [0, 1, 3, 4, 2], 69

Update called by 9Exploration

Ant thread 9 terminating.avg = 0.00101010100909

Ant 10 : [3, 4, 0, 1, 2], 67 Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [0, 1, 3, 4, 2], 69

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.00123455555556

Ant 12 : [1, 0, 4, 3, 2], 63 Update called by 12Exploitation

Ant thread 12 terminating. Ant 13: [1, 0, 4, 3, 2], 63

Update called by 13Exploitation

Ant thread 13 terminating. Ant 14 : [2, 3, 4, 0, 1], 63

```
Update called by 14Exploration
```

Ant thread 14 terminating.avg = 0.0012345679

Ant 15 : [1, 0, 4, 3, 2], 63 Update called by 15Exploration

Ant thread 15 terminating.avg = 0.00123456790122

Ant 16: [1, 0, 4, 3, 2], 63 Update called by 16Exploitation

Ant thread 16 terminating. Ant 17 : [1, 0, 4, 3, 2], 63

Update called by 17Exploration

Ant thread 17 terminating.avg = 0.0022222222222

Ant 18 : [2, 3, 4, 0, 1], 63 Update called by 18Exploration

Ant thread 18 terminating.avg = 0.0022222222222

Ant 19: [2, 3, 4, 0, 1], 63

Update called by 19

Best: [3, 4, 0, 1, 2], 85, 8, 88

Ant thread 19 terminating.iter_counter = 9

starting ant = 0

starting ant = 1Exploration

starting ant = 2avg = 0.000821116022401

starting ant = 5Ant 0 : [3, 4], 15

starting ant = 6Exploitation

starting ant = 7Ant 1 : [4, 3], 15

starting ant = 8Exploitation

starting ant = 9Ant 2 : [3, 4], 15

starting ant = 10Exploitation

starting ant = 11Ant 3 : [0, 1], 10

starting ant = 12Exploration

```
starting ant = 13avg = 0.00103214464629
starting ant = 14p = 0.00222
starting ant = 15Ant 4 : [0, 1], 10
starting ant = 16Exploitation
starting ant = 17Ant 5 : [3, 4], 15
starting ant = 18Exploration
starting ant = 19avg = 0.000669459739741
p = 0.001
p = 0.000769230769223
Ant 0 : [3, 4, 2], 41
Exploitation
Ant 6: [3, 4], 15
Exploration
avg = 0.00103269464629
p = 0.0022222
Ant 7: [0, 1], 10
Exploitation
Ant 1: [4, 3, 2], 33
Exploitation
Ant 8: [4, 3], 15
Exploration
avg = 0.00103270014629
p = 0.002222222
Ant 9 : [0, 1], 10
Exploration
avg = 0.000697664867949
p = 0.001
p = 0.000853846153846
Ant 2: [3, 4, 2], 41
Exploitation
Ant 10: [3, 4], 15
Exploration
avg = 0.00103270020129
p = 0.0022222222
Ant 11 : [0, 1], 10
Exploitation
Ant 3: [0, 1, 3], 28
Exploitation
Ant 12: [1, 0], 10
Exploitation
Ant 13 : [1, 0], 10
Exploration
avg = 0.000676744527622
p = 0.000909081818182
p = 0.001111111
Ant 14: [2, 3], 18
Exploration
```

```
avg = 0.0011509431731
p = 0.0022222
p = 0.001233333333333
Ant 15 : [1, 3], 18
Exploitation
Ant 4 : [0, 1, 3], 28
Exploration
avg = 0.00115125178421
p = 0.0022222
p = 0.00123456777778
Ant 16: [1, 3], 18
Exploitation
Ant 17 : [1, 0], 10
Exploitation
Ant 5: [3, 4, 0], 35
Exploitation
Ant 18 : [2, 3], 18
Exploration
avg = 0.000707605666508
p = 0.000909081818182
p = 0.00123455555554
Ant 19 : [2, 3], 18
Exploitation
Ant 0 : [3, 4, 2, 1], 63
Exploitation
Ant 6: [3, 4, 0], 35
Exploitation
Ant 7 : [0, 1, 3], 28
Exploitation
Ant 1: [4, 3, 2, 1], 55
Exploitation
Ant 8: [4, 3, 2], 33
Exploitation
Ant 9 : [0, 1, 3], 28
Exploitation
Ant 2 : [3, 4, 2, 1], 63
Exploitation
Ant 10: [3, 4, 0], 35
Exploitation
Ant 11 : [0, 1, 3], 28
Exploration
avg = 0.00135801851851
p = 0.00148148148147
Ant 3: [0, 1, 3, 4], 43
Exploration
avg = 0.000636192861717
Ant 12 : [1, 0, 4], 30
Exploitation
Ant 13 : [1, 0, 4], 30
Exploitation
Ant 14: [2, 3, 4], 33
Exploration
avg = 0.0010082052274
```

```
p = 0.00123455555556
p = 0.00148148148148
Ant 15 : [1, 3, 4], 33
Exploration
avg = 0.00135801851852
p = 0.00148148148148
Ant 4 : [0, 1, 3, 4], 43
Exploration
avg = 0.0010082052274
p = 0.0012345555556
p = 0.00148148148148
Ant 16 : [1, 3, 4], 33
Exploration
avg = 0.000673226195054
p = 0.0011111
Ant 17: [1, 0, 4], 30
Exploration
avg = 0.0014111110811
p = 0.002222222222
Ant 5 : [3, 4, 0, 1], 45
Exploitation
Ant 18 : [2, 3, 4], 33
Exploration
avg = 0.000773833708881
p = 0.00148148148148
Ant 19 : [2, 3, 4], 33
Exploitation
Ant 0: [3, 4, 2, 1, 0], 73
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 6 : [3, 4, 0, 1], 45
Exploration
avg = 0.00135801851852
p = 0.00148148148148
Ant 7 : [0, 1, 3, 4], 43
Exploration
avg = 0.0022222222
Ant 1: [4, 3, 2, 1, 0], 65
Update called by 1Exploitation
Ant thread 1 terminating. Ant 8 : [4, 3, 2, 1], 55
Exploration
avg = 0.00135801851852
p = 0.00148148148148
Ant 9 : [0, 1, 3, 4], 43
Exploration
avg = 0.002222222222
Ant 2 : [3, 4, 2, 1, 0], 73
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.00141111108111
```

```
p = 0.0022222222222
Ant 10 : [3, 4, 0, 1], 45
Exploitation
Ant 11 : [0, 1, 3, 4], 43
Exploitation
Ant 3: [0, 1, 3, 4, 2], 69
Update called by 3Exploitation
Ant thread 3 terminating. Ant 12: [1, 0, 4, 3], 45
Exploration
avg = 0.00116809105128
p = 0.00148148133333
Ant 13 : [1, 0, 4, 3], 45
Exploration
avg = 0.000675129725
p = 0.001111111
Ant 14 : [2, 3, 4, 0], 53
Exploitation
Ant 15 : [1, 3, 4, 0], 53
Exploitation
Ant 4: [0, 1, 3, 4, 2], 69
Update called by 4Exploitation
Ant thread 4 terminating. Ant 16: [1, 3, 4, 0], 53
Exploration
avg = 0.00116809116692
p = 0.00148148148
Ant 17 : [1, 0, 4, 3], 45
Exploration
avg = 0.000909090909082
Ant 5: [3, 4, 0, 1, 2], 67
Update called by 5Exploration
Ant thread 5 terminating.avg = 0.000675129780556
p = 0.00111111111111
Ant 18: [2, 3, 4, 0], 53
Exploitation
Ant 19 : [2, 3, 4, 0], 53
Exploration
avg = 0.00100909090909
Ant 6: [3, 4, 0, 1, 2], 67
ExploitationUpdate called by 6
Ant 7 : [0, 1, 3, 4, 2], 69Ant thread 6 terminating.
Update called by 7Exploration
Ant thread 7 terminating.avg = 0.0022222222222
Ant 8: [4, 3, 2, 1, 0], 65
Update called by 8Exploitation
```

Ant thread 8 terminating. Ant 9: [0, 1, 3, 4, 2], 69

Update called by 9Exploration

Ant thread 9 terminating.avg = 0.00101009090909

Ant 10 : [3, 4, 0, 1, 2], 67 Update called by 10Exploration

Ant thread 10 terminating.avg = 0.000854700854701

Ant 11 : [0, 1, 3, 4, 2], 69 Update called by 11Exploration

Ant thread 11 terminating.avg = 0.00123455555556

Ant 12 : [1, 0, 4, 3, 2], 63 Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00123456777778

Ant 13 : [1, 0, 4, 3, 2], 63 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.0022222222222

Ant 14 : [2, 3, 4, 0, 1], 63 Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00059999994

Ant 15 : [1, 3, 4, 0, 2], 83 Update called by 15Exploitation

Ant thread 15 terminating. Ant 16: [1, 3, 4, 0, 2], 83

Update called by 16Exploration

Ant thread 16 terminating.avg = 0.0012345679

Ant 17 : [1, 0, 4, 3, 2], 63 Update called by 17Exploration

Ant thread 17 terminating.avg = 0.0022222222222

Ant 18 : [2, 3, 4, 0, 1], 63 Update called by 18Exploration

Ant thread 18 terminating.avg = 0.0022222222222

Ant 19: [2, 3, 4, 0, 1], 63

Update called by 19

Best: [3, 4, 0, 1, 2], 85, 9, 92

```
starting ant = 0
Explorationstarting ant = 1
avg = 0.00080011553127starting ant = 2
Ant 0: [3, 4], 15starting ant = 5
Explorationstarting ant = 6
avg = 0.000829449426888starting ant = 7
p = 0.001starting ant = 8
p = 0.0013333333333332starting ant = 9
Ant 1 : [4, 3], 15starting ant = 10
Exploitationstarting ant = 11
Ant 2: [3, 4], 15starting ant = 12
Exploitationstarting ant = 13
Ant 3: [0, 1], 10starting ant = 14
Exploitationstarting ant = 15
Ant 4 : [0, 1], 10starting ant = 16
Explorationstarting ant = 17
avg = 0.000661488124744starting ant = 18
p = 0.001starting ant = 19
p = 0.000769230769231
Ant 0: [3, 4, 2], 41
Exploration
avg = 0.000837148864603
p = 0.0011111111111
p = 0.00148146666667
Ant 5 : [3, 4], 15
Exploitation
Ant 6: [3, 4], 15
Exploration
avg = 0.00104164367016
p = 0.0022222
Ant 7 : [0, 1], 10
```

Ant thread 19 terminating.iter_counter = 10

```
Exploration
avg = 0.000887269939712
p = 0.001
p = 0.00148
Ant 8 : [4, 3], 15
Exploration
avg = 0.00104164917016
p = 0.002222222
Ant 9: [0, 1], 10
Exploration
avg = 0.000622376263915
p = 0.0011111111111
Ant 1: [4, 3, 2], 33
Exploration
avg = 0.000867708123495
p = 0.00123333333333
p = 0.00148148148
Ant 10: [3, 4], 15
Exploitation
Ant 11 : [0, 1], 10
Exploration
avg = 0.000689693252949
p = 0.001
p = 0.000853846153846
Ant 2 : [3, 4, 2], 41
Exploration
avg = 0.00105885888357
p = 0.002
p = 0.00111111111111
Ant 12 : [1, 3], 18
Exploration
avg = 0.00108941443913
p = 0.002
Ant 13 : [1, 3], 18
Exploration
avg = 0.000786293326246
p = 0.000909090818182
p = 0.00123455555556
Ant 3 : [0, 1, 3], 28
Exploitation
Ant 14 : [2, 3], 18
Exploration
avg = 0.00108972305024
p = 0.002
p = 0.00123456777778
Ant 15 : [1, 3], 18
Exploitation
Ant 4: [0, 1, 3], 28
Exploitation
Ant 16 : [1, 0], 10
Exploitation
Ant 17 : [1, 0], 10
Exploration
```

```
avg = 0.00069013275087
p = 0.0009090908182
p = 0.00123333333222
Ant 18 : [2, 3], 18
Exploitation
Ant 19: [2, 3], 18
Exploration
avg = 0.000598034524091
p = 0.000909090908182
Ant 0 : [3, 4, 2, 1], 63
Exploration
avg = 0.000689975304231
p = 0.001
p = 0.000854692307692
Ant 5 : [3, 4, 2], 41
Exploration
avg = 0.000689978124744
p = 0.001
p = 0.000854700769231
Ant 6: [3, 4, 2], 41
Exploitation
Ant 7 : [0, 1, 3], 28
Exploration
avg = 0.000663117004659
p = 0.001233333333333
Ant 8 : [4, 3, 2], 33
Exploitation
Ant 9 : [0, 1, 3], 28
Exploitation
Ant 1: [4, 3, 2, 1], 55
Exploitation
Ant 10: [3, 4, 0], 35
Exploitation
Ant 11 : [0, 1, 3], 28
Exploration
avg = 0.000648534524545
p = 0.00101009090909
Ant 2 : [3, 4, 2, 1], 63
Exploitation
Ant 12 : [1, 3, 4], 33
Exploration
avg = 0.000997919272561
p = 0.00123455555556
p = 0.00148148148148
Ant 13 : [1, 3, 4], 33
Exploration
avg = 0.00135801851852
p = 0.00148148148148
Ant 3: [0, 1, 3, 4], 43
Exploration
avg = 0.000745833054042
p = 0.00148148148148
Ant 14: [2, 3, 4], 33
Exploitation
```

```
Ant 15 : [1, 3, 4], 33
Exploration
avg = 0.00135801851852
p = 0.00148148148148
Ant 4 : [0, 1, 3, 4], 43
Exploration
avg = 0.000648124893547
p = 0.000666653999995
p = 0.0009999999
Ant 16 : [1, 0, 4], 30
Exploration
avg = 0.000684791593213
p = 0.001109999999
Ant 17 : [1, 0, 4], 30
Exploitation
Ant 18 : [2, 3, 4], 33
Exploration
avg = 0.000745833054042
p = 0.00148148148148
Ant 19: [2, 3, 4], 33
Exploration
avg = 0.0022222
Ant 0: [3, 4, 2, 1, 0], 73
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 5 : [3, 4, 2, 1], 63
Exploitation
Ant 6: [3, 4, 2, 1], 63
Exploitation
Ant 7 : [0, 1, 3, 4], 43
Exploitation
Ant 8: [4, 3, 2, 1], 55
Exploitation
Ant 9: [0, 1, 3, 4], 43
Exploitation
Ant 1: [4, 3, 2, 1, 0], 65
Update called by 1Exploitation
Ant thread 1 terminating. Ant 10 : [3, 4, 0, 1], 45
Exploration
avg = 0.00135801851852
p = 0.00148148148148
Ant 11 : [0, 1, 3, 4], 43
Exploration
avg = 0.00222222222
Ant 2 : [3, 4, 2, 1, 0], 73
Update called by 2Exploitation
Ant thread 2 terminating. Ant 12 : [1, 3, 4, 0], 53
Exploitation
Ant 13 : [1, 3, 4, 0], 53
```

```
Exploration

avg = 0.000854700853846

Ant 3 : [0, 1, 3, 4, 2], 69

Update called by 3Exploitation
```

Ant thread 3 terminating. Ant 14: [2, 3, 4, 0], 53

Exploitation

Ant 15 : [1, 3, 4, 0], 53

Exploitation

Ant 4: [0, 1, 3, 4, 2], 69 Update called by 4Exploitation

Ant thread 4 terminating. Ant 16: [1, 0, 4, 3], 45

Exploitation

Ant 17: [1, 0, 4, 3], 45

Exploitation

Ant 18 : [2, 3, 4, 0], 53

Exploitation

Ant 19 : [2, 3, 4, 0], 53

Exploitation

Ant 5 : [3, 4, 2, 1, 0], 73 Update called by 5Exploitation

Ant thread 5 terminating. Ant 6: [3, 4, 2, 1, 0], 73

Update called by 6Exploration

Ant thread 6 terminating.avg = 0.000854700854701

Ant 7: [0, 1, 3, 4, 2], 69 Update called by 7Exploitation

Ant thread 7 terminating. Ant 8: [4, 3, 2, 1, 0], 65

Update called by 8Exploration

Ant thread 8 terminating.avg = 0.000854700854701

Ant 9: [0, 1, 3, 4, 2], 69 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [3, 4, 0, 1, 2], 67

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11 : [0, 1, 3, 4, 2], 69

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.000666653999995

Ant 12 : [1, 3, 4, 0, 2], 83

```
Update called by 12Exploitation
```

Ant thread 12 terminating. Ant 13: [1, 3, 4, 0, 2], 83

Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [2, 3, 4, 0, 1], 63

Update called by 14Exploration

Ant thread 14 terminating.avg = 0.000740733332067

Ant 15 : [1, 3, 4, 0, 2], 83 Update called by 15Exploration

Ant thread 15 terminating.avg = 0.00123455555556

Ant 16 : [1, 0, 4, 3, 2], 63 Update called by 16Exploration

Ant thread 16 terminating.avg = 0.00123456777778

Ant 17 : [1, 0, 4, 3, 2], 63 Update called by 17Exploration

Ant thread 17 terminating.avg = 0.0022222222222

Ant 18 : [2, 3, 4, 0, 1], 63 Update called by 18Exploitation

Ant thread 18 terminating. Ant 19 : [2, 3, 4, 0, 1], 63

Update called by 19

Best: [3, 4, 0, 1, 2], 85, 10, 95

Ant thread 19 terminating.iter_counter = 11

starting ant = 0

Explorationstarting ant = 1

avg = 0.000781215088978starting ant = 2

Ant 0: [3, 4], 15starting ant = 5

Exploitationstarting ant = 6

Ant 1: [4, 3], 15starting ant = 7

Exploitationstarting ant = 8

Ant 2: [3, 4], 15starting ant = 9

```
avg = 0.00097915132564starting ant = 11
p = 0.002starting ant = 12
p = 0.000999989999991starting ant = 13
Ant 3: [0, 4], 20starting ant = 14
Explorationstarting ant = 15
avg = 0.00100665380064starting ant = 16
p = 0.002starting ant = 17
p = 0.00110999999starting ant = 18
Ant 4 : [0, 4], 20starting ant = 19
Exploration
avg = 0.000654313671244
p = 0.001
p = 0.000769230769231
Ant 0: [3, 4, 2], 41
Exploitation
Ant 5 : [3, 4], 15
Exploration
avg = 0.000818252088978
p = 0.00111111111
p = 0.00148148133333
Ant 6: [3, 4], 15
Exploitation
Ant 1 : [4, 3, 2], 33
Exploitation
Ant 7 : [0, 1], 10
Exploration
avg = 0.000881889099583
p = 0.001
Ant 8: [4, 3], 15
Exploration
avg = 0.000682518799449
p = 0.001
p = 0.000853846153846
Ant 2 : [3, 4, 2], 41
Exploration
avg = 0.00106192882539
p = 0.00222
p = 0.001111099999
Ant 9: [0, 4], 20
Exploitation
Ant 10: [3, 4], 15
```

Explorationstarting ant = 10

```
Exploration
avg = 0.00106193157564
p = 0.00222
p = 0.00111111099999
Ant 11 : [0, 4], 20
Exploration
avg = 0.00105325079324
p = 0.002
p = 0.001111111111111
Ant 12 : [1, 3], 18
Exploitation
Ant 13 : [1, 0], 10
Exploration
avg = 0.00084328973962
p = 0.000854692307692
p = 0.00148146666667
Ant 3: [0, 4, 3], 35
Exploitation
Ant 14 : [2, 3], 18
Exploitation
Ant 15 : [1, 0], 10
Exploration
avg = 0.0011393563488
p = 0.0022222
p = 0.001233333333333
Ant 16 : [1, 3], 18
Exploitation
Ant 17 : [1, 0], 10
Exploration
avg = 0.000674680082021
p = 0.000909090909091
p = 0.00123333333222
Ant 18: [2, 3], 18
Exploitation
Ant 4 : [0, 4, 3], 35
Exploration
avg = 0.000674985637851
p = 0.000909090909091
p = 0.00123455555554
Ant 19 : [2, 3], 18
Exploration
avg = 0.000583685617545
p = 0.000909090909091
Ant 0: [3, 4, 2, 1], 63
Exploitation
Ant 5: [3, 4, 0], 35
Exploration
avg = 0.000719467517397
p = 0.00111
p = 0.000854692307692
Ant 6: [3, 4, 2], 41
Exploration
avg = 0.000633685617545
p = 0.00100909090909
```

```
Exploitation
Ant 7 : [0, 1, 3], 28
Exploitation
Ant 8: [4, 3, 2], 33
Exploitation
Ant 2: [3, 4, 2, 1], 63
Exploitation
Ant 9: [0, 4, 3], 35
Exploitation
Ant 10: [3, 4, 0], 35
Exploration
avg = 0.000843297498399
p = 0.000854700769231
p = 0.00148148148147
Ant 11 : [0, 4, 3], 35
Exploitation
Ant 12 : [1, 3, 4], 33
Exploitation
Ant 13 : [1, 0, 4], 30
Exploitation
Ant 3: [0, 4, 3, 2], 53
Exploration
avg = 0.000720632464687
p = 0.00148148148148
Ant 14 : [2, 3, 4], 33
Exploration
avg = 0.000675908804556
p = 0.0011111111111
Ant 15 : [1, 0, 4], 30
Exploitation
Ant 16: [1, 3, 4], 33
Exploitation
Ant 17 : [1, 0, 4], 30
Exploitation
Ant 18 : [2, 3, 4], 33
Exploration
avg = 0.000832517493889
p = 0.00123456777778
Ant 4: [0, 4, 3, 2], 53
Exploration
avg = 0.000720632464687
p = 0.00148148148148
Ant 19 : [2, 3, 4], 33
Exploration
avg = 0.002222222
Ant 0: [3, 4, 2, 1, 0], 73
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 5 : [3, 4, 0, 1], 45
Exploitation
Ant 6: [3, 4, 2, 1], 63
Exploration
```

Ant 1: [4, 3, 2, 1], 55

```
avg = 0.00222222222
Ant 1 : [4, 3, 2, 1, 0], 65
Update called by 1Exploitation
Ant thread 1 terminating. Ant 7 : [0, 1, 3, 4], 43
Exploitation
Ant 8: [4, 3, 2, 1], 55
Exploration
avg = 0.002222222222
Ant 2 : [3, 4, 2, 1, 0], 73
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000832517555
p = 0.0012345679
Ant 9 : [0, 4, 3, 2], 53
Exploration
avg = 0.00144443329999
p = 0.0022222
Ant 10: [3, 4, 0, 1], 45
Exploration
avg = 0.000832517555611
p = 0.00123456790122
Ant 11 : [0, 4, 3, 2], 53
Exploitation
Ant 12 : [1, 3, 4, 0], 53
Exploration
avg = 0.00116809112536
p = 0.00148148148148
Ant 13 : [1, 0, 4, 3], 45
Exploration
avg = 0.00101010101009
Ant 3: [0, 4, 3, 2, 1], 75
Update called by 3Exploitation
Ant thread 3 terminating. Ant 14 : [2, 3, 4, 0], 53
Exploitation
Ant 15 : [1, 0, 4, 3], 45
Exploration
avg = 0.000982905939615
p = 0.00111111111
Ant 16 : [1, 3, 4, 0], 53
Exploitation
Ant 17: [1, 0, 4, 3], 45
Exploitation
Ant 18 : [2, 3, 4, 0], 53
Exploration
avg = 0.0010101010101
Ant 4: [0, 4, 3, 2, 1], 75
Update called by 4Exploitation
```

Ant thread 4 terminating. Ant 19 : [2, 3, 4, 0], 53

Exploitation

Ant 5: [3, 4, 0, 1, 2], 67 Update called by 5Exploitation

Ant thread 5 terminating. Ant 6: [3, 4, 2, 1, 0], 73

ExploitationUpdate called by 6

Ant 7 : [0, 1, 3, 4, 2], 69Ant thread 6 terminating.

Update called by 7Exploitation

Ant thread 7 terminating. Ant 8 : [4, 3, 2, 1, 0], 65

Update called by 8Exploration

Ant thread 8 terminating.avg = 0.0010101010101

Ant 9: [0, 4, 3, 2, 1], 75 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [3, 4, 0, 1, 2], 67

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [0, 4, 3, 2, 1], 75

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12 : [1, 3, 4, 0, 2], 83

Update called by 12Exploitation

Ant thread 12 terminating. Ant 13: [1, 0, 4, 3, 2], 63

Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [2, 3, 4, 0, 1], 63

Update called by 14Exploitation

Ant thread 14 terminating. Ant 15 : [1, 0, 4, 3, 2], 63

Update called by 15Exploitation

Ant thread 15 terminating. Ant 16: [1, 3, 4, 0, 2], 83

Update called by 16Exploration

Ant thread 16 terminating.avg = 0.00123456790123

Ant 17 : [1, 0, 4, 3, 2], 63 Update called by 17Exploration

```
Ant 18: [2, 3, 4, 0, 1], 63
Update called by 18Exploration
Ant thread 18 terminating.avg = 0.0022222222222
Ant 19: [2, 3, 4, 0, 1], 63
Update called by 19
Best: [3, 4, 0, 1, 2], 85, 11, 90
Ant thread 19 terminating.iter_counter = 12
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [3, 4], 15starting ant = 2
Explorationstarting ant = 3
avg = 0.000819225830461starting ant = 4
p = 0.001starting ant = 5
Ant 1: [4, 3], 15starting ant = 7
Exploitationstarting ant = 8
Ant 0 : [3, 4, 0], 35starting ant = 9
Exploitationstarting ant = 10
Ant 2: [3, 4], 15starting ant = 11
Explorationstarting ant = 12
avg = 0.000972903458079starting ant = 13
p = 0.002starting ant = 14
p = 0.001starting ant = 15
Ant 3 : [0, 4], 20starting ant = 16
Exploitationstarting ant = 17
Ant 4 : [0, 1], 10starting ant = 18
Exploitationstarting ant = 19
Ant 5 : [3, 4], 15
Exploitation
```

Ant thread 17 terminating.avg = 0.00222222222

```
Ant 6: [3, 4], 15
Exploitation
Ant 1 : [4, 3, 2], 33
Exploration
avg = 0.00105540345808
p = 0.00222
p = 0.00111
Ant 7 : [0, 4], 20
Exploration
avg = 0.000883392497128
p = 0.00111
p = 0.00148
Ant 8: [4, 3], 15
Exploration
avg = 0.00144333
p = 0.00222
Ant 0: [3, 4, 0, 1], 45
Exploitation
Ant 9 : [0, 1], 10
Exploitation
Ant 10: [3, 4], 15
Exploitation
Ant 2: [3, 4, 0], 35
Exploitation
Ant 11 : [0, 1], 10
Exploration
avg = 0.0010486329891
p = 0.002
p = 0.001111111
Ant 12 : [1, 3], 18
Exploitation
Ant 13: [1, 0], 10
Exploration
avg = 0.000630217096796
p = 0.000909090909091
p = 0.001111111
Ant 14: [2, 3], 18
Exploration
avg = 0.00113418857216
p = 0.00222
p = 0.00123333333222
Ant 15 : [1, 3], 18
Exploitation
Ant 3: [0, 4, 3], 35
Exploitation
Ant 16: [1, 0], 10
Exploitation
Ant 17 : [1, 0], 10
Exploitation
Ant 4: [0, 1, 3], 28
Exploration
avg = 0.000660772679851
p = 0.000909090909091
```

p = 0.00123333333222

```
Ant 18: [2, 3], 18
Exploitation
Ant 19 : [2, 3], 18
Exploration
avg = 0.000684889996171
p = 0.0011111
p = 0.000769230768462
Ant 5 : [3, 4, 2], 41
Exploration
avg = 0.000713095124629
p = 0.0011111
p = 0.000853846153838
Ant 6 : [3, 4, 2], 41
Exploitation
Ant 1: [4, 3, 2, 1], 55
Exploration
avg = 0.000836837620359
p = 0.000854692307692
p = 0.00148148133333
Ant 7: [0, 4, 3], 35
Exploitation
Ant 8 : [4, 3, 2], 33
Exploitation
Ant 0: [3, 4, 0, 1, 2], 67
Update called by OExploration
Ant thread 0 terminating.avg = 0.00080599927173
p = 0.00100909081736
p = 0.00123456777778
Ant 9 : [0, 1, 3], 28
Exploration
avg = 0.000713377175914
p = 0.0011111
p = 0.000854692307692
Ant 10 : [3, 4, 2], 41
Exploration
avg = 0.00144444111
p = 0.0022222222
Ant 2: [3, 4, 0, 1], 45
Exploration
avg = 0.000805999312471
p = 0.00100909081736
p = 0.0012345679
Ant 11 : [0, 1, 3], 28
Exploitation
Ant 12 : [1, 3, 4], 33
Exploration
avg = 0.000667571277439
p = 0.0011111
Ant 13 : [1, 0, 4], 30
Exploitation
Ant 14 : [2, 3, 4], 33
Exploration
```

```
avg = 0.000980330289787
p = 0.00123455555556
p = 0.00148148148148
Ant 15 : [1, 3, 4], 33
Exploitation
Ant 3: [0, 4, 3, 2], 53
Exploitation
Ant 16 : [1, 0, 4], 30
Exploitation
Ant 17 : [1, 0, 4], 30
Exploitation
Ant 4: [0, 1, 3, 4], 43
Exploitation
Ant 18 : [2, 3, 4], 33
Exploration
avg = 0.000697951934268
p = 0.00148148148148
Ant 19: [2, 3, 4], 33
Exploitation
Ant 5 : [3, 4, 2, 1], 63
Exploitation
Ant 6: [3, 4, 2, 1], 63
Exploitation
Ant 1 : [4, 3, 2, 1, 0], 65
Update called by 1Exploitation
Ant thread 1 terminating. Ant 7 : [0, 4, 3, 2], 53
Exploitation
Ant 8: [4, 3, 2, 1], 55
Exploration
avg = 0.00135802469074
p = 0.00148148148148
Ant 9 : [0, 1, 3, 4], 43
Exploitation
Ant 10 : [3, 4, 2, 1], 63
Exploitation
Ant 2: [3, 4, 0, 1, 2], 67
Update called by 2Exploitation
Ant thread 2 terminating. Ant 11 : [0, 1, 3, 4], 43
Exploration
avg = 0.000982900384615
p = 0.0011111
Ant 12: [1, 3, 4, 0], 53
Exploration
avg = 0.00116809112462
p = 0.00148148148
Ant 13 : [1, 0, 4, 3], 45
Exploitation
Ant 14 : [2, 3, 4, 0], 53
Exploration
avg = 0.000982905939615
```

p = 0.00111111111

Ant 15 : [1, 3, 4, 0], 53

Exploration

avg = 0.00101010101009

Ant 3: [0, 4, 3, 2, 1], 75 Update called by 3Exploitation

Ant thread 3 terminating. Ant 16 : [1, 0, 4, 3], 45

Exploitation

Ant 17: [1, 0, 4, 3], 45

Exploitation

Ant 4: [0, 1, 3, 4, 2], 69 Update called by 4Exploitation

Ant thread 4 terminating. Ant 18: [2, 3, 4, 0], 53

Exploration

avg = 0.000642725165581

p = 0.001111111111111

Ant 19: [2, 3, 4, 0], 53

Exploration

avg = 0.00222222222

Ant 5 : [3, 4, 2, 1, 0], 73 Update called by 5Exploration

Ant thread 5 terminating.avg = 0.0022222222222

Ant 6 : [3, 4, 2, 1, 0], 73 Update called by 6Exploration

Ant thread 6 terminating.avg = 0.0010101010101

Ant 7 : [0, 4, 3, 2, 1], 75 Update called by 7Exploration

Ant thread 7 terminating.avg = 0.0022222222222

Ant 8 : [4, 3, 2, 1, 0], 65 Update called by 8Exploration

Ant thread 8 terminating.avg = 0.000854700853846

Ant 9: [0, 1, 3, 4, 2], 69 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [3, 4, 2, 1, 0], 73

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [0, 1, 3, 4, 2], 69

Update called by 11Exploration

```
Ant 12 : [1, 3, 4, 0, 2], 83
Update called by 12Exploitation
Ant thread 12 terminating. Ant 13 : [1, 0, 4, 3, 2], 63
Update called by 13Exploitation
Ant thread 13 terminating. Ant 14: [2, 3, 4, 0, 1], 63
Update called by 14Exploration
Ant thread 14 terminating.avg = 0.000739999933333
Ant 15 : [1, 3, 4, 0, 2], 83
Update called by 15Exploration
Ant thread 15 terminating.avg = 0.00123456790122
Ant 16 : [1, 0, 4, 3, 2], 63
Update called by 16Exploration
Ant thread 16 terminating.avg = 0.00123456790123
Ant 17 : [1, 0, 4, 3, 2], 63
Update called by 17Exploration
Ant thread 17 terminating.avg = 0.00222222222222
Ant 18 : [2, 3, 4, 0, 1], 63
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19 : [2, 3, 4, 0, 1], 63
Update called by 19
Best: [3, 4, 0, 1, 2], 85, 12, 91
Ant thread 19 terminating.
______
                    Results
Best path = [3, 4, 0, 1, 2]
('D',)
('E',)
('A',)
('B',)
('C',)
Best path cost = 85
>>>
RESTART: C:\Users\teleuser\Documents\Kantor\Kuliah\Master\Semester
```

Ant thread 11 terminating.avg = 0.000666659999994

```
3\Perencanaan
Jaringan\Tugas\program\Python\tsp-atncolony\Python-Ant-Colony-TSP-Solver-master\
pickled.py
>>>
 RESTART: C:\Users\teleuser\Documents\Kantor\Kuliah\Master\Semester
3\Perencanaan
Jaringan\Tugas\program\Python\tsp-atncolony\Python-Ant-Colony-TSP-Solver-master\
anttsp.py
[[0, 10, 30, 31, 20, 28], [10, 0, 22, 18, 40, 26], [30, 22, 0, 18, 26, 23], [31,
18, 18, 0, 15, 22], [20, 40, 26, 15, 0, 12], [28, 26, 23, 22, 12, 0]]
Average = 18
Tau0 = 0.0185185185185
iter_counter = 1
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [0, 1], 10 starting ant = 2
Explorationstarting ant = 3
avg = 0.000979524590636starting ant = 4
p = 0.00185185185185starting ant = 5
p = 0.00102880658436starting ant = 6
Ant 1 : [1, 3], 18starting ant = 7
Explorationstarting ant = 8
avg = 0.000761442775332starting ant = 9
p = 0.000841750841751starting ant = 10
p = 0.00102880658436starting ant = 11
Ant 0: [0, 1, 3], 28starting ant = 12
Explorationstarting ant = 13
avg = 0.000975783475783starting ant = 14
p = 0.00123456790123starting ant = 15
p = 0.00154320987654starting ant = 16
Ant 2: [4, 5], 12starting ant = 17
Explorationstarting ant = 18
avg = 0.000946260695365starting ant = 19
p = 0.00102880658436
```

```
p = 0.00102880658436
p = 0.00123456790123
Ant 3: [3, 4], 15
Exploration
avg = 0.000912748014197
p = 0.00154320987654
Ant 4: [5, 4], 12
Exploration
avg = 0.000946260695365
p = 0.00102880658436
p = 0.00102880658436
p = 0.00123456790123
Ant 5 : [3, 4], 15
Exploration
avg = 0.000801049013609
p = 0.000841750841751
p = 0.00102880658436
p = 0.000805152979066
Ant 6 : [2, 5], 23
Exploration
avg = 0.000925624223115
p = 0.00102880658436
p = 0.00123456790123
Ant 1 : [1, 3, 4], 33
Exploitation
Ant 7: [0, 1], 10
Exploitation
Ant 8 : [2, 3], 18
Exploitation
Ant 9 : [2, 3], 18
Exploitation
Ant 10: [3, 4], 15
Exploration
avg = 0.000975783475783
p = 0.00123456790123
p = 0.00154320987654
Ant 11 : [4, 5], 12
Exploration
avg = 0.00103504177578
p = 0.00123456790123
Ant 0 : [0, 1, 3, 4], 43
Exploitation
Ant 12 : [3, 4], 15
Exploration
avg = 0.000801049013609
p = 0.000841750841751
p = 0.00102880658436
p = 0.000805152979066
Ant 13 : [2, 5], 23
Exploration
avg = 0.000975783475783
p = 0.00123456790123
p = 0.00154320987654
Ant 14 : [4, 5], 12
```

```
Exploration
avg = 0.000801049013609
p = 0.000841750841751
p = 0.00102880658436
p = 0.000805152979066
Ant 15 : [2, 5], 23
Exploitation
Ant 16 : [4, 5], 12
Exploitation
Ant 2 : [4, 5, 3], 34
Exploitation
Ant 17 : [2, 3], 18
Exploitation
Ant 18: [4, 5], 12
Exploitation
Ant 19 : [5, 4], 12
Exploitation
Ant 3: [3, 4, 5], 27
Exploitation
Ant 4: [5, 4, 3], 27
Exploitation
Ant 5 : [3, 4, 5], 27
Exploitation
Ant 6: [2, 5, 4], 35
Exploitation
Ant 1: [1, 3, 4, 5], 45
Exploration
avg = 0.000761442775332
p = 0.000841750841751
p = 0.00102880658436
Ant 7 : [0, 1, 3], 28
Exploration
avg = 0.000925624223115
p = 0.00102880658436
p = 0.00123456790123
Ant 8 : [2, 3, 4], 33
Exploration
avg = 0.000925624223115
p = 0.00102880658436
p = 0.00123456790123
Ant 9 : [2, 3, 4], 33
Exploration
avg = 0.000911087369421
p = 0.000925925925926
p = 0.00154320987654
Ant 10: [3, 4, 5], 27
Exploration
avg = 0.000755132548611
p = 0.000805152979066
p = 0.000841750841751
Ant 11 : [4, 5, 3], 34
Exploitation
Ant 0: [0, 1, 3, 4, 5], 55
Exploitation
```

```
Ant 12: [3, 4, 5], 27
Exploration
avg = 0.00093964677298
p = 0.00154320987654
Ant 13 : [2, 5, 4], 35
Exploration
avg = 0.000755132548611
p = 0.000805152979066
p = 0.000841750841751
Ant 14 : [4, 5, 3], 34
Exploitation
Ant 15 : [2, 5, 4], 35
Exploration
avg = 0.000755132548611
p = 0.000805152979066
p = 0.000841750841751
Ant 16: [4, 5, 3], 34
Exploration
avg = 0.000884994911279
p = 0.00102880658436
p = 0.00102880658436
Ant 2: [4, 5, 3, 2], 52
Exploitation
Ant 17 : [2, 3, 4], 33
Exploration
avg = 0.000755132548611
p = 0.000805152979066
p = 0.000841750841751
Ant 18: [4, 5, 3], 34
Exploration
avg = 0.000833926875594
p = 0.000925925925926
p = 0.00123456790123
Ant 19 : [5, 4, 3], 27
Exploration
avg = 0.000726259784231
p = 0.000805152979066
Ant 3: [3, 4, 5, 2], 50
Exploration
avg = 0.000884994911279
p = 0.00102880658436
p = 0.00102880658436
Ant 4: [5, 4, 3, 2], 45
Exploration
avg = 0.000726259784231
p = 0.000805152979066
Ant 5 : [3, 4, 5, 2], 50
Exploitation
Ant 6: [2, 5, 4, 3], 50
Exploration
avg = 0.000733264320221
p = 0.000805152979066
Ant 1: [1, 3, 4, 5, 2], 68
Exploration
```

```
avg = 0.00103504177578
p = 0.00123456790123
Ant 7: [0, 1, 3, 4], 43
Exploration
avg = 0.000977366255144
p = 0.00154320987654
Ant 8 : [2, 3, 4, 5], 45
Exploitation
Ant 9 : [2, 3, 4, 5], 45
Exploitation
Ant 10: [3, 4, 5, 2], 50
Exploration
avg = 0.000884994911279
p = 0.00102880658436
p = 0.00102880658436
Ant 11: [4, 5, 3, 2], 52
Exploration
avg = 0.000805152979066
Ant 0: [0, 1, 3, 4, 5, 2], 78
Update called by <code>OExploration</code>
Ant thread 0 terminating.avg = 0.000726259784231
p = 0.000805152979066
Ant 12 : [3, 4, 5, 2], 50
Exploration
avg = 0.000874485596708
p = 0.000925925925926
p = 0.00123456790123
Ant 13 : [2, 5, 4, 3], 50
Exploration
avg = 0.000884994911279
p = 0.00102880658436
p = 0.00102880658436
Ant 14: [4, 5, 3, 2], 52
Exploitation
Ant 15 : [2, 5, 4, 3], 50
Exploitation
Ant 16: [4, 5, 3, 1], 52
Exploration
avg = 0.000729517396184
p = 0.000841750841751
Ant 2: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000977366255144
p = 0.00154320987654
Ant 17 : [2, 3, 4, 5], 45
Exploration
avg = 0.000884994911279
p = 0.00102880658436
p = 0.00102880658436
Ant 18: [4, 5, 3, 2], 52
Exploration
avg = 0.000884994911279
```

```
p = 0.00102880658436
p = 0.00102880658436
Ant 19 : [5, 4, 3, 2], 45
Exploration
avg = 0.000729517396184
p = 0.000841750841751
Ant 3: [3, 4, 5, 2, 1], 72
Exploitation
Ant 4: [5, 4, 3, 2, 1], 67
Exploration
avg = 0.000729517396184
p = 0.000841750841751
Ant 5 : [3, 4, 5, 2, 1], 72
Exploitation
Ant 6: [2, 5, 4, 3, 1], 68
Exploitation
Ant 1 : [1, 3, 4, 5, 2, 0], 98
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.0011277302944
p = 0.00154320987654
Ant 7: [0, 1, 3, 4, 5], 55
Exploration
avg = 0.000686813186813
p = 0.000712250712251
Ant 8 : [2, 3, 4, 5, 1], 71
Exploitation
Ant 9: [2, 3, 4, 5, 1], 71
Exploration
avg = 0.000729517396184
p = 0.000841750841751
Ant 10: [3, 4, 5, 2, 1], 72
Exploitation
Ant 11: [4, 5, 3, 2, 1], 74
Exploitation
Ant 12: [3, 4, 5, 2, 1], 72
Exploitation
Ant 13: [2, 5, 4, 3, 1], 68
Exploration
avg = 0.000729517396184
p = 0.000841750841751
Ant 14: [4, 5, 3, 2, 1], 74
Exploitation
Ant 15 : [2, 5, 4, 3, 1], 68
Exploration
avg = 0.0013468013468
p = 0.00185185185185
Ant 16: [4, 5, 3, 1, 0], 62
Exploration
avg = 0.00185185185185
Ant 2 : [4, 5, 3, 2, 1, 0], 84
Update called by 2Exploration
```

Ant thread 2 terminating.avg = 0.000686813186813

p = 0.000712250712251

Ant 17: [2, 3, 4, 5, 1], 71

Exploitation

Ant 18: [4, 5, 3, 2, 1], 74

Exploration

avg = 0.000729517396184

p = 0.000841750841751

Ant 19: [5, 4, 3, 2, 1], 67

Exploitation

Ant 3 : [3, 4, 5, 2, 1, 0], 82

Update called by 3Exploitation

Ant thread 3 terminating. Ant 4 : [5, 4, 3, 2, 1, 0], 77

Update called by 4Exploitation

Ant thread 4 terminating. Ant 5 : [3, 4, 5, 2, 1, 0], 82

Update called by 5Exploitation

Ant thread 5 terminating. Ant 6 : [2, 5, 4, 3, 1, 0], 78

Update called by 6Exploitation

Ant thread 6 terminating. Ant 7 : [0, 1, 3, 4, 5, 2], 78

Update called by 7Exploration

Ant thread 7 terminating.avg = 0.00185185185185

Ant 8: [2, 3, 4, 5, 1, 0], 81 Update called by 8Exploration

Ant thread 8 terminating.avg = 0.00185185185185

Ant 9: [2, 3, 4, 5, 1, 0], 81 Update called by 9Exploitation

Ant thread 9 terminating.Ant 10 : [3, 4, 5, 2, 1, 0], 82

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [4, 5, 3, 2, 1, 0], 84

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12 : [3, 4, 5, 2, 1, 0], 82

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00185185185185

```
Ant 13 : [2, 5, 4, 3, 1, 0], 78
Update called by 13Exploration
Ant thread 13 terminating.avg = 0.00185185185185
Ant 14: [4, 5, 3, 2, 1, 0], 84
Update called by 14Exploration
Ant thread 14 terminating.avg = 0.00185185185185
Ant 15 : [2, 5, 4, 3, 1, 0], 78
Update called by 15Exploitation
Ant thread 15 terminating. Ant 16: [4, 5, 3, 1, 0, 2], 92
Update called by 16Exploration
Ant thread 16 terminating.avg = 0.00185185185185
Ant 17 : [2, 3, 4, 5, 1, 0], 81
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18: [4, 5, 3, 2, 1, 0], 84
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19 : [5, 4, 3, 2, 1, 0], 77
Update called by 19
Best: [4, 5, 3, 2, 1, 0], 104, 1, 108
Ant thread 19 terminating.iter_counter = 2
starting ant = 0
Explorationstarting ant = 1
avg = 0.000837685611879starting ant = 2
p = 0.001666666666667 starting ant = 3
Ant 0 : [0, 1], 10starting ant = 4
Explorationstarting ant = 5
avg = 0.000881572131572starting ant = 6
p = 0.001666666666667 ant = 7
p = 0.000925925925926starting ant = 8
Ant 1: [1, 3], 18starting ant = 9
Exploitationstarting ant = 10
Ant 2: [4, 5], 12starting ant = 11
```

```
Ant 3: [3, 4], 15starting ant = 13
Explorationstarting ant = 14
avg = 0.000710761460761starting ant = 15
p = 0.00075757575757576starting ant = 16
p = 0.0010277777778starting ant = 17
Ant 0 : [0, 1, 3], 28starting ant = 18
Explorationstarting ant = 19
avg = 0.000821473212778
p = 0.00138888888889
Ant 4: [5, 4], 12
Exploitation
Ant 5 : [3, 4], 15
Exploitation
Ant 6: [2, 3], 18
Exploitation
Ant 7: [0, 1], 10
Exploitation
Ant 8 : [2, 3], 18
Exploitation
Ant 1 : [1, 3, 4], 33
Exploration
avg = 0.000741518186323
p = 0.000757575757576
p = 0.0010287962963
Ant 9 : [2, 3], 18
Exploration
avg = 0.000876325959162
p = 0.000925925925926
p = 0.000925925925926
p = 0.00123456777778
Ant 10 : [3, 4], 15
Exploration
avg = 0.00067961929375
p = 0.000724637681159
p = 0.000757575757576
Ant 2: [4, 5, 3], 34
Exploitation
Ant 11: [4, 5], 12
Exploitation
Ant 12 : [3, 4], 15
Exploration
avg = 0.000858555021368
p = 0.00154319444444
Ant 3: [3, 4, 5], 27
```

Exploitationstarting ant = 12

```
Exploration
avg = 0.00074152022336
p = 0.000757575757576
p = 0.00102880648148
Ant 13 : [2, 3], 18
Exploration
avg = 0.000909069294872
p = 0.00111111111111
p = 0.00154320972222
Ant 14 : [4, 5], 12
Exploitation
Ant 15 : [2, 3], 18
Exploration
avg = 0.000909069325427
p = 0.001111111111111
p = 0.001543209875
Ant 16: [4, 5], 12
Exploration
avg = 0.000741520243934
p = 0.000757575757576
p = 0.00102880658435
Ant 17 : [2, 3], 18
Exploration
avg = 0.000972689861575
p = 0.00123456790122
Ant 0 : [0, 1, 3, 4], 43
Exploration
avg = 0.000909069325733
p = 0.00111111111111
p = 0.00154320987653
Ant 18: [4, 5], 12
Exploitation
Ant 19: [5, 4], 12
Exploitation
Ant 4: [5, 4, 3], 27
Exploration
avg = 0.000858558879392
p = 0.00154320987654
Ant 5: [3, 4, 5], 27
Exploitation
Ant 6: [2, 3, 4], 33
Exploration
avg = 0.000711016090391
p = 0.000757575757576
p = 0.0010287962963
Ant 7: [0, 1, 3], 28
Exploration
avg = 0.000863925998335
p = 0.000925925925926
p = 0.00123456790123
Ant 8 : [2, 3, 4], 33
Exploitation
Ant 1: [1, 3, 4, 5], 45
Exploitation
```

```
Ant 9: [2, 3, 4], 33
Exploration
avg = 0.000858558879392
p = 0.00154320987654
Ant 10 : [3, 4, 5], 27
Exploitation
Ant 2 : [4, 5, 3, 1], 52
Exploitation
Ant 11: [4, 5, 3], 34
Exploitation
Ant 12: [3, 4, 5], 27
Exploitation
Ant 3: [3, 4, 5, 2], 50
Exploration
avg = 0.000889388961298
p = 0.0010277777778
p = 0.00123456790123
Ant 13 : [2, 3, 4], 33
Exploration
avg = 0.000720588496648
p = 0.000804347826087
p = 0.000841742424242
Ant 14: [4, 5, 3], 34
Exploitation
Ant 15 : [2, 3, 4], 33
Exploitation
Ant 16: [4, 5, 3], 34
Exploration
avg = 0.000889388961298
p = 0.0010277777778
p = 0.00123456790123
Ant 17 : [2, 3, 4], 33
Exploitation
Ant 0 : [0, 1, 3, 4, 5], 55
Exploration
avg = 0.000720590600815
p = 0.000804347826087
p = 0.000841750840909
Ant 18: [4, 5, 3], 34
Exploration
avg = 0.00078108974359
p = 0.001233333333333
Ant 19 : [5, 4, 3], 27
Exploration
avg = 0.000830446037435
p = 0.0010277777778
p = 0.000925925925926
Ant 4: [5, 4, 3, 2], 45
Exploitation
Ant 5 : [3, 4, 5, 2], 50
Exploitation
Ant 6: [2, 3, 4, 5], 45
Exploration
```

```
avg = 0.00100664047886
p = 0.0010277777778
p = 0.00123456790123
Ant 7: [0, 1, 3, 4], 43
Exploration
avg = 0.000931069958848
p = 0.00154320987654
Ant 8 : [2, 3, 4, 5], 45
Exploration
avg = 0.000700191511387
p = 0.000805144927536
Ant 1: [1, 3, 4, 5, 2], 68
Exploitation
Ant 9: [2, 3, 4, 5], 45
Exploration
avg = 0.000680472211605
p = 0.000805152898551
Ant 10: [3, 4, 5, 2], 50
Exploration
avg = 0.00121212121212
p = 0.00166666666667
Ant 2 : [4, 5, 3, 1, 0], 62
Exploration
avg = 0.000864396654719
p = 0.0010277777778
p = 0.0010277777778
Ant 11 : [4, 5, 3, 2], 52
Exploitation
Ant 12: [3, 4, 5, 2], 50
Exploitation
Ant 3: [3, 4, 5, 2, 1], 72
Exploration
avg = 0.000931069958848
p = 0.00154320987654
Ant 13 : [2, 3, 4, 5], 45
Exploitation
Ant 14: [4, 5, 3, 2], 52
Exploration
avg = 0.000931069958848
p = 0.00154320987654
Ant 15 : [2, 3, 4, 5], 45
Exploration
avg = 0.000864739555954
p = 0.0010277777778
p = 0.00102880648148
Ant 16: [4, 5, 3, 2], 52
Exploration
avg = 0.000931069958848
p = 0.00154320987654
Ant 17: [2, 3, 4, 5], 45
Exploration
avg = 0.000805152979058
Ant 0: [0, 1, 3, 4, 5, 2], 78
Update called by OExploitation
```

```
Ant thread 0 terminating. Ant 18: [4, 5, 3, 2], 52
Exploitation
Ant 19: [5, 4, 3, 2], 45
Exploration
avg = 0.000698232323232
p = 0.000840909090909
Ant 4: [5, 4, 3, 2, 1], 67
Exploitation
Ant 5: [3, 4, 5, 2, 1], 72
Exploitation
Ant 6: [2, 3, 4, 5, 1], 71
Exploitation
Ant 7 : [0, 1, 3, 4, 5], 55
Exploitation
Ant 8 : [2, 3, 4, 5, 1], 71
Exploration
avg = 0.00055555555556
Ant 1: [1, 3, 4, 5, 2, 0], 98
Update called by 1Exploitation
Ant thread 1 terminating. Ant 9: [2, 3, 4, 5, 1], 71
Exploration
avg = 0.000729208712121
p = 0.000841750757576
Ant 10: [3, 4, 5, 2, 1], 72
Exploration
avg = 0.00055555555555
Ant 2 : [4, 5, 3, 1, 0, 2], 92
ExploitationUpdate called by 2
Ant 11: [4, 5, 3, 2, 1], 74Ant thread 2 terminating.
Exploitation
Ant 12: [3, 4, 5, 2, 1], 72
Exploration
avg = 0.00185
Ant 3: [3, 4, 5, 2, 1, 0], 82
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.000653744368132
p = 0.000712250641026
Ant 13: [2, 3, 4, 5, 1], 71
Exploration
avg = 0.000729208754209
p = 0.000841750841751
Ant 14: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000653744403388
p = 0.000712250711538
Ant 15 : [2, 3, 4, 5, 1], 71
```

Exploitation

Ant 16: [4, 5, 3, 2, 1], 74

Exploration

avg = 0.000653744403741

p = 0.000712250712244

Ant 17 : [2, 3, 4, 5, 1], 71

Exploration

avg = 0.000729208754209

p = 0.000841750841751

Ant 18 : [4, 5, 3, 2, 1], 74

Exploitation

Ant 19: [5, 4, 3, 2, 1], 67

Exploration

avg = 0.00185183333333

Ant 4: [5, 4, 3, 2, 1, 0], 77 Update called by 4Exploitation

Ant thread 4 terminating. Ant 5 : [3, 4, 5, 2, 1, 0], 82

Update called by 5Exploitation

Ant thread 5 terminating. Ant 6 : [2, 3, 4, 5, 1, 0], 81

Update called by 6Exploration

Ant thread 6 terminating.avg = 0.000805152979066

Ant 7 : [0, 1, 3, 4, 5, 2], 78 Update called by 7Exploration

Ant thread 7 terminating.avg = 0.00185185185183

Ant 8: [2, 3, 4, 5, 1, 0], 81 Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [2, 3, 4, 5, 1, 0], 81

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [3, 4, 5, 2, 1, 0], 82

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [4, 5, 3, 2, 1, 0], 84

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.00185185185185

Ant 12: [3, 4, 5, 2, 1, 0], 82 Update called by 12Exploitation

Ant thread 12 terminating. Ant 13 : [2, 3, 4, 5, 1, 0], 81

```
Ant thread 13 terminating.avg = 0.00185185185185
Ant 14: [4, 5, 3, 2, 1, 0], 84
Update called by 14Exploitation
Ant thread 14 terminating. Ant 15 : [2, 3, 4, 5, 1, 0], 81
Update called by 15Exploitation
Ant thread 15 terminating. Ant 16: [4, 5, 3, 2, 1, 0], 84
Update called by 16Exploitation
Ant thread 16 terminating. Ant 17: [2, 3, 4, 5, 1, 0], 81
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18: [4, 5, 3, 2, 1, 0], 84
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19: [5, 4, 3, 2, 1, 0], 77
Update called by 19
Best: [4, 5, 3, 2, 1, 0], 104, 2, 109
Ant thread 19 terminating.iter_counter = 3
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [0, 1], 10 starting ant = 2
Explorationstarting ant = 3
avg = 0.000845266751748starting ant = 4
p = 0.001666666666667 starting ant = 5
Ant 1 : [1, 3], 18starting ant = 7
Explorationstarting ant = 8
avg = 0.000665379758898starting ant = 9
p = 0.00068181818181818starting ant = 10
p = 0.00102777777685starting ant = 11
Ant 0 : [0, 1, 3], 28starting ant = 12
```

Update called by 13Exploration

```
avg = 0.000840382393162starting ant = 14
p = 0.0011111starting ant = 15
p = 0.001388888888889starting ant = 16
Ant 2: [4, 5], 12starting ant = 17
Explorationstarting ant = 18
avg = 0.000825545237319starting ant = 19
p = 0.000925
p = 0.000925925925926
p = 0.00111111111111
Ant 3: [3, 4], 15
Exploitation
Ant 4: [5, 4], 12
Exploration
avg = 0.000849989681764
p = 0.000925
p = 0.000925925925926
p = 0.001233333333333
Ant 5 : [3, 4], 15
Exploration
avg = 0.000693519734694
p = 0.000757575757576
p = 0.000925925925926
Ant 6: [2, 3], 18
Exploration
avg = 0.00083154265776
p = 0.000925925925926
p = 0.0012345555556
Ant 1 : [1, 3, 4], 33
Exploration
avg = 0.000834917017358
p = 0.00184999983333
Ant 7: [0, 1], 10
Exploitation
Ant 8 : [2, 3], 18
Exploitation
Ant 9: [2, 3], 18
Exploration
avg = 0.000850236570653
p = 0.000925
p = 0.000925925925926
p = 0.00123456777778
Ant 10: [3, 4], 15
Exploration
avg = 0.000870937948718
p = 0.0011111
p = 0.00154166666667
```

Explorationstarting ant = 13

```
Ant 11: [4, 5], 12
Exploitation
Ant 0 : [0, 1, 3, 4], 43
Exploitation
Ant 12 : [3, 4], 15
Exploration
avg = 0.000714095845805
p = 0.000757575757576
p = 0.00102880648148
Ant 13 : [2, 3], 18
Exploitation
Ant 14: [4, 5], 12
Exploitation
Ant 15 : [2, 3], 18
Exploration
avg = 0.000871246559829
p = 0.0011111
p = 0.00154320972222
Ant 16: [4, 5], 12
Exploration
avg = 0.000664738341367
p = 0.000724637681159
p = 0.000757575757568
Ant 2: [4, 5, 3], 34
Exploitation
Ant 17: [2, 3], 18
Exploration
avg = 0.000871246590385
p = 0.0011111
p = 0.001543209875
Ant 18: [4, 5], 12
Exploitation
Ant 19 : [5, 4], 12
Exploration
avg = 0.000811283238363
p = 0.00154320987653
Ant 3: [3, 4, 5], 27
Exploration
avg = 0.000703255769231
p = 0.00075
p = 0.0011111
Ant 4: [5, 4, 3], 27
Exploitation
Ant 5 : [3, 4, 5], 27
Exploration
avg = 0.000831314262699
p = 0.000925
p = 0.00123456790123
Ant 6: [2, 3, 4], 33
Exploration
avg = 0.000956710984489
p = 0.00154320987654
Ant 1: [1, 3, 4, 5], 45
Exploitation
```

```
Ant 7: [0, 1, 3], 28
Exploration
avg = 0.000831314262699
p = 0.000925
p = 0.00123456790123
Ant 8: [2, 3, 4], 33
Exploitation
Ant 9 : [2, 3, 4], 33
Exploitation
Ant 10 : [3, 4, 5], 27
Exploration
avg = 0.000685571674702
p = 0.000724637681159
p = 0.000840909090909
Ant 11: [4, 5, 3], 34
Exploration
avg = 0.00106006647673
p = 0.00154320987654
Ant 0 : [0, 1, 3, 4, 5], 55
Exploitation
Ant 12 : [3, 4, 5], 27
Exploration
avg = 0.000831314262699
p = 0.000925
p = 0.00123456790123
Ant 13 : [2, 3, 4], 33
Exploitation
Ant 14: [4, 5, 3], 34
Exploitation
Ant 15 : [2, 3, 4], 33
Exploitation
Ant 16: [4, 5, 3], 34
Exploitation
Ant 2: [4, 5, 3, 2], 52
Exploration
avg = 0.000831314262699
p = 0.000925
p = 0.00123456790123
Ant 17 : [2, 3, 4], 33
Exploration
avg = 0.000685782112202
p = 0.000724637681159
p = 0.000841750840909
Ant 18: [4, 5, 3], 34
Exploitation
Ant 19: [5, 4, 3], 27
Exploitation
Ant 3: [3, 4, 5, 2], 50
Exploration
avg = 0.000812216248507
p = 0.000925
p = 0.0010277777778
Ant 4: [5, 4, 3, 2], 45
Exploitation
```

```
Ant 5 : [3, 4, 5, 2], 50
Exploration
avg = 0.000889403292181
p = 0.00154320987654
Ant 6: [2, 3, 4, 5], 45
Exploitation
Ant 1 : [1, 3, 4, 5, 2], 68
Exploration
avg = 0.000981727459783
p = 0.0010287962963
p = 0.00123456790123
Ant 7 : [0, 1, 3, 4], 43
Exploitation
Ant 8: [2, 3, 4, 5], 45
Exploitation
Ant 9: [2, 3, 4, 5], 45
Exploration
avg = 0.000660630941764
p = 0.000805152898551
Ant 10: [3, 4, 5, 2], 50
Exploration
avg = 0.000812555754679
p = 0.000925
p = 0.0010287962963
Ant 11: [4, 5, 3, 2], 52
Exploitation
Ant 0: [0, 1, 3, 4, 5, 2], 78
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 12 : [3, 4, 5, 2], 50
Exploration
avg = 0.000889403292181
p = 0.00154320987654
Ant 13 : [2, 3, 4, 5], 45
Exploration
avg = 0.000812559149741
p = 0.000925
p = 0.00102880648148
Ant 14: [4, 5, 3, 2], 52
Exploitation
Ant 15 : [2, 3, 4, 5], 45
Exploitation
Ant 16: [4, 5, 3, 2], 52
Exploitation
Ant 2: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000889403292181
p = 0.00154320987654
Ant 17: [2, 3, 4, 5], 45
Exploration
avg = 0.000812559184031
p = 0.000925
p = 0.00102880658435
```

```
Ant 18: [4, 5, 3, 2], 52
Exploration
avg = 0.000812559184035
p = 0.000925
p = 0.00102880658436
Ant 19: [5, 4, 3, 2], 45
Exploration
avg = 0.000697954545455
p = 0.000840909090909
Ant 3: [3, 4, 5, 2, 1], 72
Exploration
avg = 0.000698371212121
p = 0.000841742424242
Ant 4: [5, 4, 3, 2, 1], 67
Exploitation
Ant 5 : [3, 4, 5, 2, 1], 72
Exploration
avg = 0.00058836996337
p = 0.000641025641026
Ant 6: [2, 3, 4, 5, 1], 71
Exploration
avg = 0.000555
Ant 1: [1, 3, 4, 5, 2, 0], 98
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.00106006647673
p = 0.00154320987654
Ant 7: [0, 1, 3, 4, 5], 55
Exploration
avg = 0.000623626373626
p = 0.000711538461538
Ant 8 : [2, 3, 4, 5, 1], 71
Exploration
avg = 0.000623978937729
p = 0.000712243589744
Ant 9: [2, 3, 4, 5, 1], 71
Exploration
avg = 0.00072920597601
p = 0.000841750840909
Ant 10 : [3, 4, 5, 2, 1], 72
Exploration
avg = 0.000729205976427
p = 0.000841750841742
Ant 11: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000729205976431
p = 0.000841750841751
Ant 12: [3, 4, 5, 2, 1], 72
Exploitation
Ant 13 : [2, 3, 4, 5, 1], 71
Exploitation
Ant 14: [4, 5, 3, 2, 1], 74
Exploitation
```

```
Ant 15 : [2, 3, 4, 5, 1], 71

Exploration

avg = 0.000729205976431

p = 0.000841750841751

Ant 16 : [4, 5, 3, 2, 1], 74

Exploitation

Ant 2 : [4, 5, 3, 2, 1, 0], 84
```

Update called by 2Exploration

Ant thread 2 terminating.avg = 0.000623982498979

p = 0.000712250712244
Ant 17 : [2, 3, 4, 5, 1], 71
Exploitation
Ant 18 : [4, 5, 3, 2, 1], 74
Exploitation
Ant 19 : [5, 4, 3, 2, 1], 67
Exploration
avg = 0.00185
Ant 3 : [3, 4, 5, 2, 1, 0], 82
Update called by 3Exploration

Ant thread 3 terminating.avg = 0.00185183333333

Ant 4: [5, 4, 3, 2, 1, 0], 77 Update called by 4Exploration

Ant thread 4 terminating.avg = 0.00185185166667

Ant 5 : [3, 4, 5, 2, 1, 0], 82 Update called by 5Exploration

Ant thread 5 terminating.avg = 0.00185185185

Ant 6 : [2, 3, 4, 5, 1, 0], 81 Update called by 6Exploitation

Ant thread 6 terminating. Ant 7 : [0, 1, 3, 4, 5, 2], 78

Update called by 7Exploitation

Ant thread 7 terminating. Ant 8 : [2, 3, 4, 5, 1, 0], 81

Update called by 8Exploration

Ant thread 8 terminating.avg = 0.00185185185185

Ant 9 : [2, 3, 4, 5, 1, 0], 81 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [3, 4, 5, 2, 1, 0], 82

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [4, 5, 3, 2, 1, 0], 84

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [3, 4, 5, 2, 1, 0], 82

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00185185185185

Ant 13 : [2, 3, 4, 5, 1, 0], 81 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00185185185185

Ant 14: [4, 5, 3, 2, 1, 0], 84 Update called by 14Exploitation

Ant thread 14 terminating. Ant 15 : [2, 3, 4, 5, 1, 0], 81

Update called by 15Exploration

Ant thread 15 terminating.avg = 0.00185185185185

Ant 16: [4, 5, 3, 2, 1, 0], 84 Update called by 16Exploration

Ant thread 16 terminating.avg = 0.00185185185185

Ant 17 : [2, 3, 4, 5, 1, 0], 81 Update called by 17Exploration

Ant thread 17 terminating.avg = 0.00185185185185

Ant 18: [4, 5, 3, 2, 1, 0], 84 Update called by 18Exploitation

Ant thread 18 terminating. Ant 19: [5, 4, 3, 2, 1, 0], 77

Update called by 19

Best: [4, 5, 3, 2, 1, 0], 104, 3, 108 Ant thread 19 terminating.iter_counter = 4

starting ant = 0
Exploitationstarting ant = 1

Ant 0 : [0, 1], 10 starting ant = 2

Exploitationstarting ant = 3

Ant 1 : [1, 0], 10starting ant = 4

Explorationstarting ant = 5

```
avg = 0.00059907324155starting ant = 6
p = 0.0006136363636363634 ant = 7
Ant 0 : [0, 1, 3], 28 starting ant = 9
Explorationstarting ant = 10
avg = 0.000806343931424starting ant = 11
p = 0.0011110999999starting ant = 12
p = 0.001388888888889starting ant = 13
Ant 2: [4, 5], 12starting ant = 14
Explorationstarting ant = 15
avg = 0.000783731454328starting ant = 16
p = 0.0008325starting ant = 17
p = 0.000925925925926starting ant = 18
Ant 3: [3, 4], 15
Exploitation
Ant 1 : [1, 0, 4], 30
Exploitation
Ant 4: [5, 4], 12
Exploration
avg = 0.000808175898773
p = 0.0008325
p = 0.000925925925926
Ant 5 : [3, 4], 15
Exploitation
Ant 6: [2, 3], 18
Exploitation
Ant 7 : [0, 1], 10
Exploitation
Ant 8 : [2, 3], 18
Exploitation
Ant 0 : [0, 1, 3, 4], 43
Exploitation
Ant 9 : [2, 3], 18
Exploitation
Ant 10 : [3, 4], 15
Exploration
avg = 0.000836899486979
p = 0.001111099999
```

```
p = 0.00154166666667
Ant 11 : [4, 5], 12
Exploitation
Ant 12: [3, 4], 15
Exploration
avg = 0.000689512906005
p = 0.000757575757576
p = 0.00102880648148
Ant 13 : [2, 3], 18
Exploration
avg = 0.000651345484224
p = 0.000724637681159
p = 0.000757575757568
Ant 2: [4, 5, 3], 34
Exploration
avg = 0.000837205042535
p = 0.001111099999
p = 0.00154319444444
Ant 14: [4, 5], 12
Exploitation
Ant 15 : [2, 3], 18
Exploitation
Ant 16: [4, 5], 12
Exploration
avg = 0.00068951292658
p = 0.000757575757576
p = 0.00102880658435
Ant 17 : [2, 3], 18
Exploitation
Ant 18: [4, 5], 12
Exploration
avg = 0.0008460763596
p = 0.00154166652777
Ant 19 : [5, 4], 12
Exploration
avg = 0.00076873516144
p = 0.00154320987653
Ant 3: [3, 4, 5], 27
Exploration
avg = 0.00105784688159
p = 0.001111099999
p = 0.00154320987654
Ant 1: [1, 0, 4, 5], 42
Exploration
avg = 0.000660707692058
p = 0.000675
p = 0.001111099999
Ant 4: [5, 4, 3], 27
Exploration
avg = 0.000768735161443
p = 0.00154320987654
Ant 5 : [3, 4, 5], 27
Exploitation
Ant 6: [2, 3, 4], 33
```

```
Exploitation
Ant 7 : [0, 1, 3], 28
Exploration
avg = 0.00077904703396
p = 0.0008325
p = 0.00123456790123
Ant 8 : [2, 3, 4], 33
Exploration
avg = 0.00103122032289
p = 0.00154320987654
Ant 0: [0, 1, 3, 4, 5], 55
Exploitation
Ant 9: [2, 3, 4], 33
Exploration
avg = 0.000768735161443
p = 0.00154320987654
Ant 10 : [3, 4, 5], 27
Exploitation
Ant 11 : [4, 5, 3], 34
Exploration
avg = 0.000768735161443
p = 0.00154320987654
Ant 12: [3, 4, 5], 27
Exploration
avg = 0.00077904703396
p = 0.0008325
p = 0.00123456790123
Ant 13 : [2, 3, 4], 33
Exploitation
Ant 2: [4, 5, 3, 2], 52
Exploration
avg = 0.000672387150893
p = 0.000724637681159
p = 0.000841742424242
Ant 14: [4, 5, 3], 34
Exploitation
Ant 15 : [2, 3, 4], 33
Exploitation
Ant 16: [4, 5, 3], 34
Exploitation
Ant 17 : [2, 3, 4], 33
Exploitation
Ant 18: [4, 5, 3], 34
Exploitation
Ant 19 : [5, 4, 3], 27
Exploration
avg = 0.000615935393109
p = 0.000641025641026
p = 0.000724637681159
Ant 3: [3, 4, 5, 2], 50
Exploration
avg = 0.000823049333915
p = 0.000841750841742
Ant 1 : [1, 0, 4, 5, 3], 64
```

```
Exploration
avg = 0.000765253882915
p = 0.0008325
p = 0.0010277777778
Ant 4: [5, 4, 3, 2], 45
Exploitation
Ant 5 : [3, 4, 5, 2], 50
Exploitation
Ant 6: [2, 3, 4, 5], 45
Exploitation
Ant 7: [0, 1, 3, 4], 43
Exploitation
Ant 8 : [2, 3, 4, 5], 45
Exploration
avg = 0.000805144927536
Ant 0: [0, 1, 3, 4, 5, 2], 78
Update called by <code>OExploration</code>
Ant thread 0 terminating.avg = 0.000851903292181
p = 0.00154320987654
Ant 9: [2, 3, 4, 5], 45
Exploitation
Ant 10: [3, 4, 5, 2], 50
Exploitation
Ant 11: [4, 5, 3, 2], 52
Exploitation
Ant 12: [3, 4, 5, 2], 50
Exploration
avg = 0.000851903292181
p = 0.00154320987654
Ant 13: [2, 3, 4, 5], 45
Exploration
avg = 0.000656285378788
p = 0.000757575757576
Ant 2 : [4, 5, 3, 2, 1], 74
Exploration
avg = 0.00076559678415
p = 0.0008325
p = 0.00102880648148
Ant 14: [4, 5, 3, 2], 52
Exploitation
Ant 15 : [2, 3, 4, 5], 45
Exploration
avg = 0.0007655968181
p = 0.0008325
p = 0.00102880658333
Ant 16: [4, 5, 3, 2], 52
Exploration
avg = 0.000851903292181
p = 0.00154320987654
Ant 17 : [2, 3, 4, 5], 45
Exploitation
Ant 18: [4, 5, 3, 2], 52
```

```
Exploitation
Ant 19 : [5, 4, 3, 2], 45
Exploration
avg = 0.000697952045455
p = 0.000840909090909
Ant 3: [3, 4, 5, 2, 1], 72
Exploitation
Ant 1: [1, 0, 4, 5, 3, 2], 82
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000698368712121
p = 0.000841742424242
Ant 4: [5, 4, 3, 2, 1], 67
Exploitation
Ant 5: [3, 4, 5, 2, 1], 72
Exploitation
Ant 6: [2, 3, 4, 5, 1], 71
Exploration
avg = 0.00103122032289
p = 0.00154320987654
Ant 7: [0, 1, 3, 4, 5], 55
Exploration
avg = 0.000596840659341
p = 0.000711538461538
Ant 8: [2, 3, 4, 5, 1], 71
Exploitation
Ant 9: [2, 3, 4, 5, 1], 71
Exploration
avg = 0.000698372920455
p = 0.000841750840909
Ant 10: [3, 4, 5, 2, 1], 72
Exploitation
Ant 11: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000698372920875
p = 0.000841750841751
Ant 12: [3, 4, 5, 2, 1], 72
Exploration
avg = 0.000597196749084
p = 0.000712250641026
Ant 13 : [2, 3, 4, 5, 1], 71
Exploration
avg = 0.00185
Ant 2: [4, 5, 3, 2, 1, 0], 84
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000698372920875
p = 0.000841750841751
Ant 14: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000597196784341
p = 0.000712250711538
```

Ant 15 : [2, 3, 4, 5, 1], 71

Exploration

avg = 0.000698372920875

p = 0.000841750841751

Ant 16: [4, 5, 3, 2, 1], 74

Exploitation

Ant 17: [2, 3, 4, 5, 1], 71

Exploitation

Ant 18: [4, 5, 3, 2, 1], 74

Exploration

avg = 0.000698372920875

p = 0.000841750841751

Ant 19: [5, 4, 3, 2, 1], 67

Exploration

avg = 0.00185183333333

Ant 3 : [3, 4, 5, 2, 1, 0], 82 Update called by 3Exploitation

Ant thread 3 terminating. Ant 4 : [5, 4, 3, 2, 1, 0], 77

Update called by 4Exploration

Ant thread 4 terminating.avg = 0.00185185185

Ant 5 : [3, 4, 5, 2, 1, 0], 82 Update called by 5Exploration

Ant thread 5 terminating.avg = 0.00185185185183

Ant 6: [2, 3, 4, 5, 1, 0], 81 Update called by 6Exploration

Ant thread 6 terminating.avg = 0.000805152979058

Ant 7 : [0, 1, 3, 4, 5, 2], 78 Update called by 7Exploitation

Ant thread 7 terminating. Ant 8 : [2, 3, 4, 5, 1, 0], 81

Update called by 8Exploration

Ant thread 8 terminating.avg = 0.00185185185185

Ant 9: [2, 3, 4, 5, 1, 0], 81 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [3, 4, 5, 2, 1, 0], 82

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [4, 5, 3, 2, 1, 0], 84

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.00185185185185

Ant 12: [3, 4, 5, 2, 1, 0], 82 Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00185185185185

Ant 13 : [2, 3, 4, 5, 1, 0], 81 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00185185185185

Ant 14: [4, 5, 3, 2, 1, 0], 84 Update called by 14Exploitation

Ant thread 14 terminating. Ant 15 : [2, 3, 4, 5, 1, 0], 81

Update called by 15Exploration

Ant thread 15 terminating.avg = 0.00185185185185

Ant 16: [4, 5, 3, 2, 1, 0], 84 Update called by 16Exploration

Ant thread 16 terminating.avg = 0.00185185185185

Ant 17 : [2, 3, 4, 5, 1, 0], 81 Update called by 17Exploration

Ant thread 17 terminating.avg = 0.00185185185185

Ant 18 : [4, 5, 3, 2, 1, 0], 84 Update called by 18Exploration

Ant thread 18 terminating.avg = 0.00185185185185

Ant 19 : [5, 4, 3, 2, 1, 0], 77 Update called by 19 Best: [4, 5, 3, 2, 1, 0], 104, 4, 108 Ant thread 19 terminating.iter_counter = 5

starting ant = 0

Exploitationstarting ant = 1

Ant 0 : [0, 1], 10starting ant = 2

Exploitationstarting ant = 3

Ant 1 : [1, 0], 10starting ant = 4

Exploitationstarting ant = 5

Ant 0 : [0, 1, 3], 28starting ant = 6

```
avg = 0.000775709316039starting ant = 8
p = 0.001111099999starting ant = 9
p = 0.00138888888889starting ant = 10
Ant 2: [4, 5], 12starting ant = 11
Exploitationstarting ant = 12
Ant 3: [3, 4], 15starting ant = 13
Explorationstarting ant = 14
avg = 0.000526622263825starting ant = 15
p = 0.000831075starting ant = 16
Ant 1: [1, 0, 4], 30starting ant = 17
Explorationstarting ant = 18
avg = 0.000789208529988starting ant = 19
p = 0.00138887499875
Ant 4: [5, 4], 12
Exploration
avg = 0.000770543494081
p = 0.000925925925926
p = 0.00123333333333
Ant 5 : [3, 4], 15
Exploitation
Ant 0 : [0, 1, 3, 4], 43
Exploration
avg = 0.000635713149075
p = 0.000757575757576
p = 0.000925925925926
Ant 6: [2, 3], 18
Exploitation
Ant 7: [0, 1], 10
Exploitation
Ant 8 : [2, 3], 18
Exploitation
Ant 9: [2, 3], 18
Exploration
avg = 0.000770790382969
p = 0.000925925925926
p = 0.00123456777778
Ant 10 : [3, 4], 15
Exploitation
Ant 2: [4, 5, 3], 34
Exploitation
```

Explorationstarting ant = 7

```
Ant 11: [4, 5], 12
Exploitation
Ant 12: [3, 4], 15
Exploitation
Ant 3: [3, 4, 5], 27
Exploitation
Ant 13 : [2, 3], 18
Exploitation
Ant 14: [4, 5], 12
Exploitation
Ant 15 : [2, 3], 18
Exploitation
Ant 16 : [4, 5], 12
Exploitation
Ant 1 : [1, 0, 4, 5], 42
Exploitation
Ant 17 : [2, 3], 18
Exploitation
Ant 18 : [4, 5], 12
Exploration
avg = 0.000836433502458
p = 0.000840909090909
p = 0.00154166652777
Ant 19 : [5, 4], 12
Exploitation
Ant 4: [5, 4, 3], 27
Exploration
avg = 0.000730441892213
p = 0.00154320987654
Ant 5 : [3, 4, 5], 27
Exploitation
Ant 0: [0, 1, 3, 4, 5], 55
Exploitation
Ant 6: [2, 3, 4], 33
Exploitation
Ant 7 : [0, 1, 3], 28
Exploration
avg = 0.000732006528095
p = 0.00074925
p = 0.00123456790123
Ant 8 : [2, 3, 4], 33
Exploration
avg = 0.000732006528095
p = 0.00074925
p = 0.00123456790123
Ant 9: [2, 3, 4], 33
Exploration
avg = 0.000730441892213
p = 0.00154320987654
Ant 10 : [3, 4, 5], 27
Exploration
avg = 0.000689037136599
p = 0.00074925
p = 0.000925925925926
```

```
Ant 2: [4, 5, 3, 2], 52
Exploitation
Ant 11 : [4, 5, 3], 34
Exploration
avg = 0.000730441892213
p = 0.00154320987654
Ant 12 : [3, 4, 5], 27
Exploitation
Ant 3:[3, 4, 5, 2], 50
Exploration
avg = 0.000732006528095
p = 0.00074925
p = 0.00123456790123
Ant 13 : [2, 3, 4], 33
Exploration
avg = 0.000680261115696
p = 0.000804347826087
p = 0.000841742424242
Ant 14 : [4, 5, 3], 34
Exploitation
Ant 15 : [2, 3, 4], 33
Exploitation
Ant 16: [4, 5, 3], 34
Exploitation
Ant 1 : [1, 0, 4, 5, 3], 64
Exploration
avg = 0.000732006528095
p = 0.00074925
p = 0.00123456790123
Ant 17 : [2, 3, 4], 33
Exploitation
Ant 18: [4, 5, 3], 34
Exploitation
Ant 19 : [5, 4, 3], 27
Exploration
avg = 0.000722987753883
p = 0.00074925
p = 0.0010277777778
Ant 4: [5, 4, 3, 2], 45
Exploration
avg = 0.000626434012847
p = 0.000641025641026
p = 0.000804347826087
Ant 5 : [3, 4, 5, 2], 50
Exploration
avg = 0.000805144927536
Ant 0 : [0, 1, 3, 4, 5, 2], 78
Update called by OExploration
Ant thread 0 terminating.avg = 0.000818153292181
p = 0.00154320987654
Ant 6: [2, 3, 4, 5], 45
Exploitation
```

```
Ant 7 : [0, 1, 3, 4], 43
Exploitation
Ant 8: [2, 3, 4, 5], 45
Exploitation
Ant 9: [2, 3, 4, 5], 45
Exploration
avg = 0.000626702370335
p = 0.000641025641026
p = 0.000805152898551
Ant 10 : [3, 4, 5, 2], 50
Exploration
avg = 0.000628535628788
p = 0.000757575757576
Ant 2: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000723327260056
p = 0.00074925
p = 0.0010287962963
Ant 11 : [4, 5, 3, 2], 52
Exploration
avg = 0.000626702396905
p = 0.000641025641026
p = 0.000805152978261
Ant 12 : [3, 4, 5, 2], 50
Exploitation
Ant 3: [3, 4, 5, 2, 1], 72
Exploitation
Ant 13: [2, 3, 4, 5], 45
Exploration
avg = 0.000723330655117
p = 0.00074925
p = 0.00102880648148
Ant 14: [4, 5, 3, 2], 52
Exploitation
Ant 15 : [2, 3, 4, 5], 45
Exploration
avg = 0.000723330689068
p = 0.00074925
p = 0.00102880658333
Ant 16: [4, 5, 3, 2], 52
Exploitation
Ant 1 : [1, 0, 4, 5, 3, 2], 82
Update called by 1Exploitation
Ant thread 1 terminating. Ant 17 : [2, 3, 4, 5], 45
Exploitation
Ant 18: [4, 5, 3, 2], 52
Exploration
avg = 0.000723330689411
p = 0.00074925
p = 0.00102880658436
Ant 19: [5, 4, 3, 2], 45
Exploration
```

```
avg = 0.000670618962121
p = 0.000841742424242
Ant 4: [5, 4, 3, 2, 1], 67
Exploration
avg = 0.000670623128788
p = 0.000841750757576
Ant 5 : [3, 4, 5, 2, 1], 72
Exploitation
Ant 6: [2, 3, 4, 5, 1], 71
Exploration
avg = 0.00100525878443
p = 0.00154320987654
Ant 7 : [0, 1, 3, 4, 5], 55
Exploration
avg = 0.000572733516484
p = 0.000711538461538
Ant 8 : [2, 3, 4, 5, 1], 71
Exploration
avg = 0.000573086080586
p = 0.000712243589744
Ant 9: [2, 3, 4, 5, 1], 71
Exploitation
Ant 10: [3, 4, 5, 2, 1], 72
Exploitation
Ant 2: [4, 5, 3, 2, 1, 0], 84
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000670623170871
p = 0.000841750841742
Ant 11: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000670623170875
p = 0.000841750841751
Ant 12: [3, 4, 5, 2, 1], 72
Exploitation
Ant 3: [3, 4, 5, 2, 1, 0], 82
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.000573089606227
p = 0.000712250641026
Ant 13 : [2, 3, 4, 5, 1], 71
Exploitation
Ant 14: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000573089641484
p = 0.000712250711538
Ant 15 : [2, 3, 4, 5, 1], 71
Exploitation
Ant 16: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000573089641836
p = 0.000712250712244
```

Ant 17: [2, 3, 4, 5, 1], 71

Exploration

avg = 0.000670623170875

p = 0.000841750841751

Ant 18: [4, 5, 3, 2, 1], 74

Exploitation

Ant 19: [5, 4, 3, 2, 1], 67

Exploitation

Ant 4: [5, 4, 3, 2, 1, 0], 77

Update called by 4Exploration

Ant thread 4 terminating.avg = 0.00185185185

Ant 5 : [3, 4, 5, 2, 1, 0], 82

Update called by 5Exploitation

Ant thread 5 terminating. Ant 6 : [2, 3, 4, 5, 1, 0], 81

Update called by 6Exploration

Ant thread 6 terminating.avg = 0.000805152979058

Ant 7 : [0, 1, 3, 4, 5, 2], 78 Update called by 7Exploration

Ant thread 7 terminating.avg = 0.00185185185185

Ant 8 : [2, 3, 4, 5, 1, 0], 81 Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [2, 3, 4, 5, 1, 0], 81

Update called by 9Exploration

Ant thread 9 terminating.avg = 0.00185185185185

Ant 10: [3, 4, 5, 2, 1, 0], 82 Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [4, 5, 3, 2, 1, 0], 84

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.00185185185185

Ant 12: [3, 4, 5, 2, 1, 0], 82 Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00185185185185

Ant 13: [2, 3, 4, 5, 1, 0], 81 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00185185185185

Ant 14: [4, 5, 3, 2, 1, 0], 84 Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00185185185185

Ant 15 : [2, 3, 4, 5, 1, 0], 81 Update called by 15Exploration

Ant thread 15 terminating.avg = 0.00185185185185

Ant 16: [4, 5, 3, 2, 1, 0], 84 Update called by 16Exploration

Ant thread 16 terminating.avg = 0.00185185185185

Ant 17 : [2, 3, 4, 5, 1, 0], 81 Update called by 17Exploration

Ant thread 17 terminating.avg = 0.00185185185185

Ant 18: [4, 5, 3, 2, 1, 0], 84 Update called by 18Exploration

Ant thread 18 terminating.avg = 0.00185185185185

Ant 19 : [5, 4, 3, 2, 1, 0], 77

Update called by 19

Best: [4, 5, 3, 2, 1, 0], 104, 5, 108

Ant thread 19 terminating.iter_counter = 6

starting ant = 0

Explorationstarting ant = 1

avg = 0.000729400464654starting ant = 2

p = 0.0016666499985starting ant = 3

p = 0.000832479675starting ant = 4

Ant 0 : [0, 4], 20 starting ant = 5

Explorationstarting ant = 6

avg = 0.000756716142024starting ant = 7

p = 0.001666666666667starting ant = 8

p = 0.000925916665833starting ant = 9

Ant 1 : [1, 3], 18starting ant = 10

Explorationstarting ant = 11

```
avg = 0.000748138162193starting ant = 12
p = 0.0011110999999starting ant = 13
p = 0.00138888888889starting ant = 14
Ant 2: [4, 5], 12starting ant = 15
Explorationstarting ant = 16
avg = 0.000712229885413starting ant = 17
p = 0.000925925925926starting ant = 18
Ant 3: [3, 4], 15
Exploitation
Ant 4: [5, 4], 12
Exploitation
Ant 0: [0, 4, 5], 32
Exploration
avg = 0.000736674329858
p = 0.000925925925926
p = 0.001233333333333
Ant 5 : [3, 4], 15
Exploration
avg = 0.000605811867837
p = 0.000757575757576
p = 0.000925925925926
Ant 6: [2, 3], 18
Exploitation
Ant 7 : [0, 1], 10
Exploration
avg = 0.000626182238208
p = 0.000757575757576
p = 0.0010277777778
Ant 8 : [2, 3], 18
Exploration
avg = 0.000626385941912
p = 0.000757575757576
p = 0.0010287962963
Ant 9 : [2, 3], 18
Exploration
avg = 0.000752567217878
p = 0.000925925925926
p = 0.00123455555556
Ant 1 : [1, 3, 4], 33
Exploitation
Ant 10 : [3, 4], 15
Exploration
avg = 0.000778999273304
p = 0.001111099999
p = 0.00154319444444
```

```
Ant 11: [4, 5], 12
Exploration
avg = 0.000736921243191
p = 0.000925925925926
p = 0.0012345679
Ant 12 : [3, 4], 15
Exploration
avg = 0.000626387978949
p = 0.000757575757576
p = 0.00102880648148
Ant 13: [2, 3], 18
Exploitation
Ant 14 : [4, 5], 12
Exploration
avg = 0.000628443698512
p = 0.000641025641026
p = 0.000724637681159
p = 0.000757575757576
Ant 2: [4, 5, 3], 34
Exploitation
Ant 15 : [2, 3], 18
Exploitation
Ant 16: [4, 5], 12
Exploitation
Ant 17 : [2, 3], 18
Exploration
avg = 0.000779002359721
p = 0.001111099999
p = 0.00154320987653
Ant 18 : [4, 5], 12
Exploitation
Ant 19: [5, 4], 12
Exploration
avg = 0.000695977949905
p = 0.00154320987654
Ant 3: [3, 4, 5], 27
Exploration
avg = 0.000587950480519
p = 0.001111099999
Ant 4: [5, 4, 3], 27
Exploitation
Ant 0: [0, 4, 5, 3], 54
Exploitation
Ant 5 : [3, 4, 5], 27
Exploration
avg = 0.000689670072813
p = 0.00123456790122
Ant 6 : [2, 3, 4], 33
Exploration
avg = 0.0005546937657
p = 0.00102777768518
Ant 7 : [0, 1, 3], 28
Exploitation
Ant 8 : [2, 3, 4], 33
```

```
Exploration
avg = 0.000689670072816
p = 0.00123456790123
Ant 9: [2, 3, 4], 33
Exploration
avg = 0.000836845599873
p = 0.00154320987654
Ant 1 : [1, 3, 4, 5], 45
Exploitation
Ant 10 : [3, 4, 5], 27
Exploitation
Ant 11 : [4, 5, 3], 34
Exploration
avg = 0.000695977949905
p = 0.00154320987654
Ant 12: [3, 4, 5], 27
Exploration
avg = 0.000689670072816
p = 0.00123456790123
Ant 13 : [2, 3, 4], 33
Exploration
avg = 0.000649487448512
p = 0.000724637681159
p = 0.000841750757576
Ant 14: [4, 5, 3], 34
Exploration
avg = 0.00065099762047
p = 0.000674325
p = 0.000925925925926
Ant 2: [4, 5, 3, 2], 52
Exploitation
Ant 15 : [2, 3, 4], 33
Exploration
avg = 0.000649487469345
p = 0.000724637681159
p = 0.000841750840909
Ant 16: [4, 5, 3], 34
Exploration
avg = 0.000689670072816
p = 0.00123456790123
Ant 17 : [2, 3, 4], 33
Exploitation
Ant 18: [4, 5, 3], 34
Exploitation
Ant 19 : [5, 4, 3], 27
Exploration
avg = 0.000585399678824
p = 0.000641025641026
p = 0.000724637681159
Ant 3: [3, 4, 5, 2], 50
Exploration
avg = 0.000684948237754
p = 0.0010277777778
Ant 4 : [5, 4, 3, 2], 45
```

```
Exploration
avg = 0.000851560648148
p = 0.0010287962963
Ant 0: [0, 4, 5, 3, 2], 72
Exploitation
Ant 5 : [3, 4, 5, 2], 50
Exploration
avg = 0.000787778292181
p = 0.00154320987654
Ant 6: [2, 3, 4, 5], 45
Exploitation
Ant 7: [0, 1, 3, 4], 43
Exploitation
Ant 8: [2, 3, 4, 5], 45
Exploration
avg = 0.000787778292181
p = 0.00154320987654
Ant 9: [2, 3, 4, 5], 45
Exploration
avg = 0.000597840320911
p = 0.000805144927536
Ant 1: [1, 3, 4, 5, 2], 68
Exploitation
Ant 10 : [3, 4, 5, 2], 50
Exploration
avg = 0.000685291138988
p = 0.00102880648148
Ant 11: [4, 5, 3, 2], 52
Exploitation
Ant 12: [3, 4, 5, 2], 50
Exploitation
Ant 13: [2, 3, 4, 5], 45
Exploitation
Ant 14: [4, 5, 3, 2], 52
Exploration
avg = 0.000603560853788
p = 0.000757575757576
Ant 2: [4, 5, 3, 2, 1], 74
Exploitation
Ant 15 : [2, 3, 4, 5], 45
Exploration
avg = 0.000685291173279
p = 0.00102880658435
Ant 16: [4, 5, 3, 2], 52
Exploitation
Ant 17: [2, 3, 4, 5], 45
Exploitation
Ant 18: [4, 5, 3, 2], 52
Exploration
avg = 0.000685291173282
p = 0.00102880658436
Ant 19 : [5, 4, 3, 2], 45
Exploration
avg = 0.000645227520455
```

```
p = 0.000840909090909
Ant 3: [3, 4, 5, 2, 1], 72
Exploitation
Ant 4: [5, 4, 3, 2, 1], 67
Exploitation
Ant 0: [0, 4, 5, 3, 2, 1], 94
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 5 : [3, 4, 5, 2, 1], 72
Exploitation
Ant 6: [2, 3, 4, 5, 1], 71
Exploration
avg = 0.00098189339981
p = 0.00154320987654
Ant 7: [0, 1, 3, 4, 5], 55
Exploitation
Ant 8 : [2, 3, 4, 5, 1], 71
Exploration
avg = 0.000551389652015
p = 0.000712243589744
Ant 9: [2, 3, 4, 5, 1], 71
Exploration
avg = 0.00044954595
Ant 1 : [1, 3, 4, 5, 2, 0], 98
Update called by 1Exploitation
Ant thread 1 terminating. Ant 10 : [3, 4, 5, 2, 1], 72
Exploration
avg = 0.000728678706181
p = 0.000841750841751
Ant 11: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000728678706181
p = 0.000841750841751
Ant 12: [3, 4, 5, 2, 1], 72
Exploitation
Ant 13: [2, 3, 4, 5, 1], 71
Exploration
avg = 0.000728678706181
p = 0.000841750841751
Ant 14: [4, 5, 3, 2, 1], 74
Exploitation
Ant 2 : [4, 5, 3, 2, 1, 0], 84
Update called by 2Exploitation
Ant thread 2 terminating. Ant 15 : [2, 3, 4, 5, 1], 71
Exploration
avg = 0.000728678706181
p = 0.000841750841751
Ant 16: [4, 5, 3, 2, 1], 74
Exploration
```

avg = 0.000551393213265

p = 0.000712250712244

Ant 17: [2, 3, 4, 5, 1], 71

Exploration

avg = 0.000728678706181

p = 0.000841750841751

Ant 18: [4, 5, 3, 2, 1], 74

Exploration

avg = 0.000728678706181

p = 0.000841750841751

Ant 19: [5, 4, 3, 2, 1], 67

Exploration

avg = 0.00185

Ant 3: [3, 4, 5, 2, 1, 0], 82

Update called by 3Exploration

Ant thread 3 terminating.avg = 0.00185183333333

Ant 4: [5, 4, 3, 2, 1, 0], 77

Update called by 4Exploitation

Ant thread 4 terminating. Ant 5 : [3, 4, 5, 2, 1, 0], 82

Update called by 5Exploration

Ant thread 5 terminating.avg = 0.00185185185

Ant 6 : [2, 3, 4, 5, 1, 0], 81 Update called by 6Exploration

Ant thread 6 terminating.avg = 0.000805152979058

Ant 7 : [0, 1, 3, 4, 5, 2], 78 Update called by 7Exploitation

Ant thread 7 terminating. Ant 8 : [2, 3, 4, 5, 1, 0], 81

Update called by 8Exploitation

Ant thread 8 terminating. Ant 9 : [2, 3, 4, 5, 1, 0], 81

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [3, 4, 5, 2, 1, 0], 82

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.00185185185185

Ant 11 : [4, 5, 3, 2, 1, 0], 84

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.00185185185185

```
Ant 12 : [3, 4, 5, 2, 1, 0], 82
Update called by 12Exploitation
```

Ant thread 12 terminating. Ant 13: [2, 3, 4, 5, 1, 0], 81

Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [4, 5, 3, 2, 1, 0], 84

Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00185185185185

Ant 15 : [2, 3, 4, 5, 1, 0], 81 Update called by 15Exploration

Ant thread 15 terminating.avg = 0.00185185185185

Ant 16: [4, 5, 3, 2, 1, 0], 84 Update called by 16Exploration

Ant thread 16 terminating.avg = 0.00185185185185

Ant 17 : [2, 3, 4, 5, 1, 0], 81 Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [4, 5, 3, 2, 1, 0], 84

ExploitationUpdate called by 18

Ant 19 : [5, 4, 3, 2, 1, 0], 77Ant thread 18 terminating.

Update called by 19

Best: [4, 5, 3, 2, 1, 0], 104, 6, 108

Ant thread 19 terminating.iter_counter = 7

starting ant = 0

Exploitationstarting ant = 1

Ant 0 : [0, 1], 10starting ant = 2

Explorationstarting ant = 3

avg = 0.000732896194472starting ant = 4

p = 0.001666666666667 ant = 5

p = 0.000925916665833starting ant = 6

Ant 1 : [1, 3], 18starting ant = 7

Exploitationstarting ant = 8

Ant 0 : [0, 1, 3], 28 starting ant = 9

```
Ant 2: [4, 5], 12starting ant = 11
Exploitationstarting ant = 12
Ant 3: [3, 4], 15starting ant = 13
Explorationstarting ant = 14
avg = 0.000772719244274starting ant = 15
p = 0.00138887499875starting ant = 16
Ant 4 : [5, 4], 12starting ant = 17
Explorationstarting ant = 18
avg = 0.000706192082057starting ant = 19
p = 0.000925925925926
p = 0.00123333333333
Ant 5 : [3, 4], 15
Exploitation
Ant 6: [2, 3], 18
Exploration
avg = 0.000731322533127
p = 0.000925925925926
p = 0.0012345555556
Ant 1 : [1, 3, 4], 33
Exploitation
Ant 7 : [0, 1], 10
Exploration
avg = 0.000629161996804
p = 0.000757575757576
p = 0.0010277777778
Ant 8: [2, 3], 18
Exploitation
Ant 0 : [0, 1, 3, 4], 43
Exploitation
Ant 9 : [2, 3], 18
Exploration
avg = 0.00070643899539
p = 0.000925925925926
p = 0.0012345679
Ant 10 : [3, 4], 15
Exploration
avg = 0.000618680305654
p = 0.000641025641026
p = 0.000724637681159
p = 0.000757575757576
Ant 2: [4, 5, 3], 34
Exploration
```

Exploitationstarting ant = 10

```
avg = 0.000753879679287
p = 0.001111099999
p = 0.00154166666667
Ant 11 : [4, 5], 12
Exploration
avg = 0.000706438995635
p = 0.000925925925926
p = 0.00123456790122
Ant 12 : [3, 4], 15
Exploitation
Ant 3: [3, 4, 5], 27
Exploitation
Ant 13 : [2, 3], 18
Exploration
avg = 0.000754188290398
p = 0.001111099999
p = 0.00154320972222
Ant 14: [4, 5], 12
Exploration
avg = 0.000629367757915
p = 0.000757575757576
p = 0.00102880658333
Ant 15 : [2, 3], 18
Exploration
avg = 0.000754188320954
p = 0.001111099999
p = 0.001543209875
Ant 16: [4, 5], 12
Exploration
avg = 0.000556932932442
p = 0.001111099999
Ant 4: [5, 4, 3], 27
Exploration
avg = 0.000629367758119
p = 0.000757575757576
p = 0.00102880658435
Ant 17 : [2, 3], 18
Exploitation
Ant 18: [4, 5], 12
Exploration
avg = 0.000819944216743
p = 0.000840909090909
p = 0.00154166652777
Ant 19 : [5, 4], 12
Exploitation
Ant 5 : [3, 4, 5], 27
Exploration
avg = 0.000651567263065
p = 0.00123456790123
Ant 6: [2, 3, 4], 33
Exploration
avg = 0.000804601369104
p = 0.00154320987654
Ant 1 : [1, 3, 4, 5], 45
```

```
Exploitation
Ant 7: [0, 1, 3], 28
Exploitation
Ant 8: [2, 3, 4], 33
Exploration
avg = 0.000960864553656
p = 0.00154320987654
Ant 0 : [0, 1, 3, 4, 5], 55
Exploitation
Ant 9 : [2, 3, 4], 33
Exploration
avg = 0.000664960401828
p = 0.00154320987654
Ant 10: [3, 4, 5], 27
Exploration
avg = 0.000616762055954
p = 0.000925925925926
Ant 2: [4, 5, 3, 2], 52
Exploitation
Ant 11: [4, 5, 3], 34
Exploration
avg = 0.000664960401828
p = 0.00154320987654
Ant 12 : [3, 4, 5], 27
Exploration
avg = 0.000572381821681
p = 0.000641025641026
p = 0.000724637681159
Ant 3: [3, 4, 5, 2], 50
Exploitation
Ant 13 : [2, 3, 4], 33
Exploration
avg = 0.000659649508553
p = 0.000804347826087
p = 0.000841742424242
Ant 14: [4, 5, 3], 34
Exploitation
Ant 15 : [2, 3, 4], 33
Exploitation
Ant 16: [4, 5, 3], 34
Exploitation
Ant 4: [5, 4, 3, 2], 45
Exploitation
Ant 17 : [2, 3, 4], 33
Exploitation
Ant 18: [4, 5, 3], 34
Exploration
avg = 0.000587491238245
p = 0.00123333322221
Ant 19 : [5, 4, 3], 27
Exploration
avg = 0.00059895186999
p = 0.000641025641026
p = 0.000804347826087
```

```
Ant 5: [3, 4, 5, 2], 50
Exploration
avg = 0.000760440792181
p = 0.00154320987654
Ant 6: [2, 3, 4, 5], 45
Exploration
avg = 0.000578313535197
p = 0.000805144927536
Ant 1: [1, 3, 4, 5, 2], 68
Exploration
avg = 0.000903568368874
p = 0.0010287962963
p = 0.00123456790123
Ant 7 : [0, 1, 3, 4], 43
Exploration
avg = 0.000760440792181
p = 0.00154320987654
Ant 8 : [2, 3, 4, 5], 45
Exploitation
Ant 0: [0, 1, 3, 4, 5, 2], 78
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 9 : [2, 3, 4, 5], 45
Exploration
avg = 0.000599220254048
p = 0.000641025641026
p = 0.000805152978261
Ant 10: [3, 4, 5, 2], 50
Exploitation
Ant 2: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000651052179411
p = 0.0010287962963
Ant 11: [4, 5, 3, 2], 52
Exploitation
Ant 12: [3, 4, 5, 2], 50
Exploitation
Ant 3: [3, 4, 5, 2, 1], 72
Exploitation
Ant 13 : [2, 3, 4, 5], 45
Exploration
avg = 0.000651055574472
p = 0.00102880648148
Ant 14: [4, 5, 3, 2], 52
Exploitation
Ant 15 : [2, 3, 4, 5], 45
Exploration
avg = 0.000651055608423
p = 0.00102880658333
Ant 16: [4, 5, 3, 2], 52
Exploration
avg = 0.000697894168896
p = 0.000841742424242
```

```
Ant 4: [5, 4, 3, 2, 1], 67
Exploration
avg = 0.000760440792181
p = 0.00154320987654
Ant 17 : [2, 3, 4, 5], 45
Exploration
avg = 0.000651055608762
p = 0.00102880658435
Ant 18: [4, 5, 3, 2], 52
Exploitation
Ant 19: [5, 4, 3, 2], 45
Exploitation
Ant 5 : [3, 4, 5, 2, 1], 72
Exploration
avg = 0.000496253891941
p = 0.000641025641026
Ant 6: [2, 3, 4, 5, 1], 71
Exploitation
Ant 1 : [1, 3, 4, 5, 2, 0], 98
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000960864553656
p = 0.00154320987654
Ant 7: [0, 1, 3, 4, 5], 55
Exploration
avg = 0.000531510302198
p = 0.000711538461538
Ant 8: [2, 3, 4, 5, 1], 71
Exploitation
Ant 9: [2, 3, 4, 5, 1], 71
Exploration
avg = 0.000729201205578
p = 0.000841750840909
Ant 10: [3, 4, 5, 2, 1], 72
Exploration
avg = 0.0016666666667
Ant 2: [4, 5, 3, 2, 1, 0], 84
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000729201205995
p = 0.000841750841742
Ant 11: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000729201205999
p = 0.000841750841751
Ant 12: [3, 4, 5, 2, 1], 72
Exploitation
Ant 3: [3, 4, 5, 2, 1, 0], 82
Update called by 3Exploitation
Ant thread 3 terminating. Ant 13 : [2, 3, 4, 5, 1], 71
```

Exploitation

Ant 14: [4, 5, 3, 2, 1], 74

Exploration

avg = 0.000531866427198

p = 0.000712250711538

Ant 15 : [2, 3, 4, 5, 1], 71

Exploitation

Ant 16: [4, 5, 3, 2, 1], 74

Exploration

avg = 0.00185183333333

Ant 4: [5, 4, 3, 2, 1, 0], 77 Update called by 4Exploitation

Ant thread 4 terminating. Ant 17 : [2, 3, 4, 5, 1], 71

Exploitation

Ant 18: [4, 5, 3, 2, 1], 74

Exploration

avg = 0.000729201205999

p = 0.000841750841751

Ant 19: [5, 4, 3, 2, 1], 67

Exploitation

Ant 5 : [3, 4, 5, 2, 1, 0], 82

Update called by 5Exploration

Ant thread 5 terminating.avg = 0.00185185185

Ant 6 : [2, 3, 4, 5, 1, 0], 81 Update called by 6Exploration

Ant thread 6 terminating.avg = 0.000805152979066

Ant 7 : [0, 1, 3, 4, 5, 2], 78 Update called by 7Exploration

Ant thread 7 terminating.avg = 0.00185185185183

Ant 8 : [2, 3, 4, 5, 1, 0], 81 Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [2, 3, 4, 5, 1, 0], 81

Update called by 9Exploration

Ant thread 9 terminating.avg = 0.00185185185185

Ant 10: [3, 4, 5, 2, 1, 0], 82 Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [4, 5, 3, 2, 1, 0], 84

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.00185185185185

Ant 12: [3, 4, 5, 2, 1, 0], 82 Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00185185185185

Ant 13 : [2, 3, 4, 5, 1, 0], 81 Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [4, 5, 3, 2, 1, 0], 84

Update called by 14Exploitation

Ant thread 14 terminating. Ant 15 : [2, 3, 4, 5, 1, 0], 81

Update called by 15Exploitation

Ant thread 15 terminating. Ant 16: [4, 5, 3, 2, 1, 0], 84

ExploitationUpdate called by 16

Ant 17 : [2, 3, 4, 5, 1, 0], 81Ant thread 16 terminating.

Update called by 17Exploration

Ant thread 17 terminating.avg = 0.00185185185185

Ant 18: [4, 5, 3, 2, 1, 0], 84 Update called by 18Exploration

Ant thread 18 terminating.avg = 0.00185185185185

Ant 19 : [5, 4, 3, 2, 1, 0], 77

Update called by 19

Best: [4, 5, 3, 2, 1, 0], 104, 7, 108

Ant thread 19 terminating.iter_counter = 8

starting ant = 0

Explorationstarting ant = 1

avg = 0.000669133956333starting ant = 2

p = 0.00166664984999starting ant = 3

p = 0.000749243085368starting ant = 4

Ant 0 : [0, 4], 20starting ant = 5

Exploitationstarting ant = 6

Ant 1 : [1, 0], 10starting ant = 7

Exploitationstarting ant = 8

```
Ant 2 : [4, 5], 12starting ant = 9
Exploitationstarting ant = 10
Ant 3: [3, 4], 15starting ant = 11
Exploitationstarting ant = 12
Ant 4 : [5, 4], 12starting ant = 13
Explorationstarting ant = 14
avg = 0.00080371693084starting ant = 15
p = 0.0011110999999starting ant = 16
p = 0.00154166666667starting ant = 17
Ant 0 : [0, 4, 5], 32starting ant = 18
Exploitationstarting ant = 19
Ant 5 : [3, 4], 15
Exploration
avg = 0.000592851515666
p = 0.000757575757576
p = 0.000925925925926
Ant 6 : [2, 3], 18
Exploration
avg = 0.000463483985958
p = 0.00092415909752
Ant 1: [1, 0, 4], 30
Exploration
avg = 0.000704466990788
p = 0.00166664984999
p = 0.000925908257642
Ant 7: [0, 4], 20
Exploitation
Ant 8: [2, 3], 18
Exploitation
Ant 2: [4, 5, 3], 34
Exploitation
Ant 9 : [2, 3], 18
Exploration
avg = 0.000679002503481
p = 0.000925925925926
p = 0.00123455555556
Ant 10 : [3, 4], 15
Exploration
avg = 0.000637040750534
p = 0.00154319444444
Ant 3: [3, 4, 5], 27
Exploration
avg = 0.000731855655783
```

```
p = 0.001111099999
p = 0.00154320972222
Ant 11: [4, 5], 12
Exploitation
Ant 12 : [3, 4], 15
Exploration
avg = 0.000529017139173
p = 0.001111099999
Ant 4: [5, 4, 3], 27
Exploitation
Ant 13: [2, 3], 18
Exploration
avg = 0.000756302330981
p = 0.00123333322221
p = 0.001543209875
Ant 14: [4, 5], 12
Exploration
avg = 0.000613427647147
p = 0.000757575757576
p = 0.00102880658333
Ant 15 : [2, 3], 18
Exploration
avg = 0.000756302331286
p = 0.00123333322221
p = 0.00154320987653
Ant 16: [4, 5], 12
Exploration
avg = 0.000613427647351
p = 0.000757575757576
p = 0.00102880658435
Ant 17 : [2, 3], 18
Exploration
avg = 0.000735524137698
p = 0.000840909090909
Ant 0: [0, 4, 5, 3], 54
Exploitation
Ant 18: [4, 5], 12
Exploration
avg = 0.000813081240553
p = 0.000841742424242
p = 0.00154166652777
Ant 19 : [5, 4], 12
Exploitation
Ant 5 : [3, 4, 5], 27
Exploration
avg = 0.000617274733981
p = 0.0012345679
Ant 6: [2, 3, 4], 33
Exploitation
Ant 1: [1, 0, 4, 5], 42
Exploitation
Ant 7: [0, 4, 5], 32
Exploration
```

avg = 0.000617274734286

```
p = 0.00123456790122
Ant 8 : [2, 3, 4], 33
Exploitation
Ant 2: [4, 5, 3, 2], 52
Exploration
avg = 0.00061727473429
p = 0.00123456790123
Ant 9 : [2, 3, 4], 33
Exploitation
Ant 10 : [3, 4, 5], 27
Exploration
avg = 0.000560665750252
p = 0.000641025641026
p = 0.000724637681159
Ant 3:[3, 4, 5, 2], 50
Exploration
avg = 0.000650862454982
p = 0.000804347826087
p = 0.000841742424242
Ant 11: [4, 5, 3], 34
Exploitation
Ant 12: [3, 4, 5], 27
Exploitation
Ant 4: [5, 4, 3, 2], 45
Exploration
avg = 0.00061727473429
p = 0.00123456790123
Ant 13 : [2, 3, 4], 33
Exploitation
Ant 14: [4, 5, 3], 34
Exploitation
Ant 15 : [2, 3, 4], 33
Exploitation
Ant 16 : [4, 5, 3], 34
Exploitation
Ant 17 : [2, 3, 4], 33
Exploitation
Ant 0: [0, 4, 5, 3, 2], 72
Exploration
avg = 0.000650864559357
p = 0.000804347826087
p = 0.000841750841742
Ant 18: [4, 5, 3], 34
Exploitation
Ant 19: [5, 4, 3], 27
Exploration
avg = 0.000587235798561
p = 0.000641025641026
p = 0.000804347826087
Ant 5 : [3, 4, 5, 2], 50
Exploration
avg = 0.000735837042181
p = 0.00154320987654
Ant 6: [2, 3, 4, 5], 45
```

```
Exploration
avg = 0.000823447884643
p = 0.000841750841751
Ant 1: [1, 0, 4, 5, 3], 64
Exploration
avg = 0.000762640470104
p = 0.000805144927536
p = 0.000841750841751
Ant 7 : [0, 4, 5, 3], 54
Exploration
avg = 0.000735837042181
p = 0.00154320987654
Ant 8 : [2, 3, 4, 5], 45
Exploration
avg = 0.000656281085399
p = 0.000757575757576
Ant 2: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000735837042181
p = 0.00154320987654
Ant 9: [2, 3, 4, 5], 45
Exploitation
Ant 10: [3, 4, 5, 2], 50
Exploitation
Ant 3: [3, 4, 5, 2, 1], 72
Exploitation
Ant 11: [4, 5, 3, 2], 52
Exploration
avg = 0.000587504156049
p = 0.000641025641026
p = 0.000805152898551
Ant 12: [3, 4, 5, 2], 50
Exploration
avg = 0.000698364418732
p = 0.000841742424242
Ant 4: [5, 4, 3, 2, 1], 67
Exploration
avg = 0.000735837042181
p = 0.00154320987654
Ant 13 : [2, 3, 4, 5], 45
Exploitation
Ant 14: [4, 5, 3, 2], 52
Exploration
avg = 0.000735837042181
p = 0.00154320987654
Ant 15 : [2, 3, 4, 5], 45
Exploration
avg = 0.000620243600698
p = 0.00102880658435
Ant 16: [4, 5, 3, 2], 52
Exploitation
Ant 17: [2, 3, 4, 5], 45
Exploitation
Ant 0: [0, 4, 5, 3, 2, 1], 94
```

Update called by OExploration

```
Ant thread 0 terminating.avg = 0.000620243600701
p = 0.00102880658436
Ant 18: [4, 5, 3, 2], 52
Exploitation
Ant 19 : [5, 4, 3, 2], 45
Exploration
avg = 0.000698368627066
p = 0.000841750840909
Ant 5 : [3, 4, 5, 2, 1], 72
Exploration
avg = 0.000478679784799
p = 0.000641025641026
Ant 6: [2, 3, 4, 5, 1], 71
Exploration
avg = 0.00102880658436
Ant 1 : [1, 0, 4, 5, 3, 2], 82
Update called by 1Exploitation
Ant thread 1 terminating. Ant 7: [0, 4, 5, 3, 2], 72
Exploration
avg = 0.000513936195055
p = 0.000711538461538
Ant 8 : [2, 3, 4, 5, 1], 71
Exploitation
Ant 2: [4, 5, 3, 2, 1, 0], 84
Update called by 2Exploitation
Ant thread 2 terminating. Ant 9: [2, 3, 4, 5, 1], 71
Exploration
avg = 0.000698368627482
p = 0.000841750841742
Ant 10: [3, 4, 5, 2, 1], 72
Exploitation
Ant 3: [3, 4, 5, 2, 1, 0], 82
Update called by 3Exploitation
Ant thread 3 terminating. Ant 11: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000698368627486
p = 0.000841750841751
Ant 12 : [3, 4, 5, 2, 1], 72
Exploration
avg = 0.00185185166667
Ant 4: [5, 4, 3, 2, 1, 0], 77
Update called by 4Exploitation
```

Ant thread 4 terminating. Ant 13 : [2, 3, 4, 5, 1], 71

```
Exploration
```

avg = 0.000698368627486

p = 0.000841750841751

Ant 14: [4, 5, 3, 2, 1], 74

Exploration

avg = 0.000514292320055

p = 0.000712250711538

Ant 15 : [2, 3, 4, 5, 1], 71

Exploitation

Ant 16: [4, 5, 3, 2, 1], 74

Exploitation

Ant 17 : [2, 3, 4, 5, 1], 71

Exploration

avg = 0.000698368627486

p = 0.000841750841751

Ant 18: [4, 5, 3, 2, 1], 74

Exploitation

Ant 19: [5, 4, 3, 2, 1], 67

Exploitation

Ant 5 : [3, 4, 5, 2, 1, 0], 82

Update called by 5Exploitation

Ant thread 5 terminating. Ant 6 : [2, 3, 4, 5, 1, 0], 81

Update called by 6Exploration

Ant thread 6 terminating.avg = 0.000841750841751

Ant 7: [0, 4, 5, 3, 2, 1], 94 Update called by 7Exploration

Ant thread 7 terminating.avg = 0.00185185185185

Ant 8 : [2, 3, 4, 5, 1, 0], 81 Update called by 8Exploitation

Ant thread 8 terminating. Ant 9 : [2, 3, 4, 5, 1, 0], 81

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [3, 4, 5, 2, 1, 0], 82

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.00185185185185

Ant 11 : [4, 5, 3, 2, 1, 0], 84 Update called by 11Exploitation

Ant thread 11 terminating. Ant 12 : [3, 4, 5, 2, 1, 0], 82

Update called by 12Exploitation

Ant thread 12 terminating. Ant 13 : [2, 3, 4, 5, 1, 0], 81

```
avg = 0.00185185185185Ant thread 13 terminating.
Ant 14: [4, 5, 3, 2, 1, 0], 84
Update called by 14Exploitation
Ant thread 14 terminating. Ant 15 : [2, 3, 4, 5, 1, 0], 81
Update called by 15Exploration
Ant thread 15 terminating.avg = 0.00185185185185
Ant 16: [4, 5, 3, 2, 1, 0], 84
Update called by 16Exploitation
Ant thread 16 terminating. Ant 17 : [2, 3, 4, 5, 1, 0], 81
Update called by 17Exploration
Ant thread 17 terminating.avg = 0.00185185185185
Ant 18: [4, 5, 3, 2, 1, 0], 84
Update called by 18Exploration
Ant thread 18 terminating.avg = 0.00185185185185
Ant 19: [5, 4, 3, 2, 1, 0], 77
Update called by 19
Best: [4, 5, 3, 2, 1, 0], 104, 8, 108
Ant thread 19 terminating.iter_counter = 9
starting ant = 0
Explorationstarting ant = 1
avg = 0.000634023440198starting ant = 2
p = 0.00149998486499starting ant = 3
p = 0.000833333174319starting ant = 4
Ant 0 : [0, 4], 20 starting ant = 5
Exploitationstarting ant = 6
Ant 1 : [1, 0], 10starting ant = 7
Explorationstarting ant = 8
avg = 0.000680892117962starting ant = 9
p = 0.0011110999999starting ant = 10
```

ExplorationUpdate called by 13

```
p = 0.00138888888889starting ant = 11
Ant 2: [4, 5], 12starting ant = 12
Exploitationstarting ant = 13
Ant 3: [3, 4], 15starting ant = 14
Explorationstarting ant = 15
avg = 0.0007593629227starting ant = 16
p = 0.00138887499875starting ant = 17
Ant 4 : [5, 4], 12starting ant = 18
Exploitationstarting ant = 19
Ant 0: [0, 4, 5], 32
Exploration
avg = 0.000654067438318
p = 0.000925925925926
p = 0.00123333333333
Ant 5 : [3, 4], 15
Exploration
avg = 0.000567236397769
p = 0.000757575757576
p = 0.000925925925926
Ant 6: [2, 3], 18
Exploration
avg = 0.000440449790023
p = 0.00092499999841
Ant 1 : [1, 0, 4], 30
Exploitation
Ant 7 : [0, 1], 10
Exploration
avg = 0.00058760676814
p = 0.000757575757576
p = 0.0010277777778
Ant 8 : [2, 3], 18
Exploration
avg = 0.000587810471843
p = 0.000757575757576
p = 0.0010287962963
Ant 9 : [2, 3], 18
Exploitation
Ant 10: [3, 4], 15
Exploration
avg = 0.000711753229073
p = 0.001111099999
p = 0.00154319444444
Ant 11: [4, 5], 12
Exploitation
Ant 2: [4, 5, 3], 34
```

```
Exploitation
Ant 12 : [3, 4], 15
Exploration
avg = 0.00058781250888
p = 0.000757575757576
p = 0.00102880648148
Ant 13 : [2, 3], 18
Exploitation
Ant 3: [3, 4, 5], 27
Exploration
avg = 0.000711756315185
p = 0.001111099999
p = 0.001543209875
Ant 14: [4, 5], 12
Exploitation
Ant 15 : [2, 3], 18
Exploration
avg = 0.00071175631549
p = 0.001111099999
p = 0.00154320987653
Ant 16: [4, 5], 12
Exploration
avg = 0.000587812529454
p = 0.000757575757576
p = 0.00102880658435
Ant 17 : [2, 3], 18
Exploitation
Ant 4: [5, 4, 3], 27
Exploration
avg = 0.000736202960136
p = 0.00123333322221
p = 0.00154320987654
Ant 18 : [4, 5], 12
Exploration
avg = 0.00080658789517
p = 0.000840909090909
p = 0.00154166652777
Ant 19 : [5, 4], 12
Exploration
avg = 0.000735524137456
p = 0.000840909090909
Ant 0: [0, 4, 5, 3], 54
Exploitation
Ant 5 : [3, 4, 5], 27
Exploration
avg = 0.000586411458083
p = 0.0012345679
Ant 6: [2, 3, 4], 33
Exploitation
Ant 1: [1, 0, 4, 5], 42
Exploitation
Ant 7 : [0, 1, 3], 28
Exploration
avg = 0.000586411458388
```

```
p = 0.00123456790122
Ant 8 : [2, 3, 4], 33
Exploration
avg = 0.000586411458391
p = 0.00123456790123
Ant 9: [2, 3, 4], 33
Exploration
avg = 0.000611920394617
p = 0.00154320987654
Ant 10 : [3, 4, 5], 27
Exploration
avg = 0.000623026570354
p = 0.000641025641026
p = 0.000724637680435
p = 0.000841742424242
Ant 11: [4, 5, 3], 34
Exploration
avg = 0.000558219240631
p = 0.000925925925926
Ant 2: [4, 5, 3, 2], 52
Exploration
avg = 0.000611920394617
p = 0.00154320987654
Ant 12 : [3, 4, 5], 27
Exploration
avg = 0.000586411458391
p = 0.00123456790123
Ant 13 : [2, 3, 4], 33
Exploitation
Ant 3: [3, 4, 5, 2], 50
Exploration
avg = 0.000642956190099
p = 0.00080434782608
p = 0.000841750757576
Ant 14: [4, 5, 3], 34
Exploration
avg = 0.000586411458391
p = 0.00123456790123
Ant 15 : [2, 3, 4], 33
Exploration
avg = 0.000642956210932
p = 0.00080434782608
p = 0.000841750840909
Ant 16: [4, 5, 3], 34
Exploration
avg = 0.000586411458391
p = 0.00123456790123
Ant 17 : [2, 3, 4], 33
Exploration
avg = 0.000592169857915
p = 0.0010277777778
Ant 4: [5, 4, 3, 2], 45
Exploitation
Ant 18 : [4, 5, 3], 34
```

```
Exploration
avg = 0.000534451231034
p = 0.00123333322221
Ant 19: [5, 4, 3], 27
Exploration
avg = 0.000760189610648
p = 0.0010287962963
Ant 0: [0, 4, 5, 3, 2], 72
Exploitation
Ant 5: [3, 4, 5, 2], 50
Exploitation
Ant 6: [2, 3, 4, 5], 45
Exploitation
Ant 1: [1, 0, 4, 5, 3], 64
Exploration
avg = 0.000875240173027
p = 0.00102880648148
p = 0.00123456790123
Ant 7 : [0, 1, 3, 4], 43
Exploitation
Ant 8 : [2, 3, 4, 5], 45
Exploration
avg = 0.000713693667181
p = 0.00154320987654
Ant 9 : [2, 3, 4, 5], 45
Exploration
avg = 0.000576957034759
p = 0.000641025641026
p = 0.000805144927536
Ant 10 : [3, 4, 5, 2], 50
Exploitation
Ant 11: [4, 5, 3, 2], 52
Exploitation
Ant 2: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000576959691764
p = 0.000641025641026
p = 0.000805152898551
Ant 12: [3, 4, 5, 2], 50
Exploration
avg = 0.000713693667181
p = 0.00154320987654
Ant 13 : [2, 3, 4, 5], 45
Exploitation
Ant 3: [3, 4, 5, 2, 1], 72
Exploitation
Ant 14: [4, 5, 3, 2], 52
Exploration
avg = 0.000713693667181
p = 0.00154320987654
Ant 15 : [2, 3, 4, 5], 45
Exploration
avg = 0.00059251279344
p = 0.00102880658435
```

```
Ant 16: [4, 5, 3, 2], 52
Exploitation
Ant 17 : [2, 3, 4, 5], 45
Exploration
avg = 0.000670615098071
p = 0.000841742424242
Ant 4: [5, 4, 3, 2, 1], 67
Exploitation
Ant 18: [4, 5, 3, 2], 52
Exploration
avg = 0.000592512793443
p = 0.00102880658436
Ant 19 : [5, 4, 3, 2], 45
Exploitation
Ant 0: [0, 4, 5, 3, 2, 1], 94
Update called by OExploitation
Ant thread 0 terminating. Ant 5 : [3, 4, 5, 2, 1], 72
Exploration
avg = 0.00046286308837
p = 0.000641025641026
Ant 6: [2, 3, 4, 5, 1], 71
Exploitation
Ant 1: [1, 0, 4, 5, 3, 2], 82
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000924905226733
p = 0.00154320987654
Ant 7 : [0, 1, 3, 4, 5], 55
Exploration
avg = 0.000498119498626
p = 0.000711538461538
Ant 8: [2, 3, 4, 5, 1], 71
Exploitation
Ant 9: [2, 3, 4, 5, 1], 71
Exploration
avg = 0.000670619306821
p = 0.000841750841742
Ant 10 : [3, 4, 5, 2, 1], 72
Exploitation
Ant 11: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.00185
Ant 2: [4, 5, 3, 2, 1, 0], 84
Update called by 2Exploitation
Ant thread 2 terminating. Ant 12: [3, 4, 5, 2, 1], 72
Exploitation
Ant 13: [2, 3, 4, 5, 1], 71
Exploitation
Ant 3 : [3, 4, 5, 2, 1, 0], 82
```

```
Update called by 3Exploitation
```

Ant thread 3 terminating. Ant 14: [4, 5, 3, 2, 1], 74

Exploration

avg = 0.000498475623626

p = 0.000712250711538

Ant 15 : [2, 3, 4, 5, 1], 71

Exploration

avg = 0.000670619306825

p = 0.000841750841751

Ant 16: [4, 5, 3, 2, 1], 74

Exploitation

Ant 17 : [2, 3, 4, 5, 1], 71

Exploitation

Ant 4: [5, 4, 3, 2, 1, 0], 77

Update called by 4Exploration

Ant thread 4 terminating.avg = 0.000670619306825

p = 0.000841750841751

Ant 18: [4, 5, 3, 2, 1], 74

Exploration

avg = 0.000670619306825

p = 0.000841750841751

Ant 19: [5, 4, 3, 2, 1], 67

Exploration

avg = 0.00185185185

Ant 5 : [3, 4, 5, 2, 1, 0], 82 Update called by 5Exploitation

Update called by 6Exploitation

Ant thread 6 terminating. Ant 7 : [0, 1, 3, 4, 5, 2], 78

Ant thread 5 terminating. Ant 6 : [2, 3, 4, 5, 1, 0], 81

Update called by 7Exploration

Ant thread 7 terminating.avg = 0.00185185185185

Ant 8 : [2, 3, 4, 5, 1, 0], 81 Update called by 8Exploration

Ant thread 8 terminating.avg = 0.00185185185185

Ant 9 : [2, 3, 4, 5, 1, 0], 81 Update called by 9Exploration

Ant thread 9 terminating.avg = 0.00185185185185

Ant 10: [3, 4, 5, 2, 1, 0], 82 Update called by 10Exploration

```
Ant thread 10 terminating.avg = 0.00185185185185
```

Ant 11 : [4, 5, 3, 2, 1, 0], 84 Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [3, 4, 5, 2, 1, 0], 82

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00185185185185

Ant 13 : [2, 3, 4, 5, 1, 0], 81 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00185185185185

Ant 14: [4, 5, 3, 2, 1, 0], 84 Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00185185185185

Ant 15 : [2, 3, 4, 5, 1, 0], 81 Update called by 15Exploration

Ant thread 15 terminating.avg = 0.00185185185185

Ant 16: [4, 5, 3, 2, 1, 0], 84 Update called by 16Exploitation

Ant thread 16 terminating. Ant 17 : [2, 3, 4, 5, 1, 0], 81

Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [4, 5, 3, 2, 1, 0], 84

Update called by 18Exploitation

Ant thread 18 terminating. Ant 19: [5, 4, 3, 2, 1, 0], 77

Update called by 19

Best: [4, 5, 3, 2, 1, 0], 104, 9, 108

Ant thread 19 terminating.iter_counter = 10

starting ant = 0

Explorationstarting ant = 1

avg = 0.000649988821857starting ant = 2

p = 0.00166349986378starting ant = 3

p = 0.000833324999986starting ant = 4

Ant 0 : [0, 4], 20starting ant = 5

```
Ant 1 : [1, 0], 10starting ant = 7
Explorationstarting ant = 8
avg = 0.000662802683924starting ant = 9
p = 0.0011110999999starting ant = 10
p = 0.00138888888889starting ant = 11
Ant 2: [4, 5], 12starting ant = 12
Exploitationstarting ant = 13
Ant 3: [3, 4], 15starting ant = 14
Exploitationstarting ant = 15
Ant 4 : [5, 4], 12starting ant = 16
Exploitationstarting ant = 17
Ant 0 : [0, 4, 5], 32starting ant = 18
Explorationstarting ant = 19
avg = 0.000631845879671
p = 0.000925925925926
p = 0.001233333333333
Ant 5 : [3, 4], 15
Exploitation
Ant 6: [2, 3], 18
Exploration
avg = 0.000419529790545
p = 0.000924999916667
Ant 1: [1, 0, 4], 30
Exploitation
Ant 7: [0, 1], 10
Exploitation
Ant 8 : [2, 3], 18
Exploitation
Ant 9 : [2, 3], 18
Exploitation
Ant 10: [3, 4], 15
Exploitation
Ant 11 : [4, 5], 12
Exploration
avg = 0.000594867390474
p = 0.000641025641026
p = 0.000724637681152
p = 0.000757575757576
Ant 2: [4, 5, 3], 34
```

Exploitationstarting ant = 6

```
Exploitation
Ant 12 : [3, 4], 15
Exploitation
Ant 13 : [2, 3], 18
Exploration
avg = 0.000589308563488
p = 0.00154320972222
Ant 3: [3, 4, 5], 27
Exploration
avg = 0.000693666881146
p = 0.001111099999
p = 0.001543209875
Ant 14: [4, 5], 12
Exploration
avg = 0.000564758923144
p = 0.000757575757576
p = 0.00102880658333
Ant 15 : [2, 3], 18
Exploration
avg = 0.000481281132683
p = 0.001111099999
Ant 4: [5, 4, 3], 27
Exploitation
Ant 16 : [4, 5], 12
Exploitation
Ant 17 : [2, 3], 18
Exploration
avg = 0.000735524137696
p = 0.000840909090909
Ant 0: [0, 4, 5, 3], 54
Exploration
avg = 0.000718113526097
p = 0.00123333322221
p = 0.00154320987654
Ant 18 : [4, 5], 12
Exploration
avg = 0.000801060551266
p = 0.000841742424242
p = 0.00154166652777
Ant 19: [5, 4], 12
Exploitation
Ant 5 : [3, 4, 5], 27
Exploitation
Ant 6: [2, 3, 4], 33
Exploitation
Ant 1 : [1, 0, 4, 5], 42
Exploration
avg = 0.000426395011344
p = 0.000924166665917
Ant 7: [0, 1, 3], 28
Exploitation
Ant 8: [2, 3, 4], 33
Exploration
avg = 0.000558634510083
```

```
p = 0.00123456790123
Ant 9 : [2, 3, 4], 33
Exploitation
Ant 10: [3, 4, 5], 27
Exploration
avg = 0.000615909057141
p = 0.000641025641026
p = 0.000724637681152
p = 0.000841742424242
Ant 11 : [4, 5, 3], 34
Exploitation
Ant 2: [4, 5, 3, 2], 52
Exploration
avg = 0.000589308602068
p = 0.00154320987654
Ant 12: [3, 4, 5], 27
Exploration
avg = 0.000558634510083
p = 0.00123456790123
Ant 13 : [2, 3, 4], 33
Exploration
avg = 0.000540631268107
p = 0.000641025641026
p = 0.000724637681152
Ant 3: [3, 4, 5, 2], 50
Exploitation
Ant 14: [4, 5, 3], 34
Exploitation
Ant 15 : [2, 3, 4], 33
Exploitation
Ant 4: [5, 4, 3, 2], 45
Exploitation
Ant 16: [4, 5, 3], 34
Exploration
avg = 0.000558634510083
p = 0.00123456790123
Ant 17 : [2, 3, 4], 33
Exploration
avg = 0.000735610464398
p = 0.0010287962963
Ant 0 : [0, 4, 5, 3, 2], 72
Exploitation
Ant 18: [4, 5, 3], 34
Exploitation
Ant 19 : [5, 4, 3], 27
Exploitation
Ant 5 : [3, 4, 5, 2], 50
Exploitation
Ant 6: [2, 3, 4, 5], 45
Exploitation
Ant 1: [1, 0, 4, 5, 3], 64
Exploration
avg = 0.000863161968481
p = 0.00102880648148
```

```
p = 0.00123456790123
Ant 7 : [0, 1, 3, 4], 43
Exploitation
Ant 8: [2, 3, 4, 5], 45
Exploration
avg = 0.000693764629681
p = 0.00154320987654
Ant 9: [2, 3, 4, 5], 45
Exploration
avg = 0.000567467016902
p = 0.000641025641026
p = 0.000805144927536
Ant 10 : [3, 4, 5, 2], 50
Exploration
avg = 0.000567555032617
p = 0.00102880648148
Ant 11 : [4, 5, 3, 2], 52
Exploitation
Ant 2: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000567469673906
p = 0.000641025641026
p = 0.000805152898551
Ant 12 : [3, 4, 5, 2], 50
Exploitation
Ant 13: [2, 3, 4, 5], 45
Exploration
avg = 0.000645224042809
p = 0.000840909090909
Ant 3: [3, 4, 5, 2, 1], 72
Exploration
avg = 0.000567555066568
p = 0.00102880658333
Ant 14: [4, 5, 3, 2], 52
Exploitation
Ant 15 : [2, 3, 4, 5], 45
Exploration
avg = 0.000645640709476
p = 0.000841742424242
Ant 4: [5, 4, 3, 2, 1], 67
Exploration
avg = 0.000567555066908
p = 0.00102880658435
Ant 16: [4, 5, 3, 2], 52
Exploitation
Ant 17: [2, 3, 4, 5], 45
Exploitation
Ant 0: [0, 4, 5, 3, 2, 1], 94
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 18: [4, 5, 3, 2], 52
Exploitation
Ant 19 : [5, 4, 3, 2], 45
```

```
Exploration
avg = 0.000645644917809
p = 0.000841750840909
Ant 5 : [3, 4, 5, 2, 1], 72
Exploitation
Ant 6: [2, 3, 4, 5, 1], 71
Exploitation
Ant 1 : [1, 0, 4, 5, 3, 2], 82
Update called by 1Exploitation
Ant thread 1 terminating. Ant 7: [0, 1, 3, 4, 5], 55
Exploration
avg = 0.000483884471841
p = 0.000711538461538
Ant 8: [2, 3, 4, 5, 1], 71
Exploitation
Ant 9: [2, 3, 4, 5, 1], 71
Exploration
avg = 0.000645644918226
p = 0.000841750841742
Ant 10: [3, 4, 5, 2, 1], 72
Exploitation
Ant 11: [4, 5, 3, 2, 1], 74
Exploitation
Ant 2: [4, 5, 3, 2, 1, 0], 84
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.00064564491823
p = 0.000841750841751
Ant 12: [3, 4, 5, 2, 1], 72
Exploration
avg = 0.000484240561584
p = 0.000712250641026
Ant 13 : [2, 3, 4, 5, 1], 71
Exploitation
Ant 3: [3, 4, 5, 2, 1, 0], 82
Update called by 3Exploitation
Ant thread 3 terminating. Ant 14: [4, 5, 3, 2, 1], 74
Exploitation
Ant 15 : [2, 3, 4, 5, 1], 71
Exploration
avg = 0.00185185166667
Ant 4: [5, 4, 3, 2, 1, 0], 77
Update called by 4Exploration
Ant thread 4 terminating.avg = 0.00064564491823
p = 0.000841750841751
Ant 16: [4, 5, 3, 2, 1], 74
Exploitation
```

Ant 17: [2, 3, 4, 5, 1], 71

Exploitation

Ant 18: [4, 5, 3, 2, 1], 74

Exploitation

Ant 19: [5, 4, 3, 2, 1], 67

Exploration

avg = 0.00185185185

Ant 5 : [3, 4, 5, 2, 1, 0], 82 Update called by 5Exploration

Ant thread 5 terminating.avg = 0.00185185185183

Ant 6: [2, 3, 4, 5, 1, 0], 81 Update called by 6Exploration

Ant thread 6 terminating.avg = 0.000805152978261

Ant 7 : [0, 1, 3, 4, 5, 2], 78 Update called by 7Exploration

Ant thread 7 terminating.avg = 0.00185185185185

Ant 8 : [2, 3, 4, 5, 1, 0], 81 Update called by 8Exploration

Ant thread 8 terminating.avg = 0.00185185185185

Ant 9 : [2, 3, 4, 5, 1, 0], 81 Update called by 9Exploration

Ant thread 9 terminating.avg = 0.00185185185185

Ant 10 : [3, 4, 5, 2, 1, 0], 82 Update called by 10Exploration

Ant thread 10 terminating.avg = 0.00185185185185

Ant 11 : [4, 5, 3, 2, 1, 0], 84 Update called by 11Exploration

Ant thread 11 terminating.avg = 0.00185185185185

Ant 12 : [3, 4, 5, 2, 1, 0], 82 Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00185185185185

Ant 13 : [2, 3, 4, 5, 1, 0], 81 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00185185185185

Ant 14: [4, 5, 3, 2, 1, 0], 84 Update called by 14Exploitation

```
Ant thread 14 terminating. Ant 15 : [2, 3, 4, 5, 1, 0], 81
Update called by 15Exploration
Ant thread 15 terminating.avg = 0.00185185185185
Ant 16: [4, 5, 3, 2, 1, 0], 84
Update called by 16Exploration
Ant thread 16 terminating.avg = 0.00185185185185
Ant 17 : [2, 3, 4, 5, 1, 0], 81
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18: [4, 5, 3, 2, 1, 0], 84
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19: [5, 4, 3, 2, 1, 0], 77
Update called by 19
Best: [4, 5, 3, 2, 1, 0], 104, 10, 108
Ant thread 19 terminating.iter_counter = 11
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [0, 1], 10 starting ant = 2
Exploitationstarting ant = 3
Ant 1 : [1, 0], 10starting ant = 4
Explorationstarting ant = 5
avg = 0.000407064052043starting ant = 6
p = 0.00092498416666starting ant = 7
Ant 0 : [0, 1, 3], 28 starting ant = 8
Exploitationstarting ant = 9
Ant 2: [4, 5], 12starting ant = 10
Exploitationstarting ant = 11
Ant 3: [3, 4], 15starting ant = 12
Explorationstarting ant = 13
avg = 0.000377783080053starting ant = 14
```

```
p = 0.00083332499925starting ant = 15
Ant 1: [1, 0, 4], 30starting ant = 16
Explorationstarting ant = 17
avg = 0.000748544302486starting ant = 18
p = 0.00075757575757576starting ant = 19
p = 0.00138887499875
Ant 4: [5, 4], 12
Exploration
avg = 0.00061184647689
p = 0.000925925925926
p = 0.00123333333333
Ant 5 : [3, 4], 15
Exploitation
Ant 6 : [2, 3], 18
Exploration
avg = 0.000690558057189
p = 0.00184998304832
p = 0.000924999916659
Ant 7 : [0, 4], 20
Exploitation
Ant 0 : [0, 1, 3, 4], 43
Exploitation
Ant 8 : [2, 3], 18
Exploitation
Ant 9 : [2, 3], 18
Exploitation
Ant 2: [4, 5, 3], 34
Exploitation
Ant 10 : [3, 4], 15
Exploitation
Ant 11: [4, 5], 12
Exploitation
Ant 3: [3, 4, 5], 27
Exploration
avg = 0.000612093390223
p = 0.000925925925926
p = 0.0012345679
Ant 12: [3, 4], 15
Exploration
avg = 0.000544010657277
p = 0.000757575757576
p = 0.00102880648148
Ant 13 : [2, 3], 18
Exploitation
Ant 14: [4, 5], 12
Exploration
avg = 0.000544010677648
p = 0.000757575757576
p = 0.00102880658333
```

```
Ant 15 : [2, 3], 18
Exploitation
Ant 1 : [1, 0, 4, 5], 42
Exploration
avg = 0.000677386390817
p = 0.001111099999
p = 0.00154320987653
Ant 16: [4, 5], 12
Exploitation
Ant 17 : [2, 3], 18
Exploration
avg = 0.00067738639082
p = 0.001111099999
p = 0.00154320987654
Ant 18: [4, 5], 12
Exploitation
Ant 19 : [5, 4], 12
Exploration
avg = 0.000460930519389
p = 0.001111099999
Ant 4: [5, 4, 3], 27
Exploration
avg = 0.000568957988775
p = 0.00154320987654
Ant 5 : [3, 4, 5], 27
Exploitation
Ant 6: [2, 3, 4], 33
Exploitation
Ant 7: [0, 4, 5], 32
Exploitation
Ant 0: [0, 1, 3, 4, 5], 55
Exploration
avg = 0.000533635256606
p = 0.00123456790123
Ant 8 : [2, 3, 4], 33
Exploration
avg = 0.000533635256606
p = 0.00123456790123
Ant 9: [2, 3, 4], 33
Exploration
avg = 0.00051079956022
p = 0.000925925925926
Ant 2: [4, 5, 3, 2], 52
Exploitation
Ant 10 : [3, 4, 5], 27
Exploration
avg = 0.000609294961754
p = 0.000641025641026
p = 0.000724637681152
p = 0.000840909090909
Ant 11 : [4, 5, 3], 34
Exploration
avg = 0.000532090252035
p = 0.000641025641026
```

```
p = 0.000724637681152
Ant 3: [3, 4, 5, 2], 50
Exploration
avg = 0.000568957988775
p = 0.00154320987654
Ant 12 : [3, 4, 5], 27
Exploration
avg = 0.000533635256606
p = 0.00123456790123
Ant 13 : [2, 3, 4], 33
Exploration
avg = 0.000629430831321
p = 0.000641025641026
p = 0.000804347826087
p = 0.000841742424242
Ant 14: [4, 5, 3], 34
Exploration
avg = 0.000533635256606
p = 0.00123456790123
Ant 15 : [2, 3, 4], 33
Exploration
avg = 0.000823049291831
p = 0.000841750757576
Ant 1 : [1, 0, 4, 5, 3], 64
Exploration
avg = 0.000629432935488
p = 0.000641025641026
p = 0.000804347826087
p = 0.000841750840909
Ant 16: [4, 5, 3], 34
Exploration
avg = 0.000533635256606
p = 0.00123456790123
Ant 17 : [2, 3, 4], 33
Exploitation
Ant 18 : [4, 5, 3], 34
Exploitation
Ant 19: [5, 4, 3], 27
Exploitation
Ant 4: [5, 4, 3, 2], 45
Exploitation
Ant 5 : [3, 4, 5, 2], 50
Exploration
avg = 0.000675828495931
p = 0.00154320987654
Ant 6: [2, 3, 4, 5], 45
Exploration
avg = 0.000762640470104
p = 0.000805144927536
p = 0.000841750841751
Ant 7: [0, 4, 5, 3], 54
Exploration
avg = 0.000805144927536
Ant 0: [0, 1, 3, 4, 5, 2], 78
```

```
avg = 0.000675828495931Ant thread 0 terminating.
p = 0.00154320987654
Ant 8 : [2, 3, 4, 5], 45
Exploration
avg = 0.000675828495931
p = 0.00154320987654
Ant 9 : [2, 3, 4, 5], 45
Exploration
avg = 0.000581080426407
p = 0.000757575757576
Ant 2: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000558928657835
p = 0.000641025641026
p = 0.000805152898551
Ant 10 : [3, 4, 5, 2], 50
Exploration
avg = 0.000545089683677
p = 0.0010287962963
Ant 11: [4, 5, 3, 2], 52
Exploitation
Ant 3: [3, 4, 5, 2, 1], 72
Exploitation
Ant 12: [3, 4, 5, 2], 50
Exploitation
Ant 13 : [2, 3, 4, 5], 45
Exploration
avg = 0.000545093078738
p = 0.00102880648148
Ant 14: [4, 5, 3, 2], 52
Exploitation
Ant 15 : [2, 3, 4, 5], 45
Exploration
avg = 0.00102880658333
Ant 1: [1, 0, 4, 5, 3, 2], 82
Update called by 1Exploitation
Ant thread 1 terminating. Ant 16: [4, 5, 3, 2], 52
Exploration
avg = 0.000675828495931
p = 0.00154320987654
Ant 17: [2, 3, 4, 5], 45
Exploration
avg = 0.000545093113032
p = 0.00102880658436
Ant 18: [4, 5, 3, 2], 52
Exploitation
Ant 19: [5, 4, 3, 2], 45
Exploitation
```

Ant 4: [5, 4, 3, 2, 1], 67

```
Exploitation
Ant 5 : [3, 4, 5, 2, 1], 72
Exploitation
Ant 6: [2, 3, 4, 5, 1], 71
Exploitation
Ant 7: [0, 4, 5, 3, 2], 72
Exploitation
Ant 8 : [2, 3, 4, 5, 1], 71
Exploration
avg = 0.000471425511836
p = 0.000712243589744
Ant 9: [2, 3, 4, 5, 1], 71
Exploration
avg = 0.00185
Ant 2 : [4, 5, 3, 2, 1, 0], 84
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000623167968074
p = 0.000841750840909
Ant 10: [3, 4, 5, 2, 1], 72
Exploitation
Ant 11: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.00185183333333
Ant 3: [3, 4, 5, 2, 1, 0], 82
ExplorationUpdate called by 3
avg = 0.000623167968495Ant thread 3 terminating.
p = 0.000841750841751
Ant 12: [3, 4, 5, 2, 1], 72
Exploitation
Ant 13 : [2, 3, 4, 5, 1], 71
Exploitation
Ant 14: [4, 5, 3, 2, 1], 74
Exploitation
Ant 15 : [2, 3, 4, 5, 1], 71
Exploration
avg = 0.000623167968495
p = 0.000841750841751
Ant 16: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000471429073086
p = 0.000712250712244
Ant 17: [2, 3, 4, 5, 1], 71
Exploration
avg = 0.000623167968495
p = 0.000841750841751
Ant 18: [4, 5, 3, 2, 1], 74
Exploitation
Ant 19: [5, 4, 3, 2, 1], 67
Exploitation
Ant 4: [5, 4, 3, 2, 1, 0], 77
```

Update called by 4Exploitation

Ant thread 4 terminating. Ant 5 : [3, 4, 5, 2, 1, 0], 82

Update called by 5Exploration

Ant thread 5 terminating.avg = 0.00185185185183

Ant 6 : [2, 3, 4, 5, 1, 0], 81 Update called by 6Exploration

Ant thread 6 terminating.avg = 0.000841750841751

Ant 7 : [0, 4, 5, 3, 2, 1], 94 Update called by 7Exploration

Ant thread 7 terminating.avg = 0.00185185185185

Ant 8: [2, 3, 4, 5, 1, 0], 81 Update called by 8Exploitation

Ant thread 8 terminating. Ant 9 : [2, 3, 4, 5, 1, 0], 81

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [3, 4, 5, 2, 1, 0], 82

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.00185185185185

Ant 11: [4, 5, 3, 2, 1, 0], 84 Update called by 11Exploration

Ant thread 11 terminating.avg = 0.00185185185185

Ant 12: [3, 4, 5, 2, 1, 0], 82 Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00185185185185

Ant 13 : [2, 3, 4, 5, 1, 0], 81 Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [4, 5, 3, 2, 1, 0], 84

ExplorationUpdate called by 14

avg = 0.00185185185185Ant thread 14 terminating.

Ant 15 : [2, 3, 4, 5, 1, 0], 81 Update called by 15Exploration

Ant thread 15 terminating.avg = 0.00185185185185

```
Ant 16: [4, 5, 3, 2, 1, 0], 84
Update called by 16Exploration
Ant thread 16 terminating.avg = 0.00185185185185
Ant 17 : [2, 3, 4, 5, 1, 0], 81
Update called by 17Exploration
Ant thread 17 terminating.avg = 0.00185185185185
Ant 18: [4, 5, 3, 2, 1, 0], 84
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19: [5, 4, 3, 2, 1, 0], 77
Update called by 19
Best: [4, 5, 3, 2, 1, 0], 104, 11, 108
Ant thread 19 terminating.iter_counter = 12
starting ant = 0
Explorationstarting ant = 1
avg = 0.000621667266321starting ant = 2
p = 0.00166498474349starting ant = 3
p = 0.00083332499925starting ant = 4
Ant 0 : [0, 4], 20 starting ant = 5
Exploitationstarting ant = 6
Ant 1 : [1, 0], 10starting ant = 7
Explorationstarting ant = 8
avg = 0.000631869751718starting ant = 9
p = 0.0011110999999starting ant = 10
p = 0.001388888888889starting ant = 11
Ant 2: [4, 5], 12starting ant = 12
Explorationstarting ant = 13
avg = 0.000569402569941starting ant = 14
p = 0.000925925925926starting ant = 15
Ant 3: [3, 4], 15starting ant = 17
```

```
Explorationstarting ant = 18
avg = 0.000743932153808starting ant = 19
p = 0.000757575757576
p = 0.00138887499875
Ant 4: [5, 4], 12
Exploitation
Ant 0 : [0, 4, 5], 32
Exploitation
Ant 5 : [3, 4], 15
Exploration
avg = 0.00050476112522
p = 0.000757575757576
p = 0.000925925925926
Ant 6: [2, 3], 18
Exploration
avg = 0.000383756626381
p = 0.000924999916659
Ant 1 : [1, 0, 4], 30
Exploitation
Ant 7: [0, 1], 10
Exploitation
Ant 8 : [2, 3], 18
Exploration
avg = 0.000525335199294
p = 0.000757575757576
p = 0.0010287962963
Ant 9 : [2, 3], 18
Exploration
avg = 0.00059409145883
p = 0.000925925925926
p = 0.00123455555556
Ant 10 : [3, 4], 15
Exploration
avg = 0.000662730862829
p = 0.001111099999
p = 0.00154319444444
Ant 11 : [4, 5], 12
Exploration
avg = 0.000582696442572
p = 0.000641025641026
p = 0.000724637681152
p = 0.000757575757576
Ant 2: [4, 5, 3], 34
Exploration
avg = 0.000594093903275
p = 0.000925925925926
```

p = 0.00123456777778Ant 12 : [3, 4], 15

Ant 13: [2, 3], 18

Exploitation

Exploration

```
avg = 0.000662733918385
p = 0.001111099999
p = 0.00154320972222
Ant 14: [4, 5], 12
Exploitation
Ant 15 : [2, 3], 18
Exploration
avg = 0.00066273394894
p = 0.001111099999
p = 0.001543209875
Ant 16: [4, 5], 12
Exploitation
Ant 3 : [3, 4, 5], 27
Exploitation
Ant 17 : [2, 3], 18
Exploration
avg = 0.000662733949249
p = 0.001111099999
p = 0.00154320987654
Ant 18: [4, 5], 12
Exploration
avg = 0.000791157126278
p = 0.000840909090909
p = 0.00154166652777
Ant 19: [5, 4], 12
Exploration
avg = 0.000442614967425
p = 0.001111099999
Ant 4: [5, 4, 3], 27
Exploitation
Ant 0: [0, 4, 5, 3], 54
Exploration
avg = 0.000550642436811
p = 0.00154320987654
Ant 5 : [3, 4, 5], 27
Exploitation
Ant 6: [2, 3, 4], 33
Exploration
avg = 0.00100001830644
p = 0.00123333322221
p = 0.00154320987654
Ant 1: [1, 0, 4, 5], 42
Exploitation
Ant 7 : [0, 1, 3], 28
Exploration
avg = 0.000511135928473
p = 0.00123456790122
Ant 8 : [2, 3, 4], 33
Exploitation
Ant 9: [2, 3, 4], 33
Exploration
avg = 0.000550642436811
p = 0.00154320987654
Ant 10 : [3, 4, 5], 27
```

```
Exploitation
Ant 11 : [4, 5, 3], 34
Exploitation
Ant 2: [4, 5, 3, 2], 52
Exploitation
Ant 12: [3, 4, 5], 27
Exploration
avg = 0.000511135928476
p = 0.00123456790123
Ant 13 : [2, 3, 4], 33
Exploitation
Ant 14 : [4, 5, 3], 34
Exploitation
Ant 15 : [2, 3, 4], 33
Exploitation
Ant 16: [4, 5, 3], 34
Exploration
avg = 0.000524403337571
p = 0.000641025641026
p = 0.000724637681152
Ant 3: [3, 4, 5, 2], 50
Exploitation
Ant 17 : [2, 3, 4], 33
Exploitation
Ant 18: [4, 5, 3], 34
Exploitation
Ant 19 : [5, 4, 3], 27
Exploitation
Ant 4: [5, 4, 3, 2], 45
Exploration
avg = 0.000693580124311
p = 0.0010287962963
Ant 0: [0, 4, 5, 3, 2], 72
Exploitation
Ant 5 : [3, 4, 5, 2], 50
Exploration
avg = 0.000659685975556
p = 0.00154320987654
Ant 6: [2, 3, 4, 5], 45
Exploitation
Ant 1 : [1, 0, 4, 5, 3], 64
Exploration
avg = 0.000842508238708
p = 0.00102880648148
p = 0.00123456790123
Ant 7 : [0, 1, 3, 4], 43
Exploitation
Ant 8 : [2, 3, 4, 5], 45
Exploitation
Ant 9: [2, 3, 4, 5], 45
Exploration
avg = 0.000551239086366
p = 0.000641025641026
p = 0.000805144927536
```

```
Ant 10 : [3, 4, 5, 2], 50
Exploration
avg = 0.000524877320247
p = 0.00102880648148
Ant 11 : [4, 5, 3, 2], 52
Exploration
avg = 0.000560851171645
p = 0.000757575757576
Ant 2: [4, 5, 3, 2, 1], 74
Exploitation
Ant 12: [3, 4, 5, 2], 50
Exploration
avg = 0.000659685975556
p = 0.00154320987654
Ant 13 : [2, 3, 4, 5], 45
Exploration
avg = 0.000524877354198
p = 0.00102880658333
Ant 14: [4, 5, 3, 2], 52
Exploitation
Ant 15 : [2, 3, 4, 5], 45
Exploitation
Ant 16: [4, 5, 3, 2], 52
Exploration
avg = 0.000602517838312
p = 0.000840909090909
Ant 3: [3, 4, 5, 2, 1], 72
Exploitation
Ant 17: [2, 3, 4, 5], 45
Exploration
avg = 0.000524877354541
p = 0.00102880658436
Ant 18: [4, 5, 3, 2], 52
Exploitation
Ant 19 : [5, 4, 3, 2], 45
Exploitation
Ant 4: [5, 4, 3, 2, 1], 67
Exploration
avg = 0.000841750757576
Ant 0: [0, 4, 5, 3, 2, 1], 94
Update called by OExploitation
Ant thread 0 terminating. Ant 5 : [3, 4, 5, 2, 1], 72
Exploration
avg = 0.000424286165781
p = 0.000641025641026
Ant 6: [2, 3, 4, 5, 1], 71
Exploitation
Ant 1: [1, 0, 4, 5, 3, 2], 82
Update called by 1Exploration
```

Ant thread 1 terminating.avg = 0.00088336084856

```
p = 0.00154320987654
Ant 7 : [0, 1, 3, 4, 5], 55
Exploitation
Ant 8 : [2, 3, 4, 5, 1], 71
Exploration
avg = 0.00045989514014
p = 0.000712243589744
Ant 9: [2, 3, 4, 5, 1], 71
Exploitation
Ant 10: [3, 4, 5, 2, 1], 72
Exploitation
Ant 11: [4, 5, 3, 2, 1], 74
Exploitation
Ant 2: [4, 5, 3, 2, 1, 0], 84
Update called by 2Exploitation
Ant thread 2 terminating. Ant 12: [3, 4, 5, 2, 1], 72
Exploration
avg = 0.000459898665781
p = 0.000712250641026
Ant 13 : [2, 3, 4, 5, 1], 71
Exploration
avg = 0.000602938713733
p = 0.000841750841751
Ant 14: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000459898701037
p = 0.000712250711538
Ant 15 : [2, 3, 4, 5, 1], 71
Exploration
avg = 0.000602938713733
p = 0.000841750841751
Ant 16: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.00185183333333
Ant 3: [3, 4, 5, 2, 1, 0], 82
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.00045989870139
p = 0.000712250712244
Ant 17 : [2, 3, 4, 5, 1], 71
Exploration
avg = 0.000602938713733
p = 0.000841750841751
Ant 18: [4, 5, 3, 2, 1], 74
Exploitation
Ant 19: [5, 4, 3, 2, 1], 67
Exploration
avg = 0.00185185166667
Ant 4: [5, 4, 3, 2, 1, 0], 77
Update called by 4Exploration
```

Ant thread 4 terminating.avg = 0.00185185185

Ant 5 : [3, 4, 5, 2, 1, 0], 82 Update called by 5Exploitation

Ant thread 5 terminating. Ant 6 : [2, 3, 4, 5, 1, 0], 81

Update called by 6Exploration

Ant thread 6 terminating.avg = 0.000805152978261

Ant 7 : [0, 1, 3, 4, 5, 2], 78 Update called by 7Exploration

Ant thread 7 terminating.avg = 0.00185185185185

Ant 8 : [2, 3, 4, 5, 1, 0], 81 Update called by 8Exploration

Ant thread 8 terminating.avg = 0.00185185185185

Ant 9 : [2, 3, 4, 5, 1, 0], 81 Update called by 9Exploration

Ant thread 9 terminating.avg = 0.00185185185185

Ant 10: [3, 4, 5, 2, 1, 0], 82 Update called by 10Exploration

Ant thread 10 terminating.avg = 0.00185185185185

Ant 11 : [4, 5, 3, 2, 1, 0], 84 Update called by 11Exploration

Ant thread 11 terminating.avg = 0.00185185185185

Ant 12: [3, 4, 5, 2, 1, 0], 82 Update called by 12Exploitation

Ant thread 12 terminating. Ant 13: [2, 3, 4, 5, 1, 0], 81

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00185185185185

Ant 14: [4, 5, 3, 2, 1, 0], 84 Update called by 14Exploitation

Ant thread 14 terminating. Ant 15: [2, 3, 4, 5, 1, 0], 81

Update called by 15Exploration

Ant thread 15 terminating.avg = 0.00185185185185

```
Update called by 16Exploitation
Ant thread 16 terminating. Ant 17: [2, 3, 4, 5, 1, 0], 81
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18: [4, 5, 3, 2, 1, 0], 84
Update called by 18Exploration
Ant thread 18 terminating.avg = 0.00185185185185
Ant 19: [5, 4, 3, 2, 1, 0], 77
Update called by 19
Best: [4, 5, 3, 2, 1, 0], 104, 12, 108
Ant thread 19 terminating.
                         Results
Best path = [4, 5, 3, 2, 1, 0]
('E',)
('F',)
('D',)
('C',)
('B',)
('A')
Best path cost = 104
>>>
RESTART: C:\Users\teleuser\Documents\Kantor\Kuliah\Master\Semester
3\Perencanaan
Jaringan\Tugas\program\Python\tsp-atncolony\Python-Ant-Colony-TSP-Solver-master\
pickled.py
>>>
RESTART: C:\Users\teleuser\Documents\Kantor\Kuliah\Master\Semester
3\Perencanaan
Jaringan\Tugas\program\Python\tsp-atncolony\Python-Ant-Colony-TSP-Solver-master\
anttsp.py
[[0, 10, 30, 31, 20, 28, 44], [10, 0, 22, 18, 40, 26, 37], [30, 22, 0, 18, 26,
23, 50], [31, 18, 18, 0, 15, 22, 42], [20, 40, 26, 15, 0, 12, 10], [28, 26, 23,
22, 12, 0, 16], [44, 37, 50, 42, 10, 16, 0]]
7
Average = 22
Tau0 = 0.012987012987
iter_counter = 1
starting ant = 0
Explorationstarting ant = 1
avg = 0.000630949494586starting ant = 2
```

Ant 16: [4, 5, 3, 2, 1, 0], 84

```
p = 0.0012987012987starting ant = 3
p = 0.000721500721501starting ant = 4
Ant 0 : [1, 3], 18 starting ant = 5
Explorationstarting ant = 6
avg = 0.000554250700355starting ant = 7
p = 0.0012987012987starting ant = 8
p = 0.000811688311688starting ant = 9
Ant 1: [6, 5], 16starting ant = 10
Exploitationstarting ant = 11
Ant 2 : [6, 4], 10starting ant = 12
Explorationstarting ant = 13
avg = 0.000630949494586starting ant = 14
p = 0.0012987012987starting ant = 15
p = 0.000721500721501starting ant = 16
Ant 3: [1, 3], 18starting ant = 17
Explorationstarting ant = 18
avg = 0.000604545263113starting ant = 19
p = 0.000721500721501
p = 0.000721500721501
p = 0.000865800865801
Ant 4: [3, 4], 15
Exploitation
Ant 0 : [1, 3, 4], 33
Exploitation
Ant 5 : [4, 6], 10
Exploration
avg = 0.000630949494586
p = 0.0012987012987
p = 0.000721500721501
Ant 6: [1, 3], 18
Exploitation
Ant 7: [4, 6], 10
Exploitation
Ant 8: [3, 4], 15
Exploitation
Ant 9: [0, 1], 10
Exploration
```

```
avg = 0.00064010899697
p = 0.00108225108225
Ant 1: [6, 5, 4], 28
```

Exploration

avg = 0.000668705549423

p = 0.00108225108225

p = 0.000811688311688

Ant 10: [5, 6], 16

Exploration

avg = 0.000668705549423

p = 0.00108225108225

p = 0.000811688311688

Ant 11 : [5, 6], 16

Exploitation

Ant 2 : [6, 4, 5], 22

Exploration

avg = 0.000554250700355

p = 0.0012987012987

p = 0.000811688311688

Ant 12: [6, 5], 16

Exploitation

Ant 13: [4, 6], 10

Exploitation

Ant 14 : [4, 6], 10

Exploitation

Ant 15 : [4, 6], 10

Exploration

avg = 0.000786713286713

p = 0.000865800865801

p = 0.00108225108225

p = 0.0012987012987

Ant 16: [4, 6], 10

Exploitation

Ant 3: [1, 3, 4], 33

Exploration

avg = 0.000593144927037

p = 0.0012987012987

p = 0.000649350649351

Ant 17: [0, 4], 20

Exploration

avg = 0.000593144927037

p = 0.0012987012987

p = 0.000649350649351

Ant 18 : [0, 4], 20

Exploration

avg = 0.000604545263113

p = 0.000721500721501

p = 0.000721500721501

p = 0.000865800865801

Ant 19: [3, 4], 15

Exploration

avg = 0.000770895770896

p = 0.00108225108225

p = 0.0012987012987

```
Ant 4: [3, 4, 6], 25
Exploration
avg = 0.000882450882451
p = 0.00108225108225
p = 0.0012987012987
Ant 0: [1, 3, 4, 6], 43
Exploration
avg = 0.000405360580685
p = 0.000811688311688
Ant 5 : [4, 6, 5], 26
Exploration
avg = 0.000581154171435
p = 0.000721500721501
p = 0.000865800865801
p = 0.000590318772137
Ant 6: [1, 3, 5], 40
Exploitation
Ant 7: [4, 6, 5], 26
Exploitation
Ant 8: [3, 4, 6], 25
Exploitation
Ant 9 : [0, 1, 3], 28
Exploration
avg = 0.000584831834832
p = 0.000649350649351
p = 0.000865800865801
Ant 1: [6, 5, 4, 3], 43
Exploitation
Ant 10 : [5, 6, 4], 26
Exploitation
Ant 11 : [5, 6, 4], 26
Exploitation
Ant 2: [6, 4, 5, 3], 44
Exploitation
Ant 12: [6, 5, 4], 28
Exploration
avg = 0.000405360580685
p = 0.000811688311688
Ant 13: [4, 6, 5], 26
Exploration
avg = 0.000405360580685
p = 0.000811688311688
Ant 14: [4, 6, 5], 26
Exploitation
Ant 15 : [4, 6, 5], 26
Exploitation
Ant 16: [4, 6, 5], 26
Exploration
avg = 0.000882450882451
p = 0.00108225108225
p = 0.0012987012987
Ant 3: [1, 3, 4, 6], 43
Exploitation
Ant 17 : [0, 4, 6], 30
```

```
Exploitation
Ant 18 : [0, 4, 6], 30
Exploitation
Ant 19: [3, 4, 6], 25
Exploration
avg = 0.000429397077124
p = 0.000811688311688
Ant 4: [3, 4, 6, 5], 41
Exploration
avg = 0.000455529319166
p = 0.000811688311688
Ant 0 : [1, 3, 4, 6, 5], 59
Exploration
avg = 0.000529573475649
p = 0.000564652738566
p = 0.000590318772137
Ant 5 : [4, 6, 5, 3], 48
Exploitation
Ant 6: [1, 3, 5, 4], 52
Exploitation
Ant 7: [4, 6, 5, 3], 48
Exploration
avg = 0.000429397077124
p = 0.000811688311688
Ant 8 : [3, 4, 6, 5], 41
Exploration
avg = 0.000621708738592
p = 0.000721500721501
p = 0.000865800865801
Ant 9: [0, 1, 3, 4], 43
Exploration
avg = 0.000620645781936
p = 0.000721500721501
p = 0.000721500721501
Ant 1: [6, 5, 4, 3, 2], 61
Exploration
avg = 0.000584831834832
p = 0.000649350649351
p = 0.000865800865801
Ant 10 : [5, 6, 4, 3], 41
Exploration
avg = 0.000584831834832
p = 0.000649350649351
p = 0.000865800865801
Ant 11 : [5, 6, 4, 3], 41
Exploration
avg = 0.000620645781936
p = 0.000721500721501
p = 0.000721500721501
Ant 2 : [6, 4, 5, 3, 2], 62
Exploration
avg = 0.000584831834832
p = 0.000649350649351
p = 0.000865800865801
```

```
Ant 12: [6, 5, 4, 3], 43
Exploration
avg = 0.000529573475649
p = 0.000564652738566
p = 0.000590318772137
Ant 13 : [4, 6, 5, 3], 48
Exploration
avg = 0.000529573475649
p = 0.000564652738566
p = 0.000590318772137
Ant 14: [4, 6, 5, 3], 48
Exploration
avg = 0.000529573475649
p = 0.000564652738566
p = 0.000590318772137
Ant 15 : [4, 6, 5, 3], 48
Exploration
avg = 0.000529573475649
p = 0.000564652738566
p = 0.000590318772137
Ant 16: [4, 6, 5, 3], 48
Exploitation
Ant 3: [1, 3, 4, 6, 5], 59
Exploration
avg = 0.000432910879339
p = 0.000811688311688
Ant 17 : [0, 4, 6, 5], 46
Exploration
avg = 0.000432910879339
p = 0.000811688311688
Ant 18: [0, 4, 6, 5], 46
Exploration
avg = 0.000429397077124
p = 0.000811688311688
Ant 19: [3, 4, 6, 5], 41
Exploration
avg = 0.000509325043487
p = 0.000564652738566
Ant 4: [3, 4, 6, 5, 2], 64
Exploration
avg = 0.00051423731548
p = 0.000564652738566
Ant 0: [1, 3, 4, 6, 5, 2], 82
Exploitation
Ant 5 : [4, 6, 5, 3, 1], 66
Exploitation
Ant 6: [1, 3, 5, 4, 6], 62
Exploration
avg = 0.000620645781936
p = 0.000721500721501
p = 0.000721500721501
Ant 7: [4, 6, 5, 3, 2], 66
Exploitation
Ant 8: [3, 4, 6, 5, 2], 64
```

```
Exploration
avg = 0.000960150960151
p = 0.00108225108225
p = 0.0012987012987
Ant 9: [0, 1, 3, 4, 6], 53
Exploration
avg = 0.000511609602519
p = 0.000590318772137
Ant 1: [6, 5, 4, 3, 2, 1], 83
Exploitation
Ant 10: [5, 6, 4, 3, 1], 59
Exploitation
Ant 11 : [5, 6, 4, 3, 1], 59
Exploration
avg = 0.000511609602519
p = 0.000590318772137
Ant 2 : [6, 4, 5, 3, 2, 1], 84
Exploitation
Ant 12: [6, 5, 4, 3, 1], 61
Exploration
avg = 0.000620645781936
p = 0.000721500721501
p = 0.000721500721501
Ant 13: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000620645781936
p = 0.000721500721501
p = 0.000721500721501
Ant 14: [4, 6, 5, 3, 2], 66
Exploitation
Ant 15 : [4, 6, 5, 3, 1], 66
Exploitation
Ant 16: [4, 6, 5, 3, 1], 66
Exploration
avg = 0.00051423731548
p = 0.000564652738566
Ant 3: [1, 3, 4, 6, 5, 2], 82
Exploration
avg = 0.000551490670068
p = 0.000564652738566
p = 0.000590318772137
Ant 17: [0, 4, 6, 5, 3], 68
Exploration
avg = 0.000551490670068
p = 0.000564652738566
p = 0.000590318772137
Ant 18: [0, 4, 6, 5, 3], 68
Exploitation
Ant 19: [3, 4, 6, 5, 2], 64
Exploitation
Ant 4: [3, 4, 6, 5, 2, 1], 86
Exploration
avg = 0.0004329004329
Ant 0 : [1, 3, 4, 6, 5, 2, 0], 112
```

```
avg = 0.000944510035419Ant thread 0 terminating.
p = 0.0012987012987
Ant 5 : [4, 6, 5, 3, 1, 0], 76
Exploration
avg = 0.000277449822904
p = 0.000295159386068
Ant 6: [1, 3, 5, 4, 6, 0], 106
Exploitation
Ant 7: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000511609602519
p = 0.000590318772137
Ant 8: [3, 4, 6, 5, 2, 1], 86
Exploitation
Ant 9: [0, 1, 3, 4, 6, 5], 69
Exploration
avg = 0.0012987012987
Ant 1 : [6, 5, 4, 3, 2, 1, 0], 93
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000944510035419
p = 0.0012987012987
Ant 10 : [5, 6, 4, 3, 1, 0], 69
Exploration
avg = 0.000944510035419
p = 0.0012987012987
Ant 11 : [5, 6, 4, 3, 1, 0], 69
Exploration
avg = 0.0012987012987
Ant 2: [6, 4, 5, 3, 2, 1, 0], 94
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000944510035419
p = 0.0012987012987
Ant 12 : [6, 5, 4, 3, 1, 0], 71
Exploration
avg = 0.000511609602519
p = 0.000590318772137
Ant 13: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000511609602519
p = 0.000590318772137
Ant 14: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000944510035419
p = 0.0012987012987
Ant 15 : [4, 6, 5, 3, 1, 0], 76
Exploration
avg = 0.000944510035419
```

```
p = 0.0012987012987
```

Ant 16: [4, 6, 5, 3, 1, 0], 76

Exploitation

Ant 3 : [1, 3, 4, 6, 5, 2, 0], 112

Update called by 3Exploration

Ant thread 3 terminating.avg = 0.000721500721501

Ant 17: [0, 4, 6, 5, 3, 2], 86

Exploitation

Ant 18: [0, 4, 6, 5, 3, 1], 86

Exploration

avg = 0.000511609602519

p = 0.000590318772137

Ant 19: [3, 4, 6, 5, 2, 1], 86

Exploration

avg = 0.0012987012987

Ant 4: [3, 4, 6, 5, 2, 1, 0], 96

Update called by 4Exploration

Ant thread 4 terminating.avg = 0.0004329004329

Ant 5 : [4, 6, 5, 3, 1, 0, 2], 106

Update called by 5Exploration

Ant thread 5 terminating.avg = 0.0004329004329

Ant 6 : [1, 3, 5, 4, 6, 0, 2], 136

Update called by 6Exploitation

Ant thread 6 terminating. Ant 7 : [4, 6, 5, 3, 2, 1, 0], 98

Update called by 7Exploitation

Ant thread 7 terminating. Ant 8 : [3, 4, 6, 5, 2, 1, 0], 96

Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [0, 1, 3, 4, 6, 5, 2], 92

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [5, 6, 4, 3, 1, 0, 2], 99

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [5, 6, 4, 3, 1, 0, 2], 99

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.0004329004329

Ant 12 : [6, 5, 4, 3, 1, 0, 2], 101

Update called by 12Exploration

```
Ant thread 12 terminating.avg = 0.0012987012987
Ant 13: [4, 6, 5, 3, 2, 1, 0], 98
Update called by 13Exploitation
Ant thread 13 terminating. Ant 14: [4, 6, 5, 3, 2, 1, 0], 98
Update called by 14Exploitation
Ant thread 14 terminating. Ant 15: [4, 6, 5, 3, 1, 0, 2], 106
Update called by 15Exploitation
Ant thread 15 terminating. Ant 16: [4, 6, 5, 3, 1, 0, 2], 106
Update called by 16Exploitation
Ant thread 16 terminating. Ant 17: [0, 4, 6, 5, 3, 2, 1], 108
Update called by 17Exploration
Ant thread 17 terminating.avg = 0.000590318772137
Ant 18: [0, 4, 6, 5, 3, 1, 2], 108
Update called by 18Exploration
Ant thread 18 terminating.avg = 0.0012987012987
Ant 19: [3, 4, 6, 5, 2, 1, 0], 96
Update called by 19
Best: [4, 6, 5, 3, 2, 1, 0], 118, 1, 129
Ant thread 19 terminating.iter_counter = 2
starting ant = 0
Explorationstarting ant = 1
avg = 0.000567854545127starting ant = 2
p = 0.00116883116883starting ant = 3
```

p = 0.000649350649351starting ant = 4

Ant 0 : [1, 3], 18 starting ant = 5

Ant 1 : [6, 4], 10starting ant = 7

avg = 0.000520254201748starting ant = 9

p = 0.0012974025974starting ant = 10

Exploitationstarting ant = 6

Explorationstarting ant = 8

```
Ant 2: [6, 5], 16starting ant = 12
Exploitationstarting ant = 13
Ant 3 : [1, 0], 10starting ant = 14
Exploitationstarting ant = 15
Ant 4 : [3, 4], 15starting ant = 16
Exploitationstarting ant = 17
Ant 0 : [1, 3, 4], 33starting ant = 18
Explorationstarting ant = 19
avg = 0.000708041958042
p = 0.000779220779221
p = 0.000974025974026
p = 0.00116883116883
Ant 5 : [4, 6], 10
Exploration
avg = 0.000601187878461
p = 0.0012974025974
p = 0.000720779220779
Ant 6: [1, 3], 18
Exploitation
Ant 1 : [6, 4, 5], 22
Exploitation
Ant 7: [4, 6], 10
Exploitation
Ant 8: [3, 4], 15
Exploitation
Ant 9 : [0, 1], 10
Exploitation
Ant 10: [5, 4], 12
Exploitation
Ant 11 : [5, 4], 12
Exploration
avg = 0.000597740954415
p = 0.00108224025974
Ant 2: [6, 5, 4], 28
Exploration
avg = 0.000533647058891
p = 0.0012974025974
p = 0.000810876623377
Ant 12: [6, 5], 16
Exploitation
Ant 13 : [4, 6], 10
Exploration
avg = 0.000406830287434
```

p = 0.000730519480519starting ant = 11

```
p = 0.000584415584416
p = 0.000417439703154
Ant 3: [1, 0, 5], 38
Exploration
avg = 0.000747544100899
p = 0.000779220779221
p = 0.00108116883117
p = 0.00129870116883
Ant 14: [4, 6], 10
Exploration
avg = 0.000747544122328
p = 0.000779220779221
p = 0.00108116883117
p = 0.0012987012974
Ant 15 : [4, 6], 10
Exploitation
Ant 4: [3, 4, 6], 25
Exploitation
Ant 16: [4, 6], 10
Exploitation
Ant 17 : [0, 1], 10
Exploitation
Ant 0: [1, 3, 4, 6], 43
Exploitation
Ant 18 : [0, 1], 10
Exploration
avg = 0.000558520736801
p = 0.000649350649351
p = 0.000649350649351
p = 0.000865800779221
Ant 19: [3, 4], 15
Exploration
avg = 0.000381056665474
p = 0.000811680194805
Ant 5 : [4, 6, 5], 26
Exploration
avg = 0.000540354771434
p = 0.000649350649351
p = 0.000865800864935
Ant 6: [1, 3, 4], 33
Exploration
avg = 0.000476616128084
p = 0.000508187464709
p = 0.000531286894923
Ant 1: [6, 4, 5, 3], 44
Exploration
avg = 0.000381058272617
p = 0.000811688230519
Ant 7: [4, 6, 5], 26
Exploration
avg = 0.000741208791209
p = 0.00108116883117
p = 0.0012987012987
```

Ant 8: [3, 4, 6], 25

```
Exploration
avg = 0.000462087791815
p = 0.000531286894923
p = 0.000721493506494
Ant 9 : [0, 1, 3], 28
Exploration
avg = 0.000680819180819
p = 0.000779220779221
p = 0.0012987012987
Ant 10 : [5, 4, 6], 22
Exploration
avg = 0.000680819180819
p = 0.000779220779221
p = 0.0012987012987
Ant 11 : [5, 4, 6], 22
Exploitation
Ant 2: [6, 5, 4, 3], 43
Exploration
avg = 0.000609431408961
p = 0.00108225097403
Ant 12 : [6, 5, 4], 28
Exploration
avg = 0.000381058288688
p = 0.000811688310877
Ant 13: [4, 6, 5], 26
Exploitation
Ant 3: [1, 0, 5, 4], 50
Exploration
avg = 0.000381058288849
p = 0.00081168831168
Ant 14: [4, 6, 5], 26
Exploitation
Ant 15 : [4, 6, 5], 26
Exploration
avg = 0.000406749577204
p = 0.000811688311688
Ant 4: [3, 4, 6, 5], 41
Exploitation
Ant 16: [4, 6, 5], 26
Exploration
avg = 0.000462089220386
p = 0.000531286894923
p = 0.000721500649351
Ant 17 : [0, 1, 3], 28
Exploration
avg = 0.000437032664305
p = 0.000811688311688
Ant 0 : [1, 3, 4, 6, 5], 59
Exploration
avg = 0.000462089234672
p = 0.000531286894923
p = 0.000721500720779
Ant 18 : [0, 1, 3], 28
Exploration
```

```
avg = 0.000741208791209
p = 0.00108116883117
p = 0.0012987012987
Ant 19: [3, 4, 6], 25
Exploitation
Ant 5 : [4, 6, 5, 3], 48
Exploitation
Ant 6: [1, 3, 4, 6], 43
Exploitation
Ant 1: [6, 4, 5, 3, 1], 62
Exploitation
Ant 7: [4, 6, 5, 3], 48
Exploration
avg = 0.000406749577204
p = 0.000811688311688
Ant 8:[3, 4, 6, 5], 41
Exploitation
Ant 9: [0, 1, 3, 4], 43
Exploration
avg = 0.000273400783141
p = 0.0003159003159
p = 0.000278293135436
Ant 10: [5, 4, 6, 3], 64
Exploitation
Ant 11: [5, 4, 6, 1], 59
Exploration
avg = 0.000582390727552
p = 0.000720779220779
p = 0.000649350649351
Ant 2: [6, 5, 4, 3, 2], 61
Exploration
avg = 0.000547777222777
p = 0.000584415584416
p = 0.000864935064935
Ant 12: [6, 5, 4, 3], 43
Exploitation
Ant 13: [4, 6, 5, 3], 48
Exploration
avg = 0.000871347985348
p = 0.0012987012987
Ant 3: [1, 0, 5, 4, 6], 60
Exploitation
Ant 14: [4, 6, 5, 3], 48
Exploitation
Ant 15 : [4, 6, 5, 3], 48
Exploration
avg = 0.000458392539138
p = 0.000508187464709
Ant 4: [3, 4, 6, 5, 2], 64
Exploitation
Ant 16: [4, 6, 5, 3], 48
Exploitation
Ant 17 : [0, 1, 3, 4], 43
Exploitation
```

```
Ant 0: [1, 3, 4, 6, 5, 2], 82
Exploration
avg = 0.000599040029235
p = 0.000720779220779
p = 0.000865800865801
Ant 18 : [0, 1, 3, 4], 43
Exploration
avg = 0.000415436835891
p = 0.000811688311688
Ant 19: [3, 4, 6, 5], 41
Exploitation
Ant 5 : [4, 6, 5, 3, 1], 66
Exploration
avg = 0.000437032664305
p = 0.000811688311688
Ant 6: [1, 3, 4, 6, 5], 59
Exploitation
Ant 1: [6, 4, 5, 3, 1, 0], 72
Exploration
avg = 0.0006064383466
p = 0.000721493506494
p = 0.000720779220779
Ant 7: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000477212414914
p = 0.000564647092038
Ant 8: [3, 4, 6, 5, 2], 64
Exploration
avg = 0.00094314019314
p = 0.00108116883117
p = 0.0012987012987
Ant 9: [0, 1, 3, 4, 6], 53
Exploration
avg = 0.000606676441838
p = 0.000721493506494
p = 0.000721493506494
Ant 10 : [5, 4, 6, 3, 2], 82
Exploration
avg = 0.000850491976035
p = 0.00129868831169
Ant 11 : [5, 4, 6, 1, 0], 69
Exploitation
Ant 2: [6, 5, 4, 3, 2, 1], 83
Exploration
avg = 0.00060667882279
p = 0.000721493506494
p = 0.000721500649351
Ant 12 : [6, 5, 4, 3, 2], 61
Exploitation
Ant 13: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.00027133580705
p = 0.000308905380334
Ant 3 : [1, 0, 5, 4, 6, 3], 102
```

```
Exploitation
Ant 14: [4, 6, 5, 3, 2], 66
Exploitation
Ant 15: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000489669421488
p = 0.000589728453365
Ant 4: [3, 4, 6, 5, 2, 1], 86
Exploitation
Ant 16: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.00094314019314
p = 0.00108116883117
p = 0.0012987012987
Ant 17: [0, 1, 3, 4, 6], 53
Exploitation
Ant 0 : [1, 3, 4, 6, 5, 2, 0], 112
Update called by <code>OExploration</code>
Ant thread 0 terminating.avg = 0.00094314019314
p = 0.00108116883117
p = 0.0012987012987
Ant 18 : [0, 1, 3, 4, 6], 53
Exploration
avg = 0.000477214278268
p = 0.000564652682101
Ant 19: [3, 4, 6, 5, 2], 64
Exploration
avg = 0.000914994031877
p = 0.00129870116883
Ant 5: [4, 6, 5, 3, 1, 0], 76
Exploration
avg = 0.000491046220578
p = 0.000564652738001
Ant 6: [1, 3, 4, 6, 5, 2], 82
Exploration
avg = 0.00038961038961
Ant 1 : [6, 4, 5, 3, 1, 0, 2], 102
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000511390200708
p = 0.000590312868949
Ant 7: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000511393122786
p = 0.000590318713105
Ant 8: [3, 4, 6, 5, 2, 1], 86
Exploitation
Ant 9: [0, 1, 3, 4, 6, 5], 69
Exploration
avg = 0.000511393152007
p = 0.000590318771547
```

```
Ant 10 : [5, 4, 6, 3, 2, 1], 104
Exploitation
Ant 11 : [5, 4, 6, 1, 0, 2], 99
Exploration
avg = 0.0012987012974
Ant 2: [6, 5, 4, 3, 2, 1, 0], 93
Update called by 2Exploitation
Ant thread 2 terminating. Ant 12: [6, 5, 4, 3, 2, 1], 83
Exploitation
Ant 13: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000721500721501
Ant 3: [1, 0, 5, 4, 6, 3, 2], 120
Update called by 3Exploitation
Ant thread 3 terminating. Ant 14: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000511393152302
p = 0.000590318772137
Ant 15 : [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.00129870129869
Ant 4: [3, 4, 6, 5, 2, 1, 0], 96
Update called by 4Exploration
Ant thread 4 terminating.avg = 0.000511393152302
p = 0.000590318772137
Ant 16: [4, 6, 5, 3, 2, 1], 88
Exploitation
Ant 17 : [0, 1, 3, 4, 6, 5], 69
Exploitation
Ant 18: [0, 1, 3, 4, 6, 5], 69
Exploitation
Ant 19: [3, 4, 6, 5, 2, 1], 86
Exploitation
Ant 5 : [4, 6, 5, 3, 1, 0, 2], 106
Update called by 5Exploration
Ant thread 5 terminating.avg = 0.000432467532468
Ant 6: [1, 3, 4, 6, 5, 2, 0], 112
Update called by 6Exploitation
Ant thread 6 terminating. Ant 7 : [4, 6, 5, 3, 2, 1, 0], 98
Update called by 7Exploitation
Ant thread 7 terminating. Ant 8 : [3, 4, 6, 5, 2, 1, 0], 96
Update called by 8Exploitation
```

Ant thread 8 terminating. Ant 9: [0, 1, 3, 4, 6, 5, 2], 92

Update called by 9Exploration

Ant thread 9 terminating.avg = 0.0012987012987

Ant 10 : [5, 4, 6, 3, 2, 1, 0], 114 Update called by 10Exploration

Ant thread 10 terminating.avg = 0.000649350649351

Ant 11 : [5, 4, 6, 1, 0, 2, 3], 117 Update called by 11Exploitation

Ant thread 11 terminating.Ant 12 : [6, 5, 4, 3, 2, 1, 0], 93

Update called by 12Exploitation

Ant thread 12 terminating.Ant 13 : [4, 6, 5, 3, 2, 1, 0], 98

Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [4, 6, 5, 3, 2, 1, 0], 98

Update called by 14Exploitation

Ant thread 14 terminating. Ant 15: [4, 6, 5, 3, 2, 1, 0], 98

Update called by 15Exploitation

Ant thread 15 terminating. Ant 16: [4, 6, 5, 3, 2, 1, 0], 98

Update called by 16Exploitation

Ant thread 16 terminating. Ant 17: [0, 1, 3, 4, 6, 5, 2], 92

Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [0, 1, 3, 4, 6, 5, 2], 92

ExploitationUpdate called by 18

Ant 19: [3, 4, 6, 5, 2, 1, 0], 96Ant thread 18 terminating.

Update called by 19

Best: [4, 6, 5, 3, 2, 1, 0], 118, 2, 128 Ant thread 19 terminating.iter_counter = 3

starting ant = 0

Exploitationstarting ant = 1

Ant 0 : [1, 0], 10 starting ant = 2

```
Ant 1: [6, 4], 10starting ant = 4
Exploitationstarting ant = 5
Ant 0: [1, 0, 4], 30starting ant = 6
Exploitationstarting ant = 7
Ant 2: [6, 4], 10starting ant = 8
Explorationstarting ant = 9
avg = 0.000562800692345starting ant = 10
p = 0.0012974025974starting ant = 11
p = 0.000649350649344starting ant = 12
Ant 3: [1, 3], 18starting ant = 13
Explorationstarting ant = 14
avg = 0.000589164275724starting ant = 15
p = 0.000779212987013starting ant = 16
p = 0.000973051948052starting ant = 17
Ant 1: [6, 4, 5], 22starting ant = 18
Exploitationstarting ant = 19
Ant 4: [3, 4], 15
Exploitation
Ant 5 : [4, 6], 10
Exploration
avg = 0.00089059251998
p = 0.00108115909091
p = 0.0012974025974
Ant 0: [1, 0, 4, 6], 40
Exploitation
Ant 6: [1, 0], 10
Exploration
avg = 0.000725436138861
p = 0.000779212987013
p = 0.00108115909091
p = 0.00129868831169
Ant 7: [4, 6], 10
Exploration
avg = 0.000610785704296
p = 0.000779212987013
p = 0.00108115909091
```

Exploitationstarting ant = 3

```
Ant 2: [6, 4, 5], 22
Exploration
avg = 0.000538598329788
p = 0.000649344155844
p = 0.000649350649351
p = 0.000864935064935
Ant 8 : [3, 4], 15
Exploration
avg = 0.000533666288859
p = 0.00116883105195
p = 0.000648116883117
Ant 9: [0, 4], 20
Exploitation
Ant 10 : [5, 4], 12
Exploration
avg = 0.000593066976784
p = 0.00108116883117
p = 0.000657467532468
Ant 11 : [5, 6], 16
Exploitation
Ant 12: [6, 4], 10
Exploration
avg = 0.000516620593148
p = 0.000649350649351
p = 0.000865792207792
Ant 3: [1, 3, 4], 33
Exploration
avg = 0.00072561846029
p = 0.000779212987013
p = 0.00108224016234
p = 0.00129870116883
Ant 13: [4, 6], 10
Exploration
avg = 0.000725618481718
p = 0.000779212987013
p = 0.00108224016234
p = 0.0012987012974
Ant 14: [4, 6], 10
Exploitation
Ant 15 : [4, 6], 10
Exploitation
Ant 16: [4, 6], 10
Exploration
avg = 0.000533869860288
p = 0.00116883105195
p = 0.000649338311688
Ant 17 : [0, 4], 20
Exploitation
Ant 1: [6, 4, 5, 3], 44
Exploitation
Ant 18 : [0, 1], 10
Exploitation
Ant 19: [3, 4], 15
Exploitation
```

```
Ant 4: [3, 4, 6], 25
Exploration
avg = 0.000354772592343
p = 0.000730519480519
Ant 5 : [4, 6, 5], 26
Exploration
avg = 0.000433185528757
p = 0.000810876623377
Ant 0: [1, 0, 4, 6, 5], 56
Exploration
avg = 0.000406880064813
p = 0.000649350525974
p = 0.000417022263451
Ant 6: [1, 0, 5], 38
Exploration
avg = 0.0003710047352
p = 0.000811680194805
Ant 7 : [4, 6, 5], 26
Exploitation
Ant 2: [6, 4, 5, 3], 44
Exploitation
Ant 8 : [3, 4, 6], 25
Exploitation
Ant 9: [0, 4, 6], 30
Exploration
avg = 0.000654294145854
p = 0.000779212987013
p = 0.0012987012987
Ant 10 : [5, 4, 6], 22
Exploration
avg = 0.000468408929771
p = 0.00129870116766
Ant 11 : [5, 6, 4], 26
Exploration
avg = 0.000611001918581
p = 0.000779212987013
p = 0.00108224016234
Ant 12: [6, 4, 5], 22
Exploration
avg = 0.000827880425581
p = 0.00108225097305
p = 0.0012987012987
Ant 3: [1, 3, 4, 6], 43
Exploration
avg = 0.000371006342343
p = 0.000811688230519
Ant 13 : [4, 6, 5], 26
Exploitation
Ant 14: [4, 6, 5], 26
Exploitation
Ant 15 : [4, 6, 5], 26
Exploitation
Ant 16: [4, 6, 5], 26
Exploitation
```

```
Ant 17: [0, 4, 6], 30
Exploitation
Ant 1: [6, 4, 5, 3, 2], 62
Exploration
avg = 0.000430166025621
p = 0.000478158205431
p = 0.000720779220779
Ant 18 : [0, 1, 3], 28
Exploration
avg = 0.000714901743062
p = 0.00108225097305
p = 0.0012987012987
Ant 19 : [3, 4, 6], 25
Exploration
avg = 0.000394185360094
p = 0.000811688311688
Ant 4: [3, 4, 6, 5], 41
Exploitation
Ant 5 : [4, 6, 5, 3], 48
Exploration
avg = 0.000549253088907
p = 0.000590318713105
Ant 0: [1, 0, 4, 6, 5, 3], 78
Exploitation
Ant 6: [1, 0, 5, 4], 50
Exploration
avg = 0.000469699343422
p = 0.000508187464709
p = 0.000590318771547
Ant 7: [4, 6, 5, 3], 48
Exploration
avg = 0.000569820485966
p = 0.000649344155844
p = 0.000720779220779
Ant 2 : [6, 4, 5, 3, 2], 62
Exploration
avg = 0.000394185360094
p = 0.000811688311688
Ant 8:[3, 4, 6, 5], 41
Exploitation
Ant 9: [0, 4, 6, 5], 46
Exploitation
Ant 10 : [5, 4, 6, 1], 59
Exploration
avg = 0.000493192357642
p = 0.000525974025974
p = 0.000779212987013
Ant 11 : [5, 6, 4, 3], 41
Exploitation
Ant 12: [6, 4, 5, 3], 44
Exploitation
Ant 3: [1, 3, 4, 6, 5], 59
Exploration
avg = 0.00046969934357
```

```
p = 0.000508187464709
p = 0.000590318772137
Ant 13: [4, 6, 5, 3], 48
Exploration
avg = 0.00046969934357
p = 0.000508187464709
p = 0.000590318772137
Ant 14: [4, 6, 5, 3], 48
Exploitation
Ant 15 : [4, 6, 5, 3], 48
Exploitation
Ant 16: [4, 6, 5, 3], 48
Exploration
avg = 0.000412753616557
p = 0.000811688311688
Ant 17: [0, 4, 6, 5], 46
Exploration
avg = 0.000460446694215
p = 0.000531286894923
Ant 1 : [6, 4, 5, 3, 2, 1], 84
Exploration
avg = 0.000578979099688
p = 0.000721493506494
p = 0.000865800864935
Ant 18 : [0, 1, 3, 4], 43
Exploitation
Ant 19: [3, 4, 6, 5], 41
Exploitation
Ant 4: [3, 4, 6, 5, 2], 64
Exploitation
Ant 5: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000721500649351
Ant 0 : [1, 0, 4, 6, 5, 3, 2], 96
Update called by <code>OExploration</code>
Ant thread 0 terminating.avg = 0.000856077230103
p = 0.000864934987013
p = 0.0012987012987
Ant 6: [1, 0, 5, 4, 6], 60
Exploration
avg = 0.000570060985966
p = 0.000649344155844
p = 0.000721500720779
Ant 7: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000489667473436
p = 0.000589728453365
Ant 2: [6, 4, 5, 3, 2, 1], 84
Exploration
avg = 0.000448126407754
p = 0.000564088085827
Ant 8: [3, 4, 6, 5, 2], 64
```

```
Exploration
avg = 0.000519853756257
p = 0.000564647092038
p = 0.000590318772137
Ant 9: [0, 4, 6, 5, 3], 68
Exploitation
Ant 10 : [5, 4, 6, 1, 0], 69
Exploration
avg = 0.000570060986204
p = 0.000649344155844
p = 0.000721500721494
Ant 11 : [5, 6, 4, 3, 2], 59
Exploitation
Ant 12: [6, 4, 5, 3, 2], 62
Exploitation
Ant 3: [1, 3, 4, 6, 5, 2], 82
Exploitation
Ant 13: [4, 6, 5, 3, 2], 66
Exploitation
Ant 14: [4, 6, 5, 3, 2], 66
Exploitation
Ant 15 : [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000570060986206
p = 0.000649344155844
p = 0.000721500721501
Ant 16: [4, 6, 5, 3, 2], 66
Exploitation
Ant 17: [0, 4, 6, 5, 3], 68
Exploitation
Ant 1: [6, 4, 5, 3, 2, 1, 0], 94
Update called by 1Exploitation
Ant thread 1 terminating. Ant 18: [0, 1, 3, 4, 6], 53
Exploitation
Ant 19: [3, 4, 6, 5, 2], 64
Exploitation
Ant 4: [3, 4, 6, 5, 2, 1], 86
Exploration
avg = 0.000489962603306
p = 0.000590318713105
Ant 5 : [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000244339981447
p = 0.000278290352505
Ant 6 : [1, 0, 5, 4, 6, 3], 102
Exploration
avg = 0.000489962632527
p = 0.000590318771547
Ant 7: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.0012987012974
Ant 2: [6, 4, 5, 3, 2, 1, 0], 94
```

Update called by 2Exploitation

```
Ant thread 2 terminating. Ant 8: [3, 4, 6, 5, 2, 1], 86
Exploration
avg = 0.000685422438672
p = 0.000721500721501
Ant 9: [0, 4, 6, 5, 3, 2], 86
Exploration
avg = 0.000364474215961
p = 0.000389610350649
Ant 10: [5, 4, 6, 1, 0, 2], 99
Exploitation
Ant 11: [5, 6, 4, 3, 2, 1], 81
Exploration
avg = 0.000489962632822
p = 0.000590318772137
Ant 12: [6, 4, 5, 3, 2, 1], 84
Exploitation
Ant 3: [1, 3, 4, 6, 5, 2, 0], 112
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.000511393132822
p = 0.000590318772137
Ant 13: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000511393132822
p = 0.000590318772137
Ant 14: [4, 6, 5, 3, 2, 1], 88
Exploitation
Ant 15 : [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000511393132822
p = 0.000590318772137
Ant 16: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000685422438672
p = 0.000721500721501
Ant 17 : [0, 4, 6, 5, 3, 2], 86
Exploitation
Ant 18 : [0, 1, 3, 4, 6, 5], 69
Exploitation
Ant 19: [3, 4, 6, 5, 2, 1], 86
Exploitation
Ant 4: [3, 4, 6, 5, 2, 1, 0], 96
Update called by 4Exploitation
Ant thread 4 terminating. Ant 5 : [4, 6, 5, 3, 2, 1, 0], 98
Update called by 5Exploration
```

Ant thread 5 terminating.avg = 0.000721500721501

Ant 6 : [1, 0, 5, 4, 6, 3, 2], 120 Update called by 6Exploitation

Ant thread 6 terminating. Ant 7: [4, 6, 5, 3, 2, 1, 0], 98

Update called by 7Exploitation

Ant thread 7 terminating. Ant 8 : [3, 4, 6, 5, 2, 1, 0], 96

Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [0, 4, 6, 5, 3, 2, 1], 108

Update called by 9Exploration

Ant thread 9 terminating.avg = 0.000648701298701

Ant 10 : [5, 4, 6, 1, 0, 2, 3], 117 Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [5, 6, 4, 3, 2, 1, 0], 91

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [6, 4, 5, 3, 2, 1, 0], 94

Update called by 12Exploitation

Ant thread 12 terminating. Ant 13: [4, 6, 5, 3, 2, 1, 0], 98

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.0012987012987

Ant 14: [4, 6, 5, 3, 2, 1, 0], 98 Update called by 14Exploitation

Ant thread 14 terminating. Ant 15: [4, 6, 5, 3, 2, 1, 0], 98

Update called by 15Exploitation

Ant thread 15 terminating. Ant 16: [4, 6, 5, 3, 2, 1, 0], 98

Update called by 16Exploration

Ant thread 16 terminating.avg = 0.000590318772137

Ant 17 : [0, 4, 6, 5, 3, 2, 1], 108 ExplorationUpdate called by 17

avg = 0.000564652738001Ant thread 17 terminating.

Ant 18: [0, 1, 3, 4, 6, 5, 2], 92 Update called by 18Exploration

```
Ant 19: [3, 4, 6, 5, 2, 1, 0], 96
Update called by 19
Best: [4, 6, 5, 3, 2, 1, 0], 118, 3, 125
Ant thread 19 terminating.iter_counter = 4
starting ant = 0
Explorationstarting ant = 1
avg = 0.000517536856878starting ant = 2
p = 0.00116883116883starting ant = 3
p = 0.000649344155844starting ant = 4
Ant 0 : [1, 3], 18 starting ant = 5
Explorationstarting ant = 6
avg = 0.00048291147995starting ant = 7
p = 0.00116883116765starting ant = 8
p = 0.000730519480519starting ant = 9
Ant 1: [6, 5], 16starting ant = 10
Explorationstarting ant = 11
avg = 0.000496304337093starting ant = 12
p = 0.00116883116765starting ant = 13
p = 0.000810876623377starting ant = 14
Ant 2: [6, 5], 16starting ant = 15
Exploitationstarting ant = 16
Ant 3: [1, 0], 10starting ant = 17
Exploitationstarting ant = 18
Ant 4 : [3, 4], 15starting ant = 19
Exploitation
Ant 0 : [1, 3, 4], 33
Exploitation
Ant 5 : [4, 6], 10
Exploration
avg = 0.00055087126164
p = 0.0012974025974
```

Ant thread 18 terminating.avg = 0.0012987012987

```
p = 0.000720779155844
Ant 6 : [1, 3], 18
Exploration
avg = 0.000687345126777
p = 0.000778441488312
p = 0.000974025875747
p = 0.0012974025974
Ant 7 : [4, 6], 10
Exploitation
Ant 8 : [3, 4], 15
Exploitation
Ant 9 : [0, 1], 10
Exploitation
Ant 1 : [6, 5, 4], 28
Exploration
avg = 0.000592006101765
p = 0.00108116873377
p = 0.000729131493506
Ant 10 : [5, 6], 16
Exploitation
Ant 11 : [5, 4], 12
Exploitation
Ant 12: [6, 4], 10
Exploitation
Ant 13 : [4, 6], 10
Exploration
avg = 0.000687561555348
p = 0.000778441488312
p = 0.000974025875747
p = 0.00129870116883
Ant 14 : [4, 6], 10
Exploitation
Ant 2: [6, 5, 4], 28
Exploitation
Ant 15 : [4, 6], 10
Exploration
avg = 0.000687561576991
p = 0.000778441488312
p = 0.000974025875747
p = 0.00129870129869
Ant 16 : [4, 6], 10
Exploitation
Ant 3: [1, 0, 4], 30
Exploitation
Ant 17 : [0, 1], 10
Exploitation
Ant 18 : [0, 1], 10
Exploration
avg = 0.00066938559473
p = 0.000974025875747
p = 0.0012987012987
Ant 4: [3, 4, 6], 25
Exploitation
Ant 19 : [3, 4], 15
```

```
Exploitation
Ant 0 : [1, 3, 4, 6], 43
Exploration
avg = 0.000361959685267
p = 0.000811680194805
Ant 5 : [4, 6, 5], 26
Exploitation
Ant 6 : [1, 3, 4], 33
Exploitation
Ant 7: [4, 6, 5], 26
Exploitation
Ant 8: [3, 4, 6], 25
Exploitation
Ant 9 : [0, 1, 3], 28
Exploitation
Ant 1: [6, 5, 4, 3], 43
Exploitation
Ant 10: [5, 6, 4], 26
Exploration
avg = 0.000647565873986
p = 0.000864927272026
p = 0.0012987012987
Ant 11 : [5, 4, 6], 22
Exploration
avg = 0.000582630789395
p = 0.000864927272026
p = 0.000974025875747
Ant 12 : [6, 4, 5], 22
Exploitation
Ant 13: [4, 6, 5], 26
Exploration
avg = 0.000361961308642
p = 0.00081168831168
Ant 14: [4, 6, 5], 26
Exploitation
Ant 2 : [6, 5, 4, 3], 43
Exploitation
Ant 15 : [4, 6, 5], 26
Exploitation
Ant 16: [4, 6, 5], 26
Exploitation
Ant 3: [1, 0, 4, 6], 40
Exploration
avg = 0.000401709293187
p = 0.000430342384888
p = 0.000721500649344
Ant 17 : [0, 1, 3], 28
Exploitation
Ant 18 : [0, 1, 3], 28
Exploration
avg = 0.000382947931491
p = 0.000811688311688
Ant 4: [3, 4, 6, 5], 41
Exploration
```

```
avg = 0.000690814185618
p = 0.00108116883019
p = 0.0012987012987
Ant 19: [3, 4, 6], 25
Exploration
avg = 0.000405403384494
p = 0.000811688311688
Ant 0: [1, 3, 4, 6, 5], 59
Exploitation
Ant 5: [4, 6, 5, 3], 48
Exploitation
Ant 6: [1, 3, 4, 6], 43
Exploration
avg = 0.00045004448544
p = 0.000508187464704
p = 0.000589728453365
Ant 7: [4, 6, 5, 3], 48
Exploration
avg = 0.000382947931491
p = 0.000811688311688
Ant 8: [3, 4, 6, 5], 41
Exploration
avg = 0.000542727834933
p = 0.000649350649351
p = 0.000865800865792
Ant 9 : [0, 1, 3, 4], 43
Exploration
avg = 0.000513054887586
p = 0.00058440974026
p = 0.000649350649351
Ant 1: [6, 5, 4, 3, 2], 61
Exploitation
Ant 10 : [5, 6, 4, 3], 41
Exploration
avg = 0.000249529557883
p = 0.000315581572482
p = 0.000278014817254
Ant 11 : [5, 4, 6, 3], 64
Exploration
avg = 0.000450190589336
p = 0.000508187464704
p = 0.000590312868949
Ant 12: [6, 4, 5, 3], 44
Exploitation
Ant 13: [4, 6, 5, 3], 48
Exploitation
Ant 14: [4, 6, 5, 3], 48
Exploitation
Ant 2: [6, 5, 4, 3, 2], 61
Exploration
avg = 0.000450192065131
p = 0.000508187464704
p = 0.000590318772131
Ant 15 : [4, 6, 5, 3], 48
```

```
Exploitation
Ant 16: [4, 6, 5, 3], 48
Exploration
avg = 0.000436647186064
p = 0.000811688311688
Ant 3: [1, 0, 4, 6, 5], 56
Exploration
avg = 0.000560763549221
p = 0.000721493506494
p = 0.000865800865801
Ant 17: [0, 1, 3, 4], 43
Exploration
avg = 0.000560763549221
p = 0.000721493506494
p = 0.000865800865801
Ant 18 : [0, 1, 3, 4], 43
Exploitation
Ant 4: [3, 4, 6, 5, 2], 64
Exploitation
Ant 19: [3, 4, 6, 5], 41
Exploration
avg = 0.000451107122691
p = 0.000564088085827
Ant 0: [1, 3, 4, 6, 5, 2], 82
Exploitation
Ant 5: [4, 6, 5, 3, 2], 66
Exploitation
Ant 6: [1, 3, 4, 6, 5], 59
Exploration
avg = 0.000537104887586
p = 0.00058440974026
p = 0.000721500649351
Ant 7: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000422303038576
p = 0.000564647092038
Ant 8: [3, 4, 6, 5, 2], 64
Exploration
avg = 0.000914668664341
p = 0.00108116883019
p = 0.0012987012987
Ant 9: [0, 1, 3, 4, 6], 53
Exploration
avg = 0.00046025381954
p = 0.000531286894923
Ant 1: [6, 5, 4, 3, 2, 1], 83
Exploration
avg = 0.000537104911395
p = 0.00058440974026
p = 0.000721500720779
Ant 10 : [5, 6, 4, 3, 2], 59
Exploitation
Ant 11 : [5, 4, 6, 3, 2], 82
Exploitation
```

```
Ant 12 : [6, 4, 5, 3, 2], 62
Exploration
avg = 0.000537104911636
p = 0.00058440974026
p = 0.000721500721501
Ant 13 : [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000537104911636
p = 0.00058440974026
p = 0.000721500721501
Ant 14: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.00048947459876
p = 0.000589728453365
Ant 2: [6, 5, 4, 3, 2, 1], 83
Exploitation
Ant 15 : [4, 6, 5, 3, 2], 66
Exploitation
Ant 16: [4, 6, 5, 3, 2], 66
Exploitation
Ant 3: [1, 0, 4, 6, 5, 3], 78
Exploitation
Ant 17 : [0, 1, 3, 4, 6], 53
Exploration
avg = 0.000914668664341
p = 0.00108116883019
p = 0.0012987012987
Ant 18 : [0, 1, 3, 4, 6], 53
Exploration
avg = 0.000489766806553
p = 0.000590312868949
Ant 4: [3, 4, 6, 5, 2, 1], 86
Exploitation
Ant 19 : [3, 4, 6, 5, 2], 64
Exploitation
Ant 0 : [1, 3, 4, 6, 5, 2, 0], 112
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 5: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000451389448778
p = 0.000564652738001
Ant 6: [1, 3, 4, 6, 5, 2], 82
Exploration
avg = 0.00051139120378
p = 0.000590318771547
Ant 7 : [4, 6, 5, 3, 2, 1], 88
Exploitation
Ant 8: [3, 4, 6, 5, 2, 1], 86
Exploitation
Ant 9 : [0, 1, 3, 4, 6, 5], 69
Exploration
avg = 0.0012974025974
```

```
Ant 1 : [6, 5, 4, 3, 2, 1, 0], 93
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000511391204075
p = 0.000590318772137
Ant 10 : [5, 6, 4, 3, 2, 1], 81
Exploitation
Ant 11: [5, 4, 6, 3, 2, 1], 104
Exploration
avg = 0.000511391204075
p = 0.000590318772137
Ant 12 : [6, 4, 5, 3, 2, 1], 84
Exploitation
Ant 13: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000511391204075
p = 0.000590318772137
Ant 14: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.00129868831169
Ant 2: [6, 5, 4, 3, 2, 1, 0], 93
Update called by 2Exploitation
Ant thread 2 terminating. Ant 15: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000511391204075
p = 0.000590318772137
Ant 16: [4, 6, 5, 3, 2, 1], 88
Exploitation
Ant 3: [1, 0, 4, 6, 5, 3, 2], 96
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.000500519480519
p = 0.000811688311688
Ant 17: [0, 1, 3, 4, 6, 5], 69
Exploitation
Ant 18: [0, 1, 3, 4, 6, 5], 69
Exploitation
Ant 4: [3, 4, 6, 5, 2, 1, 0], 96
Update called by 4Exploitation
Ant thread 4 terminating. Ant 19: [3, 4, 6, 5, 2, 1], 86
Exploitation
Ant 5 : [4, 6, 5, 3, 2, 1, 0], 98
Update called by 5Exploitation
Ant thread 5 terminating. Ant 6: [1, 3, 4, 6, 5, 2, 0], 112
ExplorationUpdate called by 6
```

avg = 0.00129870129869Ant thread 6 terminating.

Ant 7: [4, 6, 5, 3, 2, 1, 0], 98 Update called by 7Exploitation

Ant thread 7 terminating. Ant 8: [3, 4, 6, 5, 2, 1, 0], 96

Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [0, 1, 3, 4, 6, 5, 2], 92

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [5, 6, 4, 3, 2, 1, 0], 91

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [5, 4, 6, 3, 2, 1, 0], 114

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [6, 4, 5, 3, 2, 1, 0], 94

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.0012987012987

Ant 13 : [4, 6, 5, 3, 2, 1, 0], 98 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.0012987012987

Ant 14: [4, 6, 5, 3, 2, 1, 0], 98 Update called by 14Exploitation

Ant thread 14 terminating. Ant 15: [4, 6, 5, 3, 2, 1, 0], 98

Update called by 15Exploration

Ant thread 15 terminating.avg = 0.0012987012987

Ant 16: [4, 6, 5, 3, 2, 1, 0], 98 Update called by 16Exploration

Ant thread 16 terminating.avg = 0.000564652738566

Ant 17 : [0, 1, 3, 4, 6, 5, 2], 92 Update called by 17Exploration

Ant thread 17 terminating.avg = 0.000564652738566

Ant 18 : [0, 1, 3, 4, 6, 5, 2], 92 Update called by 18Exploitation

```
Ant thread 18 terminating. Ant 19: [3, 4, 6, 5, 2, 1, 0], 96
Update called by 19
Best: [4, 6, 5, 3, 2, 1, 0], 118, 4, 124
Ant thread 19 terminating.iter_counter = 5
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [1, 0], 10 starting ant = 2
Exploitationstarting ant = 3
Ant 1 : [6, 4], 10starting ant = 4
Exploitationstarting ant = 5
Ant 0 : [1, 0, 4], 30starting ant = 6
Exploitationstarting ant = 7
Ant 2 : [6, 4], 10starting ant = 8
Explorationstarting ant = 9
avg = 0.000517515746946starting ant = 10
p = 0.0012974025974starting ant = 11
p = 0.000649350649344starting ant = 12
Ant 3: [1, 3], 18starting ant = 13
Explorationstarting ant = 14
avg = 0.000543810673409starting ant = 15
p = 0.000779220700597starting ant = 16
p = 0.000973051947167starting ant = 17
Ant 1 : [6, 4, 5], 22starting ant = 18
Exploitationstarting ant = 19
Ant 4: [3, 4], 15
Exploration
avg = 0.000665998613268
p = 0.000779220700597
p = 0.0010811590909
p = 0.00116883116883
Ant 5 : [4, 6], 10
Exploitation
Ant 0 : [1, 0, 4, 6], 40
```

```
Exploitation
Ant 6 : [1, 0], 10
Exploration
avg = 0.000687641470411
p = 0.000779220700597
p = 0.0010811590909
p = 0.00129868831169
Ant 7 : [4, 6], 10
Exploitation
Ant 2 : [6, 4, 5], 22
Exploration
avg = 0.00048421702808
p = 0.000525968766234
p = 0.000649350649351
p = 0.000864935064935
Ant 8: [3, 4], 15
Exploration
avg = 0.000501943296882
p = 0.0011688310509
p = 0.000648695454535
Ant 9: [0, 4], 20
Exploitation
Ant 10: [5, 4], 12
Exploitation
Ant 11 : [5, 4], 12
Exploration
avg = 0.000492552200221
p = 0.00129868831052
p = 0.000730519480519
Ant 12 : [6, 5], 16
Exploitation
Ant 3: [1, 3, 4], 33
Exploitation
Ant 13: [4, 6], 10
Exploration
avg = 0.00068782381327
p = 0.000779220700597
p = 0.00108224016234
p = 0.0012987012974
Ant 14: [4, 6], 10
Exploitation
Ant 15 : [4, 6], 10
Exploitation
Ant 16: [4, 6], 10
Exploration
avg = 0.000502051404026
p = 0.0011688310509
p = 0.000649344097402
Ant 17 : [0, 4], 20
Exploitation
Ant 1: [6, 4, 5, 3], 44
Exploration
avg = 0.000502052485098
p = 0.0011688310509
```

```
p = 0.000649350583831
Ant 18 : [0, 4], 20
Exploitation
Ant 19: [3, 4], 15
Exploration
avg = 0.000669544436064
p = 0.00108224016234
p = 0.0012987012987
Ant 4: [3, 4, 6], 25
Exploitation
Ant 5: [4, 6, 5], 26
Exploitation
Ant 0 : [1, 0, 4, 6, 5], 56
Exploration
avg = 0.000368696784911
p = 0.000649350648695
p = 0.000375316655844
Ant 6: [1, 0, 5], 38
Exploitation
Ant 7: [4, 6, 5], 26
Exploration
avg = 0.000432487934849
p = 0.000508187464709
p = 0.000589728453365
Ant 2 : [6, 4, 5, 3], 44
Exploration
avg = 0.000669544436064
p = 0.00108224016234
p = 0.0012987012987
Ant 8: [3, 4, 6], 25
Exploration
avg = 0.000740180783976
p = 0.000779220700597
p = 0.00108224016234
p = 0.0012987012987
Ant 9 : [0, 4, 6], 30
Exploitation
Ant 10: [5, 4, 6], 22
Exploitation
Ant 11 : [5, 4, 6], 22
Exploration
avg = 0.000562555282942
p = 0.000590312868949
p = 0.00108224025973
Ant 12: [6, 5, 4], 28
Exploitation
Ant 3: [1, 3, 4, 6], 43
Exploitation
Ant 13: [4, 6, 5], 26
Exploration
avg = 0.000347558744393
p = 0.00081168831168
Ant 14: [4, 6, 5], 26
Exploitation
```

```
Ant 15 : [4, 6, 5], 26
Exploration
avg = 0.000347558744395
p = 0.000811688311688
Ant 16: [4, 6, 5], 26
Exploration
avg = 0.000740180783976
p = 0.000779220700597
p = 0.00108224016234
p = 0.0012987012987
Ant 17: [0, 4, 6], 30
Exploitation
Ant 1: [6, 4, 5, 3, 2], 62
Exploration
avg = 0.000740180783976
p = 0.000779220700597
p = 0.00108224016234
p = 0.0012987012987
Ant 18 : [0, 4, 6], 30
Exploration
avg = 0.000669544436064
p = 0.00108224016234
p = 0.0012987012987
Ant 19 : [3, 4, 6], 25
Exploration
avg = 0.000364945346134
p = 0.000811688311688
Ant 4: [3, 4, 6, 5], 41
Exploration
avg = 0.000432634038745
p = 0.000508187464709
p = 0.000590312868949
Ant 5 : [4, 6, 5, 3], 48
Exploration
avg = 0.000549253088907
p = 0.000590318713105
Ant 0: [1, 0, 4, 6, 5, 3], 78
Exploration
avg = 0.000727633419859
p = 0.00108225097403
p = 0.000729776469156
Ant 6: [1, 0, 5, 6], 54
Exploration
avg = 0.000432635514394
p = 0.000508187464709
p = 0.000590318771547
Ant 7: [4, 6, 5, 3], 48
Exploitation
Ant 2: [6, 4, 5, 3, 2], 62
Exploitation
Ant 8: [3, 4, 6, 5], 41
Exploitation
Ant 9: [0, 4, 6, 5], 46
Exploitation
```

```
Ant 10: [5, 4, 6, 1], 59
Exploitation
Ant 11 : [5, 4, 6, 1], 59
Exploration
avg = 0.00043650035497
p = 0.000779220700597
Ant 12 : [6, 5, 4, 3], 43
Exploration
avg = 0.000391919323101
p = 0.000811688311688
Ant 3: [1, 3, 4, 6, 5], 59
Exploration
avg = 0.00043263551454
p = 0.000508187464709
p = 0.000590318772131
Ant 13: [4, 6, 5, 3], 48
Exploration
avg = 0.000432635514542
p = 0.000508187464709
p = 0.000590318772137
Ant 14: [4, 6, 5, 3], 48
Exploitation
Ant 15 : [4, 6, 5, 3], 48
Exploration
avg = 0.000432635514542
p = 0.000508187464709
p = 0.000590318772137
Ant 16: [4, 6, 5, 3], 48
Exploration
avg = 0.000402777471712
p = 0.000811688311688
Ant 17: [0, 4, 6, 5], 46
Exploration
avg = 0.000460446676681
p = 0.000531286894923
Ant 1: [6, 4, 5, 3, 2, 1], 84
Exploitation
Ant 18: [0, 4, 6, 5], 46
Exploitation
Ant 19: [3, 4, 6, 5], 41
Exploitation
Ant 4: [3, 4, 6, 5, 2], 64
Exploration
avg = 0.00050744203952
p = 0.000525968766234
p = 0.000721493506494
Ant 5 : [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000721500649351
Ant 0: [1, 0, 4, 6, 5, 3, 2], 96
Update called by <code>OExploitation</code>
```

Ant thread 0 terminating. Ant 6 : [1, 0, 5, 6, 4], 64

```
Exploitation
Ant 7: [4, 6, 5, 3, 2], 66
Exploitation
Ant 2: [6, 4, 5, 3, 2, 1], 84
Exploration
avg = 0.00039870796905
p = 0.000564088085827
Ant 8: [3, 4, 6, 5, 2], 64
Exploration
avg = 0.000494229380633
p = 0.000564647092038
p = 0.000590318772137
Ant 9: [0, 4, 6, 5, 3], 68
Exploitation
Ant 10: [5, 4, 6, 1, 0], 69
Exploitation
Ant 11 : [5, 4, 6, 1, 0], 69
Exploration
avg = 0.000507444444452
p = 0.000525968766234
p = 0.000721500721494
Ant 12: [6, 5, 4, 3, 2], 61
Exploitation
Ant 3: [1, 3, 4, 6, 5, 2], 82
Exploration
avg = 0.000507444444522
p = 0.000525968766234
p = 0.000721500721501
Ant 13 : [4, 6, 5, 3, 2], 66
Exploitation
Ant 14: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000507444444522
p = 0.000525968766234
p = 0.000721500721501
Ant 15 : [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000507444444522
p = 0.000525968766234
p = 0.000721500721501
Ant 16: [4, 6, 5, 3, 2], 66
Exploitation
Ant 17 : [0, 4, 6, 5, 3], 68
Exploration
avg = 0.0012987012974
Ant 1: [6, 4, 5, 3, 2, 1, 0], 94
Update called by 1Exploitation
Ant thread 1 terminating. Ant 18: [0, 4, 6, 5, 3], 68
Exploration
avg = 0.000398896167807
p = 0.000564652682101
Ant 19: [3, 4, 6, 5, 2], 64
```

```
Exploration
avg = 0.000489959663694
p = 0.000590312868949
Ant 4: [3, 4, 6, 5, 2, 1], 86
Exploration
avg = 0.000489962585772
p = 0.000590318713105
Ant 5 : [4, 6, 5, 3, 2, 1], 88
Exploitation
Ant 6: [1, 0, 5, 6, 4, 3], 79
Exploitation
Ant 7: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.00129870129869
Ant 2: [6, 4, 5, 3, 2, 1, 0], 94
Update called by 2Exploitation
Ant thread 2 terminating. Ant 8 : [3, 4, 6, 5, 2, 1], 86
Exploitation
Ant 9: [0, 4, 6, 5, 3, 2], 86
Exploitation
Ant 10: [5, 4, 6, 1, 0, 2], 99
Exploration
avg = 0.000353469130706
p = 0.000432074415581
Ant 11 : [5, 4, 6, 1, 0, 2], 99
Exploration
avg = 0.000489962615288
p = 0.000590318772137
Ant 12 : [6, 5, 4, 3, 2, 1], 83
Exploitation
Ant 3: [1, 3, 4, 6, 5, 2, 0], 112
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.000511393132646
p = 0.000590318772137
Ant 13: [4, 6, 5, 3, 2, 1], 88
Exploitation
Ant 14: [4, 6, 5, 3, 2, 1], 88
Exploitation
Ant 15: [4, 6, 5, 3, 2, 1], 88
Exploitation
Ant 16: [4, 6, 5, 3, 2, 1], 88
Exploitation
Ant 17 : [0, 4, 6, 5, 3, 2], 86
Exploration
avg = 0.000623734743867
p = 0.000721500721501
Ant 18: [0, 4, 6, 5, 3, 2], 86
Exploitation
Ant 19: [3, 4, 6, 5, 2, 1], 86
Exploitation
```

Ant 4: [3, 4, 6, 5, 2, 1, 0], 96 Update called by 4Exploration

Ant thread 4 terminating.avg = 0.0012987012987

Ant 5 : [4, 6, 5, 3, 2, 1, 0], 98 Update called by 5Exploration

Ant thread 5 terminating.avg = 0.000721500721501

Ant 6: [1, 0, 5, 6, 4, 3, 2], 97 Update called by 6Exploitation

Ant thread 6 terminating. Ant 7 : [4, 6, 5, 3, 2, 1, 0], 98

Update called by 7Exploitation

Ant thread 7 terminating. Ant 8: [3, 4, 6, 5, 2, 1, 0], 96

Update called by 8Exploration

Ant thread 8 terminating.avg = 0.000590318772137

Ant 9: [0, 4, 6, 5, 3, 2, 1], 108 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [5, 4, 6, 1, 0, 2, 3], 117

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [5, 4, 6, 1, 0, 2, 3], 117

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.0012987012987

Ant 12: [6, 5, 4, 3, 2, 1, 0], 93 Update called by 12Exploration

Ant thread 12 terminating.avg = 0.0012987012987

Ant 13 : [4, 6, 5, 3, 2, 1, 0], 98 Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [4, 6, 5, 3, 2, 1, 0], 98

Update called by 14Exploitation

Ant thread 14 terminating. Ant 15: [4, 6, 5, 3, 2, 1, 0], 98

Update called by 15Exploration

Ant thread 15 terminating.avg = 0.0012987012987

```
Ant 16: [4, 6, 5, 3, 2, 1, 0], 98
Update called by 16Exploration
Ant thread 16 terminating.avg = 0.000590318772137
Ant 17: [0, 4, 6, 5, 3, 2, 1], 108
Update called by 17Exploration
Ant thread 17 terminating.avg = 0.000590318772137
Ant 18 : [0, 4, 6, 5, 3, 2, 1], 108
Update called by 18Exploration
Ant thread 18 terminating.avg = 0.0012987012987
Ant 19: [3, 4, 6, 5, 2, 1, 0], 96
Update called by 19
Best: [4, 6, 5, 3, 2, 1, 0], 118, 5, 124
Ant thread 19 terminating.
 iter_counter = 6
starting ant = 0
Explorationstarting ant = 1
avg = 0.000476673263162starting ant = 2
p = 0.00116883116883starting ant = 3
p = 0.000648701298701starting ant = 4
Ant 0 : [1, 3], 18 starting ant = 5
Explorationstarting ant = 6
avg = 0.00046551976933starting ant = 7
p = 0.00116883105194starting ant = 8
p = 0.000730519480519starting ant = 9
Ant 1: [6, 5], 16starting ant = 10
Explorationstarting ant = 11
avg = 0.000478912626473starting ant = 12
p = 0.00116883105194starting ant = 13
p = 0.000810876623377starting ant = 14
Ant 2: [6, 5], 16starting ant = 15
```

Exploitationstarting ant = 16

Ant 3: [1, 0], 10starting ant = 17

```
avg = 0.000446747706095starting ant = 19
p = 0.00047337188961
p = 0.000649350649351
p = 0.000779220778442
Ant 4: [3, 4], 15
Exploration
avg = 0.000458565726689
p = 0.000649350649351
p = 0.000864935064927
Ant 0: [1, 3, 4], 33
Exploitation
Ant 5 : [4, 6], 10
Exploitation
Ant 6: [1, 0], 10
Exploration
avg = 0.000653455729644
p = 0.000779212987006
p = 0.000974016146104
p = 0.0012974025974
Ant 7: [4, 6], 10
Exploration
avg = 0.000461176277653
p = 0.00047337188961
p = 0.000649350649351
p = 0.000865792207792
Ant 8: [3, 4], 15
Exploration
avg = 0.000477379294707
p = 0.00105194794581
p = 0.000584415583826
Ant 9: [0, 4], 20
Exploration
avg = 0.000516466494987
p = 0.000531286894923
p = 0.000974025876623
Ant 1: [6, 5, 4], 28
Exploitation
Ant 10 : [5, 4], 12
Exploration
avg = 0.00057005485533
p = 0.00108224025973
p = 0.000729782273937
Ant 11 : [5, 6], 16
Exploitation
Ant 12: [6, 4], 10
Exploration
avg = 0.000653670015358
```

p = 0.000779212987006 p = 0.000974016146104 p = 0.00129868831169

```
Ant 13: [4, 6], 10
Exploitation
Ant 14: [4, 6], 10
Exploitation
Ant 2: [6, 5, 4], 28
Exploitation
Ant 15 : [4, 6], 10
Exploration
avg = 0.000653672179858
p = 0.000779212987006
p = 0.000974016146104
p = 0.00129870129869
Ant 16 : [4, 6], 10
Exploitation
Ant 3 : [1, 0, 4], 30
Exploration
avg = 0.000488200723376
p = 0.00105194794581
p = 0.000649344155844
Ant 17: [0, 4], 20
Exploration
avg = 0.000488201794805
p = 0.00105194794581
p = 0.000649350584416
Ant 18: [0, 4], 20
Exploration
avg = 0.000461177706225
p = 0.00047337188961
p = 0.000649350649351
p = 0.000865800779221
Ant 19 : [3, 4], 15
Exploration
avg = 0.000628564018432
p = 0.000974016146104
p = 0.0012987012987
Ant 4 : [3, 4, 6], 25
Exploration
avg = 0.000737775639923
p = 0.000974016146104
p = 0.0012987012987
Ant 0 : [1, 3, 4, 6], 43
Exploration
avg = 0.000341089655666
p = 0.000811680194805
Ant 5 : [4, 6, 5], 26
Exploration
avg = 0.000375452577462
p = 0.000389602955455
p = 0.000649350648701
p = 0.000416643156025
Ant 6: [1, 0, 5], 38
Exploitation
Ant 7: [4, 6, 5], 26
```

Exploration

```
avg = 0.000628564018432
```

- p = 0.000974016146104
- p = 0.0012987012987
- Ant 8: [3, 4, 6], 25
- Exploration
- avg = 0.000707719602846
- p = 0.000779212987006
- p = 0.000974016146104
- p = 0.0012987012987
- Ant 9: [0, 4, 6], 30
- Exploitation
- Ant 1: [6, 5, 4, 3], 43
- Exploitation
- Ant 10: [5, 4, 6], 22
- Exploration
- avg = 0.000438234135951
- p = 0.00129740259623
- Ant 11 : [5, 6, 4], 26
- Exploration
- avg = 0.000541810756094
- p = 0.000864934987013
- p = 0.000974016146104
- Ant 12: [6, 4, 5], 22
- Exploitation
- Ant 13 : [4, 6, 5], 26
- Exploration
- avg = 0.000341091279041
- p = 0.00081168831168
- Ant 14: [4, 6, 5], 26
- Exploitation
- Ant 2: [6, 5, 4, 3], 43
- Exploration
- avg = 0.000341091279042
- p = 0.000811688311688
- Ant 15: [4, 6, 5], 26
- Exploration
- avg = 0.000341091279042
- p = 0.000811688311688
- Ant 16 : [4, 6, 5], 26
- Exploitation
- Ant 3 : [1, 0, 4, 6], 40
- Exploration
- avg = 0.000746465964204
- p = 0.000865792207013
- p = 0.00108116873289
- p = 0.0012987012987
- Ant 17 : [0, 4, 6], 30
- Exploitation
- Ant 18: [0, 4, 6], 30
- Exploration
- avg = 0.000649994535789
- p = 0.00108116873289
- p = 0.0012987012987
- Ant 19 : [3, 4, 6], 25

```
Exploration
avg = 0.00036381132288
p = 0.000811688311688
Ant 4: [3, 4, 6, 5], 41
Exploitation
Ant 0: [1, 3, 4, 6, 5], 59
Exploration
avg = 0.000402076649578
p = 0.000508187464201
p = 0.000531286894923
Ant 5: [4, 6, 5, 3], 48
Exploitation
Ant 6: [1, 0, 5, 4], 50
Exploitation
Ant 7: [4, 6, 5, 3], 48
Exploration
avg = 0.00036381132288
p = 0.000811688311688
Ant 8 : [3, 4, 6, 5], 41
Exploration
avg = 0.000382791932333
p = 0.000811688311688
Ant 9 : [0, 4, 6, 5], 46
Exploitation
Ant 1: [6, 5, 4, 3, 2], 61
Exploration
avg = 0.000223442020881
p = 0.000315894287976
p = 0.000250211103693
Ant 10 : [5, 4, 6, 3], 64
Exploration
avg = 0.000433973713591
p = 0.000865792207013
Ant 11 : [5, 6, 4, 3], 41
Exploration
avg = 0.000416833143085
p = 0.000508187464201
p = 0.000590312868949
Ant 12: [6, 4, 5, 3], 44
Exploitation
Ant 13 : [4, 6, 5, 3], 48
Exploration
avg = 0.000416834618734
p = 0.000508187464201
p = 0.000590318771547
Ant 14: [4, 6, 5, 3], 48
Exploration
avg = 0.000480509523879
p = 0.000720779220779
Ant 2 : [6, 5, 4, 3, 2], 61
Exploration
avg = 0.00041683461888
p = 0.000508187464201
p = 0.000590318772131
```

```
Ant 15 : [4, 6, 5, 3], 48
Exploitation
Ant 16: [4, 6, 5, 3], 48
Exploration
avg = 0.000424562299226
p = 0.000811688311688
Ant 3: [1, 0, 4, 6, 5], 56
Exploration
avg = 0.000397395296414
p = 0.000811688311688
Ant 17: [0, 4, 6, 5], 46
Exploitation
Ant 18 : [0, 4, 6, 5], 46
Exploration
avg = 0.00036381132288
p = 0.000811688311688
Ant 19 : [3, 4, 6, 5], 41
Exploration
avg = 0.000359006567797
p = 0.000508187464201
Ant 4: [3, 4, 6, 5, 2], 64
Exploitation
Ant 0: [1, 3, 4, 6, 5, 2], 82
Exploitation
Ant 5: [4, 6, 5, 3, 2], 66
Exploitation
Ant 6: [1, 0, 5, 4, 6], 60
Exploitation
Ant 7: [4, 6, 5, 3, 2], 66
Exploitation
Ant 8: [3, 4, 6, 5, 2], 64
Exploitation
Ant 9: [0, 4, 6, 5, 3], 68
Exploration
avg = 0.000460253819382
p = 0.000531286894923
Ant 1: [6, 5, 4, 3, 2, 1], 83
Exploitation
Ant 10: [5, 4, 6, 3, 2], 82
Exploitation
Ant 11 : [5, 6, 4, 3, 2], 59
Exploitation
Ant 12: [6, 4, 5, 3, 2], 62
Exploitation
Ant 13: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.00048075002412
p = 0.000721500721501
Ant 14: [4, 6, 5, 3, 2], 66
Exploitation
Ant 2: [6, 5, 4, 3, 2, 1], 83
Exploration
avg = 0.00048075002412
p = 0.000721500721501
```

```
Ant 15 : [4, 6, 5, 3, 2], 66
Exploitation
Ant 16: [4, 6, 5, 3, 2], 66
Exploitation
Ant 3: [1, 0, 4, 6, 5, 3], 78
Exploitation
Ant 17: [0, 4, 6, 5, 3], 68
Exploration
avg = 0.000483307168063
p = 0.000564652682101
p = 0.000590318772137
Ant 18: [0, 4, 6, 5, 3], 68
Exploitation
Ant 19: [3, 4, 6, 5, 2], 64
Exploration
avg = 0.000489766806395
p = 0.000590312868949
Ant 4: [3, 4, 6, 5, 2, 1], 86
Exploitation
Ant 0: [1, 3, 4, 6, 5, 2, 0], 112
Update called by <code>OExploration</code>
Ant thread 0 terminating.avg = 0.000511391174557
p = 0.000590318713105
Ant 5 : [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000230999292995
p = 0.000308624560017
Ant 6: [1, 0, 5, 4, 6, 3], 102
Exploitation
Ant 7: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.00051139120407
p = 0.000590318772131
Ant 8: [3, 4, 6, 5, 2, 1], 86
Exploration
avg = 0.000597436305556
p = 0.000721500721501
Ant 9: [0, 4, 6, 5, 3, 2], 86
Exploitation
Ant 1: [6, 5, 4, 3, 2, 1, 0], 93
Update called by 1Exploitation
Ant thread 1 terminating. Ant 10 : [5, 4, 6, 3, 2, 1], 104
Exploitation
Ant 11 : [5, 6, 4, 3, 2, 1], 81
Exploitation
Ant 12: [6, 4, 5, 3, 2, 1], 84
Exploitation
Ant 13 : [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000511391204073
```

```
p = 0.000590318772137
Ant 14: [4, 6, 5, 3, 2, 1], 88
Exploitation
Ant 2: [6, 5, 4, 3, 2, 1, 0], 93
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000511391204073
p = 0.000590318772137
Ant 15 : [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000511391204073
p = 0.000590318772137
Ant 16: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000721500721501
Ant 3: [1, 0, 4, 6, 5, 3, 2], 96
Update called by 3Exploitation
Ant thread 3 terminating. Ant 17: [0, 4, 6, 5, 3, 2], 86
Exploration
avg = 0.000597436305556
p = 0.000721500721501
Ant 18 : [0, 4, 6, 5, 3, 2], 86
Exploitation
Ant 19: [3, 4, 6, 5, 2, 1], 86
Exploration
avg = 0.0012987012974
Ant 4: [3, 4, 6, 5, 2, 1, 0], 96
Update called by 4Exploitation
Ant thread 4 terminating. Ant 5 : [4, 6, 5, 3, 2, 1, 0], 98
Update called by 5Exploitation
Ant thread 5 terminating. Ant 6 : [1, 0, 5, 4, 6, 3, 2], 120
Update called by 6Exploitation
Ant thread 6 terminating. Ant 7 : [4, 6, 5, 3, 2, 1, 0], 98
Update called by 7Exploration
Ant thread 7 terminating.avg = 0.0012987012987
Ant 8: [3, 4, 6, 5, 2, 1, 0], 96
Update called by 8Exploitation
Ant thread 8 terminating. Ant 9: [0, 4, 6, 5, 3, 2, 1], 108
Update called by 9Exploration
Ant thread 9 terminating.avg = 0.0012987012987
```

Ant 10 : [5, 4, 6, 3, 2, 1, 0], 114 Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [5, 6, 4, 3, 2, 1, 0], 91

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [6, 4, 5, 3, 2, 1, 0], 94

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.0012987012987

Ant 13: [4, 6, 5, 3, 2, 1, 0], 98 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.0012987012987

Ant 14: [4, 6, 5, 3, 2, 1, 0], 98 Update called by 14Exploitation

Ant thread 14 terminating. Ant 15: [4, 6, 5, 3, 2, 1, 0], 98

Update called by 15Exploration

Ant thread 15 terminating.avg = 0.0012987012987

Ant 16: [4, 6, 5, 3, 2, 1, 0], 98 Update called by 16Exploitation

Ant thread 16 terminating. Ant 17: [0, 4, 6, 5, 3, 2, 1], 108

Update called by 17Exploration

Ant thread 17 terminating.avg = 0.000590318772137

Ant 18: [0, 4, 6, 5, 3, 2, 1], 108 Update called by 18Exploration

Ant thread 18 terminating.avg = 0.0012987012987

Ant 19: [3, 4, 6, 5, 2, 1, 0], 96

Update called by 19

Best: [4, 6, 5, 3, 2, 1, 0], 118, 6, 124 Ant thread 19 terminating.iter_counter = 7

starting ant = 0 Exploitationstarting ant = 1

Ant 0 : [1, 0], 10 starting ant = 2

Exploitationstarting ant = 3

```
Ant 1 : [6, 4], 10starting ant = 4
Explorationstarting ant = 5
avg = 0.000346314570536starting ant = 6
p = 0.000350642659909starting ant = 7
p = 0.000584415583831starting ant = 8
p = 0.000417015094527starting ant = 9
Ant 0 : [1, 0, 5], 38starting ant = 10
Explorationstarting ant = 11
avg = 0.000480901844668starting ant = 12
p = 0.00129740248052starting ant = 13
p = 0.000730519480519starting ant = 14
Ant 2: [6, 5], 16starting ant = 15
Explorationstarting ant = 16
avg = 0.000480725742041starting ant = 17
p = 0.0012974025974starting ant = 18
p = 0.000648695454545 arting ant = 19
Ant 3: [1, 3], 18
Exploitation
Ant 1: [6, 4, 5], 22
Exploitation
Ant 4: [3, 4], 15
Exploitation
Ant 5 : [4, 6], 10
Exploitation
Ant 6 : [1, 0], 10
Exploration
avg = 0.000656812461889
p = 0.000779220701292
p = 0.00108115909002
p = 0.0012974025974
Ant 7: [4, 6], 10
Exploitation
Ant 8: [3, 4], 15
Exploration
avg = 0.000454110788966
p = 0.000946753151226
p = 0.000584415583831
p = 0.000463353824415
```

```
Ant 9: [0, 5], 28
```

Exploitation

Ant 0: [1, 0, 5, 4], 50

Exploration

avg = 0.000560395755289

p = 0.00108116883116

p = 0.00072978232618

Ant 10: [5, 6], 16

Exploration

avg = 0.000573910242898

p = 0.00108116883116

p = 0.000810869251833

Ant 11 : [5, 6], 16

Exploration

avg = 0.000494294701811

p = 0.00129740248052

p = 0.000810876623377

Ant 12: [6, 5], 16

Exploitation

Ant 13: [4, 6], 10

Exploration

avg = 0.000657028890461

p = 0.000779220701292

p = 0.00108115909002

p = 0.00129870116883

Ant 14: [4, 6], 10

Exploration

avg = 0.000526518441111

p = 0.000531286894923

p = 0.00108116883116

Ant 2: [6, 5, 4], 28

Exploitation

Ant 15 : [4, 6], 10

Exploration

avg = 0.000657028912104

p = 0.000779220701292

p = 0.00108115909002

p = 0.00129870129869

Ant 16: [4, 6], 10

Exploitation

Ant 17 : [0, 1], 10

Exploration

avg = 0.000512259464516

p = 0.00129518181723

p = 0.000584415583831

Ant 18 : [0, 4], 20

Exploitation

Ant 19 : [3, 4], 15

Exploitation

Ant 3: [1, 3, 4], 33

Exploration

avg = 0.000387855843599

p = 0.000508187464201

p = 0.000531286894923

```
Ant 1 : [6, 4, 5, 3], 44
Exploitation
Ant 4: [3, 4, 6], 25
Exploration
avg = 0.000333833860355
p = 0.000811680194805
Ant 5 : [4, 6, 5], 26
Exploitation
Ant 6: [1, 0, 4], 30
Exploitation
Ant 7: [4, 6, 5], 26
Exploitation
Ant 8 : [3, 4, 6], 25
Exploration
avg = 0.00065145826867
p = 0.00108224025974
p = 0.00081168012109
Ant 9: [0, 5, 6], 44
Exploitation
Ant 0: [1, 0, 5, 4, 6], 60
Exploitation
Ant 10: [5, 6, 4], 26
Exploitation
Ant 11 : [5, 6, 4], 26
Exploration
avg = 0.000538421038515
p = 0.000589728453365
p = 0.00108224025974
Ant 12: [6, 5, 4], 28
Exploitation
Ant 13 : [4, 6, 5], 26
Exploration
avg = 0.00033383548373
p = 0.00081168831168
Ant 14: [4, 6, 5], 26
Exploration
avg = 0.000390578270977
p = 0.000779220701292
Ant 2: [6, 5, 4, 3], 43
Exploration
avg = 0.000333835483731
p = 0.000811688311688
Ant 15 : [4, 6, 5], 26
Exploration
avg = 0.000333835483731
p = 0.000811688311688
Ant 16: [4, 6, 5], 26
Exploration
avg = 0.000331805813825
p = 0.000720772668831
Ant 17 : [0, 1, 3], 28
Exploration
avg = 0.000736559255411
p = 0.000864935064156
```

```
p = 0.00108115909002
p = 0.0012987012987
Ant 18 : [0, 4, 6], 30
Exploration
avg = 0.000632590554269
p = 0.00108115909002
p = 0.0012987012987
Ant 19: [3, 4, 6], 25
Exploration
avg = 0.000747601748031
p = 0.00108115909002
p = 0.0012987012987
Ant 3 : [1, 3, 4, 6], 43
Exploration
avg = 0.000432675021708
p = 0.000649350649351
Ant 1 : [6, 4, 5, 3, 2], 62
Exploration
avg = 0.000347722398384
p = 0.000811688311688
Ant 4: [3, 4, 6, 5], 41
Exploitation
Ant 5: [4, 6, 5, 3], 48
Exploration
avg = 0.000877562624459
p = 0.00108115909002
p = 0.0012987012987
Ant 6: [1, 0, 4, 6], 40
Exploration
avg = 0.000402612337105
p = 0.000508187464201
p = 0.000590312868949
Ant 7: [4, 6, 5, 3], 48
Exploration
avg = 0.000347722398384
p = 0.000811688311688
Ant 8: [3, 4, 6, 5], 41
Exploration
avg = 0.000499832619124
p = 0.00129870116882
Ant 9 : [0, 5, 6, 4], 54
Exploration
avg = 0.000208162224249
p = 0.000278287825122
Ant 0: [1, 0, 5, 4, 6, 3], 102
Exploration
avg = 0.000412006861693
p = 0.000864935064156
Ant 10: [5, 6, 4, 3], 41
Exploration
avg = 0.0004122211476
p = 0.000865792207784
Ant 11 : [5, 6, 4, 3], 41
Exploitation
```

```
Ant 12 : [6, 5, 4, 3], 43
Exploration
avg = 0.000402613798144
p = 0.000508187464201
p = 0.000590318713105
Ant 13 : [4, 6, 5, 3], 48
Exploration
avg = 0.000402613812755
p = 0.000508187464201
p = 0.000590318771547
Ant 14: [4, 6, 5, 3], 48
Exploitation
Ant 2 : [6, 5, 4, 3, 2], 61
Exploration
avg = 0.000402613812901
p = 0.000508187464201
p = 0.000590318772131
Ant 15 : [4, 6, 5, 3], 48
Exploration
avg = 0.000402613812902
p = 0.000508187464201
p = 0.000590318772137
Ant 16: [4, 6, 5, 3], 48
Exploration
avg = 0.000516335820889
p = 0.000721493506494
p = 0.000865800864935
Ant 17 : [0, 1, 3, 4], 43
Exploration
avg = 0.000385733780369
p = 0.000811688311688
Ant 18: [0, 4, 6, 5], 46
Exploration
avg = 0.000347722398384
p = 0.000811688311688
Ant 19 : [3, 4, 6, 5], 41
Exploration
avg = 0.000368861578119
p = 0.000811688311688
Ant 3: [1, 3, 4, 6, 5], 59
Exploration
avg = 0.000460252083666
p = 0.000531286894923
Ant 1: [6, 4, 5, 3, 2, 1], 84
Exploration
avg = 0.000340045493157
p = 0.000508187464201
Ant 4: [3, 4, 6, 5, 2], 64
Exploration
avg = 0.000456722640755
p = 0.000721493506494
Ant 5 : [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000419543420765
```

```
p = 0.000811688311688
Ant 6: [1, 0, 4, 6, 5], 56
Exploration
avg = 0.000456725021708
p = 0.000721500649351
Ant 7: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000358679033698
p = 0.000564088085822
Ant 8: [3, 4, 6, 5, 2], 64
Exploration
avg = 0.000434600563037
p = 0.000865800864935
Ant 9: [0, 5, 6, 4, 3], 69
Exploration
avg = 0.000721500720779
Ant 0 : [1, 0, 5, 4, 6, 3, 2], 120
Update called by OExploration
Ant thread 0 terminating.avg = 0.000456725045755
p = 0.000721500721494
Ant 10 : [5, 6, 4, 3, 2], 59
Exploitation
Ant 11: [5, 6, 4, 3, 2], 59
Exploitation
Ant 12: [6, 5, 4, 3, 2], 61
Exploration
avg = 0.000456725045758
p = 0.000721500721501
Ant 13: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000456725045758
p = 0.000721500721501
Ant 14: [4, 6, 5, 3, 2], 66
Exploitation
Ant 2: [6, 5, 4, 3, 2, 1], 83
Exploration
avg = 0.000456725045758
p = 0.000721500721501
Ant 15 : [4, 6, 5, 3, 2], 66
Exploitation
Ant 16: [4, 6, 5, 3, 2], 66
Exploitation
Ant 17 : [0, 1, 3, 4, 6], 53
Exploitation
Ant 18: [0, 4, 6, 5, 3], 68
Exploitation
Ant 19: [3, 4, 6, 5, 2], 64
Exploitation
Ant 3: [1, 3, 4, 6, 5, 2], 82
Exploration
avg = 0.00129868831169
Ant 1: [6, 4, 5, 3, 2, 1, 0], 94
```

Ant thread 1 terminating.avg = 0.000489765070679

```
p = 0.000590312868949
Ant 4: [3, 4, 6, 5, 2, 1], 86
Exploitation
Ant 5 : [4, 6, 5, 3, 2, 1], 88
Exploitation
Ant 6: [1, 0, 4, 6, 5, 3], 78
Exploitation
Ant 7: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.00048976802227
p = 0.000590318772131
Ant 8: [3, 4, 6, 5, 2, 1], 86
Exploration
avg = 0.000573767711075
p = 0.000721500721501
Ant 9 : [0, 5, 6, 4, 3, 2], 87
Exploitation
Ant 10: [5, 6, 4, 3, 2, 1], 81
Exploitation
Ant 11: [5, 6, 4, 3, 2, 1], 81
Exploration
avg = 0.000489768022273
p = 0.000590318772137
Ant 12 : [6, 5, 4, 3, 2, 1], 83
Exploration
avg = 0.000489768022273
p = 0.000590318772137
Ant 13: [4, 6, 5, 3, 2, 1], 88
Exploitation
Ant 14: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.00129870116883
Ant 2: [6, 5, 4, 3, 2, 1, 0], 93
Update called by 2Exploitation
Ant thread 2 terminating. Ant 15: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000489768022273
p = 0.000590318772137
Ant 16: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000474862467532
p = 0.000811688311688
Ant 17: [0, 1, 3, 4, 6, 5], 69
Exploration
avg = 0.000573767711075
p = 0.000721500721501
Ant 18: [0, 4, 6, 5, 3, 2], 86
Exploitation
```

Ant 19: [3, 4, 6, 5, 2, 1], 86

Exploitation

Ant 3: [1, 3, 4, 6, 5, 2, 0], 112

Update called by 3Exploration

Ant thread 3 terminating.avg = 0.0012987012974

Ant 4: [3, 4, 6, 5, 2, 1, 0], 96 Update called by 4Exploration

Ant thread 4 terminating.avg = 0.00129870129869

Ant 5: [4, 6, 5, 3, 2, 1, 0], 98 Update called by 5Exploitation

Ant thread 5 terminating. Ant 6: [1, 0, 4, 6, 5, 3, 2], 96

Update called by 6Exploration

Ant thread 6 terminating.avg = 0.0012987012987

Ant 7: [4, 6, 5, 3, 2, 1, 0], 98 Update called by 7Exploration

Ant thread 7 terminating.avg = 0.0012987012987

Ant 8: [3, 4, 6, 5, 2, 1, 0], 96 Update called by 8Exploration

Ant thread 8 terminating.avg = 0.000590318772137

Ant 9: [0, 5, 6, 4, 3, 2, 1], 109 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [5, 6, 4, 3, 2, 1, 0], 91

Update called by 10Exploitation

Ant thread 10 terminating.Ant 11 : [5, 6, 4, 3, 2, 1, 0], 91

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [6, 5, 4, 3, 2, 1, 0], 93

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.0012987012987

Ant 13 : [4, 6, 5, 3, 2, 1, 0], 98 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.0012987012987

Ant 14: [4, 6, 5, 3, 2, 1, 0], 98

```
Update called by 14Exploration
Ant thread 14 terminating.avg = 0.0012987012987
Ant 15 : [4, 6, 5, 3, 2, 1, 0], 98
Update called by 15Exploitation
Ant thread 15 terminating. Ant 16: [4, 6, 5, 3, 2, 1, 0], 98
Update called by 16Exploitation
Ant thread 16 terminating. Ant 17 : [0, 1, 3, 4, 6, 5, 2], 92
Update called by 17Exploration
Ant thread 17 terminating.avg = 0.000590318772137
Ant 18: [0, 4, 6, 5, 3, 2, 1], 108
Update called by 18Exploration
Ant thread 18 terminating.avg = 0.0012987012987
Ant 19: [3, 4, 6, 5, 2, 1, 0], 96
Update called by 19
Best: [4, 6, 5, 3, 2, 1, 0], 118, 7, 124
Ant thread 19 terminating.iter_counter = 8
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [1, 0], 10 \text{ starting ant } = 2
Explorationstarting ant = 3
avg = 0.000449774432725starting ant = 4
p = 0.00116883116766starting ant = 5
p = 0.000730519480519starting ant = 6
Ant 1 : [6, 5], 16starting ant = 7
Explorationstarting ant = 8
avg = 0.000331794637539starting ant = 9
p = 0.00058440974026starting ant = 10
p = 0.000417435490542starting ant = 11
Ant 0 : [1, 0, 5], 38starting ant = 12
Explorationstarting ant = 13
```

```
avg = 0.000463167289868starting ant = 14
p = 0.00116883116766starting ant = 15
p = 0.000810876623377starting ant = 16
Ant 2 : [6, 5], 16starting ant = 17
Exploitationstarting ant = 18
Ant 3: [1, 0], 10starting ant = 19
Exploration
avg = 0.000407103737279
p = 0.000649350649351
p = 0.000779220779213
Ant 4: [3, 4], 15
Exploration
avg = 0.00060431304557
p = 0.000779220779213
p = 0.000973043181022
p = 0.00116883116883
Ant 5 : [4, 6], 10
Exploration
avg = 0.000465410528138
p = 0.00129868831169
p = 0.000649344096877
Ant 6: [1, 3], 18
Exploration
avg = 0.000494850869999
p = 0.000508187464704
p = 0.000531286894923
p = 0.000974025876623
Ant 1: [6, 5, 4], 28
Exploitation
Ant 7 : [4, 6], 10
Exploration
avg = 0.000421389451566
p = 0.000649350649351
p = 0.000864935064935
Ant 8 : [3, 4], 15
Exploration
avg = 0.000478426560172
p = 0.0011656636355
p = 0.00058440974026
Ant 9: [0, 4], 20
Exploitation
Ant 10 : [5, 4], 12
Exploitation
Ant 11 : [5, 4], 12
Exploration
avg = 0.000713061185114
p = 0.00108225097403
p = 0.000730519406804
```

```
Ant 0: [1, 0, 5, 6], 54
Exploration
avg = 0.00046330121844
p = 0.00116883116766
p = 0.000811680194805
Ant 12 : [6, 5], 16
Exploitation
Ant 13 : [4, 6], 10
Exploration
avg = 0.00062595804557
p = 0.000779220779213
p = 0.000973043181022
p = 0.00129870116883
Ant 14 : [4, 6], 10
Exploitation
Ant 15 : [4, 6], 10
Exploitation
Ant 16: [4, 6], 10
Exploration
avg = 0.000516495889479
p = 0.000531286894923
p = 0.00108225097403
Ant 2: [6, 5, 4], 28
Exploitation
Ant 17: [0, 1], 10
Exploitation
Ant 18 : [0, 1], 10
Exploration
avg = 0.000353837445105
p = 0.00064870124026
p = 0.000463358028375
Ant 3: [1, 0, 5], 38
Exploration
avg = 0.000421532308709
p = 0.000649350649351
p = 0.000865792207792
Ant 19: [3, 4], 15
Exploration
avg = 0.000595305524816
p = 0.000973043181022
p = 0.0012987012987
Ant 4: [3, 4, 6], 25
Exploitation
Ant 5 : [4, 6, 5], 26
Exploration
avg = 0.000429154238619
p = 0.000649350649351
p = 0.000865800779221
Ant 6: [1, 3, 4], 33
Exploitation
Ant 1: [6, 5, 4, 3], 43
Exploitation
Ant 7: [4, 6, 5], 26
Exploitation
```

```
Ant 8: [3, 4, 6], 25
Exploitation
Ant 9: [0, 4, 6], 30
Exploitation
Ant 10 : [5, 4, 6], 22
Exploration
avg = 0.000573683901598
p = 0.000864935064935
p = 0.0012987012987
Ant 11 : [5, 4, 6], 22
Exploration
avg = 0.000523692974403
p = 0.00116883116766
Ant 0: [1, 0, 5, 6, 4], 64
Exploration
avg = 0.000516495910908
p = 0.000531286894923
p = 0.00108225108117
Ant 12 : [6, 5, 4], 28
Exploitation
Ant 13: [4, 6, 5], 26
Exploitation
Ant 14: [4, 6, 5], 26
Exploitation
Ant 15 : [4, 6, 5], 26
Exploitation
Ant 16: [4, 6, 5], 26
Exploitation
Ant 2 : [6, 5, 4, 3], 43
Exploitation
Ant 17 : [0, 1, 3], 28
Exploitation
Ant 18 : [0, 1, 3], 28
Exploration
avg = 0.000733150516127
p = 0.00108225108224
p = 0.000810876622639
Ant 3 : [1, 0, 5, 6], 54
Exploration
avg = 0.000595305524816
p = 0.000973043181022
p = 0.0012987012987
Ant 19: [3, 4, 6], 25
Exploitation
Ant 4: [3, 4, 6, 5], 41
Exploitation
Ant 5 : [4, 6, 5, 3], 48
Exploration
avg = 0.000705309105695
p = 0.000973043181022
p = 0.0012987012987
Ant 6: [1, 3, 4, 6], 43
Exploitation
Ant 1: [6, 5, 4, 3, 2], 61
```

```
Exploitation
Ant 7: [4, 6, 5, 3], 48
Exploration
avg = 0.000333242366338
p = 0.000811688311688
Ant 8: [3, 4, 6, 5], 41
Exploitation
Ant 9: [0, 4, 6, 5], 46
Exploitation
Ant 10: [5, 4, 6, 3], 64
Exploration
avg = 0.000207545937647
p = 0.000255874373261
p = 0.000308902596925
Ant 11: [5, 4, 6, 3], 64
Exploitation
Ant 0: [1, 0, 5, 6, 4, 3], 79
Exploitation
Ant 12: [6, 5, 4, 3], 43
Exploitation
Ant 13: [4, 6, 5, 3], 48
Exploration
avg = 0.000389815072888
p = 0.000508187464704
p = 0.000590318713105
Ant 14: [4, 6, 5, 3], 48
Exploitation
Ant 15 : [4, 6, 5, 3], 48
Exploitation
Ant 16: [4, 6, 5, 3], 48
Exploration
avg = 0.000434862064992
p = 0.000720779220779
Ant 2 : [6, 5, 4, 3, 2], 61
Exploitation
Ant 17 : [0, 1, 3, 4], 43
Exploration
avg = 0.0005043845983
p = 0.000721493506494
p = 0.000865800865792
Ant 18 : [0, 1, 3, 4], 43
Exploration
avg = 0.000576949011126
p = 0.00129740259739
Ant 3: [1, 0, 5, 6, 4], 64
Exploration
avg = 0.000333242366338
p = 0.000811688311688
Ant 19: [3, 4, 6, 5], 41
Exploitation
Ant 4: [3, 4, 6, 5, 2], 64
Exploitation
Ant 5: [4, 6, 5, 3, 2], 66
Exploration
```

```
avg = 0.000359031697363
p = 0.000811688311688
Ant 6: [1, 3, 4, 6, 5], 59
Exploitation
Ant 1: [6, 5, 4, 3, 2, 1], 83
Exploration
avg = 0.000435102541182
p = 0.000721500649351
Ant 7: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000341614066524
p = 0.000564088085827
Ant 8: [3, 4, 6, 5, 2], 64
Exploration
avg = 0.000464625134878
p = 0.000564647092038
p = 0.000590318772137
Ant 9: [0, 4, 6, 5, 3], 68
Exploitation
Ant 10 : [5, 4, 6, 3, 2], 82
Exploitation
Ant 11 : [5, 4, 6, 3, 2], 82
Exploitation
Ant 0: [1, 0, 5, 6, 4, 3, 2], 97
Update called by OExploration
Ant thread 0 terminating.avg = 0.000435102565232
p = 0.000721500721501
Ant 12 : [6, 5, 4, 3, 2], 61
Exploitation
Ant 13: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000435102565232
p = 0.000721500721501
Ant 14: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000435102565232
p = 0.000721500721501
Ant 15 : [4, 6, 5, 3, 2], 66
Exploitation
Ant 16: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000489472847265
p = 0.000589728453365
Ant 2 : [6, 5, 4, 3, 2, 1], 83
Exploitation
Ant 17 : [0, 1, 3, 4, 6], 53
Exploration
avg = 0.000836884673394
p = 0.000973043181022
p = 0.0012987012987
Ant 18 : [0, 1, 3, 4, 6], 53
Exploration
```

```
avg = 0.000552355202697
p = 0.000865800864935
Ant 3: [1, 0, 5, 6, 4, 3], 79
Exploitation
Ant 19: [3, 4, 6, 5, 2], 64
Exploitation
Ant 4: [3, 4, 6, 5, 2, 1], 86
Exploration
avg = 0.000489767977136
p = 0.000590318713105
Ant 5 : [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000393248627692
p = 0.000564652682101
Ant 6: [1, 3, 4, 6, 5, 2], 82
Exploitation
Ant 1 : [6, 5, 4, 3, 2, 1, 0], 93
Update called by 1Exploitation
Ant thread 1 terminating. Ant 7 : [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000489768006649
p = 0.000590318772131
Ant 8: [3, 4, 6, 5, 2, 1], 86
Exploration
avg = 0.000552465976043
p = 0.000721500721501
Ant 9: [0, 4, 6, 5, 3, 2], 86
Exploration
avg = 0.000489768006651
p = 0.000590318772137
Ant 10: [5, 4, 6, 3, 2, 1], 104
Exploitation
Ant 11 : [5, 4, 6, 3, 2, 1], 104
Exploration
avg = 0.000489768006651
p = 0.000590318772137
Ant 12: [6, 5, 4, 3, 2, 1], 83
Exploration
avg = 0.000489768006651
p = 0.000590318772137
Ant 13: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000489768006651
p = 0.000590318772137
Ant 14: [4, 6, 5, 3, 2, 1], 88
Exploitation
Ant 15 : [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000489768006651
p = 0.000590318772137
Ant 16: [4, 6, 5, 3, 2, 1], 88
Exploitation
```

Ant 2 : [6, 5, 4, 3, 2, 1, 0], 93 Update called by 2Exploitation

Ant thread 2 terminating. Ant 17: [0, 1, 3, 4, 6, 5], 69

Exploitation

Ant 18: [0, 1, 3, 4, 6, 5], 69

Exploration

avg = 0.000721500721501

Ant 3: [1, 0, 5, 6, 4, 3, 2], 97 Update called by 3Exploitation

Ant thread 3 terminating. Ant 19: [3, 4, 6, 5, 2, 1], 86

Exploitation

Ant 4: [3, 4, 6, 5, 2, 1, 0], 96 Update called by 4Exploration

Ant thread 4 terminating.avg = 0.00129870129869

Ant 5 : [4, 6, 5, 3, 2, 1, 0], 98 Update called by 5Exploration

Ant thread 5 terminating.avg = 0.000389217241166

Ant 6: [1, 3, 4, 6, 5, 2, 0], 112 Update called by 6Exploitation

Ant thread 6 terminating. Ant 7: [4, 6, 5, 3, 2, 1, 0], 98

Update called by 7Exploration

Ant thread 7 terminating.avg = 0.0012987012987

Ant 8: [3, 4, 6, 5, 2, 1, 0], 96 Update called by 8Exploration

Ant thread 8 terminating.avg = 0.000590318772137

Ant 9: [0, 4, 6, 5, 3, 2, 1], 108 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [5, 4, 6, 3, 2, 1, 0], 114

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [5, 4, 6, 3, 2, 1, 0], 114

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.0012987012987

Ant 12: [6, 5, 4, 3, 2, 1, 0], 93 Update called by 12Exploration

```
Ant 13: [4, 6, 5, 3, 2, 1, 0], 98
Update called by 13Exploitation
Ant thread 13 terminating. Ant 14: [4, 6, 5, 3, 2, 1, 0], 98
Update called by 14Exploitation
Ant thread 14 terminating. Ant 15: [4, 6, 5, 3, 2, 1, 0], 98
Update called by 15Exploitation
Ant thread 15 terminating. Ant 16: [4, 6, 5, 3, 2, 1, 0], 98
Update called by 16Exploration
Ant thread 16 terminating.avg = 0.000564652738001
Ant 17 : [0, 1, 3, 4, 6, 5, 2], 92
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18: [0, 1, 3, 4, 6, 5, 2], 92
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19: [3, 4, 6, 5, 2, 1, 0], 96
Update called by 19
Best: [4, 6, 5, 3, 2, 1, 0], 118, 8, 125
Ant thread 19 terminating.iter_counter = 9
starting ant = 0
Explorationstarting ant = 1
avg = 0.000429694906247starting ant = 2
p = 0.00116883116883starting ant = 3
p = 0.00064935058441starting ant = 4
Ant 0 : [1, 3], 18 starting ant = 5
Exploitationstarting ant = 6
Ant 1: [6, 4], 10starting ant = 7
Explorationstarting ant = 8
avg = 0.000462560887798starting ant = 9
p = 0.00129740248052starting ant = 10
```

Ant thread 12 terminating.avg = 0.0012987012987

```
Ant 2: [6, 5], 16starting ant = 12
Exploitationstarting ant = 13
Ant 3: [1, 0], 10starting ant = 14
Explorationstarting ant = 15
avg = 0.000390202887362starting ant = 16
p = 0.000649350649351starting ant = 17
p = 0.000779220779221starting ant = 18
Ant 4 : [3, 4], 15starting ant = 19
Exploration
avg = 0.000416368700472
p = 0.000649350649351
p = 0.000864935064935
Ant 0: [1, 3, 4], 33
Exploration
avg = 0.000576349273481
p = 0.000779220779213
p = 0.00087573886292
p = 0.00116883116883
Ant 5 : [4, 6], 10
Exploration
avg = 0.000463028250295
p = 0.0012974025974
p = 0.00072077922013
Ant 6: [1, 3], 18
Exploitation
Ant 1 : [6, 4, 5], 22
Exploration
avg = 0.000631852361099
p = 0.000779220779213
p = 0.00108018596006
p = 0.0012974025974
Ant 7: [4, 6], 10
Exploitation
Ant 8: [3, 4], 15
Exploitation
Ant 9 : [0, 1], 10
Exploration
avg = 0.000526448535223
p = 0.000531286894923
p = 0.000974025974016
p = 0.000730512175318
Ant 10 : [5, 6], 16
Exploitation
Ant 11 : [5, 4], 12
```

p = 0.000730519480519starting ant = 11

```
Exploitation
Ant 2 : [6, 5, 4], 28
Exploration
avg = 0.000475953744941
p = 0.00129740248052
p = 0.000810876623377
Ant 12: [6, 5], 16
Exploitation
Ant 13: [4, 6], 10
Exploration
avg = 0.000318536361163
p = 0.000583831116234
p = 0.000417435528378
Ant 3: [1, 0, 5], 38
Exploitation
Ant 14: [4, 6], 10
Exploitation
Ant 15 : [4, 6], 10
Exploitation
Ant 16: [4, 6], 10
Exploration
avg = 0.000489334463976
p = 0.00129740247767
p = 0.000583831116234
Ant 17: [0, 4], 20
Exploitation
Ant 18 : [0, 1], 10
Exploration
avg = 0.000602638417736
p = 0.00108018596006
p = 0.0012987012987
Ant 4: [3, 4, 6], 25
Exploitation
Ant 19: [3, 4], 15
Exploration
avg = 0.000718357501878
p = 0.00108018596006
p = 0.0012987012987
Ant 0: [1, 3, 4, 6], 43
Exploration
avg = 0.000311824712111
p = 0.000811680194805
Ant 5 : [4, 6, 5], 26
Exploitation
Ant 6: [1, 3, 4], 33
Exploration
avg = 0.0003635382655
p = 0.000508187464709
p = 0.000531286894923
Ant 1: [6, 4, 5, 3], 44
Exploration
avg = 0.000311826319254
p = 0.000811688230519
Ant 7: [4, 6, 5], 26
```

Exploitation Ant 8: [3, 4, 6], 25 Exploitation Ant 9: [0, 1, 3], 28 Exploration avg = 0.000408969169254p = 0.00129740248052Ant 10 : [5, 6, 4], 26 Exploitation Ant 11 : [5, 4, 6], 22 Exploration avg = 0.000353381402283p = 0.000779220779213Ant 2 : [6, 5, 4, 3], 43 Exploitation Ant 12: [6, 5, 4], 28 Exploration avg = 0.000311826335325p = 0.000811688310877Ant 13: [4, 6, 5], 26 Exploitation Ant 3: [1, 0, 5, 4], 50 Exploration avg = 0.000311826335486p = 0.00081168831168Ant 14: [4, 6, 5], 26 Exploration avg = 0.000311826335488p = 0.000811688311688Ant 15 : [4, 6, 5], 26 Exploitation Ant 16: [4, 6, 5], 26 Exploitation Ant 17 : [0, 4, 6], 30 Exploration avg = 0.000296297666718p = 0.000721500649351Ant 18 : [0, 1, 3], 28 Exploration avg = 0.000320210337496p = 0.000811688311688Ant 4: [3, 4, 6, 5], 41 Exploration avg = 0.000602638417736p = 0.00108018596006p = 0.0012987012987Ant 19 : [3, 4, 6], 25 Exploitation Ant 0: [1, 3, 4, 6, 5], 59 Exploitation Ant 5: [4, 6, 5, 3], 48 Exploitation Ant 6: [1, 3, 4, 6], 43 Exploration

```
avg = 0.000391592308709
p = 0.000649350649351
Ant 1: [6, 4, 5, 3, 2], 62
Exploitation
Ant 7: [4, 6, 5, 3], 48
Exploitation
Ant 8 : [3, 4, 6, 5], 41
Exploitation
Ant 9 : [0, 1, 3, 4], 43
Exploration
avg = 0.000374809973714
p = 0.000864935064935
Ant 10 : [5, 6, 4, 3], 41
Exploitation
Ant 11: [5, 4, 6, 3], 64
Exploration
avg = 0.000415401832518
p = 0.000720779220779
Ant 2 : [6, 5, 4, 3, 2], 61
Exploitation
Ant 12 : [6, 5, 4, 3], 43
Exploitation
Ant 13: [4, 6, 5, 3], 48
Exploitation
Ant 3: [1, 0, 5, 4, 6], 60
Exploration
avg = 0.000378296234656
p = 0.000508187464709
p = 0.000590318771547
Ant 14: [4, 6, 5, 3], 48
Exploitation
Ant 15: [4, 6, 5, 3], 48
Exploration
avg = 0.000378296234804
p = 0.000508187464709
p = 0.000590318772137
Ant 16: [4, 6, 5, 3], 48
Exploration
avg = 0.000365672566203
p = 0.000811688311688
Ant 17: [0, 4, 6, 5], 46
Exploitation
Ant 18 : [0, 1, 3, 4], 43
Exploitation
Ant 4: [3, 4, 6, 5, 2], 64
Exploitation
Ant 19: [3, 4, 6, 5], 41
Exploitation
Ant 0: [1, 3, 4, 6, 5, 2], 82
Exploration
avg = 0.000415639927757
p = 0.000721493506494
Ant 5: [4, 6, 5, 3, 2], 66
Exploration
```

```
avg = 0.000350184804683
p = 0.000811688311688
Ant 6: [1, 3, 4, 6, 5], 59
Exploration
avg = 0.000460252067904
p = 0.000531286894923
Ant 1: [6, 4, 5, 3, 2, 1], 84
Exploration
avg = 0.000415642308709
p = 0.000721500649351
Ant 7: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000326441931469
p = 0.000564647092038
Ant 8: [3, 4, 6, 5, 2], 64
Exploration
avg = 0.000864635281724
p = 0.00108018596006
p = 0.0012987012987
Ant 9: [0, 1, 3, 4, 6], 53
Exploration
avg = 0.000415642332518
p = 0.000721500720779
Ant 10 : [5, 6, 4, 3, 2], 59
Exploitation
Ant 11: [5, 4, 6, 3, 2], 82
Exploration
avg = 0.000489472847125
p = 0.000589728453365
Ant 2 : [6, 5, 4, 3, 2, 1], 83
Exploitation
Ant 12: [6, 5, 4, 3, 2], 61
Exploration
avg = 0.000415642332759
p = 0.000721500721501
Ant 13: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000210357508595
p = 0.000308905352254
Ant 3 : [1, 0, 5, 4, 6, 3], 102
Exploitation
Ant 14: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000415642332759
p = 0.000721500721501
Ant 15 : [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000415642332759
p = 0.000721500721501
Ant 16: [4, 6, 5, 3, 2], 66
Exploitation
Ant 17 : [0, 4, 6, 5, 3], 68
Exploitation
Ant 18 : [0, 1, 3, 4, 6], 53
```

```
Exploitation
Ant 4: [3, 4, 6, 5, 2, 1], 86
Exploitation
Ant 19: [3, 4, 6, 5, 2], 64
Exploration
avg = 0.000389217240885
Ant 0 : [1, 3, 4, 6, 5, 2, 0], 112
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 5: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000382156426978
p = 0.000564652738001
Ant 6: [1, 3, 4, 6, 5, 2], 82
Exploitation
Ant 1 : [6, 4, 5, 3, 2, 1, 0], 94
Update called by 1Exploitation
Ant thread 1 terminating. Ant 7 : [4, 6, 5, 3, 2, 1], 88
Exploitation
Ant 8: [3, 4, 6, 5, 2, 1], 86
Exploitation
Ant 9: [0, 1, 3, 4, 6, 5], 69
Exploration
avg = 0.000511391186559
p = 0.000590318772137
Ant 10 : [5, 6, 4, 3, 2, 1], 81
Exploration
avg = 0.000511391186559
p = 0.000590318772137
Ant 11 : [5, 4, 6, 3, 2, 1], 104
Exploitation
Ant 2 : [6, 5, 4, 3, 2, 1, 0], 93
Update called by 2Exploitation
Ant thread 2 terminating. Ant 12: [6, 5, 4, 3, 2, 1], 83
Exploration
avg = 0.000511391186559
p = 0.000590318772137
Ant 13: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000721500721501
Ant 3: [1, 0, 5, 4, 6, 3, 2], 120
Update called by 3Exploitation
Ant thread 3 terminating. Ant 14: [4, 6, 5, 3, 2, 1], 88
Exploitation
Ant 15: [4, 6, 5, 3, 2, 1], 88
Exploitation
Ant 16: [4, 6, 5, 3, 2, 1], 88
```

Exploitation

Ant 17: [0, 4, 6, 5, 3, 2], 86

Exploration

avg = 0.000461748988312

p = 0.000811688311688

Ant 18 : [0, 1, 3, 4, 6, 5], 69

Exploitation

Ant 4: [3, 4, 6, 5, 2, 1, 0], 96 Update called by 4Exploitation

Ant thread 4 terminating. Ant 19: [3, 4, 6, 5, 2, 1], 86

Exploration

avg = 0.0012987012974

Ant 5 : [4, 6, 5, 3, 2, 1, 0], 98

ExplorationUpdate called by 5

avg = 0.00043246360098Ant thread 5 terminating.

Ant 6 : [1, 3, 4, 6, 5, 2, 0], 112

Update called by 6Exploration

Ant thread 6 terminating.avg = 0.00129870129869

Ant 7: [4, 6, 5, 3, 2, 1, 0], 98 Update called by 7Exploration

Ant thread 7 terminating.avg = 0.0012987012987

Ant 8 : [3, 4, 6, 5, 2, 1, 0], 96

Update called by 8Exploration

Ant thread 8 terminating.avg = 0.00056465273856

Ant 9: [0, 1, 3, 4, 6, 5, 2], 92

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [5, 6, 4, 3, 2, 1, 0], 91

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.0012987012987

Ant 11: [5, 4, 6, 3, 2, 1, 0], 114

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12 : [6, 5, 4, 3, 2, 1, 0], 93

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.0012987012987

Ant 13 : [4, 6, 5, 3, 2, 1, 0], 98

Update called by 13Exploitation

```
Ant thread 13 terminating. Ant 14: [4, 6, 5, 3, 2, 1, 0], 98
Update called by 14Exploration
Ant thread 14 terminating.avg = 0.0012987012987
Ant 15 : [4, 6, 5, 3, 2, 1, 0], 98
Update called by 15Exploration
Ant thread 15 terminating.avg = 0.0012987012987
Ant 16: [4, 6, 5, 3, 2, 1, 0], 98
Update called by 16Exploitation
Ant thread 16 terminating. Ant 17: [0, 4, 6, 5, 3, 2, 1], 108
Update called by 17Exploration
Ant thread 17 terminating.avg = 0.000564652738566
Ant 18 : [0, 1, 3, 4, 6, 5, 2], 92
Update called by 18Exploration
Ant thread 18 terminating.avg = 0.0012987012987
Ant 19: [3, 4, 6, 5, 2, 1, 0], 96
Update called by 19
Best: [4, 6, 5, 3, 2, 1, 0], 118, 9, 125
Ant thread 19 terminating.iter_counter = 10
starting ant = 0
Explorationstarting ant = 1
avg = 0.000417028455558starting ant = 2
p = 0.00116883116883starting ant = 3
p = 0.000649350648701starting ant = 4
Ant 0 : [1, 3], 18 starting ant = 5
Exploitationstarting ant = 6
Ant 1 : [6, 4], 10starting ant = 7
Explorationstarting ant = 8
avg = 0.000454741674624starting ant = 9
p = 0.00129740248051starting ant = 10
p = 0.000730519480519starting ant = 11
```

```
Ant 2 : [6, 5], 16starting ant = 12
Exploitationstarting ant = 13
Ant 3 : [1, 0], 10starting ant = 14
Explorationstarting ant = 15
avg = 0.000374992122435starting ant = 16
p = 0.000649350649351starting ant = 17
p = 0.000779220779221starting ant = 18
Ant 4 : [3, 4], 15starting ant = 19
Exploitation
Ant 0: [1, 3, 4], 33
Exploration
avg = 0.000581848930185
p = 0.000779220701299
p = 0.000972167364052
p = 0.00116883116883
Ant 5 : [4, 6], 10
Exploitation
Ant 6: [1, 0], 10
Exploitation
Ant 1: [6, 4, 5], 22
Exploitation
Ant 7: [4, 6], 10
Exploitation
Ant 8: [3, 4], 15
Exploitation
Ant 9: [0, 1], 10
Exploitation
Ant 10 : [5, 4], 12
Exploration
avg = 0.000537273819703
p = 0.00108116883116
p = 0.000729788895292
Ant 11 : [5, 6], 16
Exploration
avg = 0.000498770804585
p = 0.000508187464709
p = 0.000531286894923
p = 0.00108116883116
Ant 2 : [6, 5, 4], 28
Exploration
avg = 0.000468134531767
p = 0.00129740248051
p = 0.000810876623377
Ant 12: [6, 5], 16
Exploitation
Ant 13 : [4, 6], 10
```

```
Exploitation
Ant 3 : [1, 0, 4], 30
Exploration
avg = 0.000621657743688
p = 0.000779220701299
p = 0.00108115024507
p = 0.00129870116883
Ant 14 : [4, 6], 10
Exploitation
Ant 15 : [4, 6], 10
Exploitation
Ant 16: [4, 6], 10
Exploration
avg = 0.000482565625569
p = 0.00129740248051
p = 0.000648695401943
Ant 17 : [0, 4], 20
Exploitation
Ant 18 : [0, 1], 10
Exploitation
Ant 4: [3, 4, 6], 25
Exploitation
Ant 19: [3, 4], 15
Exploitation
Ant 0 : [1, 3, 4, 6], 43
Exploration
avg = 0.000302441656305
p = 0.000811680194805
Ant 5 : [4, 6, 5], 26
Exploitation
Ant 6: [1, 0, 4], 30
Exploration
avg = 0.000353171297941
p = 0.000508187464709
p = 0.000531286894923
Ant 1: [6, 4, 5, 3], 44
Exploitation
Ant 7: [4, 6, 5], 26
Exploitation
Ant 8: [3, 4, 6], 25
Exploration
avg = 0.000280953627318
p = 0.000720779220773
Ant 9 : [0, 1, 3], 28
Exploitation
Ant 10 : [5, 4, 6], 22
Exploitation
Ant 11 : [5, 6, 4], 26
Exploration
avg = 0.000337523762057
p = 0.000779220701299
Ant 2: [6, 5, 4, 3], 43
Exploration
avg = 0.000510673401989
```

```
p = 0.000589728453365
p = 0.00108224025974
Ant 12: [6, 5, 4], 28
Exploitation
Ant 13: [4, 6, 5], 26
Exploitation
Ant 3: [1, 0, 4, 6], 40
Exploration
avg = 0.00030244327968
p = 0.00081168831168
Ant 14: [4, 6, 5], 26
Exploitation
Ant 15 : [4, 6, 5], 26
Exploitation
Ant 16 : [4, 6, 5], 26
Exploration
avg = 0.00071281784175
p = 0.000864935064156
p = 0.00108115024507
p = 0.0012987012987
Ant 17 : [0, 4, 6], 30
Exploitation
Ant 18 : [0, 1, 3], 28
Exploration
avg = 0.000308481511539
p = 0.000811688311688
Ant 4: [3, 4, 6, 5], 41
Exploration
avg = 0.00059014517814
p = 0.00108115024507
p = 0.0012987012987
Ant 19: [3, 4, 6], 25
Exploration
avg = 0.000342222601271
p = 0.000811688311688
Ant 0 : [1, 3, 4, 6, 5], 59
Exploration
avg = 0.000367781687552
p = 0.000508187464709
p = 0.000589728453365
Ant 5 : [4, 6, 5, 3], 48
Exploration
avg = 0.000859575833925
p = 0.000864935064156
p = 0.00108115024507
p = 0.0012987012987
Ant 6: [1, 0, 4, 6], 40
Exploration
avg = 0.000374078099483
p = 0.000649350649351
Ant 1: [6, 4, 5, 3, 2], 62
Exploration
avg = 0.000367927791448
```

p = 0.000508187464709

```
p = 0.000590312868949
Ant 7: [4, 6, 5, 3], 48
Exploitation
Ant 8: [3, 4, 6, 5], 41
Exploitation
Ant 9: [0, 1, 3, 4], 43
Exploitation
Ant 10 : [5, 4, 6, 3], 64
Exploitation
Ant 11 : [5, 6, 4, 3], 41
Exploitation
Ant 2: [6, 5, 4, 3, 2], 61
Exploitation
Ant 12 : [6, 5, 4, 3], 43
Exploitation
Ant 13: [4, 6, 5, 3], 48
Exploration
avg = 0.000407074120877
p = 0.000811688311688
Ant 3: [1, 0, 4, 6, 5], 56
Exploration
avg = 0.000367929267097
p = 0.000508187464709
p = 0.000590318771547
Ant 14: [4, 6, 5, 3], 48
Exploitation
Ant 15 : [4, 6, 5, 3], 48
Exploration
avg = 0.000367929267245
p = 0.000508187464709
p = 0.000590318772137
Ant 16: [4, 6, 5, 3], 48
Exploration
avg = 0.000357120151243
p = 0.000811688311688
Ant 17 : [0, 4, 6, 5], 46
Exploration
avg = 0.000483948007307
p = 0.000721493506494
p = 0.000865800865792
Ant 18 : [0, 1, 3, 4], 43
Exploration
avg = 0.00029379943228
p = 0.000508187464709
Ant 4: [3, 4, 6, 5, 2], 64
Exploration
avg = 0.000308481511539
p = 0.000811688311688
Ant 19: [3, 4, 6, 5], 41
Exploitation
Ant 0: [1, 3, 4, 6, 5, 2], 82
Exploitation
Ant 5: [4, 6, 5, 3, 2], 66
Exploitation
```

```
Ant 6: [1, 0, 4, 6, 5], 56
Exploration
avg = 0.000460446676523
p = 0.000531286894923
Ant 1: [6, 4, 5, 3, 2, 1], 84
Exploitation
Ant 7: [4, 6, 5, 3, 2], 66
Exploitation
Ant 8: [3, 4, 6, 5, 2], 64
Exploration
avg = 0.000857789423848
p = 0.00108115024507
p = 0.0012987012987
Ant 9: [0, 1, 3, 4, 6], 53
Exploration
avg = 0.000398128123293
p = 0.000721500720779
Ant 10: [5, 4, 6, 3, 2], 82
Exploitation
Ant 11: [5, 6, 4, 3, 2], 59
Exploration
avg = 0.000489667455744
p = 0.000589728453365
Ant 2: [6, 5, 4, 3, 2, 1], 83
Exploitation
Ant 12: [6, 5, 4, 3, 2], 61
Exploitation
Ant 13: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000577485727119
p = 0.000590318772137
Ant 3: [1, 0, 4, 6, 5, 3], 78
Exploitation
Ant 14: [4, 6, 5, 3, 2], 66
Exploitation
Ant 15 : [4, 6, 5, 3, 2], 66
Exploitation
Ant 16: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.00044949606067
p = 0.000564652682101
p = 0.000590318772137
Ant 17 : [0, 4, 6, 5, 3], 68
Exploitation
Ant 18 : [0, 1, 3, 4, 6], 53
Exploration
avg = 0.000489959663536
p = 0.000590312868949
Ant 4: [3, 4, 6, 5, 2, 1], 86
Exploration
avg = 0.000312621171411
p = 0.000564652682101
Ant 19: [3, 4, 6, 5, 2], 64
Exploitation
```

```
Ant 0 : [1, 3, 4, 6, 5, 2, 0], 112
Update called by <code>OExploration</code>
Ant thread 0 terminating.avg = 0.000511393103129
p = 0.000590318713105
Ant 5 : [4, 6, 5, 3, 2, 1], 88
Exploitation
Ant 6: [1, 0, 4, 6, 5, 3], 78
Exploitation
Ant 1: [6, 4, 5, 3, 2, 1, 0], 94
ExploitationUpdate called by 1
Ant 7: [4, 6, 5, 3, 2, 1], 88Ant thread 1 terminating.
Exploration
avg = 0.000511393132642
p = 0.000590318772131
Ant 8: [3, 4, 6, 5, 2, 1], 86
Exploitation
Ant 9: [0, 1, 3, 4, 6, 5], 69
Exploitation
Ant 10: [5, 4, 6, 3, 2, 1], 104
Exploration
avg = 0.000511393132645
p = 0.000590318772137
Ant 11 : [5, 6, 4, 3, 2, 1], 81
Exploitation
Ant 2: [6, 5, 4, 3, 2, 1, 0], 93
Update called by 2Exploitation
Ant thread 2 terminating. Ant 12: [6, 5, 4, 3, 2, 1], 83
Exploration
avg = 0.000511393132645
p = 0.000590318772137
Ant 13: [4, 6, 5, 3, 2, 1], 88
Exploitation
Ant 3: [1, 0, 4, 6, 5, 3, 2], 96
Update called by 3Exploitation
Ant thread 3 terminating. Ant 14: [4, 6, 5, 3, 2, 1], 88
Exploitation
Ant 15: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000511393132645
p = 0.000590318772137
Ant 16: [4, 6, 5, 3, 2, 1], 88
Exploitation
Ant 17 : [0, 4, 6, 5, 3, 2], 86
Exploitation
Ant 18: [0, 1, 3, 4, 6, 5], 69
Exploration
```

avg = 0.0012987012974

Ant 4: [3, 4, 6, 5, 2, 1, 0], 96

Update called by 4Exploitation

Ant thread 4 terminating. Ant 19: [3, 4, 6, 5, 2, 1], 86

Exploration

avg = 0.00129870129869

Ant 5 : [4, 6, 5, 3, 2, 1, 0], 98

Update called by 5Exploration

Ant thread 5 terminating.avg = 0.000721500721501

Ant 6 : [1, 0, 4, 6, 5, 3, 2], 96

Update called by 6Exploration

Ant thread 6 terminating.avg = 0.0012987012987

Ant 7: [4, 6, 5, 3, 2, 1, 0], 98

Update called by 7Exploitation

Ant thread 7 terminating. Ant 8 : [3, 4, 6, 5, 2, 1, 0], 96

Update called by 8Exploration

Ant thread 8 terminating.avg = 0.000564652738001

Ant 9 : [0, 1, 3, 4, 6, 5, 2], 92

Update called by 9Exploration

Ant thread 9 terminating.avg = 0.0012987012987

Ant 10: [5, 4, 6, 3, 2, 1, 0], 114

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11 : [5, 6, 4, 3, 2, 1, 0], 91

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12 : [6, 5, 4, 3, 2, 1, 0], 93

ExplorationUpdate called by 12

avg = 0.0012987012987Ant thread 12 terminating.

Ant 13: [4, 6, 5, 3, 2, 1, 0], 98

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.0012987012987

Ant 14: [4, 6, 5, 3, 2, 1, 0], 98

Update called by 14Exploitation

Ant thread 14 terminating. Ant 15: [4, 6, 5, 3, 2, 1, 0], 98

```
Ant thread 15 terminating.avg = 0.0012987012987
Ant 16: [4, 6, 5, 3, 2, 1, 0], 98
Update called by 16Exploration
Ant thread 16 terminating.avg = 0.000590318772137
Ant 17: [0, 4, 6, 5, 3, 2, 1], 108
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18: [0, 1, 3, 4, 6, 5, 2], 92
Update called by 18Exploration
Ant thread 18 terminating.avg = 0.0012987012987
Ant 19: [3, 4, 6, 5, 2, 1, 0], 96
Update called by 19
Best: [4, 6, 5, 3, 2, 1, 0], 118, 10, 124
Ant thread 19 terminating.iter_counter = 11
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [1, 0], 10 starting ant = 2
Explorationstarting ant = 3
avg = 0.000426227956376starting ant = 4
p = 0.00116881947947starting ant = 5
p = 0.000730519480519starting ant = 6
Ant 1 : [6, 5], 16starting ant = 7
Exploitationstarting ant = 8
Ant 0 : [1, 0, 4], 30 \text{ starting ant } = 9
Explorationstarting ant = 10
avg = 0.000439620813519starting ant = 11
p = 0.00116881947947starting ant = 12
p = 0.000810876623377starting ant = 13
Ant 2: [6, 5], 16starting ant = 14
Exploitationstarting ant = 15
```

Update called by 15Exploration

```
Ant 3 : [1, 0], 10starting ant = 16
Explorationstarting ant = 17
avg = 0.000361302434001starting ant = 18
p = 0.000649350649351starting ant = 19
p = 0.000779220779221
Ant 4: [3, 4], 15
Exploration
avg = 0.000572479000488
p = 0.000779220701299
p = 0.000973035220562
p = 0.00116883116883
Ant 5 : [4, 6], 10
Exploration
avg = 0.000427271486723
p = 0.00129868831169
p = 0.000649350584416
Ant 6: [1, 3], 18
Exploration
avg = 0.000469877997035
p = 0.000508187464709
p = 0.000531286894923
p = 0.000974025876623
Ant 1: [6, 5, 4], 28
Exploitation
Ant 7: [4, 6], 10
Exploration
avg = 0.000375588148287
p = 0.000649350649351
p = 0.000864935064935
Ant 8: [3, 4], 15
Exploitation
Ant 0: [1, 0, 4, 6], 40
Exploitation
Ant 9: [0, 1], 10
Exploitation
Ant 10 : [5, 4], 12
Exploration
avg = 0.000531231125676
p = 0.000531286894923
p = 0.00108224025973
p = 0.000729782385772
Ant 11 : [5, 6], 16
Exploration
avg = 0.000439754742091
p = 0.00116881947947
p = 0.000811680194805
Ant 12: [6, 5], 16
Exploration
avg = 0.000594124000488
```

```
p = 0.000779220701299
```

p = 0.000973035220562

p = 0.00129870116883

Ant 13 : [4, 6], 10

Exploration

avg = 0.000491520873656

p = 0.000508187464709

p = 0.000531286894923

p = 0.00108224025973

Ant 2 : [6, 5, 4], 28

Exploitation

Ant 14: [4, 6], 10

Exploration

avg = 0.000594124022131

p = 0.000779220701299

p = 0.000973035220562

p = 0.00129870129869

Ant 15 : [4, 6], 10

Exploration

avg = 0.000300613516395

p = 0.000648701298112

p = 0.00037532000329

Ant 3: [1, 0, 5], 38

Exploitation

Ant 16: [4, 6], 10

Exploitation

Ant 17 : [0, 1], 10

Exploration

avg = 0.000481562127118

p = 0.00129868831052

p = 0.000648701298112

Ant 18: [0, 4], 20

Exploration

avg = 0.00037573100543

p = 0.000649350649351

p = 0.000865792207792

Ant 19: [3, 4], 15

Exploration

avg = 0.0005571046863

p = 0.000973035220562

p = 0.0012987012987

Ant 4: [3, 4, 6], 25

Exploration

avg = 0.000293943401758

p = 0.000811688230519

Ant 5: [4, 6, 5], 26

Exploration

avg = 0.000394974647382

p = 0.000649350649351

p = 0.000865800779221

Ant 6: [1, 3, 4], 33

Exploration

avg = 0.000323251903383

p = 0.000779220701299

```
Ant 1 : [6, 5, 4, 3], 43
Exploration
avg = 0.00029394341783
p = 0.000811688310877
Ant 7: [4, 6, 5], 26
Exploitation
Ant 8: [3, 4, 6], 25
Exploration
avg = 0.000393422985843
p = 0.00081168831168
Ant 0: [1, 0, 4, 6, 5], 56
Exploitation
Ant 9 : [0, 1, 3], 28
Exploration
avg = 0.000535484655018
p = 0.000864935064156
p = 0.0012987012987
Ant 10 : [5, 4, 6], 22
Exploitation
Ant 11: [5, 6, 4], 26
Exploration
avg = 0.000491523016515
p = 0.000508187464709
p = 0.000531286894923
p = 0.00108225097403
Ant 12: [6, 5, 4], 28
Exploitation
Ant 13 : [4, 6, 5], 26
Exploration
avg = 0.000344680494098
p = 0.000864935064156
Ant 2: [6, 5, 4, 3], 43
Exploration
avg = 0.000293943417992
p = 0.000811688311688
Ant 14 : [4, 6, 5], 26
Exploration
avg = 0.000293943417992
p = 0.000811688311688
Ant 15 : [4, 6, 5], 26
Exploration
avg = 0.000733148673308
p = 0.00108225108117
p = 0.000810869252429
Ant 3: [1, 0, 5, 6], 54
Exploitation
Ant 16: [4, 6, 5], 26
Exploitation
Ant 17 : [0, 1, 3], 28
Exploration
avg = 0.000684980213558
p = 0.000865792207784
p = 0.000973035220562
p = 0.0012987012987
```

```
Ant 18 : [0, 4, 6], 30
Exploration
avg = 0.0005571046863
p = 0.000973035220562
p = 0.0012987012987
Ant 19 : [3, 4, 6], 25
Exploitation
Ant 4: [3, 4, 6, 5], 41
Exploitation
Ant 5 : [4, 6, 5, 3], 48
Exploration
avg = 0.000668079036438
p = 0.000973035220562
p = 0.0012987012987
Ant 6: [1, 3, 4, 6], 43
Exploitation
Ant 1 : [6, 5, 4, 3, 2], 61
Exploitation
Ant 7: [4, 6, 5, 3], 48
Exploitation
Ant 8: [3, 4, 6, 5], 41
Exploitation
Ant 0: [1, 0, 4, 6, 5, 3], 78
Exploitation
Ant 9 : [0, 1, 3, 4], 43
Exploration
avg = 0.000164507194568
p = 0.000186532418107
p = 0.000278014817252
Ant 10 : [5, 4, 6, 3], 64
Exploration
avg = 0.000344894780005
p = 0.000865792207784
Ant 11 : [5, 6, 4, 3], 41
Exploration
avg = 0.000344896922864
p = 0.000865800779221
Ant 12: [6, 5, 4, 3], 43
Exploration
avg = 0.000358598981683
p = 0.000508187464709
p = 0.000590318713105
Ant 13: [4, 6, 5, 3], 48
Exploitation
Ant 2: [6, 5, 4, 3, 2], 61
Exploitation
Ant 14: [4, 6, 5, 3], 48
Exploration
avg = 0.00035859899644
p = 0.000508187464709
p = 0.000590318772131
Ant 15 : [4, 6, 5, 3], 48
Exploitation
Ant 3: [1, 0, 5, 6, 4], 64
```

```
Exploitation
Ant 16: [4, 6, 5, 3], 48
Exploration
avg = 0.000475235565883
p = 0.000721493506494
p = 0.000865800865792
Ant 17 : [0, 1, 3, 4], 43
Exploitation
Ant 18: [0, 4, 6, 5], 46
Exploration
avg = 0.000297925568177
p = 0.000811688311688
Ant 19 : [3, 4, 6, 5], 41
Exploration
avg = 0.000281359071209
p = 0.000508187464709
Ant 4: [3, 4, 6, 5, 2], 64
Exploitation
Ant 5 : [4, 6, 5, 3, 2], 66
Exploitation
Ant 6: [1, 3, 4, 6, 5], 59
Exploitation
Ant 1: [6, 5, 4, 3, 2, 1], 83
Exploitation
Ant 7: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000299992611582
p = 0.000564088085827
Ant 8: [3, 4, 6, 5, 2], 64
Exploitation
Ant 0: [1, 0, 4, 6, 5, 3, 2], 96
Update called by OExploitation
Ant thread 0 terminating. Ant 9 : [0, 1, 3, 4, 6], 53
Exploration
avg = 0.000382365335227
p = 0.000721500721494
Ant 10: [5, 4, 6, 3, 2], 82
Exploration
avg = 0.00038236533523
p = 0.000721500721501
Ant 11 : [5, 6, 4, 3, 2], 59
Exploration
avg = 0.00038236533523
p = 0.000721500721501
Ant 12 : [6, 5, 4, 3, 2], 61
Exploration
avg = 0.00038236533523
p = 0.000721500721501
Ant 13: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000489474598601
p = 0.000589728453365
```

```
Ant 2 : [6, 5, 4, 3, 2, 1], 83
Exploration
avg = 0.00038236533523
p = 0.000721500721501
Ant 14: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.00038236533523
p = 0.000721500721501
Ant 15: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000519982959965
p = 0.000865800864935
Ant 3: [1, 0, 5, 6, 4, 3], 79
Exploitation
Ant 16: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000815300524753
p = 0.000973035220562
p = 0.0012987012987
Ant 17 : [0, 1, 3, 4, 6], 53
Exploitation
Ant 18: [0, 4, 6, 5, 3], 68
Exploration
avg = 0.000300178946986
p = 0.000564647092038
Ant 19: [3, 4, 6, 5, 2], 64
Exploration
avg = 0.000489766806393
p = 0.000590312868949
Ant 4: [3, 4, 6, 5, 2, 1], 86
Exploitation
Ant 5: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000363188688012
p = 0.000564652682101
Ant 6: [1, 3, 4, 6, 5, 2], 82
Exploration
avg = 0.00129868831169
Ant 1: [6, 5, 4, 3, 2, 1, 0], 93
Update called by 1Exploitation
Ant thread 1 terminating. Ant 7 : [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000489769757984
p = 0.000590318772131
Ant 8: [3, 4, 6, 5, 2, 1], 86
Exploitation
Ant 9: [0, 1, 3, 4, 6, 5], 69
Exploration
avg = 0.000489769757987
p = 0.000590318772137
Ant 10: [5, 4, 6, 3, 2, 1], 104
Exploration
```

```
avg = 0.000489769757987
p = 0.000590318772137
Ant 11 : [5, 6, 4, 3, 2, 1], 81
Exploration
avg = 0.000489769757987
p = 0.000590318772137
Ant 12 : [6, 5, 4, 3, 2, 1], 83
Exploration
avg = 0.000489769757987
p = 0.000590318772137
Ant 13: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.00129870116883
Ant 2 : [6, 5, 4, 3, 2, 1, 0], 93
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000489769757987
p = 0.000590318772137
Ant 14: [4, 6, 5, 3, 2, 1], 88
Exploitation
Ant 15 : [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000721500721501
Ant 3: [1, 0, 5, 6, 4, 3, 2], 97
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.000489769757987
p = 0.000590318772137
Ant 16: [4, 6, 5, 3, 2, 1], 88
Exploitation
Ant 17: [0, 1, 3, 4, 6, 5], 69
Exploitation
Ant 18: [0, 4, 6, 5, 3, 2], 86
Exploitation
Ant 19: [3, 4, 6, 5, 2, 1], 86
Exploration
avg = 0.0012987012974
Ant 4: [3, 4, 6, 5, 2, 1, 0], 96
ExplorationUpdate called by 4
avg = 0.00129870129869Ant thread 4 terminating.
Ant 5 : [4, 6, 5, 3, 2, 1, 0], 98
Update called by 5Exploration
Ant thread 5 terminating.avg = 0.000389220743837
Ant 6: [1, 3, 4, 6, 5, 2, 0], 112
Update called by 6Exploitation
Ant thread 6 terminating. Ant 7 : [4, 6, 5, 3, 2, 1, 0], 98
```

Update called by 7Exploration

Ant thread 7 terminating.avg = 0.0012987012987

Ant 8: [3, 4, 6, 5, 2, 1, 0], 96 Update called by 8Exploration

Ant thread 8 terminating.avg = 0.000564652738001

Ant 9 : [0, 1, 3, 4, 6, 5, 2], 92 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [5, 4, 6, 3, 2, 1, 0], 114

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [5, 6, 4, 3, 2, 1, 0], 91

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.0012987012987

Ant 12 : [6, 5, 4, 3, 2, 1, 0], 93 Update called by 12Exploration

Ant thread 12 terminating.avg = 0.0012987012987

Ant 13 : [4, 6, 5, 3, 2, 1, 0], 98 Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [4, 6, 5, 3, 2, 1, 0], 98

Update called by 14Exploration

Ant thread 14 terminating.avg = 0.0012987012987

Ant 15 : [4, 6, 5, 3, 2, 1, 0], 98 Update called by 15Exploitation

Ant thread 15 terminating. Ant 16: [4, 6, 5, 3, 2, 1, 0], 98

Update called by 16Exploration

Ant thread 16 terminating.avg = 0.00056465273856

Ant 17: [0, 1, 3, 4, 6, 5, 2], 92 Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [0, 4, 6, 5, 3, 2, 1], 108

Update called by 18Exploration

Ant thread 18 terminating.avg = 0.0012987012987

```
Ant 19: [3, 4, 6, 5, 2, 1, 0], 96
Update called by 19
Best: [4, 6, 5, 3, 2, 1, 0], 118, 11, 124
Ant thread 19 terminating.iter counter = 12
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [1, 0], 10 starting ant = 2
Explorationstarting ant = 3
avg = 0.000419893977057starting ant = 4
p = 0.00116881947947starting ant = 5
p = 0.000730519480519starting ant = 6
Ant 1 : [6, 5], 16starting ant = 7
Exploitationstarting ant = 8
Ant 0: [1, 0, 4], 30 starting ant = 9
Explorationstarting ant = 10
avg = 0.0004332868342starting ant = 11
p = 0.00116881947947starting ant = 12
p = 0.000810876623377starting ant = 13
Ant 2: [6, 5], 16starting ant = 14
Exploitationstarting ant = 15
Ant 3: [1, 0], 10starting ant = 16
Explorationstarting ant = 17
avg = 0.00034898171441starting ant = 18
p = 0.000649350649351starting ant = 19
p = 0.000779220779221
Ant 4: [3, 4], 15
Exploration
avg = 0.000547698644594
p = 0.000779220779213
p = 0.000875731698506
p = 0.00116883116883
Ant 5 : [4, 6], 10
Exploitation
Ant 6 : [1, 0], 10
```

```
Exploitation
Ant 1 : [6, 5, 4], 28
Exploration
avg = 0.000569127216022
p = 0.000779220779213
p = 0.000875731698506
p = 0.0012974025974
Ant 7 : [4, 6], 10
Exploration
avg = 0.000363267428696
p = 0.000649350649351
p = 0.000864935064935
Ant 8 : [3, 4], 15
Exploitation
Ant 0: [1, 0, 4, 6], 40
Exploitation
Ant 9 : [0, 1], 10
Exploration
avg = 0.000525576012301
p = 0.000531286894923
p = 0.00108116883116
p = 0.000730512108986
Ant 10: [5, 6], 16
Exploration
avg = 0.000538970085747
p = 0.00108116883116
p = 0.000810876549661
Ant 11 : [5, 6], 16
Exploration
avg = 0.000433420762771
p = 0.00116881947947
p = 0.000811680194805
Ant 12: [6, 5], 16
Exploration
avg = 0.000569343644594
p = 0.000779220779213
p = 0.000875731698506
p = 0.00129870116883
Ant 13: [4, 6], 10
Exploration
avg = 0.000484588792964
p = 0.000508187464709
p = 0.000531286894923
p = 0.00108116883116
Ant 2: [6, 5, 4], 28
Exploitation
Ant 14 : [4, 6], 10
Exploration
avg = 0.000569343666237
p = 0.000779220779213
p = 0.000875731698506
p = 0.00129870129869
Ant 15 : [4, 6], 10
Exploitation
```

```
Ant 3: [1, 0, 4], 30
Exploration
avg = 0.000569343666239
p = 0.000779220779213
p = 0.000875731698506
p = 0.0012987012987
Ant 16 : [4, 6], 10
Exploitation
Ant 17: [0, 1], 10
Exploitation
Ant 18: [0, 1], 10
Exploration
avg = 0.000363410285839
p = 0.000649350649351
p = 0.000865792207792
Ant 19: [3, 4], 15
Exploitation
Ant 4: [3, 4, 6], 25
Exploitation
Ant 5 : [4, 6, 5], 26
Exploration
avg = 0.000299425798786
p = 0.00064934415526
p = 0.000416643186152
Ant 6 : [1, 0, 5], 38
Exploitation
Ant 1: [6, 5, 4, 3], 43
Exploitation
Ant 7: [4, 6, 5], 26
Exploitation
Ant 8: [3, 4, 6], 25
Exploitation
Ant 0: [1, 0, 4, 6, 5], 56
Exploitation
Ant 9 : [0, 1, 3], 28
Exploration
avg = 0.000357768876364
p = 0.00116881947947
Ant 10: [5, 6, 4], 26
Exploration
avg = 0.000383485476573
p = 0.00129740248051
Ant 11: [5, 6, 4], 26
Exploration
avg = 0.00048480307868
p = 0.000508187464709
p = 0.000531286894923
p = 0.00108224025974
Ant 12: [6, 5, 4], 28
Exploitation
Ant 13 : [4, 6, 5], 26
Exploitation
Ant 2: [6, 5, 4, 3], 43
Exploitation
```

```
Ant 14 : [4, 6, 5], 26
Exploration
avg = 0.000286342642809
p = 0.000811688311688
Ant 15 : [4, 6, 5], 26
Exploitation
Ant 3 : [1, 0, 4, 6], 40
Exploitation
Ant 16: [4, 6, 5], 26
Exploitation
Ant 17 : [0, 1, 3], 28
Exploitation
Ant 18 : [0, 1, 3], 28
Exploration
avg = 0.000527368243644
p = 0.000875731698506
p = 0.0012987012987
Ant 19: [3, 4, 6], 25
Exploration
avg = 0.000288425219151
p = 0.000811688311688
Ant 4: [3, 4, 6, 5], 41
Exploration
avg = 0.000335443783415
p = 0.000508187464709
p = 0.000531286894923
Ant 5 : [4, 6, 5, 3], 48
Exploration
avg = 0.000747961771542
p = 0.00108225097403
p = 0.000811680194068
Ant 6: [1, 0, 5, 6], 54
Exploitation
Ant 1: [6, 5, 4, 3, 2], 61
Exploitation
Ant 7: [4, 6, 5, 3], 48
Exploitation
Ant 8:[3, 4, 6, 5], 41
Exploitation
Ant 0: [1, 0, 4, 6, 5, 3], 78
Exploration
avg = 0.00046721577553
p = 0.000720779220779
p = 0.000865800779221
Ant 9: [0, 1, 3, 4], 43
Exploitation
Ant 10 : [5, 6, 4, 3], 41
Exploration
avg = 0.000332052250058
p = 0.000865800779221
Ant 11 : [5, 6, 4, 3], 41
Exploration
avg = 0.000332052271487
p = 0.000865800864935
```

```
Ant 12 : [6, 5, 4, 3], 43
Exploration
avg = 0.00035020173796
p = 0.000508187464709
p = 0.000590318713105
Ant 13 : [4, 6, 5, 3], 48
Exploitation
Ant 2 : [6, 5, 4, 3, 2], 61
Exploration
avg = 0.000350201752571
p = 0.000508187464709
p = 0.000590318771547
Ant 14: [4, 6, 5, 3], 48
Exploration
avg = 0.000350201752717
p = 0.000508187464709
p = 0.000590318772131
Ant 15 : [4, 6, 5, 3], 48
Exploitation
Ant 3: [1, 0, 4, 6, 5], 56
Exploration
avg = 0.000350201752718
p = 0.000508187464709
p = 0.000590318772137
Ant 16: [4, 6, 5, 3], 48
Exploitation
Ant 17 : [0, 1, 3, 4], 43
Exploration
avg = 0.000467394368602
p = 0.000721493506494
p = 0.000865800865792
Ant 18 : [0, 1, 3, 4], 43
Exploitation
Ant 19 : [3, 4, 6, 5], 41
Exploration
avg = 0.000270162746245
p = 0.000508187464709
Ant 4: [3, 4, 6, 5, 2], 64
Exploitation
Ant 5: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000552736631231
p = 0.00129868831052
Ant 6: [1, 0, 5, 6, 4], 64
Exploration
avg = 0.000460252083666
p = 0.000531286894923
Ant 1 : [6, 5, 4, 3, 2, 1], 83
Exploration
avg = 0.000368178801707
p = 0.000721500649351
Ant 7: [4, 6, 5, 3, 2], 66
Exploitation
Ant 8: [3, 4, 6, 5, 2], 64
```

```
Exploration
avg = 0.000721500720779
Ant 0: [1, 0, 4, 6, 5, 3, 2], 96
Update called by OExploration
Ant thread 0 terminating.avg = 0.000777060515568
p = 0.000875731698506
p = 0.0012987012987
Ant 9: [0, 1, 3, 4, 6], 53
Exploitation
Ant 10: [5, 6, 4, 3, 2], 59
Exploration
avg = 0.000368178825757
p = 0.000721500721501
Ant 11: [5, 6, 4, 3, 2], 59
Exploitation
Ant 12: [6, 5, 4, 3, 2], 61
Exploitation
Ant 13: [4, 6, 5, 3, 2], 66
Exploitation
Ant 2: [6, 5, 4, 3, 2, 1], 83
Exploitation
Ant 14: [4, 6, 5, 3, 2], 66
Exploitation
Ant 15: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000577482932088
p = 0.000590318772137
Ant 3: [1, 0, 4, 6, 5, 3], 78
Exploration
avg = 0.000368178825757
p = 0.000721500721501
Ant 16: [4, 6, 5, 3, 2], 66
Exploration
avg = 0.000777060515568
p = 0.000875731698506
p = 0.0012987012987
Ant 17: [0, 1, 3, 4, 6], 53
Exploitation
Ant 18 : [0, 1, 3, 4, 6], 53
Exploration
avg = 0.000288982622022
p = 0.000564647092038
Ant 19: [3, 4, 6, 5, 2], 64
Exploration
avg = 0.000489765070679
p = 0.000590312868949
Ant 4: [3, 4, 6, 5, 2, 1], 86
Exploration
avg = 0.000489767992757
p = 0.000590318713105
Ant 5 : [4, 6, 5, 3, 2, 1], 88
```

Exploitation

```
Ant 6: [1, 0, 5, 6, 4, 3], 79
Exploration
avg = 0.00129870116883
Ant 1: [6, 5, 4, 3, 2, 1, 0], 93
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000489768021978
p = 0.000590318771547
Ant 7: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.00048976802227
p = 0.000590318772131
Ant 8: [3, 4, 6, 5, 2, 1], 86
Exploration
avg = 0.000446598778713
p = 0.000811688311688
Ant 9: [0, 1, 3, 4, 6, 5], 69
Exploitation
Ant 10 : [5, 6, 4, 3, 2, 1], 81
Exploration
avg = 0.000489768022273
p = 0.000590318772137
Ant 11 : [5, 6, 4, 3, 2, 1], 81
Exploitation
Ant 12: [6, 5, 4, 3, 2, 1], 83
Exploitation
Ant 13: [4, 6, 5, 3, 2, 1], 88
Exploitation
Ant 2 : [6, 5, 4, 3, 2, 1, 0], 93
Update called by 2Exploitation
Ant thread 2 terminating. Ant 14: [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000489768022273
p = 0.000590318772137
Ant 15 : [4, 6, 5, 3, 2, 1], 88
Exploration
avg = 0.000721500721501
Ant 3: [1, 0, 4, 6, 5, 3, 2], 96
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.000489768022273
p = 0.000590318772137
Ant 16: [4, 6, 5, 3, 2, 1], 88
Exploitation
Ant 17: [0, 1, 3, 4, 6, 5], 69
Exploration
avg = 0.000446598778713
p = 0.000811688311688
Ant 18 : [0, 1, 3, 4, 6, 5], 69
Exploration
```

avg = 0.000489768022273

p = 0.000590318772137

Ant 19: [3, 4, 6, 5, 2, 1], 86

Exploitation

Ant 4: [3, 4, 6, 5, 2, 1, 0], 96 Update called by 4Exploitation

Ant thread 4 terminating. Ant 5 : [4, 6, 5, 3, 2, 1, 0], 98

Update called by 5Exploitation

Ant thread 5 terminating. Ant 6 : [1, 0, 5, 6, 4, 3, 2], 97

Update called by 6Exploitation

Ant thread 6 terminating. Ant 7: [4, 6, 5, 3, 2, 1, 0], 98

Update called by 7Exploration

Ant thread 7 terminating.avg = 0.0012987012987

Ant 8: [3, 4, 6, 5, 2, 1, 0], 96 Update called by 8Exploration

Ant thread 8 terminating.avg = 0.000564652682101

Ant 9: [0, 1, 3, 4, 6, 5, 2], 92 Update called by 9Exploration

Ant thread 9 terminating.avg = 0.0012987012987

Ant 10 : [5, 6, 4, 3, 2, 1, 0], 91 Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [5, 6, 4, 3, 2, 1, 0], 91

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [6, 5, 4, 3, 2, 1, 0], 93

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.0012987012987

Ant 13 : [4, 6, 5, 3, 2, 1, 0], 98 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.0012987012987

Ant 14: [4, 6, 5, 3, 2, 1, 0], 98 Update called by 14Exploration

Ant thread 14 terminating.avg = 0.0012987012987

```
Update called by 15Exploitation
Ant thread 15 terminating. Ant 16: [4, 6, 5, 3, 2, 1, 0], 98
Update called by 16Exploration
Ant thread 16 terminating.avg = 0.000564652738001
Ant 17: [0, 1, 3, 4, 6, 5, 2], 92
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18: [0, 1, 3, 4, 6, 5, 2], 92
Update called by 18Exploration
Ant thread 18 terminating.avg = 0.0012987012987
Ant 19: [3, 4, 6, 5, 2, 1, 0], 96
Update called by 19
Best: [4, 6, 5, 3, 2, 1, 0], 118, 12, 122
Ant thread 19 terminating.
                     Results
Best path = [4, 6, 5, 3, 2, 1, 0]
('E',)
('G',)
('F',)
('D',)
('C',)
('B',)
('A',)
Best path cost = 118
>>>
RESTART: C:\Users\teleuser\Documents\Kantor\Kuliah\Master\Semester
3\Perencanaan
Jaringan\Tugas\program\Python\tsp-atncolony\Python-Ant-Colony-TSP-Solver-master\
anttsp.py
[[0, 10, 30, 31, 20, 28], [10, 0, 22, 18, 40, 26], [30, 22, 0, 18, 26, 23], [31,
18, 18, 0, 15, 22], [20, 40, 26, 15, 0, 12], [28, 26, 23, 22, 12, 0]]
Average = 18
Tau0 = 0.0185185185
iter_counter = 1
starting ant = 0
Explorationstarting ant = 1
avg = 0.000975783475783starting ant = 2
```

Ant 15 : [4, 6, 5, 3, 2, 1, 0], 98

```
p = 0.00123456790123
 p = 0.00154320987654starting ant = 3
Ant 0: [4, 5], 12starting ant = 4
Explorationstarting ant = 5
avg = 0.000979524590636starting ant = 6
p = 0.00185185185185starting ant = 7
p = 0.00102880658436starting ant = 8
Ant 1 : [1, 3], 18starting ant = 9
Explorationstarting ant = 10
avg = 0.000801049013609starting ant = 11
p = 0.000841750841751starting ant = 12
p = 0.00102880658436starting ant = 13
p = 0.000805152979066starting ant = 14
Ant 2 : [2, 5], 23starting ant = 15
Exploitationstarting ant = 16
Ant 3: [0, 1], 10starting ant = 17
Exploitationstarting ant = 18
Ant 0: [4, 5, 3], 34starting ant = 19
Exploration
avg = 0.000975783475783
p = 0.00123456790123
p = 0.00154320987654
Ant 4: [4, 5], 12
Exploitation
Ant 5 : [3, 4], 15
Exploitation
Ant 6: [4, 5], 12
Exploration
avg = 0.000979524590636
p = 0.00185185185185
p = 0.00102880658436
Ant 7 : [1, 3], 18
Exploration
avg = 0.000975783475783
p = 0.00123456790123
p = 0.00154320987654
Ant 8 : [4, 5], 12
```

```
Exploitation
Ant 1 : [1, 3, 4], 33
Exploitation
Ant 9: [3, 4], 15
Exploration
avg = 0.000979524590636
p = 0.00185185185185
p = 0.00102880658436
Ant 10 : [1, 3], 18
Exploration
avg = 0.000912748014197
p = 0.00154320987654
Ant 11 : [5, 4], 12
Exploration
avg = 0.000930761790977
p = 0.00185185185185
Ant 12 : [0, 1], 10
Exploitation
Ant 13 : [5, 4], 12
Exploration
avg = 0.000801049013609
p = 0.000841750841751
p = 0.00102880658436
p = 0.000805152979066
Ant 14: [2, 5], 23
Exploration
avg = 0.00093964677298
p = 0.00154320987654
Ant 2 : [2, 5, 4], 35
Exploration
avg = 0.000975783475783
p = 0.00123456790123
p = 0.00154320987654
Ant 15 : [4, 5], 12
Exploration
avg = 0.000979524590636
p = 0.00185185185185
p = 0.00102880658436
Ant 16: [1, 3], 18
Exploitation
Ant 3 : [0, 1, 3], 28
Exploitation
Ant 17 : [5, 4], 12
Exploration
avg = 0.000912748014197
p = 0.00154320987654
Ant 18 : [5, 4], 12
Exploration
avg = 0.000884994911279
p = 0.00102880658436
p = 0.00102880658436
Ant 0: [4, 5, 3, 2], 52
Exploitation
Ant 19 : [5, 4], 12
```

```
Exploration
avg = 0.000755132548611
p = 0.000805152979066
p = 0.000841750841751
Ant 4: [4, 5, 3], 34
Exploitation
Ant 5 : [3, 4, 5], 27
Exploitation
Ant 6: [4, 5, 3], 34
Exploration
avg = 0.000925624223115
p = 0.00102880658436
p = 0.00123456790123
Ant 7: [1, 3, 4], 33
Exploration
avg = 0.000755132548611
p = 0.000805152979066
p = 0.000841750841751
Ant 8: [4, 5, 3], 34
Exploration
avg = 0.00106046217157
p = 0.00154320987654
Ant 1: [1, 3, 4, 5], 45
Exploitation
Ant 9: [3, 4, 5], 27
Exploration
avg = 0.000925624223115
p = 0.00102880658436
p = 0.00123456790123
Ant 10 : [1, 3, 4], 33
Exploitation
Ant 11: [5, 4, 3], 27
Exploitation
Ant 12 : [0, 1, 3], 28
Exploitation
Ant 13 : [5, 4, 3], 27
Exploration
avg = 0.00093964677298
p = 0.00154320987654
Ant 14 : [2, 5, 4], 35
Exploration
avg = 0.000874485596708
p = 0.000925925925926
p = 0.00123456790123
Ant 2 : [2, 5, 4, 3], 50
Exploitation
Ant 15 : [4, 5, 3], 34
Exploration
avg = 0.000925624223115
p = 0.00102880658436
p = 0.00123456790123
Ant 16: [1, 3, 4], 33
Exploration
avg = 0.00103504177578
```

```
p = 0.00123456790123
Ant 3 : [0, 1, 3, 4], 43
Exploitation
Ant 17: [5, 4, 3], 27
Exploration
avg = 0.000833926875594
p = 0.000925925925926
p = 0.00123456790123
Ant 18: [5, 4, 3], 27
Exploration
avg = 0.000729517396184
p = 0.000841750841751
Ant 0: [4, 5, 3, 2, 1], 74
Exploitation
Ant 19 : [5, 4, 3], 27
Exploitation
Ant 4: [4, 5, 3, 1], 52
Exploitation
Ant 5 : [3, 4, 5, 2], 50
Exploration
avg = 0.000884994911279
p = 0.00102880658436
p = 0.00102880658436
Ant 6: [4, 5, 3, 2], 52
Exploitation
Ant 7: [1, 3, 4, 5], 45
Exploitation
Ant 8: [4, 5, 3, 1], 52
Exploitation
Ant 1: [1, 3, 4, 5, 2], 68
Exploitation
Ant 9:[3, 4, 5, 2], 50
Exploitation
Ant 10 : [1, 3, 4, 5], 45
Exploitation
Ant 11 : [5, 4, 3, 1], 45
Exploitation
Ant 12 : [0, 1, 3, 4], 43
Exploration
avg = 0.000884994911279
p = 0.00102880658436
p = 0.00102880658436
Ant 13 : [5, 4, 3, 2], 45
Exploitation
Ant 14: [2, 5, 4, 3], 50
Exploitation
Ant 2 : [2, 5, 4, 3, 1], 68
Exploration
avg = 0.000884994911279
p = 0.00102880658436
p = 0.00102880658436
Ant 15 : [4, 5, 3, 2], 52
Exploration
avg = 0.00106046217157
```

```
p = 0.00154320987654
Ant 16 : [1, 3, 4, 5], 45
Exploitation
Ant 3: [0, 1, 3, 4, 5], 55
Exploration
avg = 0.000884994911279
p = 0.00102880658436
p = 0.00102880658436
Ant 17: [5, 4, 3, 2], 45
Exploration
avg = 0.000884994911279
p = 0.00102880658436
p = 0.00102880658436
Ant 18 : [5, 4, 3, 2], 45
Exploitation
Ant 0: [4, 5, 3, 2, 1, 0], 84
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 19 : [5, 4, 3, 1], 45
Exploitation
Ant 4: [4, 5, 3, 1, 0], 62
Exploitation
Ant 5: [3, 4, 5, 2, 1], 72
Exploitation
Ant 6: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000733264320221
p = 0.000805152979066
Ant 7: [1, 3, 4, 5, 2], 68
Exploitation
Ant 8: [4, 5, 3, 1, 0], 62
Exploration
avg = 0.000617283950617
Ant 1 : [1, 3, 4, 5, 2, 0], 98
Update called by 1Exploitation
Ant thread 1 terminating. Ant 9: [3, 4, 5, 2, 1], 72
Exploration
avg = 0.000733264320221
p = 0.000805152979066
Ant 10: [1, 3, 4, 5, 2], 68
Exploitation
Ant 11 : [5, 4, 3, 1, 0], 55
Exploration
avg = 0.0011277302944
p = 0.00154320987654
Ant 12: [0, 1, 3, 4, 5], 55
Exploitation
Ant 13 : [5, 4, 3, 2, 1], 67
Exploitation
Ant 14: [2, 5, 4, 3, 1], 68
Exploration
```

```
avg = 0.00185185185185
Ant 2 : [2, 5, 4, 3, 1, 0], 78
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000729517396184
p = 0.000841750841751
Ant 15 : [4, 5, 3, 2, 1], 74
Exploitation
Ant 16 : [1, 3, 4, 5, 2], 68
Exploration
avg = 0.000805152979066
Ant 3: [0, 1, 3, 4, 5, 2], 78
Update called by 3Exploitation
Ant thread 3 terminating. Ant 17: [5, 4, 3, 2, 1], 67
Exploration
avg = 0.000729517396184
p = 0.000841750841751
Ant 18: [5, 4, 3, 2, 1], 67
Exploration
avg = 0.0013468013468
p = 0.00185185185185
Ant 19 : [5, 4, 3, 1, 0], 55
Exploration
avg = 0.000617283950617
Ant 4: [4, 5, 3, 1, 0, 2], 92
Update called by 4Exploitation
Ant thread 4 terminating. Ant 5 : [3, 4, 5, 2, 1, 0], 82
Update called by 5Exploitation
Ant thread 5 terminating. Ant 6: [4, 5, 3, 2, 1, 0], 84
Update called by 6Exploitation
Ant thread 6 terminating. Ant 7: [1, 3, 4, 5, 2, 0], 98
Update called by 7Exploration
Ant thread 7 terminating.avg = 0.000617283950617
Ant 8: [4, 5, 3, 1, 0, 2], 92
Update called by 8Exploration
Ant thread 8 terminating.avg = 0.00185185185185
Ant 9: [3, 4, 5, 2, 1, 0], 82
Update called by 9Exploitation
```

Ant thread 9 terminating. Ant 10 : [1, 3, 4, 5, 2, 0], 98

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.000617283950617

Ant 11 : [5, 4, 3, 1, 0, 2], 85 Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [0, 1, 3, 4, 5, 2], 78

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00185185185185

Ant 13 : [5, 4, 3, 2, 1, 0], 77 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00185185185185

Ant 14 : [2, 5, 4, 3, 1, 0], 78 Update called by 14Exploitation

Ant thread 14 terminating. Ant 15: [4, 5, 3, 2, 1, 0], 84

Update called by 15Exploration

Ant thread 15 terminating.avg = 0.000617283950617

Ant 16: [1, 3, 4, 5, 2, 0], 98 Update called by 16Exploration

Ant thread 16 terminating.avg = 0.00185185185185

Ant 17 : [5, 4, 3, 2, 1, 0], 77 Update called by 17Exploration

Ant thread 17 terminating.avg = 0.00185185185185

Ant 18: [5, 4, 3, 2, 1, 0], 77 Update called by 18Exploitation

Ant thread 18 terminating. Ant 19 : [5, 4, 3, 1, 0, 2], 85

Update called by 19
Best: [4, 5, 3, 2, 1, 0], 104, 1, 108
Ant thread 19 terminating.iter_counter = 2

starting ant = 0
Explorationstarting ant = 1

avg = 0.000878205128205starting ant = 2

p = 0.001388888888889starting ant = 4

```
Ant 0 : [4, 5], 12starting ant = 5
Explorationstarting ant = 6
avg = 0.000881572131572starting ant = 7
p = 0.001666666666667 ant = 8
p = 0.000925925925926starting ant = 9
Ant 1 : [1, 3], 18starting ant = 10
Explorationstarting ant = 11
avg = 0.000720944112248starting ant = 12
p = 0.00075757575757576starting ant = 13
p = 0.000925925925926starting ant = 14
p = 0.000724637681159starting ant = 15
Ant 2: [2, 5], 23starting ant = 16
Explorationstarting ant = 17
avg = 0.000837685611879starting ant = 18
p = 0.001666666666667starting ant = 19
Ant 3: [0, 1], 10
Exploitation
Ant 4: [4, 5], 12
Exploration
avg = 0.00067961929375
p = 0.000724637681159
p = 0.000757575757576
Ant 0: [4, 5, 3], 34
Exploration
avg = 0.000851634625828
p = 0.000925925925926
p = 0.000925925925926
p = 0.00111111111111
Ant 5 : [3, 4], 15
Exploitation
Ant 6: [4, 5], 12
Exploitation
Ant 7 : [1, 0], 10
Exploration
avg = 0.000909069294872
p = 0.00111111111111
p = 0.00154320972222
Ant 8 : [4, 5], 12
```

```
Exploitation
Ant 9 : [3, 4], 15
Exploration
avg = 0.000863922911915
p = 0.000925925925926
p = 0.00123455555556
Ant 1 : [1, 3, 4], 33
Exploitation
Ant 10 : [1, 0], 10
Exploitation
Ant 11: [5, 4], 12
Exploration
avg = 0.000874352278546
p = 0.00185
Ant 12: [0, 1], 10
Exploitation
Ant 13 : [5, 4], 12
Exploration
avg = 0.000736886141234
p = 0.000757575757576
p = 0.000925925925926
p = 0.000804347826087
Ant 14: [2, 5], 23
Exploration
avg = 0.000909069325427
p = 0.001111111111111
p = 0.001543209875
Ant 15 : [4, 5], 12
Exploitation
Ant 2: [2, 5, 4], 35
Exploitation
Ant 16: [1, 0], 10
Exploration
avg = 0.000869004046111
p = 0.00154320972222
Ant 17 : [5, 4], 12
Exploitation
Ant 18 : [5, 4], 12
Exploration
avg = 0.000869004076972
p = 0.00154320987653
Ant 19 : [5, 4], 12
Exploitation
Ant 3 : [0, 1, 3], 28
Exploitation
Ant 4: [4, 5, 3], 34
Exploration
avg = 0.000796495420151
p = 0.000925925925926
p = 0.000925925925926
Ant 0: [4, 5, 3, 2], 52
Exploration
avg = 0.000858558879388
p = 0.00154320987653
```

```
Ant 5: [3, 4, 5], 27
Exploration
avg = 0.000700660960416
p = 0.000724637681159
p = 0.000841742424242
Ant 6: [4, 5, 3], 34
Exploration
avg = 0.000630440348182
Ant 7: [1, 0, 4], 30
Exploration
avg = 0.00070066304375
p = 0.000724637681159
p = 0.000841750757576
Ant 8: [4, 5, 3], 34
Exploration
avg = 0.000858558879392
p = 0.00154320987654
Ant 9: [3, 4, 5], 27
Exploitation
Ant 1: [1, 3, 4, 5], 45
Exploitation
Ant 10: [1, 0, 4], 30
Exploitation
Ant 11 : [5, 4, 3], 27
Exploitation
Ant 12 : [0, 1, 3], 28
Exploitation
Ant 13 : [5, 4, 3], 27
Exploitation
Ant 14: [2, 5, 4], 35
Exploration
avg = 0.000700663064583
p = 0.000724637681159
p = 0.000841750840909
Ant 15 : [4, 5, 3], 34
Exploration
avg = 0.000828185185185
p = 0.00123455555556
Ant 2 : [2, 5, 4, 3], 50
Exploration
avg = 0.000653586181516
p = 0.000925916666667
Ant 16: [1, 0, 4], 30
Exploitation
Ant 17 : [5, 4, 3], 27
Exploration
avg = 0.000781398385256
p = 0.0012345679
Ant 18 : [5, 4, 3], 27
Exploitation
Ant 19 : [5, 4, 3], 27
```

```
Exploration
avg = 0.00100664043771
p = 0.0010277777778
p = 0.00123456777778
Ant 3: [0, 1, 3, 4], 43
Exploration
avg = 0.000830446037435
p = 0.000925925925926
p = 0.0010277777778
Ant 4: [4, 5, 3, 2], 52
Exploitation
Ant 0: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000653633805808
p = 0.000724637681159
Ant 5 : [3, 4, 5, 2], 50
Exploitation
Ant 6: [4, 5, 3, 2], 52
Exploration
avg = 0.0011396011396
p = 0.00123456790123
p = 0.00154320987654
Ant 7: [1, 0, 4, 5], 42
Exploitation
Ant 8: [4, 5, 3, 2], 52
Exploration
avg = 0.000680203854117
p = 0.000804347826087
Ant 9: [3, 4, 5, 2], 50
Exploration
avg = 0.000700191511387
p = 0.000805144927536
Ant 1: [1, 3, 4, 5, 2], 68
Exploitation
Ant 10 : [1, 0, 4, 5], 42
Exploration
avg = 0.00083078897262
p = 0.000925925925926
p = 0.00102880658333
Ant 11 : [5, 4, 3, 2], 45
Exploration
avg = 0.00100698341398
p = 0.00102880658435
p = 0.0012345679
Ant 12 : [0, 1, 3, 4], 43
Exploitation
Ant 13: [5, 4, 3, 2], 45
Exploitation
Ant 14: [2, 5, 4, 3], 50
Exploitation
Ant 15 : [4, 5, 3, 2], 52
Exploitation
Ant 2 : [2, 5, 4, 3, 1], 68
Exploration
```

```
avg = 0.0011396011396
p = 0.00123456790123
p = 0.00154320987654
Ant 16: [1, 0, 4, 5], 42
Exploration
avg = 0.000864739590247
p = 0.0010277777778
p = 0.00102880658436
Ant 17: [5, 4, 3, 2], 45
Exploration
avg = 0.000864739590247
p = 0.0010277777778
p = 0.00102880658436
Ant 18 : [5, 4, 3, 2], 45
Exploitation
Ant 19: [5, 4, 3, 2], 45
Exploration
avg = 0.00109211775878
p = 0.00154320987654
Ant 3: [0, 1, 3, 4, 5], 55
Exploitation
Ant 4: [4, 5, 3, 2, 1], 74
Exploitation
Ant 0: [4, 5, 3, 2, 1, 0], 84
Update called by OExploration
Ant thread 0 terminating.avg = 0.000698648989899
p = 0.000841742424242
Ant 5 : [3, 4, 5, 2, 1], 72
Exploration
avg = 0.000698653156566
p = 0.000841750757576
Ant 6: [4, 5, 3, 2, 1], 74
Exploitation
Ant 7: [1, 0, 4, 5, 3], 64
Exploration
avg = 0.000698653198232
p = 0.000841750840909
Ant 8: [4, 5, 3, 2, 1], 74
Exploitation
Ant 9: [3, 4, 5, 2, 1], 72
Exploration
avg = 0.00055555555555
Ant 1 : [1, 3, 4, 5, 2, 0], 98
Update called by 1Exploitation
Ant thread 1 terminating. Ant 10 : [1, 0, 4, 5, 3], 64
Exploitation
Ant 11: [5, 4, 3, 2, 1], 67
Exploitation
Ant 12: [0, 1, 3, 4, 5], 55
Exploitation
```

```
Ant 13 : [5, 4, 3, 2, 1], 67
Exploitation
Ant 14 : [2, 5, 4, 3, 1], 68
Exploitation
Ant 15 : [4, 5, 3, 2, 1], 74
Exploitation
Ant 2 : [2, 5, 4, 3, 1, 0], 78
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000823451870151
p = 0.000841750841751
Ant 16: [1, 0, 4, 5, 3], 64
Exploration
avg = 0.000729208754209
p = 0.000841750841751
Ant 17 : [5, 4, 3, 2, 1], 67
Exploration
avg = 0.000729208754209
p = 0.000841750841751
Ant 18: [5, 4, 3, 2, 1], 67
Exploitation
Ant 19: [5, 4, 3, 2, 1], 67
Exploration
avg = 0.000805152898551
Ant 3: [0, 1, 3, 4, 5, 2], 78
Update called by 3Exploitation
Ant thread 3 terminating. Ant 4: [4, 5, 3, 2, 1, 0], 84
Update called by 4Exploration
Ant thread 4 terminating.avg = 0.00185185185185
Ant 5 : [3, 4, 5, 2, 1, 0], 82
Update called by 5Exploration
Ant thread 5 terminating.avg = 0.00185185185185
Ant 6: [4, 5, 3, 2, 1, 0], 84
Update called by 6Exploitation
Ant thread 6 terminating. Ant 7: [1, 0, 4, 5, 3, 2], 82
Update called by 7Exploitation
Ant thread 7 terminating. Ant 8 : [4, 5, 3, 2, 1, 0], 84
Update called by 8Exploitation
Ant thread 8 terminating. Ant 9 : [3, 4, 5, 2, 1, 0], 82
Update called by 9Exploration
```

Ant thread 9 terminating.avg = 0.00102880658436

Ant 10: [1, 0, 4, 5, 3, 2], 82 Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [5, 4, 3, 2, 1, 0], 77

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [0, 1, 3, 4, 5, 2], 78

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00185185185185

Ant 13 : [5, 4, 3, 2, 1, 0], 77 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00185185185185

Ant 14 : [2, 5, 4, 3, 1, 0], 78 Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00185185185185

Ant 15 : [4, 5, 3, 2, 1, 0], 84 Update called by 15Exploitation

Ant thread 15 terminating. Ant 16: [1, 0, 4, 5, 3, 2], 82

Update called by 16Exploration

Ant thread 16 terminating.avg = 0.00185185185185

Ant 17 : [5, 4, 3, 2, 1, 0], 77 Update called by 17Exploration

Ant thread 17 terminating.avg = 0.00185185185185

Ant 18 : [5, 4, 3, 2, 1, 0], 77 Update called by 18Exploration

Ant thread 18 terminating.avg = 0.00185185185185

Ant 19 : [5, 4, 3, 2, 1, 0], 77 Update called by 19

Best: [4, 5, 3, 2, 1, 0], 104, 2, 106 Ant thread 19 terminating.iter_counter = 3

starting ant = 0
Exploitationstarting ant = 1

Ant 0 : [4, 5], 12starting ant = 2

```
Ant 1 : [1, 0], 10starting ant = 4
Exploitationstarting ant = 5
Ant 0: [4, 5, 3], 34starting ant = 6
Explorationstarting ant = 7
avg = 0.000689492520523starting ant = 8
p = 0.00075757575757576starting ant = 9
p = 0.000724630434783starting ant = 11
Ant 2 : [2, 5], 23starting ant = 12
Exploitationstarting ant = 13
Ant 3 : [0, 1], 10starting ant = 14
Explorationstarting ant = 15
avg = 0.000588229625864starting ant = 16
p = 0.00083333325starting ant = 17
Ant 1: [1, 0, 4], 30starting ant = 18
Explorationstarting ant = 19
avg = 0.00087094017094
p = 0.00111111111111
p = 0.00154166666667
Ant 4: [4, 5], 12
Exploitation
Ant 5 : [3, 4], 15
Exploration
avg = 0.000778571186778
p = 0.000925916666667
p = 0.000925925925926
Ant 0: [4, 5, 3, 2], 52
Exploitation
Ant 6: [4, 5], 12
Exploitation
Ant 7: [1, 0], 10
Exploration
avg = 0.000871248782051
p = 0.00111111111111
p = 0.00154320972222
Ant 8 : [4, 5], 12
```

Exploitationstarting ant = 3

```
Exploration
avg = 0.000870543385468
p = 0.000925916666667
p = 0.0010277777778
p = 0.001233333333333
Ant 9: [3, 4], 15
Exploration
avg = 0.000882300085082
p = 0.00185183333333
p = 0.000925925833333
Ant 10: [1, 3], 18
Exploitation
Ant 11 : [5, 4], 12
Exploitation
Ant 2 : [2, 5, 4], 35
Exploitation
Ant 12 : [0, 1], 10
Exploitation
Ant 13 : [5, 4], 12
Exploration
avg = 0.000665379758898
p = 0.000681818181818
p = 0.0010277777685
Ant 3 : [0, 1, 3], 28
Exploitation
Ant 14: [2, 3], 18
Exploration
avg = 0.000871248812607
p = 0.00111111111111
p = 0.001543209875
Ant 15 : [4, 5], 12
Exploration
avg = 0.000902874177672
p = 0.00185183333333
p = 0.00102879629629
Ant 16 : [1, 3], 18
Exploration
avg = 0.000844278771384
p = 0.00154320972222
Ant 17 : [5, 4], 12
Exploration
avg = 0.00107708135485
p = 0.00111111111111
p = 0.00154320987653
Ant 1: [1, 0, 4, 5], 42
Exploration
avg = 0.00084427880194
p = 0.001543209875
Ant 18 : [5, 4], 12
Exploration
avg = 0.000844278802245
p = 0.00154320987653
Ant 19: [5, 4], 12
Exploitation
```

```
Ant 4: [4, 5, 3], 34
Exploitation
Ant 5 : [3, 4, 5], 27
Exploration
avg = 0.000656287878788
p = 0.000757575757576
Ant 0: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000669754367008
p = 0.000724637681152
p = 0.000841742424242
Ant 6: [4, 5, 3], 34
Exploration
avg = 0.000611146313156
p = 0.000924999999167
Ant 7: [1, 0, 4], 30
Exploitation
Ant 8: [4, 5, 3], 34
Exploitation
Ant 9: [3, 4, 5], 27
Exploitation
Ant 10 : [1, 3, 4], 33
Exploration
avg = 0.000703258547009
p = 0.00075
p = 0.00111111111111
Ant 11 : [5, 4, 3], 27
Exploration
avg = 0.0007861111111111
p = 0.001233333333333
Ant 2 : [2, 5, 4, 3], 50
Exploration
avg = 0.000665636935056
p = 0.000681818181818
p = 0.00102880648148
Ant 12 : [0, 1, 3], 28
Exploitation
Ant 13: [5, 4, 3], 27
Exploitation
Ant 3: [0, 1, 3, 4], 43
Exploitation
Ant 14 : [2, 3, 4], 33
Exploitation
Ant 15: [4, 5, 3], 34
Exploitation
Ant 16 : [1, 3, 4], 33
Exploration
avg = 0.000734122713675
p = 0.00075
p = 0.00123456777778
Ant 17 : [5, 4, 3], 27
Exploitation
Ant 1: [1, 0, 4, 5, 3], 64
Exploitation
```

```
Ant 18 : [5, 4, 3], 27
Exploration
avg = 0.000734122744536
p = 0.00075
p = 0.00123456790122
Ant 19 : [5, 4, 3], 27
Exploration
avg = 0.000812521804062
p = 0.0009259166666667
p = 0.0010277777778
Ant 4: [4, 5, 3, 2], 52
Exploitation
Ant 5 : [3, 4, 5, 2], 50
Exploration
avg = 0.00185183333333
Ant 0: [4, 5, 3, 2, 1, 0], 84
ExploitationUpdate called by 0
Ant 6 : [4, 5, 3, 2], 52Ant thread 0 terminating.
Exploration
avg = 0.00111823361823
p = 0.00123456790123
p = 0.00154320987654
Ant 7: [1, 0, 4, 5], 42
Exploration
avg = 0.000812864705297
p = 0.000925916666667
p = 0.00102880648148
Ant 8: [4, 5, 3, 2], 52
Exploitation
Ant 9:[3, 4, 5, 2], 50
Exploration
avg = 0.000956710984489
p = 0.00154320987654
Ant 10 : [1, 3, 4, 5], 45
Exploitation
Ant 11: [5, 4, 3, 2], 45
Exploration
avg = 0.000704893817204
p = 0.000925916666667
Ant 2 : [2, 5, 4, 3, 1], 68
Exploitation
Ant 12 : [0, 1, 3, 4], 43
Exploitation
Ant 13: [5, 4, 3, 2], 45
Exploitation
Ant 3 : [0, 1, 3, 4, 5], 55
Exploitation
Ant 14 : [2, 3, 4, 5], 45
Exploration
avg = 0.00084681841243
p = 0.00102777768519
p = 0.00102880658436
```

```
Ant 15 : [4, 5, 3, 2], 52
Exploitation
Ant 16 : [1, 3, 4, 5], 45
Exploitation
Ant 17 : [5, 4, 3, 2], 45
Exploration
avg = 0.00102880658436
Ant 1: [1, 0, 4, 5, 3, 2], 82
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.00084681841243
p = 0.00102777768519
p = 0.00102880658436
Ant 18: [5, 4, 3, 2], 45
Exploitation
Ant 19 : [5, 4, 3, 2], 45
Exploration
avg = 0.000697954545455
p = 0.000840909090909
Ant 4: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000698371212121
p = 0.000841742424242
Ant 5 : [3, 4, 5, 2, 1], 72
Exploration
avg = 0.000698375378788
p = 0.000841750757576
Ant 6: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000823447884643
p = 0.000841750841751
Ant 7 : [1, 0, 4, 5, 3], 64
Exploration
avg = 0.000698375420455
p = 0.000841750840909
Ant 8: [4, 5, 3, 2, 1], 74
Exploitation
Ant 9: [3, 4, 5, 2, 1], 72
Exploration
avg = 0.000670429606625
p = 0.000805144927536
Ant 10: [1, 3, 4, 5, 2], 68
Exploitation
Ant 11 : [5, 4, 3, 2, 1], 67
Exploitation
Ant 2: [2, 5, 4, 3, 1, 0], 78
ExplorationUpdate called by 2
avg = 0.00106006647673Ant thread 2 terminating.
p = 0.00154320987654
Ant 12: [0, 1, 3, 4, 5], 55
Exploitation
```

Ant 13: [5, 4, 3, 2, 1], 67

Exploitation

Ant 3: [0, 1, 3, 4, 5, 2], 78 Update called by 3Exploitation

Ant thread 3 terminating. Ant 14: [2, 3, 4, 5, 1], 71

Exploration

avg = 0.000698375420875

p = 0.000841750841751

Ant 15 : [4, 5, 3, 2, 1], 74

Exploitation

Ant 16: [1, 3, 4, 5, 2], 68

Exploitation

Ant 17: [5, 4, 3, 2, 1], 67

Exploration

avg = 0.000698375420875

p = 0.000841750841751

Ant 18: [5, 4, 3, 2, 1], 67

Exploitation

Ant 19: [5, 4, 3, 2, 1], 67

Exploration

avg = 0.00185185185

Ant 4: [4, 5, 3, 2, 1, 0], 84 Update called by 4Exploration

Ant thread 4 terminating.avg = 0.00185185185183

Ant 5 : [3, 4, 5, 2, 1, 0], 82 Update called by 5Exploration

Ant thread 5 terminating.avg = 0.00185185185185

Ant 6: [4, 5, 3, 2, 1, 0], 84 Update called by 6Exploration

Ant thread 6 terminating.avg = 0.00102880658436

Ant 7 : [1, 0, 4, 5, 3, 2], 82 Update called by 7Exploration

Ant thread 7 terminating.avg = 0.00185185185185

Ant 8: [4, 5, 3, 2, 1, 0], 84 Update called by 8Exploration

Ant thread 8 terminating.avg = 0.00185185185185

Ant 9: [3, 4, 5, 2, 1, 0], 82 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [1, 3, 4, 5, 2, 0], 98

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [5, 4, 3, 2, 1, 0], 77

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.000805152979058

Ant 12: [0, 1, 3, 4, 5, 2], 78 Update called by 12Exploitation

Ant thread 12 terminating. Ant 13: [5, 4, 3, 2, 1, 0], 77

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00185185185185

Ant 14 : [2, 3, 4, 5, 1, 0], 81 Update called by 14Exploitation

Ant thread 14 terminating. Ant 15 : [4, 5, 3, 2, 1, 0], 84

Update called by 15Exploration

Ant thread 15 terminating.avg = 0.000616661111111

Ant 16: [1, 3, 4, 5, 2, 0], 98 Update called by 16Exploration

Ant thread 16 terminating.avg = 0.00185185185185

Ant 17 : [5, 4, 3, 2, 1, 0], 77 Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [5, 4, 3, 2, 1, 0], 77

Update called by 18Exploitation

Ant thread 18 terminating. Ant 19: [5, 4, 3, 2, 1, 0], 77

Update called by 19

Best: [4, 5, 3, 2, 1, 0], 104, 3, 106

Ant thread 19 terminating.iter_counter = 4

starting ant = 0

Exploitationstarting ant = 1

Ant 0 : [4, 5], 12starting ant = 2

Exploitationstarting ant = 3

Ant 1 : [1, 0], 10starting ant = 4

Explorationstarting ant = 5

```
avg = 0.000651040997046starting ant = 6
p = 0.000724637681159starting ant = 7
p = 0.00075757575757576starting ant = 8
Ant 0: [4, 5, 3], 34 starting ant = 9
Exploitationstarting ant = 10
Ant 2 : [2, 3], 18starting ant = 11
Exploitationstarting ant = 12
Ant 3 : [0, 1], 10starting ant = 13
Explorationstarting ant = 14
avg = 0.000550237932026starting ant = 15
p = 0.000833324999993starting ant = 16
Ant 1: [1, 0, 4], 30starting ant = 17
Explorationstarting ant = 18
avg = 0.000836901709402starting ant = 19
p = 0.00111111111111
p = 0.00154166666667
Ant 4: [4, 5], 12
Exploration
avg = 0.000802231437662
p = 0.000924999916667
p = 0.000925925925926
p = 0.00111111111111
Ant 5 : [3, 4], 15
Exploration
avg = 0.000837207264957
p = 0.001111111111111
p = 0.00154319444444
Ant 6: [4, 5], 12
Exploitation
Ant 7 : [1, 0], 10
Exploration
avg = 0.000837210320513
p = 0.00111111111111
p = 0.00154320972222
Ant 8: [4, 5], 12
Exploitation
Ant 0: [4, 5, 3, 2], 52
Exploitation
Ant 9: [3, 4], 15
Exploitation
```

```
Ant 10 : [1, 0], 10
Exploitation
Ant 2 : [2, 3, 4], 33
Exploration
avg = 0.000815277242082
p = 0.000840909090909
p = 0.0013888888889
Ant 11 : [5, 4], 12
Exploration
avg = 0.000828525295619
p = 0.00184999983332
p = 0.000924999916667
Ant 12 : [0, 4], 20
Exploration
avg = 0.000599073264467
p = 0.000613636363636
p = 0.000925925925
Ant 3: [0, 1, 3], 28
Exploitation
Ant 13 : [5, 4], 12
Exploitation
Ant 14: [2, 3], 18
Exploitation
Ant 15 : [4, 5], 12
Exploration
avg = 0.00086999931546
p = 0.00185185166667
p = 0.0010277777777
Ant 16 : [1, 3], 18
Exploitation
Ant 1 : [1, 0, 4, 5], 42
Exploitation
Ant 17: [5, 4], 12
Exploitation
Ant 18 : [5, 4], 12
Exploration
avg = 0.000846141439304
p = 0.001543209875
Ant 19: [5, 4], 12
Exploitation
Ant 4: [4, 5, 3], 34
Exploitation
Ant 5 : [3, 4, 5], 27
Exploitation
Ant 6: [4, 5, 3], 34
Exploration
avg = 0.000573385848486
p = 0.000925916665833
Ant 7: [1, 0, 4], 30
Exploration
avg = 0.000672084747046
p = 0.000724637681159
p = 0.000841750757576
```

Ant 8: [4, 5, 3], 34

```
Exploitation
Ant 0: [4, 5, 3, 2, 1], 74
Exploitation
Ant 9: [3, 4, 5], 27
Exploration
avg = 0.000573388140359
p = 0.000925925833325
Ant 10 : [1, 0, 4], 30
Exploitation
Ant 2: [2, 3, 4, 5], 45
Exploitation
Ant 11 : [5, 4, 3], 27
Exploitation
Ant 12 : [0, 4, 5], 32
Exploitation
Ant 3: [0, 1, 3, 4], 43
Exploration
avg = 0.000691266025641
p = 0.001233333333333
Ant 13 : [5, 4, 3], 27
Exploitation
Ant 14 : [2, 3, 4], 33
Exploitation
Ant 15 : [4, 5, 3], 34
Exploitation
Ant 16: [1, 3, 4], 33
Exploitation
Ant 1: [1, 0, 4, 5, 3], 64
Exploitation
Ant 17 : [5, 4, 3], 27
Exploration
avg = 0.000691574636752
p = 0.00123456777778
Ant 18 : [5, 4, 3], 27
Exploitation
Ant 19 : [5, 4, 3], 27
Exploration
avg = 0.000796087188471
p = 0.000924999916667
p = 0.0010277777778
Ant 4: [4, 5, 3, 2], 52
Exploitation
Ant 5 : [3, 4, 5, 2], 50
Exploitation
Ant 6: [4, 5, 3, 2], 52
Exploration
avg = 0.001099002849
p = 0.00123456790122
p = 0.00154320987654
Ant 7: [1, 0, 4, 5], 42
Exploitation
Ant 8: [4, 5, 3, 2], 52
Exploitation
Ant 0: [4, 5, 3, 2, 1, 0], 84
```

Ant thread 0 terminating.avg = 0.000642099458513

```
p = 0.000804347826087
Ant 9: [3, 4, 5, 2], 50
Exploitation
Ant 10: [1, 0, 4, 5], 42
Exploitation
Ant 2: [2, 3, 4, 5, 1], 71
Exploitation
Ant 11 : [5, 4, 3, 2], 45
Exploration
avg = 0.000786140683779
p = 0.000805144927536
p = 0.000841750841751
Ant 12 : [0, 4, 5, 3], 54
Exploration
avg = 0.00103122032289
p = 0.00154320987654
Ant 3: [0, 1, 3, 4, 5], 55
Exploitation
Ant 13: [5, 4, 3, 2], 45
Exploitation
Ant 14: [2, 3, 4, 5], 45
Exploitation
Ant 15 : [4, 5, 3, 2], 52
Exploration
avg = 0.000912480215258
p = 0.00154320987654
Ant 16 : [1, 3, 4, 5], 45
Exploitation
Ant 1: [1, 0, 4, 5, 3, 2], 82
Update called by 1Exploitation
Ant thread 1 terminating. Ant 17 : [5, 4, 3, 2], 45
Exploitation
Ant 18: [5, 4, 3, 2], 45
Exploitation
Ant 19 : [5, 4, 3, 2], 45
Exploration
avg = 0.000698229520455
p = 0.000840909090909
Ant 4: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000698646187121
p = 0.000841742424242
Ant 5: [3, 4, 5, 2, 1], 72
Exploration
avg = 0.000698650353788
p = 0.000841750757576
Ant 6: [4, 5, 3, 2, 1], 74
Exploration
```

```
avg = 0.000823447884644
p = 0.000841750841751
Ant 7: [1, 0, 4, 5, 3], 64
Exploration
avg = 0.000698650395455
p = 0.000841750840909
Ant 8: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000698650395871
p = 0.000841750841742
Ant 9: [3, 4, 5, 2, 1], 72
Exploitation
Ant 10 : [1, 0, 4, 5, 3], 64
Exploitation
Ant 2: [2, 3, 4, 5, 1, 0], 81
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000698650395875
p = 0.000841750841751
Ant 11 : [5, 4, 3, 2, 1], 67
Exploration
avg = 0.000976903250514
p = 0.00102880658436
Ant 12: [0, 4, 5, 3, 2], 72
Exploration
avg = 0.000805144927536
Ant 3: [0, 1, 3, 4, 5, 2], 78
Update called by 3Exploitation
Ant thread 3 terminating. Ant 13 : [5, 4, 3, 2, 1], 67
Exploitation
Ant 14: [2, 3, 4, 5, 1], 71
Exploitation
Ant 15 : [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000643647877847
p = 0.000805152898551
Ant 16 : [1, 3, 4, 5, 2], 68
Exploration
avg = 0.000698650395875
p = 0.000841750841751
Ant 17 : [5, 4, 3, 2, 1], 67
Exploration
avg = 0.000698650395875
p = 0.000841750841751
Ant 18 : [5, 4, 3, 2, 1], 67
Exploration
avg = 0.000698650395875
p = 0.000841750841751
Ant 19: [5, 4, 3, 2, 1], 67
Exploitation
Ant 4: [4, 5, 3, 2, 1, 0], 84
```

Update called by 4Exploitation

Ant thread 4 terminating. Ant 5 : [3, 4, 5, 2, 1, 0], 82

ExplorationUpdate called by 5

avg = 0.00185185185185Ant thread 5 terminating.

Ant 6: [4, 5, 3, 2, 1, 0], 84 Update called by 6Exploration

Ant thread 6 terminating.avg = 0.00102880658436

Ant 7: [1, 0, 4, 5, 3, 2], 82 Update called by 7Exploitation

Ant thread 7 terminating. Ant 8: [4, 5, 3, 2, 1, 0], 84

Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [3, 4, 5, 2, 1, 0], 82

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [1, 0, 4, 5, 3, 2], 82

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.00185185185185

Ant 11 : [5, 4, 3, 2, 1, 0], 77 Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [0, 4, 5, 3, 2, 1], 94

Update called by 12Exploitation

Ant thread 12 terminating. Ant 13: [5, 4, 3, 2, 1, 0], 77

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00185185185185

Ant 14 : [2, 3, 4, 5, 1, 0], 81 Update called by 14Exploitation

Ant thread 14 terminating. Ant 15 : [4, 5, 3, 2, 1, 0], 84

Update called by 15Exploitation

Ant thread 15 terminating. Ant 16: [1, 3, 4, 5, 2, 0], 98

Update called by 16Exploration

```
Ant 17 : [5, 4, 3, 2, 1, 0], 77
Update called by 17Exploration
Ant thread 17 terminating.avg = 0.00185185185185
Ant 18 : [5, 4, 3, 2, 1, 0], 77
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19 : [5, 4, 3, 2, 1, 0], 77
Update called by 19
Best: [4, 5, 3, 2, 1, 0], 104, 4, 106
Ant thread 19 terminating.iter_counter = 5
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [4, 5], 12starting ant = 2
Explorationstarting ant = 3
avg = 0.000783182750583starting ant = 4
p = 0.001666666666667 ant = 5
p = 0.000925916666667starting ant = 6
Ant 1 : [1, 3], 18starting ant = 7
Exploitationstarting ant = 8
Ant 0: [4, 5, 3], 34 starting ant = 9
Explorationstarting ant = 10
avg = 0.00067146431764starting ant = 11
p = 0.00075757575757576starting ant = 12
p = 0.000925916508333starting ant = 13
Ant 2: [2, 3], 18starting ant = 14
Explorationstarting ant = 15
avg = 0.000745839447557starting ant = 16
p = 0.00166499984999starting ant = 17
p = 0.0008333333325starting ant = 18
Ant 3 : [0, 4], 20 starting ant = 19
```

Ant thread 16 terminating.avg = 0.00185185185185

```
Exploration
avg = 0.000806267094015
p = 0.0011111111111
p = 0.00154166666667
Ant 4: [4, 5], 12
Exploitation
Ant 5 : [3, 4], 15
Exploration
avg = 0.00080657264957
p = 0.0011111111111
p = 0.00154319444444
Ant 6 : [4, 5], 12
Exploration
avg = 0.000775866867601
p = 0.000925925925926
p = 0.001233333333333
Ant 1 : [1, 3, 4], 33
Exploration
avg = 0.000803554954286
p = 0.00166666666667
p = 0.00102777768519
Ant 7: [1, 3], 18
Exploitation
Ant 8 : [4, 5], 12
Exploration
avg = 0.000716787111599
p = 0.000832499925
p = 0.000925925925926
Ant 0: [4, 5, 3, 2], 52
Exploration
avg = 0.000807808293895
p = 0.000832499925
p = 0.0010277777778
p = 0.0012345555556
Ant 9 : [3, 4], 15
Exploitation
Ant 10 : [1, 0], 10
Exploration
avg = 0.00080587667056
p = 0.000840909090909
p = 0.00138888888888
Ant 11 : [5, 4], 12
Exploration
avg = 0.000764172781056
p = 0.00166499984999
p = 0.000924999999992
Ant 12 : [0, 4], 20
Exploitation
Ant 13 : [5, 4], 12
Exploitation
Ant 2 : [2, 3, 4], 33
Exploration
avg = 0.000691836552694
```

```
p = 0.000757575757576
p = 0.0010277776836
Ant 14: [2, 3], 18
Exploitation
Ant 15: [4, 5], 12
Exploration
avg = 0.00084042534299
p = 0.00185
p = 0.00102879629537
Ant 16 : [1, 3], 18
Exploitation
Ant 17 : [5, 4], 12
Exploitation
Ant 18: [5, 4], 12
Exploitation
Ant 3 : [0, 4, 5], 32
Exploration
avg = 0.000836740867785
p = 0.000840909090909
p = 0.001543209875
Ant 19: [5, 4], 12
Exploration
avg = 0.000660123615982
p = 0.000724637680435
p = 0.000840909090909
Ant 4: [4, 5, 3], 34
Exploitation
Ant 5 : [3, 4, 5], 27
Exploitation
Ant 6: [4, 5, 3], 34
Exploitation
Ant 1 : [1, 3, 4, 5], 45
Exploration
avg = 0.00080163847223
p = 0.0010277777778
p = 0.0012345679
Ant 7: [1, 3, 4], 33
Exploitation
Ant 8: [4, 5, 3], 34
Exploration
avg = 0.000656287853563
p = 0.000757575757576
Ant 0: [4, 5, 3, 2, 1], 74
Exploitation
Ant 9: [3, 4, 5], 27
Exploration
avg = 0.000539195180492
p = 0.0009259166666667
Ant 10: [1, 0, 4], 30
Exploitation
Ant 11 : [5, 4, 3], 27
Exploration
avg = 0.000886900225546
p = 0.001233333333333
```

```
p = 0.00154320987654
Ant 12 : [0, 4, 5], 32
Exploitation
Ant 13: [5, 4, 3], 27
Exploitation
Ant 2 : [2, 3, 4, 5], 45
Exploration
avg = 0.000752819009341
p = 0.000832499925
p = 0.00123456790122
Ant 14: [2, 3, 4], 33
Exploitation
Ant 15 : [4, 5, 3], 34
Exploitation
Ant 16 : [1, 3, 4], 33
Exploration
avg = 0.000653278311966
p = 0.0012345555556
Ant 17 : [5, 4, 3], 27
Exploration
avg = 0.000653281367521
p = 0.00123456777778
Ant 18 : [5, 4, 3], 27
Exploration
avg = 0.000735802547777
p = 0.000841750841742
Ant 3: [0, 4, 5, 3], 54
Exploitation
Ant 19 : [5, 4, 3], 27
Exploration
avg = 0.000750737728883
p = 0.000832499925
p = 0.0010277777778
Ant 4: [4, 5, 3, 2], 52
Exploration
avg = 0.000599861791006
p = 0.000641019121154
p = 0.000724637680435
Ant 5: [3, 4, 5, 2], 50
Exploration
avg = 0.000751077235056
p = 0.000832499925
p = 0.0010287962963
Ant 6: [4, 5, 3, 2], 52
Exploitation
Ant 1 : [1, 3, 4, 5, 2], 68
Exploration
avg = 0.00087267252295
p = 0.00154320987654
Ant 7: [1, 3, 4, 5], 45
Exploitation
Ant 8: [4, 5, 3, 2], 52
Exploitation
Ant 0: [4, 5, 3, 2, 1, 0], 84
```

Update called by <code>OExploitation</code>

Ant thread 0 terminating. Ant 9 : [3, 4, 5, 2], 50

```
Exploitation
Ant 10: [1, 0, 4, 5], 42
Exploitation
Ant 11 : [5, 4, 3, 2], 45
Exploitation
Ant 12: [0, 4, 5, 3], 54
Exploitation
Ant 13 : [5, 4, 3, 2], 45
Exploitation
Ant 2: [2, 3, 4, 5, 1], 71
Exploitation
Ant 14: [2, 3, 4, 5], 45
Exploration
avg = 0.000751080664411
p = 0.000832499925
p = 0.00102880658436
Ant 15: [4, 5, 3, 2], 52
Exploration
avg = 0.00087267252295
p = 0.00154320987654
Ant 16: [1, 3, 4, 5], 45
Exploration
avg = 0.000751080664411
p = 0.000832499925
p = 0.00102880658436
Ant 17 : [5, 4, 3, 2], 45
Exploitation
Ant 18: [5, 4, 3, 2], 45
Exploitation
Ant 3: [0, 4, 5, 3, 2], 72
Exploration
avg = 0.000751080664411
p = 0.000832499925
p = 0.00102880658436
Ant 19: [5, 4, 3, 2], 45
Exploration
avg = 0.00069795452023
p = 0.000840909090909
Ant 4: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000698371186896
p = 0.000841742424242
Ant 5 : [3, 4, 5, 2, 1], 72
Exploitation
Ant 6: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.00055499994955
Ant 1 : [1, 3, 4, 5, 2, 0], 98
Update called by 1Exploration
```

```
p = 0.000805152898551
Ant 7: [1, 3, 4, 5, 2], 68
Exploration
avg = 0.000729205975758
p = 0.000841750840909
Ant 8: [4, 5, 3, 2, 1], 74
Exploitation
Ant 9: [3, 4, 5, 2, 1], 72
Exploitation
Ant 10 : [1, 0, 4, 5, 3], 64
Exploitation
Ant 11 : [5, 4, 3, 2, 1], 67
Exploration
avg = 0.000930653254681
p = 0.00102880658436
Ant 12: [0, 4, 5, 3, 2], 72
Exploitation
Ant 13 : [5, 4, 3, 2, 1], 67
Exploitation
Ant 2 : [2, 3, 4, 5, 1, 0], 81
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000572733483884
p = 0.00071153839634
Ant 14: [2, 3, 4, 5, 1], 71
Exploitation
Ant 15 : [4, 5, 3, 2, 1], 74
Exploitation
Ant 16: [1, 3, 4, 5, 2], 68
Exploration
avg = 0.000729205976179
p = 0.000841750841751
Ant 17 : [5, 4, 3, 2, 1], 67
Exploration
avg = 0.000729205976179
p = 0.000841750841751
Ant 18 : [5, 4, 3, 2, 1], 67
Exploration
avg = 0.000841750841751
Ant 3: [0, 4, 5, 3, 2, 1], 94
Update called by 3Exploitation
Ant thread 3 terminating. Ant 19: [5, 4, 3, 2, 1], 67
Exploration
avg = 0.00185185166667
Ant 4: [4, 5, 3, 2, 1, 0], 84
Update called by 4Exploitation
Ant thread 4 terminating. Ant 5 : [3, 4, 5, 2, 1, 0], 82
```

Update called by 5Exploration

Ant thread 5 terminating.avg = 0.00185185185183

Ant 6: [4, 5, 3, 2, 1, 0], 84 Update called by 6Exploration

Ant thread 6 terminating.avg = 0.000616661110607

Ant 7 : [1, 3, 4, 5, 2, 0], 98 Update called by 7Exploration

Ant thread 7 terminating.avg = 0.00185185185185

Ant 8: [4, 5, 3, 2, 1, 0], 84 Update called by 8Exploration

Ant thread 8 terminating.avg = 0.00185185185185

Ant 9: [3, 4, 5, 2, 1, 0], 82 Update called by 9Exploration

Ant thread 9 terminating.avg = 0.00102880658436

Ant 10 : [1, 0, 4, 5, 3, 2], 82 Update called by 10Exploration

Ant thread 10 terminating.avg = 0.00185185185185

Ant 11 : [5, 4, 3, 2, 1, 0], 77 Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [0, 4, 5, 3, 2, 1], 94

Update called by 12Exploitation

Ant thread 12 terminating. Ant 13 : [5, 4, 3, 2, 1, 0], 77

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00185185185185

Ant 14: [2, 3, 4, 5, 1, 0], 81 Update called by 14Exploitation

Ant thread 14 terminating. Ant 15: [4, 5, 3, 2, 1, 0], 84

Update called by 15Exploitation

Ant thread 15 terminating. Ant 16: [1, 3, 4, 5, 2, 0], 98

Update called by 16Exploration

Ant thread 16 terminating.avg = 0.00185185185185

```
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18 : [5, 4, 3, 2, 1, 0], 77
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19: [5, 4, 3, 2, 1, 0], 77
Update called by 19
Best: [4, 5, 3, 2, 1, 0], 104, 5, 106
Ant thread 19 terminating.iter_counter = 6
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [4, 5], 12 starting ant = 2
Exploitationstarting ant = 3
Ant 1 : [1, 0], 10starting ant = 4
Explorationstarting ant = 5
avg = 0.000628442095799starting ant = 6
p = 0.000641019230182starting ant = 7
p = 0.000724637681152starting ant = 8
p = 0.00075757575757576starting ant = 9
Ant 0: [4, 5, 3], 34starting ant = 10
Explorationstarting ant = 11
avg = 0.000649198871673starting ant = 12
p = 0.00075757575757576starting ant = 13
p = 0.000925916665819starting ant = 14
Ant 2 : [2, 3], 18starting ant = 15
Exploitationstarting ant = 16
Ant 3 : [0, 1], 10starting ant = 17
Exploitationstarting ant = 18
Ant 1: [1, 0, 4], 30starting ant = 19
Exploration
```

Ant 17: [5, 4, 3, 2, 1, 0], 77

```
avg = 0.000778695940169
p = 0.0011111111111
p = 0.00154166666667
Ant 4: [4, 5], 12
Exploration
avg = 0.000727214871913
p = 0.0007492499325
p = 0.000925925925926
p = 0.001111111111111
Ant 5 : [3, 4], 15
Exploitation
Ant 6: [4, 5], 12
Exploration
avg = 0.000793384642189
p = 0.00185
p = 0.000925925833325
Ant 7 : [1, 3], 18
Exploration
avg = 0.00077900455128
p = 0.0011111111111
p = 0.00154320972222
Ant 8: [4, 5], 12
Exploration
avg = 0.000751659316358
p = 0.000925925925926
p = 0.001233333333333
Ant 9: [3, 4], 15
Exploration
avg = 0.00067597259797
p = 0.0007492499325
p = 0.000925925925926
Ant 0: [4, 5, 3, 2], 52
Exploration
avg = 0.000813755030895
p = 0.00185
p = 0.0010277777685
Ant 10 : [1, 3], 18
Exploration
avg = 0.000797198121081
p = 0.000840909090909
p = 0.00138888888888
Ant 11 : [5, 4], 12
Exploration
avg = 0.000776219196184
p = 0.00184831833198
p = 0.000924999999167
Ant 12 : [0, 4], 20
Exploitation
Ant 13 : [5, 4], 12
Exploitation
Ant 14: [2, 3], 18
Exploitation
Ant 2 : [2, 3, 4], 33
Exploitation
```

```
Ant 15 : [4, 5], 12
Exploration
avg = 0.000813958734782
p = 0.00185
p = 0.00102879629629
Ant 16 : [1, 3], 18
Exploration
avg = 0.000554950964776
p = 0.00102880648148
Ant 3 : [0, 1, 3], 28
Exploitation
Ant 17 : [5, 4], 12
Exploitation
Ant 18 : [5, 4], 12
Exploration
avg = 0.00102496597023
p = 0.0011111111111
p = 0.00154320987653
Ant 1 : [1, 0, 4, 5], 42
Exploitation
Ant 19: [5, 4], 12
Exploitation
Ant 4: [4, 5, 3], 34
Exploration
avg = 0.000695977949905
p = 0.00154320987654
Ant 5 : [3, 4, 5], 27
Exploitation
Ant 6: [4, 5, 3], 34
Exploitation
Ant 7 : [1, 3, 4], 33
Exploitation
Ant 8: [4, 5, 3], 34
Exploration
avg = 0.000695977949905
p = 0.00154320987654
Ant 9: [3, 4, 5], 27
Exploitation
Ant 0: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000778033266952
p = 0.0010277777778
p = 0.0012345679
Ant 10 : [1, 3, 4], 33
Exploration
avg = 0.000587953258544
p = 0.0011111111111
Ant 11 : [5, 4, 3], 27
Exploitation
Ant 12 : [0, 4, 5], 32
Exploration
avg = 0.000618508814103
p = 0.001233333333333
Ant 13 : [5, 4, 3], 27
```

```
Exploitation
Ant 14 : [2, 3, 4], 33
Exploration
avg = 0.000787778292181
p = 0.00154320987654
Ant 2: [2, 3, 4, 5], 45
Exploitation
Ant 15 : [4, 5, 3], 34
Exploration
avg = 0.00077803326726
p = 0.0010277777778
p = 0.00123456790123
Ant 16 : [1, 3, 4], 33
Exploration
avg = 0.000919797044519
p = 0.0010277777778
p = 0.00123456790123
Ant 3: [0, 1, 3, 4], 43
Exploitation
Ant 17 : [5, 4, 3], 27
Exploitation
Ant 18 : [5, 4, 3], 27
Exploitation
Ant 1 : [1, 0, 4, 5, 3], 64
Exploitation
Ant 19: [5, 4, 3], 27
Exploitation
Ant 4: [4, 5, 3, 2], 52
Exploration
avg = 0.000585397541873
p = 0.000641019230182
p = 0.000724637681152
Ant 5 : [3, 4, 5, 2], 50
Exploration
avg = 0.000710262721427
p = 0.0007492499325
p = 0.0010287962963
Ant 6: [4, 5, 3, 2], 52
Exploration
avg = 0.000836845599873
p = 0.00154320987654
Ant 7: [1, 3, 4, 5], 45
Exploitation
Ant 8: [4, 5, 3, 2], 52
Exploitation
Ant 9: [3, 4, 5, 2], 50
Exploration
avg = 0.00185
Ant 0: [4, 5, 3, 2, 1, 0], 84
Update called by <code>OExploration</code>
Ant thread 0 terminating.avg = 0.000836845599873
p = 0.00154320987654
```

```
Ant 10: [1, 3, 4, 5], 45
Exploitation
Ant 11 : [5, 4, 3, 2], 45
Exploration
avg = 0.000762638333156
p = 0.000805144927536
p = 0.000841750841751
Ant 12 : [0, 4, 5, 3], 54
Exploration
avg = 0.000710266150779
p = 0.0007492499325
p = 0.00102880658435
Ant 13 : [5, 4, 3, 2], 45
Exploration
avg = 0.000787778292181
p = 0.00154320987654
Ant 14 : [2, 3, 4, 5], 45
Exploitation
Ant 2: [2, 3, 4, 5, 1], 71
Exploration
avg = 0.000710266150782
p = 0.0007492499325
p = 0.00102880658436
Ant 15 : [4, 5, 3, 2], 52
Exploitation
Ant 16: [1, 3, 4, 5], 45
Exploitation
Ant 3: [0, 1, 3, 4, 5], 55
Exploration
avg = 0.000710266150782
p = 0.0007492499325
p = 0.00102880658436
Ant 17: [5, 4, 3, 2], 45
Exploitation
Ant 18 : [5, 4, 3, 2], 45
Exploitation
Ant 1 : [1, 0, 4, 5, 3, 2], 82
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000710266150782
p = 0.0007492499325
p = 0.00102880658436
Ant 19: [5, 4, 3, 2], 45
Exploitation
Ant 4: [4, 5, 3, 2, 1], 74
Exploitation
Ant 5 : [3, 4, 5, 2, 1], 72
Exploration
avg = 0.000698653128538
p = 0.000841750757576
Ant 6: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000597840320911
```

```
p = 0.000805144927536
Ant 7 : [1, 3, 4, 5, 2], 68
Exploration
avg = 0.000698653170205
p = 0.000841750840909
Ant 8: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000698653170621
p = 0.000841750841742
Ant 9: [3, 4, 5, 2, 1], 72
Exploitation
Ant 10: [1, 3, 4, 5, 2], 68
Exploration
avg = 0.000698653170625
p = 0.000841750841751
Ant 11 : [5, 4, 3, 2, 1], 67
Exploitation
Ant 12: [0, 4, 5, 3, 2], 72
Exploration
avg = 0.000698653170625
p = 0.000841750841751
Ant 13 : [5, 4, 3, 2, 1], 67
Exploitation
Ant 14: [2, 3, 4, 5, 1], 71
Exploration
avg = 0.00185183333333
Ant 2 : [2, 3, 4, 5, 1, 0], 81
Update called by 2Exploitation
Ant thread 2 terminating. Ant 15 : [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000597844346273
p = 0.000805152978261
Ant 16: [1, 3, 4, 5, 2], 68
Exploitation
Ant 3: [0, 1, 3, 4, 5, 2], 78
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.000698653170625
p = 0.000841750841751
Ant 17: [5, 4, 3, 2, 1], 67
Exploitation
Ant 18: [5, 4, 3, 2, 1], 67
Exploration
avg = 0.000698653170625
p = 0.000841750841751
Ant 19: [5, 4, 3, 2, 1], 67
Exploration
avg = 0.00185185166667
Ant 4: [4, 5, 3, 2, 1, 0], 84
Update called by 4Exploitation
```

Ant thread 4 terminating. Ant 5 : [3, 4, 5, 2, 1, 0], 82

Update called by 5Exploitation

Ant thread 5 terminating. Ant 6: [4, 5, 3, 2, 1, 0], 84

ExplorationUpdate called by 6

avg = 0.0005555554995Ant thread 6 terminating.

Ant 7: [1, 3, 4, 5, 2, 0], 98 Update called by 7Exploration

Ant thread 7 terminating.avg = 0.00185185185185

Ant 8: [4, 5, 3, 2, 1, 0], 84 Update called by 8Exploitation

Ant thread 8 terminating. Ant 9 : [3, 4, 5, 2, 1, 0], 82

Update called by 9Exploration

Ant thread 9 terminating.avg = 0.000616666666106

Ant 10 : [1, 3, 4, 5, 2, 0], 98 Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [5, 4, 3, 2, 1, 0], 77

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.000841750841751

Ant 12 : [0, 4, 5, 3, 2, 1], 94 Update called by 12Exploitation

Ant thread 12 terminating. Ant 13 : [5, 4, 3, 2, 1, 0], 77

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00185185185185

Ant 14: [2, 3, 4, 5, 1, 0], 81 Update called by 14Exploitation

Ant thread 14 terminating. Ant 15: [4, 5, 3, 2, 1, 0], 84

Update called by 15Exploration

Ant thread 15 terminating.avg = 0.000617277777772

Ant 16 : [1, 3, 4, 5, 2, 0], 98 Update called by 16Exploration

```
Ant 17 : [5, 4, 3, 2, 1, 0], 77
Update called by 17Exploration
Ant thread 17 terminating.avg = 0.00185185185185
Ant 18 : [5, 4, 3, 2, 1, 0], 77
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19 : [5, 4, 3, 2, 1, 0], 77
Update called by 19
Best: [4, 5, 3, 2, 1, 0], 104, 6, 106
Ant thread 19 terminating.iter_counter = 7
starting ant = 0
Explorationstarting ant = 1
avg = 0.000723326346152starting ant = 2
p = 0.001388888888889starting ant = 4
Ant 0 : [4, 5], 12starting ant = 5
Explorationstarting ant = 6
avg = 0.000732898046305starting ant = 7
p = 0.001666666666667 ant = 8
p = 0.000925925925starting ant = 9
Ant 1: [1, 3], 18starting ant = 10
Exploitationstarting ant = 11
Ant 2 : [2, 3], 18starting ant = 12
Explorationstarting ant = 13
avg = 0.000698762276714starting ant = 14
p = 0.00166348649878starting ant = 15
p = 0.000833324999993starting ant = 16
Ant 3: [0, 4], 20starting ant = 17
Explorationstarting ant = 18
avg = 0.000753881901707starting ant = 19
```

Ant thread 16 terminating.avg = 0.00185185185185

```
p = 0.0011111111111
p = 0.00154166666667
Ant 4: [4, 5], 12
Exploitation
Ant 0: [4, 5, 3], 34
Exploitation
Ant 5 : [3, 4], 15
Exploration
avg = 0.000754187457263
p = 0.0011111111111
p = 0.00154319444444
Ant 6 : [4, 5], 12
Exploitation
Ant 7: [1, 0], 10
Exploitation
Ant 8 : [4, 5], 12
Exploration
avg = 0.000719678569907
p = 0.000925925925926
p = 0.001233333333333
Ant 9 : [3, 4], 15
Exploitation
Ant 1 : [1, 3, 4], 33
Exploitation
Ant 10 : [1, 0], 10
Exploitation
Ant 11 : [5, 4], 12
Exploration
avg = 0.000668425342014
p = 0.00067432493925
p = 0.00123456777778
Ant 2: [2, 3, 4], 33
Exploration
avg = 0.000717097260049
p = 0.00166348649878
p = 0.000924999916667
Ant 12: [0, 4], 20
Exploration
avg = 0.000819942962357
p = 0.000840909090909
p = 0.00154166666667
Ant 13 : [5, 4], 12
Exploration
avg = 0.000649432146935
p = 0.000757575757576
p = 0.00102777768518
Ant 14 : [2, 3], 18
Exploitation
Ant 15 : [4, 5], 12
Exploitation
Ant 16 : [1, 0], 10
Exploitation
```

Ant 3: [0, 4, 5], 32

```
Exploitation
Ant 17 : [5, 4], 12
Exploration
avg = 0.000820251573468
p = 0.000840909090909
p = 0.00154320972222
Ant 18 : [5, 4], 12
Exploitation
Ant 19: [5, 4], 12
Exploration
avg = 0.000639512036279
p = 0.000641019230192
p = 0.000724637681159
p = 0.000840909090909
Ant 4: [4, 5, 3], 34
Exploitation
Ant 0: [4, 5, 3, 2], 52
Exploitation
Ant 5 : [3, 4, 5], 27
Exploitation
Ant 6: [4, 5, 3], 34
Exploration
avg = 0.000480729137656
p = 0.000925916665833
Ant 7: [1, 0, 4], 30
Exploration
avg = 0.000639722452946
p = 0.000641019230192
p = 0.000724637681159
p = 0.000841750757576
Ant 8: [4, 5, 3], 34
Exploitation
Ant 9: [3, 4, 5], 27
Exploration
avg = 0.000804601369104
p = 0.00154320987654
Ant 1: [1, 3, 4, 5], 45
Exploration
avg = 0.000480731429529
p = 0.000925925833325
Ant 10 : [1, 0, 4], 30
Exploration
avg = 0.000556935710467
p = 0.0011111111111
Ant 11 : [5, 4, 3], 27
Exploration
avg = 0.000760440792181
p = 0.00154320987654
Ant 2: [2, 3, 4, 5], 45
Exploitation
Ant 12: [0, 4, 5], 32
Exploitation
Ant 13: [5, 4, 3], 27
Exploitation
```

```
Ant 14 : [2, 3, 4], 33
Exploration
avg = 0.000639722473779
p = 0.000641019230192
p = 0.000724637681159
p = 0.000841750840909
Ant 15 : [4, 5, 3], 34
Exploration
avg = 0.000480731452448
p = 0.000925925925
Ant 16: [1, 0, 4], 30
Exploration
avg = 0.000735802584365
p = 0.000841750841742
Ant 3: [0, 4, 5, 3], 54
Exploration
avg = 0.000587796821581
p = 0.0012345555556
Ant 17 : [5, 4, 3], 27
Exploitation
Ant 18 : [5, 4, 3], 27
Exploration
avg = 0.000587799907692
p = 0.0012345679
Ant 19 : [5, 4, 3], 27
Exploration
avg = 0.000673190152988
p = 0.00067432493925
p = 0.0010277777778
Ant 4: [4, 5, 3, 2], 52
Exploitation
Ant 0: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000572379684736
p = 0.000641019230192
p = 0.000724637681159
Ant 5 : [3, 4, 5, 2], 50
Exploitation
Ant 6: [4, 5, 3, 2], 52
Exploration
avg = 0.00105209900284
p = 0.00123456790122
p = 0.00154320987654
Ant 7: [1, 0, 4, 5], 42
Exploration
avg = 0.000673533054222
p = 0.00067432493925
p = 0.00102880648148
Ant 8: [4, 5, 3, 2], 52
Exploitation
Ant 9: [3, 4, 5, 2], 50
Exploitation
Ant 1: [1, 3, 4, 5, 2], 68
Exploration
```

```
avg = 0.00105209900284
p = 0.00123456790122
p = 0.00154320987654
Ant 10: [1, 0, 4, 5], 42
Exploitation
Ant 11 : [5, 4, 3, 2], 45
Exploration
avg = 0.000496250686525
p = 0.000641019230192
Ant 2 : [2, 3, 4, 5, 1], 71
Exploitation
Ant 12 : [0, 4, 5, 3], 54
Exploitation
Ant 13 : [5, 4, 3, 2], 45
Exploration
avg = 0.000760440792181
p = 0.00154320987654
Ant 14: [2, 3, 4, 5], 45
Exploitation
Ant 15 : [4, 5, 3, 2], 52
Exploitation
Ant 16: [1, 0, 4, 5], 42
Exploitation
Ant 3: [0, 4, 5, 3, 2], 72
Exploration
avg = 0.000673533088516
p = 0.00067432493925
p = 0.00102880658436
Ant 17 : [5, 4, 3, 2], 45
Exploration
avg = 0.000673533088516
p = 0.00067432493925
p = 0.00102880658436
Ant 18 : [5, 4, 3, 2], 45
Exploitation
Ant 19 : [5, 4, 3, 2], 45
Exploration
avg = 0.000698232295455
p = 0.000840909090909
Ant 4: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.00185185166667
Ant 0: [4, 5, 3, 2, 1, 0], 84
Update called by <code>OExploration</code>
Ant thread 0 terminating.avg = 0.000698648962121
p = 0.000841742424242
Ant 5: [3, 4, 5, 2, 1], 72
Exploration
avg = 0.000698653128788
p = 0.000841750757576
Ant 6: [4, 5, 3, 2, 1], 74
Exploration
```

```
avg = 0.000823451870151
p = 0.000841750841751
Ant 7: [1, 0, 4, 5, 3], 64
Exploitation
Ant 8: [4, 5, 3, 2, 1], 74
Exploitation
Ant 9: [3, 4, 5, 2, 1], 72
Exploration
avg = 0.0005555555
Ant 1 : [1, 3, 4, 5, 2, 0], 98
Update called by 1Exploitation
Ant thread 1 terminating. Ant 10 : [1, 0, 4, 5, 3], 64
Exploration
avg = 0.000729208753931
p = 0.000841750841751
Ant 11: [5, 4, 3, 2, 1], 67
Exploration
avg = 0.00185185185
Ant 2 : [2, 3, 4, 5, 1, 0], 81
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000851565761806
p = 0.00102880658436
Ant 12 : [0, 4, 5, 3, 2], 72
Exploration
avg = 0.000729208753931
p = 0.000841750841751
Ant 13 : [5, 4, 3, 2, 1], 67
Exploitation
Ant 14: [2, 3, 4, 5, 1], 71
Exploration
avg = 0.000729208753931
p = 0.000841750841751
Ant 15 : [4, 5, 3, 2, 1], 74
Exploitation
Ant 16: [1, 0, 4, 5, 3], 64
Exploration
avg = 0.000841750841751
Ant 3: [0, 4, 5, 3, 2, 1], 94
Update called by 3Exploitation
Ant thread 3 terminating. Ant 17 : [5, 4, 3, 2, 1], 67
Exploitation
Ant 18: [5, 4, 3, 2, 1], 67
Exploration
avg = 0.000729208753931
p = 0.000841750841751
Ant 19: [5, 4, 3, 2, 1], 67
Exploitation
Ant 4: [4, 5, 3, 2, 1, 0], 84
```

Update called by 4Exploitation

Ant thread 4 terminating. Ant 5 : [3, 4, 5, 2, 1, 0], 82

Update called by 5Exploration

Ant thread 5 terminating.avg = 0.00185185185185

Ant 6 : [4, 5, 3, 2, 1, 0], 84 Update called by 6Exploitation

Ant thread 6 terminating. Ant 7 : [1, 0, 4, 5, 3, 2], 82

Update called by 7Exploration

Ant thread 7 terminating.avg = 0.00185185185185

Ant 8: [4, 5, 3, 2, 1, 0], 84 Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [3, 4, 5, 2, 1, 0], 82

Update called by 9Exploration

Ant thread 9 terminating.avg = 0.00102880658436

Ant 10 : [1, 0, 4, 5, 3, 2], 82 Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [5, 4, 3, 2, 1, 0], 77

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.000841750841751

Ant 12: [0, 4, 5, 3, 2, 1], 94 Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00185185185185

Ant 13 : [5, 4, 3, 2, 1, 0], 77 Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [2, 3, 4, 5, 1, 0], 81

Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00185185185185

Ant 15 : [4, 5, 3, 2, 1, 0], 84 Update called by 15Exploration

Ant thread 15 terminating.avg = 0.00102880658436

```
Update called by 16Exploration
Ant thread 16 terminating.avg = 0.00185185185185
Ant 17 : [5, 4, 3, 2, 1, 0], 77
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18: [5, 4, 3, 2, 1, 0], 77
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19 : [5, 4, 3, 2, 1, 0], 77
Update called by 19
Best: [4, 5, 3, 2, 1, 0], 104, 7, 106
Ant thread 19 terminating.iter_counter = 8
starting ant = 0
Explorationstarting ant = 1
avg = 0.000700993711536starting ant = 2
p = 0.001388888888889starting ant = 4
Ant 0 : [4, 5], 12 starting ant = 5
Explorationstarting ant = 6
avg = 0.000711274908506starting ant = 7
p = 0.001666666666667 ant = 8
Ant 1 : [1, 3], 18starting ant = 10
Explorationstarting ant = 11
avg = 0.000610823807128starting ant = 12
p = 0.00075757575757576starting ant = 13
p = 0.000925916665833starting ant = 14
Ant 2 : [2, 3], 18starting ant = 15
Explorationstarting ant = 16
avg = 0.000645554215709starting ant = 17
p = 0.00149713784891starting ant = 18
```

Ant 16 : [1, 0, 4, 5, 3, 2], 82

```
p = 0.000833333333325starting ant = 19
```

```
Ant 3: [0, 4], 20
Exploration
avg = 0.000731549267092
p = 0.0011111111111
p = 0.00154166666667
Ant 4: [4, 5], 12
Exploitation
Ant 0: [4, 5, 3], 34
Exploitation
Ant 5 : [3, 4], 15
Exploitation
Ant 6: [4, 5], 12
Exploration
avg = 0.000731828612212
p = 0.00166666666667
p = 0.00102776851852
Ant 7: [1, 3], 18
Exploitation
Ant 8: [4, 5], 12
Exploitation
Ant 9 : [3, 4], 15
Exploitation
Ant 1 : [1, 3, 4], 33
Exploration
avg = 0.000732034149249
p = 0.0016666666667
p = 0.0010287962037
Ant 10 : [1, 3], 18
Exploitation
Ant 11 : [5, 4], 12
Exploration
avg = 0.000663887549044
p = 0.00149713784891
p = 0.000925
Ant 12 : [0, 4], 20
Exploration
avg = 0.000812913305007
p = 0.000840909090909
p = 0.00154166666667
Ant 13 : [5, 4], 12
Exploitation
Ant 14 : [2, 3], 18
Exploitation
Ant 2 : [2, 3, 4], 33
Exploration
avg = 0.000731857908758
p = 0.0011111111111
p = 0.001543209875
Ant 15 : [4, 5], 12
Exploration
avg = 0.000732036204619
```

```
p = 0.00166666666667
p = 0.00102880648056
Ant 16 : [1, 3], 18
Exploitation
Ant 17 : [5, 4], 12
Exploration
avg = 0.000813221916118
p = 0.000840909090909
p = 0.00154320972222
Ant 18 : [5, 4], 12
Exploitation
Ant 19: [5, 4], 12
Exploitation
Ant 3: [0, 4, 5], 32
Exploitation
Ant 4: [4, 5, 3], 34
Exploitation
Ant 0: [4, 5, 3, 2], 52
Exploration
avg = 0.000637044608559
p = 0.00154320987654
Ant 5 : [3, 4, 5], 27
Exploration
avg = 0.000630933297925
p = 0.000641019230192
p = 0.000724637608696
p = 0.000841742424242
Ant 6: [4, 5, 3], 34
Exploration
avg = 0.000737668365925
p = 0.0010277777778
p = 0.0012345679
Ant 7 : [1, 3, 4], 33
Exploration
avg = 0.000630935381259
p = 0.000641019230192
p = 0.000724637608696
p = 0.000841750757576
Ant 8: [4, 5, 3], 34
Exploitation
Ant 9: [3, 4, 5], 27
Exploitation
Ant 1: [1, 3, 4, 5], 45
Exploration
avg = 0.000737668366231
p = 0.0010277777778
p = 0.00123456790122
Ant 10 : [1, 3, 4], 33
Exploration
avg = 0.000529019917198
p = 0.0011111111111
Ant 11 : [5, 4, 3], 27
Exploitation
Ant 12 : [0, 4, 5], 32
```

```
Exploitation
Ant 13 : [5, 4, 3], 27
Exploration
avg = 0.000632447033121
p = 0.00123456790123
Ant 14 : [2, 3, 4], 33
Exploitation
Ant 2 : [2, 3, 4, 5], 45
Exploration
avg = 0.000630935402092
p = 0.000641019230192
p = 0.000724637608696
p = 0.000841750840909
Ant 15 : [4, 5, 3], 34
Exploration
avg = 0.000737668366234
p = 0.0010277777778
p = 0.00123456790123
Ant 16 : [1, 3, 4], 33
Exploration
avg = 0.000559881028312
p = 0.0012345555556
Ant 17: [5, 4, 3], 27
Exploitation
Ant 18: [5, 4, 3], 27
Exploitation
Ant 19 : [5, 4, 3], 27
Exploitation
Ant 3: [0, 4, 5, 3], 54
Exploitation
Ant 4: [4, 5, 3, 2], 52
Exploitation
Ant 0: [4, 5, 3, 2, 1], 74
Exploitation
Ant 5 : [3, 4, 5, 2], 50
Exploitation
Ant 6: [4, 5, 3, 2], 52
Exploration
avg = 0.000775581561412
p = 0.00154320987654
Ant 7 : [1, 3, 4, 5], 45
Exploitation
Ant 8: [4, 5, 3, 2], 52
Exploitation
Ant 9: [3, 4, 5, 2], 50
Exploitation
Ant 1 : [1, 3, 4, 5, 2], 68
Exploration
avg = 0.000775581561412
p = 0.00154320987654
Ant 10 : [1, 3, 4, 5], 45
Exploitation
Ant 11: [5, 4, 3, 2], 45
Exploitation
```

```
Ant 12 : [0, 4, 5, 3], 54
Exploration
avg = 0.000640473332473
p = 0.00102880658435
Ant 13 : [5, 4, 3, 2], 45
Exploitation
Ant 14 : [2, 3, 4, 5], 45
Exploitation
Ant 2: [2, 3, 4, 5, 1], 71
Exploitation
Ant 15: [4, 5, 3, 2], 52
Exploitation
Ant 16 : [1, 3, 4, 5], 45
Exploitation
Ant 17: [5, 4, 3, 2], 45
Exploitation
Ant 18 : [5, 4, 3, 2], 45
Exploitation
Ant 19: [5, 4, 3, 2], 45
Exploitation
Ant 3: [0, 4, 5, 3, 2], 72
Exploitation
Ant 4: [4, 5, 3, 2, 1], 74
Exploitation
Ant 0: [4, 5, 3, 2, 1, 0], 84
Update called by OExploration
Ant thread 0 terminating.avg = 0.000698371211871
p = 0.000841742424242
Ant 5 : [3, 4, 5, 2, 1], 72
Exploitation
Ant 6: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000560743413561
p = 0.000805152898551
Ant 7: [1, 3, 4, 5, 2], 68
Exploration
avg = 0.000698375420205
p = 0.000841750840909
Ant 8: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000698375420621
p = 0.000841750841742
Ant 9: [3, 4, 5, 2, 1], 72
Exploration
avg = 0.0005549999995
Ant 1 : [1, 3, 4, 5, 2, 0], 98
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000560743453416
p = 0.000805152978261
Ant 10 : [1, 3, 4, 5, 2], 68
```

```
Exploitation
Ant 11 : [5, 4, 3, 2, 1], 67
Exploitation
Ant 12: [0, 4, 5, 3, 2], 72
Exploration
avg = 0.000729205976428
p = 0.000841750841751
Ant 13 : [5, 4, 3, 2, 1], 67
Exploration
avg = 0.000513936163001
p = 0.00071153839743
Ant 14: [2, 3, 4, 5, 1], 71
Exploration
avg = 0.00185
Ant 2 : [2, 3, 4, 5, 1, 0], 81
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000729205976428
p = 0.000841750841751
Ant 15: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000560743453815
p = 0.000805152979058
Ant 16 : [1, 3, 4, 5, 2], 68
Exploitation
Ant 17 : [5, 4, 3, 2, 1], 67
Exploitation
Ant 18: [5, 4, 3, 2, 1], 67
Exploitation
Ant 19 : [5, 4, 3, 2, 1], 67
Exploration
avg = 0.000841750841751
Ant 3: [0, 4, 5, 3, 2, 1], 94
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.00185183333333
Ant 4: [4, 5, 3, 2, 1, 0], 84
Update called by 4Exploitation
Ant thread 4 terminating. Ant 5 : [3, 4, 5, 2, 1, 0], 82
Update called by 5Exploration
Ant thread 5 terminating.avg = 0.00185185185
Ant 6: [4, 5, 3, 2, 1, 0], 84
Update called by 6Exploration
Ant thread 6 terminating.avg = 0.000616661111106
Ant 7: [1, 3, 4, 5, 2, 0], 98
Update called by 7Exploitation
```

Ant thread 7 terminating. Ant 8: [4, 5, 3, 2, 1, 0], 84

Update called by 8Exploration

Ant thread 8 terminating.avg = 0.00185185185185

Ant 9: [3, 4, 5, 2, 1, 0], 82 Update called by 9Exploration

Ant thread 9 terminating.avg = 0.000617277722222

Ant 10 : [1, 3, 4, 5, 2, 0], 98 Update called by 10Exploitation

Ant thread 10 terminating. Ant 11 : [5, 4, 3, 2, 1, 0], 77

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [0, 4, 5, 3, 2, 1], 94

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00185185185185

Ant 13 : [5, 4, 3, 2, 1, 0], 77 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00185185185185

Ant 14 : [2, 3, 4, 5, 1, 0], 81 Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00185185185185

Ant 15 : [4, 5, 3, 2, 1, 0], 84 Update called by 15Exploitation

Ant thread 15 terminating. Ant 16: [1, 3, 4, 5, 2, 0], 98

Update called by 16Exploitation

Ant thread 16 terminating. Ant 17 : [5, 4, 3, 2, 1, 0], 77

Update called by 17Exploration

Ant thread 17 terminating.avg = 0.00185185185185

Ant 18: [5, 4, 3, 2, 1, 0], 77 Update called by 18Exploitation

Ant thread 18 terminating. Ant 19 : [5, 4, 3, 2, 1, 0], 77

Update called by 19

```
Best: [4, 5, 3, 2, 1, 0], 104, 8, 106
Ant thread 19 terminating.iter_counter = 9
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [4, 5], 12starting ant = 2
Exploitationstarting ant = 3
Ant 1 : [1, 0], 10starting ant = 4
Exploitationstarting ant = 5
Ant 0: [4, 5, 3], 34starting ant = 6
Explorationstarting ant = 7
avg = 0.000594622385972starting ant = 8
p = 0.00075757575757576starting ant = 9
p = 0.000925916665833starting ant = 10
Ant 2 : [2, 3], 18starting ant = 11
Explorationstarting ant = 12
avg = 0.00059766379414starting ant = 13
p = 0.00134742406402starting ant = 14
p = 0.000833325starting ant = 15
Ant 3: [0, 4], 20starting ant = 16
Explorationstarting ant = 17
avg = 0.000433142455837starting ant = 18
p = 0.000924999916667starting ant = 19
Ant 1 : [1, 0, 4], 30
Exploration
avg = 0.000711449895938
p = 0.0011111111111
p = 0.00154166666667
Ant 4: [4, 5], 12
Exploitation
Ant 5 : [3, 4], 15
Exploitation
Ant 0: [4, 5, 3, 2], 52
Exploration
avg = 0.000711755451494
```

```
p = 0.0011111111111
p = 0.00154319444444
Ant 6: [4, 5], 12
Exploitation
Ant 7 : [1, 0], 10
Exploration
avg = 0.000711758507049
p = 0.0011111111111
p = 0.00154320972222
Ant 8 : [4, 5], 12
Exploitation
Ant 9: [3, 4], 15
Exploration
avg = 0.000729199269322
p = 0.00185183333333
p = 0.000925925924992
Ant 10 : [1, 3], 18
Exploration
avg = 0.00060006344092
p = 0.0012345555556
Ant 2 : [2, 3, 4], 33
Exploration
avg = 0.00077603108537
p = 0.000840909090909
p = 0.00138888888888
Ant 11 : [5, 4], 12
Exploration
avg = 0.000616182127306
p = 0.00134742406402
p = 0.000925916665833
Ant 12: [0, 4], 20
Exploration
avg = 0.000806586640928
p = 0.000840909090909
p = 0.00154166666667
Ant 13 : [5, 4], 12
Exploitation
Ant 14: [2, 3], 18
Exploitation
Ant 15 : [4, 5], 12
Exploitation
Ant 3 : [0, 4, 5], 32
Exploration
avg = 0.000749569639878
p = 0.00185183333333
p = 0.0010277777777
Ant 16 : [1, 3], 18
Exploitation
Ant 17 : [5, 4], 12
Exploitation
Ant 18 : [5, 4], 12
Exploitation
Ant 19: [5, 4], 12
Exploitation
```

```
Ant 1: [1, 0, 4, 5], 42
Exploitation
Ant 4: [4, 5, 3], 34
Exploration
avg = 0.000611920394617
p = 0.00154320987654
Ant 5 : [3, 4, 5], 27
Exploration
avg = 0.000656565656285
p = 0.000757575757576
Ant 0: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000623024967827
p = 0.000641019230192
p = 0.000724637681159
p = 0.000841742424242
Ant 6: [4, 5, 3], 34
Exploitation
Ant 7: [1, 0, 4], 30
Exploitation
Ant 8: [4, 5, 3], 34
Exploration
avg = 0.000611920394617
p = 0.00154320987654
Ant 9: [3, 4, 5], 27
Exploitation
Ant 10 : [1, 3, 4], 33
Exploitation
Ant 2 : [2, 3, 4, 5], 45
Exploration
avg = 0.000503895703256
p = 0.0011111111111
Ant 11 : [5, 4, 3], 27
Exploitation
Ant 12 : [0, 4, 5], 32
Exploration
avg = 0.000534451258814
p = 0.00123333333333
Ant 13 : [5, 4, 3], 27
Exploration
avg = 0.000600066527031
p = 0.0012345679
Ant 14 : [2, 3, 4], 33
Exploration
avg = 0.000623027071994
p = 0.000641019230192
p = 0.000724637681159
p = 0.000841750840909
Ant 15 : [4, 5, 3], 34
Exploitation
Ant 3: [0, 4, 5, 3], 54
Exploitation
Ant 16: [1, 3, 4], 33
Exploration
```

```
avg = 0.00053475681437
p = 0.0012345555556
Ant 17 : [5, 4, 3], 27
Exploitation
Ant 18 : [5, 4, 3], 27
Exploration
avg = 0.000534759900481
p = 0.0012345679
Ant 19 : [5, 4, 3], 27
Exploration
avg = 0.000783194261455
p = 0.000841750841751
Ant 1 : [1, 0, 4, 5, 3], 64
Exploration
avg = 0.000610376616513
p = 0.0010277777778
Ant 4: [4, 5, 3, 2], 52
Exploitation
Ant 5 : [3, 4, 5, 2], 50
Exploitation
Ant 0: [4, 5, 3, 2, 1, 0], 84
Update called by OExploration
Ant thread 0 terminating.avg = 0.000610716122686
p = 0.0010287962963
Ant 6: [4, 5, 3, 2], 52
Exploration
avg = 0.00102812611823
p = 0.00123456790122
p = 0.00154320987654
Ant 7 : [1, 0, 4, 5], 42
Exploration
avg = 0.000610719517747
p = 0.00102880648148
Ant 8: [4, 5, 3, 2], 52
Exploitation
Ant 9: [3, 4, 5, 2], 50
Exploration
avg = 0.000749463734489
p = 0.00154320987654
Ant 10 : [1, 3, 4, 5], 45
Exploitation
Ant 2 : [2, 3, 4, 5, 1], 71
Exploration
avg = 0.000610719551698
p = 0.00102880658333
Ant 11: [5, 4, 3, 2], 45
Exploitation
Ant 12: [0, 4, 5, 3], 54
Exploitation
Ant 13 : [5, 4, 3, 2], 45
Exploration
avg = 0.000713693667181
```

```
p = 0.00154320987654
Ant 14 : [2, 3, 4, 5], 45
Exploitation
Ant 15: [4, 5, 3, 2], 52
Exploitation
Ant 3: [0, 4, 5, 3, 2], 72
Exploration
avg = 0.000749463734489
p = 0.00154320987654
Ant 16 : [1, 3, 4, 5], 45
Exploitation
Ant 17 : [5, 4, 3, 2], 45
Exploitation
Ant 18: [5, 4, 3, 2], 45
Exploration
avg = 0.000610719552041
p = 0.00102880658436
Ant 19: [5, 4, 3, 2], 45
Exploitation
Ant 1: [1, 0, 4, 5, 3, 2], 82
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000698232322952
p = 0.000840909090909
Ant 4: [4, 5, 3, 2, 1], 74
Exploitation
Ant 5 : [3, 4, 5, 2, 1], 72
Exploitation
Ant 6: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000823447884644
p = 0.000841750841751
Ant 7: [1, 0, 4, 5, 3], 64
Exploration
avg = 0.000698653197952
p = 0.000841750840909
Ant 8: [4, 5, 3, 2, 1], 74
Exploitation
Ant 9: [3, 4, 5, 2, 1], 72
Exploration
avg = 0.000544922731625
p = 0.000805144927536
Ant 10: [1, 3, 4, 5, 2], 68
Exploration
avg = 0.00185185166667
Ant 2 : [2, 3, 4, 5, 1, 0], 81
Update called by 2Exploitation
Ant thread 2 terminating. Ant 11 : [5, 4, 3, 2, 1], 67
Exploitation
Ant 12: [0, 4, 5, 3, 2], 72
Exploration
```

```
avg = 0.000698653198373
p = 0.000841750841751
Ant 13 : [5, 4, 3, 2, 1], 67
Exploitation
Ant 14: [2, 3, 4, 5, 1], 71
Exploration
avg = 0.000698653198373
p = 0.000841750841751
Ant 15 : [4, 5, 3, 2, 1], 74
Exploitation
Ant 3: [0, 4, 5, 3, 2, 1], 94
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.000544926717133
p = 0.000805152898551
Ant 16 : [1, 3, 4, 5, 2], 68
Exploration
avg = 0.000698653198373
p = 0.000841750841751
Ant 17: [5, 4, 3, 2, 1], 67
Exploitation
Ant 18: [5, 4, 3, 2, 1], 67
Exploration
avg = 0.000698653198373
p = 0.000841750841751
Ant 19 : [5, 4, 3, 2, 1], 67
Exploitation
Ant 4: [4, 5, 3, 2, 1, 0], 84
Update called by 4Exploitation
Ant thread 4 terminating. Ant 5: [3, 4, 5, 2, 1, 0], 82
ExplorationUpdate called by 5
avg = 0.00185185185185Ant thread 5 terminating.
Ant 6: [4, 5, 3, 2, 1, 0], 84
Update called by 6Exploration
Ant thread 6 terminating.avg = 0.00102880658436
Ant 7: [1, 0, 4, 5, 3, 2], 82
Update called by 7Exploration
Ant thread 7 terminating.avg = 0.00185185185185
Ant 8: [4, 5, 3, 2, 1, 0], 84
Update called by 8Exploration
Ant thread 8 terminating.avg = 0.00185185185185
Ant 9: [3, 4, 5, 2, 1, 0], 82
Update called by 9Exploration
```

Ant thread 9 terminating.avg = 0.0005555555554995

Ant 10 : [1, 3, 4, 5, 2, 0], 98 Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [5, 4, 3, 2, 1, 0], 77

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [0, 4, 5, 3, 2, 1], 94

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00185185185185

Ant 13 : [5, 4, 3, 2, 1, 0], 77 Update called by 13Exploitation

Ant thread 13 terminating. Ant 14 : [2, 3, 4, 5, 1, 0], 81

Update called by 14Exploitation

Ant thread 14 terminating. Ant 15: [4, 5, 3, 2, 1, 0], 84

Update called by 15Exploration

Ant thread 15 terminating.avg = 0.000616666666661

Ant 16 : [1, 3, 4, 5, 2, 0], 98 Update called by 16Exploitation

Ant thread 16 terminating. Ant 17 : [5, 4, 3, 2, 1, 0], 77

Update called by 17Exploitation

Ant thread 17 terminating. Ant 18 : [5, 4, 3, 2, 1, 0], 77

Update called by 18Exploitation

Ant thread 18 terminating. Ant 19: [5, 4, 3, 2, 1, 0], 77

Update called by 19

Best: [4, 5, 3, 2, 1, 0], 104, 9, 106

Ant thread 19 terminating.

iter_counter = 10

starting ant = 0

Exploitationstarting ant = 1

Ant 0 : [4, 5], 12 starting ant = 2

Explorationstarting ant = 3

avg = 0.000674799342558starting ant = 4

```
p = 0.001666666666667 ant = 5
p = 0.000925916666667starting ant = 6
Ant 1 : [1, 3], 18starting ant = 7
Explorationstarting ant = 8
avg = 0.000594865787586starting ant = 9
p = 0.000641019230192starting ant = 10
p = 0.000724637680435starting ant = 11
p = 0.00075757575757576starting ant = 12
Ant 0: [4, 5, 3], 34starting ant = 13
Explorationstarting ant = 14
avg = 0.000579939995944starting ant = 15
p = 0.000757575757576starting ant = 16
p = 0.000925916665833starting ant = 17
Ant 2 : [2, 3], 18starting ant = 18
Exploitationstarting ant = 19
Ant 3: [0, 1], 10
Exploitation
Ant 4: [4, 5], 12
Exploitation
Ant 5 : [3, 4], 15
Exploitation
Ant 6: [4, 5], 12
Exploitation
Ant 1 : [1, 3, 4], 33
Exploration
avg = 0.000695171546262
p = 0.00166666666667
p = 0.00102777768519
Ant 7 : [1, 3], 18
Exploration
avg = 0.000693669073011
p = 0.0011111111111
p = 0.00154320972222
Ant 8: [4, 5], 12
Exploration
avg = 0.000641921973759
p = 0.000925925925926
p = 0.00123455555556
```

```
Ant 9: [3, 4], 15
Exploration
avg = 0.000695375268299
p = 0.00166666666667
p = 0.00102879629537
Ant 10 : [1, 3], 18
Exploitation
Ant 11 : [5, 4], 12
Exploration
avg = 0.000681121279685
p = 0.00184546014991
p = 0.00083333333325
Ant 12 : [0, 4], 20
Exploitation
Ant 0: [4, 5, 3, 2], 52
Exploitation
Ant 13 : [5, 4], 12
Exploration
avg = 0.000600312199813
p = 0.000757575757576
p = 0.00102777768518
Ant 14: [2, 3], 18
Exploitation
Ant 15 : [4, 5], 12
Exploration
avg = 0.000695377305519
p = 0.00166666666667
p = 0.00102880648147
Ant 16 : [1, 3], 18
Exploration
avg = 0.000801198185625
p = 0.000840909090909
p = 0.00154319444444
Ant 17 : [5, 4], 12
Exploration
avg = 0.000570924041272
p = 0.00123456777778
Ant 2: [2, 3, 4], 33
Exploitation
Ant 18 : [5, 4], 12
Exploration
avg = 0.000801201271736
p = 0.000840909090909
p = 0.001543209875
Ant 19: [5, 4], 12
Exploration
avg = 0.000452554990698
p = 0.00102880658333
Ant 3: [0, 1, 3], 28
Exploitation
Ant 4: [4, 5, 3], 34
Exploration
avg = 0.000589308602065
p = 0.00154320987653
```

```
Ant 5: [3, 4, 5], 27
Exploitation
Ant 6: [4, 5, 3], 34
Exploitation
Ant 1: [1, 3, 4, 5], 45
Exploitation
Ant 7 : [1, 3, 4], 33
Exploration
avg = 0.000615909537586
p = 0.000641019230192
p = 0.000724637680435
p = 0.000841750757576
Ant 8 : [4, 5, 3], 34
Exploration
avg = 0.000589308602068
p = 0.00154320987654
Ant 9: [3, 4, 5], 27
Exploration
avg = 0.0007049727964
p = 0.0010277777778
p = 0.00123456790122
Ant 10 : [1, 3, 4], 33
Exploitation
Ant 11 : [5, 4, 3], 27
Exploration
avg = 0.000807961266652
p = 0.00154320987654
Ant 12 : [0, 4, 5], 32
Exploration
avg = 0.000656562878788
p = 0.000757575757576
Ant 0: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000511839466266
Ant 13 : [5, 4, 3], 27
Exploration
avg = 0.000570924072136
p = 0.00123456790123
Ant 14 : [2, 3, 4], 33
Exploitation
Ant 15 : [4, 5, 3], 34
Exploration
avg = 0.000704972796403
p = 0.0010277777778
p = 0.00123456790123
Ant 16 : [1, 3, 4], 33
Exploitation
Ant 17 : [5, 4, 3], 27
Exploration
avg = 0.000693764629681
p = 0.00154320987654
Ant 2 : [2, 3, 4, 5], 45
```

```
Exploitation
Ant 18: [5, 4, 3], 27
Exploitation
Ant 19: [5, 4, 3], 27
Exploration
avg = 0.000862819067247
p = 0.0010277777778
p = 0.00123456790123
Ant 3 : [0, 1, 3, 4], 43
Exploration
avg = 0.000583598214121
p = 0.0010277777778
Ant 4: [4, 5, 3, 2], 52
Exploitation
Ant 5: [3, 4, 5, 2], 50
Exploration
avg = 0.000583937720294
p = 0.0010287962963
Ant 6: [4, 5, 3, 2], 52
Exploitation
Ant 1: [1, 3, 4, 5, 2], 68
Exploration
avg = 0.000725957690258
p = 0.00154320987654
Ant 7: [1, 3, 4, 5], 45
Exploitation
Ant 8: [4, 5, 3, 2], 52
Exploitation
Ant 9: [3, 4, 5, 2], 50
Exploration
avg = 0.000725957690258
p = 0.00154320987654
Ant 10: [1, 3, 4, 5], 45
Exploitation
Ant 11 : [5, 4, 3, 2], 45
Exploitation
Ant 12 : [0, 4, 5, 3], 54
Exploitation
Ant 0: [4, 5, 3, 2, 1, 0], 84
Update called by OExploration
Ant thread 0 terminating.avg = 0.000583941149645
p = 0.00102880658435
Ant 13 : [5, 4, 3, 2], 45
Exploration
avg = 0.000693764629681
p = 0.00154320987654
Ant 14: [2, 3, 4, 5], 45
Exploration
avg = 0.000583941149649
p = 0.00102880658436
Ant 15 : [4, 5, 3, 2], 52
Exploration
```

```
avg = 0.000725957690258
p = 0.00154320987654
Ant 16 : [1, 3, 4, 5], 45
Exploitation
Ant 17 : [5, 4, 3, 2], 45
Exploration
avg = 0.000448624856168
p = 0.000641019230192
Ant 2 : [2, 3, 4, 5, 1], 71
Exploration
avg = 0.000583941149649
p = 0.00102880658436
Ant 18 : [5, 4, 3, 2], 45
Exploration
avg = 0.000583941149649
p = 0.00102880658436
Ant 19 : [5, 4, 3, 2], 45
Exploitation
Ant 3: [0, 1, 3, 4, 5], 55
Exploration
avg = 0.000698229545455
p = 0.000840909090909
Ant 4: [4, 5, 3, 2, 1], 74
Exploitation
Ant 5: [3, 4, 5, 2, 1], 72
Exploitation
Ant 6: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.00055555
Ant 1 : [1, 3, 4, 5, 2, 0], 98
ExploitationUpdate called by 1
Ant 7: [1, 3, 4, 5, 2], 68Ant thread 1 terminating.
Exploitation
Ant 8: [4, 5, 3, 2, 1], 74
Exploitation
Ant 9: [3, 4, 5, 2, 1], 72
Exploration
avg = 0.000530691730202
p = 0.000805152978261
Ant 10: [1, 3, 4, 5, 2], 68
Exploitation
Ant 11 : [5, 4, 3, 2, 1], 67
Exploration
avg = 0.000760194732538
p = 0.00102880658436
Ant 12 : [0, 4, 5, 3, 2], 72
Exploration
avg = 0.000729208726431
p = 0.000841750841751
Ant 13 : [5, 4, 3, 2, 1], 67
Exploration
avg = 0.000483884439786
```

```
p = 0.00071153839743
```

Ant 14: [2, 3, 4, 5, 1], 71

Exploitation

Ant 15 : [4, 5, 3, 2, 1], 74

Exploration

avg = 0.0005306917306

p = 0.000805152979058

Ant 16: [1, 3, 4, 5, 2], 68

Exploitation

Ant 17: [5, 4, 3, 2, 1], 67

Exploitation

Ant 2: [2, 3, 4, 5, 1, 0], 81 Update called by 2Exploitation

Ant thread 2 terminating. Ant 18: [5, 4, 3, 2, 1], 67

Exploitation

Ant 19: [5, 4, 3, 2, 1], 67

Exploitation

Ant 3 : [0, 1, 3, 4, 5, 2], 78 ExploitationUpdate called by 3

Ant 4 : [4, 5, 3, 2, 1, 0], 84Ant thread 3 terminating.

Update called by 4Exploitation

Ant thread 4 terminating. Ant 5 : [3, 4, 5, 2, 1, 0], 82

Update called by 5Exploration

Ant thread 5 terminating.avg = 0.00185185185

Ant 6 : [4, 5, 3, 2, 1, 0], 84 Update called by 6Exploitation

Ant thread 6 terminating. Ant 7 : [1, 3, 4, 5, 2, 0], 98

Update called by 7Exploitation

Ant thread 7 terminating. Ant 8 : [4, 5, 3, 2, 1, 0], 84

Update called by 8Exploration

Ant thread 8 terminating.avg = 0.00185185185185

Ant 9: [3, 4, 5, 2, 1, 0], 82 Update called by 9Exploration

Ant thread 9 terminating.avg = 0.000617277777222

Ant 10: [1, 3, 4, 5, 2, 0], 98 Update called by 10Exploitation

Ant thread 10 terminating. Ant 11 : [5, 4, 3, 2, 1, 0], 77

```
Update called by 11Exploration
Ant thread 11 terminating.avg = 0.000841750841751
Ant 12: [0, 4, 5, 3, 2, 1], 94
Update called by 12Exploitation
Ant thread 12 terminating. Ant 13: [5, 4, 3, 2, 1, 0], 77
ExploitationUpdate called by 13
Ant 14 : [2, 3, 4, 5, 1, 0], 81Ant thread 13 terminating.
Update called by 14Exploration
Ant thread 14 terminating.avg = 0.00185185185185
Ant 15 : [4, 5, 3, 2, 1, 0], 84
Update called by 15Exploitation
Ant thread 15 terminating. Ant 16: [1, 3, 4, 5, 2, 0], 98
Update called by 16Exploitation
Ant thread 16 terminating. Ant 17 : [5, 4, 3, 2, 1, 0], 77
Update called by 17Exploration
Ant thread 17 terminating.avg = 0.00185185185185
Ant 18: [5, 4, 3, 2, 1, 0], 77
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19 : [5, 4, 3, 2, 1, 0], 77
Update called by 19
Best: [4, 5, 3, 2, 1, 0], 104, 10, 106
Ant thread 19 terminating.iter_counter = 11
starting ant = 0
Explorationstarting ant = 1
avg = 0.000646524415709starting ant = 2
p = 0.001388888888889starting ant = 4
Ant 0: [4, 5], 12starting ant = 5
```

Explorationstarting ant = 6

avg = 0.000659172926819starting ant = 7

```
p = 0.001666666666667 ant = 8
p = 0.000925925925917starting ant = 9
Ant 1 : [1, 3], 18starting ant = 10
Explorationstarting ant = 11
avg = 0.000566727955818starting ant = 12
p = 0.00075757575757576starting ant = 13
p = 0.000925916665833starting ant = 14
Ant 2: [2, 3], 18starting ant = 15
Explorationstarting ant = 16
avg = 0.000629509151865starting ant = 17
p = 0.00166091413492starting ant = 18
p = 0.000832499999992starting ant = 19
Ant 3: [0, 4], 20
Exploitation
Ant 4: [4, 5], 12
Exploration
avg = 0.000588460025714
p = 0.000641019230192
p = 0.000724637681159
p = 0.000757575757576
Ant 0: [4, 5, 3], 34
Exploitation
Ant 5 : [3, 4], 15
Exploitation
Ant 6: [4, 5], 12
Exploitation
Ant 7 : [1, 0], 10
Exploration
avg = 0.000677388582376
p = 0.0011111111111
p = 0.00154320972222
Ant 8: [4, 5], 12
Exploitation
Ant 9: [3, 4], 15
Exploitation
Ant 1 : [1, 3, 4], 33
Exploration
avg = 0.000716209963858
p = 0.00185
p = 0.0010277777778
Ant 10 : [1, 3], 18
```

```
Exploitation
Ant 11 : [5, 4], 12
Exploitation
Ant 12: [0, 1], 10
Exploration
avg = 0.000795768020571
p = 0.000840909090909
p = 0.00154166666667
Ant 13: [5, 4], 12
Exploitation
Ant 14: [2, 3], 18
Exploration
avg = 0.00054469583159
p = 0.00123456777778
Ant 2: [2, 3, 4], 33
Exploitation
Ant 15 : [4, 5], 12
Exploitation
Ant 16 : [1, 0], 10
Exploration
avg = 0.000796073576127
p = 0.000840909090909
p = 0.00154319444444
Ant 17 : [5, 4], 12
Exploitation
Ant 18 : [5, 4], 12
Exploitation
Ant 19: [5, 4], 12
Exploitation
Ant 3: [0, 4, 5], 32
Exploration
avg = 0.000609293359047
p = 0.000641019230192
p = 0.000724637681159
p = 0.000840909090909
Ant 4: [4, 5, 3], 34
Exploration
avg = 0.000525547034684
p = 0.000925925925926
Ant 0: [4, 5, 3, 2], 52
Exploitation
Ant 5 : [3, 4, 5], 27
Exploration
avg = 0.000609501692381
p = 0.000641019230192
p = 0.000724637681159
p = 0.000841742424242
Ant 6: [4, 5, 3], 34
Exploration
avg = 0.00039478082277
p = 0.000924991666667
Ant 7: [1, 0, 4], 30
Exploration
avg = 0.000609503775714
```

```
p = 0.000641019230192
```

p = 0.000724637681159

p = 0.000841750757576

Ant 8: [4, 5, 3], 34

Exploitation

Ant 9: [3, 4, 5], 27

Exploration

avg = 0.00070480225045

p = 0.00154320987654

Ant 1 : [1, 3, 4, 5], 45

Exploitation

Ant 10 : [1, 3, 4], 33

Exploration

avg = 0.000460933297414

p = 0.0011111111111

Ant 11: [5, 4, 3], 27

Exploration

avg = 0.000433017084452

p = 0.0010287962963

Ant 12 : [0, 1, 3], 28

Exploration

avg = 0.000491488852973

p = 0.00123333333333

Ant 13: [5, 4, 3], 27

Exploitation

Ant 14: [2, 3, 4], 33

Exploration

avg = 0.000675828495931

p = 0.00154320987654

Ant 2: [2, 3, 4, 5], 45

Exploration

avg = 0.000609503796547

p = 0.000641019230192

p = 0.000724637681159

p = 0.000841750840909

Ant 15 : [4, 5, 3], 34

Exploration

avg = 0.000395012051936

p = 0.000925916583333

Ant 16 : [1, 0, 4], 30

Exploitation

Ant 17 : [5, 4, 3], 27

Exploration

avg = 0.000491797464084

p = 0.00123456777778

Ant 18: [5, 4, 3], 27

Exploration

avg = 0.000491797494639

p = 0.0012345679

Ant 19: [5, 4, 3], 27

Exploration

avg = 0.000735802584365

p = 0.000841750841742

Ant 3: [0, 4, 5, 3], 54

```
Exploitation
Ant 4: [4, 5, 3, 2], 52
Exploration
avg = 0.000656565656288
p = 0.000757575757576
Ant 0: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000532088115093
p = 0.000641019230192
p = 0.000724637681159
Ant 5 : [3, 4, 5, 2], 50
Exploration
avg = 0.000559837158141
p = 0.0010287962963
Ant 6: [4, 5, 3, 2], 52
Exploration
avg = 0.00100870808169
p = 0.00123456790122
p = 0.00154320987654
Ant 7: [1, 0, 4, 5], 42
Exploration
avg = 0.000559840553202
p = 0.00102880648148
Ant 8: [4, 5, 3, 2], 52
Exploration
avg = 0.000558658163403
p = 0.000641019230192
p = 0.000804347826087
Ant 9: [3, 4, 5, 2], 50
Exploitation
Ant 1: [1, 3, 4, 5, 2], 68
Exploration
avg = 0.00070480225045
p = 0.00154320987654
Ant 10 : [1, 3, 4, 5], 45
Exploration
avg = 0.000559840587153
p = 0.00102880658333
Ant 11: [5, 4, 3, 2], 45
Exploitation
Ant 12 : [0, 1, 3, 4], 43
Exploitation
Ant 13 : [5, 4, 3, 2], 45
Exploitation
Ant 14 : [2, 3, 4, 5], 45
Exploration
avg = 0.00043581333206
p = 0.000641019230192
Ant 2: [2, 3, 4, 5, 1], 71
Exploitation
Ant 15 : [4, 5, 3, 2], 52
Exploration
avg = 0.00100870808169
p = 0.00123456790122
```

```
p = 0.00154320987654
Ant 16 : [1, 0, 4, 5], 42
Exploration
avg = 0.000559840587496
p = 0.00102880658436
Ant 17 : [5, 4, 3, 2], 45
Exploration
avg = 0.000559840587496
p = 0.00102880658436
Ant 18 : [5, 4, 3, 2], 45
Exploitation
Ant 19: [5, 4, 3, 2], 45
Exploration
avg = 0.000735615588502
p = 0.00102880658436
Ant 3 : [0, 4, 5, 3, 2], 72
Exploration
avg = 0.000698232322955
p = 0.000840909090909
Ant 4: [4, 5, 3, 2, 1], 74
Exploitation
Ant 0: [4, 5, 3, 2, 1, 0], 84
Update called by <code>OExploration</code>
Ant thread 0 terminating.avg = 0.000698648989621
p = 0.000841742424242
Ant 5 : [3, 4, 5, 2, 1], 72
Exploitation
Ant 6: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000823451870151
p = 0.000841750841751
Ant 7 : [1, 0, 4, 5, 3], 64
Exploration
avg = 0.000698653197955
p = 0.000841750840909
Ant 8: [4, 5, 3, 2, 1], 74
Exploitation
Ant 9: [3, 4, 5, 2, 1], 72
Exploitation
Ant 1: [1, 3, 4, 5, 2, 0], 98
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.00051788016624
p = 0.000805152898551
Ant 10 : [1, 3, 4, 5, 2], 68
Exploration
avg = 0.000729208754206
p = 0.000841750841751
Ant 11: [5, 4, 3, 2, 1], 67
Exploitation
Ant 12: [0, 1, 3, 4, 5], 55
```

```
Exploration
```

avg = 0.000729208754206

p = 0.000841750841751

Ant 13: [5, 4, 3, 2, 1], 67

Exploration

avg = 0.000471072915679

p = 0.00071153839743

Ant 14: [2, 3, 4, 5, 1], 71

Exploration

avg = 0.00185185166667

Ant 2: [2, 3, 4, 5, 1, 0], 81 Update called by 2Exploration

Ant thread 2 terminating.avg = 0.000729208754206

p = 0.000841750841751

Ant 15: [4, 5, 3, 2, 1], 74

Exploitation

Ant 16: [1, 0, 4, 5, 3], 64

Exploitation

Ant 17: [5, 4, 3, 2, 1], 67

Exploitation

Ant 18: [5, 4, 3, 2, 1], 67

Exploration

avg = 0.000729208754206

p = 0.000841750841751

Ant 19: [5, 4, 3, 2, 1], 67

Exploitation

Ant 3 : [0, 4, 5, 3, 2, 1], 94

Update called by 3Exploration

Ant thread 3 terminating.avg = 0.00185185185

Ant 4: [4, 5, 3, 2, 1, 0], 84 Update called by 4Exploitation

Ant thread 4 terminating. Ant 5 : [3, 4, 5, 2, 1, 0], 82

Update called by 5Exploration

Ant thread 5 terminating.avg = 0.00185185185185

Ant 6: [4, 5, 3, 2, 1, 0], 84 Update called by 6Exploration

Ant thread 6 terminating.avg = 0.00102880658436

Ant 7 : [1, 0, 4, 5, 3, 2], 82 Update called by 7Exploration

Ant thread 7 terminating.avg = 0.00185185185185

Ant 8: [4, 5, 3, 2, 1, 0], 84 Update called by 8Exploration Ant thread 8 terminating.avg = 0.00185185185185

Ant 9: [3, 4, 5, 2, 1, 0], 82 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [1, 3, 4, 5, 2, 0], 98

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [5, 4, 3, 2, 1, 0], 77

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [0, 1, 3, 4, 5, 2], 78

Update called by 12Exploitation

Ant thread 12 terminating. Ant 13 : [5, 4, 3, 2, 1, 0], 77

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00185185185185

Ant 14 : [2, 3, 4, 5, 1, 0], 81 Update called by 14Exploitation

Ant thread 14 terminating. Ant 15: [4, 5, 3, 2, 1, 0], 84

Update called by 15Exploration

Ant thread 15 terminating.avg = 0.00102880658436

Ant 16 : [1, 0, 4, 5, 3, 2], 82 Update called by 16Exploration

Ant thread 16 terminating.avg = 0.00185185185185

Ant 17 : [5, 4, 3, 2, 1, 0], 77 Update called by 17Exploitation

Ant thread 17 terminating. Ant 18 : [5, 4, 3, 2, 1, 0], 77

Update called by 18Exploitation

Ant thread 18 terminating. Ant 19: [5, 4, 3, 2, 1, 0], 77

Update called by 19

Best: [4, 5, 3, 2, 1, 0], 104, 11, 106

Ant thread 19 terminating.iter counter = 12

starting ant = 0

Explorationstarting ant = 1

```
avg = 0.000631871974138starting ant = 2
p = 0.001388888888889starting ant = 4
Ant 0 : [4, 5], 12starting ant = 5
Explorationstarting ant = 6
avg = 0.000645107467472starting ant = 7
p = 0.001666666666667 ant = 8
Ant 1 : [1, 3], 18starting ant = 10
Explorationstarting ant = 11
avg = 0.000554835008804starting ant = 12
p = 0.000555555starting ant = 13
p = 0.00075757575757576starting ant = 14
p = 0.000925916665833starting ant = 15
Ant 2 : [2, 3], 18starting ant = 16
Exploitationstarting ant = 17
Ant 3 : [0, 1], 10starting ant = 18
Exploitationstarting ant = 19
Ant 4: [4, 5], 12
Exploration
avg = 0.000582694839864
p = 0.000641019230192
p = 0.000724637681152
p = 0.000757575757576
Ant 0: [4, 5, 3], 34
Exploration
avg = 0.000577366206152
p = 0.000925925925926
p = 0.00111111111111
Ant 5 : [3, 4], 15
Exploration
avg = 0.000662733085249
p = 0.0011111111111
p = 0.00154319444444
Ant 6: [4, 5], 12
Exploitation
```

```
Ant 7: [1, 0], 10
Exploration
avg = 0.000662736140805
p = 0.0011111111111
p = 0.00154320972222
Ant 8: [4, 5], 12
Exploitation
Ant 9 : [3, 4], 15
Exploitation
Ant 1 : [1, 3, 4], 33
Exploration
avg = 0.000702144522843
p = 0.00185
p = 0.0010277777685
Ant 10 : [1, 3], 18
Exploitation
Ant 11 : [5, 4], 12
Exploration
avg = 0.000654406905365
p = 0.00184998281561
p = 0.00083333324925
Ant 12 : [0, 4], 20
Exploitation
Ant 13 : [5, 4], 12
Exploration
avg = 0.000575207212673
p = 0.000757575757576
p = 0.00102777768518
Ant 14: [2, 3], 18
Exploitation
Ant 15 : [4, 5], 12
Exploitation
Ant 2: [2, 3, 4], 33
Exploration
avg = 0.00070234822673
p = 0.00185
p = 0.00102879629629
Ant 16: [1, 3], 18
Exploitation
Ant 17 : [5, 4], 12
Exploration
avg = 0.000415437829711
p = 0.00102880648148
Ant 3: [0, 1, 3], 28
Exploration
avg = 0.000791464483002
p = 0.000840909090909
p = 0.00154320972222
Ant 18 : [5, 4], 12
Exploration
avg = 0.000791464513558
p = 0.000840909090909
p = 0.001543209875
Ant 19 : [5, 4], 12
```

```
Exploration
avg = 0.000603528173197
p = 0.000641019230192
p = 0.000724637681152
p = 0.000840909090909
Ant 4: [4, 5, 3], 34
Exploitation
Ant 0: [4, 5, 3, 2], 52
Exploration
avg = 0.000550642436807
p = 0.00154320987653
Ant 5 : [3, 4, 5], 27
Exploitation
Ant 6: [4, 5, 3], 34
Exploitation
Ant 7: [1, 0, 4], 30
Exploitation
Ant 8: [4, 5, 3], 34
Exploitation
Ant 9: [3, 4, 5], 27
Exploration
avg = 0.000685762354623
p = 0.00154320987654
Ant 1 : [1, 3, 4, 5], 45
Exploitation
Ant 10 : [1, 3, 4], 33
Exploration
avg = 0.00044261774545
p = 0.0011111111111
Ant 11 : [5, 4, 3], 27
Exploration
avg = 0.000786334428457
p = 0.00123333333333
p = 0.00154320987654
Ant 12 : [0, 4, 5], 32
Exploitation
Ant 13 : [5, 4, 3], 27
Exploration
avg = 0.000521090473736
p = 0.00123456790122
Ant 14 : [2, 3, 4], 33
Exploitation
Ant 15 : [4, 5, 3], 34
Exploitation
Ant 2: [2, 3, 4, 5], 45
Exploration
avg = 0.000678489384839
p = 0.0010277777778
p = 0.00123456790123
Ant 16: [1, 3, 4], 33
Exploitation
Ant 17 : [5, 4, 3], 27
Exploitation
Ant 3 : [0, 1, 3, 4], 43
```

```
Exploration
avg = 0.00047348191212
p = 0.00123456777778
Ant 18: [5, 4, 3], 27
Exploration
avg = 0.000473481942675
p = 0.0012345679
Ant 19 : [5, 4, 3], 27
Exploitation
Ant 4: [4, 5, 3, 2], 52
Exploitation
Ant 0: [4, 5, 3, 2, 1], 74
Exploration
avg = 0.000524401200627
p = 0.000641019230192
p = 0.000724637681152
Ant 5 : [3, 4, 5, 2], 50
Exploration
avg = 0.000538146652203
p = 0.0010287962963
Ant 6: [4, 5, 3, 2], 52
Exploration
avg = 0.00100042986611
p = 0.00123456790122
p = 0.00154320987654
Ant 7: [1, 0, 4, 5], 42
Exploration
avg = 0.000538150047265
p = 0.00102880648148
Ant 8: [4, 5, 3, 2], 52
Exploration
avg = 0.000550971248938
p = 0.000641019230192
p = 0.000804347826087
Ant 9: [3, 4, 5, 2], 50
Exploration
avg = 0.000506345809036
p = 0.000805144927536
Ant 1: [1, 3, 4, 5, 2], 68
Exploitation
Ant 10 : [1, 3, 4, 5], 45
Exploration
avg = 0.000538150081216
p = 0.00102880658333
Ant 11 : [5, 4, 3, 2], 45
Exploitation
Ant 12 : [0, 4, 5, 3], 54
Exploration
avg = 0.000538150081555
p = 0.00102880658435
Ant 13 : [5, 4, 3, 2], 45
Exploration
avg = 0.000659685975556
p = 0.00154320987654
```

Ant 14: [2, 3, 4, 5], 45 Exploration avg = 0.000538150081558p = 0.00102880658436Ant 15 : [4, 5, 3, 2], 52 Exploitation Ant 2 : [2, 3, 4, 5, 1], 71 Exploration avg = 0.000685762354623p = 0.00154320987654Ant 16: [1, 3, 4, 5], 45 Exploitation Ant 17 : [5, 4, 3, 2], 45 Exploration avg = 0.00088336084856p = 0.00154320987654Ant 3 : [0, 1, 3, 4, 5], 55 Exploration avg = 0.000538150081558p = 0.00102880658436Ant 18 : [5, 4, 3, 2], 45 Exploitation Ant 19: [5, 4, 3, 2], 45 Exploration avg = 0.000698229545455p = 0.000840909090909Ant 4: [4, 5, 3, 2, 1], 74 Exploitation Ant 0: [4, 5, 3, 2, 1, 0], 84 Update called by <code>OExploration</code> Ant thread 0 terminating.avg = 0.000698646212121 p = 0.000841742424242Ant 5 : [3, 4, 5, 2, 1], 72 Exploration avg = 0.000698650378788p = 0.000841750757576Ant 6: [4, 5, 3, 2, 1], 74 Exploitation Ant 7: [1, 0, 4, 5, 3], 64 Exploitation Ant 8: [4, 5, 3, 2, 1], 74 Exploration avg = 0.000698650420871p = 0.000841750841742Ant 9: [3, 4, 5, 2, 1], 72 Exploration avg = 0.00055555Ant 1 : [1, 3, 4, 5, 2, 0], 98 Update called by 1Exploration Ant thread 1 terminating.avg = 0.000506349794543

```
p = 0.000805152898551
Ant 10 : [1, 3, 4, 5, 2], 68
Exploration
avg = 0.000729208726431
p = 0.000841750841751
Ant 11 : [5, 4, 3, 2, 1], 67
Exploration
avg = 0.00071349435887
p = 0.00102880658436
Ant 12 : [0, 4, 5, 3, 2], 72
Exploration
avg = 0.000729208726431
p = 0.000841750841751
Ant 13 : [5, 4, 3, 2, 1], 67
Exploration
avg = 0.000459542543983
p = 0.00071153839743
Ant 14: [2, 3, 4, 5, 1], 71
Exploration
avg = 0.000729208726431
p = 0.000841750841751
Ant 15 : [4, 5, 3, 2, 1], 74
Exploitation
Ant 2 : [2, 3, 4, 5, 1, 0], 81
Update called by 2Exploitation
Ant thread 2 terminating. Ant 16: [1, 3, 4, 5, 2], 68
Exploitation
Ant 17 : [5, 4, 3, 2, 1], 67
Exploration
avg = 0.000805152979058
Ant 3: [0, 1, 3, 4, 5, 2], 78
Update called by 3Exploitation
Ant thread 3 terminating. Ant 18: [5, 4, 3, 2, 1], 67
Exploitation
Ant 19: [5, 4, 3, 2, 1], 67
Exploration
avg = 0.00185185166667
Ant 4: [4, 5, 3, 2, 1, 0], 84
Update called by 4Exploitation
Ant thread 4 terminating. Ant 5 : [3, 4, 5, 2, 1, 0], 82
ExploitationUpdate called by 5
Ant 6 : [4, 5, 3, 2, 1, 0], 84Ant thread 5 terminating.
Update called by 6Exploration
Ant thread 6 terminating.avg = 0.00102880658436
```

Ant 7: [1, 0, 4, 5, 3, 2], 82 Update called by 7Exploration

Ant thread 7 terminating.avg = 0.00185185185185

Ant 8: [4, 5, 3, 2, 1, 0], 84 Update called by 8Exploration

Ant thread 8 terminating.avg = 0.00185185185185

Ant 9: [3, 4, 5, 2, 1, 0], 82 Update called by 9Exploration

Ant thread 9 terminating.avg = 0.000616666611111

Ant 10 : [1, 3, 4, 5, 2, 0], 98 Update called by 10Exploration

Ant thread 10 terminating.avg = 0.00185185185185

Ant 11 : [5, 4, 3, 2, 1, 0], 77 Update called by 11Exploration

Ant thread 11 terminating.avg = 0.000841750841751

Ant 12: [0, 4, 5, 3, 2, 1], 94 Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00185185185185

Ant 13 : [5, 4, 3, 2, 1, 0], 77 Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [2, 3, 4, 5, 1, 0], 81

Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00185185185185

Ant 15 : [4, 5, 3, 2, 1, 0], 84 Update called by 15Exploration

Ant thread 15 terminating.avg = 0.000617277777222

Ant 16: [1, 3, 4, 5, 2, 0], 98 Update called by 16Exploration

Ant thread 16 terminating.avg = 0.00185185185185

Ant 17 : [5, 4, 3, 2, 1, 0], 77 Update called by 17Exploration

Ant thread 17 terminating.avg = 0.00185185185185

```
Ant 18: [5, 4, 3, 2, 1, 0], 77
Update called by 18Exploration
Ant thread 18 terminating.avg = 0.00185185185185
Ant 19 : [5, 4, 3, 2, 1, 0], 77
Update called by 19
Best: [4, 5, 3, 2, 1, 0], 104, 12, 106
Ant thread 19 terminating.
-----
                        -----
                   Results
Best path = [4, 5, 3, 2, 1, 0]
('E',)
('F',)
('D',)
('C',)
('B',)
('A',)
Best path cost = 104
>>>
RESTART: C:\Users\teleuser\Documents\Kantor\Kuliah\Master\Semester
3\Perencanaan
Jaringan\Tugas\program\Python\tsp-atncolony\Python-Ant-Colony-TSP-Solver-master\
anttsp.py
[[0, 10, 30, 31, 20], [10, 0, 22, 18, 40], [30, 22, 0, 18, 26], [31, 18, 18, 0,
15], [20, 40, 26, 15, 0]]
5
Average = 18
Tau0 = 0.022222222222
iter_counter = 1
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [1, 0], 10 starting ant = 2
Explorationstarting ant = 3
avg = 0.00125561167228starting ant = 4
p = 0.0022222222222223 ant = 5
Ant 1 : [1, 0], 10starting ant = 6
Explorationstarting ant = 7
avg = 0.000856232576663starting ant = 8
```

```
Ant 0: [1, 0, 4], 30starting ant = 10
Exploitationstarting ant = 11
Ant 2: [4, 3], 15starting ant = 12
Exploitationstarting ant = 13
Ant 3: [1, 0], 10starting ant = 14
Exploitationstarting ant = 15
Ant 4: [4, 3], 15starting ant = 16
Exploitationstarting ant = 17
Ant 5 : [3, 4], 15starting ant = 18
Explorationstarting ant = 19
avg = 0.000856232576663
p = 0.00111111111111
Ant 1: [1, 0, 4], 30
Exploitation
Ant 6 : [1, 0], 10
Exploitation
Ant 7: [3, 4], 15
Exploration
avg = 0.00100071225071
p = 0.001111111111111
p = 0.00148148148148
Ant 8: [4, 3], 15
Exploration
avg = 0.00100071225071
p = 0.001111111111111
p = 0.00148148148148
Ant 9: [4, 3], 15
Exploitation
Ant 0: [1, 0, 4, 3], 45
Exploration
avg = 0.00125561167228
p = 0.0022222222222
Ant 10 : [1, 0], 10
Exploitation
Ant 11 : [2, 3], 18
Exploitation
Ant 2: [4, 3, 1], 33
Exploration
avg = 0.000960027626694
p = 0.0010101010101
p = 0.00123456790123
Ant 12 : [2, 3], 18
Exploitation
Ant 13 : [1, 0], 10
```

```
Exploration
avg = 0.000856232576663
p = 0.00111111111111
Ant 3: [1, 0, 4], 30
Exploitation
Ant 14: [1, 0], 10
Exploitation
Ant 15 : [1, 0], 10
Exploitation
Ant 4 : [4, 3, 1], 33
Exploration
avg = 0.000960027626694
p = 0.0010101010101
p = 0.00123456790123
Ant 16: [2, 3], 18
Exploitation
Ant 17 : [3, 4], 15
Exploitation
Ant 5 : [3, 4, 0], 35
Exploitation
Ant 18 : [1, 0], 10
Exploitation
Ant 19 : [1, 0], 10
Exploration
avg = 0.00116809116809
p = 0.00148148148148
Ant 1: [1, 0, 4, 3], 45
Exploration
avg = 0.000856232576663
p = 0.00111111111111
Ant 6: [1, 0, 4], 30
Exploration
avg = 0.000840455840456
p = 0.00111111111111
p = 0.000854700854701
Ant 7 : [3, 4, 2], 41
Exploitation
Ant 8: [4, 3, 1], 33
Exploitation
Ant 9 : [4, 3, 1], 33
Exploration
avg = 0.00123456790123
Ant 0: [1, 0, 4, 3, 2], 63
Update called by OExploration
Ant thread 0 terminating.avg = 0.000856232576663
p = 0.00111111111111
Ant 10 : [1, 0, 4], 30
Exploration
avg = 0.00114429842028
p = 0.00123456790123
p = 0.00148148148148
Ant 11 : [2, 3, 4], 33
```

```
Exploration
avg = 0.001616161616
p = 0.0022222222222
Ant 2: [4, 3, 1, 0], 43
Exploitation
Ant 12 : [2, 3, 4], 33
Exploitation
Ant 13 : [1, 0, 4], 30
Exploration
avg = 0.00116809116809
p = 0.00148148148148
Ant 3: [1, 0, 4, 3], 45
Exploration
avg = 0.000856232576663
p = 0.00111111111111
Ant 14: [1, 0, 4], 30
Exploration
avg = 0.000856232576663
p = 0.00111111111111
Ant 15 : [1, 0, 4], 30
Exploitation
Ant 4: [4, 3, 1, 0], 43
Exploration
avg = 0.00114429842028
p = 0.00123456790123
p = 0.00148148148148
Ant 16 : [2, 3, 4], 33
Exploration
avg = 0.000840455840456
p = 0.00111111111111
p = 0.000854700854701
Ant 17 : [3, 4, 2], 41
Exploration
avg = 0.00148148148148
p = 0.0022222222222
Ant 5 : [3, 4, 0, 1], 45
Exploitation
Ant 18: [1, 0, 4], 30
Exploitation
Ant 19 : [1, 0, 4], 30
Exploration
avg = 0.00123456790123
Ant 1: [1, 0, 4, 3, 2], 63
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.00116809116809
p = 0.00148148148148
Ant 6: [1, 0, 4, 3], 45
Exploitation
Ant 7: [3, 4, 2, 1], 63
Exploitation
Ant 8: [4, 3, 1, 0], 43
Exploration
```

```
avg = 0.001616161616
p = 0.0022222222222
Ant 9: [4, 3, 1, 0], 43
Exploration
avg = 0.00116809116809
p = 0.00148148148148
Ant 10 : [1, 0, 4, 3], 45
Exploration
p = 0.00111111111111
Ant 11: [2, 3, 4, 0], 53
Exploitation
Ant 2: [4, 3, 1, 0, 2], 73
Update called by 2Exploitation
Ant thread 2 terminating. Ant 12 : [2, 3, 4, 0], 53
Exploitation
Ant 13 : [1, 0, 4, 3], 45
Exploration
avg = 0.00123456790123
Ant 3: [1, 0, 4, 3, 2], 63
Update called by 3Exploitation
Ant thread 3 terminating. Ant 14: [1, 0, 4, 3], 45
Exploitation
Ant 15 : [1, 0, 4, 3], 45
Exploitation
Ant 4: [4, 3, 1, 0, 2], 73
Update called by 4Exploration
Ant thread 4 terminating.avg = 0.00083333333333333
p = 0.00111111111111
Ant 16 : [2, 3, 4, 0], 53
Exploitation
Ant 17: [3, 4, 2, 1], 63
Exploration
avg = 0.0010101010101
Ant 5 : [3, 4, 0, 1, 2], 67
Update called by 5Exploitation
Ant thread 5 terminating. Ant 18: [1, 0, 4, 3], 45
Exploitation
Ant 19: [1, 0, 4, 3], 45
Exploration
avg = 0.00123456790123
Ant 6: [1, 0, 4, 3, 2], 63
Update called by 6Exploitation
Ant thread 6 terminating. Ant 7 : [3, 4, 2, 1, 0], 73
```

Update called by 7Exploitation

Ant thread 7 terminating. Ant 8: [4, 3, 1, 0, 2], 73

ExplorationUpdate called by 8

avg = 0.000740740740741Ant thread 8 terminating.

Ant 9: [4, 3, 1, 0, 2], 73 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [1, 0, 4, 3, 2], 63

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.0022222222222

Ant 11 : [2, 3, 4, 0, 1], 63 Update called by 11Exploration

Ant thread 11 terminating.avg = 0.0022222222222

Ant 12 : [2, 3, 4, 0, 1], 63 Update called by 12Exploitation

Ant thread 12 terminating. Ant 13: [1, 0, 4, 3, 2], 63

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00123456790123

Ant 14 : [1, 0, 4, 3, 2], 63 Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00123456790123

Ant 15 : [1, 0, 4, 3, 2], 63 Update called by 15Exploitation

Ant thread 15 terminating. Ant 16: [2, 3, 4, 0, 1], 63

Update called by 16Exploitation

Ant thread 16 terminating. Ant 17: [3, 4, 2, 1, 0], 73

Update called by 17Exploration

Ant thread 17 terminating.avg = 0.00123456790123

Ant 18 : [1, 0, 4, 3, 2], 63 Update called by 18Exploration

Ant thread 18 terminating.avg = 0.00123456790123

```
Ant 19: [1, 0, 4, 3, 2], 63
Update called by 19
Best: [1, 0, 4, 3, 2], 85, 1, 89
Ant thread 19 terminating.iter counter = 2
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [1, 0], 10 starting ant = 2
Exploitationstarting ant = 3
Ant 1 : [1, 0], 10starting ant = 4
Exploitationstarting ant = 5
Ant 0 : [1, 0, 4], 30 \text{ starting ant } = 6
Explorationstarting ant = 7
avg = 0.000900641025641starting ant = 8
p = 0.001starting ant = 9
Ant 2: [4, 3], 15starting ant = 11
Explorationstarting ant = 12
avg = 0.00118560050505starting ant = 13
p = 0.0022222starting ant = 14
Ant 3: [1, 0], 10starting ant = 15
Exploitationstarting ant = 16
Ant 1: [1, 0, 4], 30starting ant = 17
Explorationstarting ant = 18
avg = 0.000937307692308starting ant = 19
p = 0.001
p = 0.00148
Ant 4: [4, 3], 15
Exploration
avg = 0.00105017921147
p = 0.00111111111111
p = 0.00111111111111
Ant 5 : [3, 4], 15
Exploitation
```

```
Ant 0: [1, 0, 4, 3], 45
Exploitation
Ant 6: [1, 0], 10
Exploitation
Ant 7: [3, 4], 15
Exploration
avg = 0.000937678025641
p = 0.001
p = 0.00148148133333
Ant 8: [4, 3], 15
Exploitation
Ant 9: [4, 3], 15
Exploration
avg = 0.00118560606005
p = 0.0022222222
Ant 10 : [1, 0], 10
Exploration
avg = 0.000955794504182
p = 0.00111111111111
p = 0.001111111111111
Ant 2: [4, 3, 2], 33
Exploitation
Ant 11 : [2, 3], 18
Exploration
avg = 0.00089458041958
p = 0.000909090909091
p = 0.001233333333333
Ant 12 : [2, 3], 18
Exploration
avg = 0.0011856060606
p = 0.002222222222
Ant 13 : [1, 0], 10
Exploitation
Ant 14 : [1, 0], 10
Exploitation
Ant 3 : [1, 0, 4], 30
Exploitation
Ant 15 : [1, 0], 10
Exploitation
Ant 16 : [2, 3], 18
Exploration
avg = 0.00112535612535
p = 0.00148148148147
Ant 1: [1, 0, 4, 3], 45
Exploration
avg = 0.00111776810036
p = 0.001233333333333
p = 0.00148146666667
Ant 17 : [3, 4], 15
Exploration
avg = 0.00118560606061
p = 0.0022222222222
Ant 18 : [1, 0], 10
Exploitation
```

```
Ant 19: [1, 0], 10
Exploitation
Ant 4: [4, 3, 2], 33
Exploitation
Ant 5: [3, 4, 0], 35
Exploitation
Ant 0 : [1, 0, 4, 3, 2], 63
Update called by OExploration
Ant thread 0 terminating.avg = 0.000807646318996
p = 0.001111111
Ant 6: [1, 0, 4], 30
Exploitation
Ant 7: [3, 4, 0], 35
Exploitation
Ant 8 : [4, 3, 2], 33
Exploration
avg = 0.000996946767145
p = 0.00111111111111
p = 0.0012345679
Ant 9: [4, 3, 2], 33
Exploitation
Ant 10 : [1, 0, 4], 30
Exploration
avg = 0.000787878787879
p = 0.000909090909091
Ant 2: [4, 3, 2, 1], 55
Exploration
avg = 0.00107925124492
p = 0.00111111111111
p = 0.00148148133333
Ant 11 : [2, 3, 4], 33
Exploration
avg = 0.00107925129381
p = 0.00111111111111
p = 0.00148148148
Ant 12 : [2, 3, 4], 33
Exploration
avg = 0.00080764635603
p = 0.0011111111111
Ant 13 : [1, 0, 4], 30
Exploitation
Ant 14: [1, 0, 4], 30
Exploitation
Ant 3: [1, 0, 4, 3], 45
Exploitation
Ant 15 : [1, 0, 4], 30
Exploitation
Ant 16: [2, 3, 4], 33
Exploitation
```

Ant 1 : [1, 0, 4, 3, 2], 63 Update called by 1Exploration

```
p = 0.0011111
Ant 17: [3, 4, 0], 35
Exploration
avg = 0.000807646356033
p = 0.00111111111111
Ant 18: [1, 0, 4], 30
Exploration
avg = 0.000807646356033
p = 0.00111111111111
Ant 19 : [1, 0, 4], 30
Exploration
avg = 0.000837878787879
p = 0.00100909090909
Ant 4: [4, 3, 2, 1], 55
Exploration
p = 0.002
Ant 5 : [3, 4, 0, 1], 45
Exploitation
Ant 6: [1, 0, 4, 3], 45
Exploitation
Ant 7 : [3, 4, 0, 1], 45
Exploitation
Ant 8: [4, 3, 2, 1], 55
Exploitation
Ant 9: [4, 3, 2, 1], 55
Exploration
avg = 0.00112535612536
p = 0.00148148148148
Ant 10: [1, 0, 4, 3], 45
Exploitation
Ant 2 : [4, 3, 2, 1, 0], 65
Update called by 2Exploitation
Ant thread 2 terminating. Ant 11 : [2, 3, 4, 0], 53
Exploitation
Ant 12 : [2, 3, 4, 0], 53
Exploration
avg = 0.00112535612536
p = 0.00148148148148
Ant 13 : [1, 0, 4, 3], 45
Exploitation
Ant 14: [1, 0, 4, 3], 45
Exploitation
Ant 3 : [1, 0, 4, 3, 2], 63
Update called by 3Exploitation
Ant thread 3 terminating. Ant 15 : [1, 0, 4, 3], 45
Exploration
avg = 0.00080555555555
```

p = 0.0011111111111

Ant 16: [2, 3, 4, 0], 53

Exploitation

Ant 17: [3, 4, 0, 1], 45

Exploitation

Ant 18: [1, 0, 4, 3], 45

Exploitation

Ant 19: [1, 0, 4, 3], 45

Exploitation

Ant 4 : [4, 3, 2, 1, 0], 65 Update called by 4Exploration

Ant thread 4 terminating.avg = 0.000909090909091

Ant 5 : [3, 4, 0, 1, 2], 67 Update called by 5Exploration

Ant thread 5 terminating.avg = 0.00123456790123

Ant 6 : [1, 0, 4, 3, 2], 63 Update called by 6Exploration

Ant thread 6 terminating.avg = 0.00100909090909

Ant 7: [3, 4, 0, 1, 2], 67 Update called by 7Exploitation

Ant thread 7 terminating. Ant 8 : [4, 3, 2, 1, 0], 65

Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [4, 3, 2, 1, 0], 65

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [1, 0, 4, 3, 2], 63

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [2, 3, 4, 0, 1], 63

ExploitationUpdate called by 11

Ant 12 : [2, 3, 4, 0, 1], 63Ant thread 11 terminating.

Update called by 12Exploitation

Ant thread 12 terminating. Ant 13 : [1, 0, 4, 3, 2], 63

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00123456790123

Ant 14 : [1, 0, 4, 3, 2], 63

```
avg = 0.00123456790123Ant thread 14 terminating.
Ant 15 : [1, 0, 4, 3, 2], 63
Update called by 15Exploitation
Ant thread 15 terminating. Ant 16: [2, 3, 4, 0, 1], 63
Update called by 16Exploration
Ant thread 16 terminating.avg = 0.00101009090909
Ant 17 : [3, 4, 0, 1, 2], 67
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18: [1, 0, 4, 3, 2], 63
Update called by 18Exploration
Ant thread 18 terminating.avg = 0.00123456790123
Ant 19 : [1, 0, 4, 3, 2], 63
Update called by 19
Best: [1, 0, 4, 3, 2], 85, 2, 85
Ant thread 19 terminating.iter_counter = 3
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [1, 0], 10 \text{ starting ant } = 2
Explorationstarting ant = 3
avg = 0.00114477270455starting ant = 4
p = 0.00222starting ant = 5
Ant 1 : [1, 0], 10starting ant = 6
Explorationstarting ant = 7
avg = 0.00072688172043starting ant = 8
p = 0.001starting ant = 9
Ant 0: [1, 0, 4], 30starting ant = 10
Exploitationstarting ant = 11
Ant 2 : [4, 3], 15starting ant = 12
Explorationstarting ant = 13
```

ExplorationUpdate called by 14

```
avg = 0.00114532270455starting ant = 14
p = 0.0022222starting ant = 15
Ant 3 : [1, 0], 10starting ant = 16
Explorationstarting ant = 17
avg = 0.000905576923077starting ant = 18
p = 0.001starting ant = 19
p = 0.00148
Ant 4: [4, 3], 15
Exploration
avg = 0.00100627240143
p = 0.00111111111111
Ant 5 : [3, 4], 15
Exploration
avg = 0.000763548387097
p = 0.00111
Ant 1 : [1, 0, 4], 30
Exploration
avg = 0.00114532820455
p = 0.002222222
Ant 6: [1, 0], 10
Exploitation
Ant 7 : [3, 4], 15
Exploration
avg = 0.000905943589744
p = 0.001
p = 0.00148146666667
Ant 8: [4, 3], 15
Exploitation
Ant 9: [4, 3], 15
Exploration
avg = 0.00108689458615
p = 0.00148148148
Ant 0: [1, 0, 4, 3], 45
Exploitation
Ant 10 : [1, 0], 10
Exploration
avg = 0.000828127400122
p = 0.0009090908182
p = 0.001111111
Ant 11 : [2, 3], 18
Exploitation
Ant 2: [4, 3, 2], 33
Exploration
avg = 0.000858682983178
p = 0.000909090908182
p = 0.00123333333222
Ant 12 : [2, 3], 18
```

```
Exploitation
Ant 13 : [1, 0], 10
Exploitation
Ant 14: [1, 0], 10
Exploration
avg = 0.0011453282601
p = 0.002222222222
Ant 15 : [1, 0], 10
Exploration
avg = 0.000763915053763
p = 0.0011111
Ant 3: [1, 0, 4], 30
Exploration
avg = 0.000858988539008
p = 0.000909090908182
p = 0.00123455555554
Ant 16 : [2, 3], 18
Exploitation
Ant 17 : [3, 4], 15
Exploration
avg = 0.0011453282601
p = 0.0022222222222
Ant 18 : [1, 0], 10
Exploitation
Ant 19 : [1, 0], 10
Exploration
avg = 0.000937992831541
p = 0.001
Ant 4: [4, 3, 2], 33
Exploration
avg = 0.000714102564103
p = 0.001
Ant 5 : [3, 4, 0], 35
Exploitation
Ant 1: [1, 0, 4, 3], 45
Exploration
avg = 0.00076391872043
p = 0.001111111
Ant 6: [1, 0, 4], 30
Exploitation
Ant 7: [3, 4, 0], 35
Exploitation
Ant 8 : [4, 3, 2], 33
Exploration
avg = 0.000938404313023
p = 0.001
p = 0.00123456777778
Ant 9: [4, 3, 2], 33
Exploration
avg = 0.0012345679
Ant 0: [1, 0, 4, 3, 2], 63
Update called by OExploration
```

```
p = 0.00111111111
Ant 10 : [1, 0, 4], 30
Exploration
avg = 0.00102070883154
p = 0.00148148133333
Ant 11 : [2, 3, 4], 33
Exploration
avg = 0.000754545454091
p = 0.000909090908182
Ant 2: [4, 3, 2, 1], 55
Exploration
avg = 0.00102070888043
p = 0.00148148148
Ant 12 : [2, 3, 4], 33
Exploitation
Ant 13 : [1, 0, 4], 30
Exploitation
Ant 14: [1, 0, 4], 30
Exploitation
Ant 15 : [1, 0, 4], 30
Exploration
avg = 0.00108689458689
p = 0.00148148148148
Ant 3: [1, 0, 4, 3], 45
Exploration
avg = 0.00102070888092
p = 0.00148148148147
Ant 16: [2, 3, 4], 33
Exploration
avg = 0.000751135897436
p = 0.0011111
Ant 17 : [3, 4, 0], 35
Exploration
avg = 0.000763918757467
p = 0.00111111111111
Ant 18 : [1, 0, 4], 30
Exploration
avg = 0.000763918757467
p = 0.00111111111111
Ant 19 : [1, 0, 4], 30
Exploitation
Ant 4: [4, 3, 2, 1], 55
Exploration
avg = 0.0013
p = 0.002
Ant 5 : [3, 4, 0, 1], 45
Exploitation
Ant 1: [1, 0, 4, 3, 2], 63
Update called by 1Exploration
```

Ant thread 1 terminating.avg = 0.00108689458689

```
p = 0.00148148148148
Ant 6 : [1, 0, 4, 3], 45
Exploitation
Ant 7: [3, 4, 0, 1], 45
Exploration
avg = 0.000805045454545
p = 0.00101009090909
Ant 8: [4, 3, 2, 1], 55
Exploitation
Ant 9: [4, 3, 2, 1], 55
Exploitation
Ant 10 : [1, 0, 4, 3], 45
Exploitation
Ant 11 : [2, 3, 4, 0], 53
Exploration
avg = 0.0022222222222
Ant 2 : [4, 3, 2, 1, 0], 65
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000780555555
p = 0.00111111111
Ant 12 : [2, 3, 4, 0], 53
Exploration
avg = 0.00108689458689
p = 0.00148148148148
Ant 13 : [1, 0, 4, 3], 45
Exploitation
Ant 14: [1, 0, 4, 3], 45
Exploitation
Ant 15 : [1, 0, 4, 3], 45
Exploitation
Ant 3: [1, 0, 4, 3, 2], 63
Update called by 3Exploitation
Ant thread 3 terminating. Ant 16 : [2, 3, 4, 0], 53
Exploitation
Ant 17: [3, 4, 0, 1], 45
Exploration
avg = 0.00108689458689
p = 0.00148148148148
Ant 18 : [1, 0, 4, 3], 45
Exploration
avg = 0.00108689458689
p = 0.00148148148148
Ant 19 : [1, 0, 4, 3], 45
Exploration
avg = 0.0022222222222
Ant 4: [4, 3, 2, 1, 0], 65
Update called by 4Exploitation
Ant thread 4 terminating. Ant 5 : [3, 4, 0, 1, 2], 67
```

Update called by 5Exploitation

Ant thread 5 terminating. Ant 6: [1, 0, 4, 3, 2], 63

Update called by 6Exploitation

Ant thread 6 terminating. Ant 7 : [3, 4, 0, 1, 2], 67

Update called by 7Exploitation

Ant thread 7 terminating. Ant 8: [4, 3, 2, 1, 0], 65

ExploitationUpdate called by 8

Ant 9 : [4, 3, 2, 1, 0], 65Ant thread 8 terminating.

ExplorationUpdate called by 9

avg = 0.00123456790123Ant thread 9 terminating.

Ant 10 : [1, 0, 4, 3, 2], 63 Update called by 10Exploration

Ant thread 10 terminating.avg = 0.002222222

Ant 11 : [2, 3, 4, 0, 1], 63 Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [2, 3, 4, 0, 1], 63

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00123456790123

Ant 13 : [1, 0, 4, 3, 2], 63 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00123456790123

Ant 14 : [1, 0, 4, 3, 2], 63 Update called by 14Exploitation

Ant thread 14 terminating. Ant 15 : [1, 0, 4, 3, 2], 63

Update called by 15Exploitation

Ant thread 15 terminating. Ant 16 : [2, 3, 4, 0, 1], 63

Update called by 16Exploration

Ant thread 16 terminating.avg = 0.00101009090908

Ant 17 : [3, 4, 0, 1, 2], 67 Update called by 17Exploitation

```
Update called by 18Exploration
Ant thread 18 terminating.avg = 0.00123456790123
Ant 19: [1, 0, 4, 3, 2], 63
Update called by 19
Best: [1, 0, 4, 3, 2], 85, 3, 85
Ant thread 19 terminating.iter_counter = 4
starting ant = 0
Explorationstarting ant = 1
avg = 0.00105352270455starting ant = 2
p = 0.002starting ant = 3
Ant 0 : [1, 0], 10 starting ant = 4
Explorationstarting ant = 5
avg = 0.00110852270455starting ant = 6
p = 0.00222starting ant = 7
Ant 1 : [1, 0], 10starting ant = 8
Explorationstarting ant = 9
avg = 0.000840352564103starting ant = 10
p = 0.001starting ant = 11
Ant 2: [4, 3], 15starting ant = 13
Exploitationstarting ant = 14
Ant 3: [1, 0], 10starting ant = 15
Explorationstarting ant = 16
avg = 0.00068752688172starting ant = 17
p = 0.001starting ant = 18
Ant 0 : [1, 0, 4], 30 \text{ starting ant} = 19
Exploration
avg = 0.000877019230769
p = 0.001
```

Ant thread 17 terminating. Ant 18: [1, 0, 4, 3, 2], 63

```
p = 0.00148
Ant 4: [4, 3], 15
Exploitation
Ant 5 : [3, 4], 15
Exploitation
Ant 6: [1, 0], 10
Exploration
avg = 0.00100342293907
p = 0.001111111111111
p = 0.00148
Ant 7: [3, 4], 15
Exploration
avg = 0.000724193548387
p = 0.00111
Ant 1: [1, 0, 4], 30
Exploration
avg = 0.000877385897436
p = 0.001
p = 0.00148146666667
Ant 8 : [4, 3], 15
Exploration
avg = 0.000877389564103
p = 0.001
p = 0.00148148133333
Ant 9: [4, 3], 15
Exploration
avg = 0.00110907825955
p = 0.0022222222
Ant 10 : [1, 0], 10
Exploration
avg = 0.000795819707815
p = 0.000909090908182
p = 0.001111111
Ant 11 : [2, 3], 18
Exploration
avg = 0.00082637529087
p = 0.000909090908182
p = 0.00123333333222
Ant 12: [2, 3], 18
Exploration
avg = 0.000844563918757
p = 0.0009
p = 0.00111111111111
Ant 2 : [4, 3, 2], 33
Exploitation
Ant 13 : [1, 0], 10
Exploitation
Ant 14 : [1, 0], 10
Exploitation
Ant 3: [1, 0, 4], 30
Exploration
avg = 0.0011090782601
p = 0.0022222222222
Ant 15 : [1, 0], 10
```

```
Exploitation
Ant 16 : [2, 3], 18
Exploration
avg = 0.00103434516129
p = 0.001233333333333
p = 0.00148146666667
Ant 17 : [3, 4], 15
Exploitation
Ant 18 : [1, 0], 10
Exploration
avg = 0.00105227920154
p = 0.00148148148
Ant 0 : [1, 0, 4, 3], 45
Exploration
avg = 0.0011090782601
p = 0.002222222222
Ant 19 : [1, 0], 10
Exploitation
Ant 4: [4, 3, 2], 33
Exploitation
Ant 5 : [3, 4, 0], 35
Exploration
avg = 0.00072456388172
p = 0.001111111
Ant 6: [1, 0, 4], 30
Exploration
avg = 0.000712692307692
p = 0.00111
Ant 7: [3, 4, 0], 35
Exploitation
Ant 1 : [1, 0, 4, 3], 45
Exploitation
Ant 8: [4, 3, 2], 33
Exploitation
Ant 9: [4, 3, 2], 33
Exploration
avg = 0.000724563918387
p = 0.00111111111
Ant 10 : [1, 0, 4], 30
Exploration
avg = 0.000968020659498
p = 0.00148148133333
Ant 11 : [2, 3, 4], 33
Exploitation
Ant 12 : [2, 3, 4], 33
Exploitation
Ant 2: [4, 3, 2, 1], 55
Exploration
avg = 0.000724563918754
p = 0.0011111111111
Ant 13 : [1, 0, 4], 30
Exploitation
Ant 14: [1, 0, 4], 30
Exploitation
```

```
Ant 3: [1, 0, 4, 3], 45
Exploration
avg = 0.000724563918757
p = 0.00111111111111
Ant 15 : [1, 0, 4], 30
Exploration
avg = 0.000968020708876
p = 0.00148148148147
Ant 16 : [2, 3, 4], 33
Exploitation
Ant 17: [3, 4, 0], 35
Exploration
avg = 0.000724563918757
p = 0.00111111111111
Ant 18 : [1, 0, 4], 30
Exploitation
Ant 0 : [1, 0, 4, 3, 2], 63
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 19 : [1, 0, 4], 30
Exploration
avg = 0.000774545454541
p = 0.00100909090908
Ant 4: [4, 3, 2, 1], 55
Exploration
avg = 0.00127
p = 0.002
Ant 5 : [3, 4, 0, 1], 45
Exploitation
Ant 6 : [1, 0, 4, 3], 45
Exploration
avg = 0.00138
p = 0.00222
Ant 7: [3, 4, 0, 1], 45
Exploration
avg = 0.00123456790122
Ant 1 : [1, 0, 4, 3, 2], 63
Update called by 1Exploitation
Ant thread 1 terminating. Ant 8 : [4, 3, 2, 1], 55
Exploitation
Ant 9: [4, 3, 2, 1], 55
Exploitation
Ant 10: [1, 0, 4, 3], 45
Exploitation
Ant 11 : [2, 3, 4, 0], 53
Exploitation
Ant 12: [2, 3, 4, 0], 53
Exploitation
Ant 2: [4, 3, 2, 1, 0], 65
Update called by 2Exploitation
```

```
Ant thread 2 terminating. Ant 13: [1, 0, 4, 3], 45
Exploration
avg = 0.00105227920228
p = 0.00148148148148
Ant 14: [1, 0, 4, 3], 45
Exploration
avg = 0.00123456790123
Ant 3: [1, 0, 4, 3, 2], 63
ExploitationUpdate called by 3
Ant 15 : [1, 0, 4, 3], 45Ant thread 3 terminating.
Exploration
avg = 0.0007580555555
p = 0.0011111111111
Ant 16 : [2, 3, 4, 0], 53
Exploration
avg = 0.0013811
p = 0.0022222
Ant 17: [3, 4, 0, 1], 45
Exploration
avg = 0.00105227920228
p = 0.00148148148148
Ant 18 : [1, 0, 4, 3], 45
Exploration
avg = 0.00105227920228
p = 0.00148148148148
Ant 19: [1, 0, 4, 3], 45
Exploration
avg = 0.0022222222222
Ant 4: [4, 3, 2, 1, 0], 65
Update called by 4Exploitation
Ant thread 4 terminating. Ant 5 : [3, 4, 0, 1, 2], 67
ExploitationUpdate called by 5
Ant 6 : [1, 0, 4, 3, 2], 63Ant thread 5 terminating.
Update called by 6Exploration
Ant thread 6 terminating.avg = 0.00100909090818
Ant 7: [3, 4, 0, 1, 2], 67
Update called by 7Exploration
Ant thread 7 terminating.avg = 0.00222222222222
Ant 8: [4, 3, 2, 1, 0], 65
Update called by 8Exploration
Ant thread 8 terminating.avg = 0.00222222222222
```

Ant 9: [4, 3, 2, 1, 0], 65 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [1, 0, 4, 3, 2], 63

ExploitationUpdate called by 10

Ant 11: [2, 3, 4, 0, 1], 63Ant thread 10 terminating.

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [2, 3, 4, 0, 1], 63

Update called by 12Exploitation

Ant thread 12 terminating. Ant 13: [1, 0, 4, 3, 2], 63

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00123456790123

Ant 14 : [1, 0, 4, 3, 2], 63 Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00123456790123

Ant 15 : [1, 0, 4, 3, 2], 63 Update called by 15Exploration

Ant thread 15 terminating.avg = 0.0022222222222

Ant 16 : [2, 3, 4, 0, 1], 63 Update called by 16Exploration

Ant thread 16 terminating.avg = 0.00101009090908

Ant 17: [3, 4, 0, 1, 2], 67 Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [1, 0, 4, 3, 2], 63

Update called by 18Exploitation

Ant thread 18 terminating. Ant 19: [1, 0, 4, 3, 2], 63

Update called by 19

Best: [1, 0, 4, 3, 2], 85, 4, 85

Ant thread 19 terminating.iter_counter = 5

starting ant = 0

Explorationstarting ant = 1

avg = 0.00102089770455starting ant = 2

```
p = 0.002starting ant = 3
Ant 0 : [1, 0], 10 starting ant = 4
Explorationstarting ant = 5
avg = 0.00107589770455starting ant = 6
p = 0.00222starting ant = 7
Ant 1 : [1, 0], 10starting ant = 8
Explorationstarting ant = 9
avg = 0.000814650641026starting ant = 10
p = 0.001starting ant = 11
Ant 2: [4, 3], 15starting ant = 13
Explorationstarting ant = 14
avg = 0.00107644770455starting ant = 15
p = 0.0022222starting ant = 16
Ant 3 : [1, 0], 10starting ant = 17
Explorationstarting ant = 18
avg = 0.000652107526882starting ant = 19
p = 0.001
Ant 0: [1, 0, 4], 30
Exploration
avg = 0.000851317307692
p = 0.001
p = 0.00148
Ant 4: [4, 3], 15
Exploration
avg = 0.000931191756272
p = 0.00111111111111
Ant 5 : [3, 4], 15
Exploration
avg = 0.00107645320455
p = 0.002222222
Ant 6: [1, 0], 10
Exploration
avg = 0.000967858422939
p = 0.00111111111111
p = 0.00148
```

```
Ant 7: [3, 4], 15
Exploitation
Ant 1 : [1, 0, 4], 30
Exploitation
Ant 8: [4, 3], 15
Exploitation
Ant 9: [4, 3], 15
Exploitation
Ant 10 : [1, 0], 10
Exploration
avg = 0.000766742784738
p = 0.000909090908182
p = 0.001111111
Ant 11 : [2, 3], 18
Exploration
avg = 0.000797298367793
p = 0.0009090908182
p = 0.00123333333222
Ant 12 : [2, 3], 18
Exploitation
Ant 2: [4, 3, 2], 33
Exploitation
Ant 13 : [1, 0], 10
Exploitation
Ant 14 : [1, 0], 10
Exploration
avg = 0.0010764532601
p = 0.0022222222222
Ant 15 : [1, 0], 10
Exploration
avg = 0.000797603923624
p = 0.000909090908182
p = 0.00123455555554
Ant 16 : [2, 3], 18
Exploitation
Ant 3 : [1, 0, 4], 30
Exploration
avg = 0.000998780645161
p = 0.001233333333333
p = 0.00148146666667
Ant 17 : [3, 4], 15
Exploitation
Ant 18 : [1, 0], 10
Exploration
avg = 0.0010764532601
p = 0.0022222222222
Ant 19 : [1, 0], 10
Exploitation
Ant 0: [1, 0, 4, 3], 45
Exploration
avg = 0.000837885304659
p = 0.001233333333333
Ant 4: [4, 3, 2], 33
Exploration
```

```
avg = 0.000641756410256
p = 0.001
Ant 5 : [3, 4, 0], 35
Exploitation
Ant 6: [1, 0, 4], 30
Exploration
avg = 0.000678423076923
p = 0.00111
Ant 7: [3, 4, 0], 35
Exploitation
Ant 1: [1, 0, 4, 3], 45
Exploration
avg = 0.000838292712067
p = 0.0012345555556
Ant 8: [4, 3, 2], 33
Exploration
avg = 0.000838296786141
p = 0.00123456777778
Ant 9: [4, 3, 2], 33
Exploitation
Ant 10 : [1, 0, 4], 30
Exploration
avg = 0.000920601304659
p = 0.00148148133333
Ant 11 : [2, 3, 4], 33
Exploration
avg = 0.000920601353548
p = 0.00148148148
Ant 12 : [2, 3, 4], 33
Exploitation
Ant 2: [4, 3, 2, 1], 55
Exploration
avg = 0.000689144563915
p = 0.0011111111111
Ant 13 : [1, 0, 4], 30
Exploration
avg = 0.000689144563919
p = 0.00111111111111
Ant 14: [1, 0, 4], 30
Exploitation
Ant 15 : [1, 0, 4], 30
Exploration
avg = 0.000920601354037
p = 0.00148148148147
Ant 16: [2, 3, 4], 33
Exploitation
Ant 3: [1, 0, 4, 3], 45
Exploration
avg = 0.00067878974359
p = 0.0011111
Ant 17 : [3, 4, 0], 35
Exploration
avg = 0.000689144563919
p = 0.001111111111111
```

```
Ant 18 : [1, 0, 4], 30
Exploration
avg = 0.000689144563919
p = 0.00111111111111
Ant 19 : [1, 0, 4], 30
Exploration
avg = 0.0012345679
Ant 0 : [1, 0, 4, 3, 2], 63
Update called by <code>OExploration</code>
Ant thread 0 terminating.avg = 0.000747545454541
p = 0.00100909090908
Ant 4: [4, 3, 2, 1], 55
Exploitation
Ant 5 : [3, 4, 0, 1], 45
Exploitation
Ant 6: [1, 0, 4, 3], 45
Exploration
avg = 0.001353
p = 0.00222
Ant 7: [3, 4, 0, 1], 45
Exploration
avg = 0.00123456790122
Ant 1 : [1, 0, 4, 3, 2], 63
Update called by 1Exploitation
Ant thread 1 terminating. Ant 8 : [4, 3, 2, 1], 55
Exploitation
Ant 9: [4, 3, 2, 1], 55
Exploitation
Ant 10: [1, 0, 4, 3], 45
Exploitation
Ant 11 : [2, 3, 4, 0], 53
Exploitation
Ant 12 : [2, 3, 4, 0], 53
Exploitation
Ant 2 : [4, 3, 2, 1, 0], 65
Update called by 2Exploitation
Ant thread 2 terminating. Ant 13 : [1, 0, 4, 3], 45
Exploration
avg = 0.00102112535613
p = 0.00148148148148
Ant 14 : [1, 0, 4, 3], 45
Exploration
avg = 0.00102112535613
p = 0.00148148148148
Ant 15 : [1, 0, 4, 3], 45
Exploration
avg = 0.00073780555555
p = 0.0011111111111
```

Ant 16: [2, 3, 4, 0], 53

Exploitation

Ant 3: [1, 0, 4, 3, 2], 63 Update called by 3Exploitation

Ant thread 3 terminating. Ant 17: [3, 4, 0, 1], 45

Exploration

avg = 0.00102112535613

p = 0.00148148148148

Ant 18: [1, 0, 4, 3], 45

Exploitation

Ant 19: [1, 0, 4, 3], 45

Exploitation

Ant 4: [4, 3, 2, 1, 0], 65

Update called by 4Exploration

Ant thread 4 terminating.avg = 0.000909090818182

Ant 5 : [3, 4, 0, 1, 2], 67

Update called by 5Exploration

Ant thread 5 terminating.avg = 0.00123456790123

Ant 6 : [1, 0, 4, 3, 2], 63

Update called by 6Exploration

Ant thread 6 terminating.avg = 0.00100909090818

Ant 7: [3, 4, 0, 1, 2], 67

Update called by 7Exploitation

Ant thread 7 terminating. Ant 8: [4, 3, 2, 1, 0], 65

Update called by 8Exploration

Ant thread 8 terminating.avg = 0.00222222222222

Ant 9: [4, 3, 2, 1, 0], 65

Update called by 9Exploration

Ant thread 9 terminating.avg = 0.00123456790123

Ant 10 : [1, 0, 4, 3, 2], 63

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.002222222

Ant 11 : [2, 3, 4, 0, 1], 63

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.00222222222

Ant 12: [2, 3, 4, 0, 1], 63

```
Update called by 12Exploration
Ant thread 12 terminating.avg = 0.00123456790123
Ant 13 : [1, 0, 4, 3, 2], 63
Update called by 13Exploitation
Ant thread 13 terminating. Ant 14 : [1, 0, 4, 3, 2], 63
ExplorationUpdate called by 14
avg = 0.00123456790123Ant thread 14 terminating.
Ant 15 : [1, 0, 4, 3, 2], 63
Update called by 15Exploration
Ant thread 15 terminating.avg = 0.002222222222
Ant 16 : [2, 3, 4, 0, 1], 63
Update called by 16Exploration
Ant thread 16 terminating.avg = 0.00101009090908
Ant 17 : [3, 4, 0, 1, 2], 67
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18: [1, 0, 4, 3, 2], 63
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19 : [1, 0, 4, 3, 2], 63
Update called by 19
Best: [1, 0, 4, 3, 2], 85, 5, 85
Ant thread 19 terminating.iter_counter = 6
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [1, 0], 10 starting ant = 2
Explorationstarting ant = 3
avg = 0.00104653520455starting ant = 4
p = 0.00222starting ant = 5
Ant 1 : [1, 0], 10starting ant = 6
```

Explorationstarting ant = 7

p = 0.001starting ant = 9

avg = 0.000620230107527starting ant = 8

```
Ant 0 : [1, 0, 4], 30starting ant = 10
Exploitationstarting ant = 11
Ant 2 : [4, 3], 15starting ant = 12
Exploitationstarting ant = 13
Ant 3: [1, 0], 10starting ant = 14
Explorationstarting ant = 15
avg = 0.000828185576923starting ant = 16
p = 0.001starting ant = 17
p = 0.00148starting ant = 18
Ant 4: [4, 3], 15starting ant = 19
Exploitation
Ant 5 : [3, 4], 15
Exploration
avg = 0.000656896774194
p = 0.00111
Ant 1: [1, 0, 4], 30
Exploitation
Ant 6: [1, 0], 10
Exploitation
Ant 7 : [3, 4], 15
Exploitation
Ant 8: [4, 3], 15
Exploration
avg = 0.000828555910256
p = 0.001
p = 0.00148148133333
Ant 9: [4, 3], 15
Exploration
avg = 0.000993086893846
p = 0.00148148148
Ant 0: [1, 0, 4, 3], 45
Exploitation
Ant 10 : [1, 0], 10
Exploration
avg = 0.000740573553969
p = 0.000909090908182
p = 0.001111111
Ant 11 : [2, 3], 18
Exploration
avg = 0.000754467144564
p = 0.00111111111111
Ant 2: [4, 3, 2], 33
Exploitation
```

```
Ant 12 : [2, 3], 18
Exploitation
Ant 13 : [1, 0], 10
Exploration
avg = 0.00065726344086
p = 0.0011111
Ant 3 : [1, 0, 4], 30
Exploration
avg = 0.0010470907601
p = 0.0022222222222
Ant 14: [1, 0], 10
Exploration
avg = 0.0010470907601
p = 0.0022222222222
Ant 15 : [1, 0], 10
Exploitation
Ant 16 : [2, 3], 18
Exploration
avg = 0.000966772580645
p = 0.00123333333333
p = 0.00148146666667
Ant 17 : [3, 4], 15
Exploration
avg = 0.0010470907601
p = 0.0022222222222
Ant 18 : [1, 0], 10
Exploration
avg = 0.000795207885305
p = 0.001233333333333
Ant 4: [4, 3, 2], 33
Exploration
avg = 0.0010470907601
p = 0.002222222222
Ant 19 : [1, 0], 10
Exploration
avg = 0.000610914102564
p = 0.001
Ant 5 : [3, 4, 0], 35
Exploration
avg = 0.000993086894579
p = 0.00148148148147
Ant 1: [1, 0, 4, 3], 45
Exploitation
Ant 6: [1, 0, 4], 30
Exploitation
Ant 7: [3, 4, 0], 35
Exploitation
Ant 8 : [4, 3, 2], 33
Exploration
avg = 0.000795619366786
p = 0.00123456777778
Ant 9: [4, 3, 2], 33
Exploration
```

avg = 0.0012345679

Ant 0 : [1, 0, 4, 3, 2], 63 Update called by <code>OExploitation</code> Ant thread 0 terminating. Ant 10 : [1, 0, 4], 30 Exploitation Ant 11 : [2, 3, 4], 33 Exploitation Ant 2: [4, 3, 2, 1], 55 Exploitation Ant 12: [2, 3, 4], 33 Exploration avg = 0.00065726714456p = 0.0011111111111Ant 13 : [1, 0, 4], 30 Exploitation Ant 3 : [1, 0, 4, 3], 45 Exploitation Ant 14: [1, 0, 4], 30 Exploration avg = 0.000657267144564p = 0.00111111111111Ant 15 : [1, 0, 4], 30 Exploitation Ant 16 : [2, 3, 4], 33 Exploration avg = 0.000647947435897p = 0.0011111Ant 17 : [3, 4, 0], 35 Exploration avg = 0.000657267144564 p = 0.001111111111111Ant 18 : [1, 0, 4], 30 Exploration avg = 0.000723245454541p = 0.00100909090908Ant 4: [4, 3, 2, 1], 55 Exploration avg = 0.000657267144564p = 0.00111111111111Ant 19 : [1, 0, 4], 30 Exploration avg = 0.0012187p = 0.002Ant 5 : [3, 4, 0, 1], 45 Exploration avg = 0.00123456790122Ant 1 : [1, 0, 4, 3, 2], 63 Update called by 1Exploration Ant thread 1 terminating.avg = 0.000993086894587 p = 0.00148148148148

Ant 6 : [1, 0, 4, 3], 45

```
Exploration
avg = 0.0013287
p = 0.00222
Ant 7: [3, 4, 0, 1], 45
Exploitation
Ant 8: [4, 3, 2, 1], 55
Exploration
avg = 0.000723750454545
p = 0.00101010090909
Ant 9: [4, 3, 2, 1], 55
Exploitation
Ant 10 : [1, 0, 4, 3], 45
Exploration
avg = 0.0007195805
p = 0.001111111
Ant 11 : [2, 3, 4, 0], 53
Exploitation
Ant 2: [4, 3, 2, 1, 0], 65
Update called by 2Exploitation
Ant thread 2 terminating. Ant 12 : [2, 3, 4, 0], 53
Exploration
avg = 0.000993086894587
p = 0.00148148148148
Ant 13: [1, 0, 4, 3], 45
Exploitation
Ant 3: [1, 0, 4, 3, 2], 63
Update called by 3Exploitation
Ant thread 3 terminating. Ant 14 : [1, 0, 4, 3], 45
Exploration
avg = 0.000993086894587
p = 0.00148148148148
Ant 15 : [1, 0, 4, 3], 45
Exploitation
Ant 16: [2, 3, 4, 0], 53
Exploration
avg = 0.0013298
p = 0.0022222
Ant 17: [3, 4, 0, 1], 45
Exploration
avg = 0.000993086894587
p = 0.00148148148148
Ant 18 : [1, 0, 4, 3], 45
Exploration
avg = 0.00222222222222
Ant 4: [4, 3, 2, 1, 0], 65
ExploitationUpdate called by 4
Ant 19 : [1, 0, 4, 3], 45Ant thread 4 terminating.
Exploitation
```

Ant 5 : [3, 4, 0, 1, 2], 67 Update called by 5Exploration

Ant thread 5 terminating.avg = 0.00123456790123

Ant 6 : [1, 0, 4, 3, 2], 63 Update called by 6Exploration

Ant thread 6 terminating.avg = 0.00100909090818

Ant 7: [3, 4, 0, 1, 2], 67 Update called by 7Exploitation

Ant thread 7 terminating. Ant 8: [4, 3, 2, 1, 0], 65

ExplorationUpdate called by 8

avg = 0.0022222222222Ant thread 8 terminating.

Ant 9: [4, 3, 2, 1, 0], 65 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [1, 0, 4, 3, 2], 63

ExplorationUpdate called by 10

avg = 0.002222222Ant thread 10 terminating.

Ant 11 : [2, 3, 4, 0, 1], 63 Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [2, 3, 4, 0, 1], 63

Update called by 12Exploitation

Ant thread 12 terminating. Ant 13: [1, 0, 4, 3, 2], 63

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00123456790123

Ant 14 : [1, 0, 4, 3, 2], 63 Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00123456790123

Ant 15 : [1, 0, 4, 3, 2], 63 Update called by 15Exploration

Ant thread 15 terminating.avg = 0.002222222222

Ant 16 : [2, 3, 4, 0, 1], 63 Update called by 16Exploitation

```
Ant thread 16 terminating. Ant 17: [3, 4, 0, 1, 2], 67
Update called by 17Exploration
Ant thread 17 terminating.avg = 0.00123456790123
Ant 18 : [1, 0, 4, 3, 2], 63
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19 : [1, 0, 4, 3, 2], 63
Update called by 19
Best: [1, 0, 4, 3, 2], 85, 6, 85
Ant thread 19 terminating.iter_counter = 7
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [1, 0], 10starting ant = 2
Explorationstarting ant = 3
avg = 0.00102010895455starting ant = 4
p = 0.00222starting ant = 5
Ant 1 : [1, 0], 10starting ant = 6
Explorationstarting ant = 7
avg = 0.000591540430108starting ant = 8
p = 0.001starting ant = 9
Ant 0 : [1, 0, 4], 30 \text{ starting ant} = 10
Exploitationstarting ant = 11
Ant 2: [4, 3], 15starting ant = 12
Exploitationstarting ant = 13
Ant 3: [1, 0], 10starting ant = 14
Explorationstarting ant = 15
avg = 0.000807367019231starting ant = 16
p = 0.001starting ant = 17
p = 0.00148starting ant = 18
Ant 4: [4, 3], 15starting ant = 19
```

```
Exploration
avg = 0.000870376433692
p = 0.00111111111111
p = 0.001333333333333
Ant 5 : [3, 4], 15
Exploration
avg = 0.000628207096774
p = 0.00111
Ant 1: [1, 0, 4], 30
Exploitation
Ant 6: [1, 0], 10
Exploitation
Ant 7 : [3, 4], 15
Exploration
avg = 0.000807733685897
p = 0.001
p = 0.00148146666667
Ant 8: [4, 3], 15
Exploitation
Ant 9: [4, 3], 15
Exploitation
Ant 0: [1, 0, 4, 3], 45
Exploration
avg = 0.00102066450955
p = 0.0022222222
Ant 10 : [1, 0], 10
Exploration
avg = 0.000717021246276
p = 0.000909090908182
p = 0.001111111
Ant 11 : [2, 3], 18
Exploration
avg = 0.000716057467145
p = 0.00111111111111
Ant 2: [4, 3, 2], 33
Exploitation
Ant 12 : [2, 3], 18
Exploration
avg = 0.0010206645101
p = 0.002222222222
Ant 13 : [1, 0], 10
Exploration
avg = 0.000628573763441
p = 0.0011111
Ant 3: [1, 0, 4], 30
Exploration
avg = 0.0010206645101
p = 0.0022222222222
Ant 14 : [1, 0], 10
Exploration
avg = 0.0010206645101
p = 0.002222222222
Ant 15 : [1, 0], 10
Exploration
```

```
avg = 0.000747882385162
p = 0.000909090908182
p = 0.00123455555554
Ant 16: [2, 3], 18
Exploration
avg = 0.000937965322581
p = 0.00123333333333
p = 0.00148146666667
Ant 17: [3, 4], 15
Exploration
avg = 0.0010206645101
p = 0.0022222222222
Ant 18 : [1, 0], 10
Exploitation
Ant 4: [4, 3, 2], 33
Exploration
avg = 0.0010206645101
p = 0.0022222222222
Ant 19 : [1, 0], 10
Exploitation
Ant 5 : [3, 4, 0], 35
Exploitation
Ant 1: [1, 0, 4, 3], 45
Exploration
avg = 0.000628577430108
p = 0.001111111
Ant 6: [1, 0, 4], 30
Exploration
avg = 0.000619822692308
p = 0.00111
Ant 7: [3, 4, 0], 35
Exploitation
Ant 8: [4, 3, 2], 33
Exploration
avg = 0.000757209689367
p = 0.00123456777778
Ant 9: [4, 3, 2], 33
Exploration
avg = 0.0012345679
Ant 0: [1, 0, 4, 3, 2], 63
Update called by OExploration
Ant thread 0 terminating.avg = 0.000628577466774
p = 0.00111111111
Ant 10 : [1, 0, 4], 30
Exploration
avg = 0.000839514207885
p = 0.00148148133333
Ant 11 : [2, 3, 4], 33
Exploration
avg = 0.000651375454091
p = 0.000909090908182
Ant 2 : [4, 3, 2, 1], 55
```

```
Exploitation
Ant 12 : [2, 3, 4], 33
Exploitation
Ant 13 : [1, 0, 4], 30
Exploration
avg = 0.000967852279202
p = 0.00148148148148
Ant 3 : [1, 0, 4, 3], 45
Exploitation
Ant 14 : [1, 0, 4], 30
Exploration
avg = 0.000628577467145
p = 0.00111111111111
Ant 15 : [1, 0, 4], 30
Exploitation
Ant 16 : [2, 3, 4], 33
Exploration
avg = 0.000620189358974
p = 0.0011111
Ant 17 : [3, 4, 0], 35
Exploration
avg = 0.000628577467145
p = 0.00111111111111
Ant 18 : [1, 0, 4], 30
Exploitation
Ant 4: [4, 3, 2, 1], 55
Exploitation
Ant 19: [1, 0, 4], 30
Exploitation
Ant 5 : [3, 4, 0, 1], 45
Exploitation
Ant 1: [1, 0, 4, 3, 2], 63
Update called by 1Exploitation
Ant thread 1 terminating. Ant 6: [1, 0, 4, 3], 45
Exploration
avg = 0.00130683
p = 0.00222
Ant 7: [3, 4, 0, 1], 45
Exploitation
Ant 8: [4, 3, 2, 1], 55
Exploitation
Ant 9: [4, 3, 2, 1], 55
Exploration
avg = 0.000967852279202
p = 0.00148148148148
Ant 10 : [1, 0, 4, 3], 45
Exploitation
Ant 11 : [2, 3, 4, 0], 53
Exploration
avg = 0.0022222222222
Ant 2: [4, 3, 2, 1, 0], 65
Update called by 2Exploitation
```

```
Ant thread 2 terminating. Ant 12 : [2, 3, 4, 0], 53
Exploitation
Ant 13: [1, 0, 4, 3], 45
Exploitation
Ant 3 : [1, 0, 4, 3, 2], 63
Update called by 3Exploitation
Ant thread 3 terminating. Ant 14 : [1, 0, 4, 3], 45
Exploitation
Ant 15 : [1, 0, 4, 3], 45
Exploitation
Ant 16: [2, 3, 4, 0], 53
Exploration
avg = 0.00130793
p = 0.0022222
Ant 17 : [3, 4, 0, 1], 45
Exploration
avg = 0.000967852279202
p = 0.00148148148148
Ant 18 : [1, 0, 4, 3], 45
Exploration
avg = 0.0022222222222
Ant 4: [4, 3, 2, 1, 0], 65
Update called by 4Exploitation
Ant thread 4 terminating. Ant 19: [1, 0, 4, 3], 45
Exploration
avg = 0.000909090818182
Ant 5: [3, 4, 0, 1, 2], 67
Update called by 5Exploration
Ant thread 5 terminating.avg = 0.00123456790123
Ant 6 : [1, 0, 4, 3, 2], 63
Update called by 6Exploitation
Ant thread 6 terminating. Ant 7 : [3, 4, 0, 1, 2], 67
Update called by 7Exploitation
Ant thread 7 terminating. Ant 8 : [4, 3, 2, 1, 0], 65
Update called by 8Exploitation
Ant thread 8 terminating. Ant 9: [4, 3, 2, 1, 0], 65
Update called by 9Exploration
Ant thread 9 terminating.avg = 0.00123456790123
```

Ant 10 : [1, 0, 4, 3, 2], 63 Update called by 10Exploration

Ant thread 10 terminating.avg = 0.002222222

Ant 11 : [2, 3, 4, 0, 1], 63 Update called by 11Exploration

Ant thread 11 terminating.avg = 0.00222222222

Ant 12 : [2, 3, 4, 0, 1], 63 Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00123456790123

Ant 13 : [1, 0, 4, 3, 2], 63 Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [1, 0, 4, 3, 2], 63

Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00123456790123

Ant 15 : [1, 0, 4, 3, 2], 63 Update called by 15Exploration

Ant thread 15 terminating.avg = 0.002222222222

Ant 16 : [2, 3, 4, 0, 1], 63 Update called by 16Exploration

Ant thread 16 terminating.avg = 0.00101009090908

Ant 17: [3, 4, 0, 1, 2], 67 Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [1, 0, 4, 3, 2], 63

Update called by 18Exploitation

Ant thread 18 terminating. Ant 19 : [1, 0, 4, 3, 2], 63

Update called by 19

Best: [1, 0, 4, 3, 2], 85, 7, 85

Ant thread 19 terminating.iter_counter = 8

starting ant = 0

Exploitationstarting ant = 1

Ant 0 : [1, 0], 10 starting ant = 2

Explorationstarting ant = 3

```
avg = 0.000996325329545starting ant = 4
p = 0.00222starting ant = 5
Ant 1 : [1, 0], 10starting ant = 6
Explorationstarting ant = 7
avg = 0.00056571972043starting ant = 8
p = 0.001starting ant = 9
Ant 0 : [1, 0, 4], 30 \text{ starting ant} = 10
Exploitationstarting ant = 11
Ant 2: [4, 3], 15starting ant = 12
Exploitationstarting ant = 13
Ant 3: [1, 0], 10starting ant = 14
Exploitationstarting ant = 15
Ant 4 : [4, 3], 15starting ant = 16
Explorationstarting ant = 17
avg = 0.000844449901434starting ant = 18
Ant 5 : [3, 4], 15
Exploitation
Ant 1 : [1, 0, 4], 30
Exploitation
Ant 6: [1, 0], 10
Exploration
avg = 0.0008811165681
p = 0.00111111111111
p = 0.00148
Ant 7: [3, 4], 15
Exploration
avg = 0.000788996983974
p = 0.001
p = 0.00148146666667
Ant 8 : [4, 3], 15
Exploration
avg = 0.000789000650641
p = 0.001
p = 0.00148148133333
Ant 9: [4, 3], 15
Exploitation
```

```
Ant 0: [1, 0, 4, 3], 45
Exploration
avg = 0.000996880884545
p = 0.0022222222
Ant 10 : [1, 0], 10
Exploitation
Ant 11 : [2, 3], 18
Exploitation
Ant 2: [4, 3, 2], 33
Exploration
avg = 0.000726379752409
p = 0.000909090908182
p = 0.00123333333222
Ant 12 : [2, 3], 18
Exploitation
Ant 13: [1, 0], 10
Exploration
avg = 0.000602753053763
p = 0.0011111
Ant 3: [1, 0, 4], 30
Exploitation
Ant 14: [1, 0], 10
Exploration
avg = 0.000996880885101
p = 0.0022222222222
Ant 15 : [1, 0], 10
Exploration
avg = 0.000722229498208
Ant 4: [4, 3, 2], 33
Exploitation
Ant 16: [2, 3], 18
Exploration
avg = 0.000912344345878
p = 0.0012345555556
p = 0.00148146666667
Ant 17 : [3, 4], 15
Exploitation
Ant 18: [1, 0], 10
Exploration
avg = 0.000996880885101
p = 0.0022222222222
Ant 19 : [1, 0], 10
Exploration
avg = 0.00055817375641
p = 0.001
Ant 5 : [3, 4, 0], 35
Exploitation
Ant 1: [1, 0, 4, 3], 45
Exploitation
Ant 6 : [1, 0, 4], 30
Exploration
avg = 0.000594840423077
p = 0.00111
```

```
Ant 7: [3, 4, 0], 35
Exploitation
Ant 8: [4, 3, 2], 33
Exploitation
Ant 9: [4, 3, 2], 33
Exploration
avg = 0.0012345679
Ant 0: [1, 0, 4, 3, 2], 63
Update called by 0Exploitation

Ant thread 0 terminating.Ant 10: [1, 0, 4], 30

Exploration
avg = 0.000804945498208
p = 0.00148148133333
Ant 11: [2, 3, 4], 33
Exploration
```

Exploration avg = 0.000631692454091p = 0.000909090908182Ant 2: [4, 3, 2, 1], 55 Exploitation Ant 12 : [2, 3, 4], 33 Exploration avg = 0.000602756757463p = 0.0011111111111Ant 13 : [1, 0, 4], 30 Exploration avg = 0.000945141125356p = 0.00148148148148Ant 3: [1, 0, 4, 3], 45 Exploration avg = 0.000602756757467p = 0.001111111111111Ant 14 : [1, 0, 4], 30 Exploration avg = 0.000602756757467p = 0.001111111111111Ant 15 : [1, 0, 4], 30 Exploration avg = 0.000681692454541p = 0.00100909090908Ant 4: [4, 3, 2, 1], 55 Exploration avg = 0.000804945547586p = 0.00148148148147Ant 16: [2, 3, 4], 33 Exploration avg = 0.000595207089744p = 0.0011111Ant 17 : [3, 4, 0], 35 Exploitation Ant 18 : [1, 0, 4], 30 Exploitation

Ant 19 : [1, 0, 4], 30

```
Exploitation
Ant 5 : [3, 4, 0, 1], 45
Exploitation
Ant 1: [1, 0, 4, 3, 2], 63
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000945141125356
p = 0.00148148148148
Ant 6: [1, 0, 4, 3], 45
Exploration
avg = 0.001287147
p = 0.00222
Ant 7: [3, 4, 0, 1], 45
Exploitation
Ant 8: [4, 3, 2, 1], 55
Exploration
avg = 0.000682197454545
p = 0.00101010090909
Ant 9: [4, 3, 2, 1], 55
Exploration
avg = 0.000945141125356
p = 0.00148148148148
Ant 10 : [1, 0, 4, 3], 45
Exploration
avg = 0.00068841575
p = 0.001111111
Ant 11 : [2, 3, 4, 0], 53
Exploration
avg = 0.0022222222222
Ant 2 : [4, 3, 2, 1, 0], 65
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000688415805
p = 0.00111111111
Ant 12 : [2, 3, 4, 0], 53
Exploration
avg = 0.000945141125356
p = 0.00148148148148
Ant 13 : [1, 0, 4, 3], 45
Exploration
avg = 0.00123456790123
Ant 3 : [1, 0, 4, 3, 2], 63
Update called by 3Exploitation
Ant thread 3 terminating. Ant 14: [1, 0, 4, 3], 45
Exploitation
Ant 15 : [1, 0, 4, 3], 45
Exploitation
Ant 4: [4, 3, 2, 1, 0], 65
Update called by 4Exploration
```

Ant thread 4 terminating.avg = 0.00068841580555

p = 0.0011111111111

Ant 16: [2, 3, 4, 0], 53

Exploration

avg = 0.001288247

p = 0.0022222

Ant 17 : [3, 4, 0, 1], 45

Exploitation

Ant 18: [1, 0, 4, 3], 45

Exploitation

Ant 19: [1, 0, 4, 3], 45

Exploitation

Ant 5 : [3, 4, 0, 1, 2], 67

Update called by 5Exploitation

Ant thread 5 terminating. Ant 6: [1, 0, 4, 3, 2], 63

Update called by 6Exploitation

Ant thread 6 terminating. Ant 7 : [3, 4, 0, 1, 2], 67

Update called by 7Exploitation

Ant thread 7 terminating. Ant 8 : [4, 3, 2, 1, 0], 65

Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [4, 3, 2, 1, 0], 65

Update called by 9Exploration

Ant thread 9 terminating.avg = 0.00123456790123

Ant 10 : [1, 0, 4, 3, 2], 63 Update called by 10Exploration

Ant thread 10 terminating.avg = 0.002222222

Ant 11 : [2, 3, 4, 0, 1], 63 Update called by 11Exploration

Ant thread 11 terminating.avg = 0.00222222222

Ant 12 : [2, 3, 4, 0, 1], 63 Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00123456790123

Ant 13 : [1, 0, 4, 3, 2], 63 Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [1, 0, 4, 3, 2], 63

```
avg = 0.00123456790123Ant thread 14 terminating.
Ant 15 : [1, 0, 4, 3, 2], 63
Update called by 15Exploration
Ant thread 15 terminating.avg = 0.0022222222222
Ant 16 : [2, 3, 4, 0, 1], 63
Update called by 16Exploitation
Ant thread 16 terminating. Ant 17 : [3, 4, 0, 1, 2], 67
Update called by 17Exploration
Ant thread 17 terminating.avg = 0.00123456790123
Ant 18 : [1, 0, 4, 3, 2], 63
Update called by 18Exploration
Ant thread 18 terminating.avg = 0.00123456790123
Ant 19 : [1, 0, 4, 3, 2], 63
Update called by 19
Best: [1, 0, 4, 3, 2], 85, 8, 85
Ant thread 19 terminating.iter counter = 9
starting ant = 0
Explorationstarting ant = 1
avg = 0.000919920067045starting ant = 2
p = 0.002starting ant = 3
Ant 0 : [1, 0], 10 starting ant = 4
Explorationstarting ant = 5
avg = 0.000974920067045starting ant = 6
p = 0.00222starting ant = 7
Ant 1 : [1, 0], 10starting ant = 8
Explorationstarting ant = 9
avg = 0.00073510061891starting ant = 10
p = 0.001starting ant = 11
Ant 2: [4, 3], 15starting ant = 13
```

ExplorationUpdate called by 14

```
avg = 0.000975470067045starting ant = 15
p = 0.0022222starting ant = 16
Ant 3 : [1, 0], 10starting ant = 17
Exploitationstarting ant = 18
Ant 0 : [1, 0, 4], 30starting ant = 19
Exploration
avg = 0.000771767285577
p = 0.001
p = 0.00148
Ant 4: [4, 3], 15
Exploration
avg = 0.000821116022401
p = 0.00111111111111
Ant 5 : [3, 4], 15
Exploration
avg = 0.000975475567045
p = 0.002222222
Ant 6: [1, 0], 10
Exploration
avg = 0.000857782689068
p = 0.00111111111111
p = 0.00148
Ant 7: [3, 4], 15
Exploration
avg = 0.000579147748387
p = 0.00111
Ant 1 : [1, 0, 4], 30
Exploration
avg = 0.000772133952244
p = 0.001
p = 0.00148146666667
Ant 8 : [4, 3], 15
Exploration
avg = 0.00077213761891
p = 0.001
p = 0.00148148133333
Ant 9: [4, 3], 15
Exploitation
Ant 10 : [1, 0], 10
Exploitation
Ant 11: [2, 3], 18
Exploitation
Ant 12 : [2, 3], 18
Exploration
avg = 0.000650376918757
```

Explorationstarting ant = 14

```
p = 0.001111111111111
Ant 2 : [4, 3, 2], 33
Exploration
avg = 0.000975475622595
p = 0.002222222222
Ant 13 : [1, 0], 10
Exploitation
Ant 14 : [1, 0], 10
Exploitation
Ant 15 : [1, 0], 10
Exploitation
Ant 16 : [2, 3], 18
Exploration
avg = 0.000579514415054
p = 0.0011111
Ant 3: [1, 0, 4], 30
Exploration
avg = 0.00088870491129
p = 0.00123333333333
p = 0.00148146666667
Ant 17 : [3, 4], 15
Exploitation
Ant 18 : [1, 0], 10
Exploration
avg = 0.000924701086154
p = 0.00148148148
Ant 0: [1, 0, 4, 3], 45
Exploration
avg = 0.000975475622601
p = 0.0022222222222
Ant 19 : [1, 0], 10
Exploration
avg = 0.000691117659498
p = 0.001233333333333
Ant 4: [4, 3, 2], 33
Exploration
avg = 0.000535689714103
p = 0.001
Ant 5: [3, 4, 0], 35
Exploitation
Ant 6 : [1, 0, 4], 30
Exploitation
Ant 7: [3, 4, 0], 35
Exploitation
Ant 1: [1, 0, 4, 3], 45
Exploration
avg = 0.000691525066906
p = 0.0012345555556
Ant 8: [4, 3, 2], 33
Exploitation
Ant 9: [4, 3, 2], 33
Exploration
avg = 0.000579518118387
p = 0.00111111111
```

```
Ant 10 : [1, 0, 4], 30
Exploration
avg = 0.000773833659498
p = 0.00148148133333
Ant 11 : [2, 3, 4], 33
Exploration
avg = 0.000773833708387
p = 0.00148148148
Ant 12 : [2, 3, 4], 33
Exploration
avg = 0.000613977754091
p = 0.000909090908182
Ant 2: [4, 3, 2, 1], 55
Exploitation
Ant 13 : [1, 0, 4], 30
Exploitation
Ant 14 : [1, 0, 4], 30
Exploration
avg = 0.000579518118757
p = 0.00111111111111
Ant 15 : [1, 0, 4], 30
Exploration
avg = 0.000773833708876
p = 0.00148148148147
Ant 16 : [2, 3, 4], 33
Exploration
avg = 0.000924701086895
p = 0.00148148148148
Ant 3: [1, 0, 4, 3], 45
Exploitation
Ant 17 : [3, 4, 0], 35
Exploitation
Ant 18: [1, 0, 4], 30
Exploitation
Ant 0 : [1, 0, 4, 3, 2], 63
Update called by OExploitation
Ant thread 0 terminating. Ant 19 : [1, 0, 4], 30
Exploration
avg = 0.000663977754541
p = 0.00100909090908
Ant 4: [4, 3, 2, 1], 55
Exploration
avg = 0.0011594323
p = 0.002
Ant 5 : [3, 4, 0, 1], 45
Exploration
avg = 0.000924701086895
p = 0.00148148148148
Ant 6: [1, 0, 4, 3], 45
Exploitation
Ant 7: [3, 4, 0, 1], 45
Exploration
```

```
avg = 0.00123456790122
Ant 1 : [1, 0, 4, 3, 2], 63
Update called by 1Exploitation
Ant thread 1 terminating. Ant 8 : [4, 3, 2, 1], 55
Exploitation
Ant 9: [4, 3, 2, 1], 55
Exploration
avg = 0.000924701086895
p = 0.00148148148148
Ant 10 : [1, 0, 4, 3], 45
Exploration
avg = 0.000675129725
p = 0.001111111
Ant 11 : [2, 3, 4, 0], 53
Exploitation
Ant 12 : [2, 3, 4, 0], 53
Exploration
avg = 0.0022222222222
Ant 2: [4, 3, 2, 1, 0], 65
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000924701086895
p = 0.00148148148148
Ant 13 : [1, 0, 4, 3], 45
Exploitation
Ant 14: [1, 0, 4, 3], 45
Exploration
avg = 0.000924701086895
p = 0.00148148148148
Ant 15 : [1, 0, 4, 3], 45
Exploitation
Ant 16: [2, 3, 4, 0], 53
Exploration
avg = 0.00123456790123
Ant 3: [1, 0, 4, 3, 2], 63
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.0012705323
p = 0.0022222
Ant 17: [3, 4, 0, 1], 45
Exploration
avg = 0.000924701086895
p = 0.00148148148148
Ant 18 : [1, 0, 4, 3], 45
Exploration
avg = 0.000924701086895
p = 0.00148148148148
Ant 19 : [1, 0, 4, 3], 45
Exploration
avg = 0.0022222222222
```

Ant 4 : [4, 3, 2, 1, 0], 65 Update called by 4Exploitation

Ant thread 4 terminating. Ant 5 : [3, 4, 0, 1, 2], 67

ExplorationUpdate called by 5

avg = 0.00123456790123Ant thread 5 terminating.

Ant 6 : [1, 0, 4, 3, 2], 63 Update called by 6Exploration

Ant thread 6 terminating.avg = 0.00100909090818

Ant 7: [3, 4, 0, 1, 2], 67 Update called by 7Exploitation

Ant thread 7 terminating. Ant 8 : [4, 3, 2, 1, 0], 65

Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [4, 3, 2, 1, 0], 65

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [1, 0, 4, 3, 2], 63

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [2, 3, 4, 0, 1], 63

ExplorationUpdate called by 11

avg = 0.0022222222Ant thread 11 terminating.

Ant 12 : [2, 3, 4, 0, 1], 63 Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00123456790123

Ant 13 : [1, 0, 4, 3, 2], 63 Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [1, 0, 4, 3, 2], 63

Update called by 14Exploitation

Ant thread 14 terminating. Ant 15 : [1, 0, 4, 3, 2], 63

Update called by 15Exploitation

Ant thread 15 terminating. Ant 16: [2, 3, 4, 0, 1], 63

Update called by 16Exploration

```
Ant 17: [3, 4, 0, 1, 2], 67
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18 : [1, 0, 4, 3, 2], 63
Update called by 18Exploration
Ant thread 18 terminating.avg = 0.00123456790123
Ant 19 : [1, 0, 4, 3, 2], 63
Update called by 19
Best: [1, 0, 4, 3, 2], 85, 9, 85
Ant thread 19 terminating.iter_counter = 10
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [1, 0], 10 starting ant = 2
Explorationstarting ant = 3
avg = 0.000955655330795starting ant = 4
p = 0.00222starting ant = 5
Ant 1 : [1, 0], 10starting ant = 6
Explorationstarting ant = 7
avg = 0.000521566306882starting ant = 8
p = 0.001starting ant = 9
Ant 0 : [1, 0, 4], 30starting ant = 10
Exploitationstarting ant = 11
Ant 2: [4, 3], 15starting ant = 12
Exploitationstarting ant = 13
Ant 3: [1, 0], 10starting ant = 14
Exploitationstarting ant = 15
Ant 4: [4, 3], 15starting ant = 16
Explorationstarting ant = 17
avg = 0.000800115531272starting ant = 18
```

Ant thread 16 terminating.avg = 0.00101009090908

```
Ant 5 : [3, 4], 15
Exploration
avg = 0.000558232973548
p = 0.00111
Ant 1 : [1, 0, 4], 30
Exploitation
Ant 6 : [1, 0], 10
Exploitation
Ant 7: [3, 4], 15
Exploration
avg = 0.000756957223686
p = 0.001
p = 0.00148146666667
Ant 8 : [4, 3], 15
Exploitation
Ant 9: [4, 3], 15
Exploration
avg = 0.000906305051538
p = 0.00148148148
Ant 0: [1, 0, 4, 3], 45
Exploitation
Ant 10 : [1, 0], 10
Exploitation
Ant 11 : [2, 3], 18
Exploitation
Ant 2: [4, 3, 2], 33
Exploitation
Ant 12 : [2, 3], 18
Exploitation
Ant 13 : [1, 0], 10
Exploration
avg = 0.000558599640215
p = 0.0011111
Ant 3: [1, 0, 4], 30
Exploitation
Ant 14: [1, 0], 10
Exploitation
Ant 15 : [1, 0], 10
Exploitation
Ant 4: [4, 3, 2], 33
Exploitation
Ant 16 : [2, 3], 18
Exploitation
Ant 17 : [3, 4], 15
Exploration
avg = 0.000956210886351
p = 0.0022222222222
Ant 18 : [1, 0], 10
Exploration
avg = 0.000956210886351
p = 0.0022222222222
```

```
Ant 19: [1, 0], 10
Exploitation
Ant 5 : [3, 4, 0], 35
Exploitation
Ant 1: [1, 0, 4, 3], 45
Exploration
avg = 0.000558603306882
p = 0.001111111
Ant 6: [1, 0, 4], 30
Exploitation
Ant 7: [3, 4, 0], 35
Exploration
avg = 0.000663524412067
p = 0.0012345555556
Ant 8: [4, 3, 2], 33
Exploration
avg = 0.000663528486141
p = 0.00123456777778
Ant 9 : [4, 3, 2], 33
Exploration
avg = 0.0012345679
Ant 0 : [1, 0, 4, 3, 2], 63
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 10 : [1, 0, 4], 30
Exploitation
Ant 11 : [2, 3, 4], 33
Exploration
avg = 0.000598034524091
p = 0.000909090908182
Ant 2: [4, 3, 2, 1], 55
Exploration
avg = 0.000745833053548
p = 0.00148148148
Ant 12 : [2, 3, 4], 33
Exploitation
Ant 13 : [1, 0, 4], 30
Exploration
avg = 0.000906305052279
p = 0.00148148148148
Ant 3: [1, 0, 4, 3], 45
Exploitation
Ant 14: [1, 0, 4], 30
Exploration
avg = 0.000558603343919
p = 0.001111111111111
Ant 15 : [1, 0, 4], 30
Exploitation
Ant 4: [4, 3, 2, 1], 55
Exploitation
Ant 16: [2, 3, 4], 33
Exploitation
Ant 17 : [3, 4, 0], 35
```

```
Exploration
avg = 0.000558603343919
p = 0.00111111111111
Ant 18 : [1, 0, 4], 30
Exploration
avg = 0.000558603343919
p = 0.00111111111111
Ant 19: [1, 0, 4], 30
Exploitation
Ant 5 : [3, 4, 0, 1], 45
Exploration
avg = 0.00123456790122
Ant 1 : [1, 0, 4, 3, 2], 63
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000906305052279
p = 0.00148148148148
Ant 6: [1, 0, 4, 3], 45
Exploration
avg = 0.00125348907
p = 0.00222
Ant 7: [3, 4, 0, 1], 45
Exploration
avg = 0.000648534524545
p = 0.00101009090909
Ant 8 : [4, 3, 2, 1], 55
Exploration
avg = 0.000648539524545
p = 0.00101010090909
Ant 9: [4, 3, 2, 1], 55
Exploration
avg = 0.000906305052279
p = 0.00148148148148
Ant 10 : [1, 0, 4, 3], 45
Exploitation
Ant 11 : [2, 3, 4, 0], 53
Exploration
avg = 0.0022222222222
Ant 2 : [4, 3, 2, 1, 0], 65
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.0006631723575
p = 0.00111111111
Ant 12 : [2, 3, 4, 0], 53
Exploration
avg = 0.000906305052279
p = 0.00148148148148
Ant 13 : [1, 0, 4, 3], 45
Exploitation
Ant 3 : [1, 0, 4, 3, 2], 63
Update called by 3Exploitation
```

```
Ant thread 3 terminating. Ant 14 : [1, 0, 4, 3], 45
Exploitation
Ant 15 : [1, 0, 4, 3], 45
Exploration
avg = 0.0022222222222
Ant 4: [4, 3, 2, 1, 0], 65
Update called by 4Exploration
Ant thread 4 terminating.avg = 0.00066317235805
p = 0.0011111111111
Ant 16 : [2, 3, 4, 0], 53
Exploration
avg = 0.00125458907
p = 0.0022222
Ant 17 : [3, 4, 0, 1], 45
Exploitation
Ant 18: [1, 0, 4, 3], 45
Exploitation
Ant 19: [1, 0, 4, 3], 45
Exploitation
Ant 5: [3, 4, 0, 1, 2], 67
Update called by 5Exploration
Ant thread 5 terminating.avg = 0.00123456790123
Ant 6: [1, 0, 4, 3, 2], 63
Update called by 6Exploitation
Ant thread 6 terminating. Ant 7 : [3, 4, 0, 1, 2], 67
Update called by 7Exploitation
Ant thread 7 terminating. Ant 8: [4, 3, 2, 1, 0], 65
Update called by 8Exploration
Ant thread 8 terminating.avg = 0.0022222222222
Ant 9: [4, 3, 2, 1, 0], 65
Update called by 9Exploration
Ant thread 9 terminating.avg = 0.00123456790123
Ant 10 : [1, 0, 4, 3, 2], 63
Update called by 10Exploitation
```

Ant thread 10 terminating. Ant 11: [2, 3, 4, 0, 1], 63

Ant thread 11 terminating.avg = 0.00222222222

Update called by 11Exploration

```
Ant 12 : [2, 3, 4, 0, 1], 63
Update called by 12Exploitation
```

Ant thread 12 terminating. Ant 13: [1, 0, 4, 3, 2], 63

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00123456790123

Ant 14 : [1, 0, 4, 3, 2], 63 Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00123456790123

Ant 15 : [1, 0, 4, 3, 2], 63 ExploitationUpdate called by 15

Ant 16: [2, 3, 4, 0, 1], 63Ant thread 15 terminating.

Update called by 16Exploration

Ant thread 16 terminating.avg = 0.00101009090908

Ant 17: [3, 4, 0, 1, 2], 67 Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [1, 0, 4, 3, 2], 63

Update called by 18Exploration

Ant thread 18 terminating.avg = 0.00123456790123

Ant 19 : [1, 0, 4, 3, 2], 63 Update called by 19

Best: [1, 0, 4, 3, 2], 85, 10, 85

Ant thread 19 terminating.iter_counter = 11

starting ant = 0
Explorationstarting ant = 1

avg = 0.00088331706817starting ant = 2

p = 0.002starting ant = 3

p = 0.000909090818182starting ant = 4

Ant 0 : [1, 2], 22starting ant = 5

Explorationstarting ant = 6

avg = 0.00090831709067starting ant = 7

p = 0.002starting ant = 8

```
p = 0.00100909090818starting ant = 9
Ant 1 : [1, 2], 22starting ant = 10
Exploitationstarting ant = 11
Ant 2: [4, 3], 15starting ant = 12
Exploitationstarting ant = 13
Ant 3: [1, 0], 10starting ant = 14
Exploitationstarting ant = 15
Ant 4: [4, 3], 15starting ant = 16
Exploitationstarting ant = 17
Ant 0 : [1, 2, 3], 40starting ant = 18
Exploitationstarting ant = 19
Ant 5 : [3, 4], 15
Exploitation
Ant 6 : [1, 0], 10
Exploitation
Ant 7: [3, 4], 15
Exploitation
Ant 8: [4, 3], 15
Exploration
avg = 0.000743301834651
p = 0.001
p = 0.00148148133333
Ant 9: [4, 3], 15
Exploration
avg = 0.000596543139664
p = 0.00123333333222
Ant 1: [1, 2, 3], 40
Exploration
avg = 0.000964117090895
p = 0.0022222
p = 0.00101009090908
Ant 10 : [1, 2], 22
Exploration
avg = 0.000674985637624
p = 0.0009090908182
p = 0.00123455555554
Ant 11 : [2, 3], 18
Exploitation
Ant 2: [4, 3, 2], 33
Exploration
avg = 0.000674988693182
p = 0.000909090908182
p = 0.00123456777778
```

```
Ant 12: [2, 3], 18
Exploration
avg = 0.000964119590898
p = 0.0022222
p = 0.00101010090909
Ant 13 : [1, 2], 22
Exploration
avg = 0.000502743009527
p = 0.001
Ant 3 : [1, 0, 4], 30
Exploitation
Ant 14 : [1, 0], 10
Exploitation
Ant 15 : [1, 0], 10
Exploration
avg = 0.000637916415305
p = 0.001233333333333
Ant 4: [4, 3, 2], 33
Exploitation
Ant 16: [2, 3], 18
Exploitation
Ant 17 : [3, 4], 15
Exploitation
Ant 0: [1, 2, 3, 4], 55
Exploitation
Ant 18: [1, 0], 10
Exploitation
Ant 19 : [1, 0], 10
Exploration
avg = 0.000497242001756
p = 0.001
Ant 5 : [3, 4, 0], 35
Exploration
avg = 0.000539409676194
p = 0.00111
Ant 6 : [1, 0, 4], 30
Exploitation
Ant 7: [3, 4, 0], 35
Exploitation
Ant 8: [4, 3, 2], 33
Exploration
avg = 0.000638327896786
p = 0.00123456777778
Ant 9: [4, 3, 2], 33
Exploration
avg = 0.00086571509129
p = 0.00148148148
Ant 1 : [1, 2, 3, 4], 55
Exploration
avg = 0.000596954662664
p = 0.00123456790122
Ant 10 : [1, 2, 3], 40
Exploration
avg = 0.000720632464682
```

```
p = 0.00148148148147
Ant 11 : [2, 3, 4], 33
Exploitation
Ant 2: [4, 3, 2, 1], 55
Exploration
avg = 0.000720632464687
p = 0.00148148148148
Ant 12 : [2, 3, 4], 33
Exploration
avg = 0.000596954662668
p = 0.00123456790123
Ant 13 : [1, 2, 3], 40
Exploitation
Ant 3: [1, 0, 4, 3], 45
Exploitation
Ant 14: [1, 0, 4], 30
Exploitation
Ant 15 : [1, 0, 4], 30
Exploitation
Ant 4: [4, 3, 2, 1], 55
Exploration
avg = 0.000720632464687
p = 0.00148148148148
Ant 16 : [2, 3, 4], 33
Exploration
avg = 0.00053427533509
p = 0.0011111
Ant 17: [3, 4, 0], 35
Exploration
avg = 0.001111111
Ant 0: [1, 2, 3, 4, 0], 75
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 18 : [1, 0, 4], 30
Exploitation
Ant 19: [1, 0, 4], 30
Exploration
avg = 0.001129140163
p = 0.002
Ant 5 : [3, 4, 0, 1], 45
Exploration
avg = 0.000889748621118
p = 0.00148148148147
Ant 6: [1, 0, 4, 3], 45
Exploration
avg = 0.001239140163
p = 0.00222
Ant 7: [3, 4, 0, 1], 45
Exploitation
Ant 8: [4, 3, 2, 1], 55
Exploitation
Ant 9: [4, 3, 2, 1], 55
Exploration
```

```
avg = 0.00111111111
Ant 1 : [1, 2, 3, 4, 0], 75
Update called by 1Exploitation
Ant thread 1 terminating. Ant 10 : [1, 2, 3, 4], 55
Exploitation
Ant 11 : [2, 3, 4, 0], 53
Exploration
avg = 0.0022222222222
Ant 2: [4, 3, 2, 1, 0], 65
Update called by 2Exploitation
Ant thread 2 terminating. Ant 12 : [2, 3, 4, 0], 53
Exploration
avg = 0.000865715092031
p = 0.00148148148148
Ant 13 : [1, 2, 3, 4], 55
Exploration
avg = 0.0012345679
Ant 3: [1, 0, 4, 3, 2], 63
Update called by 3Exploitation
Ant thread 3 terminating. Ant 14 : [1, 0, 4, 3], 45
Exploitation
Ant 15 : [1, 0, 4, 3], 45
Exploitation
Ant 4: [4, 3, 2, 1, 0], 65
Update called by 4Exploration
Ant thread 4 terminating.avg = 0.000652410677806
p = 0.00111111111111
Ant 16 : [2, 3, 4, 0], 53
Exploration
avg = 0.001240240163
p = 0.0022222
Ant 17 : [3, 4, 0, 1], 45
Exploration
avg = 0.000889748621125
p = 0.00148148148148
Ant 18: [1, 0, 4, 3], 45
Exploration
avg = 0.000889748621125
p = 0.00148148148148
Ant 19 : [1, 0, 4, 3], 45
Exploration
avg = 0.00101010100909
Ant 5 : [3, 4, 0, 1, 2], 67
Update called by 5Exploration
```

Ant thread 5 terminating.avg = 0.00123456790122

Ant 6 : [1, 0, 4, 3, 2], 63 Update called by 6Exploration

Ant thread 6 terminating.avg = 0.00101010101009

Ant 7: [3, 4, 0, 1, 2], 67 Update called by 7Exploitation

Ant thread 7 terminating. Ant 8: [4, 3, 2, 1, 0], 65

Update called by 8Exploration

Ant thread 8 terminating.avg = 0.0022222222222

Ant 9: [4, 3, 2, 1, 0], 65 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [1, 2, 3, 4, 0], 75

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [2, 3, 4, 0, 1], 63

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [2, 3, 4, 0, 1], 63

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00111111111111

Ant 13 : [1, 2, 3, 4, 0], 75 Update called by 13Exploitation

Ant thread 13 terminating. Ant 14 : [1, 0, 4, 3, 2], 63

Update called by 14Exploitation

Ant thread 14 terminating. Ant 15 : [1, 0, 4, 3, 2], 63

Update called by 15Exploration

Ant thread 15 terminating.avg = 0.002222222222

Ant 16 : [2, 3, 4, 0, 1], 63 Update called by 16Exploration

Ant thread 16 terminating.avg = 0.0010101010101

Ant 17 : [3, 4, 0, 1, 2], 67 Update called by 17Exploitation

Ant thread 17 terminating. Ant 18 : [1, 0, 4, 3, 2], 63

```
Ant thread 18 terminating. Ant 19: [1, 0, 4, 3, 2], 63
Update called by 19
Best: [1, 0, 4, 3, 2], 85, 11, 85
Ant thread 19 terminating.iter_counter = 12
starting ant = 0
Explorationstarting ant = 1
avg = 0.000867712654535starting ant = 2
p = 0.002starting ant = 3
p = 0.000909090909091starting ant = 4
Ant 0 : [1, 2], 22starting ant = 5
Explorationstarting ant = 6
avg = 0.000892712654535starting ant = 7
p = 0.002starting ant = 8
Ant 1 : [1, 2], 22starting ant = 10
Exploitationstarting ant = 11
Ant 2: [4, 3], 15starting ant = 12
Exploitationstarting ant = 13
Ant 3: [1, 0], 10starting ant = 14
Exploitationstarting ant = 15
Ant 4: [4, 3], 15starting ant = 16
Exploitationstarting ant = 17
Ant 0 : [1, 2, 3], 40starting ant = 18
Exploitationstarting ant = 19
Ant 5 : [3, 4], 15
Exploitation
Ant 6: [1, 0], 10
Exploitation
Ant 7: [3, 4], 15
Exploration
```

Update called by 18Exploitation

```
avg = 0.000731005017852
p = 0.001
p = 0.00148146666667
Ant 8: [4, 3], 15
Exploration
avg = 0.000731008684519
p = 0.001
p = 0.00148148133333
Ant 9: [4, 3], 15
Exploitation
Ant 1: [1, 2, 3], 40
Exploitation
Ant 10 : [1, 0], 10
Exploitation
Ant 11 : [2, 3], 18
Exploitation
Ant 2 : [4, 3, 2], 33
Exploration
avg = 0.000661081291013
p = 0.0009090908182
p = 0.00123456777778
Ant 12 : [2, 3], 18
Exploration
avg = 0.000948518154535
p = 0.002222222
p = 0.00101009090909
Ant 13 : [1, 2], 22
Exploration
avg = 0.000485802041907
p = 0.001
Ant 3: [1, 0, 4], 30
Exploitation
Ant 14: [1, 0], 10
Exploitation
Ant 15 : [1, 0], 10
Exploitation
Ant 4: [4, 3, 2], 33
Exploration
avg = 0.000661081321569
p = 0.000909090908182
p = 0.0012345679
Ant 16 : [2, 3], 18
Exploitation
Ant 17 : [3, 4], 15
Exploration
avg = 0.000853217582828
p = 0.00148148133333
Ant 0 : [1, 2, 3, 4], 55
Exploitation
Ant 18 : [1, 0], 10
Exploitation
Ant 19: [1, 0], 10
Exploration
avg = 0.000480851134914
```

```
p = 0.001
Ant 5 : [3, 4, 0], 35
Exploration
avg = 0.000522468708574
p = 0.00111
Ant 6: [1, 0, 4], 30
Exploration
avg = 0.000517517801581
p = 0.00111
Ant 7: [3, 4, 0], 35
Exploration
avg = 0.000615643292293
p = 0.00123455555556
Ant 8 : [4, 3, 2], 33
Exploration
avg = 0.000615647366367
p = 0.00123456777778
Ant 9: [4, 3, 2], 33
Exploitation
Ant 1: [1, 2, 3, 4], 55
Exploration
avg = 0.000522835375241
p = 0.0011111
Ant 10 : [1, 0, 4], 30
Exploitation
Ant 11 : [2, 3, 4], 33
Exploration
avg = 0.000570771600791
p = 0.000909090908182
Ant 2: [4, 3, 2, 1], 55
Exploration
avg = 0.000697951934268
p = 0.00148148148148
Ant 12 : [2, 3, 4], 33
Exploration
avg = 0.000578411459772
p = 0.00123456790122
Ant 13: [1, 2, 3], 40
Exploration
avg = 0.000874847832346
p = 0.00148148148
Ant 3: [1, 0, 4, 3], 45
Exploration
avg = 0.000522839041908
p = 0.001111111
Ant 14: [1, 0, 4], 30
Exploration
avg = 0.000522839078574
p = 0.00111111111
Ant 15 : [1, 0, 4], 30
Exploitation
Ant 4: [4, 3, 2, 1], 55
Exploration
avg = 0.000697951934268
```

```
p = 0.00148148148148
Ant 16 : [2, 3, 4], 33
Exploration
avg = 0.000517884468247
p = 0.0011111
Ant 17: [3, 4, 0], 35
Exploitation
Ant 0: [1, 2, 3, 4, 0], 75
Update called by <code>OExploration</code>
Ant thread 0 terminating.avg = 0.000522839078941
p = 0.0011111111111
Ant 18: [1, 0, 4], 30
Exploration
avg = 0.000522839078945
p = 0.00111111111111
Ant 19: [1, 0, 4], 30
Exploration
avg = 0.0011162261467
p = 0.002
Ant 5 : [3, 4, 0, 1], 45
Exploration
avg = 0.000874847833079
p = 0.00148148148147
Ant 6: [1, 0, 4, 3], 45
Exploration
avg = 0.0012262261467
p = 0.00222
Ant 7: [3, 4, 0, 1], 45
Exploitation
Ant 8: [4, 3, 2, 1], 55
Exploration
avg = 0.000621276601245
p = 0.00101010090909
Ant 9: [4, 3, 2, 1], 55
Exploration
avg = 0.00111111111
Ant 1: [1, 2, 3, 4, 0], 75
Update called by 1Exploitation
Ant thread 1 terminating. Ant 10 : [1, 0, 4, 3], 45
Exploration
avg = 0.000642725165575
p = 0.0011111111111
Ant 11 : [2, 3, 4, 0], 53
Exploitation
Ant 2: [4, 3, 2, 1, 0], 65
Update called by 2Exploitation
Ant thread 2 terminating. Ant 12 : [2, 3, 4, 0], 53
Exploration
```

```
avg = 0.000853217656902
p = 0.00148148148148
Ant 13 : [1, 2, 3, 4], 55
Exploration
avg = 0.0012345679
Ant 3: [1, 0, 4, 3, 2], 63
Update called by 3Exploitation
Ant thread 3 terminating. Ant 14 : [1, 0, 4, 3], 45
Exploration
avg = 0.000874847833087
p = 0.00148148148148
Ant 15 : [1, 0, 4, 3], 45
Exploration
avg = 0.0022222222222
Ant 4: [4, 3, 2, 1, 0], 65
Update called by 4Exploration
Ant thread 4 terminating.avg = 0.000642725165581
p = 0.00111111111111
Ant 16: [2, 3, 4, 0], 53
Exploitation
Ant 17: [3, 4, 0, 1], 45
Exploitation
Ant 18 : [1, 0, 4, 3], 45
Exploitation
Ant 19: [1, 0, 4, 3], 45
Exploitation
Ant 5 : [3, 4, 0, 1, 2], 67
Update called by 5Exploitation
Ant thread 5 terminating. Ant 6: [1, 0, 4, 3, 2], 63
Update called by 6Exploitation
Ant thread 6 terminating. Ant 7 : [3, 4, 0, 1, 2], 67
Update called by 7Exploitation
Ant thread 7 terminating. Ant 8 : [4, 3, 2, 1, 0], 65
Update called by 8Exploration
Ant thread 8 terminating.avg = 0.0022222222222
Ant 9: [4, 3, 2, 1, 0], 65
Update called by 9Exploration
Ant thread 9 terminating.avg = 0.00123456790123
Ant 10: [1, 0, 4, 3, 2], 63
```

Update called by 10Exploitation

```
Ant thread 10 terminating. Ant 11: [2, 3, 4, 0, 1], 63
Update called by 11Exploration
Ant thread 11 terminating.avg = 0.00222222222
Ant 12 : [2, 3, 4, 0, 1], 63
Update called by 12Exploration
Ant thread 12 terminating.avg = 0.00111111111111
Ant 13 : [1, 2, 3, 4, 0], 75
Update called by 13Exploration
Ant thread 13 terminating.avg = 0.00123456790123
Ant 14: [1, 0, 4, 3, 2], 63
Update called by 14Exploration
Ant thread 14 terminating.avg = 0.00123456790123
Ant 15 : [1, 0, 4, 3, 2], 63
Update called by 15Exploration
Ant thread 15 terminating.avg = 0.0022222222222
Ant 16 : [2, 3, 4, 0, 1], 63
Update called by 16Exploration
Ant thread 16 terminating.avg = 0.00101010101009
Ant 17: [3, 4, 0, 1, 2], 67
Update called by 17Exploration
Ant thread 17 terminating.avg = 0.00123456790123
Ant 18: [1, 0, 4, 3, 2], 63
Update called by 18Exploration
Ant thread 18 terminating.avg = 0.00123456790123
Ant 19: [1, 0, 4, 3, 2], 63
Update called by 19
Best: [1, 0, 4, 3, 2], 85, 12, 85
```

Results

```
Best path = [1, 0, 4, 3, 2]
('B',)
('A',)
```

Ant thread 19 terminating.

```
('E',)
('D',)
('C',)
Best path cost = 85
>>>
RESTART: C:\Users\teleuser\Documents\Kantor\Kuliah\Master\Semester
3\Perencanaan
Jaringan\Tugas\program\Python\tsp-atncolony\Python-Ant-Colony-TSP-Solver-master\
pickled.py
>>>
RESTART: C:\Users\teleuser\Documents\Kantor\Kuliah\Master\Semester
3\Perencanaan
Jaringan\Tugas\program\Python\tsp-atncolony\Python-Ant-Colony-TSP-Solver-master\
anttsp.py
[[0, 10, 30, 31], [10, 0, 22, 18], [30, 22, 0, 18], [31, 18, 18, 0]]
Average = 16
Tau0 = 0.03125
iter counter = 1
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [3, 1], 18starting ant = 2
Exploitationstarting ant = 3
Ant 1 : [0, 1], 10starting ant = 4
Exploitationstarting ant = 5
Ant 0 : [3, 1, 0], 28starting ant = 6
Explorationstarting ant = 7
avg = 0.00209385521886starting ant = 8
p = 0.003125starting ant = 9
Ant 2 : [1, 0], 10starting ant = 10
Explorationstarting ant = 11
avg = 0.00209385521886starting ant = 12
p = 0.003125starting ant = 13
Ant 3: [1, 0], 10starting ant = 14
Exploitationstarting ant = 15
Ant 1 : [0, 1, 3], 28starting ant = 16
```

```
Exploitationstarting ant = 17
Ant 4 : [0, 1], 10starting ant = 18
Exploitationstarting ant = 19
Ant 5 : [3, 1], 18
Exploitation
Ant 0: [3, 1, 0, 2], 58
Update called by OExploration
Ant thread 0 terminating.avg = 0.00209385521886
p = 0.003125
Ant 6: [1, 0], 10
Exploration
avg = 0.00172491039427
p = 0.003125
Ant 7 : [0, 1], 10
Exploration
avg = 0.00172491039427
p = 0.003125
Ant 8 : [0, 1], 10
Exploration
avg = 0.00149342891278
p = 0.00173611111111
p = 0.00173611111111
Ant 9: [3, 2], 18
Exploitation
Ant 2 : [1, 0, 2], 40
Exploitation
Ant 10: [0, 1], 10
Exploitation
Ant 11 : [1, 0], 10
Exploration
avg = 0.00209385521886
p = 0.003125
Ant 12 : [1, 0], 10
Exploitation
Ant 13 : [2, 3], 18
Exploration
avg = 0.0010248655914
p = 0.00104166666667
Ant 3: [1, 0, 2], 40
Exploration
avg = 0.00209385521886
p = 0.003125
Ant 14 : [1, 0], 10
Exploration
avg = 0.00172491039427
p = 0.003125
Ant 15 : [0, 1], 10
Exploitation
Ant 1 : [0, 1, 3, 2], 46
```

Update called by 1Exploration

Ant thread 1 terminating.avg = 0.00209385521886

```
p = 0.003125
Ant 16 : [1, 0], 10
Exploitation
Ant 17 : [3, 1], 18
Exploration
avg = 0.00157828282828
p = 0.00173611111111
Ant 4 : [0, 1, 3], 28
Exploitation
Ant 18 : [3, 1], 18
Exploration
avg = 0.00139941077441
p = 0.00142045454545
p = 0.00173611111111
Ant 19 : [2, 3], 18
Exploitation
Ant 5 : [3, 1, 0], 28
Exploration
avg = 0.0010248655914
p = 0.00104166666667
Ant 6: [1, 0, 2], 40
Exploitation
Ant 7 : [0, 1, 3], 28
Exploration
avg = 0.00157828282828
p = 0.00173611111111
Ant 8 : [0, 1, 3], 28
Exploration
avg = 0.00123106060606
p = 0.00142045454545
Ant 9: [3, 2, 1], 40
Exploration
avg = 0.00173611111111
Ant 2 : [1, 0, 2, 3], 58
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.00157828282828
p = 0.00173611111111
```

p = 0.001/3611111111
Ant 10 : [0, 1, 3], 28
Exploration
avg = 0.0010248655914
p = 0.00104166666667
Ant 11 : [1, 0, 2], 40
Exploitation
Ant 12 : [1, 0, 2], 40
Exploration
avg = 0.00137208781362
p = 0.00173611111111
Ant 13 : [2, 3, 1], 36

Exploitation
Ant 3 : [1, 0, 2, 3], 58
Update called by 3Exploration

Ant thread 3 terminating.avg = 0.0010248655914

p = 0.00104166666667Ant 14 : [1, 0, 2], 40 Exploration avg = 0.00157828282828p = 0.00173611111111Ant 15 : [0, 1, 3], 28 Exploration avg = 0.0010248655914p = 0.00104166666667Ant 16: [1, 0, 2], 40 Exploration avg = 0.00227272727273p = 0.003125Ant 17 : [3, 1, 0], 28 Exploration avg = 0.00173611111111Ant 4: [0, 1, 3, 2], 46 Update called by 4Exploitation

Ant thread 4 terminating. Ant 18 : [3, 1, 0], 28

Exploration

avg = 0.00137208781362

p = 0.00173611111111

Ant 19 : [2, 3, 1], 36

Exploitation

Ant 5 : [3, 1, 0, 2], 58

Update called by 5Exploration

Ant thread 5 terminating.avg = 0.00173611111111

Ant 6: [1, 0, 2, 3], 58
Update called by 6Exploration

Ant thread 6 terminating.avg = 0.00173611111111

Ant 7: [0, 1, 3, 2], 46
Update called by 7Exploitation

Ant thread 7 terminating. Ant 8 : [0, 1, 3, 2], 46

Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [3, 2, 1, 0], 50

Update called by 9Exploration

Ant thread 9 terminating.avg = 0.00173611111111

Ant 10 : [0, 1, 3, 2], 46
Update called by 10Exploration

Ant thread 10 terminating.avg = 0.00173611111111

Ant 11 : [1, 0, 2, 3], 58
Update called by 11Exploitation

Ant thread 11 terminating. Ant 12 : [1, 0, 2, 3], 58

Update called by 12Exploitation

Ant thread 12 terminating. Ant 13 : [2, 3, 1, 0], 46

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00173611111111

Ant 14: [1, 0, 2, 3], 58
Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00173611111111

Ant 15 : [0, 1, 3, 2], 46
Update called by 15Exploration

Ant thread 15 terminating.avg = 0.00173611111111

Ant 16: [1, 0, 2, 3], 58
Update called by 16Exploration

Ant thread 16 terminating.avg = 0.00104166666667

Ant 17: [3, 1, 0, 2], 58
Update called by 17Exploration

Ant thread 17 terminating.avg = 0.00104166666667

Ant 18: [3, 1, 0, 2], 58 ExplorationUpdate called by 18

avg = 0.003125Ant thread 18 terminating.

Ant 19 : [2, 3, 1, 0], 46 Update called by 19 Best: [3, 1, 0, 2], 76, 1, 76

Ant thread 19 terminating.iter_counter = 2

starting ant = 0
Explorationstarting ant = 1

avg = 0.00134408602151starting ant = 2

```
p = 0.0015625starting ant = 3
p = 0.0015625starting ant = 4
Ant 0 : [3, 2], 18starting ant = 5
Explorationstarting ant = 6
avg = 0.00155241935484starting ant = 7
p = 0.0028125starting ant = 8
Ant 1 : [0, 1], 10starting ant = 9
Explorationstarting ant = 10
avg = 0.00188446969697starting ant = 11
p = 0.0028125starting ant = 12
Ant 2 : [1, 0], 10starting ant = 13
Explorationstarting ant = 14
avg = 0.00198759469697starting ant = 15
p = 0.003121875starting ant = 16
Ant 3 : [1, 0], 10starting ant = 17
Exploitationstarting ant = 18
Ant 4 : [0, 1], 10starting ant = 19
Exploitation
Ant 0: [3, 2, 1], 40
Exploitation
Ant 5 : [3, 2], 18
Exploration
avg = 0.00198862594697
p = 0.00312496875
Ant 6 : [1, 0], 10
Exploration
avg = 0.00165657560484
p = 0.00312496875
Ant 7: [0, 1], 10
Exploitation
Ant 8 : [0, 1], 10
Exploration
avg = 0.00142045454545
p = 0.0015625
Ant 1 : [0, 1, 3], 28
Exploration
avg = 0.00140195060484
```

```
p = 0.0015625
p = 0.00173609375
Ant 9: [3, 2], 18
Exploration
avg = 0.00165658602046
p = 0.00312499999688
Ant 10 : [0, 1], 10
Exploitation
Ant 11 : [1, 0], 10
Exploration
avg = 0.00204592802926
p = 0.00312499999688
Ant 12 : [1, 0], 10
Exploration
avg = 0.000922379032258
p = 0.0009375
Ant 2 : [1, 0, 2], 40
Exploration
avg = 0.00130634469697
p = 0.00141903409091
p = 0.0015625
Ant 13 : [2, 3], 18
Exploitation
Ant 14 : [1, 0], 10
Exploration
avg = 0.00169096102149
p = 0.00312499999997
Ant 15 : [0, 1], 10
Exploration
avg = 0.0020459280303
p = 0.003125
Ant 16: [1, 0], 10
Exploration
avg = 0.000973941532258
p = 0.001040625
Ant 3 : [1, 0, 2], 40
Exploration
avg = 0.00140195633401
p = 0.0015625
p = 0.0017361109375
Ant 17 : [3, 2], 18
Exploration
avg = 0.0014019563913
p = 0.0015625
p = 0.00173611110937
Ant 18 : [3, 2], 18
Exploration
avg = 0.00150639204545
p = 0.001734375
Ant 4: [0, 1, 3], 28
Exploration
avg = 0.00136363636364
p = 0.00141903409091
```

p = 0.001734375

```
Ant 19: [2, 3], 18
Exploitation
Ant 0: [3, 2, 1, 0], 50
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 5 : [3, 2, 1], 40
Exploitation
Ant 6: [1, 0, 2], 40
Exploitation
Ant 7: [0, 1, 3], 28
Exploitation
Ant 8 : [0, 1, 3], 28
Exploitation
Ant 1 : [0, 1, 3, 2], 46
Update called by 1Exploitation
Ant thread 1 terminating. Ant 9: [3, 2, 1], 40
Exploration
avg = 0.00150726010014
p = 0.00173611110937
Ant 10 : [0, 1, 3], 28
Exploration
avg = 0.000974462313508
p = 0.0010416665625
Ant 11: [1, 0, 2], 40
Exploitation
Ant 12: [1, 0, 2], 40
Exploration
avg = 0.00173609375
Ant 2 : [1, 0, 2, 3], 58
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.00123487903226
p = 0.0015625
Ant 13: [2, 3, 1], 36
Exploitation
Ant 14 : [1, 0, 2], 40
Exploitation
Ant 15 : [0, 1, 3], 28
Exploration
avg = 0.000974462365591
p = 0.00104166666667
Ant 16: [1, 0, 2], 40
Exploitation
Ant 3: [1, 0, 2, 3], 58
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.0011789772017
p = 0.00142045440341
Ant 17: [3, 2, 1], 40
```

Exploration

avg = 0.00117897727202

p = 0.00142045454403

Ant 18: [3, 2, 1], 40

Exploitation

Ant 4: [0, 1, 3, 2], 46

Update called by 4Exploitation

Ant thread 4 terminating. Ant 19 : [2, 3, 1], 36

Exploration

avg = 0.003125

Ant 5 : [3, 2, 1, 0], 50

Update called by 5Exploration

Ant thread 5 terminating.avg = 0.00173611110937

Ant 6: [1, 0, 2, 3], 58

Update called by 6Exploitation

Ant thread 6 terminating. Ant 7 : [0, 1, 3, 2], 46

Update called by 7Exploitation

Ant thread 7 terminating. Ant 8 : [0, 1, 3, 2], 46

Update called by 8Exploration

Ant thread 8 terminating.avg = 0.003125

Ant 9 : [3, 2, 1, 0], 50

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [0, 1, 3, 2], 46

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [1, 0, 2, 3], 58

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12 : [1, 0, 2, 3], 58

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.003125

Ant 13 : [2, 3, 1, 0], 46

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00173611111111

Ant 14 : [1, 0, 2, 3], 58

Update called by 14Exploration

```
Ant 15 : [0, 1, 3, 2], 46
Update called by 15Exploration
Ant thread 15 terminating.avg = 0.00173611111111
Ant 16 : [1, 0, 2, 3], 58
Update called by 16Exploration
Ant thread 16 terminating.avg = 0.003125
Ant 17 : [3, 2, 1, 0], 50
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18: [3, 2, 1, 0], 50
Update called by 18Exploration
Ant thread 18 terminating.avg = 0.003125
Ant 19 : [2, 3, 1, 0], 46
Update called by 19
Best: [3, 1, 0, 2], 76, 2, 77
Ant thread 19 terminating.iter_counter = 3
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [3, 2], 18starting ant = 2
Explorationstarting ant = 3
avg = 0.00152217741935starting ant = 4
p = 0.0028125starting ant = 5
Ant 1 : [0, 1], 10starting ant = 6
Exploitationstarting ant = 7
Ant 0: [3, 2, 1], 40starting ant = 8
Explorationstarting ant = 9
avg = 0.00184185606061starting ant = 10
p = 0.0028125starting ant = 11
Ant 2 : [1, 0], 10starting ant = 12
Explorationstarting ant = 13
```

Ant thread 14 terminating.avg = 0.00173611111111

```
avg = 0.00194498106061starting ant = 14
p = 0.003121875starting ant = 15
Ant 3 : [1, 0], 10starting ant = 16
Explorationstarting ant = 17
avg = 0.00162530241935starting ant = 18
p = 0.003121875starting ant = 19
Ant 4: [0, 1], 10
Exploitation
Ant 5 : [3, 2], 18
Exploitation
Ant 1 : [0, 1, 3], 28
Exploration
avg = 0.00200330397727
p = 0.00312496875
Ant 6 : [1, 0], 10
Exploration
avg = 0.00162633366935
p = 0.00312496875
Ant 7 : [0, 1], 10
Exploration
avg = 0.0031249996875
Ant 0: [3, 2, 1, 0], 50
Update called by <code>OExploration</code>
Ant thread 0 terminating.avg = 0.00162634398185
p = 0.0031249996875
Ant 8 : [0, 1], 10
Exploitation
Ant 9: [3, 2], 18
Exploitation
Ant 10 : [0, 1], 10
Exploitation
Ant 11 : [1, 0], 10
Exploration
avg = 0.000877016129032
p = 0.0009375
Ant 2: [1, 0, 2], 40
Exploitation
Ant 12: [1, 0], 10
Exploration
avg = 0.00127509469697
p = 0.00141903409091
p = 0.0015625
Ant 13 : [2, 3], 18
Exploration
avg = 0.00200331439394
p = 0.003125
```

```
Ant 14 : [1, 0], 10
Exploration
avg = 0.00166071908601
p = 0.00312499999997
Ant 15 : [0, 1], 10
Exploration
avg = 0.000928578629032
p = 0.001040625
Ant 3: [1, 0, 2], 40
Exploitation
Ant 16: [1, 0], 10
Exploitation
Ant 17 : [3, 2], 18
Exploration
avg = 0.00137170924748
p = 0.001562484375
p = 0.00173611110937
Ant 18 : [3, 2], 18
Exploration
avg = 0.00133238636364
p = 0.00141903409091
p = 0.001734375
Ant 19 : [2, 3], 18
Exploration
avg = 0.00144247159091
p = 0.001734375
Ant 4: [0, 1, 3], 28
Exploitation
Ant 5 : [3, 2, 1], 40
Exploration
avg = 0.00173611111109
Ant 1 : [0, 1, 3, 2], 46
Update called by 1Exploitation
Ant thread 1 terminating. Ant 6: [1, 0, 2], 40
Exploration
avg = 0.00144333096591
p = 0.00173609375
Ant 7 : [0, 1, 3], 28
Exploitation
Ant 8 : [0, 1, 3], 28
Exploration
avg = 0.00113209517045
p = 0.00142044034091
Ant 9: [3, 2, 1], 40
Exploration
avg = 0.0014433396456
p = 0.00173611110937
Ant 10 : [0, 1, 3], 28
Exploitation
Ant 11 : [1, 0, 2], 40
Exploitation
Ant 2 : [1, 0, 2, 3], 58
```

Update called by 2Exploration

Ant thread 2 terminating.avg = 0.000929099461845

p = 0.00104166666563 Ant 12 : [1, 0, 2], 40

Exploitation

Ant 13 : [2, 3, 1], 36

Exploitation

Ant 14: [1, 0, 2], 40

Exploration

avg = 0.00144333964646

p = 0.00173611111109

Ant 15 : [0, 1, 3], 28

Exploration

avg = 0.0017361109375

Ant 3: [1, 0, 2, 3], 58

Update called by 3Exploitation

Ant thread 3 terminating. Ant 16: [1, 0, 2], 40

Exploitation

Ant 17: [3, 2, 1], 40

Exploration

avg = 0.00113210227202

p = 0.00142045454403

Ant 18: [3, 2, 1], 40

Exploration

avg = 0.00127545355091

p = 0.00173437484375

Ant 19 : [2, 3, 1], 36

Exploration

avg = 0.001736111111111

Ant 4 : [0, 1, 3, 2], 46

Update called by 4Exploitation

Ant thread 4 terminating. Ant 5 : [3, 2, 1, 0], 50

Update called by 5Exploitation

Ant thread 5 terminating. Ant 6 : [1, 0, 2, 3], 58

Update called by 6Exploration

Ant thread 6 terminating.avg = 0.00173611111111

Ant 7: [0, 1, 3, 2], 46

Update called by 7Exploitation

Ant thread 7 terminating. Ant 8 : [0, 1, 3, 2], 46

Update called by 8Exploitation

Ant thread 8 terminating. Ant 9 : [3, 2, 1, 0], 50

Update called by 9Exploration

Ant thread 9 terminating.avg = 0.00173611111111

Ant 10 : [0, 1, 3, 2], 46 Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [1, 0, 2, 3], 58

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.00173611111111

Ant 12: [1, 0, 2, 3], 58
Update called by 12Exploration

Ant thread 12 terminating.avg = 0.003125

Ant 13 : [2, 3, 1, 0], 46
Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00173611111111

Ant 14: [1, 0, 2, 3], 58
Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00173611111111

Ant 15 : [0, 1, 3, 2], 46 Update called by 15Exploration

Ant thread 15 terminating.avg = 0.00173611111111

Ant 16: [1, 0, 2, 3], 58
Update called by 16Exploration

Ant thread 16 terminating.avg = 0.003125

Ant 17 : [3, 2, 1, 0], 50 Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [3, 2, 1, 0], 50

Update called by 18Exploration

Ant thread 18 terminating.avg = 0.003125

Ant 19 : [2, 3, 1, 0], 46 Update called by 19

Best: [3, 1, 0, 2], 76, 3, 77

Ant thread 19 terminating.iter_counter = 4

starting ant = 0

```
avg = 0.00128662113528starting ant = 2
p = 0.00156248437359starting ant = 3
p = 0.0015625starting ant = 4
Ant 0 : [3, 2], 18 starting ant = 5
Exploitationstarting ant = 6
Ant 1 : [0, 1], 10starting ant = 7
Exploitationstarting ant = 8
Ant 2 : [1, 0], 10starting ant = 9
Exploitationstarting ant = 10
Ant 3 : [1, 0], 10starting ant = 11
Explorationstarting ant = 12
avg = 0.00159808467742starting ant = 13
p = 0.003121875starting ant = 14
Ant 4 : [0, 1], 10starting ant = 15
Explorationstarting ant = 16
avg = 0.00101889204545starting ant = 17
p = 0.0012784090909starting ant = 18
Ant 0 : [3, 2, 1], 40starting ant = 19
Exploitation
Ant 5 : [3, 2], 18
Exploration
avg = 0.00190766003788
p = 0.00312496875
Ant 6: [1, 0], 10
Exploration
avg = 0.00129900568182
p = 0.0015625
Ant 1 : [0, 1, 3], 28
Exploration
avg = 0.00159911592742
p = 0.00312496875
Ant 7 : [0, 1], 10
Exploration
avg = 0.00159912623992
```

Explorationstarting ant = 1

```
p = 0.0031249996875
Ant 8 : [0, 1], 10
Exploration
avg = 0.000836189516129
p = 0.0009375
Ant 2: [1, 0, 2], 40
Exploration
avg = 0.00134448571862
p = 0.00156248437359
p = 0.00173609375
Ant 9: [3, 2], 18
Exploration
avg = 0.00163350134304
p = 0.00312499999688
Ant 10 : [0, 1], 10
Exploitation
Ant 3 : [1, 0, 2], 40
Exploitation
Ant 11 : [1, 0], 10
Exploitation
Ant 12 : [1, 0], 10
Exploitation
Ant 13 : [2, 3], 18
Exploitation
Ant 14 : [1, 0], 10
Exploration
avg = 0.00138494318182
p = 0.001734375
Ant 4: [0, 1, 3], 28
Exploitation
Ant 15 : [0, 1], 10
Exploration
avg = 0.00196553503788
p = 0.003125
Ant 16 : [1, 0], 10
Exploitation
Ant 17 : [3, 2], 18
Exploration
avg = 0.00134449150508
p = 0.00156248437359
p = 0.00173611110937
Ant 18 : [3, 2], 18
Exploration
avg = 0.003125
Ant 0: [3, 2, 1, 0], 50
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 19 : [2, 3], 18
Exploitation
Ant 5 : [3, 2, 1], 40
Exploration
avg = 0.000888267641129
p = 0.00104165625
```

```
Ant 6: [1, 0, 2], 40
Exploitation
Ant 1 : [0, 1, 3, 2], 46
Update called by 1Exploitation
Ant thread 1 terminating. Ant 7 : [0, 1, 3], 28
Exploration
avg = 0.00138581115057
p = 0.0017361109375
Ant 8 : [0, 1, 3], 28
Exploration
avg = 0.00173609375
Ant 2 : [1, 0, 2, 3], 58
Update called by 2Exploitation
Ant thread 2 terminating. Ant 9: [3, 2, 1], 40
Exploitation
Ant 10 : [0, 1, 3], 28
Exploration
avg = 0.0017361109375
Ant 3: [1, 0, 2, 3], 58
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.000888272797379
p = 0.0010416665625
Ant 11 : [1, 0, 2], 40
Exploration
avg = 0.000888272848942
p = 0.00104166666563
Ant 12 : [1, 0, 2], 40
Exploration
avg = 0.00114868170293
p = 0.00156248437359
Ant 13 : [2, 3, 1], 36
Exploitation
Ant 14: [1, 0, 2], 40
Exploration
avg = 0.00173611111111
Ant 4: [0, 1, 3, 2], 46
Update called by 4Exploration
Ant thread 4 terminating.avg = 0.00138581123737
p = 0.00173611111109
Ant 15 : [0, 1, 3], 28
Exploration
avg = 0.000888272849462
p = 0.00104166666667
Ant 16: [1, 0, 2], 40
Exploitation
Ant 17 : [3, 2, 1], 40
```

Exploration

avg = 0.00108991477202

p = 0.00142045454403

Ant 18: [3, 2, 1], 40

Exploitation

Ant 19: [2, 3, 1], 36

Exploitation

Ant 5 : [3, 2, 1, 0], 50

Update called by 5Exploitation

Ant thread 5 terminating. Ant 6 : [1, 0, 2, 3], 58

Update called by 6Exploitation

Ant thread 6 terminating. Ant 7 : [0, 1, 3, 2], 46

Update called by 7Exploitation

Ant thread 7 terminating. Ant 8 : [0, 1, 3, 2], 46

Update called by 8Exploration

Ant thread 8 terminating.avg = 0.003125

Ant 9: [3, 2, 1, 0], 50 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [0, 1, 3, 2], 46

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.00173611111109

Ant 11: [1, 0, 2, 3], 58
Update called by 11Exploration

Ant thread 11 terminating.avg = 0.00173611111111

Ant 12 : [1, 0, 2, 3], 58

Update called by 12Exploitation

Ant thread 12 terminating. Ant 13 : [2, 3, 1, 0], 46

Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [1, 0, 2, 3], 58

Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00173611111111

Ant 15 : [0, 1, 3, 2], 46

Update called by 15Exploration

```
Ant 16 : [1, 0, 2, 3], 58
Update called by 16Exploitation
Ant thread 16 terminating. Ant 17: [3, 2, 1, 0], 50
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18: [3, 2, 1, 0], 50
ExploitationUpdate called by 18
Ant 19 : [2, 3, 1, 0], 46Ant thread 18 terminating.
Update called by 19
Best: [3, 1, 0, 2], 76, 4, 77
Ant thread 19 terminating.iter_counter = 5
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [3, 2], 18starting ant = 2
Exploitationstarting ant = 3
Ant 1 : [0, 1], 10starting ant = 4
Exploitationstarting ant = 5
Ant 0: [3, 2, 1], 40starting ant = 6
Explorationstarting ant = 7
avg = 0.00176898674242starting ant = 8
p = 0.0028125starting ant = 9
Ant 2 : [1, 0], 10starting ant = 10
Exploitationstarting ant = 11
Ant 3: [1, 0], 10starting ant = 12
Explorationstarting ant = 13
avg = 0.00124723011364starting ant = 14
p = 0.0015625starting ant = 15
Ant 1 : [0, 1, 3], 28starting ant = 16
Explorationstarting ant = 17
```

Ant thread 15 terminating.avg = 0.00173611111111

```
avg = 0.00157358870968starting ant = 18
p = 0.003121875starting ant = 19
Ant 4: [0, 1], 10
Exploitation
Ant 5 : [3, 2], 18
Exploitation
Ant 0: [3, 2, 1, 0], 50
Update called by OExploitation
Ant thread 0 terminating. Ant 6 : [1, 0], 10
Exploration
avg = 0.00157461995968
p = 0.00312496875
Ant 7 : [0, 1], 10
Exploration
avg = 0.00157463027218
p = 0.0031249996875
Ant 8 : [0, 1], 10
Exploration
avg = 0.00131998975088
p = 0.00156248437359
p = 0.00173609375
Ant 9: [3, 2], 18
Exploration
avg = 0.000799445564516
p = 0.0009375
Ant 2: [1, 0, 2], 40
Exploitation
Ant 10 : [0, 1], 10
Exploration
avg = 0.00193044507472
p = 0.00312499999688
Ant 11 : [1, 0], 10
Exploitation
Ant 3: [1, 0, 2], 40
Exploration
avg = 0.00193044507575
p = 0.00312499999997
Ant 12 : [1, 0], 10
Exploitation
Ant 13 : [2, 3], 18
Exploration
avg = 0.00193044507576
p = 0.003125
Ant 14: [1, 0], 10
Exploitation
Ant 15 : [0, 1], 10
Exploration
avg = 0.0017361109375
Ant 1 : [0, 1, 3, 2], 46
Update called by 1Exploitation
```

```
Ant thread 1 terminating. Ant 16 : [1, 0], 10
Exploration
avg = 0.00131999553733
p = 0.00156248437359
p = 0.00173611110937
Ant 17 : [3, 2], 18
Exploitation
Ant 18 : [3, 2], 18
Exploitation
Ant 19 : [2, 3], 18
Exploration
avg = 0.00133316761364
p = 0.001734375
Ant 4: [0, 1, 3], 28
Exploitation
Ant 5 : [3, 2, 1], 40
Exploitation
Ant 6: [1, 0, 2], 40
Exploitation
Ant 7 : [0, 1, 3], 28
Exploitation
Ant 8 : [0, 1, 3], 28
Exploitation
Ant 9: [3, 2, 1], 40
Exploration
avg = 0.00173609375
Ant 2 : [1, 0, 2, 3], 58
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.00133403566832
p = 0.00173611110937
Ant 10 : [0, 1, 3], 28
Exploration
avg = 0.000851528845766
p = 0.0010416665625
Ant 11: [1, 0, 2], 40
Exploitation
Ant 3 : [1, 0, 2, 3], 58
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.000851528897329
p = 0.00104166666563
Ant 12 : [1, 0, 2], 40
Exploration
avg = 0.00111193775131
p = 0.00156248437359
Ant 13 : [2, 3, 1], 36
```

Exploitation

Exploration

Ant 14: [1, 0, 2], 40

avg = 0.00133403566918p = 0.00173611111109Ant 15 : [0, 1, 3], 28 Exploration avg = 0.000851528897849p = 0.00104166666667Ant 16 : [1, 0, 2], 40 Exploitation Ant 17: [3, 2, 1], 40 Exploration avg = 0.00105194602202p = 0.00142045454403Ant 18 : [3, 2, 1], 40 Exploitation Ant 19 : [2, 3, 1], 36 Exploitation Ant 4 : [0, 1, 3, 2], 46

Ant thread 4 terminating. Ant 5 : [3, 2, 1, 0], 50

Update called by 5Exploration

Update called by 4Exploitation

Ant thread 5 terminating.avg = 0.00173611110937

Ant 6 : [1, 0, 2, 3], 58 ExplorationUpdate called by 6

avg = 0.001736111111111Ant thread 6 terminating.

Ant 7 : [0, 1, 3, 2], 46 Update called by 7Exploration

Ant thread 7 terminating.avg = 0.00173611111111

Ant 8 : [0, 1, 3, 2], 46 Update called by 8Exploitation

Ant thread 8 terminating. Ant 9 : [3, 2, 1, 0], 50

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [0, 1, 3, 2], 46

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.001736111111109

Ant 11 : [1, 0, 2, 3], 58
Update called by 11Exploration

Ant thread 11 terminating.avg = 0.00173611111111

Ant 12 : [1, 0, 2, 3], 58

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.003125

Ant 13 : [2, 3, 1, 0], 46
Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [1, 0, 2, 3], 58

Update called by 14Exploitation

Ant thread 14 terminating. Ant 15 : [0, 1, 3, 2], 46

Update called by 15Exploration

Ant thread 15 terminating.avg = 0.00173611111111

Ant 16: [1, 0, 2, 3], 58
Update called by 16Exploration

Ant thread 16 terminating.avg = 0.003125

Ant 17 : [3, 2, 1, 0], 50 Update called by 17Exploration

Ant thread 17 terminating.avg = 0.003125

Ant 18: [3, 2, 1, 0], 50 Update called by 18Exploration

Ant thread 18 terminating.avg = 0.003125

Ant 19 : [2, 3, 1, 0], 46 Update called by 19

Best: [3, 1, 0, 2], 76, 5, 77

Ant thread 19 terminating.iter_counter = 6

starting ant = 0
Explorationstarting ant = 1

avg = 0.00124007879657starting ant = 2

p = 0.00156248437359starting ant = 3

p = 0.0015625starting ant = 4

Ant 0 : [3, 2], 18starting ant = 5

Explorationstarting ant = 6

avg = 0.00144841733871starting ant = 7

p = 0.0028125starting ant = 8

```
Ant 1 : [0, 1], 10starting ant = 9
Exploitationstarting ant = 10
Ant 2 : [1, 0], 10starting ant = 11
Exploitationstarting ant = 12
Ant 3: [1, 0], 10starting ant = 13
Exploitationstarting ant = 14
Ant 4 : [0, 1], 10starting ant = 15
Exploitationstarting ant = 16
Ant 0 : [3, 2, 1], 40starting ant = 17
Explorationstarting ant = 18
avg = 0.00129737046324starting ant = 19
p = 0.00156248437359
p = 0.001734375
Ant 5 : [3, 2], 18
Exploitation
Ant 6: [1, 0], 10
Exploration
avg = 0.00155257358871
p = 0.00312496875
Ant 7 : [0, 1], 10
Exploitation
Ant 8 : [0, 1], 10
Exploration
avg = 0.00120063210227
p = 0.0015625
Ant 1 : [0, 1, 3], 28
Exploration
avg = 0.00129794337991
p = 0.00156248437359
p = 0.00173609375
Ant 9: [3, 2], 18
Exploitation
Ant 10 : [0, 1], 10
Exploration
avg = 0.000766376008065
p = 0.0009375
Ant 2 : [1, 0, 2], 40
Exploration
avg = 0.00189937963068
p = 0.0031249996875
Ant 11 : [1, 0], 10
Exploration
avg = 0.00189937973381
```

```
p = 0.00312499999688
Ant 12 : [1, 0], 10
Exploitation
Ant 3: [1, 0, 2], 40
Exploration
avg = 0.00119887594697
p = 0.00141903409091
p = 0.0015625
Ant 13 : [2, 3], 18
Exploration
avg = 0.00189937973484
p = 0.00312499999997
Ant 14 : [1, 0], 10
Exploration
avg = 0.00128656960227
p = 0.001734375
Ant 4 : [0, 1, 3], 28
Exploration
avg = 0.00158730275537
p = 0.00312499999997
Ant 15 : [0, 1], 10
Exploitation
Ant 16: [1, 0], 10
Exploitation
Ant 0: [3, 2, 1, 0], 50
ExplorationUpdate called by 0
avg = 0.00129794910907Ant thread 0 terminating.
p = 0.00156248437359
p = 0.0017361109375
Ant 17: [3, 2], 18
Exploitation
Ant 18: [3, 2], 18
Exploitation
Ant 19 : [2, 3], 18
Exploitation
Ant 5 : [3, 2, 1], 40
Exploitation
Ant 6: [1, 0, 2], 40
Exploitation
Ant 7 : [0, 1, 3], 28
Exploitation
Ant 8 : [0, 1, 3], 28
Exploration
avg = 0.00173611111109
Ant 1 : [0, 1, 3, 2], 46
Update called by 1Exploitation
Ant thread 1 terminating. Ant 9: [3, 2, 1], 40
Exploitation
Ant 10 : [0, 1, 3], 28
Exploitation
```

```
Ant 2 : [1, 0, 2, 3], 58
Update called by 2Exploitation
Ant thread 2 terminating. Ant 11 : [1, 0, 2], 40
Exploitation
Ant 12: [1, 0, 2], 40
Exploitation
Ant 3: [1, 0, 2, 3], 58
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.00107886819486
p = 0.00156248437359
Ant 13 : [2, 3, 1], 36
Exploration
avg = 0.000818459341393
p = 0.00104166666666
Ant 14 : [1, 0, 2], 40
Exploration
avg = 0.00173611111111
Ant 4: [0, 1, 3, 2], 46
Update called by 4Exploration
Ant thread 4 terminating.avg = 0.00128743765782
p = 0.00173611111109
Ant 15 : [0, 1, 3], 28
Exploration
avg = 0.000818459341398
p = 0.00104166666667
Ant 16: [1, 0, 2], 40
Exploitation
Ant 17 : [3, 2, 1], 40
Exploration
avg = 0.00101777414702
p = 0.00142045454403
Ant 18: [3, 2, 1], 40
Exploration
avg = 0.00116481342993
p = 0.00173437484374
Ant 19 : [2, 3, 1], 36
Exploitation
Ant 5 : [3, 2, 1, 0], 50
Update called by 5Exploitation
Ant thread 5 terminating. Ant 6 : [1, 0, 2, 3], 58
Update called by 6Exploration
Ant thread 6 terminating.avg = 0.00173611111111
Ant 7: [0, 1, 3, 2], 46
Update called by 7Exploitation
```

Ant thread 7 terminating. Ant 8 : [0, 1, 3, 2], 46

Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [3, 2, 1, 0], 50

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [0, 1, 3, 2], 46

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.001736111111109

Ant 11: [1, 0, 2, 3], 58
Update called by 11Exploration

Ant thread 11 terminating.avg = 0.00173611111111

Ant 12: [1, 0, 2, 3], 58
Update called by 12Exploration

Ant thread 12 terminating.avg = 0.003125

Ant 13 : [2, 3, 1, 0], 46
Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00173611111111

Ant 14: [1, 0, 2, 3], 58 Update called by 14Exploitation

Ant thread 14 terminating. Ant 15: [0, 1, 3, 2], 46

Update called by 15Exploration

Ant thread 15 terminating.avg = 0.00173611111111

Ant 16: [1, 0, 2, 3], 58
Update called by 16Exploitation

Ant thread 16 terminating. Ant 17: [3, 2, 1, 0], 50

ExplorationUpdate called by 17

avg = 0.003125Ant thread 17 terminating.

Ant 18: [3, 2, 1, 0], 50 Update called by 18Exploitation

Ant thread 18 terminating. Ant 19 : [2, 3, 1, 0], 46

Update called by 19

```
Best: [3, 1, 0, 2], 76, 6, 77
Ant thread 19 terminating.iter_counter = 7
starting ant = 0
Explorationstarting ant = 1
avg = 0.0012202370627starting ant = 2
p = 0.00156248437359starting ant = 3
p = 0.0015625starting ant = 4
Ant 0 : [3, 2], 18starting ant = 5
Exploitationstarting ant = 6
Ant 1 : [0, 1], 10starting ant = 7
Explorationstarting ant = 8
avg = 0.0017099625947starting ant = 9
p = 0.0028125starting ant = 10
Ant 2 : [1, 0], 10starting ant = 11
Exploitationstarting ant = 12
Ant 3 : [1, 0], 10starting ant = 13
Exploitationstarting ant = 14
Ant 4 : [0, 1], 10starting ant = 15
Explorationstarting ant = 16
avg = 0.000915996732948starting ant = 17
p = 0.0012784090909starting ant = 18
Ant 0: [3, 2, 1], 40starting ant = 19
Exploitation
Ant 5 : [3, 2], 18
Exploration
avg = 0.0018141188447
p = 0.00312496875
Ant 6 : [1, 0], 10
Exploitation
Ant 1 : [0, 1, 3], 28
Exploration
avg = 0.00153273185484
p = 0.00312496875
Ant 7 : [0, 1], 10
```

Exploitation Ant 8 : [0, 1], 10 Exploration avg = 0.00127810164604p = 0.00156248437359p = 0.00173609375Ant 9: [3, 2], 18 Exploitation Ant 10 : [0, 1], 10 Exploitation Ant 2: [1, 0, 2], 40 Exploration avg = 0.00187142082386p = 0.0031249996875Ant 11 : [1, 0], 10 Exploitation Ant 12 : [1, 0], 10 Exploitation Ant 3: [1, 0, 2], 40 Exploitation Ant 13 : [2, 3], 18 Exploitation Ant 14: [1, 0], 10 Exploration avg = 0.00124463139205p = 0.001734375Ant 4 : [0, 1, 3], 28 Exploitation Ant 15 : [0, 1], 10 Exploitation Ant 16 : [1, 0], 10 Exploration avg = 0.0012781073752p = 0.00156248437359p = 0.0017361109375Ant 17 : [3, 2], 18 Exploitation Ant 18 : [3, 2], 18 Exploitation Ant 0: [3, 2, 1, 0], 50 Update called by <code>OExploration</code> Ant thread 0 terminating.avg = 0.00123566448864 p = 0.00141903409091p = 0.001734375Ant 19 : [2, 3], 18 Exploration avg = 0.000986309232954p = 0.00141903409091Ant 5 : [3, 2, 1], 40 Exploration avg = 0.000788691532258p = 0.00104165625

```
Ant 6: [1, 0, 2], 40
Exploitation
Ant 1 : [0, 1, 3, 2], 46
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.00124549076705
p = 0.00173609375
Ant 7: [0, 1, 3], 28
Exploitation
Ant 8: [0, 1, 3], 28
Exploitation
Ant 9: [3, 2, 1], 40
Exploitation
Ant 10 : [0, 1, 3], 28
Exploitation
Ant 2 : [1, 0, 2, 3], 58
Update called by 2Exploitation
Ant thread 2 terminating. Ant 11 : [1, 0, 2], 40
Exploitation
Ant 12: [1, 0, 2], 40
Exploration
avg = 0.0017361109375
Ant 3: [1, 0, 2, 3], 58
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.00104910559405
p = 0.00156248437359
Ant 13 : [2, 3, 1], 36
Exploration
avg = 0.000788696740586
p = 0.00104166666666
Ant 14 : [1, 0, 2], 40
Exploration
avg = 0.001736111111111
Ant 4 : [0, 1, 3, 2], 46
ExplorationUpdate called by 4
avg = 0.00124549944759Ant thread 4 terminating.
p = 0.001736111111109
Ant 15 : [0, 1, 3], 28
Exploitation
Ant 16 : [1, 0, 2], 40
Exploration
avg = 0.000987019389205
p = 0.00142045440341
Ant 17: [3, 2, 1], 40
Exploitation
Ant 18: [3, 2, 1], 40
Exploitation
```

Ant 19 : [2, 3, 1], 36

Exploration avg = 0.003125

Ant 5 : [3, 2, 1, 0], 50

Update called by 5Exploitation

Ant thread 5 terminating. Ant 6 : [1, 0, 2, 3], 58

Update called by 6Exploration

Ant thread 6 terminating.avg = 0.00173611111111

Ant 7: [0, 1, 3, 2], 46 Update called by 7Exploitation

Ant thread 7 terminating. Ant 8 : [0, 1, 3, 2], 46

ExploitationUpdate called by 8

Ant 9 : [3, 2, 1, 0], 50Ant thread 8 terminating.

Update called by 9Exploration

Ant thread 9 terminating.avg = 0.00173611111111

Ant 10: [0, 1, 3, 2], 46
Update called by 10Exploration

Ant thread 10 terminating.avg = 0.001736111111109

Ant 11 : [1, 0, 2, 3], 58 Update called by 11Exploration

Ant thread 11 terminating.avg = 0.00173611111111

Ant 12: [1, 0, 2, 3], 58
Update called by 12Exploration

Ant thread 12 terminating.avg = 0.003125

Ant 13 : [2, 3, 1, 0], 46 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00173611111111

Ant 14: [1, 0, 2, 3], 58
Update called by 14Exploitation

Ant thread 14 terminating. Ant 15: [0, 1, 3, 2], 46

Update called by 15Exploration

Ant thread 15 terminating.avg = 0.00173611111111

```
Ant 16 : [1, 0, 2, 3], 58
Update called by 16Exploitation
Ant thread 16 terminating. Ant 17: [3, 2, 1, 0], 50
Update called by 17Exploration
Ant thread 17 terminating.avg = 0.003125
Ant 18: [3, 2, 1, 0], 50
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19 : [2, 3, 1, 0], 46
Update called by 19
Best: [3, 1, 0, 2], 76, 7, 77
Ant thread 19 terminating.iter_counter = 8
starting ant = 0
Explorationstarting ant = 1
avg = 0.00120237950222starting ant = 2
p = 0.00156248437359starting ant = 3
p = 0.0015625starting ant = 4
Ant 0 : [3, 2], 18starting ant = 5
Exploitationstarting ant = 6
Ant 1 : [0, 1], 10starting ant = 7
Exploitationstarting ant = 8
Ant 2 : [1, 0], 10starting ant = 9
Explorationstarting ant = 10
avg = 0.00178792466856starting ant = 11
p = 0.003121875starting ant = 12
Ant 3 : [1, 0], 10starting ant = 13
Explorationstarting ant = 14
avg = 0.00151384304435starting ant = 15
p = 0.003121875starting ant = 16
Ant 4 : [0, 1], 10starting ant = 17
Exploitationstarting ant = 18
```

```
Ant 0 : [3, 2, 1], 40starting ant = 19
```

Exploitation Ant 5 : [3, 2], 18 Exploration avg = 0.00178895591856p = 0.00312496875Ant 6: [1, 0], 10 Exploration avg = 0.00112094950284p = 0.0015625Ant 1 : [0, 1, 3], 28 Exploitation Ant 7: [0, 1], 10 Exploration avg = 0.00151488460685 p = 0.0031249996875Ant 8 : [0, 1], 10 Exploitation Ant 2 : [1, 0, 2], 40 Exploration avg = 0.00126024408555p = 0.00156248437359p = 0.00173609375Ant 9: [3, 2], 18 Exploration avg = 0.00154925970998p = 0.00312499999688Ant 10 : [0, 1], 10 Exploitation Ant 11 : [1, 0], 10 Exploration avg = 0.00184625800085p = 0.00312499999688Ant 12 : [1, 0], 10 Exploitation Ant 3 : [1, 0, 2], 40 Exploitation Ant 13 : [2, 3], 18 Exploitation Ant 14: [1, 0], 10 Exploitation Ant 15 : [0, 1], 10 Exploitation Ant 16: [1, 0], 10 Exploitation Ant 4 : [0, 1, 3], 28 Exploitation Ant 17 : [3, 2], 18 Exploitation Ant 18 : [3, 2], 18 Exploration avg = 0.003125

```
Ant 0: [3, 2, 1, 0], 50
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 19: [2, 3], 18
Exploitation
Ant 5 : [3, 2, 1], 40
Exploitation
Ant 6: [1, 0, 2], 40
Exploitation
Ant 1: [0, 1, 3, 2], 46
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.00120774637784
p = 0.00173609375
Ant 7 : [0, 1, 3], 28
Exploration
avg = 0.00120775497159
p = 0.0017361109375
Ant 8 : [0, 1, 3], 28
Exploitation
Ant 2: [1, 0, 2, 3], 58
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000959333139205
p = 0.00142044034091
Ant 9: [3, 2, 1], 40
Exploration
avg = 0.00120775505753
p = 0.00173611110937
Ant 10 : [0, 1, 3], 28
Exploitation
Ant 11 : [1, 0, 2], 40
Exploration
avg = 0.000761910399345
p = 0.00104166666563
Ant 12: [1, 0, 2], 40
Exploitation
Ant 3 : [1, 0, 2, 3], 58
Update called by 3Exploitation
Ant thread 3 terminating. Ant 13 : [2, 3, 1], 36
Exploitation
Ant 14 : [1, 0, 2], 40
Exploration
avg = 0.00120775505839
p = 0.00173611111109
Ant 15 : [0, 1, 3], 28
Exploration
avg = 0.000761910399866
p = 0.00104166666667
```

Ant 16 : [1, 0, 2], 40

Exploration

avg = 0.00173611111111

Ant 4 : [0, 1, 3, 2], 46

Update called by 4Exploitation

Ant thread 4 terminating. Ant 17: [3, 2, 1], 40

Exploitation

Ant 18: [3, 2, 1], 40

Exploration

avg = 0.0011082644884

p = 0.00173437484374

Ant 19 : [2, 3, 1], 36

Exploitation

Ant 5 : [3, 2, 1, 0], 50

Update called by 5Exploitation

Ant thread 5 terminating. Ant 6 : [1, 0, 2, 3], 58

Update called by 6Exploitation

Ant thread 6 terminating. Ant 7 : [0, 1, 3, 2], 46

Update called by 7Exploitation

Ant thread 7 terminating. Ant 8 : [0, 1, 3, 2], 46

Update called by 8Exploration

Ant thread 8 terminating.avg = 0.003125

Ant 9: [3, 2, 1, 0], 50

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [0, 1, 3, 2], 46

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [1, 0, 2, 3], 58

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [1, 0, 2, 3], 58

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.003125

Ant 13 : [2, 3, 1, 0], 46

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00173611111111

```
Ant 14: [1, 0, 2, 3], 58
Update called by 14Exploitation
```

Ant thread 14 terminating. Ant 15: [0, 1, 3, 2], 46

Update called by 15Exploitation

Ant thread 15 terminating. Ant 16: [1, 0, 2, 3], 58

Update called by 16Exploration

Ant thread 16 terminating.avg = 0.003125

Ant 17: [3, 2, 1, 0], 50
Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [3, 2, 1, 0], 50

Update called by 18Exploration

Ant thread 18 terminating.avg = 0.003125

Ant 19 : [2, 3, 1, 0], 46 Update called by 19

Best: [3, 1, 0, 2], 76, 8, 77

Ant thread 19 terminating.iter_counter = 9

starting ant = 0
Exploitationstarting ant = 1

Ant 0 : [3, 2], 18starting ant = 2

Exploitationstarting ant = 3

Ant 1 : [0, 1], 10starting ant = 4

Explorationstarting ant = 5

avg = 0.000863406217323starting ant = 6

p = 0.0012784090909starting ant = 7

Ant 0: [3, 2, 1], 40starting ant = 8

Explorationstarting ant = 9

avg = 0.00166215303504starting ant = 10

p = 0.0028125starting ant = 11

Ant 2 : [1, 0], 10starting ant = 12

Exploitationstarting ant = 13

```
Ant 3 : [1, 0], 10starting ant = 14
Exploitationstarting ant = 15
Ant 1 : [0, 1, 3], 28starting ant = 16
Explorationstarting ant = 17
avg = 0.00149777123992starting ant = 18
p = 0.003121875starting ant = 19
Ant 4: [0, 1], 10
Exploration
avg = 0.00124359936445
p = 0.00156248437359
p = 0.001734375
Ant 5 : [3, 2], 18
Exploitation
Ant 6: [1, 0], 10
Exploitation
Ant 7: [0, 1], 10
Exploration
avg = 0.0031249996875
Ant 0: [3, 2, 1, 0], 50
Update called by OExploration
Ant thread 0 terminating.avg = 0.00149881280242
p = 0.0031249996875
Ant 8 : [0, 1], 10
Exploitation
Ant 9: [3, 2], 18
Exploitation
Ant 10 : [0, 1], 10
Exploration
avg = 0.00182361136733
p = 0.00312499999688
Ant 11 : [1, 0], 10
Exploitation
Ant 2 : [1, 0, 2], 40
Exploration
avg = 0.00182361136836
p = 0.00312499999997
Ant 12 : [1, 0], 10
Exploitation
Ant 13 : [2, 3], 18
Exploitation
Ant 3: [1, 0, 2], 40
Exploitation
Ant 14: [1, 0], 10
Exploration
avg = 0.00153353165658
p = 0.00312499999997
```

```
Ant 15 : [0, 1], 10
Exploration
avg = 0.0017361109375
Ant 1 : [0, 1, 3, 2], 46
Update called by 1Exploitation
Ant thread 1 terminating. Ant 16 : [1, 0], 10
Exploration
avg = 0.00124417806758
p = 0.00156248437359
p = 0.00173611110937
Ant 17 : [3, 2], 18
Exploitation
Ant 18 : [3, 2], 18
Exploitation
Ant 19 : [2, 3], 18
Exploration
avg = 0.00117291705256
p = 0.001734375
Ant 4: [0, 1, 3], 28
Exploitation
Ant 5 : [3, 2, 1], 40
Exploitation
Ant 6: [1, 0, 2], 40
Exploration
avg = 0.00117377642756
p = 0.00173609375
Ant 7 : [0, 1, 3], 28
Exploitation
Ant 8 : [0, 1, 3], 28
Exploitation
Ant 9: [3, 2, 1], 40
Exploration
avg = 0.00117378510724
p = 0.00173611110937
Ant 10 : [0, 1, 3], 28
Exploitation
Ant 11: [1, 0, 2], 40
Exploitation
Ant 2 : [1, 0, 2, 3], 58
Update called by 2Exploitation
Ant thread 2 terminating. Ant 12 : [1, 0, 2], 40
Exploration
avg = 0.000998211546676
p = 0.00156248437359
Ant 13 : [2, 3, 1], 36
Exploitation
Ant 3: [1, 0, 2, 3], 58
Update called by 3Exploration
```

Ant thread 3 terminating.avg = 0.000737802693207

p = 0.00104166666666Ant 14 : [1, 0, 2], 40 Exploration avg = 0.0011737851081p = 0.00173611111109Ant 15 : [0, 1, 3], 28 Exploitation Ant 16: [1, 0, 2], 40 Exploitation Ant 17: [3, 2, 1], 40 Exploitation Ant 18 : [3, 2, 1], 40 Exploration avg = 0.00108415678175p = 0.00173437484374Ant 19 : [2, 3, 1], 36 Exploitation Ant 4: [0, 1, 3, 2], 46 Update called by 4Exploration

Ant thread 4 terminating.avg = 0.003125

Ant 5 : [3, 2, 1, 0], 50 Update called by 5Exploitation

Ant thread 5 terminating. Ant 6 : [1, 0, 2, 3], 58

Update called by 6Exploration

Ant thread 6 terminating.avg = 0.00173611111111

Ant 7 : [0, 1, 3, 2], 46 Update called by 7Exploration

Ant thread 7 terminating.avg = 0.00173611111111

Ant 8 : [0, 1, 3, 2], 46 Update called by 8Exploitation

Ant thread 8 terminating. Ant 9 : [3, 2, 1, 0], 50

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [0, 1, 3, 2], 46

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [1, 0, 2, 3], 58

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.00173611111111

Ant 12: [1, 0, 2, 3], 58
Update called by 12Exploration

Ant thread 12 terminating.avg = 0.003125

Ant 13 : [2, 3, 1, 0], 46 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00173611111111

Ant 14: [1, 0, 2, 3], 58
Update called by 14Exploitation

Ant thread 14 terminating. Ant 15: [0, 1, 3, 2], 46

ExploitationUpdate called by 15

Ant 16: [1, 0, 2, 3], 58Ant thread 15 terminating.

Update called by 16Exploitation

Ant thread 16 terminating. Ant 17: [3, 2, 1, 0], 50

Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [3, 2, 1, 0], 50

Update called by 18Exploration

Ant thread 18 terminating.avg = 0.003125

Ant 19 : [2, 3, 1, 0], 46

Update called by 19

Best: [3, 1, 0, 2], 76, 9, 77

Ant thread 19 terminating.iter_counter = 10

starting ant = 0

Exploitationstarting ant = 1

Ant 0 : [3, 2], 18starting ant = 2

Explorationstarting ant = 3

avg = 0.00138018161593starting ant = 4

p = 0.0028125starting ant = 5

Ant 1 : [0, 1], 10starting ant = 6

Exploitationstarting ant = 7

Ant 0 : [3, 2, 1], 40starting ant = 8

Explorationstarting ant = 9

```
avg = 0.00164177106487starting ant = 10
p = 0.0028125starting ant = 11
Ant 2 : [1, 0], 10starting ant = 12
Explorationstarting ant = 13
avg = 0.00174489606487starting ant = 14
p = 0.003121875starting ant = 15
Ant 3 : [1, 0], 10starting ant = 16
Exploitationstarting ant = 17
Ant 4 : [0, 1], 10starting ant = 18
Exploitationstarting ant = 19
Ant 5 : [3, 2], 18
Exploration
avg = 0.0010564065973
p = 0.0015625
Ant 1 : [0, 1, 3], 28
Exploitation
Ant 6: [1, 0], 10
Exploration
avg = 0.00148433786593
p = 0.00312496875
Ant 7: [0, 1], 10
Exploitation
Ant 0: [3, 2, 1, 0], 50
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 8 : [0, 1], 10
Exploration
avg = 0.00122970765713
p = 0.00156248437359
p = 0.00173609375
Ant 9: [3, 2], 18
Exploitation
Ant 10 : [0, 1], 10
Exploitation
Ant 11 : [1, 0], 10
Exploration
avg = 0.000664022423891
p = 0.0009375
Ant 2: [1, 0, 2], 40
Exploration
avg = 0.00180322939819
p = 0.00312499999997
```

```
Ant 12: [1, 0], 10
Exploration
avg = 0.00112836570009
p = 0.00141903409091
p = 0.0015625
Ant 13 : [2, 3], 18
Exploitation
Ant 14 : [1, 0], 10
Exploitation
Ant 15 : [0, 1], 10
Exploration
avg = 0.000715584923891
p = 0.001040625
Ant 3: [1, 0, 2], 40
Exploration
avg = 0.0018032293982
p = 0.003125
Ant 16: [1, 0], 10
Exploration
avg = 0.00122971338629
p = 0.00156248437359
p = 0.0017361109375
Ant 17: [3, 2], 18
Exploration
avg = 0.0011423440973
p = 0.001734375
Ant 4 : [0, 1, 3], 28
Exploitation
Ant 18: [3, 2], 18
Exploitation
Ant 19 : [2, 3], 18
Exploitation
Ant 5 : [3, 2, 1], 40
Exploitation
Ant 1 : [0, 1, 3, 2], 46
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000716100548891
p = 0.00104165625
Ant 6 : [1, 0, 2], 40
Exploitation
Ant 7 : [0, 1, 3], 28
Exploitation
Ant 8 : [0, 1, 3], 28
Exploration
avg = 0.000912001675142
p = 0.00142044034091
Ant 9: [3, 2, 1], 40
Exploration
avg = 0.00114321215199
p = 0.00173611110937
Ant 10 : [0, 1, 3], 28
Exploitation
```

```
Ant 11 : [1, 0, 2], 40
Exploration
avg = 0.00173609375
Ant 2 : [1, 0, 2, 3], 58
Update called by 2Exploitation
Ant thread 2 terminating. Ant 12 : [1, 0, 2], 40
Exploitation
Ant 13 : [2, 3, 1], 36
Exploration
avg = 0.000716105757219
p = 0.00104166666666
Ant 14: [1, 0, 2], 40
Exploration
avg = 0.00114321215285
p = 0.00173611111109
Ant 15 : [0, 1, 3], 28
Exploitation
Ant 3: [1, 0, 2, 3], 58
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.000716105757224
p = 0.00104166666667
Ant 16: [1, 0, 2], 40
Exploitation
Ant 17: [3, 2, 1], 40
Exploitation
Ant 4: [0, 1, 3, 2], 46
Update called by 4Exploitation
Ant thread 4 terminating. Ant 18 : [3, 2, 1], 40
Exploration
avg = 0.00106245984576
p = 0.00173437484374
Ant 19 : [2, 3, 1], 36
Exploration
avg = 0.003125
Ant 5 : [3, 2, 1, 0], 50
Update called by 5Exploration
Ant thread 5 terminating.avg = 0.00173611110937
Ant 6: [1, 0, 2, 3], 58
Update called by 6Exploitation
Ant thread 6 terminating. Ant 7 : [0, 1, 3, 2], 46
Update called by 7Exploitation
```

Ant thread 7 terminating. Ant 8 : [0, 1, 3, 2], 46

Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [3, 2, 1, 0], 50

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [0, 1, 3, 2], 46

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.001736111111109

Ant 11 : [1, 0, 2, 3], 58
Update called by 11Exploration

Ant thread 11 terminating.avg = 0.00173611111111

Ant 12: [1, 0, 2, 3], 58 Update called by 12Exploitation

Ant thread 12 terminating. Ant 13 : [2, 3, 1, 0], 46

ExploitationUpdate called by 13

Ant 14: [1, 0, 2, 3], 58Ant thread 13 terminating.

Update called by 14Exploitation

Ant thread 14 terminating. Ant 15: [0, 1, 3, 2], 46

Update called by 15Exploration

Ant thread 15 terminating.avg = 0.00173611111111

Ant 16: [1, 0, 2, 3], 58
Update called by 16Exploitation

Ant thread 16 terminating. Ant 17 : [3, 2, 1, 0], 50

Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [3, 2, 1, 0], 50

ExplorationUpdate called by 18

avg = 0.003125Ant thread 18 terminating.

Ant 19 : [2, 3, 1, 0], 46

Update called by 19

Best: [3, 1, 0, 2], 76, 10, 77

Ant thread 19 terminating.iter_counter = 11

starting ant = 0

Explorationstarting ant = 1

```
avg = 0.0011588249122starting ant = 2
p = 0.00156248437359starting ant = 3
p = 0.0015625starting ant = 4
Ant 0 : [3, 2], 18starting ant = 5
Exploitationstarting ant = 6
Ant 1 : [0, 1], 10starting ant = 7
Exploitationstarting ant = 8
Ant 2 : [1, 0], 10starting ant = 9
Exploitationstarting ant = 10
Ant 3: [1, 0], 10starting ant = 11
Exploitationstarting ant = 12
Ant 4 : [0, 1], 10starting ant = 13
Exploitationstarting ant = 14
Ant 0 : [3, 2, 1], 40starting ant = 15
Exploitationstarting ant = 16
Ant 5 : [3, 2], 18starting ant = 17
Explorationstarting ant = 18
avg = 0.00172758354171starting ant = 19
p = 0.00312496875
Ant 6: [1, 0], 10
Exploitation
Ant 1 : [0, 1, 3], 28
Exploitation
Ant 7 : [0, 1], 10
Exploration
avg = 0.00147133001683
p = 0.0031249996875
Ant 8 : [0, 1], 10
Exploration
avg = 0.000644495181502
p = 0.0009375
Ant 2: [1, 0, 2], 40
Exploration
avg = 0.00121668949553
p = 0.00156248437359
```

```
p = 0.00173609375
Ant 9 : [3, 2], 18
Exploration
avg = 0.00150570511996
p = 0.00312499999688
Ant 10 : [0, 1], 10
Exploration
avg = 0.000696057681502
p = 0.001040625
Ant 3 : [1, 0, 2], 40
Exploitation
Ant 11 : [1, 0], 10
Exploitation
Ant 12 : [1, 0], 10
Exploitation
Ant 4: [0, 1, 3], 28
Exploitation
Ant 13 : [2, 3], 18
Exploration
avg = 0.0017854585417
p = 0.00312499999997
Ant 14 : [1, 0], 10
Exploration
avg = 0.003125
Ant 0: [3, 2, 1, 0], 50
Update called by OExploration
Ant thread 0 terminating.avg = 0.00150604887099
p = 0.00312499999997
Ant 15 : [0, 1], 10
Exploitation
Ant 16 : [1, 0], 10
Exploration
avg = 0.000891120399673
p = 0.00141903409091
Ant 5 : [3, 2, 1], 40
Exploration
avg = 0.0012166952247
p = 0.00156248437359
p = 0.0017361109375
Ant 17 : [3, 2], 18
Exploration
avg = 0.00121669528199
p = 0.00156248437359
p = 0.00173611110937
Ant 18 : [3, 2], 18
Exploration
avg = 0.00117267401645
p = 0.00142044034091
p = 0.001734375
Ant 19 : [2, 3], 18
Exploration
avg = 0.000696573306502
```

```
p = 0.00104165625
Ant 6: [1, 0, 2], 40
Exploration
avg = 0.00173611111109
Ant 1 : [0, 1, 3, 2], 46
Update called by 1Exploitation
Ant thread 1 terminating. Ant 7 : [0, 1, 3], 28
Exploitation
Ant 8: [0, 1, 3], 28
Exploitation
Ant 2 : [1, 0, 2, 3], 58
Update called by 2Exploitation
Ant thread 2 terminating. Ant 9: [3, 2, 1], 40
Exploration
avg = 0.00111569649226
p = 0.00173611110937
Ant 10 : [0, 1, 3], 28
Exploration
avg = 0.0017361109375
Ant 3 : [1, 0, 2, 3], 58
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.000696578462752
p = 0.0010416665625
Ant 11 : [1, 0, 2], 40
Exploitation
Ant 12: [1, 0, 2], 40
Exploitation
Ant 4 : [0, 1, 3, 2], 46
Update called by 4Exploitation
Ant thread 4 terminating. Ant 13 : [2, 3, 1], 36
Exploration
avg = 0.00069657851483
p = 0.00104166666666
Ant 14: [1, 0, 2], 40
Exploration
avg = 0.00111569649312
p = 0.00173611111109
Ant 15 : [0, 1, 3], 28
Exploitation
Ant 16 : [1, 0, 2], 40
Exploration
avg = 0.003125
Ant 5 : [3, 2, 1, 0], 50
Update called by 5Exploitation
Ant thread 5 terminating. Ant 17 : [3, 2, 1], 40
```

Exploitation

Ant 18: [3, 2, 1], 40

Exploitation

Ant 19: [2, 3, 1], 36

Exploration

avg = 0.00173611110937 Ant 6 : [1, 0, 2, 3], 58

Update called by 6Exploration

Ant thread 6 terminating.avg = 0.00173611111111

Ant 7 : [0, 1, 3, 2], 46
Update called by 7Exploration

Ant thread 7 terminating.avg = 0.00173611111111

Ant 8 : [0, 1, 3, 2], 46 Update called by 8Exploration

Ant thread 8 terminating.avg = 0.003125

Ant 9: [3, 2, 1, 0], 50 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [0, 1, 3, 2], 46

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.001736111111109

Ant 11 : [1, 0, 2, 3], 58
Update called by 11Exploration

Ant thread 11 terminating.avg = 0.00173611111111

Ant 12: [1, 0, 2, 3], 58
Update called by 12Exploration

Ant thread 12 terminating.avg = 0.003125

Ant 13 : [2, 3, 1, 0], 46 Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [1, 0, 2, 3], 58

ExploitationUpdate called by 14

Ant 15 : [0, 1, 3, 2], 46Ant thread 14 terminating.

Update called by 15Exploitation

Ant thread 15 terminating. Ant 16 : [1, 0, 2, 3], 58

```
Ant thread 16 terminating. Ant 17: [3, 2, 1, 0], 50
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18: [3, 2, 1, 0], 50
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19: [2, 3, 1, 0], 46
Update called by 19
Best: [3, 1, 0, 2], 76, 11, 77
Ant thread 19 terminating.iter_counter = 12
starting ant = 0
Explorationstarting ant = 1
avg = 0.00114710856677starting ant = 2
p = 0.00156248437359starting ant = 3
p = 0.0015625starting ant = 4
Ant 0 : [3, 2], 18starting ant = 5
Explorationstarting ant = 6
avg = 0.0013554471089starting ant = 7
p = 0.0028125starting ant = 8
Ant 1 : [0, 1], 10starting ant = 9
Exploitationstarting ant = 10
Ant 2 : [1, 0], 10starting ant = 11
Explorationstarting ant = 12
avg = 0.00171004289588starting ant = 13
p = 0.003121875starting ant = 14
Ant 3 : [1, 0], 10starting ant = 15
Exploitationstarting ant = 16
Ant 4 : [0, 1], 10starting ant = 17
Explorationstarting ant = 18
avg = 0.000802647564245starting ant = 19
```

Update called by 16Exploitation

```
p = 0.0012784090909
Ant 0: [3, 2, 1], 40
Exploration
avg = 0.00120440023343
p = 0.00156248437359
p = 0.001734375
Ant 5 : [3, 2], 18
Exploitation
Ant 6 : [1, 0], 10
Exploration
avg = 0.0014596033589
p = 0.00312496875
Ant 7 : [0, 1], 10
Exploration
avg = 0.0014596136714
p = 0.0031249996875
Ant 8 : [0, 1], 10
Exploration
avg = 0.00100412684381
p = 0.0015625
Ant 1 : [0, 1, 3], 28
Exploitation
Ant 9 : [3, 2], 18
Exploration
avg = 0.00145961377453
p = 0.00312499999688
Ant 10 : [0, 1], 10
Exploitation
Ant 2: [1, 0, 2], 40
Exploration
avg = 0.00176837612504
p = 0.0031249996875
Ant 11 : [1, 0], 10
Exploration
avg = 0.00176837622817
p = 0.00312499999688
Ant 12 : [1, 0], 10
Exploitation
Ant 13 : [2, 3], 18
Exploration
avg = 0.0017683762292
p = 0.00312499999997
Ant 14 : [1, 0], 10
Exploitation
Ant 3: [1, 0, 2], 40
Exploitation
Ant 15 : [0, 1], 10
Exploration
avg = 0.00176837622921
p = 0.003125
Ant 16 : [1, 0], 10
Exploration
```

avg = 0.00109006434381

```
p = 0.001734375
Ant 4 : [0, 1, 3], 28
Exploitation
Ant 17: [3, 2], 18
Exploitation
Ant 18 : [3, 2], 18
Exploitation
Ant 19 : [2, 3], 18
Exploitation
Ant 0: [3, 2, 1, 0], 50
Update called by OExploration
Ant thread 0 terminating.avg = 0.000872960064251
p = 0.00141903409091
Ant 5: [3, 2, 1], 40
Exploitation
Ant 6: [1, 0, 2], 40
Exploitation
Ant 7 : [0, 1, 3], 28
Exploration
avg = 0.00109093231256
p = 0.0017361109375
Ant 8 : [0, 1, 3], 28
Exploitation
Ant 1: [0, 1, 3, 2], 46
Update called by 1Exploitation
Ant thread 1 terminating. Ant 9: [3, 2, 1], 40
Exploration
avg = 0.0010909323985
p = 0.00173611110937
Ant 10 : [0, 1, 3], 28
Exploration
avg = 0.00173609375
Ant 2 : [1, 0, 2, 3], 58
Update called by 2Exploitation
Ant thread 2 terminating. Ant 11 : [1, 0, 2], 40
Exploitation
Ant 12: [1, 0, 2], 40
Exploitation
Ant 13 : [2, 3, 1], 36
Exploitation
Ant 14 : [1, 0, 2], 40
Exploitation
Ant 3: [1, 0, 2, 3], 58
Update called by 3Exploitation
Ant thread 3 terminating. Ant 15 : [0, 1, 3], 28
Exploitation
```

Ant 16: [1, 0, 2], 40

Exploitation

Ant 4: [0, 1, 3, 2], 46

Update called by 4Exploration

Ant thread 4 terminating.avg = 0.000873670220501

p = 0.00142045440341

Ant 17: [3, 2, 1], 40

Exploitation

Ant 18: [3, 2, 1], 40

Exploitation

Ant 19 : [2, 3, 1], 36

Exploration

avg = 0.003125

Ant 5 : [3, 2, 1, 0], 50

Update called by 5Exploration

Ant thread 5 terminating.avg = 0.00173611110937

Ant 6: [1, 0, 2, 3], 58
Update called by 6Exploration

.

Ant thread 6 terminating.avg = 0.00173611111111

Ant 7: [0, 1, 3, 2], 46

Update called by 7Exploitation

Ant thread 7 terminating. Ant 8 : [0, 1, 3, 2], 46

Update called by 8Exploitation

Ant thread 8 terminating. Ant 9 : [3, 2, 1, 0], 50

Update called by 9Exploration

Ant thread 9 terminating.avg = 0.00173611111111

Ant 10 : [0, 1, 3, 2], 46

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.001736111111109

Ant 11: [1, 0, 2, 3], 58

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [1, 0, 2, 3], 58

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.003125

Ant 13 : [2, 3, 1, 0], 46

Update called by 13Exploration

```
Ant 14: [1, 0, 2, 3], 58
Update called by 14Exploitation
Ant thread 14 terminating. Ant 15 : [0, 1, 3, 2], 46
Update called by 15Exploitation
Ant thread 15 terminating. Ant 16: [1, 0, 2, 3], 58
Update called by 16Exploration
Ant thread 16 terminating.avg = 0.003125
Ant 17: [3, 2, 1, 0], 50
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18: [3, 2, 1, 0], 50
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19 : [2, 3, 1, 0], 46
Update called by 19
Best: [3, 1, 0, 2], 76, 12, 77
Ant thread 19 terminating.
                     Results
Best path = [3, 1, 0, 2]
('D',)
('B',)
('A',)
('C',)
Best path cost = 76
>>>
RESTART: C:\Users\teleuser\Documents\Kantor\Kuliah\Master\Semester
3\Perencanaan
Jaringan\Tugas\program\Python\tsp-atncolony\Python-Ant-Colony-TSP-Solver-master\
pickled.py
Traceback (most recent call last):
  File "C:\Users\teleuser\Documents\Kantor\Kuliah\Master\Semester 3\Perencanaan
Jaringan\Tugas\program\Python\tsp-atncolony\Python-Ant-Colony-TSP-Solver-master\
pickled.py", line 11, in <module>
    [43, 39, 18, 20, 15, 33, 31, 0]])
TypeError: list indices must be integers, not tuple
>>>
```

Ant thread 13 terminating.avg = 0.00173611111111

```
RESTART: C:\Users\teleuser\Documents\Kantor\Kuliah\Master\Semester
3\Perencanaan
Jaringan\Tugas\program\Python\tsp-atncolony\Python-Ant-Colony-TSP-Solver-master\
pickled.py
>>>
 RESTART: C:\Users\teleuser\Documents\Kantor\Kuliah\Master\Semester
3\Perencanaan
Jaringan\Tugas\program\Python\tsp-atncolony\Python-Ant-Colony-TSP-Solver-master\
anttsp.py
[[0, 10, 30, 31, 20, 28, 44, 43], [10, 0, 22, 18, 40, 26, 37, 39], [30, 22, 0,
18, 26, 23, 50, 18], [31, 18, 18, 0, 15, 22, 42, 20], [20, 40, 26, 15, 0, 12,
10, 15], [28, 26, 23, 22, 12, 0, 16, 33], [44, 37, 50, 42, 10, 16, 0, 31], [43,
39, 18, 20, 15, 33, 31, 0]]
Average = 23
Tau0 = 0.0108695652174
iter counter = 1
starting ant = 0
Explorationstarting ant = 1
avg = 0.000526777941205starting ant = 2
p = 0.000905797101449starting ant = 3
p = 0.000679347826087starting ant = 4
Ant 0 : [5, 6], 16starting ant = 5
Explorationstarting ant = 6
avg = 0.000492452938105starting ant = 7
p = 0.00108695652174starting ant = 8
p = 0.000494071146245starting ant = 9
p = 0.0006038647343starting ant = 10
Ant 1 : [1, 3], 18starting ant = 11
Exploitationstarting ant = 12
Ant 2 : [0, 1], 10starting ant = 13
Exploitationstarting ant = 14
Ant 3 : [7, 4], 15starting ant = 15
Exploitationstarting ant = 16
Ant 4 : [6, 4], 10 starting ant = 17
Explorationstarting ant = 18
```

```
p = 0.00108695652174
Ant 0: [5, 6, 4], 26
Exploitation
Ant 5 : [3, 4], 15
Exploitation
Ant 6: [5, 4], 12
Exploration
avg = 0.00066790093964
p = 0.000724637681159
p = 0.000905797101449
p = 0.00108695652174
p = 0.000724637681159
Ant 7: [4, 7], 15
Exploration
avg = 0.000526777941205
p = 0.000905797101449
p = 0.000679347826087
Ant 8: [5, 6], 16
Exploration
avg = 0.000440497137633
p = 0.0006038647343
p = 0.00054347826087
p = 0.000724637681159
Ant 9: [7, 4], 15
Exploitation
Ant 10 : [1, 0], 10
Exploitation
Ant 1 : [1, 3, 4], 33
Exploitation
Ant 11: [5, 4], 12
Exploration
avg = 0.000440497137633
p = 0.0006038647343
p = 0.00054347826087
p = 0.000724637681159
Ant 12: [7, 4], 15
Exploitation
Ant 2 : [0, 1, 3], 28
Exploration
avg = 0.000440497137633
p = 0.0006038647343
p = 0.00054347826087
p = 0.000724637681159
Ant 13: [7, 4], 15
Exploration
avg = 0.000447704795155
p = 0.00108695652174
p = 0.000679347826087
Ant 14: [6, 5], 16
Exploration
avg = 0.000658444816054
p = 0.000724637681159
```

```
p = 0.000905797101449
p = 0.00108695652174
```

Ant 3: [7, 4, 6], 25

Exploitation

Ant 15 : [2, 3], 18

Exploitation

Ant 16: [6, 4], 10

Exploration

avg = 0.000598058342624

p = 0.000724637681159

p = 0.000905797101449

p = 0.000724637681159

Ant 4 : [6, 4, 7], 25

Exploration

avg = 0.000461628525224

p = 0.00108695652174

p = 0.00054347826087

Ant 17 : [0, 4], 20

Exploration

avg = 0.000440497137633

p = 0.0006038647343

p = 0.00054347826087

p = 0.000724637681159

Ant 18: [7, 4], 15

Exploration

avg = 0.000447704795155

p = 0.00108695652174

p = 0.000679347826087

Ant 19: [6, 5], 16

Exploitation

Ant 0: [5, 6, 4, 3], 41

Exploitation

Ant 5 : [3, 4, 6], 25

Exploitation

Ant 6: [5, 4, 6], 22

Exploration

avg = 0.000393140380379

p = 0.0006038647343

p = 0.00054347826087

Ant 7: [4, 7, 3], 35

Exploitation

Ant 8: [5, 6, 4], 26

Exploration

avg = 0.000658444816054

p = 0.000724637681159

p = 0.000905797101449

p = 0.00108695652174

Ant 9: [7, 4, 6], 25

Exploitation

Ant 10 : [1, 0, 4], 30

Exploitation

Ant 1: [1, 3, 4, 6], 43

Exploitation

Ant 11 : [5, 4, 6], 22

```
Exploration
avg = 0.000658444816054
p = 0.000724637681159
p = 0.000905797101449
p = 0.00108695652174
Ant 12: [7, 4, 6], 25
Exploitation
Ant 2 : [0, 1, 3, 4], 43
Exploitation
Ant 13 : [7, 4, 6], 25
Exploitation
Ant 14: [6, 5, 4], 28
Exploration
avg = 0.00033926918166
p = 0.000679347826087
Ant 3: [7, 4, 6, 5], 41
Exploitation
Ant 15 : [2, 3, 4], 33
Exploration
avg = 0.000598058342624
p = 0.000724637681159
p = 0.000905797101449
p = 0.000724637681159
Ant 16: [6, 4, 7], 25
Exploration
avg = 0.000401642229246
p = 0.0006038647343
p = 0.00054347826087
Ant 4: [6, 4, 7, 3], 45
Exploitation
Ant 17 : [0, 4, 6], 30
Exploration
avg = 0.000658444816054
p = 0.000724637681159
p = 0.000905797101449
p = 0.00108695652174
Ant 18: [7, 4, 6], 25
Exploration
avg = 0.000501349627059
p = 0.000905797101449
Ant 19 : [6, 5, 4], 28
Exploitation
Ant 0: [5, 6, 4, 3, 1], 59
Exploitation
Ant 5 : [3, 4, 6, 5], 41
Exploitation
Ant 6: [5, 4, 6, 7], 53
Exploitation
Ant 7: [4, 7, 3, 1], 53
Exploration
avg = 0.000536510590858
p = 0.00054347826087
p = 0.000724637681159
p = 0.000724637681159
```

```
Ant 8: [5, 6, 4, 7], 41
Exploitation
Ant 9: [7, 4, 6, 5], 41
Exploitation
Ant 10: [1, 0, 4, 6], 40
Exploitation
Ant 1: [1, 3, 4, 6, 5], 59
Exploitation
Ant 11 : [5, 4, 6, 7], 53
Exploitation
Ant 12: [7, 4, 6, 5], 41
Exploration
avg = 0.000783862876254
p = 0.000905797101449
p = 0.00108695652174
Ant 2 : [0, 1, 3, 4, 6], 53
Exploration
avg = 0.00033926918166
p = 0.000679347826087
Ant 13: [7, 4, 6, 5], 41
Exploitation
Ant 14: [6, 5, 4, 3], 43
Exploitation
Ant 3: [7, 4, 6, 5, 3], 63
Exploitation
Ant 15 : [2, 3, 4, 6], 43
Exploitation
Ant 16: [6, 4, 7, 2], 43
Exploration
avg = 0.000513107937722
p = 0.0006038647343
p = 0.0006038647343
Ant 4: [6, 4, 7, 3, 2], 63
Exploration
avg = 0.000359988294245
p = 0.000679347826087
Ant 17: [0, 4, 6, 5], 46
Exploitation
Ant 18: [7, 4, 6, 5], 41
Exploitation
Ant 19 : [6, 5, 4, 3], 43
Exploitation
Ant 0 : [5, 6, 4, 3, 1, 0], 69
Exploration
avg = 0.000402057378664
p = 0.000418060200669
p = 0.00047258979206
Ant 5 : [3, 4, 6, 5, 2], 64
Exploration
avg = 0.000419707595516
p = 0.0006038647343
p = 0.00054347826087
Ant 6: [5, 4, 6, 7, 3], 73
Exploration
```

```
avg = 0.000573214975389
p = 0.00108695652174
Ant 7: [4, 7, 3, 1, 0], 63
Exploitation
Ant 8: [5, 6, 4, 7, 2], 59
Exploitation
Ant 9: [7, 4, 6, 5, 3], 63
Exploitation
Ant 10: [1, 0, 4, 6, 5], 56
Exploration
avg = 0.000396723104663
p = 0.00047258979206
Ant 1 : [1, 3, 4, 6, 5, 2], 82
Exploration
avg = 0.000419707595516
p = 0.0006038647343
p = 0.00054347826087
Ant 11: [5, 4, 6, 7, 3], 73
Exploration
avg = 0.000443229974185
p = 0.00047258979206
p = 0.000494071146245
Ant 12 : [7, 4, 6, 5, 3], 63
Exploitation
Ant 2 : [0, 1, 3, 4, 6, 5], 69
Exploration
avg = 0.000443229974185
p = 0.00047258979206
p = 0.000494071146245
Ant 13 : [7, 4, 6, 5, 3], 63
Exploitation
Ant 14: [6, 5, 4, 3, 1], 61
Exploitation
Ant 3: [7, 4, 6, 5, 3, 1], 81
Exploration
avg = 0.000392696642039
p = 0.000679347826087
Ant 15 : [2, 3, 4, 6, 5], 59
Exploitation
Ant 16: [6, 4, 7, 2, 3], 61
Exploration
avg = 0.000442993259628
p = 0.000494071146245
p = 0.00047258979206
Ant 4: [6, 4, 7, 3, 2, 5], 86
Exploration
avg = 0.000428525475784
p = 0.00047258979206
p = 0.000494071146245
Ant 17: [0, 4, 6, 5, 3], 68
Exploitation
Ant 18: [7, 4, 6, 5, 3], 63
Exploitation
Ant 19: [6, 5, 4, 3, 1], 61
```

```
Exploration
avg = 0.000307549713515
p = 0.00036231884058
Ant 0: [5, 6, 4, 3, 1, 0, 2], 99
Exploration
avg = 0.000486751573708
p = 0.000494071146245
p = 0.0006038647343
Ant 5: [3, 4, 6, 5, 2, 7], 82
Exploitation
Ant 6: [5, 4, 6, 7, 3, 1], 91
Exploration
avg = 0.000332517723822
p = 0.00036231884058
p = 0.000388198757764
Ant 7: [4, 7, 3, 1, 0, 5], 91
Exploration
avg = 0.000486751573708
p = 0.000494071146245
p = 0.0006038647343
Ant 8: [5, 6, 4, 7, 2, 3], 77
Exploration
avg = 0.000519453534881
p = 0.0006038647343
p = 0.0006038647343
Ant 9: [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 10: [1, 0, 4, 6, 5, 3], 78
Exploitation
Ant 1: [1, 3, 4, 6, 5, 2, 7], 100
Exploration
avg = 0.000519453534881
p = 0.0006038647343
p = 0.0006038647343
Ant 11 : [5, 4, 6, 7, 3, 2], 91
Exploration
avg = 0.000519453534881
p = 0.0006038647343
p = 0.0006038647343
Ant 12 : [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 2 : [0, 1, 3, 4, 6, 5, 2], 92
Exploration
avg = 0.000519453534881
p = 0.0006038647343
p = 0.0006038647343
Ant 13 : [7, 4, 6, 5, 3, 2], 81
Exploration
avg = 0.000619911489477
p = 0.00108695652174
Ant 14 : [6, 5, 4, 3, 1, 0], 71
Exploration
avg = 0.000790513833992
p = 0.00108695652174
```

```
Ant 3: [7, 4, 6, 5, 3, 1, 0], 91
Exploration
avg = 0.000378546574199
p = 0.000388198757764
p = 0.000418060200669
Ant 15 : [2, 3, 4, 6, 5, 1], 85
Exploitation
Ant 16: [6, 4, 7, 2, 3, 1], 79
Exploitation
Ant 4: [6, 4, 7, 3, 2, 5, 1], 112
Exploitation
Ant 17: [0, 4, 6, 5, 3, 1], 86
Exploration
avg = 0.000519453534881
p = 0.0006038647343
p = 0.0006038647343
Ant 18: [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 19: [6, 5, 4, 3, 1, 0], 71
Exploitation
Ant 0: [5, 6, 4, 3, 1, 0, 2, 7], 117
Update called by OExploration
Ant thread 0 terminating.avg = 0.000265743693448
p = 0.000278706800446
Ant 5 : [3, 4, 6, 5, 2, 7, 1], 121
Exploration
avg = 0.000790513833992
p = 0.00108695652174
Ant 6 : [5, 4, 6, 7, 3, 1, 0], 101
Exploration
avg = 0.000575968809074
p = 0.000679347826087
Ant 7: [4, 7, 3, 1, 0, 5, 6], 107
Exploitation
Ant 8: [5, 6, 4, 7, 2, 3, 1], 95
Exploitation
Ant 9: [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.000573671497585
p = 0.0006038647343
Ant 10 : [1, 0, 4, 6, 5, 3, 2], 96
Exploitation
Ant 1: [1, 3, 4, 6, 5, 2, 7, 0], 143
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000428194993412
p = 0.000494071146245
Ant 11 : [5, 4, 6, 7, 3, 2, 1], 113
Exploration
avg = 0.000428194993412
p = 0.000494071146245
```

```
Ant 12: [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.0006038647343
Ant 2: [0, 1, 3, 4, 6, 5, 2, 7], 110
Update called by 2Exploitation
Ant thread 2 terminating. Ant 13: [7, 4, 6, 5, 3, 2, 1], 103
Exploitation
Ant 14: [6, 5, 4, 3, 1, 0, 2], 101
Exploration
avg = 0.00036231884058
Ant 3 : [7, 4, 6, 5, 3, 1, 0, 2], 121
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.000682831661093
p = 0.00108695652174
Ant 15 : [2, 3, 4, 6, 5, 1, 0], 95
Exploration
avg = 0.000752508361204
p = 0.00108695652174
Ant 16: [6, 4, 7, 2, 3, 1, 0], 89
Exploitation
Ant 4: [6, 4, 7, 3, 2, 5, 1, 0], 122
Update called by 4Exploration
Ant thread 4 terminating.avg = 0.000386388973345
p = 0.000494071146245
Ant 17 : [0, 4, 6, 5, 3, 1, 2], 108
Exploration
avg = 0.000428194993412
p = 0.000494071146245
Ant 18: [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.000307549713515
p = 0.00036231884058
Ant 19: [6, 5, 4, 3, 1, 0, 2], 101
Exploitation
Ant 5 : [3, 4, 6, 5, 2, 7, 1, 0], 131
ExplorationUpdate called by 5
avg = 0.00036231884058Ant thread 5 terminating.
Ant 6: [5, 4, 6, 7, 3, 1, 0, 2], 131
Update called by 6Exploitation
Ant thread 6 terminating. Ant 7: [4, 7, 3, 1, 0, 5, 6, 2], 157
Update called by 7Exploitation
Ant thread 7 terminating. Ant 8 : [5, 6, 4, 7, 2, 3, 1, 0], 105
```

Update called by 8Exploration

Ant thread 8 terminating.avg = 0.00108695652174

Ant 9: [7, 4, 6, 5, 3, 2, 1, 0], 113 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [1, 0, 4, 6, 5, 3, 2, 7], 114

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.00108695652174

Ant 11 : [5, 4, 6, 7, 3, 2, 1, 0], 123 Update called by 11Exploitation

Ant thread 11 terminating. Ant 12 : [7, 4, 6, 5, 3, 2, 1, 0], 113

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00108695652174

Ant 13 : [7, 4, 6, 5, 3, 2, 1, 0], 113 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.0006038647343

Ant 14: [6, 5, 4, 3, 1, 0, 2, 7], 119 Update called by 14Exploration

Ant thread 14 terminating.avg = 0.000252780586451

Ant 15 : [2, 3, 4, 6, 5, 1, 0, 7], 138 Update called by 15Exploration

Ant thread 15 terminating.avg = 0.000388198757764

Ant 16: [6, 4, 7, 2, 3, 1, 0, 5], 117 Update called by 16Exploration

Ant thread 16 terminating.avg = 0.0006038647343

Ant 17: [0, 4, 6, 5, 3, 1, 2, 7], 126 ExplorationUpdate called by 17

avg = 0.00108695652174Ant thread 17 terminating.

Ant 18: [7, 4, 6, 5, 3, 2, 1, 0], 113 Update called by 18Exploration

Ant thread 18 terminating.avg = 0.0006038647343

Ant 19: [6, 5, 4, 3, 1, 0, 2, 7], 119 Update called by 19

```
Ant thread 19 terminating.iter_counter = 2
starting ant = 0
Explorationstarting ant = 1
avg = 0.000474100147085starting ant = 2
p = 0.000815217391304starting ant = 3
p = 0.000611413043478starting ant = 4
Ant 0 : [5, 6], 16starting ant = 5
Exploitationstarting ant = 6
Ant 1 : [1, 0], 10starting ant = 7
Exploitationstarting ant = 8
Ant 2 : [0, 1], 10starting ant = 9
Explorationstarting ant = 10
avg = 0.00039644742387starting ant = 11
p = 0.00054347826087starting ant = 12
p = 0.000489130434783starting ant = 13
p = 0.000652173913043starting ant = 14
Ant 3 : [7, 4], 15starting ant = 15
Explorationstarting ant = 16
avg = 0.00040293431564starting ant = 17
p = 0.000978260869565starting ant = 18
p = 0.000611413043478starting ant = 19
Ant 4: [6, 5], 16
Exploration
avg = 0.000368187861
p = 0.000978260869565
Ant 0: [5, 6, 4], 26
Exploitation
Ant 5 : [3, 4], 15
Exploitation
Ant 6: [5, 4], 12
Exploration
avg = 0.000321666473225
p = 0.000326086956522
```

Best: [5, 6, 4, 7, 2, 3, 1, 0], 133, 1, 153

```
p = 0.000489130434783
p = 0.000349378881988
Ant 1 : [1, 0, 5], 38
Exploitation
Ant 7: [4, 6], 10
Exploitation
Ant 8 : [5, 4], 12
Exploration
avg = 0.000354032106749
p = 0.000444664031621
p = 0.00054347826087
p = 0.000376254180602
Ant 2 : [0, 1, 5], 36
Exploitation
Ant 9: [7, 4], 15
Exploration
avg = 0.000464492880797
p = 0.00108586956522
p = 0.00054347826087
Ant 10 : [1, 3], 18
Exploitation
Ant 11 : [5, 4], 12
Exploitation
Ant 12 : [7, 4], 15
Exploitation
Ant 13: [7, 4], 15
Exploration
avg = 0.000427914905702
p = 0.00108586956522
p = 0.000678668478261
Ant 14: [6, 5], 16
Exploration
avg = 0.000610535117057
p = 0.000652173913043
p = 0.000815217391304
p = 0.00108586956522
Ant 3: [7, 4, 6], 25
Exploitation
Ant 15 : [2, 3], 18
Exploitation
Ant 16 : [6, 4], 10
Exploitation
Ant 17 : [0, 1], 10
Exploration
avg = 0.00040679939064
p = 0.00054347826087
p = 0.000489130434783
p = 0.000724637680435
Ant 18: [7, 4], 15
Exploitation
Ant 19: [6, 4], 10
Exploration
avg = 0.000466311267614
```

p = 0.00090579701087

```
Ant 4: [6, 5, 4], 28
```

Exploitation

Ant 0: [5, 6, 4, 3], 41

Exploitation

Ant 5 : [3, 4, 6], 25

Exploration

avg = 0.000595498867057

p = 0.000723913043478

p = 0.00108695641304

p = 0.000652173913043

Ant 6: [5, 4, 7], 27

Exploitation

Ant 1 : [1, 0, 5, 4], 50

Exploration

avg = 0.000318367888174

p = 0.000679341032609

Ant 7: [4, 6, 5], 26

Exploration

avg = 0.000607455388796

p = 0.000723913043478

p = 0.00108695641304

p = 0.000723913043478

Ant 8: [5, 4, 7], 27

Exploration

avg = 0.000550180622385

p = 0.00090579710144

p = 0.000678668478261

Ant 2 : [0, 1, 5, 6], 52

Exploration

avg = 0.0006226727801

p = 0.000723913043478

p = 0.000815217391304

p = 0.00108695641304

Ant 9: [7, 4, 6], 25

Exploitation

Ant 10 : [1, 3, 4], 33

Exploitation

Ant 11 : [5, 4, 6], 22

Exploitation

Ant 12: [7, 4, 6], 25

Exploration

avg = 0.000622672798216

p = 0.000723913043478

p = 0.000815217391304

p = 0.00108695652174

Ant 13: [7, 4, 6], 25

Exploration

avg = 0.000466311282709

p = 0.00090579710144

Ant 14: [6, 5, 4], 28

Exploration

avg = 0.000318929206429

p = 0.000679347758152

Ant 3: [7, 4, 6, 5], 41

```
Exploitation
Ant 15 : [2, 3, 4], 33
Exploitation
Ant 16: [6, 4, 5], 22
Exploration
avg = 0.000370893868176
p = 0.000444664031621
p = 0.000603260869565
p = 0.000417642140468
Ant 17 : [0, 1, 5], 36
Exploitation
Ant 18: [7, 4, 6], 25
Exploration
avg = 0.000577230769231
p = 0.000723913043478
p = 0.000904891304348
p = 0.000724630434783
Ant 19: [6, 4, 7], 25
Exploitation
Ant 4:[6, 5, 4, 7], 43
Exploitation
Ant 0: [5, 6, 4, 3, 1], 59
Exploitation
Ant 5 : [3, 4, 6, 5], 41
Exploitation
Ant 6: [5, 4, 7, 2], 45
Exploration
avg = 0.000727940356564
p = 0.00108695652174
Ant 1: [1, 0, 5, 4, 6], 60
Exploration
avg = 0.000378414118962
p = 0.000425330812854
p = 0.000444664031621
Ant 7: [4, 6, 5, 3], 48
Exploitation
Ant 8: [5, 4, 7, 2], 45
Exploration
avg = 0.000457773966014
p = 0.00108695641304
Ant 2 : [0, 1, 5, 6, 4], 62
Exploration
avg = 0.000318929220015
p = 0.00067934782608
Ant 9: [7, 4, 6, 5], 41
Exploration
avg = 0.000716374024381
p = 0.000904891304348
p = 0.00108695652174
p = 0.000724637680435
Ant 10 : [1, 3, 4, 7], 48
Exploration
avg = 0.000246173259287
p = 0.000264394829612
```

```
p = 0.00031556802244
Ant 11 : [5, 4, 6, 7], 53
Exploitation
Ant 12: [7, 4, 6, 5], 41
Exploration
avg = 0.000318929220016
p = 0.000679347826087
Ant 13 : [7, 4, 6, 5], 41
Exploration
avg = 0.000511700111481
p = 0.000723913043478
p = 0.000724637681152
Ant 14: [6, 5, 4, 7], 43
Exploitation
Ant 3: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000690036231884
p = 0.000904891304348
p = 0.00108695652174
p = 0.000724637681159
Ant 15 : [2, 3, 4, 7], 48
Exploration
avg = 0.000388294553745
p = 0.000425330812854
p = 0.000494066205534
Ant 16: [6, 4, 5, 3], 44
Exploitation
Ant 17 : [0, 1, 5, 4], 48
Exploration
avg = 0.000318929220016
p = 0.000679347826087
Ant 18: [7, 4, 6, 5], 41
Exploitation
Ant 19: [6, 4, 7, 2], 43
Exploration
avg = 0.000392833439226
p = 0.000603864673913
p = 0.000489130434783
Ant 4: [6, 5, 4, 7, 3], 63
Exploitation
Ant 0: [5, 6, 4, 3, 1, 0], 69
Exploitation
Ant 5: [3, 4, 6, 5, 2], 64
Exploitation
Ant 6: [5, 4, 7, 2, 3], 63
Exploration
avg = 0.00025961731116
p = 0.000350280504909
Ant 1: [1, 0, 5, 4, 6, 7], 91
Exploration
avg = 0.000487859396914
p = 0.000603260869565
p = 0.00054347826087
p = 0.000489130434783
```

```
Ant 7: [4, 6, 5, 3, 7], 68
Exploration
avg = 0.000392565464427
p = 0.000444664031621
p = 0.000603858695652
Ant 8 : [5, 4, 7, 2, 3], 63
Exploitation
Ant 2: [0, 1, 5, 6, 4, 7], 77
Exploitation
Ant 9: [7, 4, 6, 5, 3], 63
Exploitation
Ant 10: [1, 3, 4, 7, 2], 66
Exploration
avg = 0.000406284541128
p = 0.000603864733696
p = 0.000542934782609
Ant 11 : [5, 4, 6, 7, 3], 73
Exploration
avg = 0.000422955352652
p = 0.000472117202268
p = 0.000494071145751
Ant 12: [7, 4, 6, 5, 3], 63
Exploitation
Ant 13 : [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000406419051997
p = 0.000603864733696
p = 0.000543472826087
Ant 14: [6, 5, 4, 7, 3], 63
Exploration
avg = 0.000487435717625
p = 0.000603260869565
p = 0.00054347826087
Ant 3: [7, 4, 6, 5, 3, 2], 81
Exploration
avg = 0.000272587339599
p = 0.000296442687747
p = 0.00031556802244
Ant 15 : [2, 3, 4, 7, 6], 79
Exploration
avg = 0.000516256136045
p = 0.000603260869565
p = 0.000603260869565
p = 0.000542934782609
Ant 16: [6, 4, 5, 3, 7], 64
Exploitation
Ant 17 : [0, 1, 5, 4, 6], 58
Exploration
avg = 0.000422955352776
p = 0.000472117202268
p = 0.000494071146245
Ant 18: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000449986618727
```

```
p = 0.000603864673913
Ant 19 : [6, 4, 7, 2, 3], 61
Exploration
avg = 0.000507363253857
p = 0.000603260869565
p = 0.000603260869565
Ant 4: [6, 5, 4, 7, 3, 2], 81
Exploitation
Ant 0: [5, 6, 4, 3, 1, 0, 2], 99
Exploitation
Ant 5: [3, 4, 6, 5, 2, 7], 82
Exploration
avg = 0.000383916048888
p = 0.000603260869565
Ant 6: [5, 4, 7, 2, 3, 1], 81
Exploitation
Ant 1 : [1, 0, 5, 4, 6, 7, 2], 109
Exploration
avg = 0.000360734460834
p = 0.000603864734293
Ant 7: [4, 6, 5, 3, 7, 2], 86
Exploration
avg = 0.00038411532425
p = 0.000603858695652
Ant 8 : [5, 4, 7, 2, 3, 1], 81
Exploration
avg = 0.000573671470411
p = 0.000603864734299
Ant 2: [0, 1, 5, 6, 4, 7, 2], 95
Exploration
avg = 0.000507763797335
p = 0.000603864673913
p = 0.000603858695652
Ant 9: [7, 4, 6, 5, 3, 2], 81
Exploration
avg = 0.000315689981096
p = 0.000326086956522
p = 0.000425330812854
Ant 10: [1, 3, 4, 7, 2, 5], 89
Exploitation
Ant 11 : [5, 4, 6, 7, 3, 1], 91
Exploration
avg = 0.000507765810016
p = 0.000603864733696
p = 0.000603864673913
Ant 12: [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 13 : [7, 4, 6, 5, 3, 1], 81
Exploration
avg = 0.000507765830143
p = 0.000603864734293
p = 0.000603864733696
Ant 14: [6, 5, 4, 7, 3, 2], 81
Exploration
```

```
avg = 0.000385375494071
p = 0.000444664031621
Ant 3: [7, 4, 6, 5, 3, 2, 1], 103
Exploitation
Ant 15 : [2, 3, 4, 7, 6, 5], 95
Exploration
avg = 0.000360734460836
p = 0.0006038647343
Ant 16: [6, 4, 5, 3, 7, 2], 82
Exploitation
Ant 17: [0, 1, 5, 4, 6, 7], 89
Exploitation
Ant 18: [7, 4, 6, 5, 3, 1], 81
Exploitation
Ant 19: [6, 4, 7, 2, 3, 1], 79
Exploration
avg = 0.00040983201581
p = 0.000493577075099
Ant 4: [6, 5, 4, 7, 3, 2, 1], 103
Exploration
avg = 0.000603260869565
Ant 0: [5, 6, 4, 3, 1, 0, 2, 7], 117
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 5 : [3, 4, 6, 5, 2, 7, 1], 121
Exploration
avg = 0.000675670240893
p = 0.00108694565217
Ant 6: [5, 4, 7, 2, 3, 1, 0], 91
Exploration
avg = 0.000603864733696
Ant 1 : [1, 0, 5, 4, 6, 7, 2, 3], 127
Update called by 1Exploitation
Ant thread 1 terminating. Ant 7: [4, 6, 5, 3, 7, 2, 1], 108
Exploitation
Ant 8: [5, 4, 7, 2, 3, 1, 0], 91
Exploitation
Ant 2 : [0, 1, 5, 6, 4, 7, 2, 3], 113
Update called by 2Exploitation
Ant thread 2 terminating. Ant 9: [7, 4, 6, 5, 3, 2, 1], 103
Exploitation
Ant 10 : [1, 3, 4, 7, 2, 5, 6], 105
Exploration
avg = 0.000765810276136
p = 0.00108695652065
Ant 11 : [5, 4, 6, 7, 3, 1, 0], 101
Exploitation
Ant 12 : [7, 4, 6, 5, 3, 2, 1], 103
Exploitation
```

```
Ant 13 : [7, 4, 6, 5, 3, 1, 0], 91
Exploitation
Ant 14 : [6, 5, 4, 7, 3, 2, 1], 103
Exploration
avg = 0.00108695652174
Ant 3: [7, 4, 6, 5, 3, 2, 1, 0], 113
Update called by 3Exploitation
Ant thread 3 terminating. Ant 15 : [2, 3, 4, 7, 6, 5, 1], 121
Exploration
avg = 0.000410079051383
p = 0.000494071146245
Ant 16: [6, 4, 5, 3, 7, 2, 1], 104
Exploitation
Ant 17: [0, 1, 5, 4, 6, 7, 2], 107
Exploitation
Ant 18: [7, 4, 6, 5, 3, 1, 0], 91
Exploitation
Ant 19 : [6, 4, 7, 2, 3, 1, 0], 89
Exploration
avg = 0.00108695652174
Ant 4: [6, 5, 4, 7, 3, 2, 1, 0], 113
Update called by 4Exploration
Ant thread 4 terminating.avg = 0.00108695652174
Ant 5 : [3, 4, 6, 5, 2, 7, 1, 0], 131
Update called by 5Exploitation
Ant thread 5 terminating. Ant 6 : [5, 4, 7, 2, 3, 1, 0, 6], 135
Update called by 6Exploitation
Ant thread 6 terminating. Ant 7 : [4, 6, 5, 3, 7, 2, 1, 0], 118
Update called by 7Exploration
Ant thread 7 terminating.avg = 0.000246788537549
Ant 8: [5, 4, 7, 2, 3, 1, 0, 6], 135
Update called by 8Exploration
Ant thread 8 terminating.avg = 0.00108695652174
Ant 9: [7, 4, 6, 5, 3, 2, 1, 0], 113
Update called by 9Exploitation
```

Update called by 10Exploitation

Ant thread 10 terminating.Ant 11: [5, 4, 6, 7, 3, 1, 0, 2], 131

Ant thread 9 terminating. Ant 10: [1, 3, 4, 7, 2, 5, 6, 0], 149

```
Update called by 11Exploitation
```

Ant thread 11 terminating. Ant 12: [7, 4, 6, 5, 3, 2, 1, 0], 113

Update called by 12Exploitation

Ant thread 12 terminating. Ant 13: [7, 4, 6, 5, 3, 1, 0, 2], 121

Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [6, 5, 4, 7, 3, 2, 1, 0], 113

Update called by 14Exploitation

Ant thread 14 terminating. Ant 15 : [2, 3, 4, 7, 6, 5, 1, 0], 131

ExplorationUpdate called by 15

avg = 0.00108695652174Ant thread 15 terminating.

Ant 16: [6, 4, 5, 3, 7, 2, 1, 0], 114 Update called by 16Exploitation

Ant thread 16 terminating. Ant 17: [0, 1, 5, 4, 6, 7, 2, 3], 125

Update called by 17Exploration

Ant thread 17 terminating.avg = 0.000362318804348

Ant 18: [7, 4, 6, 5, 3, 1, 0, 2], 121 Update called by 18Exploration

Ant thread 18 terminating.avg = 0.000387810559006

Ant 19: [6, 4, 7, 2, 3, 1, 0, 5], 117

Update called by 19

Best: [5, 6, 4, 7, 2, 3, 1, 0], 133, 2, 151 Ant thread 19 terminating.iter_counter = 3

starting ant = 0

Explorationstarting ant = 1

avg = 0.000464759603784starting ant = 2

p = 0.000815217391304starting ant = 3

p = 0.000611412982337starting ant = 4

Ant 0 : [5, 6], 16starting ant = 5

Explorationstarting ant = 6

avg = 0.000425922892765starting ant = 7

```
p = 0.000978260869565starting ant = 8
p = 0.000542934782609starting ant = 9
Ant 1 : [1, 3], 18starting ant = 10
Explorationstarting ant = 11
avg = 0.000400717730052starting ant = 12
p = 0.000978251086957starting ant = 13
p = 0.000440217391304starting ant = 14
Ant 2 : [0, 4], 20starting ant = 15
Exploitationstarting ant = 16
Ant 3 : [7, 4], 15starting ant = 17
Exploitationstarting ant = 18
Ant 4 : [6, 4], 10 starting ant = 19
Exploitation
Ant 0: [5, 6, 4], 26
Exploitation
Ant 5 : [3, 4], 15
Exploitation
Ant 6: [5, 4], 12
Exploitation
Ant 7: [4, 6], 10
Exploitation
Ant 8: [5, 4], 12
Exploitation
Ant 9 : [7, 4], 15
Exploitation
Ant 1 : [1, 3, 4], 33
Exploitation
Ant 10 : [1, 0], 10
Exploitation
Ant 11 : [5, 4], 12
Exploitation
Ant 12: [7, 4], 15
Exploitation
Ant 13: [7, 4], 15
Exploration
avg = 0.000408529428956
p = 0.00108694565217
p = 0.000611413043478
Ant 14: [6, 5], 16
Exploration
avg = 0.000627117474916
p = 0.00065152173913
```

```
p = 0.000814402173913
```

- p = 0.00108586956522
- p = 0.000652173913043
- Ant 2 : [0, 4, 7], 35

Exploration

- avg = 0.000394959225793
- p = 0.000444664031621
- p = 0.00054347826087
- p = 0.000424905482042
- p = 0.000543472826087
- Ant 15 : [2, 7], 18

Exploration

- avg = 0.000418137348211
- p = 0.00108694565217
- p = 0.000678668478261
- Ant 16: [6, 5], 16

Exploration

- avg = 0.00059179138796
- p = 0.00065152173913
- p = 0.000814402173913
- p = 0.00108586956522
- Ant 3: [7, 4, 6], 25

Exploration

- avg = 0.00041532176732
- p = 0.000978251086957
- p = 0.000542445652174
- Ant 17: [0, 4], 20

Exploration

- avg = 0.000399233537124
- p = 0.00054347826087
- p = 0.00048913038587
- p = 0.000724637680435
- Ant 18: [7, 4], 15

Exploitation

- Ant 4: [6, 4, 5], 22
- Exploitation
- Ant 19: [6, 4], 10

Exploration

- avg = 0.000474877926421
- p = 0.00065152173913
- p = 0.000723913043478
- Ant 0: [5, 6, 4, 7], 41

Exploration

- avg = 0.000619235681438
- p = 0.000904883152174
- p = 0.00108694565217
- p = 0.000724630434783
- Ant 5 : [3, 4, 7], 30

Exploitation

Ant 6: [5, 4, 6], 22

Exploitation

Ant 7: [4, 6, 5], 26

Exploration

avg = 0.000577011768395

```
p = 0.00065152173913
```

- p = 0.00108695641304
- p = 0.000724637608696
- Ant 8: [5, 4, 7], 27
- Exploration
- avg = 0.000607052692308
- p = 0.00065152173913
- p = 0.000904883152174
- p = 0.00108695641304
- Ant 9: [7, 4, 6], 25
- Exploration
- avg = 0.000699064701421
- p = 0.000904883152174
- p = 0.00108695652065
- p = 0.000724637680435
- Ant 1: [1, 3, 4, 7], 48
- Exploitation
- Ant 10: [1, 0, 4], 30
- Exploitation
- Ant 11 : [5, 4, 6], 22
- Exploration
- avg = 0.000607052710422
- p = 0.00065152173913
- p = 0.000904883152174
- p = 0.00108695652173
- Ant 12: [7, 4, 6], 25
- Exploration
- avg = 0.000607052710424
- p = 0.00065152173913
- p = 0.000904883152174
- p = 0.00108695652174
- Ant 13: [7, 4, 6], 25
- Exploitation
- Ant 14: [6, 5, 4], 28
- Exploitation
- Ant 2 : [0, 4, 7, 2], 53
- Exploitation
- Ant 15 : [2, 7, 4], 33
- Exploration
- avg = 0.000455413992231
- p = 0.000905797100543
- Ant 16: [6, 5, 4], 28
- Exploitation
- Ant 3: [7, 4, 6, 5], 41
- Exploitation
- Ant 17: [0, 4, 6], 30
- Exploration
- avg = 0.000607052710424
- p = 0.00065152173913
- p = 0.000904883152174
- p = 0.00108695652174
- Ant 18: [7, 4, 6], 25
- Exploration
- avg = 0.000365337370569

```
p = 0.000375877926421
```

- p = 0.000424905482042
- p = 0.000444664031621
- Ant 4: [6, 4, 5, 3], 44
- Exploitation
- Ant 19: [6, 4, 5], 22
- Exploration
- avg = 0.000386932203685
- p = 0.000603260869565
- p = 0.00048913038587
- Ant 0: [5, 6, 4, 7, 3], 61
- Exploitation
- Ant 5 : [3, 4, 7, 2], 48
- Exploitation
- Ant 6: [5, 4, 6, 7], 53
- Exploitation
- Ant 7: [4, 6, 5, 3], 48
- Exploration
- avg = 0.000383476698299
- p = 0.000603858695652
- p = 0.00054293478212
- Ant 8: [5, 4, 7, 3], 47
- Exploration
- avg = 0.000305025428313
- p = 0.000679347825408
- Ant 9: [7, 4, 6, 5], 41
- Exploitation
- Ant 1 : [1, 3, 4, 7, 2], 66
- Exploitation
- Ant 10 : [1, 0, 4, 6], 40
- Exploitation
- Ant 11: [5, 4, 6, 7], 53
- Exploration
- avg = 0.000305025428448
- p = 0.00067934782608
- Ant 12 : [7, 4, 6, 5], 41
- Exploration
- avg = 0.000305025428449
- p = 0.000679347826087
- Ant 13 : [7, 4, 6, 5], 41
- Exploitation
- Ant 14: [6, 5, 4, 7], 43
- Exploitation
- Ant 2 : [0, 4, 7, 2, 3], 71
- Exploration
- avg = 0.000660918461957
- p = 0.000905787961957
- p = 0.00108695652174
- Ant 15 : [2, 7, 4, 6], 43
- Exploration
- avg = 0.000475022853958
- p = 0.00065152173913
- p = 0.000724637681159
- Ant 16: [6, 5, 4, 7], 43

```
Exploration
avg = 0.000402322651946
p = 0.000424905482042
p = 0.000494066205534
Ant 3: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000330729017637
p = 0.000679347826087
p = 0.00035062762973
Ant 17 : [0, 4, 6, 7], 61
Exploration
avg = 0.000305025428449
p = 0.000679347826087
Ant 18: [7, 4, 6, 5], 41
Exploration
avg = 0.000465023321352
p = 0.00054347826087
p = 0.000543478260864
p = 0.000489125543478
Ant 4: [6, 4, 5, 3, 7], 64
Exploration
avg = 0.000375218783612
p = 0.000375877926421
p = 0.000424905482042
p = 0.000494071096838
Ant 19 : [6, 4, 5, 3], 44
Exploration
avg = 0.00045698924731
p = 0.00054347826087
p = 0.000543478260864
Ant 0: [5, 6, 4, 7, 3, 2], 79
Exploitation
Ant 5: [3, 4, 7, 2, 1], 70
Exploration
avg = 0.000400668764825
p = 0.000603864673913
p = 0.000543472826082
Ant 6: [5, 4, 6, 7, 3], 73
Exploitation
Ant 7: [4, 6, 5, 3, 2], 66
Exploitation
Ant 8: [5, 4, 7, 3, 2], 65
Exploration
avg = 0.000402323887001
p = 0.000424905482042
p = 0.000494071145751
Ant 9: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000298156899811
p = 0.000424905482042
Ant 1: [1, 3, 4, 7, 2, 5], 89
Exploitation
Ant 10 : [1, 0, 4, 6, 5], 56
Exploitation
```

```
Ant 11 : [5, 4, 6, 7, 2], 71
Exploitation
Ant 12: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000402323887124
p = 0.000424905482042
p = 0.000494071146245
Ant 13: [7, 4, 6, 5, 3], 63
Exploitation
Ant 14: [6, 5, 4, 7, 2], 61
Exploitation
Ant 2 : [0, 4, 7, 2, 3, 1], 89
Exploration
avg = 0.000337260046431
p = 0.000679347826087
Ant 15 : [2, 7, 4, 6, 5], 59
Exploration
avg = 0.00040067012503
p = 0.000603864734293
p = 0.000543478206522
Ant 16: [6, 5, 4, 7, 3], 63
Exploration
avg = 0.000497045587892
p = 0.000603260869565
p = 0.000603864673913
Ant 3: [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 17: [0, 4, 6, 7, 2], 79
Exploitation
Ant 18: [7, 4, 6, 5, 3], 63
Exploitation
Ant 4: [6, 4, 5, 3, 7, 2], 82
Exploitation
Ant 19: [6, 4, 5, 3, 2], 62
Exploration
avg = 0.000393527667984
p = 0.000493577075099
Ant 0 : [5, 6, 4, 7, 3, 2, 1], 101
Exploration
avg = 0.000566691776643
p = 0.00108586956522
Ant 5 : [3, 4, 7, 2, 1, 0], 80
Exploration
avg = 0.000497045608018
p = 0.000603260869565
p = 0.000603864734293
Ant 6: [5, 4, 6, 7, 3, 2], 91
Exploration
avg = 0.00046360176054
p = 0.000494066205534
p = 0.000603260815217
Ant 7: [4, 6, 5, 3, 2, 7], 84
Exploration
avg = 0.000321210474308
```

```
p = 0.000494066205534
Ant 8: [5, 4, 7, 3, 2, 1], 87
Exploitation
Ant 9: [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 1 : [1, 3, 4, 7, 2, 5, 6], 105
Exploration
avg = 0.000395258349086
p = 0.000424905482042
p = 0.000494071146245
Ant 10: [1, 0, 4, 6, 5, 3], 78
Exploration
avg = 0.000463603409091
p = 0.000494071096838
p = 0.000603260869565
Ant 11: [5, 4, 6, 7, 2, 3], 89
Exploitation
Ant 12: [7, 4, 6, 5, 3, 2], 81
Exploration
avg = 0.00049704560802
p = 0.000603260869565
p = 0.0006038647343
Ant 13 : [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 14: [6, 5, 4, 7, 2, 3], 79
Exploitation
Ant 2 : [0, 4, 7, 2, 3, 1, 5], 115
Exploration
avg = 0.000394796688818
p = 0.000494071146245
Ant 15 : [2, 7, 4, 6, 5, 3], 81
Exploration
avg = 0.00049704560802
p = 0.000603260869565
p = 0.0006038647343
Ant 16 : [6, 5, 4, 7, 3, 2], 81
Exploration
avg = 0.000393774678854
p = 0.000494071096838
Ant 3: [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.000523349589541
p = 0.000603864673913
Ant 17 : [0, 4, 6, 7, 2, 3], 97
Exploration
avg = 0.00049704560802
p = 0.000603260869565
p = 0.0006038647343
Ant 18: [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 4: [6, 4, 5, 3, 7, 2, 1], 104
Exploration
avg = 0.000463802700739
p = 0.00049407114624
```

```
p = 0.000603858695109
Ant 19: [6, 4, 5, 3, 2, 7], 80
Exploitation
Ant 0: [5, 6, 4, 7, 3, 2, 1, 0], 111
Update called by <code>OExploration</code>
Ant thread 0 terminating.avg = 0.000285852590344
p = 0.000349375388199
Ant 5 : [3, 4, 7, 2, 1, 0, 5], 108
Exploration
avg = 0.000393774703555
p = 0.00049407114624
Ant 6: [5, 4, 6, 7, 3, 2, 1], 113
Exploitation
Ant 7: [4, 6, 5, 3, 2, 7, 1], 123
Exploration
avg = 0.000662455879847
p = 0.00108695641304
Ant 8: [5, 4, 7, 3, 2, 1, 0], 97
Exploitation
Ant 9: [7, 4, 6, 5, 3, 2, 1], 103
Exploitation
Ant 1: [1, 3, 4, 7, 2, 5, 6, 0], 149
Update called by 1Exploitation
Ant thread 1 terminating. Ant 10 : [1, 0, 4, 6, 5, 3, 2], 96
Exploration
avg = 0.000443636044881
p = 0.000603260869565
Ant 11: [5, 4, 6, 7, 2, 3, 1], 107
Exploitation
Ant 12: [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.000393774703557
p = 0.000494071146245
Ant 13: [7, 4, 6, 5, 3, 2, 1], 103
Exploitation
Ant 14: [6, 5, 4, 7, 2, 3, 1], 97
Exploration
avg = 0.000679341032603
Ant 2 : [0, 4, 7, 2, 3, 1, 5, 6], 131
Update called by 2Exploitation
Ant thread 2 terminating. Ant 15: [2, 7, 4, 6, 5, 3, 1], 99
Exploitation
Ant 16: [6, 5, 4, 7, 3, 2, 1], 103
Exploration
avg = 0.00108695652065
Ant 3 : [7, 4, 6, 5, 3, 2, 1, 0], 113
Update called by 3Exploitation
```

Ant thread 3 terminating. Ant 17: [0, 4, 6, 7, 2, 3, 1], 115

Exploitation

Ant 18: [7, 4, 6, 5, 3, 2, 1], 103

Exploration

avg = 0.00108695652173

Ant 4: [6, 4, 5, 3, 7, 2, 1, 0], 114

Update called by 4Exploration

Ant thread 4 terminating.avg = 0.000241588930155

p = 0.000278425585284

Ant 19: [6, 4, 5, 3, 2, 7, 1], 119

Exploitation

Ant 5: [3, 4, 7, 2, 1, 0, 5, 6], 124

Update called by 5Exploration

Ant thread 5 terminating.avg = 0.00108695652174

Ant 6 : [5, 4, 6, 7, 3, 2, 1, 0], 123

Update called by 6Exploitation

Ant thread 6 terminating. Ant 7 : [4, 6, 5, 3, 2, 7, 1, 0], 133

Update called by 7Exploration

Ant thread 7 terminating.avg = 0.00022232979249

Ant 8 : [5, 4, 7, 3, 2, 1, 0, 6], 141

Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [7, 4, 6, 5, 3, 2, 1, 0], 113

Update called by 9Exploration

Ant thread 9 terminating.avg = 0.000603864673908

Ant 10: [1, 0, 4, 6, 5, 3, 2, 7], 114

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11 : [5, 4, 6, 7, 2, 3, 1, 0], 117

ExplorationUpdate called by 11

avg = 0.00108695652174Ant thread 11 terminating.

Ant 12: [7, 4, 6, 5, 3, 2, 1, 0], 113

Update called by 12Exploitation

Ant thread 12 terminating. Ant 13: [7, 4, 6, 5, 3, 2, 1, 0], 113

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00108695652174

```
Ant 14: [6, 5, 4, 7, 2, 3, 1, 0], 107
Update called by 14Exploitation
Ant thread 14 terminating.Ant 15: [2, 7, 4, 6, 5, 3, 1, 0], 109
```

Update called by 15Exploitation

Ant thread 15 terminating. Ant 16: [6, 5, 4, 7, 3, 2, 1, 0], 113

Update called by 16Exploration

Ant thread 16 terminating.avg = 0.000417642102843

Ant 17 : [0, 4, 6, 7, 2, 3, 1, 5], 141 Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [7, 4, 6, 5, 3, 2, 1, 0], 113

Update called by 18Exploitation

Ant thread 18 terminating. Ant 19: [6, 4, 5, 3, 2, 7, 1, 0], 129

Update called by 19
Best: [5, 6, 4, 7, 2, 3, 1, 0], 133, 3, 156
Ant thread 19 terminating.iter_counter = 4

starting ant = 0
Exploitationstarting ant = 1

Ant 0 : [5, 4], 12 starting ant = 2

Exploitationstarting ant = 3

Ant 1 : [1, 0], 10starting ant = 4

Exploitationstarting ant = 5

Ant 0: [5, 4, 6], 22starting ant = 6

Explorationstarting ant = 7

avg = 0.000382008694547starting ant = 8

p = 0.000880425978261starting ant = 9

p = 0.000489130341848starting ant = 10

Ant 2 : [0, 4], 20starting ant = 11

Explorationstarting ant = 12

avg = 0.000377677004464starting ant = 13

```
p = 0.00054347826087starting ant = 14
p = 0.000489130434293starting ant = 15
p = 0.000652173913043starting ant = 16
Ant 3: [7, 4], 15starting ant = 17
Explorationstarting ant = 18
avg = 0.0003079065539starting ant = 19
p = 0.000542934781679
p = 0.000349029471661
Ant 1: [1, 0, 5], 38
Exploration
avg = 0.000384093165434
p = 0.000978260771739
p = 0.000611413043478
Ant 4: [6, 5], 16
Exploitation
Ant 5 : [3, 4], 15
Exploitation
Ant 0: [5, 4, 6, 7], 53
Exploration
avg = 0.000457826988277
p = 0.000904891304348
p = 0.000611413042867
Ant 6 : [5, 6], 16
Exploitation
Ant 7: [4, 6], 10
Exploration
avg = 0.000467434907618
p = 0.000904891304348
p = 0.000678668478255
Ant 8 : [5, 6], 16
Exploration
avg = 0.000387925451669
p = 0.00054347826087
p = 0.000489130434293
p = 0.000723913043478
Ant 9: [7, 4], 15
Exploitation
Ant 10 : [1, 0], 10
Exploitation
Ant 2: [0, 4, 6], 30
Exploitation
Ant 11 : [5, 4], 12
Exploration
avg = 0.000388027936141
p = 0.00054347826087
p = 0.000489130434293
p = 0.000724630434783
Ant 12 : [7, 4], 15
```

```
Exploitation
Ant 13 : [7, 4], 15
Exploration
avg = 0.000398660015218
p = 0.000978260771739
p = 0.000678668478261
Ant 14: [6, 5], 16
Exploration
avg = 0.000383413826897
p = 0.000444664031621
p = 0.000543478260326
p = 0.000424901654064
p = 0.000543478260326
Ant 15 : [2, 7], 18
Exploration
avg = 0.000398756094411
p = 0.000978260771739
p = 0.000679341032609
Ant 16: [6, 5], 16
Exploitation
Ant 3: [7, 4, 6], 25
Exploration
avg = 0.000395234699272
p = 0.000880425978261
p = 0.000542934781679
Ant 17: [0, 4], 20
Exploitation
Ant 18: [7, 4], 15
Exploration
avg = 0.000398757055203
p = 0.000978260771739
p = 0.000679347758152
Ant 19: [6, 5], 16
Exploitation
Ant 1: [1, 0, 5, 4], 50
Exploitation
Ant 4: [6, 5, 4], 28
Exploitation
Ant 5: [3, 4, 6], 25
Exploration
avg = 0.000366929833038
p = 0.00054347826087
p = 0.000489130434293
Ant 0: [5, 4, 6, 7, 3], 73
Exploitation
Ant 6: [5, 6, 4], 26
Exploitation
Ant 7: [4, 6, 5], 26
Exploitation
Ant 8: [5, 6, 4], 26
Exploration
avg = 0.000564599102876
p = 0.000586369565217
p = 0.000815209165761
```

```
p = 0.00108695652173
Ant 9: [7, 4, 6], 25
Exploration
avg = 0.000314459160173
p = 0.000543472826078
p = 0.000387807064903
Ant 10 : [1, 0, 5], 38
Exploitation
Ant 2 : [0, 4, 6, 5], 46
Exploration
avg = 0.000537426560758
p = 0.000586369565217
p = 0.00108695652174
p = 0.000652173913043
Ant 11: [5, 4, 7], 27
Exploration
avg = 0.000564599102878
p = 0.000586369565217
p = 0.000815209165761
p = 0.00108695652174
Ant 12: [7, 4, 6], 25
Exploitation
Ant 13: [7, 4, 6], 25
Exploitation
Ant 14: [6, 5, 4], 28
Exploration
avg = 0.000371088147799
p = 0.000542934782604
p = 0.000724637681152
Ant 15 : [2, 7, 4], 33
Exploitation
Ant 16: [6, 5, 4], 28
Exploration
avg = 0.000292551635604
p = 0.000679347826087
Ant 3: [7, 4, 6, 5], 41
Exploration
avg = 0.000619218668095
p = 0.000815209165761
p = 0.00108695652174
p = 0.000723913043478
Ant 17 : [0, 4, 7], 35
Exploitation
Ant 18: [7, 4, 6], 25
Exploitation
Ant 19: [6, 5, 4], 28
Exploration
avg = 0.000675680602007
p = 0.00108695652174
p = 0.000724630434783
Ant 1: [1, 0, 5, 4, 7], 65
Exploration
avg = 0.000442013307692
p = 0.000586369565217
```

```
p = 0.000724637608696
Ant 4:[6, 5, 4, 7], 43
Exploitation
Ant 5: [3, 4, 6, 5], 41
Exploration
avg = 0.000447522206637
p = 0.000543478260864
p = 0.00054347826087
Ant 0: [5, 4, 6, 7, 3, 2], 91
Exploitation
Ant 6: [5, 6, 4, 7], 41
Exploration
avg = 0.000337696914144
p = 0.000338290133779
p = 0.000382414933837
p = 0.000444664031621
Ant 7: [4, 6, 5, 3], 48
Exploitation
Ant 8: [5, 6, 4, 7], 41
Exploitation
Ant 9: [7, 4, 6, 5], 41
Exploration
avg = 0.000540249744014
p = 0.000905797101449
p = 0.000679341032609
Ant 10 : [1, 0, 5, 6], 54
Exploration
avg = 0.000363600179948
p = 0.000382414933837
p = 0.000493577075099
Ant 2: [0, 4, 6, 5, 3], 68
Exploitation
Ant 11: [5, 4, 7, 2], 45
Exploitation
Ant 12: [7, 4, 6, 5], 41
Exploration
avg = 0.000292551635604
p = 0.000679347826087
Ant 13: [7, 4, 6, 5], 41
Exploration
avg = 0.000442013322185
p = 0.000586369565217
p = 0.000724637681159
Ant 14: [6, 5, 4, 7], 43
Exploration
avg = 0.000616565746196
p = 0.000815209165761
p = 0.00108695652174
Ant 15 : [2, 7, 4, 6], 43
Exploration
avg = 0.000442013322185
p = 0.000586369565217
p = 0.000724637681159
Ant 16: [6, 5, 4, 7], 43
```

```
Exploitation
Ant 3: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000384175005537
p = 0.000603260869565
p = 0.000542934782604
Ant 17: [0, 4, 7, 3], 55
Exploitation
Ant 18: [7, 4, 6, 5], 41
Exploitation
Ant 19: [6, 5, 4, 7], 43
Exploration
avg = 0.000476820301543
p = 0.000603260869565
p = 0.000543472826087
Ant 1: [1, 0, 5, 4, 7, 3], 85
Exploration
avg = 0.000395462428269
p = 0.000603260869565
p = 0.000543478206522
Ant 4: [6, 5, 4, 7, 3], 63
Exploitation
Ant 5: [3, 4, 6, 5, 2], 64
Exploitation
Ant 0: [5, 4, 6, 7, 3, 2, 1], 113
Exploitation
Ant 6: [5, 6, 4, 7, 2], 59
Exploration
avg = 0.000472747622233
p = 0.000543478260864
p = 0.000603260869565
p = 0.000488641260326
Ant 7: [4, 6, 5, 3, 7], 68
Exploitation
Ant 8: [5, 6, 4, 7, 2], 59
Exploitation
Ant 9: [7, 4, 6, 5, 3], 63
Exploitation
Ant 10: [1, 0, 5, 6, 4], 64
Exploration
avg = 0.000563223007098
p = 0.000603260869565
Ant 2: [0, 4, 6, 5, 3, 2], 86
Exploration
avg = 0.000364916007769
p = 0.000493577075099
p = 0.000543478260326
Ant 11 : [5, 4, 7, 2, 3], 63
Exploration
avg = 0.000396761554355
p = 0.000471688043478
p = 0.000494071145751
Ant 12: [7, 4, 6, 5, 3], 63
Exploration
```

```
avg = 0.000396761554477
p = 0.000471688043478
p = 0.00049407114624
Ant 13: [7, 4, 6, 5, 3], 63
Exploitation
Ant 14: [6, 5, 4, 7, 2], 61
Exploitation
Ant 15 : [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000395613407752
p = 0.000603864733696
p = 0.000543478260326
Ant 16 : [6, 5, 4, 7, 3], 63
Exploration
avg = 0.000467649018231
p = 0.000543478260864
p = 0.000603858695652
Ant 3: [7, 4, 6, 5, 3, 2], 81
Exploration
avg = 0.000424046349166
p = 0.000543478260864
p = 0.000603864673913
Ant 17 : [0, 4, 7, 3, 2], 73
Exploration
avg = 0.000396761554478
p = 0.000471688043478
p = 0.000494071146245
Ant 18: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000395613407887
p = 0.000603864733696
p = 0.000543478260864
Ant 19: [6, 5, 4, 7, 3], 63
Exploration
avg = 0.000396264664984
p = 0.000603864733696
Ant 1 : [1, 0, 5, 4, 7, 3, 2], 103
Exploitation
Ant 4: [6, 5, 4, 7, 3, 2], 81
Exploitation
Ant 5 : [3, 4, 6, 5, 2, 7], 82
Exploitation
Ant 0: [5, 4, 6, 7, 3, 2, 1, 0], 123
Update called by OExploration
Ant thread 0 terminating.avg = 0.00045365612648
p = 0.000493577075099
p = 0.00060326086956
Ant 6: [5, 6, 4, 7, 2, 3], 77
Exploitation
Ant 7: [4, 6, 5, 3, 7, 2], 86
Exploitation
Ant 8: [5, 6, 4, 7, 2, 3], 77
```

```
Exploitation
Ant 9: [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 10: [1, 0, 5, 6, 4, 7], 79
Exploration
avg = 0.000548717885375
p = 0.000603858695652
Ant 2 : [0, 4, 6, 5, 3, 2, 7], 104
Exploration
avg = 0.000329250985105
p = 0.000543478260864
Ant 11 : [5, 4, 7, 2, 3, 1], 81
Exploration
avg = 0.000487578567347
p = 0.000603260869565
p = 0.0006038647343
Ant 12 : [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 13 : [7, 4, 6, 5, 3, 2], 81
Exploration
avg = 0.000453857394598
p = 0.000493577075099
p = 0.000603864673913
Ant 14: [6, 5, 4, 7, 2, 3], 79
Exploitation
Ant 15 : [2, 7, 4, 6, 5, 3], 81
Exploitation
Ant 16: [6, 5, 4, 7, 3, 2], 81
Exploitation
Ant 3 : [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.000359148706822
p = 0.000494066205534
p = 0.000424901654064
Ant 17 : [0, 4, 7, 3, 2, 5], 96
Exploration
avg = 0.000487578567347
p = 0.000603260869565
p = 0.0006038647343
Ant 18: [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 19: [6, 5, 4, 7, 3, 2], 81
Exploration
avg = 0.00015847826087
Ant 1: [1, 0, 5, 4, 7, 3, 2, 6], 153
Update called by 1Exploitation
Ant thread 1 terminating. Ant 4 : [6, 5, 4, 7, 3, 2, 1], 103
Exploitation
Ant 5 : [3, 4, 6, 5, 2, 7, 1], 121
Exploitation
Ant 6: [5, 6, 4, 7, 2, 3, 1], 95
Exploitation
```

```
Ant 7: [4, 6, 5, 3, 7, 2, 1], 108
Exploitation
Ant 8: [5, 6, 4, 7, 2, 3, 1], 95
Exploration
avg = 0.000379100790267
p = 0.000494071145751
Ant 9: [7, 4, 6, 5, 3, 2, 1], 103
Exploitation
Ant 10: [1, 0, 5, 6, 4, 7, 2], 97
Exploration
avg = 0.000278428068336
Ant 2 : [0, 4, 6, 5, 3, 2, 7, 1], 143
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000650558112515
p = 0.00108695641304
Ant 11 : [5, 4, 7, 2, 3, 1, 0], 91
Exploitation
Ant 12: [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.000379100790514
p = 0.000494071146245
Ant 13: [7, 4, 6, 5, 3, 2, 1], 103
Exploitation
Ant 14: [6, 5, 4, 7, 2, 3, 1], 97
Exploration
avg = 0.000429737415936
p = 0.000603864733696
Ant 15 : [2, 7, 4, 6, 5, 3, 1], 99
Exploitation
Ant 16: [6, 5, 4, 7, 3, 2, 1], 103
Exploration
avg = 0.00108695652065
Ant 3: [7, 4, 6, 5, 3, 2, 1, 0], 113
Update called by 3Exploitation
Ant thread 3 terminating. Ant 17 : [0, 4, 7, 3, 2, 5, 6], 112
Exploration
avg = 0.000379100790514
p = 0.000494071146245
Ant 18: [7, 4, 6, 5, 3, 2, 1], 103
Exploitation
Ant 19: [6, 5, 4, 7, 3, 2, 1], 103
Exploration
avg = 0.00108695652173
Ant 4: [6, 5, 4, 7, 3, 2, 1, 0], 113
ExplorationUpdate called by 4
avg = 0.00108695652174Ant thread 4 terminating.
Ant 5 : [3, 4, 6, 5, 2, 7, 1, 0], 131
Update called by 5Exploitation
```

Ant thread 5 terminating. Ant 6 : [5, 6, 4, 7, 2, 3, 1, 0], 105

Update called by 6Exploration

Ant thread 6 terminating.avg = 0.00108695652174

Ant 7: [4, 6, 5, 3, 7, 2, 1, 0], 118 Update called by 7Exploration

Ant thread 7 terminating.avg = 0.00108695652174

Ant 8: [5, 6, 4, 7, 2, 3, 1, 0], 105 Update called by 8Exploration

Ant thread 8 terminating.avg = 0.00108695652174

Ant 9: [7, 4, 6, 5, 3, 2, 1, 0], 113 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [1, 0, 5, 6, 4, 7, 2, 3], 115

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [5, 4, 7, 2, 3, 1, 0, 6], 135

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [7, 4, 6, 5, 3, 2, 1, 0], 113

ExplorationUpdate called by 12

avg = 0.00108695652174Ant thread 12 terminating.

Ant 13 : [7, 4, 6, 5, 3, 2, 1, 0], 113 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00108695652174

Ant 14 : [6, 5, 4, 7, 2, 3, 1, 0], 107 Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00108695652174

Ant 15 : [2, 7, 4, 6, 5, 3, 1, 0], 109 Update called by 15Exploration

Ant thread 15 terminating.avg = 0.00108695652174

Ant 16: [6, 5, 4, 7, 3, 2, 1, 0], 113 Update called by 16Exploration

Ant thread 16 terminating.avg = 0.000214159811986

```
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18: [7, 4, 6, 5, 3, 2, 1, 0], 113
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19: [6, 5, 4, 7, 3, 2, 1, 0], 113
Update called by 19
Best: [5, 6, 4, 7, 2, 3, 1, 0], 133, 4, 152
Ant thread 19 terminating.iter_counter = 5
starting ant = 0
Explorationstarting ant = 1
avg = 0.000438725535666starting ant = 2
p = 0.000444664031621starting ant = 3
p = 0.000815217391304starting ant = 4
p = 0.000611413042867starting ant = 5
Ant 0 : [5, 6], 16starting ant = 6
Exploitationstarting ant = 7
Ant 1 : [1, 0], 10starting ant = 8
Explorationstarting ant = 9
avg = 0.000359002975562starting ant = 10
p = 0.000792383380435starting ant = 11
p = 0.00048912554347starting ant = 12
Ant 2 : [0, 4], 20starting ant = 13
Exploitationstarting ant = 14
Ant 3: [7, 4], 15starting ant = 15
Explorationstarting ant = 16
avg = 0.000382990010704starting ant = 17
p = 0.000978260771739starting ant = 18
p = 0.000611413043478starting ant = 19
Ant 4: [6, 5], 16
Exploration
```

Ant 17: [0, 4, 7, 3, 2, 5, 6, 1], 149

```
avg = 0.000421588915429

p = 0.000543478260864

p = 0.00054347826087

p = 0.000651521680435

p = 0.000488636901778

Ant 5 : [3, 7], 20
```

Exploitation

Ant 0: [5, 6, 4], 26

Exploration

avg = 0.000448333455007

p = 0.000815217391304

p = 0.000678668478255

Ant 6: [5, 6], 16

Exploration

avg = 0.000528715581226

p = 0.000733688249185

p = 0.000978260869565

p = 0.000652173913043

Ant 7: [4, 7], 15

Exploration

avg = 0.000295741106454

p = 0.000542934733696

p = 0.000349375356752

Ant 1 : [1, 0, 5], 38

Exploitation

Ant 8: [5, 4], 12

Exploitation

Ant 9: [7, 4], 15

Exploitation

Ant 10 : [1, 0], 10

Exploitation

Ant 11 : [5, 4], 12

Exploration

avg = 0.000377911898923

p = 0.00054347826087

p = 0.000489130434783

p = 0.000724630434783

Ant 12: [7, 4], 15

Exploitation

Ant 2 : [0, 4, 6], 30

Exploration

avg = 0.000377912923768

p = 0.00054347826087

p = 0.000489130434783

p = 0.000724637608696

Ant 13: [7, 4], 15

Exploitation

Ant 14 : [6, 4], 10

Exploitation

Ant 3: [7, 4, 6], 25

Exploitation

Ant 15 : [2, 3], 18

Exploitation

Ant 16 : [6, 4], 10

```
Exploitation
Ant 17 : [0, 1], 10
Exploration
avg = 0.000377912934017
p = 0.00054347826087
p = 0.000489130434783
p = 0.000724637680435
Ant 18 : [7, 4], 15
Exploitation
Ant 19 : [6, 4], 10
Exploration
avg = 0.000425039393161
p = 0.000444664031621
p = 0.000905788043478
Ant 4: [6, 5, 4], 28
Exploitation
Ant 5 : [3, 7, 4], 35
Exploitation
Ant 0: [5, 6, 4, 7], 41
Exploitation
Ant 6: [5, 6, 4], 26
Exploration
avg = 0.00032012547628
p = 0.00054347826087
p = 0.000489130434783
Ant 7: [4, 7, 3], 35
Exploration
avg = 0.000534085606719
p = 0.00090579701087
p = 0.000679341032609
Ant 1 : [1, 0, 5, 6], 54
Exploitation
Ant 8: [5, 4, 6], 22
Exploitation
Ant 9: [7, 4, 6], 25
Exploitation
Ant 10: [1, 0, 4], 30
Exploration
avg = 0.000524745498704
p = 0.000527732608696
p = 0.00108695652065
p = 0.000724630434783
Ant 11 : [5, 4, 7], 27
Exploration
avg = 0.000526255134438
p = 0.000527732608696
p = 0.000733688249185
p = 0.00108695652065
Ant 12: [7, 4, 6], 25
Exploration
avg = 0.000314005564689
p = 0.000678668478261
p = 0.000315252454134
Ant 2 : [0, 4, 6, 7], 61
```

```
Exploration
avg = 0.000526255134617
p = 0.000527732608696
p = 0.000733688249185
p = 0.00108695652173
Ant 13 : [7, 4, 6], 25
Exploration
avg = 0.000465868649112
p = 0.000527732608696
p = 0.000733688249185
p = 0.000724637608696
Ant 14: [6, 4, 7], 25
Exploration
avg = 0.000290934456768
p = 0.000678668478261
Ant 3: [7, 4, 6, 5], 41
Exploration
avg = 0.000410322848772
p = 0.000543478260864
p = 0.000651521680435
p = 0.000542929847279
Ant 15 : [2, 3, 7], 38
Exploration
avg = 0.000465868661068
p = 0.000527732608696
p = 0.000733688249185
p = 0.000724637680435
Ant 16: [6, 4, 7], 25
Exploration
avg = 0.000284218960535
p = 0.000324160079051
p = 0.000488636902174
p = 0.000338625375949
Ant 17: [0, 1, 5], 36
Exploitation
Ant 18 : [7, 4, 6], 25
Exploration
avg = 0.000465868661188
p = 0.000527732608696
p = 0.000733688249185
p = 0.000724637681152
Ant 19: [6, 4, 7], 25
Exploration
avg = 0.00041230474359
p = 0.000527732608696
p = 0.000724637681159
Ant 4: [6, 5, 4, 7], 43
Exploitation
Ant 5: [3, 7, 4, 6], 45
Exploration
avg = 0.000375773999515
p = 0.00054347826087
p = 0.000542934782609
Ant 0: [5, 6, 4, 7, 3], 61
```

```
Exploration
avg = 0.00041230474359
p = 0.000527732608696
p = 0.000724637681159
Ant 6: [5, 6, 4, 7], 41
Exploration
avg = 0.000362192765158
p = 0.000543478260864
p = 0.00054347826087
Ant 7: [4, 7, 3, 2], 53
Exploitation
Ant 1: [1, 0, 5, 6, 4], 64
Exploration
avg = 0.000225256230961
p = 0.000263678319624
p = 0.000350277349226
Ant 8: [5, 4, 6, 7], 53
Exploitation
Ant 9: [7, 4, 6, 5], 41
Exploitation
Ant 10: [1, 0, 4, 6], 40
Exploration
avg = 0.000351797705924
p = 0.00054347826087
p = 0.000543472826087
Ant 11 : [5, 4, 7, 3], 47
Exploration
avg = 0.000291070312746
p = 0.000679347758152
Ant 12 : [7, 4, 6, 5], 41
Exploration
avg = 0.000388474199643
p = 0.00054347826087
p = 0.000543478206522
Ant 2: [0, 4, 6, 7, 3], 81
Exploration
avg = 0.000291070326197
p = 0.000679347825408
Ant 13: [7, 4, 6, 5], 41
Exploration
avg = 0.000343949239029
p = 0.00054347826087
p = 0.000543478260326
Ant 14: [6, 4, 7, 3], 45
Exploration
avg = 0.00035708539903
p = 0.00042451923913
p = 0.000444664031621
Ant 3: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000322556368638
p = 0.000724637681159
Ant 15 : [2, 3, 7, 4], 53
Exploitation
```

```
Ant 16: [6, 4, 7, 2], 43
Exploration
avg = 0.000543869560524
p = 0.00090579701087
p = 0.000679347758152
Ant 17 : [0, 1, 5, 6], 52
Exploitation
Ant 18: [7, 4, 6, 5], 41
Exploitation
Ant 19 : [6, 4, 7, 2], 43
Exploration
avg = 0.000391004977775
p = 0.000603858695652
p = 0.000543478260864
Ant 4: [6, 5, 4, 7, 3], 63
Exploration
avg = 0.000321388373755
p = 0.000679347826087
Ant 5 : [3, 7, 4, 6, 5], 61
Exploration
avg = 0.000458929406263
p = 0.000543478260864
p = 0.000603260869565
Ant 0: [5, 6, 4, 7, 3, 2], 79
Exploitation
Ant 6: [5, 6, 4, 7, 2], 59
Exploration
avg = 0.000325601249765
p = 0.000444664031621
p = 0.000424901619612
Ant 7: [4, 7, 3, 2, 5], 76
Exploitation
Ant 1: [1, 0, 5, 6, 4, 7], 79
Exploitation
Ant 8: [5, 4, 6, 7, 2], 71
Exploration
avg = 0.0003693136599
p = 0.00042451923913
p = 0.000493577075099
Ant 9: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000335600998923
p = 0.000679347826087
p = 0.000350627598177
Ant 10: [1, 0, 4, 6, 7], 71
Exploitation
Ant 11 : [5, 4, 7, 3, 2], 65
Exploitation
Ant 12: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.00049050100461
p = 0.000543478260864
p = 0.000603864673913
Ant 2 : [0, 4, 6, 7, 3, 2], 99
```

```
Exploration
avg = 0.000369437165335
p = 0.00042451923913
p = 0.000494071096838
Ant 13: [7, 4, 6, 5, 3], 63
Exploitation
Ant 14: [6, 4, 7, 3, 2], 63
Exploitation
Ant 3: [7, 4, 6, 5, 3, 2], 81
Exploration
avg = 0.00058887722534
p = 0.000733688249185
p = 0.00108695652174
Ant 15 : [2, 3, 7, 4, 6], 63
Exploitation
Ant 16: [6, 4, 7, 2, 3], 61
Exploitation
Ant 17: [0, 1, 5, 6, 4], 62
Exploitation
Ant 18: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000439588257228
p = 0.000444664031621
p = 0.000603858695652
p = 0.000472112910336
Ant 19: [6, 4, 7, 2, 5], 66
Exploitation
Ant 4: [6, 5, 4, 7, 3, 2], 81
Exploitation
Ant 5 : [3, 7, 4, 6, 5, 2], 84
Exploitation
Ant 0: [5, 6, 4, 7, 3, 2, 1], 101
Exploitation
Ant 6: [5, 6, 4, 7, 2, 3], 77
Exploration
avg = 0.000412835383593
p = 0.000679347825408
Ant 7: [4, 7, 3, 2, 5, 6], 92
Exploration
avg = 0.000573671497283
p = 0.000603864733696
Ant 1: [1, 0, 5, 6, 4, 7, 2], 97
Exploration
avg = 0.000445053046772
p = 0.000493577075099
p = 0.000603864673913
Ant 8: [5, 4, 6, 7, 2, 3], 89
Exploration
avg = 0.000459130694508
p = 0.000543478260864
p = 0.0006038647343
Ant 9: [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 10: [1, 0, 4, 6, 7, 2], 89
```

```
Exploration
avg = 0.000308805474308
p = 0.000493577075099
Ant 11 : [5, 4, 7, 3, 2, 1], 87
Exploitation
Ant 12: [7, 4, 6, 5, 3, 2], 81
Exploration
avg = 0.000483325614388
p = 0.000494066205534
Ant 2 : [0, 4, 6, 7, 3, 2, 1], 121
Exploitation
Ant 13: [7, 4, 6, 5, 3, 2], 81
Exploration
avg = 0.000401457837129
p = 0.000494071096838
p = 0.000472585023243
Ant 14: [6, 4, 7, 3, 2, 5], 86
Exploitation
Ant 3: [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.000380974353412
p = 0.000679347826087
Ant 15 : [2, 3, 7, 4, 6, 5], 79
Exploitation
Ant 16: [6, 4, 7, 2, 3, 1], 79
Exploration
avg = 0.000508886529171
p = 0.000527732608696
p = 0.000724637681159
Ant 17: [0, 1, 5, 6, 4, 7], 77
Exploration
avg = 0.000479058230741
p = 0.000603260869565
p = 0.0006038647343
Ant 18: [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 19: [6, 4, 7, 2, 5, 3], 88
Exploitation
Ant 4: [6, 5, 4, 7, 3, 2, 1], 103
Exploitation
Ant 5 : [3, 7, 4, 6, 5, 2, 1], 106
Exploitation
Ant 0: [5, 6, 4, 7, 3, 2, 1, 0], 111
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 6: [5, 6, 4, 7, 2, 3, 1], 95
Exploitation
Ant 7: [4, 7, 3, 2, 5, 6, 1], 129
Exploitation
Ant 1: [1, 0, 5, 6, 4, 7, 2, 3], 115
Update called by 1Exploration
```

Ant thread 1 terminating.avg = 0.000416953892006

```
p = 0.000603858695652
Ant 8 : [5, 4, 6, 7, 2, 3, 1], 107
Exploration
avg = 0.000365894268775
p = 0.000494071146245
Ant 9: [7, 4, 6, 5, 3, 2, 1], 103
Exploitation
Ant 10: [1, 0, 4, 6, 7, 2, 3], 107
Exploitation
Ant 11 : [5, 4, 7, 3, 2, 1, 0], 97
Exploration
avg = 0.000365894268775
p = 0.000494071146245
Ant 12: [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.000417265852422
Ant 2: [0, 4, 6, 7, 3, 2, 1, 5], 147
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000365894268775
p = 0.000494071146245
Ant 13: [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.000279579162685
p = 0.000304461120401
Ant 14: [6, 4, 7, 3, 2, 5, 1], 112
Exploitation
Ant 3: [7, 4, 6, 5, 3, 2, 1, 0], 113
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.000335810707418
p = 0.000416924209866
Ant 15 : [2, 3, 7, 4, 6, 5, 1], 105
Exploitation
Ant 16: [6, 4, 7, 2, 3, 1, 0], 89
Exploration
avg = 0.000573671497584
p = 0.000603864734299
Ant 17 : [0, 1, 5, 6, 4, 7, 2], 95
Exploration
avg = 0.000365894268775
p = 0.000494071146245
Ant 18: [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.000416956881136
p = 0.000603864673913
Ant 19: [6, 4, 7, 2, 5, 3, 1], 106
Exploitation
Ant 4: [6, 5, 4, 7, 3, 2, 1, 0], 113
Update called by 4Exploration
```

Ant thread 4 terminating.avg = 0.00108695652174

Ant 5 : [3, 7, 4, 6, 5, 2, 1, 0], 116 Update called by 5Exploration

Ant thread 5 terminating.avg = 0.00108695652174

Ant 6 : [5, 6, 4, 7, 2, 3, 1, 0], 105 Update called by 6Exploration

Ant thread 6 terminating.avg = 0.00108695652174

Ant 7: [4, 7, 3, 2, 5, 6, 1, 0], 139 Update called by 7Exploitation

Ant thread 7 terminating. Ant 8: [5, 4, 6, 7, 2, 3, 1, 0], 117

Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [7, 4, 6, 5, 3, 2, 1, 0], 113

Update called by 9Exploration

Ant thread 9 terminating.avg = 0.000324160079051

Ant 10 : [1, 0, 4, 6, 7, 2, 3, 5], 129 Update called by 10Exploration

Ant thread 10 terminating.avg = 0.000222107682626

Ant 11 : [5, 4, 7, 3, 2, 1, 0, 6], 141 Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [7, 4, 6, 5, 3, 2, 1, 0], 113

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00108695652174

Ant 13 : [7, 4, 6, 5, 3, 2, 1, 0], 113 Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [6, 4, 7, 3, 2, 5, 1, 0], 122

Update called by 14Exploitation

Ant thread 14 terminating. Ant 15 : [2, 3, 7, 4, 6, 5, 1, 0], 115

Update called by 15Exploitation

Ant thread 15 terminating. Ant 16: [6, 4, 7, 2, 3, 1, 0, 5], 117

Update called by 16Exploration

```
Ant thread 16 terminating.avg = 0.000603864734299
Ant 17 : [0, 1, 5, 6, 4, 7, 2, 3], 113
Update called by 17Exploration
Ant thread 17 terminating.avg = 0.00108695652174
Ant 18: [7, 4, 6, 5, 3, 2, 1, 0], 113
Update called by 18Exploration
Ant thread 18 terminating.avg = 0.00108695652174
Ant 19: [6, 4, 7, 2, 5, 3, 1, 0], 116
Update called by 19
Best: [5, 6, 4, 7, 2, 3, 1, 0], 133, 5, 151
Ant thread 19 terminating.iter_counter = 6
starting ant = 0
Explorationstarting ant = 1
avg = 0.000442308578763starting ant = 2
p = 0.000444664031621starting ant = 3
p = 0.000815217309783starting ant = 4
p = 0.000611413043472starting ant = 5
Ant 0 : [5, 6], 16starting ant = 6
Exploitationstarting ant = 7
Ant 1 : [1, 0], 10starting ant = 8
Exploitationstarting ant = 9
Ant 2 : [0, 1], 10starting ant = 10
Explorationstarting ant = 11
avg = 0.000354873193503starting ant = 12
p = 0.00054347826087starting ant = 13
p = 0.000489130434783starting ant = 14
p = 0.000652173913043starting ant = 15
Ant 3: [7, 4], 15starting ant = 16
Explorationstarting ant = 17
avg = 0.000375779832456starting ant = 18
```

```
p = 0.000978260869565starting ant = 19
p = 0.000611413043478
Ant 4: [6, 5], 16
Exploitation
Ant 5 : [3, 4], 15
Exploitation
Ant 0: [5, 6, 4], 26
Exploration
avg = 0.000451916498019
p = 0.000815217309783
p = 0.000678668478261
Ant 6 : [5, 6], 16
Exploration
avg = 0.000499135948569
p = 0.000660319424266
p = 0.000978260869565
p = 0.000652173913043
Ant 7: [4, 7], 15
Exploitation
Ant 1 : [1, 0, 4], 30
Exploration
avg = 0.000452012577211
p = 0.000815217309783
p = 0.000679341032609
Ant 8 : [5, 6], 16
Exploration
avg = 0.000365121640708
p = 0.00054347826087
p = 0.000489130434783
p = 0.000723913043478
Ant 9: [7, 4], 15
Exploitation
Ant 2 : [0, 1, 3], 28
Exploration
avg = 0.000407798107477
p = 0.00108586956522
p = 0.000602223819076
Ant 10: [1, 3], 18
Exploration
avg = 0.000452013538003
p = 0.000815217309783
p = 0.000679347758152
Ant 11 : [5, 6], 16
Exploration
avg = 0.00036522412518
p = 0.00054347826087
p = 0.000489130434783
p = 0.000724630434783
Ant 12: [7, 4], 15
Exploitation
Ant 13: [7, 4], 15
Exploitation
Ant 14 : [6, 4], 10
```

```
Exploitation
Ant 15 : [2, 3], 18
Exploration
avg = 0.000473629621157
p = 0.000474959347826
p = 0.000660319424266
p = 0.000978260869565
Ant 3: [7, 4, 6], 25
Exploration
avg = 0.000400914149227
p = 0.00108694565217
p = 0.000678668478261
Ant 16 : [6, 5], 16
Exploration
avg = 0.000399183831298
p = 0.00108584305363
p = 0.000542934733691
Ant 17: [0, 4], 20
Exploration
avg = 0.000365225160273
p = 0.00054347826087
p = 0.000489130434783
p = 0.000724637680435
Ant 18 : [7, 4], 15
Exploitation
Ant 19: [6, 4], 10
Exploitation
Ant 4: [6, 5, 4], 28
Exploitation
Ant 5 : [3, 4, 6], 25
Exploration
avg = 0.000385422095318
p = 0.000474959347826
p = 0.000723913043478
Ant 0: [5, 6, 4, 7], 41
Exploitation
Ant 6: [5, 6, 4], 26
Exploration
avg = 0.00030532307358
p = 0.00054347826087
p = 0.000489130434783
Ant 7: [4, 7, 3], 35
Exploration
avg = 0.000638743045388
p = 0.000660319424266
p = 0.00108694565217
p = 0.000724630434783
Ant 1 : [1, 0, 4, 7], 45
Exploration
avg = 0.000354623572467
p = 0.00108695652065
Ant 8: [5, 6, 4], 26
Exploitation
Ant 9: [7, 4, 6], 25
```

```
Exploitation
Ant 2 : [0, 1, 3, 4], 43
Exploration
avg = 0.000426704158132
p = 0.00054347826087
p = 0.000724623854343
p = 0.000443134832016
p = 0.00048912549906
Ant 10 : [1, 3, 7], 38
Exploitation
Ant 11: [5, 6, 4], 26
Exploitation
Ant 12 : [7, 4, 6], 25
Exploration
avg = 0.000491745563005
p = 0.000660319424266
p = 0.00108695652065
Ant 13: [7, 4, 6], 25
Exploitation
Ant 14: [6, 4, 7], 25
Exploration
avg = 0.00043567236374
p = 0.000543478260326
p = 0.000724623854343
p = 0.000443134832016
p = 0.000542934733251
Ant 15 : [2, 3, 7], 38
Exploitation
Ant 3: [7, 4, 6, 5], 41
Exploitation
Ant 16: [6, 5, 4], 28
Exploitation
Ant 17 : [0, 4, 6], 30
Exploitation
Ant 18: [7, 4, 6], 25
Exploitation
Ant 19: [6, 4, 7], 25
Exploitation
Ant 4:[6, 5, 4, 7], 43
Exploration
avg = 0.000313462869864
p = 0.000679347758152
p = 0.0003155679906
Ant 5 : [3, 4, 6, 7], 56
Exploration
avg = 0.000365356925651
p = 0.00054347826087
p = 0.000542934782609
Ant 0: [5, 6, 4, 7, 3], 61
Exploitation
Ant 6: [5, 6, 4, 7], 41
Exploration
avg = 0.000377990771143
p = 0.000543478260326
```

```
p = 0.00054347826087
p = 0.000443134832016
Ant 7: [4, 7, 3, 5], 57
Exploration
avg = 0.000377816543415
p = 0.00054347826087
p = 0.000543472826087
Ant 1 : [1, 0, 4, 7, 3], 65
Exploration
avg = 0.000385567022854
p = 0.000474959347826
p = 0.000724637681159
Ant 8 : [5, 6, 4, 7], 41
Exploitation
Ant 9: [7, 4, 6, 5], 41
Exploitation
Ant 2 : [0, 1, 3, 4, 6], 53
Exploitation
Ant 10 : [1, 3, 7, 4], 53
Exploitation
Ant 11 : [5, 6, 4, 7], 41
Exploitation
Ant 12: [7, 4, 6, 5], 41
Exploration
avg = 0.000280912949926
p = 0.00067934782608
Ant 13: [7, 4, 6, 5], 41
Exploitation
Ant 14: [6, 4, 7, 2], 43
Exploration
avg = 0.000304793485397
p = 0.000724637681159
Ant 15 : [2, 3, 7, 4], 53
Exploitation
Ant 3: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000385567022854
p = 0.000474959347826
p = 0.000724637681159
Ant 16: [6, 5, 4, 7], 43
Exploration
avg = 0.000314987606231
p = 0.000679347826087
p = 0.00035028050459
Ant 17 : [0, 4, 6, 7], 61
Exploitation
Ant 18: [7, 4, 6, 5], 41
Exploitation
Ant 19: [6, 4, 7, 2], 43
Exploration
avg = 0.000380587890325
p = 0.000603858695652
p = 0.000543478206522
Ant 4: [6, 5, 4, 7, 3], 63
```

```
Exploitation
Ant 5 : [3, 4, 6, 7, 2], 74
Exploration
avg = 0.000431333566906
p = 0.000543478260326
p = 0.00054347826087
Ant 0: [5, 6, 4, 7, 3, 2], 79
Exploration
avg = 0.000380589398341
p = 0.000603864673913
p = 0.000543478260326
Ant 6: [5, 6, 4, 7, 3], 61
Exploitation
Ant 7: [4, 7, 3, 5, 6], 73
Exploration
avg = 0.000416546991883
p = 0.000603260869565
p = 0.000493561783103
Ant 1 : [1, 0, 4, 7, 3, 5], 87
Exploration
avg = 0.000380589398475
p = 0.000603864673913
p = 0.000543478260864
Ant 8: [5, 6, 4, 7, 3], 61
Exploitation
Ant 9: [7, 4, 6, 5, 3], 63
Exploitation
Ant 2: [0, 1, 3, 4, 6, 5], 69
Exploitation
Ant 10 : [1, 3, 7, 4, 6], 63
Exploration
avg = 0.000380589398477
p = 0.000603864673913
p = 0.00054347826087
Ant 11 : [5, 6, 4, 7, 3], 61
Exploitation
Ant 12: [7, 4, 6, 5, 3], 63
Exploitation
Ant 13: [7, 4, 6, 5, 3], 63
Exploitation
Ant 14 : [6, 4, 7, 2, 3], 61
Exploration
avg = 0.000557163415849
p = 0.000660319424266
p = 0.00108695652174
Ant 15 : [2, 3, 7, 4, 6], 63
Exploitation
Ant 3: [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 16: [6, 5, 4, 7, 2], 61
Exploitation
Ant 17: [0, 4, 6, 7, 2], 79
Exploitation
Ant 18: [7, 4, 6, 5, 3], 63
```

```
Exploitation
Ant 19 : [6, 4, 7, 2, 3], 61
Exploration
avg = 0.0004514603785
p = 0.000543478260326
p = 0.000603858695652
Ant 4: [6, 5, 4, 7, 3, 2], 81
Exploration
avg = 0.000361313484577
p = 0.000444664031621
p = 0.000425330769935
Ant 5 : [3, 4, 6, 7, 2, 5], 97
Exploration
avg = 0.000329304841897
p = 0.000444664031621
Ant 0 : [5, 6, 4, 7, 3, 2, 1], 101
Exploitation
Ant 6: [5, 6, 4, 7, 3, 2], 79
Exploration
avg = 0.000190799533523
p = 0.000264123986193
Ant 7: [4, 7, 3, 5, 6, 1], 110
Exploitation
Ant 1 : [1, 0, 4, 7, 3, 5, 6], 103
Exploration
avg = 0.000451462391182
p = 0.000543478260326
p = 0.000603864733696
Ant 8: [5, 6, 4, 7, 3, 2], 79
Exploitation
Ant 9: [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 2: [0, 1, 3, 4, 6, 5, 2], 92
Exploitation
Ant 10: [1, 3, 7, 4, 6, 5], 79
Exploration
avg = 0.000451462391383
p = 0.000543478260326
p = 0.000603864734299
Ant 11 : [5, 6, 4, 7, 3, 2], 79
Exploitation
Ant 12: [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 13: [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 14: [6, 4, 7, 2, 3, 1], 79
Exploitation
Ant 15 : [2, 3, 7, 4, 6, 5], 79
Exploitation
Ant 3: [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.000437292177207
p = 0.000494066205534
p = 0.000603864673913
```

```
Ant 16: [6, 5, 4, 7, 2, 3], 79
Exploration
avg = 0.000523349380356
p = 0.000603864733696
Ant 17: [0, 4, 6, 7, 2, 3], 97
Exploration
avg = 0.000471389927794
p = 0.00060326086956
p = 0.0006038647343
Ant 18: [7, 4, 6, 5, 3, 2], 81
Exploration
avg = 0.000434790367232
p = 0.00060326086956
p = 0.000494066052614
Ant 19 : [6, 4, 7, 2, 3, 5], 83
Exploration
avg = 0.000354005928854
p = 0.000494066205534
Ant 4: [6, 5, 4, 7, 3, 2, 1], 103
Exploration
avg = 0.000302735720578
p = 0.000376243956685
Ant 5 : [3, 4, 6, 7, 2, 5, 1], 123
Exploration
avg = 0.00108586956522
Ant 0: [5, 6, 4, 7, 3, 2, 1, 0], 111
Update called by OExploitation
Ant thread 0 terminating. Ant 6: [5, 6, 4, 7, 3, 2, 1], 101
Exploration
avg = 0.00068934486166
p = 0.00108694565217
Ant 7 : [4, 7, 3, 5, 6, 1, 0], 120
Exploitation
Ant 1: [1, 0, 4, 7, 3, 5, 6, 2], 153
Update called by 1Exploitation
Ant thread 1 terminating. Ant 8: [5, 6, 4, 7, 3, 2, 1], 101
Exploitation
Ant 9: [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.00048913038587
Ant 2: [0, 1, 3, 4, 6, 5, 2, 7], 110
ExplorationUpdate called by 2
avg = 0.000350670180195Ant thread 2 terminating.
p = 0.000472112875919
Ant 10 : [1, 3, 7, 4, 6, 5, 2], 102
Exploration
avg = 0.000354008399209
p = 0.000494071146245
```

```
Ant 11 : [5, 6, 4, 7, 3, 2, 1], 101
Exploitation
Ant 12: [7, 4, 6, 5, 3, 2, 1], 103
Exploitation
Ant 13: [7, 4, 6, 5, 3, 2, 1], 103
Exploitation
Ant 14: [6, 4, 7, 2, 3, 1, 0], 89
Exploration
avg = 0.000323434761351
p = 0.000417642038229
Ant 15 : [2, 3, 7, 4, 6, 5, 1], 105
Exploitation
Ant 3: [7, 4, 6, 5, 3, 2, 1, 0], 113
Update called by 3Exploitation
Ant thread 3 terminating. Ant 16: [6, 5, 4, 7, 2, 3, 1], 97
Exploration
avg = 0.00054896489548
p = 0.000603858695652
Ant 17: [0, 4, 6, 7, 2, 3, 1], 115
Exploration
avg = 0.000354008399209
p = 0.000494071146245
Ant 18: [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.000323641751758
p = 0.000418056019044
Ant 19: [6, 4, 7, 2, 3, 5, 1], 109
Exploration
avg = 0.00108695652173
Ant 4: [6, 5, 4, 7, 3, 2, 1, 0], 113
Update called by 4Exploration
Ant thread 4 terminating.avg = 0.00108695652174
Ant 5 : [3, 4, 6, 7, 2, 5, 1, 0], 133
Update called by 5Exploitation
Ant thread 5 terminating. Ant 6: [5, 6, 4, 7, 3, 2, 1, 0], 111
ExploitationUpdate called by 6
Ant 7: [4, 7, 3, 5, 6, 1, 0, 2], 150Ant thread 6 terminating.
Update called by 7Exploration
Ant thread 7 terminating.avg = 0.00108695652174
Ant 8: [5, 6, 4, 7, 3, 2, 1, 0], 111
Update called by 8Exploitation
Ant thread 8 terminating. Ant 9: [7, 4, 6, 5, 3, 2, 1, 0], 113
```

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [1, 3, 7, 4, 6, 5, 2, 0], 132

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.00108695652174

Ant 11 : [5, 6, 4, 7, 3, 2, 1, 0], 111 Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [7, 4, 6, 5, 3, 2, 1, 0], 113

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.00108695652174

Ant 13 : [7, 4, 6, 5, 3, 2, 1, 0], 113 Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [6, 4, 7, 2, 3, 1, 0, 5], 117

Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00108695652174

Ant 15 : [2, 3, 7, 4, 6, 5, 1, 0], 115 Update called by 15Exploitation

Ant thread 15 terminating. Ant 16: [6, 5, 4, 7, 2, 3, 1, 0], 107

Update called by 16Exploration

Ant thread 16 terminating.avg = 0.000376247031468

Ant 17 : [0, 4, 6, 7, 2, 3, 1, 5], 141 Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [7, 4, 6, 5, 3, 2, 1, 0], 113

Update called by 18Exploration

Ant thread 18 terminating.avg = 0.00108695652174

Ant 19: [6, 4, 7, 2, 3, 5, 1, 0], 119 Update called by 19 Best: [5, 6, 4, 7, 2, 3, 1, 0], 133, 6, 153 Ant thread 19 terminating.iter_counter = 7

starting ant = 0
Explorationstarting ant = 1

avg = 0.000436316879501starting ant = 2

```
p = 0.000444664031616starting ant = 3
p = 0.000815209239123starting ant = 4
p = 0.000611413043478starting ant = 5
Ant 0 : [5, 6], 16starting ant = 6
Explorationstarting ant = 7
avg = 0.000372689132457starting ant = 8
p = 0.000978260869565starting ant = 9
p = 0.000543463492633starting ant = 10
p = 0.000375877862079starting ant = 11
Ant 1 : [1, 5], 26starting ant = 12
Exploitationstarting ant = 13
Ant 2 : [0, 1], 10starting ant = 14
Exploitationstarting ant = 15
Ant 3 : [7, 4], 15starting ant = 16
Explorationstarting ant = 17
avg = 0.000380524389591starting ant = 18
p = 0.000978260869565starting ant = 19
p = 0.000611413043478
Ant 4: [6, 5], 16
Exploitation
Ant 5 : [3, 4], 15
Exploration
avg = 0.000342042947276
p = 0.000978260869565
Ant 0: [5, 6, 4], 26
Exploration
avg = 0.000445924798756
p = 0.000815209239123
p = 0.000678668478261
Ant 6 : [5, 6], 16
Exploration
avg = 0.000472514279178
p = 0.00059428748184
p = 0.000978260869565
p = 0.000652173913043
Ant 7: [4, 7], 15
Exploitation
```

```
Ant 8: [5, 4], 12
Exploitation
Ant 9: [7, 4], 15
Exploration
avg = 0.000378654920343
p = 0.000978260869565
p = 0.000543463492633
p = 0.000417638377283
Ant 10: [1, 5], 26
Exploration
avg = 0.000458832589906
p = 0.000904891222826
p = 0.000679341032609
Ant 11 : [5, 6], 16
Exploration
avg = 0.000472596785319
p = 0.000904891222826
p = 0.000679347758152
Ant 1: [1, 5, 6], 42
Exploitation
Ant 12: [7, 4], 15
Exploitation
Ant 13: [7, 4], 15
Exploration
avg = 0.000278790196332
p = 0.000543463492633
p = 0.000418055982435
Ant 2 : [0, 1, 5], 36
Exploration
avg = 0.000405504979653
p = 0.00108586956522
p = 0.000678668478261
Ant 14: [6, 5], 16
Exploration
avg = 0.000380066877084
p = 0.000444664031621
p = 0.000543478260864
p = 0.000424905481655
p = 0.000542445651734
Ant 15 : [2, 7], 18
Exploitation
Ant 3: [7, 4, 6], 25
Exploration
avg = 0.000405601058846
p = 0.00108586956522
p = 0.000679341032609
Ant 16 : [6, 5], 16
Exploration
avg = 0.000395650675673
p = 0.001085859544
p = 0.000489125543038
Ant 17: [0, 4], 20
Exploitation
```

Ant 18: [7, 4], 15

```
Exploration
avg = 0.000405602019638
p = 0.00108586956522
p = 0.000679347758152
Ant 19: [6, 5], 16
Exploitation
Ant 4: [6, 5, 4], 28
Exploitation
Ant 5: [3, 4, 6], 25
Exploitation
Ant 0: [5, 6, 4, 7], 41
Exploitation
Ant 6: [5, 6, 4], 26
Exploitation
Ant 7: [4, 7, 2], 33
Exploration
avg = 0.000482408962793
p = 0.00108694565217
p = 0.000724630434783
Ant 8: [5, 4, 7], 27
Exploitation
Ant 9: [7, 4, 6], 25
Exploitation
Ant 10 : [1, 5, 4], 38
Exploration
avg = 0.000360157077711
p = 0.00108694565217
Ant 11 : [5, 6, 4], 26
Exploitation
Ant 1: [1, 5, 6, 4], 52
Exploitation
Ant 12: [7, 4, 6], 25
Exploitation
Ant 13 : [7, 4, 6], 25
Exploration
avg = 0.000526036366236
p = 0.000905797010861
p = 0.000679347825408
Ant 2: [0, 1, 5, 6], 52
Exploitation
Ant 14: [6, 5, 4], 28
Exploitation
Ant 15 : [2, 7, 4], 33
Exploration
avg = 0.000287555954549
p = 0.000679347825408
Ant 3: [7, 4, 6, 5], 41
Exploitation
Ant 16: [6, 5, 4], 28
Exploration
avg = 0.000533322111938
p = 0.00059428748184
p = 0.00108695652173
p = 0.000724637608696
```

```
Ant 17: [0, 4, 7], 35
Exploitation
Ant 18: [7, 4, 6], 25
Exploration
avg = 0.000422232162558
p = 0.000425326520609
p = 0.000444664031616
p = 0.00090579710144
Ant 19: [6, 5, 4], 28
Exploitation
Ant 4: [6, 5, 4, 7], 43
Exploitation
Ant 5 : [3, 4, 6, 5], 41
Exploration
avg = 0.00035747612439
p = 0.000603260869565
p = 0.000489130434783
Ant 0: [5, 6, 4, 7, 3], 61
Exploration
avg = 0.00036150307419
p = 0.000427463413043
p = 0.000724637681152
Ant 6: [5, 6, 4, 7], 41
Exploitation
Ant 7: [4, 7, 2, 3], 51
Exploration
avg = 0.000338109196146
p = 0.000603260869565
p = 0.000542934782609
Ant 8: [5, 4, 7, 3], 47
Exploitation
Ant 9: [7, 4, 6, 5], 41
Exploitation
Ant 10 : [1, 5, 4, 6], 48
Exploitation
Ant 11 : [5, 6, 4, 7], 41
Exploitation
Ant 1: [1, 5, 6, 4, 7], 67
Exploration
avg = 0.000287555954685
p = 0.000679347826087
Ant 12: [7, 4, 6, 5], 41
Exploration
avg = 0.000287555954685
p = 0.000679347826087
Ant 13 : [7, 4, 6, 5], 41
Exploration
avg = 0.000433727209197
p = 0.00108695652065
Ant 2: [0, 1, 5, 6, 4], 62
Exploitation
Ant 14: [6, 5, 4, 7], 43
```

Exploitation

Ant 15 : [2, 7, 4, 6], 43

```
Exploitation
Ant 3: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000361503074192
p = 0.000427463413043
p = 0.000724637681159
Ant 16: [6, 5, 4, 7], 43
Exploration
avg = 0.00034635849985
p = 0.000603260869565
p = 0.000543472826087
Ant 17 : [0, 4, 7, 3], 55
Exploitation
Ant 18: [7, 4, 6, 5], 41
Exploration
avg = 0.000361503074192
p = 0.000427463413043
p = 0.000724637681159
Ant 19 : [6, 5, 4, 7], 43
Exploration
avg = 0.000371063067325
p = 0.000603260869565
p = 0.000543478206522
Ant 4: [6, 5, 4, 7, 3], 63
Exploration
avg = 0.000295732960572
p = 0.000376254142967
p = 0.000425326520609
Ant 5 : [3, 4, 6, 5, 2], 64
Exploitation
Ant 0: [5, 6, 4, 7, 3, 2], 79
Exploration
avg = 0.000371063080776
p = 0.000603260869565
p = 0.000543478260326
Ant 6: [5, 6, 4, 7, 3], 61
Exploration
avg = 0.000328004611138
p = 0.000543478206522
p = 0.000444663985778
Ant 7: [4, 7, 2, 3, 5], 73
Exploitation
Ant 8: [5, 4, 7, 3, 2], 65
Exploitation
Ant 9: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000202467204225
p = 0.000315564866757
Ant 10: [1, 5, 4, 6, 7], 79
Exploration
avg = 0.00037106308091
p = 0.000603260869565
p = 0.000543478260864
Ant 11 : [5, 6, 4, 7, 3], 61
```

```
Exploration
avg = 0.00042702569936
p = 0.000603260869565
p = 0.00054347826087
Ant 1: [1, 5, 6, 4, 7, 3], 87
Exploration
avg = 0.000387185560968
p = 0.000472117159346
p = 0.000494066205534
Ant 12 : [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000387186783794
p = 0.000472117159346
p = 0.000494071096838
Ant 13: [7, 4, 6, 5, 3], 63
Exploitation
Ant 2: [0, 1, 5, 6, 4, 7], 77
Exploration
avg = 0.000371063080912
p = 0.000603260869565
p = 0.00054347826087
Ant 14: [6, 5, 4, 7, 3], 63
Exploration
avg = 0.000310732203682
p = 0.000679347826087
Ant 15 : [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000444558887915
p = 0.000543478206522
p = 0.000603858695652
Ant 3: [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 16: [6, 5, 4, 7, 2], 61
Exploitation
Ant 17 : [0, 4, 7, 3, 2], 73
Exploitation
Ant 18: [7, 4, 6, 5, 3], 63
Exploitation
Ant 19: [6, 5, 4, 7, 2], 61
Exploration
avg = 0.000444560900596
p = 0.000543478206522
p = 0.000603864733696
Ant 4: [6, 5, 4, 7, 3, 2], 81
Exploitation
Ant 5: [3, 4, 6, 5, 2, 7], 82
Exploitation
Ant 0 : [5, 6, 4, 7, 3, 2, 1], 101
Exploration
avg = 0.000444560900795
p = 0.000543478206522
p = 0.000603864734293
Ant 6: [5, 6, 4, 7, 3, 2], 79
Exploitation
```

```
Ant 7: [4, 7, 2, 3, 5, 6], 89
Exploitation
Ant 8: [5, 4, 7, 3, 2, 1], 87
Exploitation
Ant 9: [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 10: [1, 5, 4, 6, 7, 2], 97
Exploration
avg = 0.000444560900797
p = 0.000543478206522
p = 0.0006038647343
Ant 11: [5, 6, 4, 7, 3, 2], 79
Exploitation
Ant 1 : [1, 5, 6, 4, 7, 3, 2], 105
Exploitation
Ant 12: [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 13: [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 2: [0, 1, 5, 6, 4, 7, 2], 95
Exploration
avg = 0.000444560900797
p = 0.000543478206522
p = 0.0006038647343
Ant 14 : [6, 5, 4, 7, 3, 2], 81
Exploration
avg = 0.000358876675077
p = 0.000376254142967
p = 0.00049407114624
Ant 15 : [2, 7, 4, 6, 5, 3], 81
Exploration
avg = 0.00040940890168
p = 0.000494066205534
Ant 3 : [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.000474027854743
p = 0.000494071096838
p = 0.000603260869565
Ant 16: [6, 5, 4, 7, 2, 3], 79
Exploration
avg = 0.000359008454425
p = 0.000494071096838
p = 0.000424905481655
Ant 17 : [0, 4, 7, 3, 2, 5], 96
Exploration
avg = 0.000444560900797
p = 0.000543478206522
p = 0.0006038647343
Ant 18: [7, 4, 6, 5, 3, 2], 81
Exploration
avg = 0.000474227130105
p = 0.000494071096838
p = 0.000603858695652
Ant 19: [6, 5, 4, 7, 2, 3], 79
```

```
Exploration
avg = 0.000409411347332
p = 0.000494071096838
Ant 4: [6, 5, 4, 7, 3, 2, 1], 103
Exploration
avg = 0.000168756596606
p = 0.000203175225568
Ant 5 : [3, 4, 6, 5, 2, 7, 1], 121
Exploration
avg = 0.000978260869565
Ant 0: [5, 6, 4, 7, 3, 2, 1, 0], 111
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 6: [5, 6, 4, 7, 3, 2, 1], 101
Exploration
avg = 0.000213022248979
p = 0.000264127997192
Ant 7: [4, 7, 2, 3, 5, 6, 1], 126
Exploration
avg = 0.000620996034078
p = 0.00108586956522
Ant 8 : [5, 4, 7, 3, 2, 1, 0], 97
Exploration
avg = 0.000409411372033
p = 0.00049407114624
Ant 9: [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.00046430813587
p = 0.000603864673913
Ant 10 : [1, 5, 4, 6, 7, 2, 3], 115
Exploration
avg = 0.000409411372036
p = 0.000494071146245
Ant 11 : [5, 6, 4, 7, 3, 2, 1], 101
Exploration
avg = 0.000324751597826
Ant 1 : [1, 5, 6, 4, 7, 3, 2, 0], 135
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000428007157199
p = 0.000494071146245
Ant 12: [7, 4, 6, 5, 3, 2, 1], 103
Exploitation
Ant 13: [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.000603864733696
Ant 2 : [0, 1, 5, 6, 4, 7, 2, 3], 113
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000428007157199
```

p = 0.000494071146245

```
Ant 14 : [6, 5, 4, 7, 3, 2, 1], 103
```

Exploitation

Ant 15 : [2, 7, 4, 6, 5, 3, 1], 99

Exploration

avg = 0.00108694565217

Ant 3: [7, 4, 6, 5, 3, 2, 1, 0], 113

Update called by 3Exploitation

Ant thread 3 terminating. Ant 16: [6, 5, 4, 7, 2, 3, 1], 97

Exploitation

Ant 17 : [0, 4, 7, 3, 2, 5, 6], 112

Exploration

avg = 0.000428007157199

p = 0.000494071146245

Ant 18: [7, 4, 6, 5, 3, 2, 1], 103

Exploitation

Ant 19: [6, 5, 4, 7, 2, 3, 1], 97

Exploration

avg = 0.00108695641304

Ant 4: [6, 5, 4, 7, 3, 2, 1, 0], 113

Update called by 4Exploration

Ant thread 4 terminating.avg = 0.00108695652065

Ant 5 : [3, 4, 6, 5, 2, 7, 1, 0], 131 Update called by 5Exploration

Ant thread 5 terminating.avg = 0.00108695652173

Ant 6: [5, 6, 4, 7, 3, 2, 1, 0], 111 Update called by 6Exploitation

Ant thread 6 terminating. Ant 7: [4, 7, 2, 3, 5, 6, 1, 0], 136

Update called by 7Exploration

Ant thread 7 terminating.avg = 0.000199896898316

Ant 8 : [5, 4, 7, 3, 2, 1, 0, 6], 141 Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [7, 4, 6, 5, 3, 2, 1, 0], 113

Update called by 9Exploration

Ant thread 9 terminating.avg = 0.000186339761571

Ant 10 : [1, 5, 4, 6, 7, 2, 3, 0], 146 Update called by 10Exploration

Ant thread 10 terminating.avg = 0.00108695652174

Ant 11 : [5, 6, 4, 7, 3, 2, 1, 0], 111

```
Update called by 11Exploration
```

Ant thread 11 terminating.avg = 0.00108695652174

Ant 12: [7, 4, 6, 5, 3, 2, 1, 0], 113 ExploitationUpdate called by 12

Ant 13: [7, 4, 6, 5, 3, 2, 1, 0], 113Ant thread 12 terminating.

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.00108695652174

Ant 14 : [6, 5, 4, 7, 3, 2, 1, 0], 113 Update called by 14Exploitation

Ant thread 14 terminating. Ant 15: [2, 7, 4, 6, 5, 3, 1, 0], 109

Update called by 15Exploration

Ant thread 15 terminating.avg = 0.00108695652174

Ant 16: [6, 5, 4, 7, 2, 3, 1, 0], 107 Update called by 16Exploration

Ant thread 16 terminating.avg = 0.000293475592545

Ant 17 : [0, 4, 7, 3, 2, 5, 6, 1], 149 Update called by 17Exploration

Ant thread 17 terminating.avg = 0.00108695652174

Ant 18: [7, 4, 6, 5, 3, 2, 1, 0], 113 Update called by 18Exploitation

Ant thread 18 terminating. Ant 19: [6, 5, 4, 7, 2, 3, 1, 0], 107

Update called by 19
Best: [5, 6, 4, 7, 2, 3, 1, 0], 133, 7, 151
Ant thread 19 terminating.iter_counter = 8

starting ant = 0
Explorationstarting ant = 1

avg = 0.000425434957047starting ant = 2

p = 0.000444664031621starting ant = 3

p = 0.000815217391304starting ant = 4

p = 0.000611413043478starting ant = 5

Ant 0 : [5, 6], 16starting ant = 6

```
avg = 0.0003548188126starting ant = 8
p = 0.000978260869565starting ant = 9
p = 0.000489117143369starting ant = 10
p = 0.000376254142638starting ant = 11
Ant 1: [1, 5], 26starting ant = 12
Exploitationstarting ant = 13
Ant 2 : [0, 1], 10starting ant = 14
Explorationstarting ant = 15
avg = 0.000342791190861starting ant = 16
p = 0.000543478260864starting ant = 17
p = 0.000489130434783starting ant = 18
p = 0.000652173913043starting ant = 19
Ant 3: [7, 4], 15
Exploration
avg = 0.000373456007976
p = 0.000978260869555
p = 0.000611413043478
Ant 4 : [6, 5], 16
Exploration
avg = 0.000437254670302
p = 0.000543478206522
p = 0.00054347826087
p = 0.000651521627133
p = 0.000444219367176
p = 0.000440212988731
Ant 5 : [3, 7], 20
Exploitation
Ant 0: [5, 6, 4], 26
Exploitation
Ant 6: [5, 4], 12
Exploitation
Ant 7: [4, 6], 10
Exploration
avg = 0.000447853435308
p = 0.000904891304348
p = 0.000678668478261
Ant 8 : [5, 6], 16
Exploitation
Ant 9: [7, 4], 15
Exploitation
```

Explorationstarting ant = 7

```
Ant 10 : [1, 0], 10
Exploration
avg = 0.0004479495145
p = 0.000904891304348
p = 0.000679341032609
Ant 11 : [5, 6], 16
Exploration
avg = 0.000466170766396
p = 0.000904891304348
p = 0.000679347758152
Ant 1: [1, 5, 6], 42
Exploration
avg = 0.000353142122538
p = 0.000543478260864
p = 0.000489130434783
p = 0.000724630434783
Ant 12 : [7, 4], 15
Exploitation
Ant 13 : [7, 4], 15
Exploitation
Ant 2 : [0, 1, 3], 28
Exploration
avg = 0.000398436598039
p = 0.00108586956522
p = 0.000678668478261
Ant 14: [6, 5], 16
Exploration
avg = 0.00037492376219
p = 0.000444664031621
p = 0.000543478260864
p = 0.000424901654061
p = 0.000543472733152
Ant 15 : [2, 7], 18
Exploitation
Ant 16: [6, 4], 10
Exploration
avg = 0.000384516312913
p = 0.00108585969242
p = 0.000488641260322
Ant 17: [0, 4], 20
Exploitation
Ant 18: [7, 4], 15
Exploration
avg = 0.00039868640394
p = 0.00108694565217
p = 0.000679341032609
Ant 19 : [6, 5], 16
Exploitation
Ant 3: [7, 4, 6], 25
Exploitation
Ant 4: [6, 5, 4], 28
Exploitation
Ant 5 : [3, 7, 4], 35
Exploitation
```

```
Ant 0 : [5, 6, 4, 7], 41 Exploitation
```

Ant 6: [5, 4, 6], 22

Exploration

avg = 0.000283977650158

p = 0.000679347758152

p = 0.000315252426017

Ant 7: [4, 6, 7], 41

Exploration

avg = 0.00035774811965

p = 0.00108694565217

Ant 8: [5, 6, 4], 26

Exploration

avg = 0.00043273417792

p = 0.000534858733656

p = 0.00108695641304

Ant 9: [7, 4, 6], 25

Exploration

avg = 0.000276673854753

p = 0.000292468989129

p = 0.000542929890864

p = 0.000314126524493

Ant 10 : [1, 0, 5], 38

Exploitation

Ant 11 : [5, 6, 4], 26

Exploitation

Ant 1 : [1, 5, 6, 4], 52

Exploration

avg = 0.000432734195855

p = 0.000534858733656

p = 0.00108695652065

Ant 12: [7, 4, 6], 25

Exploration

avg = 0.000432734196034

p = 0.000534858733656

p = 0.00108695652173

Ant 13: [7, 4, 6], 25

Exploitation

Ant 2: [0, 1, 3, 4], 43

Exploitation

Ant 14: [6, 5, 4], 28

Exploration

avg = 0.000321420640546

p = 0.000489130434783

p = 0.000724637681159

Ant 15 : [2, 7, 4], 33

Exploitation

Ant 16: [6, 4, 7], 25

Exploitation

Ant 17 : [0, 4, 6], 30

Exploration

avg = 0.000432734196036

p = 0.000534858733656

p = 0.00108695652174

```
Ant 18: [7, 4, 6], 25
Exploitation
Ant 19: [6, 5, 4], 28
Exploration
avg = 0.000277722694986
p = 0.000679347758152
Ant 3: [7, 4, 6, 5], 41
Exploitation
Ant 4:[6, 5, 4, 7], 43
Exploitation
Ant 5: [3, 7, 4, 6], 45
Exploitation
Ant 0: [5, 6, 4, 7, 2], 59
Exploitation
Ant 6: [5, 4, 6, 7], 53
Exploration
avg = 0.000324198721975
p = 0.000603260869565
p = 0.000489130434783
Ant 7: [4, 6, 7, 3], 61
Exploration
avg = 0.000339845505903
p = 0.000384717071739
p = 0.000724637608696
Ant 8 : [5, 6, 4, 7], 41
Exploitation
Ant 9: [7, 4, 6, 5], 41
Exploration
avg = 0.00052245123988
p = 0.000905797100543
p = 0.000679347825408
Ant 10: [1, 0, 5, 6], 54
Exploitation
Ant 11 : [5, 6, 4, 7], 41
Exploitation
Ant 1: [1, 5, 6, 4, 7], 67
Exploration
avg = 0.000277722708572
p = 0.00067934782608
Ant 12 : [7, 4, 6, 5], 41
Exploitation
Ant 13: [7, 4, 6, 5], 41
Exploitation
Ant 2 : [0, 1, 3, 4, 6], 53
Exploration
avg = 0.000339845520396
p = 0.000384717071739
p = 0.000724637681159
Ant 14: [6, 5, 4, 7], 43
Exploitation
Ant 15 : [2, 7, 4, 6], 43
Exploitation
Ant 16: [6, 4, 7, 2], 43
```

Exploitation

```
Ant 17 : [0, 4, 6, 5], 46
Exploration
avg = 0.000277722708573
p = 0.000679347826087
Ant 18: [7, 4, 6, 5], 41
Exploration
avg = 0.000339845520396
p = 0.000384717071739
p = 0.000724637681159
Ant 19: [6, 5, 4, 7], 43
Exploration
avg = 0.000348468116531
p = 0.000424905443411
p = 0.000444664031621
Ant 3: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000379463496342
p = 0.000603858695652
p = 0.000542934782609
Ant 4: [6, 5, 4, 7, 3], 63
Exploitation
Ant 5 : [3, 7, 4, 6, 5], 61
Exploration
avg = 0.000437963714607
p = 0.000444664031621
p = 0.000543478260864
Ant 0: [5, 6, 4, 7, 2, 3], 77
Exploration
avg = 0.000379598007212
p = 0.000603858695652
p = 0.000543472826087
Ant 6: [5, 4, 6, 7, 3], 73
Exploration
avg = 0.000461316308659
p = 0.000543478206522
p = 0.00054347826087
Ant 7: [4, 6, 7, 3, 2], 79
Exploitation
Ant 8: [5, 6, 4, 7, 2], 59
Exploitation
Ant 9: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000434183206086
p = 0.00108695652173
Ant 10: [1, 0, 5, 6, 4], 64
Exploitation
Ant 11 : [5, 6, 4, 7, 2], 59
Exploration
avg = 0.000422749037032
p = 0.000603864733696
p = 0.000543478206522
Ant 1: [1, 5, 6, 4, 7, 3], 87
Exploitation
Ant 12: [7, 4, 6, 5, 3], 63
```

```
Exploitation
Ant 13 : [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000401780429029
p = 0.000679347826087
Ant 2 : [0, 1, 3, 4, 6, 5], 69
Exploration
avg = 0.000379600875282
p = 0.000603864733696
p = 0.000543478260326
Ant 14: [6, 5, 4, 7, 3], 63
Exploration
avg = 0.00030331192001
p = 0.000679347826087
Ant 15 : [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000449643851646
p = 0.000603260869565
Ant 16: [6, 4, 7, 2, 3], 61
Exploitation
Ant 17: [0, 4, 6, 5, 3], 68
Exploitation
Ant 18: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000379600875417
p = 0.000603864733696
p = 0.000543478260864
Ant 19: [6, 5, 4, 7, 3], 63
Exploration
avg = 0.000486942825386
p = 0.000543478206522
p = 0.000603260869565
Ant 3: [7, 4, 6, 5, 3, 2], 81
Exploration
avg = 0.000487142100748
p = 0.000543478206522
p = 0.000603858695652
Ant 4: [6, 5, 4, 7, 3, 2], 81
Exploitation
Ant 5: [3, 7, 4, 6, 5, 2], 84
Exploitation
Ant 0: [5, 6, 4, 7, 2, 3, 1], 95
Exploitation
Ant 6: [5, 4, 6, 7, 3, 2], 91
Exploitation
Ant 7: [4, 6, 7, 3, 2, 1], 101
Exploration
avg = 0.000474394874029
p = 0.000493577075099
p = 0.000603858695652
Ant 8: [5, 6, 4, 7, 2, 3], 77
Exploration
avg = 0.000507071667596
p = 0.000603260869022
```

```
p = 0.000603864733696
Ant 9: [7, 4, 6, 5, 3, 2], 81
Exploration
avg = 0.000436437216964
p = 0.000724637681159
Ant 10 : [1, 0, 5, 6, 4, 7], 79
Exploration
avg = 0.000474396866783
p = 0.000493577075099
p = 0.000603864673913
Ant 11 : [5, 6, 4, 7, 2, 3], 77
Exploration
avg = 0.000458977067182
p = 0.000603864734293
Ant 1: [1, 5, 6, 4, 7, 3, 2], 105
Exploration
avg = 0.000507071667797
p = 0.000603260869022
p = 0.000603864734299
Ant 12: [7, 4, 6, 5, 3, 2], 81
Exploration
avg = 0.000507071667797
p = 0.000603260869022
p = 0.0006038647343
Ant 13 : [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 2: [0, 1, 3, 4, 6, 5, 2], 92
Exploration
avg = 0.000507071667797
p = 0.000603260869022
p = 0.0006038647343
Ant 14: [6, 5, 4, 7, 3, 2], 81
Exploration
avg = 0.000339458045779
p = 0.000494071146245
Ant 15 : [2, 7, 4, 6, 5, 3], 81
Exploration
avg = 0.000453856545423
p = 0.000603260869022
Ant 16: [6, 4, 7, 2, 3, 1], 79
Exploitation
Ant 17: [0, 4, 6, 5, 3, 2], 86
Exploitation
Ant 18: [7, 4, 6, 5, 3, 2], 81
Exploration
avg = 0.000507270943339
p = 0.000603858695647
p = 0.0006038647343
Ant 19: [6, 5, 4, 7, 3, 2], 81
Exploration
avg = 0.000409662963218
p = 0.000493577075099
Ant 3: [7, 4, 6, 5, 3, 2, 1], 103
Exploitation
```

```
Ant 4: [6, 5, 4, 7, 3, 2, 1], 103
Exploration
avg = 0.000409909974087
p = 0.000494071096838
Ant 5 : [3, 7, 4, 6, 5, 2, 1], 106
Exploration
avg = 0.00108586956522
Ant 0 : [5, 6, 4, 7, 2, 3, 1, 0], 105
Update called by OExploitation
Ant thread 0 terminating. Ant 6: [5, 4, 6, 7, 3, 2, 1], 113
Exploration
avg = 0.000752293896131
p = 0.00108694565217
Ant 7: [4, 6, 7, 3, 2, 1, 0], 111
Exploration
avg = 0.000458974047858
p = 0.000603858695647
Ant 8: [5, 6, 4, 7, 2, 3, 1], 95
Exploitation
Ant 9: [7, 4, 6, 5, 3, 2, 1], 103
Exploitation
Ant 10 : [1, 0, 5, 6, 4, 7, 2], 97
Exploration
avg = 0.000458977036992
p = 0.000603864673913
Ant 11 : [5, 6, 4, 7, 2, 3, 1], 95
Exploration
avg = 0.000325748851337
Ant 1: [1, 5, 6, 4, 7, 3, 2, 0], 135
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000428012143466
p = 0.000494071146245
Ant 12: [7, 4, 6, 5, 3, 2, 1], 103
Exploitation
Ant 13: [7, 4, 6, 5, 3, 2, 1], 103
Exploitation
Ant 2 : [0, 1, 3, 4, 6, 5, 2, 7], 110
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000428012143466
p = 0.000494071146245
Ant 14: [6, 5, 4, 7, 3, 2, 1], 103
Exploration
avg = 0.000458977066883
p = 0.000603864733696
Ant 15 : [2, 7, 4, 6, 5, 3, 1], 99
Exploitation
Ant 16: [6, 4, 7, 2, 3, 1, 0], 89
Exploitation
```

Ant 17: [0, 4, 6, 5, 3, 2, 7], 104

Exploitation

Ant 18: [7, 4, 6, 5, 3, 2, 1], 103

Exploitation

Ant 19: [6, 5, 4, 7, 3, 2, 1], 103

Exploration

avg = 0.00108695652065

Ant 3: [7, 4, 6, 5, 3, 2, 1, 0], 113

Update called by 3Exploration

Ant thread 3 terminating.avg = 0.00108695652173

Ant 4: [6, 5, 4, 7, 3, 2, 1, 0], 113 Update called by 4Exploration

Ant thread 4 terminating.avg = 0.00108695652174

Ant 5 : [3, 7, 4, 6, 5, 2, 1, 0], 116 Update called by 5Exploration

Ant thread 5 terminating.avg = 0.00108695652174

Ant 6: [5, 4, 6, 7, 3, 2, 1, 0], 123 Update called by 6Exploration

Ant thread 6 terminating.avg = 0.000387458035431

Ant 7: [4, 6, 7, 3, 2, 1, 0, 5], 139 Update called by 7Exploration

Ant thread 7 terminating.avg = 0.00108695652174

Ant 8 : [5, 6, 4, 7, 2, 3, 1, 0], 105 Update called by 8Exploration

Ant thread 8 terminating.avg = 0.00108695652174

Ant 9: [7, 4, 6, 5, 3, 2, 1, 0], 113 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [1, 0, 5, 6, 4, 7, 2, 3], 115

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11 : [5, 6, 4, 7, 2, 3, 1, 0], 105

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [7, 4, 6, 5, 3, 2, 1, 0], 113

ExplorationUpdate called by 12

avg = 0.00108695652174Ant thread 12 terminating.

```
Ant 13 : [7, 4, 6, 5, 3, 2, 1, 0], 113
Update called by 13Exploitation
```

Ant thread 13 terminating. Ant 14: [6, 5, 4, 7, 3, 2, 1, 0], 113

Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00108695652174

Ant 15 : [2, 7, 4, 6, 5, 3, 1, 0], 109 Update called by 15Exploitation

Ant thread 15 terminating. Ant 16: [6, 4, 7, 2, 3, 1, 0, 5], 117

ExploitationUpdate called by 16

Ant 17: [0, 4, 6, 5, 3, 2, 7, 1], 143Ant thread 16 terminating.

Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [7, 4, 6, 5, 3, 2, 1, 0], 113

Update called by 18Exploration

Ant thread 18 terminating.avg = 0.00108695652174

Ant 19: [6, 5, 4, 7, 3, 2, 1, 0], 113

Update called by 19

Best: [5, 6, 4, 7, 2, 3, 1, 0], 133, 8, 147 Ant thread 19 terminating.iter_counter = 9

starting ant = 0

Exploitationstarting ant = 1

Ant 0 : [5, 4], 12 starting ant = 2

Exploitationstarting ant = 3

Ant 1 : [1, 0], 10starting ant = 4

Exploitationstarting ant = 5

Ant 0 : [5, 4, 6], 22starting ant = 6

Explorationstarting ant = 7

avg = 0.000362568211731starting ant = 8

p = 0.000977273723176starting ant = 9

p = 0.000488636901778starting ant = 10

Ant 2 : [0, 4], 20starting ant = 11

```
Ant 3: [7, 4], 15starting ant = 13
Exploitationstarting ant = 14
Ant 1: [1, 0, 4], 30starting ant = 15
Exploitationstarting ant = 16
Ant 4 : [6, 4], 10 starting ant = 17
Exploitationstarting ant = 18
Ant 5 : [3, 4], 15starting ant = 19
Exploration
avg = 0.000190780796692
p = 0.000237952945484
p = 0.000315564838356
Ant 0: [5, 4, 6, 7], 53
Exploration
avg = 0.000428565030179
p = 0.000444664031621
p = 0.00090489130434
p = 0.000611413043472
Ant 6: [5, 6], 16
Exploration
avg = 0.000442363895327
p = 0.00048137286029
p = 0.00108586956522
p = 0.000652173913043
Ant 7: [4, 7], 15
Exploitation
Ant 8: [5, 4], 12
Exploitation
Ant 9: [7, 4], 15
Exploitation
Ant 10 : [1, 0], 10
Exploitation
Ant 2 : [0, 4, 6], 30
Exploitation
Ant 11 : [5, 4], 12
Exploration
avg = 0.000346565392664
p = 0.000543478260864
p = 0.000489130434783
p = 0.000724630434783
Ant 12 : [7, 4], 15
Exploration
avg = 0.000407574906867
p = 0.00048137286029
p = 0.00108694565217
Ant 3: [7, 4, 6], 25
```

Exploitationstarting ant = 12

```
Exploitation
Ant 13: [7, 4], 15
Exploitation
Ant 14: [6, 4], 10
Exploitation
Ant 1 : [1, 0, 4, 6], 40
Exploration
avg = 0.000363967219735
p = 0.000444664031621
p = 0.000543478260864
p = 0.000382411488655
p = 0.000543478206517
Ant 15 : [2, 7], 18
Exploration
avg = 0.000383854044832
p = 0.00108694565217
p = 0.000611413043478
Ant 16: [6, 5], 16
Exploration
avg = 0.000347069472084
p = 0.00048137286029
p = 0.000723913043478
Ant 4: [6, 4, 7], 25
Exploitation
Ant 17 : [0, 1], 10
Exploration
avg = 0.000346566427757
p = 0.000543478260864
p = 0.000489130434783
p = 0.000724637680435
Ant 18 : [7, 4], 15
Exploration
avg = 0.00047064089665
p = 0.00048137286029
p = 0.00108695652065
p = 0.000724630434783
Ant 5 : [3, 4, 7], 30
Exploitation
Ant 19: [6, 4], 10
Exploitation
Ant 0: [5, 4, 6, 7, 2], 71
Exploitation
Ant 6: [5, 6, 4], 26
Exploitation
Ant 7: [4, 7, 2], 33
Exploration
avg = 0.000448120843014
p = 0.00108695652065
p = 0.000724637608696
Ant 8: [5, 4, 7], 27
Exploitation
Ant 9: [7, 4, 6], 25
Exploitation
Ant 10 : [1, 0, 4], 30
```

```
Exploitation
Ant 2 : [0, 4, 6, 5], 46
Exploration
avg = 0.00044812085515
p = 0.00108695652173
p = 0.000724637680435
Ant 11 : [5, 4, 7], 27
Exploration
avg = 0.000407576718459
p = 0.00048137286029
p = 0.00108695652173
Ant 12 : [7, 4, 6], 25
Exploration
avg = 0.000263536035542
p = 0.000679341032609
Ant 3: [7, 4, 6, 5], 41
Exploitation
Ant 13: [7, 4, 6], 25
Exploitation
Ant 14: [6, 4, 7], 25
Exploitation
Ant 1: [1, 0, 4, 6, 5], 56
Exploration
avg = 0.000313747789026
p = 0.000489130434783
p = 0.000724637681152
Ant 15 : [2, 7, 4], 33
Exploitation
Ant 16 : [6, 5, 4], 28
Exploration
avg = 0.000318833933805
p = 0.000603858695652
p = 0.000489130434783
Ant 4: [6, 4, 7, 3], 45
Exploration
avg = 0.000249068839666
p = 0.000542445532551
p = 0.00037587792608
Ant 17 : [0, 1, 5], 36
Exploration
avg = 0.000407576718461
p = 0.00048137286029
p = 0.00108695652174
Ant 18: [7, 4, 6], 25
Exploitation
Ant 5 : [3, 4, 7, 2], 48
Exploration
avg = 0.000347190245031
p = 0.00048137286029
p = 0.000724637681159
Ant 19: [6, 4, 7], 25
Exploration
avg = 0.000437966706368
```

p = 0.000444664031621

```
p = 0.000543478260864
Ant 0: [5, 4, 6, 7, 2, 3], 89
Exploration
avg = 0.000320353721979
p = 0.000346245364565
p = 0.000724637681159
Ant 6: [5, 6, 4, 7], 41
Exploration
avg = 0.000376822746427
p = 0.000444664031621
p = 0.000603260869565
p = 0.000382411488655
Ant 7: [4, 7, 2, 5], 56
Exploration
avg = 0.000334746091233
p = 0.000603864673913
p = 0.000542934782609
Ant 8 : [5, 4, 7, 3], 47
Exploration
avg = 0.000263537394102
p = 0.000679347825408
Ant 9: [7, 4, 6, 5], 41
Exploitation
Ant 10 : [1, 0, 4, 6], 40
Exploitation
Ant 2: [0, 4, 6, 5, 3], 68
Exploitation
Ant 11: [5, 4, 7, 2], 45
Exploitation
Ant 12: [7, 4, 6, 5], 41
Exploration
avg = 0.000347694072086
p = 0.000425326521263
p = 0.000493577075099
Ant 3: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000263537394238
p = 0.000679347826087
Ant 13: [7, 4, 6, 5], 41
Exploitation
Ant 14 : [6, 4, 7, 2], 43
Exploitation
Ant 1: [1, 0, 4, 6, 5, 3], 78
Exploitation
Ant 15 : [2, 7, 4, 6], 43
Exploitation
Ant 16: [6, 5, 4, 7], 43
Exploitation
Ant 4: [6, 4, 7, 3, 2], 63
Exploitation
Ant 17 : [0, 1, 5, 4], 48
Exploration
avg = 0.000263537394238
p = 0.000679347826087
```

```
Ant 18: [7, 4, 6, 5], 41
Exploration
avg = 0.000342532345735
p = 0.000444664031621
p = 0.000471688009026
Ant 5: [3, 4, 7, 2, 5], 71
Exploitation
Ant 19 : [6, 4, 7, 2], 43
Exploitation
Ant 0 : [5, 4, 6, 7, 2, 3, 1], 107
Exploitation
Ant 6: [5, 6, 4, 7, 2], 59
Exploitation
Ant 7: [4, 7, 2, 5, 6], 72
Exploitation
Ant 8: [5, 4, 7, 3, 2], 65
Exploitation
Ant 9: [7, 4, 6, 5, 3], 63
Exploitation
Ant 10: [1, 0, 4, 6, 5], 56
Exploration
avg = 0.00056510687085
p = 0.000603260869565
p = 0.000603858695652
Ant 2 : [0, 4, 6, 5, 3, 2], 86
Exploitation
Ant 11 : [5, 4, 7, 2, 3], 63
Exploration
avg = 0.000347817589749
p = 0.000425326521263
p = 0.000494071145751
Ant 12: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.00049660200118
p = 0.000603260869565
p = 0.000603864673913
Ant 3: [7, 4, 6, 5, 3, 2], 81
Exploration
avg = 0.000347817589872
p = 0.000425326521263
p = 0.00049407114624
Ant 13: [7, 4, 6, 5, 3], 63
Exploitation
Ant 14: [6, 4, 7, 2, 3], 61
Exploration
avg = 0.000546032890515
p = 0.000603864733696
Ant 1 : [1, 0, 4, 6, 5, 3, 2], 96
Exploration
avg = 0.000289964423661
p = 0.000679347826087
Ant 15 : [2, 7, 4, 6, 5], 59
Exploration
avg = 0.0003766826201
```

```
p = 0.0006038647343
p = 0.000543472826087
Ant 16: [6, 5, 4, 7, 3], 63
Exploitation
Ant 4: [6, 4, 7, 3, 2, 5], 86
Exploitation
Ant 17: [0, 1, 5, 4, 6], 58
Exploration
avg = 0.000347817589873
p = 0.000425326521263
p = 0.000494071146245
Ant 18: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000383737908197
p = 0.000679341032609
Ant 5: [3, 4, 7, 2, 5, 6], 87
Exploitation
Ant 19: [6, 4, 7, 2, 3], 61
Exploitation
Ant 0: [5, 4, 6, 7, 2, 3, 1, 0], 117
Update called by OExploration
Ant thread 0 terminating.avg = 0.000458095530645
p = 0.000603864733696
Ant 6: [5, 6, 4, 7, 2, 3], 77
Exploration
avg = 0.000160169956186
p = 0.000237952945484
Ant 7: [4, 7, 2, 5, 6, 1], 109
Exploitation
Ant 8: [5, 4, 7, 3, 2, 1], 87
Exploitation
Ant 9: [7, 4, 6, 5, 3, 2], 81
Exploration
avg = 0.000353728428695
p = 0.000425326521263
p = 0.000494071146245
Ant 10: [1, 0, 4, 6, 5, 3], 78
Exploitation
Ant 2: [0, 4, 6, 5, 3, 2, 7], 104
Exploration
avg = 0.000332448629027
p = 0.000603260869565
Ant 11 : [5, 4, 7, 2, 3, 1], 81
Exploitation
Ant 12 : [7, 4, 6, 5, 3, 2], 81
Exploration
avg = 0.000409667450859
p = 0.000493577075099
Ant 3: [7, 4, 6, 5, 3, 2, 1], 103
Exploitation
Ant 13: [7, 4, 6, 5, 3, 2], 81
Exploitation
```

```
Ant 14: [6, 4, 7, 2, 3, 1], 79
Exploration
avg = 0.000603858695647
Ant 1: [1, 0, 4, 6, 5, 3, 2, 7], 114
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.00032198127941
p = 0.000494071146245
Ant 15 : [2, 7, 4, 6, 5, 3], 81
Exploitation
Ant 16: [6, 5, 4, 7, 3, 2], 81
Exploitation
Ant 4: [6, 4, 7, 3, 2, 5, 1], 112
Exploration
avg = 0.000206504769022
p = 0.000350280473068
Ant 17 : [0, 1, 5, 4, 6, 7], 89
Exploration
avg = 0.000496803289425
p = 0.000603864673913
p = 0.0006038647343
Ant 18: [7, 4, 6, 5, 3, 2], 81
Exploration
avg = 0.000212183103824
p = 0.000293213842028
Ant 5 : [3, 4, 7, 2, 5, 6, 1], 124
Exploration
avg = 0.000428780854812
p = 0.000603864673913
Ant 19: [6, 4, 7, 2, 3, 1], 79
Exploration
avg = 0.000443272596879
p = 0.000603864733696
Ant 6: [5, 6, 4, 7, 2, 3, 1], 95
Exploration
avg = 0.000814700972797
p = 0.00108695641304
Ant 7: [4, 7, 2, 5, 6, 1, 0], 119
Exploitation
Ant 8: [5, 4, 7, 3, 2, 1, 0], 97
Exploitation
Ant 9: [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.000546032890816
p = 0.0006038647343
Ant 10 : [1, 0, 4, 6, 5, 3, 2], 96
Exploitation
Ant 2: [0, 4, 6, 5, 3, 2, 7, 1], 143
Update called by 2Exploitation
Ant thread 2 terminating. Ant 11 : [5, 4, 7, 2, 3, 1, 0], 91
```

Exploitation

```
Ant 12: [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.00108695652174
Ant 3: [7, 4, 6, 5, 3, 2, 1, 0], 113
Update called by 3Exploitation
Ant thread 3 terminating. Ant 13: [7, 4, 6, 5, 3, 2, 1], 103
Exploitation
Ant 14: [6, 4, 7, 2, 3, 1, 0], 89
Exploration
avg = 0.000443272597178
p = 0.000603864734293
Ant 15 : [2, 7, 4, 6, 5, 3, 1], 99
Exploitation
Ant 16: [6, 5, 4, 7, 3, 2, 1], 103
Exploration
avg = 0.00108695652174
Ant 4: [6, 4, 7, 3, 2, 5, 1, 0], 122
Update called by 4Exploitation
Ant thread 4 terminating. Ant 17 : [0, 1, 5, 4, 6, 7, 2], 107
Exploitation
Ant 18: [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.00108695652174
Ant 5 : [3, 4, 7, 2, 5, 6, 1, 0], 134
Update called by 5Exploration
Ant thread 5 terminating.avg = 0.000752297449831
p = 0.00108695652174
Ant 19 : [6, 4, 7, 2, 3, 1, 0], 89
Exploration
avg = 0.00108695652174
Ant 6: [5, 6, 4, 7, 2, 3, 1, 0], 105
Update called by 6Exploration
Ant thread 6 terminating.avg = 0.000150935206872
Ant 7: [4, 7, 2, 5, 6, 1, 0, 3], 150
Update called by 7Exploration
Ant thread 7 terminating.avg = 0.000199716990963
Ant 8 : [5, 4, 7, 3, 2, 1, 0, 6], 141
Update called by 8Exploitation
Ant thread 8 terminating. Ant 9: [7, 4, 6, 5, 3, 2, 1, 0], 113
Update called by 9Exploration
```

Ant thread 9 terminating.avg = 0.000603864673913

Ant 10 : [1, 0, 4, 6, 5, 3, 2, 7], 114 Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [5, 4, 7, 2, 3, 1, 0, 6], 135

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [7, 4, 6, 5, 3, 2, 1, 0], 113

Update called by 12Exploitation

Ant thread 12 terminating. Ant 13 : [7, 4, 6, 5, 3, 2, 1, 0], 113

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.000349378815323

Ant 14: [6, 4, 7, 2, 3, 1, 0, 5], 117 Update called by 14Exploitation

Ant thread 14 terminating. Ant 15: [2, 7, 4, 6, 5, 3, 1, 0], 109

Update called by 15Exploitation

Ant thread 15 terminating. Ant 16: [6, 5, 4, 7, 3, 2, 1, 0], 113

Update called by 16Exploration

Ant thread 16 terminating.avg = 0.000603864734293

Ant 17 : [0, 1, 5, 4, 6, 7, 2, 3], 125 Update called by 17Exploration

Ant thread 17 terminating.avg = 0.00108695652174

Ant 18: [7, 4, 6, 5, 3, 2, 1, 0], 113 Update called by 18Exploration

Ant thread 18 terminating.avg = 0.00038781055834

Ant 19: [6, 4, 7, 2, 3, 1, 0, 5], 117 Update called by 19

Best: [5, 6, 4, 7, 2, 3, 1, 0], 133, 9, 151 Ant thread 19 terminating.iter_counter = 10

starting ant = 0
Exploitationstarting ant = 1

Ant 0 : [5, 4], 12starting ant = 2

Exploitationstarting ant = 3

Ant 1 : [1, 0], 10starting ant = 4

```
Ant 0: [5, 4, 6], 22starting ant = 6
Exploitationstarting ant = 7
Ant 2 : [0, 1], 10starting ant = 8
Explorationstarting ant = 9
avg = 0.000330241576896starting ant = 10
p = 0.00054347826087starting ant = 11
p = 0.00048913038587starting ant = 12
p = 0.000652173913043starting ant = 13
Ant 3: [7, 4], 15starting ant = 14
Explorationstarting ant = 15
avg = 0.000284906091573starting ant = 16
p = 0.000313770759078starting ant = 17
p = 0.000489130385425starting ant = 18
p = 0.000349375388193starting ant = 19
Ant 1: [1, 0, 5], 38
Exploitation
Ant 4: [6, 4], 10
Exploitation
Ant 5 : [3, 4], 15
Exploration
avg = 0.000188060450405
p = 0.000264389805894
p = 0.000315564866474
Ant 0: [5, 4, 6, 7], 53
Exploitation
Ant 6: [5, 4], 12
Exploration
avg = 0.000422956698341
p = 0.000433235574261
p = 0.00108586956522
p = 0.000652173913043
Ant 7: [4, 7], 15
Exploration
avg = 0.000230426023476
p = 0.000488200979296
p = 0.000375874540131
Ant 2 : [0, 1, 5], 36
```

Exploitationstarting ant = 5

```
Exploitation
Ant 8 : [5, 4], 12
Exploitation
Ant 9: [7, 4], 15
Exploitation
Ant 10 : [1, 0], 10
Exploitation
Ant 11 : [5, 4], 12
Exploitation
Ant 12 : [7, 4], 15
Exploitation
Ant 13 : [7, 4], 15
Exploitation
Ant 3: [7, 4, 6], 25
Exploration
avg = 0.000381757209655
p = 0.00108586956521
p = 0.000611413043478
Ant 14: [6, 5], 16
Exploitation
Ant 15 : [2, 3], 18
Exploitation
Ant 16: [6, 4], 10
Exploration
avg = 0.00040481876844
p = 0.00108585969377
p = 0.000489130385425
Ant 17 : [0, 4], 20
Exploration
avg = 0.000340593543666
p = 0.00054347826087
p = 0.00048913038587
p = 0.000724637680435
Ant 18: [7, 4], 15
Exploration
avg = 0.000391518855619
p = 0.00108694565217
p = 0.000678668478261
Ant 19: [6, 5], 16
Exploration
avg = 0.000494455368071
p = 0.000905797100543
p = 0.000611412982337
Ant 1: [1, 0, 5, 6], 54
Exploration
avg = 0.000324427742267
p = 0.000433235574261
p = 0.000723913043478
Ant 4: [6, 4, 7], 25
Exploitation
Ant 5 : [3, 4, 6], 25
Exploration
avg = 0.000345280999211
p = 0.00054347826087
```

```
p = 0.00048913038587
Ant 0: [5, 4, 6, 7, 3], 73
Exploitation
Ant 6: [5, 4, 6], 22
Exploitation
Ant 7: [4, 7, 2], 33
Exploration
avg = 0.000507906467134
p = 0.000905797100543
p = 0.000678668477649
Ant 2: [0, 1, 5, 6], 52
Exploitation
Ant 8 : [5, 4, 6], 22
Exploitation
Ant 9: [7, 4, 6], 25
Exploitation
Ant 10 : [1, 0, 4], 30
Exploration
avg = 0.000433500798731
p = 0.00108695652174
p = 0.000724630434783
Ant 11 : [5, 4, 7], 27
Exploration
avg = 0.000384934988644
p = 0.000433235574261
p = 0.00108695652174
Ant 12: [7, 4, 6], 25
Exploration
avg = 0.000384934988644
p = 0.000433235574261
p = 0.00108695652174
Ant 13: [7, 4, 6], 25
Exploitation
Ant 3: [7, 4, 6, 5], 41
Exploration
avg = 0.000397749090347
p = 0.000444664031621
p = 0.000905797100543
Ant 14: [6, 5, 4], 28
Exploration
avg = 0.000403543311527
p = 0.00054347826087
p = 0.000723906462515
p = 0.0004393809426
Ant 15 : [2, 3, 7], 38
Exploitation
Ant 16: [6, 4, 7], 25
Exploitation
Ant 17 : [0, 4, 6], 30
Exploration
avg = 0.000384934988644
p = 0.000433235574261
p = 0.00108695652174
Ant 18 : [7, 4, 6], 25
```

```
Exploitation
Ant 19 : [6, 5, 4], 28
Exploitation
Ant 1: [1, 0, 5, 6, 4], 64
Exploration
avg = 0.000324463971702
p = 0.000603260869565
p = 0.00054293478212
Ant 4 : [6, 4, 7, 3], 45
Exploitation
Ant 5: [3, 4, 6, 5], 41
Exploitation
Ant 0: [5, 4, 6, 7, 3, 2], 91
Exploitation
Ant 6: [5, 4, 6, 7], 53
Exploitation
Ant 7: [4, 7, 2, 3], 51
Exploitation
Ant 2: [0, 1, 5, 6, 4], 62
Exploration
avg = 0.000195073002994
p = 0.000264389805894
p = 0.000350627629418
Ant 8: [5, 4, 6, 7], 53
Exploitation
Ant 9: [7, 4, 6, 5], 41
Exploitation
Ant 10: [1, 0, 4, 6], 40
Exploration
avg = 0.000329206663484
p = 0.000603260869565
p = 0.000543472826082
Ant 11 : [5, 4, 7, 3], 47
Exploration
avg = 0.000260817042326
p = 0.000264389805894
p = 0.00067934782608
Ant 12: [7, 4, 6, 5], 41
Exploitation
Ant 13: [7, 4, 6, 5], 41
Exploration
avg = 0.000338272146204
p = 0.000375234531498
p = 0.000382793869137
p = 0.000444664031621
Ant 3: [7, 4, 6, 5, 3], 63
Exploitation
Ant 14: [6, 5, 4, 7], 43
Exploitation
Ant 15 : [2, 3, 7, 4], 53
Exploitation
Ant 16: [6, 4, 7, 2], 43
Exploitation
Ant 17 : [0, 4, 6, 5], 46
```

```
Exploration
avg = 0.000260817042327
p = 0.000264389805894
p = 0.000679347826087
Ant 18: [7, 4, 6, 5], 41
Exploration
avg = 0.000302811103403
p = 0.000311620828109
p = 0.000724637681152
Ant 19: [6, 5, 4, 7], 43
Exploration
avg = 0.000399407865548
p = 0.000724637681159
Ant 1: [1, 0, 5, 6, 4, 7], 79
Exploitation
Ant 4 : [6, 4, 7, 3, 2], 63
Exploration
avg = 0.000259008352479
p = 0.000375234531498
p = 0.000382793869137
Ant 5 : [3, 4, 6, 5, 2], 64
Exploitation
Ant 0: [5, 4, 6, 7, 3, 2, 1], 113
Exploitation
Ant 6: [5, 4, 6, 7, 2], 71
Exploration
avg = 0.000314493116012
p = 0.00054347826087
p = 0.000359817687413
Ant 7: [4, 7, 2, 3, 5], 73
Exploration
avg = 0.000399407865548
p = 0.000724637681159
Ant 2: [0, 1, 5, 6, 4, 7], 77
Exploitation
Ant 8: [5, 4, 6, 7, 2], 71
Exploitation
Ant 9: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000318072344416
p = 0.000679347826087
p = 0.000350631100979
Ant 10: [1, 0, 4, 6, 7], 71
Exploration
avg = 0.000375503368072
p = 0.00054347826087
p = 0.000603858695652
Ant 11 : [5, 4, 7, 3, 2], 65
Exploration
avg = 0.000372847180606
p = 0.000375234531498
p = 0.000471691832831
p = 0.000494066205534
Ant 12 : [7, 4, 6, 5, 3], 63
```

```
Exploration
avg = 0.000372848403432
p = 0.000375234531498
p = 0.000471691832831
p = 0.000494071096838
Ant 13 : [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000467251782946
p = 0.00054347826087
p = 0.000603864673913
Ant 3: [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 14 : [6, 5, 4, 7, 2], 61
Exploitation
Ant 15 : [2, 3, 7, 4, 6], 63
Exploration
avg = 0.0004539871366
p = 0.000493577075099
p = 0.000603858695652
Ant 16: [6, 4, 7, 2, 3], 61
Exploration
avg = 0.0003671515917
p = 0.000375234531498
p = 0.000471691832831
p = 0.000494071145751
Ant 17: [0, 4, 6, 5, 3], 68
Exploitation
Ant 18: [7, 4, 6, 5, 3], 63
Exploitation
Ant 19: [6, 5, 4, 7, 2], 61
Exploration
avg = 0.000573671470411
p = 0.000603864734299
Ant 1: [1, 0, 5, 6, 4, 7, 2], 97
Exploration
avg = 0.00040402995025
p = 0.000493577075099
p = 0.000425330731694
Ant 4: [6, 4, 7, 3, 2, 5], 86
Exploration
avg = 0.000443412459794
p = 0.000493577075099
p = 0.000543478260326
Ant 5 : [3, 4, 6, 5, 2, 7], 82
Exploration
avg = 0.00108694565217
Ant 0: [5, 4, 6, 7, 3, 2, 1, 0], 123
Update called by OExploitation
Ant thread 0 terminating. Ant 6: [5, 4, 6, 7, 2, 3], 89
Exploration
avg = 0.000401657238888
p = 0.000679341032603
```

```
Ant 7: [4, 7, 2, 3, 5, 6], 89
Exploitation
Ant 2: [0, 1, 5, 6, 4, 7, 2], 95
Exploration
avg = 0.00046354128425
p = 0.000493577075099
p = 0.000603864733696
Ant 8: [5, 4, 6, 7, 2, 3], 89
Exploration
avg = 0.000467251802874
p = 0.00054347826087
p = 0.000603864733696
Ant 9: [7, 4, 6, 5, 3, 2], 81
Exploration
avg = 0.000424983932514
p = 0.0006038647343
p = 0.000543478206522
Ant 10 : [1, 0, 4, 6, 7, 3], 91
Exploration
avg = 0.000300658894387
p = 0.000493577075099
Ant 11 : [5, 4, 7, 3, 2, 1], 87
Exploration
avg = 0.000467251803073
p = 0.00054347826087
p = 0.000603864734293
Ant 12: [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 13: [7, 4, 6, 5, 3, 2], 81
Exploration
avg = 0.000393624124745
p = 0.000494066205534
Ant 3: [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.000463705958363
p = 0.000494071096838
p = 0.000603864734293
Ant 14: [6, 5, 4, 7, 2, 3], 79
Exploitation
Ant 15 : [2, 3, 7, 4, 6, 5], 79
Exploration
avg = 0.000430206428861
p = 0.00054347826087
p = 0.000492728611657
Ant 16: [6, 4, 7, 2, 3, 5], 83
Exploitation
Ant 17 : [0, 4, 6, 5, 3, 2], 86
Exploration
avg = 0.000467251803075
p = 0.00054347826087
p = 0.0006038647343
Ant 18: [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 19: [6, 5, 4, 7, 2, 3], 79
```

```
Exploration
avg = 0.0006038647343
Ant 1: [1, 0, 5, 6, 4, 7, 2, 3], 115
Update called by 1Exploitation
Ant thread 1 terminating. Ant 4: [6, 4, 7, 3, 2, 5, 1], 112
Exploitation
Ant 5 : [3, 4, 6, 5, 2, 7, 1], 121
Exploitation
Ant 6: [5, 4, 6, 7, 2, 3, 1], 107
Exploration
avg = 0.000191213467476
p = 0.000264389805894
Ant 7: [4, 7, 2, 3, 5, 6, 1], 126
Exploration
avg = 0.0006038647343
Ant 2 : [0, 1, 5, 6, 4, 7, 2, 3], 113
Update called by 2Exploitation
Ant thread 2 terminating. Ant 8: [5, 4, 6, 7, 2, 3, 1], 107
Exploitation
Ant 9: [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.000548961227599
p = 0.0006038647343
Ant 10 : [1, 0, 4, 6, 7, 3, 2], 109
Exploitation
Ant 11 : [5, 4, 7, 3, 2, 1, 0], 97
Exploitation
Ant 12: [7, 4, 6, 5, 3, 2, 1], 103
Exploitation
Ant 13 : [7, 4, 6, 5, 3, 2, 1], 103
Exploitation
Ant 3: [7, 4, 6, 5, 3, 2, 1, 0], 113
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.000429135554854
p = 0.000603858695652
Ant 14: [6, 5, 4, 7, 2, 3, 1], 97
Exploration
avg = 0.00028401404827
p = 0.000417631943977
Ant 15 : [2, 3, 7, 4, 6, 5, 1], 105
Exploitation
Ant 16: [6, 4, 7, 2, 3, 5, 1], 109
Exploitation
Ant 17: [0, 4, 6, 5, 3, 2, 7], 104
Exploitation
Ant 18: [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.000429138543985
```

p = 0.000603864673913

Ant 19: [6, 5, 4, 7, 2, 3, 1], 97

Exploration

avg = 0.00108695652173

Ant 4: [6, 4, 7, 3, 2, 5, 1, 0], 122

Update called by 4Exploitation

Ant thread 4 terminating. Ant 5 : [3, 4, 6, 5, 2, 7, 1, 0], 131

Update called by 5Exploration

Ant thread 5 terminating.avg = 0.00108695652174

Ant 6: [5, 4, 6, 7, 2, 3, 1, 0], 117 Update called by 6Exploration

Ant thread 6 terminating.avg = 0.00108695652174

Ant 7: [4, 7, 2, 3, 5, 6, 1, 0], 136 Update called by 7Exploration

Ant thread 7 terminating.avg = 0.00108695652174

Ant 8: [5, 4, 6, 7, 2, 3, 1, 0], 117 Update called by 8Exploration

Ant thread 8 terminating.avg = 0.00108695652174

Ant 9: [7, 4, 6, 5, 3, 2, 1, 0], 113 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [1, 0, 4, 6, 7, 3, 2, 5], 132

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.000222327757138

Ant 11 : [5, 4, 7, 3, 2, 1, 0, 6], 141 ExploitationUpdate called by 11

Ant 12: [7, 4, 6, 5, 3, 2, 1, 0], 113Ant thread 11 terminating.

Update called by 12Exploitation

Ant thread 12 terminating. Ant 13: [7, 4, 6, 5, 3, 2, 1, 0], 113

Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [6, 5, 4, 7, 2, 3, 1, 0], 107

Update called by 14Exploitation

Ant thread 14 terminating. Ant 15 : [2, 3, 7, 4, 6, 5, 1, 0], 115

```
Ant thread 15 terminating.avg = 0.00108695652174
Ant 16: [6, 4, 7, 2, 3, 5, 1, 0], 119
Update called by 16Exploration
Ant thread 16 terminating.avg = 0.000278425562158
Ant 17 : [0, 4, 6, 5, 3, 2, 7, 1], 143
Update called by 17Exploration
Ant thread 17 terminating.avg = 0.00108695652174
Ant 18: [7, 4, 6, 5, 3, 2, 1, 0], 113
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19: [6, 5, 4, 7, 2, 3, 1, 0], 107
Update called by 19
Best: [5, 6, 4, 7, 2, 3, 1, 0], 133, 10, 153
Ant thread 19 terminating.iter counter = 11
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [5, 4], 12 starting ant = 2
Explorationstarting ant = 3
avg = 0.000322878402839starting ant = 4
p = 0.000978260869565starting ant = 5
p = 0.000439380881366starting ant = 6
p = 0.000375874509657starting ant = 7
Ant 1 : [1, 5], 26starting ant = 8
Exploitationstarting ant = 9
Ant 0 : [5, 4, 6], 22starting ant = 10
Exploitationstarting ant = 11
Ant 2 : [0, 1], 10starting ant = 12
Explorationstarting ant = 13
avg = 0.000324901307654starting ant = 14
p = 0.00054347826087starting ant = 15
```

Update called by 15Exploration

```
p = 0.000489130434293starting ant = 16
p = 0.000652173913043starting ant = 17
Ant 3 : [7, 4], 15starting ant = 18
Exploitationstarting ant = 19
Ant 4: [6, 4], 10
Exploitation
Ant 5 : [3, 4], 15
Exploration
avg = 0.000430278516895
p = 0.000444664031621
p = 0.000904891304348
p = 0.000611412982337
Ant 6: [5, 6], 16
Exploration
avg = 0.000405490221053
p = 0.00108586956522
p = 0.000652173913043
Ant 7: [4, 7], 15
Exploration
avg = 0.000450491828587
p = 0.000904891304348
p = 0.000678668477649
Ant 1: [1, 5, 6], 42
Exploitation
Ant 8: [5, 4], 12
Exploitation
Ant 9: [7, 4], 15
Exploration
avg = 0.000180802246677
p = 0.000264130389569
p = 0.000315568022125
Ant 0: [5, 4, 6, 7], 53
Exploration
avg = 0.000328844664854
p = 0.000978260869565
p = 0.000439380881366
p = 0.000417638343759
Ant 10 : [1, 5], 26
Exploitation
Ant 11 : [5, 4], 12
Exploration
avg = 0.000220678237126
p = 0.000439380881366
p = 0.0004180559821
Ant 2: [0, 1, 5], 36
Exploitation
Ant 12: [7, 4], 15
Exploitation
Ant 13 : [7, 4], 15
Exploration
```

```
avg = 0.000376572332122
p = 0.00108586956521
p = 0.000611413043478
Ant 14: [6, 5], 16
Exploration
avg = 0.000352895700573
p = 0.000444664031621
p = 0.00054347826087
p = 0.000425326559539
p = 0.000543472826087
Ant 15 : [2, 7], 18
Exploitation
Ant 16 : [6, 4], 10
Exploration
avg = 0.000389981010169
p = 0.00108585969377
p = 0.000489125543474
Ant 17: [0, 4], 20
Exploitation
Ant 3: [7, 4, 6], 25
Exploitation
Ant 18: [7, 4], 15
Exploration
avg = 0.000386333978086
p = 0.00108694565217
p = 0.000678668478261
Ant 19: [6, 5], 16
Exploration
avg = 0.000304050185432
p = 0.000389912016835
p = 0.000723913043478
Ant 4: [6, 4, 7], 25
Exploitation
Ant 5 : [3, 4, 6], 25
Exploration
avg = 0.00033761156139
p = 0.00108694565217
p = 0.000350280504906
Ant 6: [5, 6, 7], 47
Exploration
avg = 0.000270355873423
p = 0.00054347826087
p = 0.000489130434293
Ant 7: [4, 7, 3], 35
Exploration
avg = 0.000352377220719
p = 0.00108694565217
Ant 1 : [1, 5, 6, 4], 52
Exploration
avg = 0.000420343816684
p = 0.00108695641304
p = 0.000724630434783
Ant 8: [5, 4, 7], 27
Exploitation
```

```
Ant 9: [7, 4, 6], 25
Exploration
avg = 0.000356346443325
p = 0.00054347826087
p = 0.000542934782604
Ant 0: [5, 4, 6, 7, 3], 73
Exploration
avg = 0.000450754872166
p = 0.00090579701087
p = 0.000679341032603
Ant 10: [1, 5, 6], 42
Exploitation
Ant 11 : [5, 4, 6], 22
Exploration
avg = 0.000513835884248
p = 0.00090579701087
p = 0.000679347758152
Ant 2: [0, 1, 5, 6], 52
Exploitation
Ant 12: [7, 4, 6], 25
Exploration
avg = 0.000364557431809
p = 0.000389912016835
p = 0.00108695652174
Ant 13 : [7, 4, 6], 25
Exploitation
Ant 14 : [6, 5, 4], 28
Exploration
avg = 0.000309606175436
p = 0.000543472826087
p = 0.000724637681152
Ant 15 : [2, 7, 4], 33
Exploitation
Ant 16 : [6, 4, 7], 25
Exploration
avg = 0.00045374718651
p = 0.00108695652174
p = 0.000724637680435
Ant 17: [0, 4, 7], 35
Exploitation
Ant 3: [7, 4, 6, 5], 41
Exploration
avg = 0.000364557431809
p = 0.000389912016835
p = 0.00108695652174
Ant 18: [7, 4, 6], 25
Exploitation
Ant 19 : [6, 5, 4], 28
Exploitation
Ant 4: [6, 4, 7, 2], 43
```

Exploration

avg = 0.000305636181521 p = 0.000679347758152 p = 0.000350627629733

```
Ant 5: [3, 4, 6, 7], 56
Exploration
avg = 0.000442068821328
p = 0.000603260869565
p = 0.000543472826087
p = 0.000724637681159
Ant 6: [5, 6, 7, 4], 62
Exploration
avg = 0.000370163466839
p = 0.000543478260326
p = 0.00054347826087
p = 0.000444651948809
Ant 7: [4, 7, 3, 5], 57
Exploration
avg = 0.000335091039329
p = 0.000724637681152
Ant 1: [1, 5, 6, 4, 7], 67
Exploration
avg = 0.000324282453996
p = 0.000603260869565
p = 0.000543472826087
Ant 8: [5, 4, 7, 3], 47
Exploration
avg = 0.000253558193882
p = 0.000264130389569
p = 0.000679347758152
Ant 9: [7, 4, 6, 5], 41
Exploitation
Ant 0: [5, 4, 6, 7, 3, 2], 91
Exploitation
Ant 10 : [1, 5, 6, 4], 52
Exploitation
Ant 11 : [5, 4, 6, 7], 53
Exploration
avg = 0.000413916765471
p = 0.00108695652065
Ant 2: [0, 1, 5, 6, 4], 62
Exploration
avg = 0.000253558207333
p = 0.000264130389569
p = 0.000679347825408
Ant 12: [7, 4, 6, 5], 41
Exploitation
Ant 13: [7, 4, 6, 5], 41
Exploitation
Ant 14 : [6, 5, 4, 7], 43
Exploitation
Ant 15 : [2, 7, 4, 6], 43
Exploration
avg = 0.000320111955392
p = 0.000603260869565
p = 0.000543478206522
Ant 16: [6, 4, 7, 3], 45
Exploration
```

```
avg = 0.000329625306939
p = 0.000603260869565
p = 0.000543478260326
Ant 17: [0, 4, 7, 3], 55
Exploitation
Ant 3: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000253558207469
p = 0.000264130389569
p = 0.000679347826087
Ant 18: [7, 4, 6, 5], 41
Exploration
avg = 0.000287022746687
p = 0.000724637681159
Ant 19: [6, 5, 4, 7], 43
Exploitation
Ant 4: [6, 4, 7, 2, 3], 61
Exploration
avg = 0.00026427039261
p = 0.000603260869565
Ant 5 : [3, 4, 6, 7, 2], 74
Exploitation
Ant 6: [5, 6, 7, 4, 3], 77
Exploration
avg = 0.00040387028858
p = 0.000424522649548
p = 0.000679347825408
Ant 7: [4, 7, 3, 5, 6], 73
Exploration
avg = 0.000411825365696
p = 0.000603858695652
p = 0.000543478260864
Ant 1: [1, 5, 6, 4, 7, 3], 87
Exploitation
Ant 8: [5, 4, 7, 3, 2], 65
Exploitation
Ant 9: [7, 4, 6, 5, 3], 63
Exploitation
Ant 0: [5, 4, 6, 7, 3, 2, 1], 113
Exploration
avg = 0.000445025325956
p = 0.000720195891801
p = 0.000724637681159
Ant 10 : [1, 5, 6, 4, 7], 67
Exploitation
Ant 11: [5, 4, 6, 7, 2], 71
Exploitation
Ant 2: [0, 1, 5, 6, 4, 7], 77
Exploration
avg = 0.000357549883612
p = 0.000376254142059
p = 0.000424522649548
p = 0.000494066205534
Ant 12: [7, 4, 6, 5, 3], 63
```

```
Exploration
avg = 0.000357551106438
p = 0.000376254142059
p = 0.000424522649548
p = 0.000494071096838
Ant 13 : [7, 4, 6, 5, 3], 63
Exploitation
Ant 14: [6, 5, 4, 7, 2], 61
Exploration
avg = 0.000284987330836
p = 0.000679347826087
Ant 15 : [2, 7, 4, 6, 5], 59
Exploitation
Ant 16: [6, 4, 7, 3, 2], 63
Exploitation
Ant 17: [0, 4, 7, 3, 2], 73
Exploration
avg = 0.000458771388891
p = 0.000543478260326
p = 0.000603864733696
Ant 3: [7, 4, 6, 5, 3, 2], 81
Exploration
avg = 0.000357551118666
p = 0.000376254142059
p = 0.000424522649548
p = 0.000494071145751
Ant 18: [7, 4, 6, 5, 3], 63
Exploitation
Ant 19: [6, 5, 4, 7, 2], 61
Exploration
avg = 0.000422008795749
p = 0.000543478260326
p = 0.000493576954271
Ant 4: [6, 4, 7, 2, 3, 5], 83
Exploitation
Ant 5 : [3, 4, 6, 7, 2, 1], 96
Exploration
avg = 0.00045877138909
p = 0.000543478260326
p = 0.000603864734293
Ant 6: [5, 6, 7, 4, 3, 2], 95
Exploration
avg = 0.000166068506574
p = 0.000264130389569
Ant 7: [4, 7, 3, 5, 6, 1], 110
Exploitation
Ant 1 : [1, 5, 6, 4, 7, 3, 2], 105
Exploration
avg = 0.000287208617597
p = 0.000494066205534
Ant 8: [5, 4, 7, 3, 2, 1], 87
Exploration
avg = 0.000458771389092
p = 0.000543478260326
```

```
p = 0.0006038647343
Ant 9: [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 0: [5, 4, 6, 7, 3, 2, 1, 0], 123
Update called by <code>OExploration</code>
Ant thread 0 terminating.avg = 0.000411827378578
p = 0.000603864734293
p = 0.00054347826087
Ant 10: [1, 5, 6, 4, 7, 3], 87
Exploitation
Ant 11 : [5, 4, 6, 7, 2, 3], 89
Exploitation
Ant 2: [0, 1, 5, 6, 4, 7, 2], 95
Exploration
avg = 0.000458771389092
p = 0.000543478260326
p = 0.0006038647343
Ant 12: [7, 4, 6, 5, 3, 2], 81
Exploration
avg = 0.000458771389092
p = 0.000543478260326
p = 0.0006038647343
Ant 13 : [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 14: [6, 5, 4, 7, 2, 3], 79
Exploration
avg = 0.000335227275202
p = 0.000376254142059
p = 0.00049407114624
Ant 15 : [2, 7, 4, 6, 5, 3], 81
Exploitation
Ant 16: [6, 4, 7, 3, 2, 1], 85
Exploration
avg = 0.000341031170995
p = 0.000494071145751
p = 0.000425326559539
Ant 17: [0, 4, 7, 3, 2, 5], 96
Exploration
avg = 0.000378967492656
p = 0.000494071145751
Ant 3: [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.000458771389092
p = 0.000543478260326
p = 0.0006038647343
Ant 18 : [7, 4, 6, 5, 3, 2], 81
Exploration
avg = 0.000453933219905
p = 0.00049407114624
p = 0.000603864673913
Ant 19: [6, 5, 4, 7, 2, 3], 79
Exploitation
```

```
Ant 4: [6, 4, 7, 2, 3, 5, 1], 109
Exploration
avg = 0.00075196486185
p = 0.00108586956522
Ant 5 : [3, 4, 6, 7, 2, 1, 0], 106
Exploration
avg = 0.000378967492901
p = 0.00049407114624
Ant 6: [5, 6, 7, 4, 3, 2, 1], 117
Exploration
avg = 0.000629608804373
p = 0.00108694565217
Ant 7: [4, 7, 3, 5, 6, 1, 0], 120
Exploration
avg = 0.000263863839561
Ant 1: [1, 5, 6, 4, 7, 3, 2, 0], 135
Update called by 1Exploitation
Ant thread 1 terminating. Ant 8 : [5, 4, 7, 3, 2, 1, 0], 97
Exploitation
Ant 9: [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.000416417953475
p = 0.0006038647343
Ant 10: [1, 5, 6, 4, 7, 3, 2], 105
Exploration
avg = 0.000386224716489
p = 0.000543478260326
Ant 11 : [5, 4, 6, 7, 2, 3, 1], 107
Exploration
avg = 0.000603864733696
Ant 2 : [0, 1, 5, 6, 4, 7, 2, 3], 113
Update called by 2Exploitation
Ant thread 2 terminating. Ant 12 : [7, 4, 6, 5, 3, 2, 1], 103
Exploitation
Ant 13: [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.000416116021105
p = 0.00060326086956
Ant 14: [6, 5, 4, 7, 2, 3, 1], 97
Exploitation
Ant 15 : [2, 7, 4, 6, 5, 3, 1], 99
Exploitation
Ant 16: [6, 4, 7, 3, 2, 1, 0], 95
Exploration
avg = 0.000548494983081
p = 0.00067934782608
Ant 17 : [0, 4, 7, 3, 2, 5, 6], 112
Exploration
avg = 0.00108695652173
Ant 3: [7, 4, 6, 5, 3, 2, 1, 0], 113
```

Update called by 3Exploration

Ant thread 3 terminating.avg = 0.000427702718407

p = 0.000494071146245

Ant 18: [7, 4, 6, 5, 3, 2, 1], 103

Exploitation

Ant 19: [6, 5, 4, 7, 2, 3, 1], 97

Exploration

avg = 0.00108695652174

Ant 4 : [6, 4, 7, 2, 3, 5, 1, 0], 119

Update called by 4Exploitation

Ant thread 4 terminating. Ant 5 : [3, 4, 6, 7, 2, 1, 0, 5], 134

Update called by 5Exploitation

Ant thread 5 terminating. Ant 6 : [5, 6, 7, 4, 3, 2, 1, 0], 127

Update called by 6Exploration

Ant thread 6 terminating.avg = 0.000213209893075

Ant 7: [4, 7, 3, 5, 6, 1, 0, 2], 150 Update called by 7Exploitation

Ant thread 7 terminating. Ant 8 : [5, 4, 7, 3, 2, 1, 0, 6], 141

Update called by 8Exploration

Ant thread 8 terminating.avg = 0.00108695652174

Ant 9: [7, 4, 6, 5, 3, 2, 1, 0], 113 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [1, 5, 6, 4, 7, 3, 2, 0], 135

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.00108695652174

Ant 11 : [5, 4, 6, 7, 2, 3, 1, 0], 117 Update called by 11Exploration

Ant thread 11 terminating.avg = 0.00108695652174

Ant 12: [7, 4, 6, 5, 3, 2, 1, 0], 113 ExplorationUpdate called by 12

avg = 0.00108695652174Ant thread 12 terminating.

Ant 13 : [7, 4, 6, 5, 3, 2, 1, 0], 113 Update called by 13Exploration

```
Ant thread 13 terminating.avg = 0.00108695652174
Ant 14 : [6, 5, 4, 7, 2, 3, 1, 0], 107
Update called by 14Exploitation
Ant thread 14 terminating. Ant 15: [2, 7, 4, 6, 5, 3, 1, 0], 109
Update called by 15Exploitation
Ant thread 15 terminating. Ant 16: [6, 4, 7, 3, 2, 1, 0, 5], 123
Update called by 16Exploitation
Ant thread 16 terminating. Ant 17: [0, 4, 7, 3, 2, 5, 6, 1], 149
ExploitationUpdate called by 17
Ant 18: [7, 4, 6, 5, 3, 2, 1, 0], 113Ant thread 17 terminating.
Update called by 18Exploration
Ant thread 18 terminating.avg = 0.00108695652174
Ant 19: [6, 5, 4, 7, 2, 3, 1, 0], 107
Update called by 19
Best: [5, 6, 4, 7, 2, 3, 1, 0], 133, 11, 152
Ant thread 19 terminating.iter counter = 12
starting ant = 0
Explorationstarting ant = 1
avg = 0.000407775262083starting ant = 2
p = 0.000444664031621starting ant = 3
p = 0.000815217391296starting ant = 4
p = 0.000611413043478starting ant = 5
Ant 0 : [5, 6], 16starting ant = 6
Explorationstarting ant = 7
avg = 0.00030998958697starting ant = 8
p = 0.000978260869565starting ant = 9
p = 0.00039544279323starting ant = 10
p = 0.000376254142635starting ant = 11
```

Ant 1 : [1, 5], 26starting ant = 12

Explorationstarting ant = 13

```
avg = 0.00038508893447starting ant = 14
p = 0.000977273724389starting ant = 15
p = 0.000488641260326starting ant = 16
Ant 2 : [0, 4], 20starting ant = 17
Explorationstarting ant = 18
avg = 0.000316479499933starting ant = 19
p = 0.00054347826087
p = 0.000489130434783
p = 0.000652173913043
Ant 3: [7, 4], 15
Exploration
avg = 0.000351645090935
p = 0.000978260869555
p = 0.000611413043478
Ant 4: [6, 5], 16
Exploration
avg = 0.000415684871735
p = 0.000543478260326
p = 0.00054347826087
p = 0.000651515816259
p = 0.000444659583893
p = 0.000439374203026
Ant 5 : [3, 7], 20
Exploitation
Ant 0: [5, 6, 4], 26
Exploitation
Ant 6: [5, 4], 12
Exploitation
Ant 7 : [4, 6], 10
Exploitation
Ant 8: [5, 4], 12
Exploration
avg = 0.000326727947138
p = 0.00054347826087
p = 0.000489130434783
p = 0.000723913043478
Ant 9: [7, 4], 15
Exploitation
Ant 10 : [1, 0], 10
Exploitation
Ant 11 : [5, 4], 12
Exploration
avg = 0.000439397327144
p = 0.000444664031621
p = 0.00090579701087
p = 0.000678668478261
Ant 1 : [1, 5, 6], 42
```

```
Exploitation
Ant 12 : [7, 4], 15
Exploration
avg = 0.000326831456455
p = 0.00054347826087
p = 0.000489130434783
p = 0.000724637608696
Ant 13: [7, 4], 15
Exploitation
Ant 14 : [6, 4], 10
Exploitation
Ant 15 : [2, 3], 18
Exploitation
Ant 16: [6, 4], 10
Exploitation
Ant 2: [0, 4, 6], 30
Exploitation
Ant 17: [0, 1], 10
Exploitation
Ant 18: [7, 4], 15
Exploration
avg = 0.000376780944973
p = 0.00108695641304
p = 0.000678668478261
Ant 19: [6, 5], 16
Exploitation
Ant 3: [7, 4, 6], 25
Exploration
avg = 0.000388932235113
p = 0.000444664031621
p = 0.00090579701087
Ant 4: [6, 5, 4], 28
Exploration
avg = 0.00029978163881
p = 0.00054347826087
p = 0.000724637681152
Ant 5 : [3, 7, 4], 35
Exploitation
Ant 0: [5, 6, 4, 7], 41
Exploration
avg = 0.000474343555904
p = 0.000648176302621
p = 0.00108695641304
p = 0.000723913043478
Ant 6: [5, 4, 7], 27
Exploitation
Ant 7: [4, 6, 5], 26
Exploration
avg = 0.000474463121121
p = 0.000648176302621
p = 0.00108695641304
p = 0.000724630434783
Ant 8: [5, 4, 7], 27
Exploration
```

```
avg = 0.000412178184516
p = 0.000648176302621
p = 0.00108695641304
Ant 9: [7, 4, 6], 25
Exploration
avg = 0.000295439574573
p = 0.000324744975994
p = 0.000542929890864
p = 0.000349375356752
Ant 10 : [1, 0, 5], 38
Exploration
avg = 0.000474464334708
p = 0.000648176302621
p = 0.00108695652065
p = 0.000724637608696
Ant 11 : [5, 4, 7], 27
Exploration
avg = 0.000338881194938
p = 0.00108695641304
Ant 1: [1, 5, 6, 4], 52
Exploration
avg = 0.000412178202451
p = 0.000648176302621
p = 0.00108695652065
Ant 12: [7, 4, 6], 25
Exploration
avg = 0.00041217820263
p = 0.000648176302621
p = 0.00108695652173
Ant 13 : [7, 4, 6], 25
Exploration
avg = 0.000351791729081
p = 0.000648176302621
p = 0.000724637680435
Ant 14: [6, 4, 7], 25
Exploration
avg = 0.00041156314309
p = 0.000543478260326
p = 0.000651515816259
p = 0.000444659583893
p = 0.000542437220291
Ant 15 : [2, 3, 7], 38
Exploration
avg = 0.000351791729201
p = 0.000648176302621
p = 0.000724637681152
Ant 16: [6, 4, 7], 25
Exploration
avg = 0.000291115881425
p = 0.000679347758152
p = 0.000315568022125
Ant 2: [0, 4, 6, 7], 61
```

Exploitation

Ant 17 : [0, 1, 5], 36

```
Exploitation
Ant 18 : [7, 4, 6], 25
Exploration
avg = 0.000388932250058
p = 0.000444664031621
p = 0.000905797100543
Ant 19 : [6, 5, 4], 28
Exploitation
Ant 3: [7, 4, 6, 5], 41
Exploration
avg = 0.000351965912012
p = 0.000648176302621
p = 0.000724637681159
Ant 4: [6, 5, 4, 7], 43
Exploitation
Ant 5 : [3, 7, 4, 6], 45
Exploration
avg = 0.000334421038124
p = 0.00054347826087
p = 0.000489130434783
Ant 0: [5, 6, 4, 7, 3], 61
Exploitation
Ant 6: [5, 4, 7, 2], 45
Exploitation
Ant 7: [4, 6, 5, 3], 48
Exploitation
Ant 8: [5, 4, 7, 2], 45
Exploration
avg = 0.000247124305359
p = 0.000264392161864
p = 0.000679347825408
Ant 9:[7, 4, 6, 5], 41
Exploitation
Ant 10: [1, 0, 5, 4], 50
Exploitation
Ant 11 : [5, 4, 7, 2], 45
Exploration
avg = 0.00041863873539
p = 0.000648176302621
p = 0.000724637681159
Ant 1: [1, 5, 6, 4, 7], 67
Exploration
avg = 0.000247124305493
p = 0.000264392161864
p = 0.00067934782608
Ant 12: [7, 4, 6, 5], 41
Exploitation
Ant 13 : [7, 4, 6, 5], 41
Exploration
avg = 0.000311047617462
p = 0.000603864673913
p = 0.000542934782609
Ant 14: [6, 4, 7, 3], 45
Exploration
```

```
avg = 0.000251042314399
p = 0.000724637681159
Ant 15 : [2, 3, 7, 4], 53
Exploration
avg = 0.000311155226158
p = 0.000603864673913
p = 0.000543472826087
Ant 16 : [6, 4, 7, 3], 45
Exploration
avg = 0.000369114071177
p = 0.000603864673913
p = 0.000543478206522
Ant 2 : [0, 4, 6, 7, 3], 81
Exploitation
Ant 17: [0, 1, 5, 4], 48
Exploration
avg = 0.000247124305494
p = 0.000264392161864
p = 0.000679347826087
Ant 18: [7, 4, 6, 5], 41
Exploration
avg = 0.000351965912012
p = 0.000648176302621
p = 0.000724637681159
Ant 19: [6, 5, 4, 7], 43
Exploration
avg = 0.000343336567335
p = 0.000375877926075
p = 0.000382070384593
p = 0.000493577075099
Ant 3: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000363104597771
p = 0.000603864673913
p = 0.000543478260326
Ant 4: [6, 5, 4, 7, 3], 63
Exploitation
Ant 5: [3, 7, 4, 6, 5], 61
Exploitation
Ant 0: [5, 6, 4, 7, 3, 2], 79
Exploration
avg = 0.000366832305921
p = 0.000444664031621
p = 0.000603260869565
Ant 6: [5, 4, 7, 2, 3], 63
Exploration
avg = 0.000474070258935
p = 0.000543478260326
p = 0.000603260869565
p = 0.000543467850464
Ant 7: [4, 6, 5, 3, 7], 68
Exploration
avg = 0.000366981762443
p = 0.000444664031621
```

```
p = 0.000603858695652
Ant 8 : [5, 4, 7, 2, 3], 63
Exploration
avg = 0.000343458849944
p = 0.000375877926075
p = 0.000382070384593
p = 0.000494066205534
Ant 9: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000647740556573
p = 0.000648176302621
p = 0.00108695652174
p = 0.000724637681159
Ant 10 : [1, 0, 5, 4, 7], 65
Exploration
avg = 0.000366983257008
p = 0.000444664031621
p = 0.000603864673913
Ant 11 : [5, 4, 7, 2, 3], 63
Exploitation
Ant 1: [1, 5, 6, 4, 7, 2], 85
Exploration
avg = 0.00034346007277
p = 0.000375877926075
p = 0.000382070384593
p = 0.000494071096838
Ant 12 : [7, 4, 6, 5, 3], 63
Exploitation
Ant 13: [7, 4, 6, 5, 3], 63
Exploitation
Ant 14 : [6, 4, 7, 3, 2], 63
Exploitation
Ant 15 : [2, 3, 7, 4, 6], 63
Exploration
avg = 0.000449517648814
p = 0.000543478260326
p = 0.000603858695652
Ant 16: [6, 4, 7, 3, 2], 63
Exploitation
Ant 2: [0, 4, 6, 7, 3, 2], 99
Exploitation
Ant 17 : [0, 1, 5, 4, 6], 58
Exploration
avg = 0.000343460085121
p = 0.000375877926075
p = 0.000382070384593
p = 0.00049407114624
Ant 18 : [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000363104612851
p = 0.000603864733696
p = 0.000543478260864
Ant 19: [6, 5, 4, 7, 3], 63
Exploitation
```

```
Ant 3: [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 4: [6, 5, 4, 7, 3, 2], 81
Exploration
avg = 0.000293256398081
p = 0.000375877926075
p = 0.000382070384593
Ant 5 : [3, 7, 4, 6, 5, 2], 84
Exploitation
Ant 0 : [5, 6, 4, 7, 3, 2, 1], 101
Exploration
avg = 0.000276922079365
p = 0.000543478260326
Ant 6: [5, 4, 7, 2, 3, 1], 81
Exploration
avg = 0.000302980063514
p = 0.000603864733696
Ant 7: [4, 6, 5, 3, 7, 2], 86
Exploitation
Ant 8: [5, 4, 7, 2, 3, 1], 81
Exploitation
Ant 9: [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 10 : [1, 0, 5, 4, 7, 2], 83
Exploration
avg = 0.000297048891141
p = 0.000603858695652
Ant 11 : [5, 4, 7, 2, 3, 1], 81
Exploitation
Ant 1 : [1, 5, 6, 4, 7, 2, 3], 103
Exploitation
Ant 12: [7, 4, 6, 5, 3, 2], 81
Exploration
avg = 0.0004712678212
p = 0.000603864673913
p = 0.0006038647343
Ant 13: [7, 4, 6, 5, 3, 2], 81
Exploitation
Ant 14: [6, 4, 7, 3, 2, 1], 85
Exploitation
Ant 15 : [2, 3, 7, 4, 6, 5], 79
Exploitation
Ant 16: [6, 4, 7, 3, 2, 1], 85
Exploration
avg = 0.0004594882703
p = 0.000494071096838
Ant 2 : [0, 4, 6, 7, 3, 2, 1], 121
Exploration
avg = 0.000182183989963
p = 0.000350280504906
Ant 17: [0, 1, 5, 4, 6, 7], 89
Exploitation
Ant 18: [7, 4, 6, 5, 3, 2], 81
Exploitation
```

```
Ant 19: [6, 5, 4, 7, 3, 2], 81
Exploration
avg = 0.000410074620661
p = 0.000494071145751
Ant 3: [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.000410074620906
p = 0.00049407114624
Ant 4: [6, 5, 4, 7, 3, 2, 1], 103
Exploration
avg = 0.000410074620908
p = 0.000494071146245
Ant 5 : [3, 7, 4, 6, 5, 2, 1], 106
Exploitation
Ant 0: [5, 6, 4, 7, 3, 2, 1, 0], 111
Update called by OExploitation
Ant thread 0 terminating. Ant 6 : [5, 4, 7, 2, 3, 1, 0], 91
Exploitation
Ant 7: [4, 6, 5, 3, 7, 2, 1], 108
Exploration
avg = 0.000589572594902
p = 0.00108695641304
Ant 8 : [5, 4, 7, 2, 3, 1, 0], 91
Exploitation
Ant 9: [7, 4, 6, 5, 3, 2, 1], 103
Exploitation
Ant 10 : [1, 0, 5, 4, 7, 2, 3], 101
Exploitation
Ant 11 : [5, 4, 7, 2, 3, 1, 0], 91
Exploration
avg = 0.000206074055386
Ant 1 : [1, 5, 6, 4, 7, 2, 3, 0], 134
Update called by 1Exploitation
Ant thread 1 terminating. Ant 12: [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.000410074620908
p = 0.000494071146245
Ant 13 : [7, 4, 6, 5, 3, 2, 1], 103
Exploration
avg = 0.000752506270896
p = 0.00108695652173
Ant 14: [6, 4, 7, 3, 2, 1, 0], 95
Exploitation
Ant 15 : [2, 3, 7, 4, 6, 5, 1], 105
Exploration
avg = 0.000752506270901
p = 0.00108695652174
Ant 16: [6, 4, 7, 3, 2, 1, 0], 95
Exploration
avg = 0.000418056020063
```

Ant 2 : [0, 4, 6, 7, 3, 2, 1, 5], 147 Update called by 2Exploitation

Ant thread 2 terminating. Ant 17: [0, 1, 5, 4, 6, 7, 2], 107

Exploitation

Ant 18: [7, 4, 6, 5, 3, 2, 1], 103

Exploration

avg = 0.000410074620908

p = 0.000494071146245

Ant 19: [6, 5, 4, 7, 3, 2, 1], 103

Exploitation

Ant 3: [7, 4, 6, 5, 3, 2, 1, 0], 113

Update called by 3Exploitation

Ant thread 3 terminating. Ant 4: [6, 5, 4, 7, 3, 2, 1, 0], 113

Update called by 4Exploitation

Ant thread 4 terminating. Ant 5 : [3, 7, 4, 6, 5, 2, 1, 0], 116

ExplorationUpdate called by 5

avg = 0.000222107682461Ant thread 5 terminating.

Ant 6: [5, 4, 7, 2, 3, 1, 0, 6], 135 Update called by 6Exploration

Ant thread 6 terminating.avg = 0.00108695652174

Ant 7: [4, 6, 5, 3, 7, 2, 1, 0], 118 Update called by 7Exploration

Ant thread 7 terminating.avg = 0.000246786294216

Ant 8: [5, 4, 7, 2, 3, 1, 0, 6], 135 Update called by 8Exploration

Ant thread 8 terminating.avg = 0.00108695652174

Ant 9: [7, 4, 6, 5, 3, 2, 1, 0], 113 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [1, 0, 5, 4, 7, 2, 3, 6], 143

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.000247033080333

Ant 11 : [5, 4, 7, 2, 3, 1, 0, 6], 135 ExploitationUpdate called by 11

Ant 12 : [7, 4, 6, 5, 3, 2, 1, 0], 113Ant thread 11 terminating.

```
ExplorationUpdate called by 12
```

avg = 0.00108695652174Ant thread 12 terminating.

Ant 13 : [7, 4, 6, 5, 3, 2, 1, 0], 113 Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [6, 4, 7, 3, 2, 1, 0, 5], 123

Update called by 14Exploitation

Ant thread 14 terminating. Ant 15: [2, 3, 7, 4, 6, 5, 1, 0], 115

Update called by 15Exploration

Ant thread 15 terminating.avg = 0.000388194875424

Ant 16: [6, 4, 7, 3, 2, 1, 0, 5], 123 Update called by 16Exploration

Ant thread 16 terminating.avg = 0.000603864734299

Ant 17 : [0, 1, 5, 4, 6, 7, 2, 3], 125 Update called by 17Exploration

Ant thread 17 terminating.avg = 0.00108695652174

Ant 18: [7, 4, 6, 5, 3, 2, 1, 0], 113 Update called by 18Exploration

Ant thread 18 terminating.avg = 0.00108695652174

Ant 19: [6, 5, 4, 7, 3, 2, 1, 0], 113 Update called by 19 Best: [5, 6, 4, 7, 2, 3, 1, 0], 133, 12, 152 Ant thread 19 terminating.

Results

```
Best path = [5, 6, 4, 7, 2, 3, 1, 0]
('F',)
('G',)
('E',)
('H',)
('C',)
('D',)
('B',)
('A',)
```

Best path cost = 133

```
3\Perencanaan
Jaringan\Tugas\program\Python\tsp-atncolony\Python-Ant-Colony-TSP-Solver-master\
pickled.py
>>>
 RESTART: C:\Users\teleuser\Documents\Kantor\Kuliah\Master\Semester
3\Perencanaan
Jaringan\Tugas\program\Python\tsp-atncolony\Python-Ant-Colony-TSP-Solver-master\
anttsp.py
[[0, 10, 30, 31, 20, 28, 44, 43, 10], [10, 0, 22, 18, 40, 26, 37, 39, 19], [30,
22, 0, 18, 26, 23, 50, 18, 41], [31, 18, 18, 0, 15, 22, 42, 20, 12], [20, 40,
26, 15, 0, 12, 10, 15, 47], [28, 26, 23, 22, 12, 0, 16, 33, 28], [44, 37, 50,
42, 10, 16, 0, 31, 37], [43, 39, 18, 20, 15, 33, 31, 0, 34], [10, 19, 41, 12,
47, 28, 37, 34, 0]]
Average = 23
Tau0 = 0.00966183574879
iter_counter = 1
starting ant = 0
Exploitationstarting ant = 1
Ant 0: [7, 4], 15starting ant = 2
Explorationstarting ant = 3
avg = 0.000380856177665starting ant = 4
p = 0.000966183574879starting ant = 5
p = 0.0006038647343starting ant = 6
Ant 1 : [6, 5], 16starting ant = 7
Exploitationstarting ant = 8
Ant 0: [7, 4, 6], 25starting ant = 9
Explorationstarting ant = 10
avg = 0.000380856177665starting ant = 11
p = 0.000966183574879starting ant = 12
p = 0.0006038647343starting ant = 13
Ant 2: [6, 5], 16starting ant = 14
Explorationstarting ant = 15
avg = 0.000378130339785starting ant = 16
p = 0.000536768652711starting ant = 17
p = 0.00048309178744starting ant = 18
```

RESTART: C:\Users\teleuser\Documents\Kantor\Kuliah\Master\Semester

```
Ant 3: [7, 4], 15
Exploration
avg = 0.000380856177665
p = 0.000966183574879
p = 0.0006038647343
Ant 4 : [6, 5], 16
Exploration
avg = 0.0004528493718
p = 0.000805152979066
p = 0.0006038647343
Ant 5 : [5, 6], 16
Exploitation
Ant 6: [6, 4], 10
Exploitation
Ant 1: [6, 5, 4], 28
Exploitation
Ant 7: [5, 4], 12
Exploration
avg = 0.000498349329579
p = 0.000536768652711
p = 0.000536768652711
p = 0.000644122383253
p = 0.000805152979066
Ant 8 : [3, 8], 12
Exploitation
Ant 0: [7, 4, 6, 5], 41
Exploitation
Ant 9 : [8, 0], 10
Exploitation
Ant 10: [7, 4], 15
Exploration
avg = 0.000479817355368
p = 0.000966183574879
p = 0.00048309178744
p = 0.000966183574879
Ant 11: [0, 8], 10
Exploitation
Ant 12 : [3, 8], 12
Exploration
avg = 0.000446583660733
p = 0.000966183574879
p = 0.000536768652711
p = 0.000508517670989
Ant 13 : [1, 8], 19
Exploitation
Ant 2: [6, 5, 4], 28
Exploitation
Ant 14: [6, 4], 10
Exploitation
Ant 15 : [3, 8], 12
Exploitation
```

```
Ant 16 : [7, 4], 15
Exploration
avg = 0.0004528493718
p = 0.000805152979066
p = 0.0006038647343
Ant 17 : [5, 6], 16
Exploitation
Ant 18 : [3, 8], 12
Exploitation
Ant 19 : [5, 4], 12
Exploitation
Ant 3: [7, 4, 6], 25
Exploitation
Ant 4: [6, 5, 4], 28
Exploration
avg = 0.000348997812432
p = 0.000966183574879
Ant 5 : [5, 6, 4], 26
Exploitation
Ant 6: [6, 4, 5], 22
Exploitation
Ant 1: [6, 5, 4, 3], 43
Exploitation
Ant 7: [5, 4, 6], 22
Exploitation
Ant 8: [3, 8, 0], 22
Exploitation
Ant 0: [7, 4, 6, 5, 3], 63
Exploitation
Ant 9: [8, 0, 1], 20
Exploration
avg = 0.000531039522714
p = 0.000644122383253
p = 0.000805152979066
p = 0.000966183574879
Ant 10 : [7, 4, 6], 25
Exploration
avg = 0.000377894864562
p = 0.000508517670989
p = 0.000805152979066
Ant 11 : [0, 8, 3], 22
Exploitation
Ant 12 : [3, 8, 0], 22
Exploration
avg = 0.000443275707975
p = 0.000966183574879
p = 0.000805152979066
Ant 13 : [1, 8, 3], 31
Exploitation
Ant 2: [6, 5, 4, 3], 43
Exploration
avg = 0.000485030781053
p = 0.000644122383253
```

p = 0.000805152979066

```
p = 0.000644122383253
Ant 14: [6, 4, 7], 25
Exploration
avg = 0.000400899235392
p = 0.000966183574879
p = 0.000508517670989
Ant 15 : [3, 8, 1], 31
Exploration
avg = 0.000531039522714
p = 0.000644122383253
p = 0.000805152979066
p = 0.000966183574879
Ant 16 : [7, 4, 6], 25
Exploitation
Ant 17 : [5, 6, 4], 26
Exploitation
Ant 18 : [3, 8, 0], 22
Exploration
avg = 0.000508035151883
p = 0.000644122383253
p = 0.000966183574879
p = 0.000644122383253
Ant 19 : [5, 4, 7], 27
Exploration
avg = 0.000294832287586
p = 0.0006038647343
Ant 3: [7, 4, 6, 5], 41
Exploration
avg = 0.000431677081384
p = 0.00048309178744
p = 0.000644122383253
p = 0.000644122383253
Ant 4:[6, 5, 4, 7], 43
Exploration
avg = 0.000431677081384
p = 0.00048309178744
p = 0.000644122383253
p = 0.000644122383253
Ant 5: [5, 6, 4, 7], 41
Exploitation
Ant 6: [6, 4, 5, 3], 44
Exploration
avg = 0.000534690838571
p = 0.000536768652711
p = 0.000536768652711
p = 0.000805152979066
Ant 1 : [6, 5, 4, 3, 8], 55
Exploitation
Ant 7: [5, 4, 6, 7], 53
Exploration
avg = 0.000426780524522
p = 0.000966183574879
p = 0.00048309178744
Ant 8: [3, 8, 0, 4], 42
```

```
Exploitation
Ant 0: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.00034966134
p = 0.000439174352218
p = 0.000536768652711
p = 0.000371609067261
Ant 9: [8, 0, 1, 5], 46
Exploitation
Ant 10: [7, 4, 6, 5], 41
Exploitation
Ant 11 : [0, 8, 3, 4], 37
Exploitation
Ant 12: [3, 8, 0, 1], 32
Exploitation
Ant 13: [1, 8, 3, 4], 46
Exploitation
Ant 2: [6, 5, 4, 3, 8], 55
Exploitation
Ant 14: [6, 4, 7, 2], 43
Exploitation
Ant 15 : [3, 8, 1, 0], 41
Exploitation
Ant 16 : [7, 4, 6, 5], 41
Exploitation
Ant 17: [5, 6, 4, 3], 41
Exploration
avg = 0.000426780524522
p = 0.000966183574879
p = 0.00048309178744
Ant 18 : [3, 8, 0, 4], 42
Exploitation
Ant 19: [5, 4, 7, 2], 45
Exploration
avg = 0.000384198871912
p = 0.000420079815165
p = 0.000439174352218
Ant 3: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000355293062524
p = 0.000536768652711
p = 0.00048309178744
Ant 4: [6, 5, 4, 7, 3], 63
Exploitation
Ant 5 : [5, 6, 4, 7, 2], 59
Exploitation
Ant 6: [6, 4, 5, 3, 8], 56
Exploration
avg = 0.000498631853999
p = 0.000966183574879
p = 0.000508517670989
Ant 1: [6, 5, 4, 3, 8, 1], 74
Exploration
avg = 0.000355293062524
```

```
p = 0.000536768652711
p = 0.00048309178744
Ant 7: [5, 4, 6, 7, 3], 73
Exploration
avg = 0.000605722779636
p = 0.000805152979066
p = 0.000966183574879
p = 0.000644122383253
Ant 8: [3, 8, 0, 4, 7], 57
Exploration
avg = 0.000570118592109
p = 0.000966183574879
Ant 0: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000512210956445
p = 0.000805152979066
p = 0.0006038647343
Ant 9: [8, 0, 1, 5, 6], 62
Exploration
avg = 0.000384198871912
p = 0.000420079815165
p = 0.000439174352218
Ant 10 : [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000605722779636
p = 0.000805152979066
p = 0.000966183574879
p = 0.000644122383253
Ant 11 : [0, 8, 3, 4, 7], 52
Exploration
avg = 0.000312239877457
p = 0.000439174352218
p = 0.000371609067261
Ant 12 : [3, 8, 0, 1, 5], 58
Exploration
avg = 0.00065403195838
p = 0.000805152979066
p = 0.000966183574879
Ant 13: [1, 8, 3, 4, 6], 56
Exploration
avg = 0.000498631853999
p = 0.000966183574879
p = 0.000508517670989
Ant 2: [6, 5, 4, 3, 8, 1], 74
Exploitation
Ant 14: [6, 4, 7, 2, 3], 61
Exploration
avg = 0.000318899914451
p = 0.000322061191626
p = 0.00048309178744
p = 0.000345065562457
Ant 15 : [3, 8, 1, 0, 5], 69
Exploration
avg = 0.000384198871912
```

```
p = 0.000420079815165
p = 0.000439174352218
Ant 16: [7, 4, 6, 5, 3], 63
Exploitation
Ant 17 : [5, 6, 4, 3, 8], 53
Exploitation
Ant 18: [3, 8, 0, 4, 6], 52
Exploration
avg = 0.000345379088398
p = 0.000439174352218
p = 0.000536768652711
Ant 19: [5, 4, 7, 2, 3], 63
Exploration
avg = 0.000547590601354
p = 0.000805152979066
Ant 3: [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 4: [6, 5, 4, 7, 3, 8], 75
Exploration
avg = 0.000383414681753
p = 0.000439174352218
p = 0.000536768652711
Ant 5 : [5, 6, 4, 7, 2, 3], 77
Exploration
avg = 0.000498631853999
p = 0.000966183574879
p = 0.000508517670989
Ant 6: [6, 4, 5, 3, 8, 1], 75
Exploration
avg = 0.00055103243509
p = 0.000966183574879
Ant 1: [6, 5, 4, 3, 8, 1, 0], 84
Exploration
avg = 0.000547590601354
p = 0.000805152979066
Ant 7 : [5, 4, 6, 7, 3, 8], 85
Exploitation
Ant 8: [3, 8, 0, 4, 7, 2], 75
Exploration
avg = 0.000644122383253
p = 0.000966183574879
Ant 0: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 9: [8, 0, 1, 5, 6, 4], 72
Exploitation
Ant 10: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000347240763323
p = 0.000536768652711
Ant 11: [0, 8, 3, 4, 7, 2], 70
Exploitation
Ant 12: [3, 8, 0, 1, 5, 4], 70
Exploitation
Ant 13 : [1, 8, 3, 4, 6, 5], 72
```

```
Exploitation
Ant 2 : [6, 5, 4, 3, 8, 1, 0], 84
Exploration
avg = 0.000523192026231
p = 0.000536768652711
p = 0.000805152979066
Ant 14 : [6, 4, 7, 2, 3, 8], 73
Exploration
avg = 0.000530470107502
p = 0.000805152979066
p = 0.0006038647343
Ant 15 : [3, 8, 1, 0, 5, 6], 85
Exploitation
Ant 16: [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 17: [5, 6, 4, 3, 8, 0], 63
Exploration
avg = 0.000342476066529
p = 0.0006038647343
Ant 18: [3, 8, 0, 4, 6, 5], 68
Exploration
avg = 0.000470909365253
p = 0.000536768652711
p = 0.000805152979066
Ant 19 : [5, 4, 7, 2, 3, 8], 75
Exploration
avg = 0.000570118592109
p = 0.000966183574879
Ant 3: [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 4: [6, 5, 4, 7, 3, 8, 0], 85
Exploitation
Ant 5 : [5, 6, 4, 7, 2, 3, 8], 89
Exploitation
Ant 6: [6, 4, 5, 3, 8, 1, 0], 85
Exploration
avg = 0.000273377523125
p = 0.000322061191626
Ant 1: [6, 5, 4, 3, 8, 1, 0, 2], 114
Exploration
avg = 0.000570118592109
p = 0.000966183574879
Ant 7: [5, 4, 6, 7, 3, 8, 0], 95
Exploitation
Ant 8: [3, 8, 0, 4, 7, 2, 1], 97
Exploration
avg = 0.000439174352218
Ant 0 : [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by OExploration
Ant thread 0 terminating.avg = 0.000553284611256
p = 0.000644122383253
p = 0.000644122383253
```

```
Ant 9: [8, 0, 1, 5, 6, 4, 7], 87
Exploitation
Ant 10: [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 11 : [0, 8, 3, 4, 7, 2, 1], 92
Exploration
avg = 0.000660638341798
p = 0.000966183574879
Ant 12: [3, 8, 0, 1, 5, 4, 6], 80
Exploration
avg = 0.0003526427597
p = 0.000420079815165
Ant 13 : [1, 8, 3, 4, 6, 5, 2], 95
Exploration
avg = 0.000273377523125
p = 0.000322061191626
Ant 2 : [6, 5, 4, 3, 8, 1, 0, 2], 114
Exploration
avg = 0.000606588936108
p = 0.000966183574879
Ant 14 : [6, 4, 7, 2, 3, 8, 0], 83
Exploration
avg = 0.000490364136928
p = 0.000966183574879
Ant 15 : [3, 8, 1, 0, 5, 6, 4], 95
Exploitation
Ant 16: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.00050431287371
p = 0.000966183574879
Ant 17 : [5, 6, 4, 3, 8, 0, 1], 73
Exploitation
Ant 18: [3, 8, 0, 4, 6, 5, 2], 91
Exploration
avg = 0.000578610647261
p = 0.000966183574879
Ant 19: [5, 4, 7, 2, 3, 8, 0], 85
Exploitation
Ant 3: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 4: [6, 5, 4, 7, 3, 8, 0, 1], 95
Exploitation
Ant 5 : [5, 6, 4, 7, 2, 3, 8, 0], 99
Exploitation
Ant 6: [6, 4, 5, 3, 8, 1, 0, 2], 115
Exploration
avg = 0.000536768652711
Ant 1 : [6, 5, 4, 3, 8, 1, 0, 2, 7], 132
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000644122383253
p = 0.000966183574879
Ant 7: [5, 4, 6, 7, 3, 8, 0, 1], 105
```

```
Exploration
avg = 0.000316369881587
p = 0.000371609067261
Ant 8: [3, 8, 0, 4, 7, 2, 1, 5], 123
Exploration
avg = 0.000509930220075
p = 0.000536768652711
Ant 9: [8, 0, 1, 5, 6, 4, 7, 2], 105
Exploration
avg = 0.000644122383253
p = 0.000966183574879
Ant 10: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 11 : [0, 8, 3, 4, 7, 2, 1, 5], 118
Exploration
avg = 0.000252454417952
p = 0.000311672120929
Ant 12: [3, 8, 0, 1, 5, 4, 6, 7], 111
Exploitation
Ant 13 : [1, 8, 3, 4, 6, 5, 2, 7], 113
Exploration
avg = 0.000536768652711
Ant 2 : [6, 5, 4, 3, 8, 1, 0, 2, 7], 132
Update called by 2Exploitation
Ant thread 2 terminating. Ant 14: [6, 4, 7, 2, 3, 8, 0, 1], 93
Exploration
avg = 0.000507865725257
p = 0.000644122383253
Ant 15 : [3, 8, 1, 0, 5, 6, 4, 7], 110
Exploration
avg = 0.000644122383253
p = 0.000966183574879
Ant 16: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 17: [5, 6, 4, 3, 8, 0, 1, 2], 95
Exploitation
Ant 18: [3, 8, 0, 4, 6, 5, 2, 7], 109
Exploration
avg = 0.000592885375494
p = 0.000966183574879
Ant 19: [5, 4, 7, 2, 3, 8, 0, 1], 95
Exploration
avg = 0.000439174352218
Ant 3: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.000439174352218
Ant 4: [6, 5, 4, 7, 3, 8, 0, 1, 2], 117
Update called by 4Exploration
Ant thread 4 terminating.avg = 0.000966183574879
```

Ant 5 : [5, 6, 4, 7, 2, 3, 8, 0, 1], 109 Update called by 5Exploitation

Ant thread 5 terminating. Ant 6: [6, 4, 5, 3, 8, 1, 0, 2, 7], 133

Update called by 6Exploration

Ant thread 6 terminating.avg = 0.000439174352218

Ant 7: [5, 4, 6, 7, 3, 8, 0, 1, 2], 127 Update called by 7Exploitation

Ant thread 7 terminating. Ant 8 : [3, 8, 0, 4, 7, 2, 1, 5, 6], 139

Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [8, 0, 1, 5, 6, 4, 7, 2, 3], 123

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [0, 8, 3, 4, 7, 2, 1, 5, 6], 134

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.000536768652711

Ant 12: [3, 8, 0, 1, 5, 4, 6, 7, 2], 129 Update called by 12Exploration

Ant thread 12 terminating.avg = 0.000224693854623

Ant 13 : [1, 8, 3, 4, 6, 5, 2, 7, 0], 156 Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [6, 4, 7, 2, 3, 8, 0, 1, 5], 119

Update called by 14Exploration

Ant thread 14 terminating.avg = 0.000536768652711

Ant 15 : [3, 8, 1, 0, 5, 6, 4, 7, 2], 128 Update called by 15Exploration

Ant thread 15 terminating.avg = 0.000439174352218

Ant 16: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117 Update called by 16Exploration

Ant thread 16 terminating.avg = 0.000536768652711

```
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18: [3, 8, 0, 4, 6, 5, 2, 7, 1], 148
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19 : [5, 4, 7, 2, 3, 8, 0, 1, 6], 132
Update called by 19
Best: [7, 4, 6, 5, 3, 8, 0, 1, 2], 135, 1, 151
Ant thread 19 terminating.iter_counter = 2
starting ant = 0
starting ant = 1Exploration
starting ant = 2avg = 0.000340317305806
starting ant = 3p = 0.00048309178744
starting ant = 4p = 0.000434782608696
starting ant = 5p = 0.000579710144928
starting ant = 6Ant 0 : [7, 4], 15
starting ant = 7Exploitation
starting ant = 8Ant 1 : [6, 4], 10
starting ant = 9Exploitation
starting ant = 10Ant 2 : [6, 4], 10
starting ant = 11Exploration
starting ant = 12avg = 0.000348288320299
starting ant = 13p = 0.00048309178744
starting ant = 14p = 0.000434782608696
starting ant = 15p = 0.00064347826087
starting ant = 16Ant 3 : [7, 4], 15
starting ant = 17Exploration
starting ant = 18avg = 0.000354846646855
starting ant = 19p = 0.000966173913043
p = 0.00054347826087
```

Ant 17: [5, 6, 4, 3, 8, 0, 1, 2, 7], 113

```
Ant 4 : [6, 5], 16
Exploitation
Ant 5 : [5, 4], 12
Exploitation
Ant 6: [6, 4], 10
Exploitation
Ant 0: [7, 4, 6], 25
Exploitation
Ant 7: [5, 4], 12
Exploration
avg = 0.000448514396621
p = 0.00048309178744
p = 0.00048309178744
p = 0.000579710144928
p = 0.000724637681159
Ant 8: [3, 8], 12
Exploitation
Ant 1: [6, 4, 5], 22
Exploitation
Ant 9: [8, 0], 10
Exploration
avg = 0.000348368030444
p = 0.00048309178744
p = 0.000434782608696
p = 0.000644115942029
Ant 10: [7, 4], 15
Exploitation
Ant 2: [6, 4, 5], 22
Exploitation
Ant 11 : [0, 1], 10
Exploration
avg = 0.000458478164737
p = 0.00048309178744
p = 0.00048309178744
p = 0.000579710144928
p = 0.000804347826087
Ant 12 : [3, 8], 12
Exploitation
Ant 13: [1, 0], 10
Exploration
avg = 0.000362320668595
p = 0.000966183478261
p = 0.000603260869565
Ant 14: [6, 5], 16
Exploitation
Ant 15 : [3, 8], 12
Exploitation
Ant 16 : [7, 4], 15
Exploration
avg = 0.000503101201912
p = 0.000579710144928
p = 0.000805144927536
p = 0.000965217391304
```

Ant 3: [7, 4, 6], 25

```
Exploration
avg = 0.000417627840417
p = 0.000805144927536
p = 0.00054347826087
Ant 17 : [5, 6], 16
Exploitation
Ant 18 : [3, 8], 12
Exploration
avg = 0.000425100666504
p = 0.000805144927536
p = 0.000603260869565
Ant 19: [5, 6], 16
Exploitation
Ant 4: [6, 5, 4], 28
Exploitation
Ant 5 : [5, 4, 6], 22
Exploitation
Ant 6: [6, 4, 5], 22
Exploration
avg = 0.000275412464624
p = 0.000603858695652
Ant 0: [7, 4, 6, 5], 41
Exploitation
Ant 7: [5, 4, 6], 22
Exploitation
Ant 8: [3, 8, 0], 22
Exploitation
Ant 1: [6, 4, 5, 3], 44
Exploration
avg = 0.000382967416453
p = 0.000965217391304
p = 0.000434782608696
Ant 9: [8, 0, 4], 30
Exploration
avg = 0.000503240366716
p = 0.000579710144928
p = 0.000805152898551
p = 0.000966183573913
Ant 10: [7, 4, 6], 25
Exploitation
Ant 2 : [6, 4, 5, 3], 44
Exploitation
Ant 11 : [0, 1, 3], 28
Exploitation
Ant 12 : [3, 8, 0], 22
Exploitation
Ant 13 : [1, 0, 8], 20
Exploitation
Ant 14: [6, 5, 4], 28
Exploitation
Ant 15 : [3, 8, 0], 22
Exploration
avg = 0.000503240366852
p = 0.000579710144928
```

```
p = 0.000805152898551
p = 0.00096618357487
Ant 16: [7, 4, 6], 25
Exploration
avg = 0.000275413461001
p = 0.000603864673913
Ant 3: [7, 4, 6, 5], 41
Exploration
avg = 0.000327900639884
p = 0.000966183478261
Ant 17 : [5, 6, 4], 26
Exploration
avg = 0.000374611934213
p = 0.000966183573913
p = 0.00045766590389
Ant 18: [3, 8, 1], 31
Exploration
avg = 0.000327900653549
p = 0.000966183573913
Ant 19: [5, 6, 4], 26
Exploration
avg = 0.000388509373246
p = 0.000434782608696
p = 0.000579710144928
p = 0.000579710144928
Ant 4: [6, 5, 4, 7], 43
Exploitation
Ant 5 : [5, 4, 6, 7], 53
Exploitation
Ant 6: [6, 4, 5, 3], 44
Exploration
avg = 0.000354562462981
p = 0.000378071833648
p = 0.0004391743083
Ant 0: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000226662756817
p = 0.000235017626322
p = 0.000311360448808
p = 0.000235017626322
Ant 7: [5, 4, 6, 8], 59
Exploration
avg = 0.000408015515548
p = 0.000965217391304
p = 0.000482608695652
Ant 8: [3, 8, 0, 4], 42
Exploration
avg = 0.000497324814134
p = 0.000805152978261
Ant 1: [6, 4, 5, 3, 8], 56
Exploitation
Ant 9: [8, 0, 4, 6], 40
```

Exploration

avg = 0.000279722127448

```
p = 0.000603864733696
Ant 10 : [7, 4, 6, 5], 41
Exploration
avg = 0.000497324814294
p = 0.000805152979058
Ant 2 : [6, 4, 5, 3, 8], 56
Exploration
avg = 0.000484172295766
p = 0.000579710144928
p = 0.000805152979066
Ant 11: [0, 1, 3, 8], 40
Exploitation
Ant 12 : [3, 8, 0, 1], 32
Exploitation
Ant 13 : [1, 0, 8, 3], 32
Exploitation
Ant 14: [6, 5, 4, 7], 43
Exploration
avg = 0.000408254645983
p = 0.000966173913043
p = 0.000483086956522
Ant 15 : [3, 8, 0, 4], 42
Exploitation
Ant 16 : [7, 4, 6, 5], 41
Exploration
avg = 0.000354562471677
p = 0.000378071833648
p = 0.000439174351779
Ant 3: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000399243672763
p = 0.000434782608696
p = 0.000579710144928
p = 0.000644115942029
Ant 17: [5, 6, 4, 7], 41
Exploration
avg = 0.00039504947331
p = 0.000965217391304
p = 0.000395256916996
Ant 18 : [3, 8, 1, 2], 53
Exploitation
Ant 19: [5, 6, 4, 7], 41
Exploitation
Ant 4: [6, 5, 4, 7, 2], 61
Exploration
avg = 0.000330391775595
p = 0.000536231884058
p = 0.000434782608696
Ant 5 : [5, 4, 6, 7, 3], 73
Exploration
avg = 0.000497324814295
p = 0.000805152979066
Ant 6: [6, 4, 5, 3, 8], 56
Exploitation
```

```
Ant 0: [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 7: [5, 4, 6, 8, 0], 69
Exploration
avg = 0.000593459664184
p = 0.000805152898551
p = 0.000966183574879
p = 0.000644122382609
Ant 8: [3, 8, 0, 4, 7], 57
Exploitation
Ant 1: [6, 4, 5, 3, 8, 0], 66
Exploration
avg = 0.000306239038076
p = 0.000603864734299
p = 0.000311360448808
Ant 9: [8, 0, 4, 6, 7], 71
Exploration
avg = 0.000354562471764
p = 0.000378071833648
p = 0.000439174352213
Ant 10: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000485509070328
p = 0.000966183574879
p = 0.000508009153318
Ant 2: [6, 4, 5, 3, 8, 1], 75
Exploration
avg = 0.000239686812338
p = 0.000310559006211
p = 0.000255754475703
Ant 11 : [0, 1, 3, 8, 7], 74
Exploration
avg = 0.000289711541885
p = 0.000438735177866
p = 0.000334448160535
Ant 12 : [3, 8, 0, 1, 5], 58
Exploration
avg = 0.000419976159107
p = 0.00048309178744
p = 0.000579710144928
p = 0.000434782608696
Ant 13 : [1, 0, 8, 3, 7], 52
Exploitation
Ant 14: [6, 5, 4, 7, 2], 61
Exploration
avg = 0.000593459664312
p = 0.000805152898551
p = 0.000966183574879
p = 0.000644122383246
Ant 15 : [3, 8, 0, 4, 7], 57
Exploitation
Ant 16: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000512960365695
```

```
p = 0.000805152979066
Ant 3: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000340063273179
p = 0.000536763285024
p = 0.000482608695652
Ant 17 : [5, 6, 4, 7, 3], 61
Exploitation
Ant 18: [3, 8, 1, 2, 7], 71
Exploitation
Ant 19: [5, 6, 4, 7, 2], 59
Exploration
avg = 0.000345073213578
p = 0.000395256916996
p = 0.00048309178744
Ant 4: [6, 5, 4, 7, 2, 3], 79
Exploitation
Ant 5 : [5, 4, 6, 7, 3, 8], 85
Exploitation
Ant 6: [6, 4, 5, 3, 8, 0], 66
Exploitation
Ant 0: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000434689590876
p = 0.000966173913043
Ant 7: [5, 4, 6, 8, 0, 1], 79
Exploration
avg = 0.000325935889889
p = 0.000536768599034
Ant 8: [3, 8, 0, 4, 7, 2], 75
Exploitation
Ant 1: [6, 4, 5, 3, 8, 0, 1], 76
Exploitation
Ant 9: [8, 0, 4, 6, 7, 2], 89
Exploitation
Ant 10: [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 2: [6, 4, 5, 3, 8, 1, 0], 85
Exploration
avg = 0.00043122513887
p = 0.000536768652705
p = 0.000644122382609
Ant 11 : [0, 1, 3, 8, 7, 4], 89
Exploration
avg = 0.000512647029723
p = 0.000805152978261
p = 0.000603858695652
Ant 12 : [3, 8, 0, 1, 5, 6], 74
Exploitation
Ant 13 : [1, 0, 8, 3, 7, 4], 67
Exploration
avg = 0.000358358237733
p = 0.000395256916996
p = 0.000536231884058
```

```
Ant 14: [6, 5, 4, 7, 2, 3], 79
Exploitation
Ant 15 : [3, 8, 0, 4, 7, 2], 75
Exploration
avg = 0.000512960365695
p = 0.000805152979066
Ant 16: [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 3: [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 17: [5, 6, 4, 7, 3, 8], 73
Exploitation
Ant 18 : [3, 8, 1, 2, 7, 4], 86
Exploration
avg = 0.000358491087974
p = 0.000395256916996
p = 0.000536763285024
Ant 19: [5, 6, 4, 7, 2, 3], 77
Exploitation
Ant 4: [6, 5, 4, 7, 2, 3, 8], 91
Exploration
avg = 0.000562261746035
p = 0.000966183574879
Ant 5 : [5, 4, 6, 7, 3, 8, 0], 95
Exploration
avg = 0.000486087705179
p = 0.000966183573913
Ant 6: [6, 4, 5, 3, 8, 0, 1], 76
Exploration
avg = 0.000628019323667
p = 0.00096618357487
Ant 0: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 7: [5, 4, 6, 8, 0, 1, 3], 97
Exploration
avg = 0.000315747264708
p = 0.000395256916996
p = 0.000378071833648
Ant 8: [3, 8, 0, 4, 7, 2, 5], 98
Exploration
avg = 0.000330850309111
p = 0.000438735177866
Ant 1: [6, 4, 5, 3, 8, 0, 1, 2], 98
Exploitation
Ant 9: [8, 0, 4, 6, 7, 2, 3], 107
Exploration
avg = 0.000562261746035
p = 0.000966183574879
Ant 10: [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 2 : [6, 4, 5, 3, 8, 1, 0, 2], 115
Exploration
avg = 0.000701928211322
p = 0.000805152898551
```

```
p = 0.000966183574879
Ant 11 : [0, 1, 3, 8, 7, 4, 6], 99
Exploration
avg = 0.000483921874185
p = 0.00096618357487
Ant 12: [3, 8, 0, 1, 5, 6, 4], 84
Exploitation
Ant 13 : [1, 0, 8, 3, 7, 4, 6], 77
Exploration
avg = 0.000522916558447
p = 0.000805152979066
Ant 14 : [6, 5, 4, 7, 2, 3, 8], 91
Exploitation
Ant 15 : [3, 8, 0, 4, 7, 2, 5], 98
Exploration
avg = 0.000562261746035
p = 0.000966183574879
Ant 16: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000643961352657
p = 0.000966183574879
Ant 3: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 17 : [5, 6, 4, 7, 3, 8, 0], 83
Exploration
avg = 0.000735373027375
p = 0.000805152898551
p = 0.000966183574879
Ant 18: [3, 8, 1, 2, 7, 4, 6], 96
Exploitation
Ant 19: [5, 6, 4, 7, 2, 3, 8], 89
Exploitation
Ant 4: [6, 5, 4, 7, 2, 3, 8, 0], 101
Exploration
avg = 0.000643961352657
p = 0.000966183574879
Ant 5 : [5, 4, 6, 7, 3, 8, 0, 1], 105
Exploration
avg = 0.000331067700416
p = 0.000439169960474
Ant 6: [6, 4, 5, 3, 8, 0, 1, 2], 98
Exploitation
Ant 0: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by OExploration
Ant thread 0 terminating.avg = 0.000482850241546
p = 0.00048309178744
Ant 7: [5, 4, 6, 8, 0, 1, 3, 2], 115
Exploitation
Ant 8: [3, 8, 0, 4, 7, 2, 5, 6], 114
Exploration
avg = 0.000536231884058
Ant 1: [6, 4, 5, 3, 8, 0, 1, 2, 7], 116
```

Update called by 1Exploitation Ant thread 1 terminating. Ant 9: [8, 0, 4, 6, 7, 2, 3, 1], 125 Exploitation Ant 10: [7, 4, 6, 5, 3, 8, 0, 1], 95 Exploration avg = 0.000536763285024Ant 2: [6, 4, 5, 3, 8, 1, 0, 2, 7], 133 Update called by 2Exploration Ant thread 2 terminating.avg = 0.0003888888888889 p = 0.000603864734299Ant 11: [0, 1, 3, 8, 7, 4, 6, 5], 115 Exploration avg = 0.000489285271894p = 0.000644122383253Ant 12 : [3, 8, 0, 1, 5, 6, 4, 7], 99 Exploitation Ant 13: [1, 0, 8, 3, 7, 4, 6, 5], 93 Exploitation Ant 14: [6, 5, 4, 7, 2, 3, 8, 0], 101 Exploration avg = 0.000469156447115p = 0.000603864733696Ant 15 : [3, 8, 0, 4, 7, 2, 5, 6], 114 Exploration avg = 0.000643961352657p = 0.000966183574879Ant 16: [7, 4, 6, 5, 3, 8, 0, 1], 95 Exploration avg = 0.000439174351779Ant 3: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117

Ant thread 3 terminating.avg = 0.000643961352657

```
p = 0.000966183574879
Ant 17 : [5, 6, 4, 7, 3, 8, 0, 1], 93
Exploration
avg = 0.000400746596399
p = 0.0006038647343
Ant 18 : [3, 8, 1, 2, 7, 4, 6, 5], 112
Exploitation
Ant 19 : [5, 6, 4, 7, 2, 3, 8, 0], 99
Exploitation
Ant 4 : [6, 5, 4, 7, 2, 3, 8, 0, 1], 111
Update called by 4Exploitation
```

Ant thread 4 terminating. Ant 5 : [5, 4, 6, 7, 3, 8, 0, 1, 2], 127

Update called by 5Exploitation

Update called by 3Exploration

Ant thread 5 terminating. Ant 6: [6, 4, 5, 3, 8, 0, 1, 2, 7], 116

Update called by 6Exploitation

Ant thread 6 terminating. Ant 7: [5, 4, 6, 8, 0, 1, 3, 2, 7], 133

Update called by 7Exploitation

Ant thread 7 terminating. Ant 8: [3, 8, 0, 4, 7, 2, 5, 6, 1], 151

Update called by 8Exploitation

Ant thread 8 terminating.Ant 9: [8, 0, 4, 6, 7, 2, 3, 1, 5], 151

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.000378071833648

Ant 11 : [0, 1, 3, 8, 7, 4, 6, 5, 2], 138

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [3, 8, 0, 1, 5, 6, 4, 7, 2], 117

Update called by 12Exploitation

Ant thread 12 terminating.Ant 13 : [1, 0, 8, 3, 7, 4, 6, 5, 2], 116

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.000966183574879

Ant 14: [6, 5, 4, 7, 2, 3, 8, 0, 1], 111

Update called by 14Exploration

Ant thread 14 terminating.avg = 0.000260869565217

Ant 15: [3, 8, 0, 4, 7, 2, 5, 6, 1], 151

Update called by 15Exploration

Ant thread 15 terminating.avg = 0.000439174352218

Ant 16: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117

Update called by 16Exploitation

Ant thread 16 terminating. Ant 17: [5, 6, 4, 7, 3, 8, 0, 1, 2], 115

Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [3, 8, 1, 2, 7, 4, 6, 5, 0], 140

```
Ant thread 18 terminating. Ant 19: [5, 6, 4, 7, 2, 3, 8, 0, 1], 109
Update called by 19
Best: [7, 4, 6, 5, 3, 8, 0, 1, 2], 135, 2, 150
Ant thread 19 terminating.iter_counter = 3
starting ant = 0
Exploitationstarting ant = 1
Ant 0: [7, 4], 15starting ant = 2
Explorationstarting ant = 3
avg = 0.000335508277799starting ant = 4
p = 0.000869565217391starting ant = 5
p = 0.00054347826087starting ant = 6
Ant 1 : [6, 5], 16starting ant = 7
Explorationstarting ant = 8
avg = 0.000452916330168starting ant = 9
p = 0.000521739130435starting ant = 10
p = 0.000724637608696starting ant = 11
p = 0.000869565217391starting ant = 12
Ant 0: [7, 4, 6], 25starting ant = 13
Explorationstarting ant = 14
avg = 0.000342981103886starting ant = 15
p = 0.000869565217391starting ant = 16
p = 0.000603260869565starting ant = 17
Ant 2: [6, 5], 16starting ant = 18
Explorationstarting ant = 19
avg = 0.000332975853003
p = 0.00048309178744
p = 0.00043477826087
p = 0.00064347826087
Ant 3: [7, 4], 15
Exploration
avg = 0.000343055832147
```

Update called by 18Exploitation

```
p = 0.000869565217391
p = 0.000603858695652
Ant 4: [6, 5], 16
Exploitation
Ant 5 : [5, 4], 12
Exploitation
Ant 6: [6, 4], 10
Exploration
avg = 0.000386511691926
p = 0.000395256916996
p = 0.00080434782608
Ant 1: [6, 5, 4], 28
Exploration
avg = 0.000406232150725
p = 0.000805144927536
p = 0.000543478260864
Ant 7 : [5, 6], 16
Exploitation
Ant 8 : [3, 8], 12
Exploitation
Ant 9: [8, 0], 10
Exploitation
Ant 10: [7, 4], 15
Exploitation
Ant 11: [0, 1], 10
Exploitation
Ant 12 : [3, 8], 12
Exploration
avg = 0.00026573088571
p = 0.000603864673913
Ant 0: [7, 4, 6, 5], 41
Exploration
avg = 0.000387760182342
p = 0.000869556521739
p = 0.000395256916996
p = 0.000483086956522
p = 0.000411899313501
Ant 13 : [1, 8], 19
Exploration
avg = 0.000355013108642
p = 0.000965217391304
p = 0.000603864733696
Ant 14: [6, 5], 16
Exploitation
Ant 15 : [3, 8], 12
Exploitation
Ant 16: [7, 4], 15
Exploration
avg = 0.000413704976813
p = 0.000805144927536
p = 0.000603260869565
Ant 17 : [5, 6], 16
Exploration
avg = 0.000386625563562
```

```
p = 0.000395256916996
p = 0.000805144927536
Ant 2: [6, 5, 4], 28
Exploitation
Ant 18: [3, 8], 12
Exploitation
Ant 19: [5, 4], 12
Exploitation
Ant 3: [7, 4, 6], 25
Exploration
avg = 0.000386626713666
p = 0.000395256916996
p = 0.000805152978261
Ant 4: [6, 5, 4], 28
Exploration
avg = 0.000446013649009
p = 0.000521739130435
p = 0.000966173913043
p = 0.000579710144928
Ant 5 : [5, 4, 7], 27
Exploration
avg = 0.000420618193522
p = 0.000521739130435
p = 0.000724637608696
p = 0.00064347826087
Ant 6: [6, 4, 7], 25
Exploration
avg = 0.000370054571187
p = 0.000391304347826
p = 0.000521739130435
p = 0.000644115942029
Ant 1: [6, 5, 4, 7], 43
Exploitation
Ant 7: [5, 6, 4], 26
Exploitation
Ant 8 : [3, 8, 0], 22
Exploration
avg = 0.000368770047478
p = 0.000965217391304
p = 0.000434782565217
Ant 9: [8, 0, 4], 30
Exploration
avg = 0.000466717572404
p = 0.000521739130435
p = 0.000724637608696
p = 0.000966173913043
Ant 10 : [7, 4, 6], 25
Exploration
avg = 0.00033259673013
p = 0.000395256916996
p = 0.000483086956522
p = 0.000334444816054
p = 0.000507551487414
```

Ant 11 : [0, 1, 8], 29

```
Exploration
avg = 0.000361106512699
p = 0.000966173913043
p = 0.000457661327231
Ant 12 : [3, 8, 1], 31
Exploitation
Ant 0: [7, 4, 6, 5, 3], 63
Exploitation
Ant 13: [1, 8, 0], 29
Exploitation
Ant 14: [6, 5, 4], 28
Exploitation
Ant 15 : [3, 8, 0], 22
Exploration
avg = 0.000466718938864
p = 0.000521739130435
p = 0.000724637608696
p = 0.000966183478261
Ant 16 : [7, 4, 6], 25
Exploration
avg = 0.000319599522454
p = 0.000966173913043
Ant 17 : [5, 6, 4], 26
Exploration
avg = 0.000370055633989
p = 0.000391304347826
p = 0.000521739130435
p = 0.000644122318841
Ant 2: [6, 5, 4, 7], 43
Exploitation
Ant 18 : [3, 8, 0], 22
Exploration
avg = 0.000455216777373
p = 0.000521739130435
p = 0.000966183573913
p = 0.000644122382609
Ant 19: [5, 4, 7], 27
Exploration
avg = 0.000265730895773
p = 0.000603864734293
Ant 3: [7, 4, 6, 5], 41
Exploitation
Ant 4: [6, 5, 4, 7], 43
Exploitation
Ant 5 : [5, 4, 7, 2], 45
Exploitation
Ant 6: [6, 4, 7, 2], 43
Exploration
avg = 0.000316878298518
p = 0.000536763285024
p = 0.00043477826087
Ant 1 : [6, 5, 4, 7, 3], 63
Exploitation
Ant 7: [5, 6, 4, 7], 41
```

```
Exploration
avg = 0.000396127007399
p = 0.000965217391304
p = 0.000482608695217
Ant 8: [3, 8, 0, 4], 42
Exploitation
Ant 9: [8, 0, 4, 6], 40
Exploration
avg = 0.000265730895774
p = 0.000603864734299
Ant 10: [7, 4, 6, 5], 41
Exploitation
Ant 11 : [0, 1, 8, 3], 41
Exploitation
Ant 12: [3, 8, 1, 0], 41
Exploitation
Ant 0: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000277412888724
p = 0.000289565217391
p = 0.000483086956517
p = 0.00027950310559
Ant 13 : [1, 8, 0, 5], 57
Exploitation
Ant 14: [6, 5, 4, 7], 43
Exploitation
Ant 15 : [3, 8, 0, 1], 32
Exploitation
Ant 16: [7, 4, 6, 5], 41
Exploitation
Ant 17 : [5, 6, 4, 7], 41
Exploration
avg = 0.000326444376779
p = 0.000536763285024
p = 0.000482608652174
Ant 2 : [6, 5, 4, 7, 3], 63
Exploitation
Ant 18: [3, 8, 0, 1], 32
Exploitation
Ant 19: [5, 4, 7, 2], 45
Exploration
avg = 0.000341511625614
p = 0.00037806805293
p = 0.000438735177866
Ant 3: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000326541100364
p = 0.000536768599034
p = 0.000483086956087
Ant 4: [6, 5, 4, 7, 3], 63
Exploration
avg = 0.000289418897254
p = 0.000355731225296
p = 0.000483091786957
```

```
Ant 5: [5, 4, 7, 2, 3], 63
Exploitation
Ant 6: [6, 4, 7, 2, 3], 61
Exploration
avg = 0.000505706197079
p = 0.000805152979058
Ant 1: [6, 5, 4, 7, 3, 8], 75
Exploration
avg = 0.000326542056972
p = 0.000536768599034
p = 0.000483091739126
Ant 7: [5, 6, 4, 7, 3], 61
Exploration
avg = 0.000566319817043
p = 0.000724637608696
p = 0.00096618357487
p = 0.000644122383253
Ant 8: [3, 8, 0, 4, 7], 57
Exploration
avg = 0.000292447851418
p = 0.0006038647343
Ant 9: [8, 0, 4, 6, 5], 56
Exploitation
Ant 10 : [7, 4, 6, 5, 3], 63
Exploitation
Ant 11: [0, 1, 8, 3, 4], 56
Exploration
avg = 0.000295385949338
p = 0.000483086956517
p = 0.000344409937888
Ant 12: [3, 8, 1, 0, 5], 69
Exploration
avg = 0.000555024284031
p = 0.00096618357487
Ant 0: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000492681637229
p = 0.000805152979066
p = 0.000603858695652
Ant 13 : [1, 8, 0, 5, 6], 73
Exploration
avg = 0.000326542066538
p = 0.000536768599034
p = 0.000483091786956
Ant 14: [6, 5, 4, 7, 3], 63
Exploration
avg = 0.000267507733395
p = 0.000395256916996
p = 0.000334444816054
Ant 15 : [3, 8, 0, 1, 5], 58
Exploration
avg = 0.000341599451701
p = 0.00037806805293
p = 0.0004391743083
```

```
Ant 16: [7, 4, 6, 5, 3], 63
Exploitation
Ant 17: [5, 6, 4, 7, 2], 59
Exploitation
Ant 2: [6, 5, 4, 7, 3, 8], 75
Exploration
avg = 0.000274866255134
p = 0.000395256916996
p = 0.000371237424749
Ant 18: [3, 8, 0, 1, 5], 58
Exploration
avg = 0.000300153196868
p = 0.000355731225296
p = 0.000536763285024
Ant 19: [5, 4, 7, 2, 3], 63
Exploitation
Ant 3: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000505706197081
p = 0.000805152979066
Ant 4: [6, 5, 4, 7, 3, 8], 75
Exploitation
Ant 5 : [5, 4, 7, 2, 3, 8], 75
Exploitation
Ant 6: [6, 4, 7, 2, 3, 8], 73
Exploitation
Ant 1: [6, 5, 4, 7, 3, 8, 0], 85
Exploitation
Ant 7: [5, 6, 4, 7, 3, 8], 73
Exploitation
Ant 8: [3, 8, 0, 4, 7, 2], 75
Exploration
avg = 0.000338849974847
p = 0.00037806805293
p = 0.000439174351779
Ant 9: [8, 0, 4, 6, 5, 3], 78
Exploitation
Ant 10: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000658986727825
p = 0.000724637608696
p = 0.00096618357487
Ant 11 : [0, 1, 8, 3, 4, 6], 66
Exploitation
Ant 12: [3, 8, 1, 0, 5, 4], 81
Exploitation
Ant 0: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 13: [1, 8, 0, 5, 6, 4], 83
Exploitation
Ant 14: [6, 5, 4, 7, 3, 8], 75
Exploration
avg = 0.000506059964027
p = 0.000805152979066
```

```
p = 0.000603864673913
Ant 15 : [3, 8, 0, 1, 5, 6], 74
Exploration
avg = 0.000505706197081
p = 0.000805152979066
Ant 16: [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 17: [5, 6, 4, 7, 2, 3], 77
Exploration
avg = 0.000555024284034
p = 0.000966183574879
Ant 2 : [6, 5, 4, 7, 3, 8, 0], 85
Exploration
avg = 0.000506059978972
p = 0.000805152979066
p = 0.000603864733696
Ant 18 : [3, 8, 0, 1, 5, 6], 74
Exploration
avg = 0.000431637874099
p = 0.000482608695652
p = 0.000805152979066
Ant 19 : [5, 4, 7, 2, 3, 8], 75
Exploitation
Ant 3: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000555024284034
p = 0.000966183574879
Ant 4: [6, 5, 4, 7, 3, 8, 0], 85
Exploitation
Ant 5 : [5, 4, 7, 2, 3, 8, 0], 85
Exploitation
Ant 6: [6, 4, 7, 2, 3, 8, 0], 83
Exploitation
Ant 1: [6, 5, 4, 7, 3, 8, 0, 1], 95
Exploitation
Ant 7: [5, 6, 4, 7, 3, 8, 0], 83
Exploitation
Ant 8: [3, 8, 0, 4, 7, 2, 5], 98
Exploitation
Ant 9: [8, 0, 4, 6, 5, 3, 1], 96
Exploration
avg = 0.000555024284034
p = 0.000966183574879
Ant 10: [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 11: [0, 1, 8, 3, 4, 6, 5], 82
Exploitation
Ant 12: [3, 8, 1, 0, 5, 4, 6], 91
Exploration
avg = 0.000395256916996
Ant 0: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by <code>OExploration</code>
```

Ant thread 0 terminating.avg = 0.000488954952723

```
p = 0.000521739130435
p = 0.000644122383253
Ant 13: [1, 8, 0, 5, 6, 4, 7], 98
Exploration
avg = 0.000555024284034
p = 0.000966183574879
Ant 14: [6, 5, 4, 7, 3, 8, 0], 85
Exploitation
Ant 15 : [3, 8, 0, 1, 5, 6, 4], 84
Exploration
avg = 0.000555024284034
p = 0.000966183574879
Ant 16: [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 17: [5, 6, 4, 7, 2, 3, 8], 89
Exploration
avg = 0.00062787439613
p = 0.00096618357487
Ant 2 : [6, 5, 4, 7, 3, 8, 0, 1], 95
Exploitation
Ant 18: [3, 8, 0, 1, 5, 6, 4], 84
Exploitation
Ant 19 : [5, 4, 7, 2, 3, 8, 0], 85
Exploitation
Ant 3: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 4: [6, 5, 4, 7, 3, 8, 0, 1], 95
Exploitation
Ant 5 : [5, 4, 7, 2, 3, 8, 0, 1], 95
Exploitation
Ant 6: [6, 4, 7, 2, 3, 8, 0, 1], 93
Exploration
avg = 0.000438735177866
Ant 1: [6, 5, 4, 7, 3, 8, 0, 1, 2], 117
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000627874396135
p = 0.000966183574879
Ant 7 : [5, 6, 4, 7, 3, 8, 0, 1], 93
Exploration
avg = 0.000452434039388
p = 0.000603864734293
Ant 8: [3, 8, 0, 4, 7, 2, 5, 6], 114
Exploration
avg = 0.000319919428398
p = 0.000439169960474
Ant 9: [8, 0, 4, 6, 5, 3, 1, 2], 118
Exploitation
Ant 10: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 11: [0, 1, 8, 3, 4, 6, 5, 2], 105
Exploration
```

```
avg = 0.000218511921459
p = 0.000280502103787
Ant 12: [3, 8, 1, 0, 5, 4, 6, 7], 122
Exploration
avg = 0.00050993022007
p = 0.000536768652705
Ant 13 : [1, 8, 0, 5, 6, 4, 7, 2], 116
Exploration
avg = 0.000627874396135
p = 0.000966183574879
Ant 14: [6, 5, 4, 7, 3, 8, 0, 1], 95
Exploitation
Ant 15 : [3, 8, 0, 1, 5, 6, 4, 7], 99
Exploitation
Ant 16: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 17 : [5, 6, 4, 7, 2, 3, 8, 0], 99
Exploration
avg = 0.0004391743083
Ant 2 : [6, 5, 4, 7, 3, 8, 0, 1, 2], 117
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000472562863867
p = 0.000644122383253
Ant 18: [3, 8, 0, 1, 5, 6, 4, 7], 99
Exploitation
Ant 19: [5, 4, 7, 2, 3, 8, 0, 1], 95
Exploration
avg = 0.000439174351779
Ant 3: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by 3Exploitation
Ant thread 3 terminating.Ant 4 : [6, 5, 4, 7, 3, 8, 0, 1, 2], 117
Update called by 4Exploration
Ant thread 4 terminating.avg = 0.00021151586369
Ant 5 : [5, 4, 7, 2, 3, 8, 0, 1, 6], 132
Update called by 5Exploration
Ant thread 5 terminating.avg = 0.000371605350836
Ant 6: [6, 4, 7, 2, 3, 8, 0, 1, 5], 119
Update called by 6Exploitation
Ant thread 6 terminating.Ant 7 : [5, 6, 4, 7, 3, 8, 0, 1, 2], 115
Update called by 7Exploitation
Ant thread 7 terminating. Ant 8: [3, 8, 0, 4, 7, 2, 5, 6, 1], 151
Update called by 8Exploitation
```

Ant thread 8 terminating.Ant 9 : [8, 0, 4, 6, 5, 3, 1, 2, 7], 136

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [0, 1, 8, 3, 4, 6, 5, 2, 7], 123

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [3, 8, 1, 0, 5, 4, 6, 7, 2], 140

Update called by 12Exploitation

Ant thread 12 terminating. Ant 13: [1, 8, 0, 5, 6, 4, 7, 2, 3], 134

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.000439174352218

Ant 14: [6, 5, 4, 7, 3, 8, 0, 1, 2], 117 Update called by 14Exploitation

Ant thread 14 terminating. Ant 15: [3, 8, 0, 1, 5, 6, 4, 7, 2], 117

Update called by 15Exploitation

Ant thread 15 terminating. Ant 16: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117

Update called by 16Exploration

Ant thread 16 terminating.avg = 0.000966183574879

Ant 17 : [5, 6, 4, 7, 2, 3, 8, 0, 1], 109 Update called by 17Exploration

Ant thread 17 terminating.avg = 0.000536768652711

Ant 18: [3, 8, 0, 1, 5, 6, 4, 7, 2], 117 Update called by 18Exploration

Ant thread 18 terminating.avg = 0.000260634547591

Ant 19: [5, 4, 7, 2, 3, 8, 0, 1, 6], 132

Update called by 19

Best: [7, 4, 6, 5, 3, 8, 0, 1, 2], 135, 3, 149

Ant thread 19 terminating.iter counter = 4

starting ant = 0

Explorationstarting ant = 1

```
avg = 0.00031122465048starting ant = 2
p = 0.00048309178744starting ant = 3
p = 0.000434782608691starting ant = 4
p = 0.000579710144348starting ant = 5
Ant 0 : [7, 4], 15starting ant = 6
Explorationstarting ant = 7
avg = 0.000326000659033starting ant = 8
p = 0.000869565217391starting ant = 9
p = 0.00054347826087starting ant = 10
Ant 1: [6, 5], 16starting ant = 11
Exploitationstarting ant = 12
Ant 2: [6, 4], 10starting ant = 13
Exploitationstarting ant = 14
Ant 3 : [7, 4], 15starting ant = 15
Exploitationstarting ant = 16
Ant 4 : [6, 4], 10starting ant = 17
Explorationstarting ant = 18
avg = 0.000382023091192starting ant = 19
p = 0.000395256916992
p = 0.000724637681159
p = 0.00054347826087
Ant 5 : [5, 6], 16
Exploration
avg = 0.0004200470574
p = 0.000469565217391
p = 0.000652173847826
p = 0.000869565217391
Ant 0: [7, 4, 6], 25
Exploration
avg = 0.000345549572077
p = 0.000966173913043
p = 0.000603260869565
Ant 6: [6, 5], 16
Exploitation
Ant 7: [5, 4], 12
Exploitation
```

```
Ant 8: [3, 8], 12
Exploitation
Ant 9: [8, 0], 10
Exploration
avg = 0.00031927537519
p = 0.00048309178744
p = 0.000434782608691
p = 0.000644115942029
Ant 10: [7, 4], 15
Exploitation
Ant 1: [6, 5, 4], 28
Exploration
avg = 0.000401052651752
p = 0.000869565217391
p = 0.000434778260866
p = 0.000781826086957
Ant 11 : [0, 8], 10
Exploration
avg = 0.000425736335176
p = 0.000482604347826
p = 0.000434347826087
p = 0.000578608695652
p = 0.000804347826087
Ant 12: [3, 8], 12
Exploitation
Ant 2: [6, 4, 5], 22
Exploration
avg = 0.000385317276413
p = 0.000868695573913
p = 0.000395256916996
p = 0.00043477826087
p = 0.000457657208238
Ant 13 : [1, 8], 19
Exploration
avg = 0.000345624300338
p = 0.000966173913043
p = 0.000603858695652
Ant 14: [6, 5], 16
Exploitation
Ant 3: [7, 4, 6], 25
Exploitation
Ant 15 : [3, 8], 12
Exploration
avg = 0.000319276172292
p = 0.00048309178744
p = 0.000434782608691
p = 0.000644122318841
Ant 16 : [7, 4], 15
Exploitation
Ant 4: [6, 4, 5], 22
Exploration
```

avg = 0.000399559323076 p = 0.000805144927536 p = 0.000603260869565

```
Ant 17 : [5, 6], 16
Exploration
avg = 0.000425836969234
p = 0.000482604347826
p = 0.000434347826087
p = 0.000578608695652
p = 0.000805152898551
Ant 18 : [3, 8], 12
Exploration
avg = 0.000399634051337
p = 0.000805144927536
p = 0.000603858695652
Ant 19 : [5, 6], 16
Exploration
avg = 0.000308733672436
p = 0.000966173913043
Ant 5 : [5, 6, 4], 26
Exploration
avg = 0.000253100348206
p = 0.000603864673913
Ant 0: [7, 4, 6, 5], 41
Exploitation
Ant 6: [6, 5, 4], 28
Exploration
avg = 0.000423496342079
p = 0.000469565217391
p = 0.000966173913043
p = 0.000579710144928
Ant 7: [5, 4, 7], 27
Exploitation
Ant 8 : [3, 8, 0], 22
Exploration
avg = 0.000346656446723
p = 0.000869565217391
p = 0.000434778260866
Ant 9 : [8, 0, 4], 30
Exploration
avg = 0.000455700275826
p = 0.000469565217391
p = 0.000805137681153
p = 0.000966173913043
Ant 10: [7, 4, 6], 25
Exploration
avg = 0.000343678099575
p = 0.000352173913043
p = 0.000469565217391
p = 0.00064347826087
Ant 1: [6, 5, 4, 7], 43
Exploitation
Ant 11 : [0, 8, 3], 22
Exploration
avg = 0.000345271631942
p = 0.000966173913043
p = 0.000457208196796
```

```
Ant 12: [3, 8, 1], 31
Exploitation
Ant 2: [6, 4, 5, 3], 44
Exploration
avg = 0.000394861963041
p = 0.000966173913043
p = 0.000804340514493
Ant 13 : [1, 8, 3], 31
Exploration
avg = 0.00037667142099
p = 0.000377693727788
p = 0.000438735177866
p = 0.000805152898551
Ant 14: [6, 5, 4], 28
Exploitation
Ant 3: [7, 4, 6, 5], 41
Exploitation
Ant 15 : [3, 8, 0], 22
Exploitation
Ant 16: [7, 4, 6], 25
Exploitation
Ant 4: [6, 4, 5, 3], 44
Exploitation
Ant 17 : [5, 6, 4], 26
Exploration
avg = 0.000352529624037
p = 0.000966183478261
```

p = 0.000508004576247

Ant 18 : [3, 8, 1], 31

Exploration

avg = 0.00030873505256p = 0.000966183573913

Ant 19: [5, 6, 4], 26

Exploitation

Ant 5 : [5, 6, 4, 7], 41 Exploration

avg = 0.000323708619162

p = 0.000377693727788p = 0.000439169960474

Ant 0: [7, 4, 6, 5, 3], 63 Exploration

avg = 0.000343785442571

p = 0.000352173913043

p = 0.000469565217391

p = 0.000644122318841

Ant 6: [6, 5, 4, 7], 43

Exploitation

Ant 7: [5, 4, 7, 2], 45

Exploitation

Ant 8: [3, 8, 0, 1], 32

Exploration

avg = 0.000555333136937

p = 0.000805137681153

p = 0.000966183573913

```
p = 0.000644122382609
Ant 9: [8, 0, 4, 7], 45
Exploration
avg = 0.00025310035827
p = 0.000603864734293
Ant 10: [7, 4, 6, 5], 41
Exploration
avg = 0.000304515888956
p = 0.000536231884058
p = 0.000434782608691
Ant 1: [6, 5, 4, 7, 3], 63
Exploitation
Ant 11 : [0, 8, 3, 4], 37
Exploration
avg = 0.000365017123699
p = 0.000868695573913
p = 0.000395256916996
Ant 12: [3, 8, 1, 2], 53
Exploration
avg = 0.000468045434362
p = 0.000482604347826
p = 0.000805152978261
Ant 2 : [6, 4, 5, 3, 8], 56
Exploitation
Ant 13: [1, 8, 3, 4], 46
Exploration
avg = 0.000343785453305
p = 0.000352173913043
p = 0.000469565217391
p = 0.000644122383246
Ant 14: [6, 5, 4, 7], 43
Exploration
avg = 0.000323709488728
p = 0.000377693727788
p = 0.0004391743083
Ant 3: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000390478119354
p = 0.000965217391304
p = 0.000482608652174
Ant 15 : [3, 8, 0, 4], 42
Exploitation
Ant 16: [7, 4, 6, 5], 41
Exploration
avg = 0.000468045434521
p = 0.000482604347826
p = 0.000805152979058
Ant 4: [6, 4, 5, 3, 8], 56
Exploration
avg = 0.000343785453306
p = 0.000352173913043
p = 0.000469565217391
p = 0.000644122383253
Ant 17 : [5, 6, 4, 7], 41
```

```
Exploitation
Ant 18 : [3, 8, 1, 0], 41
Exploitation
Ant 19: [5, 6, 4, 7], 41
Exploration
avg = 0.000314081106348
p = 0.000536231884058
p = 0.000482608695652
Ant 5 : [5, 6, 4, 7, 3], 61
Exploration
avg = 0.000487328532284
p = 0.000805152979066
Ant 0: [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 6: [6, 5, 4, 7, 2], 61
Exploitation
Ant 7: [5, 4, 7, 2, 3], 63
Exploration
avg = 0.00027297708583
p = 0.000438735177866
p = 0.000334448127087
Ant 8: [3, 8, 0, 1, 5], 58
Exploration
avg = 0.000328219991914
p = 0.000536763285024
p = 0.000483086956522
Ant 9: [8, 0, 4, 7, 3], 65
Exploitation
Ant 10: [7, 4, 6, 5, 3], 63
Exploitation
Ant 1: [6, 5, 4, 7, 3, 8], 75
Exploration
avg = 0.000572486720975
p = 0.000805137681153
p = 0.000966183573913
p = 0.000644122383253
Ant 11 : [0, 8, 3, 4, 7], 52
Exploitation
Ant 12: [3, 8, 1, 2, 7], 71
Exploitation
Ant 2 : [6, 4, 5, 3, 8, 0], 66
Exploration
avg = 0.000607704112279
p = 0.000805137681153
p = 0.000966183573913
p = 0.000644122383253
Ant 13 : [1, 8, 3, 4, 7], 61
Exploitation
Ant 14: [6, 5, 4, 7, 2], 61
Exploitation
Ant 3: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000572486720975
p = 0.000805137681153
```

```
p = 0.000966183573913
p = 0.000644122383253
Ant 15 : [3, 8, 0, 4, 7], 57
Exploration
avg = 0.00032370949751
p = 0.000377693727788
p = 0.000439174352213
Ant 16: [7, 4, 6, 5, 3], 63
Exploitation
Ant 4: [6, 4, 5, 3, 8, 0], 66
Exploitation
Ant 17 : [5, 6, 4, 7, 2], 59
Exploitation
Ant 18: [3, 8, 1, 0, 4], 61
Exploration
avg = 0.000314285068667
p = 0.000536768652174
p = 0.00048309173913
Ant 19 : [5, 6, 4, 7, 3], 61
Exploration
avg = 0.000487328532284
p = 0.000805152979066
Ant 5 : [5, 6, 4, 7, 3, 8], 73
Exploration
avg = 0.000548829422538
p = 0.00096618357487
Ant 0: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000315741187056
p = 0.000320158102767
p = 0.000536231884058
Ant 6: [6, 5, 4, 7, 2, 3], 79
Exploration
avg = 0.000420667041601
p = 0.000482604347826
p = 0.000805152979066
Ant 7: [5, 4, 7, 2, 3, 8], 75
Exploration
avg = 0.000500037528785
p = 0.000805152978261
p = 0.000603864673913
Ant 8: [3, 8, 0, 1, 5, 6], 74
Exploitation
Ant 9: [8, 0, 4, 7, 3, 1], 83
Exploration
avg = 0.000500734197743
p = 0.000536227009662
p = 0.000805152979066
Ant 10: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000548829422542
p = 0.000966183574879
Ant 1: [6, 5, 4, 7, 3, 8, 0], 85
Exploration
```

```
avg = 0.000289504592549
p = 0.000536768652174
Ant 11 : [0, 8, 3, 4, 7, 2], 70
Exploration
avg = 0.000312142978491
p = 0.000644122382609
Ant 12 : [3, 8, 1, 2, 7, 4], 86
Exploitation
Ant 2: [6, 4, 5, 3, 8, 0, 1], 76
Exploitation
Ant 13: [1, 8, 3, 4, 7, 2], 79
Exploitation
Ant 14: [6, 5, 4, 7, 2, 3], 79
Exploitation
Ant 3: [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 15 : [3, 8, 0, 4, 7, 2], 75
Exploration
avg = 0.000500734197743
p = 0.000536227009662
p = 0.000805152979066
Ant 16: [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 4: [6, 4, 5, 3, 8, 0, 1], 76
Exploitation
Ant 17: [5, 6, 4, 7, 2, 3], 77
Exploitation
Ant 18: [3, 8, 1, 0, 4, 6], 71
Exploitation
Ant 19 : [5, 6, 4, 7, 3, 8], 73
Exploration
avg = 0.000548829422542
p = 0.000966183574879
Ant 5 : [5, 6, 4, 7, 3, 8, 0], 83
Exploration
avg = 0.000613396086957
p = 0.000966183478261
Ant 0: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000522862988295
p = 0.000536227009662
p = 0.000805152979066
Ant 6: [6, 5, 4, 7, 2, 3, 8], 91
Exploitation
Ant 7: [5, 4, 7, 2, 3, 8, 0], 85
Exploitation
Ant 8: [3, 8, 0, 1, 5, 6, 4], 84
Exploration
avg = 0.000348328598904
p = 0.000438735177866
p = 0.00037123745786
Ant 9: [8, 0, 4, 7, 3, 1, 5], 109
Exploitation
Ant 10: [7, 4, 6, 5, 3, 8, 0], 85
```

```
Exploitation
Ant 1: [6, 5, 4, 7, 3, 8, 0, 1], 95
Exploitation
Ant 11 : [0, 8, 3, 4, 7, 2, 5], 93
Exploration
avg = 0.000707831723022
p = 0.000805137681153
p = 0.00096618357487
Ant 12: [3, 8, 1, 2, 7, 4, 6], 96
Exploration
avg = 0.000309668592277
p = 0.000438735177866
Ant 2 : [6, 4, 5, 3, 8, 0, 1, 2], 98
Exploration
avg = 0.000265102709401
p = 0.000419655954291
Ant 13 : [1, 8, 3, 4, 7, 2, 5], 102
Exploitation
Ant 14: [6, 5, 4, 7, 2, 3, 8], 91
Exploitation
Ant 3: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000293701081513
p = 0.000320158102767
p = 0.000420075576556
Ant 15 : [3, 8, 0, 4, 7, 2, 5], 98
Exploitation
Ant 16: [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 4: [6, 4, 5, 3, 8, 0, 1, 2], 98
Exploitation
Ant 17: [5, 6, 4, 7, 2, 3, 8], 89
Exploration
avg = 0.000341652892733
p = 0.0006038647343
Ant 18 : [3, 8, 1, 0, 4, 6, 5], 87
Exploration
avg = 0.000548829422542
p = 0.000966183574879
Ant 19: [5, 6, 4, 7, 3, 8, 0], 83
Exploitation
Ant 5 : [5, 6, 4, 7, 3, 8, 0, 1], 93
Exploitation
Ant 0: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 6: [6, 5, 4, 7, 2, 3, 8, 0], 101
Exploration
avg = 0.000563131313131
p = 0.000966183574879
Ant 7: [5, 4, 7, 2, 3, 8, 0, 1], 95
Exploration
avg = 0.000457512696643
```

```
p = 0.000644122383253
Ant 8: [3, 8, 0, 1, 5, 6, 4, 7], 99
Exploitation
Ant 9: [8, 0, 4, 7, 3, 1, 5, 6], 125
Exploitation
Ant 10: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 1: [6, 5, 4, 7, 3, 8, 0, 1, 2], 117
Update called by 1Exploitation
Ant thread 1 terminating. Ant 11: [0, 8, 3, 4, 7, 2, 5, 6], 109
Exploitation
Ant 12: [3, 8, 1, 2, 7, 4, 6, 5], 112
Exploration
avg = 0.000536231835749
Ant 2: [6, 4, 5, 3, 8, 0, 1, 2, 7], 116
Update called by 2Exploitation
Ant thread 2 terminating. Ant 13: [1, 8, 3, 4, 7, 2, 5, 6], 118
Exploration
avg = 0.00073734805746
p = 0.000966183574879
Ant 14: [6, 5, 4, 7, 2, 3, 8, 0], 101
Exploitation
Ant 3: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.000437383872166
p = 0.0006038647343
Ant 15 : [3, 8, 0, 4, 7, 2, 5, 6], 114
Exploration
avg = 0.000613396135266
p = 0.000966183574879
Ant 16: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000536763284541
Ant 4: [6, 4, 5, 3, 8, 0, 1, 2, 7], 116
Update called by 4Exploitation
Ant thread 4 terminating. Ant 17: [5, 6, 4, 7, 2, 3, 8, 0], 99
Exploration
avg = 0.000295566231483
p = 0.000377693727788
Ant 18: [3, 8, 1, 0, 4, 6, 5, 2], 110
Exploration
avg = 0.000613396135266
p = 0.000966183574879
Ant 19: [5, 6, 4, 7, 3, 8, 0, 1], 93
Exploitation
Ant 5 : [5, 6, 4, 7, 3, 8, 0, 1, 2], 115
```

```
Update called by 5Exploration
Ant thread 5 terminating.avg = 0.000966183574879
Ant 6: [6, 5, 4, 7, 2, 3, 8, 0, 1], 111
Update called by 6Exploitation
Ant thread 6 terminating. Ant 7: [5, 4, 7, 2, 3, 8, 0, 1, 6], 132
Update called by 7Exploitation
Ant thread 7 terminating.Ant 8 : [3, 8, 0, 1, 5, 6, 4, 7, 2], 117
Update called by 8Exploitation
Ant thread 8 terminating. Ant 9: [8, 0, 4, 7, 3, 1, 5, 6, 2], 175
Update called by 9Exploration
Ant thread 9 terminating.avg = 0.000439174352218
Ant 10: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by 10Exploitation
Ant thread 10 terminating. Ant 11: [0, 8, 3, 4, 7, 2, 5, 6, 1], 146
ExploitationUpdate called by 11
Ant 12: [3, 8, 1, 2, 7, 4, 6, 5, 0], 140Ant thread 11 terminating.
ExploitationUpdate called by 12
Ant thread 12 terminating.
 RESTART: C:\Users\teleuser\Documents\Kantor\Kuliah\Master\Semester
3\Perencanaan
Jaringan\Tugas\program\Python\tsp-atncolony\Python-Ant-Colony-TSP-Solver-master\
anttsp.py
[[0, 10, 30, 31, 20, 28, 44, 43, 10], [10, 0, 22, 18, 40, 26, 37, 39, 19], [30,
22, 0, 18, 26, 23, 50, 18, 41], [31, 18, 18, 0, 15, 22, 42, 20, 12], [20, 40,
26, 15, 0, 12, 10, 15, 47], [28, 26, 23, 22, 12, 0, 16, 33, 28], [44, 37, 50,
42, 10, 16, 0, 31, 37], [43, 39, 18, 20, 15, 33, 31, 0, 34], [10, 19, 41, 12,
47, 28, 37, 34, 0]]
Average = 23
Tau0 = 0.00966183574879
iter_counter = 1
starting ant = 0
Explorationstarting ant = 1
avg = 0.000545174880281starting ant = 2
p = 0.000644122383253starting ant = 3
p = 0.000805152979066starting ant = 4
```

```
p = 0.000966183574879starting ant = 5
p = 0.000644122383253starting ant = 6
Ant 0 : [4, 7], 15starting ant = 7
Explorationstarting ant = 8
avg = 0.000498349329579starting ant = 9
p = 0.000536768652711starting ant = 10
p = 0.000536768652711starting ant = 11
p = 0.000644122383253starting ant = 12
p = 0.000805152979066starting ant = 13
Ant 1: [3, 8], 12starting ant = 14
Explorationstarting ant = 15
avg = 0.000378130339785starting ant = 16
p = 0.000536768652711starting ant = 17
p = 0.00048309178744starting ant = 18
p = 0.000644122383253starting ant = 19
Ant 2: [7, 4], 15
Exploration
avg = 0.000545174880281
p = 0.000644122383253
p = 0.000805152979066
p = 0.000966183574879
p = 0.000644122383253
Ant 3: [4, 7], 15
Exploitation
Ant 4: [2, 3], 18
Exploitation
Ant 5 : [7, 4], 15
Exploration
avg = 0.000380856177665
p = 0.000966183574879
p = 0.0006038647343
Ant 6 : [6, 5], 16
Exploration
avg = 0.000340131476432
p = 0.000536768652711
p = 0.00048309178744
Ant 0: [4, 7, 3], 35
Exploitation
```

```
Ant 7: [7, 4], 15
Exploitation
Ant 8 : [3, 8], 12
Exploration
avg = 0.000378130339785
p = 0.000536768652711
p = 0.00048309178744
p = 0.000644122383253
Ant 9: [7, 4], 15
Exploration
avg = 0.000381919122141
p = 0.000439174352218
p = 0.000536768652711
p = 0.000420079815165
p = 0.000536768652711
Ant 10 : [2, 7], 18
Exploration
avg = 0.000498349329579
p = 0.000536768652711
p = 0.000536768652711
p = 0.000644122383253
p = 0.000805152979066
Ant 11 : [3, 8], 12
Exploration
avg = 0.000446583660733
p = 0.000966183574879
p = 0.000536768652711
p = 0.000508517670989
Ant 12: [1, 8], 19
Exploitation
Ant 13: [4, 6], 10
Exploration
avg = 0.000400899235392
p = 0.000966183574879
p = 0.000508517670989
Ant 1 : [3, 8, 1], 31
Exploration
avg = 0.0004528493718
p = 0.000805152979066
p = 0.0006038647343
Ant 14 : [5, 6], 16
Exploration
avg = 0.0004528493718
p = 0.000805152979066
p = 0.0006038647343
Ant 15 : [5, 6], 16
Exploitation
Ant 16 : [1, 0], 10
Exploitation
Ant 17 : [8, 0], 10
Exploration
avg = 0.000378130339785
```

p = 0.000536768652711 p = 0.00048309178744

```
p = 0.000644122383253
Ant 18 : [7, 4], 15
Exploration
avg = 0.000446583660733
p = 0.000966183574879
p = 0.000536768652711
p = 0.000508517670989
Ant 19: [1, 8], 19
Exploration
avg = 0.000531039522714
p = 0.000644122383253
p = 0.000805152979066
p = 0.000966183574879
Ant 2: [7, 4, 6], 25
Exploration
avg = 0.000340131476432
p = 0.000536768652711
p = 0.00048309178744
Ant 3: [4, 7, 3], 35
Exploration
avg = 0.000492860854846
p = 0.000536768652711
p = 0.000644122383253
p = 0.000805152979066
Ant 4: [2, 3, 8], 30
Exploitation
Ant 5 : [7, 4, 6], 25
Exploitation
Ant 6: [6, 5, 4], 28
Exploration
avg = 0.000476596744323
p = 0.000536768652711
p = 0.000536768652711
p = 0.000805152979066
Ant 0: [4, 7, 3, 8], 47
Exploration
avg = 0.000531039522714
p = 0.000644122383253
p = 0.000805152979066
p = 0.000966183574879
Ant 7: [7, 4, 6], 25
Exploitation
Ant 8: [3, 8, 0], 22
Exploration
avg = 0.000531039522714
p = 0.000644122383253
p = 0.000805152979066
p = 0.000966183574879
Ant 9: [7, 4, 6], 25
Exploitation
Ant 10 : [2, 7, 4], 33
Exploitation
Ant 11 : [3, 8, 0], 22
Exploitation
```

```
Ant 12: [1, 8, 0], 29
Exploitation
Ant 13: [4, 6, 5], 26
Exploitation
Ant 1: [3, 8, 1, 0], 41
Exploitation
Ant 14 : [5, 6, 4], 26
Exploration
avg = 0.000348997812432
p = 0.000966183574879
Ant 15 : [5, 6, 4], 26
Exploitation
Ant 16 : [1, 0, 8], 20
Exploration
avg = 0.000410336466866
p = 0.000966183574879
p = 0.00048309178744
Ant 17 : [8, 0, 4], 30
Exploration
avg = 0.000531039522714
p = 0.000644122383253
p = 0.000805152979066
p = 0.000966183574879
Ant 18 : [7, 4, 6], 25
Exploitation
Ant 19 : [1, 8, 0], 29
Exploitation
Ant 2: [7, 4, 6, 5], 41
Exploitation
Ant 3: [4, 7, 3, 8], 47
Exploration
avg = 0.000428440019548
p = 0.000966183574879
p = 0.000508517670989
Ant 4: [2, 3, 8, 1], 49
Exploitation
Ant 5 : [7, 4, 6, 5], 41
Exploration
avg = 0.000431677081384
p = 0.00048309178744
p = 0.000644122383253
p = 0.000644122383253
Ant 6: [6, 5, 4, 7], 43
Exploitation
Ant 0: [4, 7, 3, 8, 0], 57
Exploitation
Ant 7: [7, 4, 6, 5], 41
Exploration
avg = 0.000426780524522
p = 0.000966183574879
p = 0.00048309178744
Ant 8: [3, 8, 0, 4], 42
Exploitation
Ant 9: [7, 4, 6, 5], 41
```

```
Exploitation
Ant 10 : [2, 7, 4, 6], 43
Exploration
avg = 0.000426780524522
p = 0.000966183574879
p = 0.00048309178744
Ant 11 : [3, 8, 0, 4], 42
Exploitation
Ant 12: [1, 8, 0, 4], 49
Exploration
avg = 0.000368962876839
p = 0.000371609067261
p = 0.000420079815165
p = 0.000439174352218
Ant 13: [4, 6, 5, 3], 48
Exploration
avg = 0.000318899914451
p = 0.000322061191626
p = 0.00048309178744
p = 0.000345065562457
Ant 1: [3, 8, 1, 0, 5], 69
Exploration
avg = 0.000431677081384
p = 0.00048309178744
p = 0.000644122383253
p = 0.000644122383253
Ant 14: [5, 6, 4, 7], 41
Exploration
avg = 0.000431677081384
p = 0.00048309178744
p = 0.000644122383253
p = 0.000644122383253
Ant 15 : [5, 6, 4, 7], 41
Exploitation
Ant 16: [1, 0, 8, 3], 32
Exploitation
Ant 17: [8, 0, 4, 6], 40
Exploitation
Ant 18: [7, 4, 6, 5], 41
Exploration
avg = 0.000317695282197
p = 0.000322061191626
p = 0.00048309178744
p = 0.000345065562457
Ant 19: [1, 8, 0, 5], 57
Exploration
avg = 0.000384198871912
p = 0.000420079815165
p = 0.000439174352218
Ant 2: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000463310406939
p = 0.000966183574879
p = 0.000508517670989
```

```
Ant 3: [4, 7, 3, 8, 1], 66
Exploitation
Ant 4: [2, 3, 8, 1, 0], 59
Exploration
avg = 0.000384198871912
p = 0.000420079815165
p = 0.000439174352218
Ant 5 : [7, 4, 6, 5, 3], 63
Exploitation
Ant 6: [6, 5, 4, 7, 2], 61
Exploitation
Ant 0: [4, 7, 3, 8, 0, 1], 67
Exploration
avg = 0.000384198871912
p = 0.000420079815165
p = 0.000439174352218
Ant 7: [7, 4, 6, 5, 3], 63
Exploitation
Ant 8: [3, 8, 0, 4, 6], 52
Exploitation
Ant 9: [7, 4, 6, 5, 3], 63
Exploitation
Ant 10: [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000605722779636
p = 0.000805152979066
p = 0.000966183574879
p = 0.000644122383253
Ant 11: [3, 8, 0, 4, 7], 57
Exploration
avg = 0.000686238077542
p = 0.000805152979066
p = 0.000966183574879
Ant 12 : [1, 8, 0, 4, 6], 59
Exploitation
Ant 13 : [4, 6, 5, 3, 8], 60
Exploration
avg = 0.000530470107502
p = 0.000805152979066
p = 0.0006038647343
Ant 1: [3, 8, 1, 0, 5, 6], 85
Exploitation
Ant 14: [5, 6, 4, 7, 2], 59
Exploitation
Ant 15 : [5, 6, 4, 7, 2], 59
Exploration
avg = 0.000466640176785
p = 0.000536768652711
p = 0.000644122383253
p = 0.00048309178744
Ant 16: [1, 0, 8, 3, 7], 52
Exploration
avg = 0.000319989594884
p = 0.0006038647343
```

```
Ant 17: [8, 0, 4, 6, 5], 56
Exploration
avg = 0.000384198871912
p = 0.000420079815165
p = 0.000439174352218
Ant 18 : [7, 4, 6, 5, 3], 63
Exploitation
Ant 19: [1, 8, 0, 5, 4], 69
Exploitation
Ant 2: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000509524422568
p = 0.000966183574879
Ant 3: [4, 7, 3, 8, 1, 0], 76
Exploration
avg = 0.000318109595157
p = 0.00048309178744
p = 0.000345065562457
Ant 4: [2, 3, 8, 1, 0, 5], 87
Exploration
avg = 0.000547590601354
p = 0.000805152979066
Ant 5: [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 6: [6, 5, 4, 7, 2, 3], 79
Exploration
avg = 0.000357304705131
p = 0.000439174352218
p = 0.000371609067261
Ant 0: [4, 7, 3, 8, 0, 1, 5], 93
Exploitation
Ant 7: [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 8: [3, 8, 0, 4, 6, 5], 68
Exploration
avg = 0.000547590601354
p = 0.000805152979066
Ant 9: [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 10: [2, 7, 4, 6, 5, 3], 81
Exploitation
Ant 11: [3, 8, 0, 4, 7, 2], 75
Exploration
avg = 0.000334704319627
p = 0.0006038647343
Ant 12: [1, 8, 0, 4, 6, 5], 75
Exploration
avg = 0.000498631853999
p = 0.000966183574879
p = 0.000508517670989
Ant 13: [4, 6, 5, 3, 8, 1], 79
Exploration
avg = 0.000490364136928
p = 0.000966183574879
```

```
Ant 1: [3, 8, 1, 0, 5, 6, 4], 95
Exploitation
Ant 14: [5, 6, 4, 7, 2, 3], 77
Exploration
avg = 0.000383414681753
p = 0.000439174352218
p = 0.000536768652711
Ant 15 : [5, 6, 4, 7, 2, 3], 77
Exploitation
Ant 16: [1, 0, 8, 3, 7, 4], 67
Exploitation
Ant 17: [8, 0, 4, 6, 5, 3], 78
Exploration
avg = 0.000547590601354
p = 0.000805152979066
Ant 18: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000656509352162
p = 0.000966183574879
Ant 19: [1, 8, 0, 5, 4, 6], 79
Exploration
avg = 0.000570118592109
p = 0.000966183574879
Ant 2: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000295571310064
p = 0.000322061191626
p = 0.000345065562457
Ant 3: [4, 7, 3, 8, 1, 0, 5], 104
Exploration
avg = 0.000567266871615
p = 0.000805152979066
p = 0.0006038647343
Ant 4: [2, 3, 8, 1, 0, 5, 6], 103
Exploitation
Ant 5 : [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000551197917568
p = 0.000805152979066
Ant 6: [6, 5, 4, 7, 2, 3, 8], 91
Exploitation
Ant 0: [4, 7, 3, 8, 0, 1, 5, 6], 109
Exploration
avg = 0.000570118592109
p = 0.000966183574879
Ant 7: [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 8: [3, 8, 0, 4, 6, 5, 2], 91
Exploration
avg = 0.000570118592109
p = 0.000966183574879
Ant 9: [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 10 : [2, 7, 4, 6, 5, 3, 8], 93
```

```
Exploration
avg = 0.00035083029412
p = 0.000439174352218
p = 0.000420079815165
Ant 11: [3, 8, 0, 4, 7, 2, 5], 98
Exploitation
Ant 12: [1, 8, 0, 4, 6, 5, 3], 97
Exploration
avg = 0.00055103243509
p = 0.000966183574879
Ant 13: [4, 6, 5, 3, 8, 1, 0], 89
Exploitation
Ant 1: [3, 8, 1, 0, 5, 6, 4, 7], 110
Exploitation
Ant 14: [5, 6, 4, 7, 2, 3, 8], 89
Exploration
avg = 0.000551197917568
p = 0.000805152979066
Ant 15 : [5, 6, 4, 7, 2, 3, 8], 89
Exploration
avg = 0.000714315207069
p = 0.000805152979066
p = 0.000966183574879
Ant 16 : [1, 0, 8, 3, 7, 4, 6], 77
Exploitation
Ant 17: [8, 0, 4, 6, 5, 3, 1], 96
Exploitation
Ant 18: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000244984181403
p = 0.000311672120929
Ant 19: [1, 8, 0, 5, 4, 6, 7], 110
Exploration
avg = 0.000644122383253
p = 0.000966183574879
Ant 2: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000511972274732
p = 0.0006038647343
Ant 3: [4, 7, 3, 8, 1, 0, 5, 6], 120
Exploration
avg = 0.000638927847904
p = 0.000966183574879
Ant 4: [2, 3, 8, 1, 0, 5, 6, 4], 113
Exploitation
Ant 5 : [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000737350622934
p = 0.000966183574879
Ant 6: [6, 5, 4, 7, 2, 3, 8, 0], 101
Exploration
avg = 0.000193236714976
Ant 0: [4, 7, 3, 8, 0, 1, 5, 6, 2], 159
Update called by <code>OExploitation</code>
```

```
Ant thread 0 terminating. Ant 7 : [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000487971502464
p = 0.000536768652711
Ant 8: [3, 8, 0, 4, 6, 5, 2, 7], 109
Exploration
avg = 0.000644122383253
p = 0.000966183574879
Ant 9: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000737350622934
p = 0.000966183574879
Ant 10 : [2, 7, 4, 6, 5, 3, 8, 0], 103
Exploitation
Ant 11 : [3, 8, 0, 4, 7, 2, 5, 6], 114
Exploration
avg = 0.000509930220075
p = 0.000536768652711
Ant 12 : [1, 8, 0, 4, 6, 5, 3, 2], 115
Exploration
avg = 0.000273377523125
p = 0.000322061191626
Ant 13 : [4, 6, 5, 3, 8, 1, 0, 2], 119
Exploration
avg = 0.000536768652711
Ant 1: [3, 8, 1, 0, 5, 6, 4, 7, 2], 128
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000737350622934
p = 0.000966183574879
Ant 14: [5, 6, 4, 7, 2, 3, 8, 0], 99
Exploitation
Ant 15 : [5, 6, 4, 7, 2, 3, 8, 0], 99
Exploration
avg = 0.000398550724638
p = 0.0006038647343
Ant 16: [1, 0, 8, 3, 7, 4, 6, 5], 93
Exploration
avg = 0.000343456865196
p = 0.000439174352218
Ant 17: [8, 0, 4, 6, 5, 3, 1, 2], 118
Exploration
avg = 0.000644122383253
p = 0.000966183574879
Ant 18: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000509930220075
p = 0.000536768652711
Ant 19: [1, 8, 0, 5, 4, 6, 7, 2], 128
Exploration
avg = 0.000439174352218
```

Ant 2: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117 Update called by 2Exploration

Ant thread 2 terminating.avg = 0.000193236714976

Ant 3: [4, 7, 3, 8, 1, 0, 5, 6, 2], 170 Update called by 3Exploration

Ant thread 3 terminating.avg = 0.000644122383253

Ant 4: [2, 3, 8, 1, 0, 5, 6, 4, 7], 128 Update called by 4Exploration

Ant thread 4 terminating.avg = 0.000439174352218

Ant 5 : [7, 4, 6, 5, 3, 8, 0, 1, 2], 117 Update called by 5Exploitation

Ant thread 5 terminating. Ant 6: [6, 5, 4, 7, 2, 3, 8, 0, 1], 111

Update called by 6Exploration

Ant thread 6 terminating.avg = 0.000439174352218

Ant 7: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117 Update called by 7Exploitation

Ant thread 7 terminating. Ant 8: [3, 8, 0, 4, 6, 5, 2, 7, 1], 148

ExplorationUpdate called by 8

avg = 0.000439174352218Ant thread 8 terminating.

Ant 9: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [2, 7, 4, 6, 5, 3, 8, 0, 1], 113

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.000261130695913

Ant 11 : [3, 8, 0, 4, 7, 2, 5, 6, 1], 151 ExploitationUpdate called by 11

Ant 12: [1, 8, 0, 4, 6, 5, 3, 2, 7], 133Ant thread 11 terminating.

Update called by 12Exploitation

Ant thread 12 terminating. Ant 13: [4, 6, 5, 3, 8, 1, 0, 2, 7], 137

Update called by 13Exploitation

Ant thread 13 terminating. Ant 14 : [5, 6, 4, 7, 2, 3, 8, 0, 1], 109

```
Ant thread 14 terminating. Ant 15: [5, 6, 4, 7, 2, 3, 8, 0, 1], 109
Update called by 15Exploitation
Ant thread 15 terminating. Ant 16: [1, 0, 8, 3, 7, 4, 6, 5, 2], 116
Update called by 16Exploration
Ant thread 16 terminating.avg = 0.000536768652711
Ant 17: [8, 0, 4, 6, 5, 3, 1, 2, 7], 136
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19: [1, 8, 0, 5, 4, 6, 7, 2, 3], 146
Update called by 19
Best: [7, 4, 6, 5, 3, 8, 0, 1, 2], 135, 1, 151
Ant thread 19 terminating.iter_counter = 2
starting ant = 0
Explorationstarting ant = 1
avg = 0.000490657392253starting ant = 2
p = 0.000579710144928starting ant = 3
p = 0.000724637681159starting ant = 4
p = 0.000869565217391starting ant = 5
p = 0.000579710144928starting ant = 6
Ant 0 : [4, 7], 15starting ant = 7
Exploitationstarting ant = 8
Ant 1: [3, 8], 12starting ant = 9
Explorationstarting ant = 10
avg = 0.000340317305806starting ant = 11
p = 0.00048309178744starting ant = 12
p = 0.000434782608696starting ant = 13
p = 0.000579710144928starting ant = 14
```

Update called by 14Exploitation

```
Exploitationstarting ant = 16
Ant 3: [4, 6], 10starting ant = 17
Explorationstarting ant = 18
avg = 0.000343727209927starting ant = 19
p = 0.000395256916996
p = 0.00048309178744
p = 0.000378071833648
p = 0.00048309178744
Ant 4: [2, 7], 18
Exploitation
Ant 5 : [7, 4], 15
Exploration
avg = 0.000342770559899
p = 0.000869565217391
p = 0.00054347826087
Ant 6: [6, 5], 16
Exploitation
Ant 0: [4, 7, 2], 33
Exploration
avg = 0.000355010542521
p = 0.000536231884058
p = 0.000434782608696
p = 0.000644115942029
Ant 7: [7, 4], 15
Exploitation
Ant 8: [3, 8], 12
Exploration
avg = 0.000360809311853
p = 0.000869565217391
p = 0.00045766590389
Ant 1: [3, 8, 1], 31
Exploitation
Ant 9: [7, 4], 15
Exploration
avg = 0.000350369722004
p = 0.000395256916996
p = 0.00048309178744
p = 0.000378071833648
p = 0.000536231884058
Ant 10 : [2, 7], 18
Exploration
avg = 0.000458577802418
p = 0.00048309178744
p = 0.00048309178744
p = 0.000579710144928
p = 0.000805144927536
Ant 11 : [3, 8], 12
```

Ant 2: [7, 4], 15starting ant = 15

```
Exploitation
Ant 12 : [1, 0], 10
Exploration
avg = 0.000510584928485
p = 0.000579710144928
p = 0.000724637681159
p = 0.000965217391304
p = 0.00064347826087
Ant 13: [4, 7], 15
Exploitation
Ant 14: [5, 4], 12
Exploitation
Ant 2 : [7, 4, 6], 25
Exploration
avg = 0.000417528202736
p = 0.000804347826087
p = 0.00054347826087
Ant 15 : [5, 6], 16
Exploration
avg = 0.000413881816399
p = 0.000965217391304
p = 0.00048309178744
p = 0.00045766590389
Ant 16 : [1, 8], 19
Exploration
avg = 0.000276054552928
p = 0.000603260869565
p = 0.000280504908836
Ant 3: [4, 6, 7], 41
Exploration
avg = 0.000412580764195
p = 0.000869565217391
p = 0.000508009153318
p = 0.000724637681159
Ant 17 : [8, 3], 12
Exploration
avg = 0.000355011347594
p = 0.000536231884058
p = 0.000434782608696
p = 0.000644122382609
Ant 18 : [7, 4], 15
Exploitation
Ant 19 : [1, 0], 10
Exploitation
Ant 4: [2, 7, 4], 33
Exploration
avg = 0.000491736812679
p = 0.000579710144928
p = 0.000724637681159
p = 0.000966173913043
Ant 5 : [7, 4, 6], 25
Exploitation
Ant 6: [6, 5, 4], 28
Exploration
```

```
avg = 0.000322046288573
p = 0.000395256916996
p = 0.00048309178744
p = 0.000378071833648
Ant 0: [4, 7, 2, 5], 56
Exploration
avg = 0.000491738179138
p = 0.000579710144928
p = 0.000724637681159
p = 0.000966183478261
Ant 7: [7, 4, 6], 25
Exploration
avg = 0.000368001204628
p = 0.000869565217391
p = 0.000508009153318
Ant 8: [3, 8, 1], 31
Exploration
avg = 0.0003952088936
p = 0.000966173913043
p = 0.000395256916996
Ant 1: [3, 8, 1, 2], 53
Exploration
avg = 0.000491738192803
p = 0.000579710144928
p = 0.000724637681159
p = 0.000966183573913
Ant 9: [7, 4, 6], 25
Exploitation
Ant 10 : [2, 7, 4], 33
Exploitation
Ant 11 : [3, 8, 0], 22
Exploration
avg = 0.00036930282018
p = 0.000434782608696
p = 0.000869565217391
Ant 12 : [1, 0, 8], 20
Exploitation
Ant 13: [4, 7, 2], 33
Exploitation
Ant 14: [5, 4, 6], 22
Exploration
avg = 0.000275312826943
p = 0.000603260869565
Ant 2: [7, 4, 6, 5], 41
Exploitation
Ant 15 : [5, 6, 4], 26
Exploration
avg = 0.000423999897012
p = 0.000965217391304
p = 0.000804347826087
Ant 16 : [1, 8, 3], 31
Exploitation
Ant 3: [4, 6, 7, 2], 59
Exploration
```

```
avg = 0.000409068213115
p = 0.00048309178744
p = 0.00048309178744
p = 0.000579710144928
p = 0.000434782608696
Ant 17 : [8, 3, 7], 32
Exploration
avg = 0.000491738192941
p = 0.000579710144928
p = 0.000724637681159
p = 0.000966183574879
Ant 18: [7, 4, 6], 25
Exploitation
Ant 19: [1, 0, 8], 20
Exploration
avg = 0.000517953198342
p = 0.000579710144928
p = 0.000724637681159
p = 0.000966183574879
Ant 4: [2, 7, 4, 6], 43
Exploration
avg = 0.000275412464624
p = 0.000603858695652
Ant 5 : [7, 4, 6, 5], 41
Exploration
avg = 0.000399243672763
p = 0.000434782608696
p = 0.000579710144928
p = 0.000644115942029
Ant 6: [6, 5, 4, 7], 43
Exploration
avg = 0.000390816791904
p = 0.000395256916996
p = 0.000603260869565
Ant 0: [4, 7, 2, 5, 6], 72
Exploitation
Ant 7: [7, 4, 6, 5], 41
Exploitation
Ant 8: [3, 8, 1, 0], 41
Exploitation
Ant 1 : [3, 8, 1, 2, 7], 71
Exploration
avg = 0.000275413470965
p = 0.000603864733696
Ant 9: [7, 4, 6, 5], 41
Exploitation
Ant 10: [2, 7, 4, 6], 43
Exploitation
Ant 11: [3, 8, 0, 1], 32
Exploration
avg = 0.000333929831538
p = 0.000805144927536
Ant 12 : [1, 0, 8, 3], 32
Exploration
```

```
avg = 0.000328977605523
p = 0.000395256916996
p = 0.00048309178744
p = 0.00041965973535
Ant 13: [4, 7, 2, 5], 56
Exploration
avg = 0.000226662756817
p = 0.000235017626322
p = 0.000311360448808
p = 0.000235017626322
Ant 14: [5, 4, 6, 8], 59
Exploitation
Ant 2: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000399244735565
p = 0.000434782608696
p = 0.000579710144928
p = 0.000644122318841
Ant 15 : [5, 6, 4, 7], 41
Exploitation
Ant 16: [1, 8, 3, 4], 46
Exploitation
Ant 3: [4, 6, 7, 2, 3], 77
Exploration
avg = 0.000358348401995
p = 0.000536768599034
p = 0.000644122383253
Ant 17: [8, 3, 7, 4], 47
Exploration
avg = 0.000279722127547
p = 0.000603864734293
Ant 18: [7, 4, 6, 5], 41
Exploration
avg = 0.00033393116004
p = 0.000805152898551
Ant 19 : [1, 0, 8, 3], 32
Exploitation
Ant 4: [2, 7, 4, 6, 5], 59
Exploitation
Ant 5: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.00033049911859
p = 0.000536768599034
p = 0.000434782608696
Ant 6: [6, 5, 4, 7, 3], 63
Exploitation
Ant 0: [4, 7, 2, 5, 6, 8], 109
Exploitation
Ant 7: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000287009923006
p = 0.000289855072464
p = 0.000434782608696
p = 0.000310559006211
```

```
Ant 8: [3, 8, 1, 0, 5], 69
Exploration
avg = 0.000347589093145
p = 0.000644122383253
Ant 1: [3, 8, 1, 2, 7, 4], 86
Exploitation
Ant 9: [7, 4, 6, 5, 3], 63
Exploitation
Ant 10: [2, 7, 4, 6, 5], 59
Exploitation
Ant 11: [3, 8, 0, 1, 2], 54
Exploration
avg = 0.000442294999686
p = 0.00048309178744
p = 0.00064347826087
p = 0.000482608695652
Ant 12 : [1, 0, 8, 3, 7], 52
Exploration
avg = 0.000399719844078
p = 0.000439174351779
p = 0.000603858695652
Ant 13: [4, 7, 2, 5, 6], 72
Exploration
avg = 0.000549345301699
p = 0.000965217391304
p = 0.000805152978261
Ant 14: [5, 4, 6, 8, 3], 71
Exploration
avg = 0.000512960345566
p = 0.000805152898551
Ant 2: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000340064335981
p = 0.000536768599034
p = 0.000482608695652
Ant 15 : [5, 6, 4, 7, 3], 61
Exploitation
Ant 16: [1, 8, 3, 4, 6], 56
Exploitation
Ant 3: [4, 6, 7, 2, 3, 8], 89
Exploitation
Ant 17: [8, 3, 7, 4, 6], 57
Exploration
avg = 0.000354562471677
p = 0.000378071833648
p = 0.000439174351779
Ant 18: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.00044239065186
p = 0.00048309178744
p = 0.00064347826087
p = 0.000483086956522
Ant 19: [1, 0, 8, 3, 7], 52
Exploitation
```

```
Ant 4: [2, 7, 4, 6, 5, 3], 81
Exploitation
Ant 5 : [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 6: [6, 5, 4, 7, 3, 8], 75
Exploitation
Ant 0: [4, 7, 2, 5, 6, 8, 0], 119
Exploitation
Ant 7: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000512646511607
p = 0.000805144927536
p = 0.000603864673913
Ant 8: [3, 8, 1, 0, 5, 6], 85
Exploitation
Ant 1: [3, 8, 1, 2, 7, 4, 6], 96
Exploration
avg = 0.000512960365695
p = 0.000805152979066
Ant 9: [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 10: [2, 7, 4, 6, 5, 3], 81
Exploitation
Ant 11 : [3, 8, 0, 1, 2, 7], 72
Exploitation
Ant 12: [1, 0, 8, 3, 7, 4], 67
Exploitation
Ant 13: [4, 7, 2, 5, 6, 8], 109
Exploitation
Ant 14: [5, 4, 6, 8, 3, 1], 89
Exploitation
Ant 2: [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 15 : [5, 6, 4, 7, 3, 8], 73
Exploration
avg = 0.000321691671271
p = 0.0006038647343
Ant 16: [1, 8, 3, 4, 6, 5], 72
Exploitation
Ant 3: [4, 6, 7, 2, 3, 8, 0], 99
Exploitation
Ant 17: [8, 3, 7, 4, 6, 5], 73
Exploration
avg = 0.00052624538985
p = 0.000536231884058
p = 0.000805152979066
Ant 18: [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 19: [1, 0, 8, 3, 7, 4], 67
Exploitation
Ant 4: [2, 7, 4, 6, 5, 3, 8], 93
Exploitation
Ant 5 : [7, 4, 6, 5, 3, 8, 0], 85
```

Exploration

```
avg = 0.000562261746031
p = 0.00096618357487
Ant 6: [6, 5, 4, 7, 3, 8, 0], 85
Exploration
avg = 0.00062286115007
p = 0.000965217391304
Ant 0: [4, 7, 2, 5, 6, 8, 0, 1], 129
Exploitation
Ant 7: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000483496961197
p = 0.000965217391304
Ant 8: [3, 8, 1, 0, 5, 6, 4], 95
Exploitation
Ant 1: [3, 8, 1, 2, 7, 4, 6, 5], 112
Exploration
avg = 0.000562261746035
p = 0.000966183574879
Ant 9: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000540629923987
p = 0.000805152979066
Ant 10 : [2, 7, 4, 6, 5, 3, 8], 93
Exploitation
Ant 11: [3, 8, 0, 1, 2, 7, 4], 87
Exploration
avg = 0.000675089805525
p = 0.000724637681159
p = 0.000966183574879
Ant 12 : [1, 0, 8, 3, 7, 4, 6], 77
Exploration
avg = 0.00075994971325
p = 0.000966183574879
p = 0.000805152979058
Ant 13: [4, 7, 2, 5, 6, 8, 3], 121
Exploration
avg = 0.000542772959697
p = 0.000966183478261
Ant 14: [5, 4, 6, 8, 3, 1, 0], 99
Exploration
avg = 0.000628014492754
p = 0.000966173913043
Ant 2: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000562261746035
p = 0.000966183574879
Ant 15 : [5, 6, 4, 7, 3, 8, 0], 83
Exploration
avg = 0.00031737848373
p = 0.000378071833648
Ant 16: [1, 8, 3, 4, 6, 5, 2], 95
Exploration
avg = 0.000655451987578
p = 0.000966183478261
```

```
Ant 3: [4, 6, 7, 2, 3, 8, 0, 1], 109
Exploitation
Ant 17: [8, 3, 7, 4, 6, 5, 2], 96
Exploration
avg = 0.000562261746035
p = 0.000966183574879
Ant 18: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000675089805525
p = 0.000724637681159
p = 0.000966183574879
Ant 19: [1, 0, 8, 3, 7, 4, 6], 77
Exploitation
Ant 4 : [2, 7, 4, 6, 5, 3, 8, 0], 103
Exploitation
Ant 5: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000628019323667
p = 0.00096618357487
Ant 6: [6, 5, 4, 7, 3, 8, 0, 1], 95
Exploration
avg = 0.00048309178744
Ant 0: [4, 7, 2, 5, 6, 8, 0, 1, 3], 147
Update called by <code>OExploration</code>
Ant thread 0 terminating.avg = 0.000628019323671
p = 0.000966183574879
Ant 7: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 8: [3, 8, 1, 0, 5, 6, 4, 7], 110
Exploitation
Ant 1: [3, 8, 1, 2, 7, 4, 6, 5, 0], 140
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000628019323671
p = 0.000966183574879
Ant 9: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000737348080346
p = 0.000966183574879
Ant 10 : [2, 7, 4, 6, 5, 3, 8, 0], 103
Exploitation
Ant 11 : [3, 8, 0, 1, 2, 7, 4, 6], 97
Exploration
avg = 0.000388888888889
p = 0.0006038647343
Ant 12: [1, 0, 8, 3, 7, 4, 6, 5], 93
Exploitation
Ant 13: [4, 7, 2, 5, 6, 8, 3, 1], 139
Exploitation
Ant 14: [5, 4, 6, 8, 3, 1, 0, 2], 129
Exploitation
```

```
Ant 2 : [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by 2Exploitation
Ant thread 2 terminating. Ant 15 : [5, 6, 4, 7, 3, 8, 0, 1], 93
Exploitation
Ant 16: [1, 8, 3, 4, 6, 5, 2, 7], 113
Exploration
avg = 0.000334448160535
Ant 3: [4, 6, 7, 2, 3, 8, 0, 1, 5], 135
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.00034255599473
p = 0.000395256916996
Ant 17: [8, 3, 7, 4, 6, 5, 2, 1], 118
Exploration
avg = 0.000643961352657
p = 0.000966183574879
Ant 18: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000388888888889
p = 0.0006038647343
Ant 19: [1, 0, 8, 3, 7, 4, 6, 5], 93
Exploitation
Ant 4: [2, 7, 4, 6, 5, 3, 8, 0, 1], 113
Update called by 4Exploitation
Ant thread 4 terminating. Ant 5: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by 5Exploration
Ant thread 5 terminating.avg = 0.000439174351779
Ant 6: [6, 5, 4, 7, 3, 8, 0, 1, 2], 117
ExploitationUpdate called by 6
Ant 7 : [7, 4, 6, 5, 3, 8, 0, 1, 2], 117Ant thread 6 terminating.
Update called by 7Exploration
Ant thread 7 terminating.avg = 0.000536768599034
Ant 8: [3, 8, 1, 0, 5, 6, 4, 7, 2], 128
Update called by 8Exploitation
Ant thread 8 terminating. Ant 9: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by 9Exploration
Ant thread 9 terminating.avg = 0.000966183574879
```

Ant 10: [2, 7, 4, 6, 5, 3, 8, 0, 1], 113

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [3, 8, 0, 1, 2, 7, 4, 6, 5], 113

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [1, 0, 8, 3, 7, 4, 6, 5, 2], 116

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.000966183573913

Ant 13 : [4, 7, 2, 5, 6, 8, 3, 1, 0], 149 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.000536768652705

Ant 14: [5, 4, 6, 8, 3, 1, 0, 2, 7], 147 ExplorationUpdate called by 14

avg = 0.000439174352218Ant thread 14 terminating.

Ant 15 : [5, 6, 4, 7, 3, 8, 0, 1, 2], 115 ExploitationUpdate called by 15

Ant 16: [1, 8, 3, 4, 6, 5, 2, 7, 0], 156Ant thread 15 terminating.

Update called by 16Exploitation

Ant thread 16 terminating. Ant 17: [8, 3, 7, 4, 6, 5, 2, 1, 0], 128

Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117

Update called by 18Exploitation

Ant thread 18 terminating. Ant 19 : [1, 0, 8, 3, 7, 4, 6, 5, 2], 116

Update called by 19

Best: [7, 4, 6, 5, 3, 8, 0, 1, 2], 135, 2, 147 Ant thread 19 terminating.iter_counter = 3

starting ant = 0
Exploitationstarting ant = 1

Ant 0 : [4, 6], 10 starting ant = 2

Explorationstarting ant = 3

avg = 0.000431367661669starting ant = 4

p = 0.000483086956522starting ant = 5

p = 0.000434782608696starting ant = 6

```
p = 0.000434782565217starting ant = 8
p = 0.000724637681159starting ant = 9
Ant 1 : [3, 8], 12starting ant = 10
Exploitationstarting ant = 11
Ant 0: [4, 6, 5], 26starting ant = 12
Explorationstarting ant = 13
avg = 0.000327507366256starting ant = 14
p = 0.000483091786957starting ant = 15
p = 0.00043477826087starting ant = 16
p = 0.000579710144928starting ant = 17
Ant 2: [7, 4], 15starting ant = 18
Exploitationstarting ant = 19
Ant 3: [4, 6], 10
Exploitation
Ant 4: [2, 7], 18
Exploitation
Ant 5: [7, 4], 15
Exploration
avg = 0.000340037252156
p = 0.000869556521739
p = 0.000603260869565
Ant 6: [6, 5], 16
Exploration
avg = 0.000335558090894
p = 0.000483091786957
p = 0.00043477826087
p = 0.000644115942029
Ant 7: [7, 4], 15
Exploration
avg = 0.000441331429785
p = 0.000483086956522
p = 0.000579130434783
p = 0.000804347826087
Ant 8: [3, 8], 12
Exploitation
Ant 9: [7, 4], 15
Exploitation
Ant 1 : [3, 8, 0], 22
Exploitation
```

p = 0.000579130434783starting ant = 7

```
Ant 10: [2, 7], 18
Exploration
avg = 0.000441431067466
p = 0.000483086956522
p = 0.000579130434783
p = 0.000805144927536
Ant 11 : [3, 8], 12
Exploitation
Ant 0: [4, 6, 5, 3], 48
Exploitation
Ant 12: [1, 0], 10
Exploration
avg = 0.000471783682013
p = 0.000521739130435
p = 0.000652173913043
p = 0.000966173913043
p = 0.000579710144922
Ant 13: [4, 7], 15
Exploitation
Ant 14 : [5, 4], 12
Exploration
avg = 0.00041156775907
p = 0.000438735177866
p = 0.000804347753623
p = 0.000543478260326
Ant 15 : [5, 6], 16
Exploitation
Ant 16 : [1, 0], 10
Exploitation
Ant 17 : [8, 0], 10
Exploitation
Ant 2: [7, 4, 6], 25
Exploration
avg = 0.000335558895966
p = 0.000483091786957
p = 0.00043477826087
p = 0.000644122382609
Ant 18: [7, 4], 15
Exploration
avg = 0.000405399801247
p = 0.000966173913043
p = 0.000482608695652
p = 0.000457208237986
Ant 19: [1, 8], 19
Exploration
avg = 0.000264477045942
p = 0.000603858695652
p = 0.000280224403927
Ant 3: [4, 6, 7], 41
Exploitation
Ant 4: [2, 7, 4], 33
Exploitation
Ant 5 : [7, 4, 6], 25
Exploitation
```

```
Ant 6: [6, 5, 4], 28
Exploration
avg = 0.000456366996007
p = 0.000521739130435
p = 0.000652173913043
p = 0.000966183573913
Ant 7: [7, 4, 6], 25
Exploration
avg = 0.000357489413685
p = 0.000966173913043
p = 0.000457661327231
Ant 8 : [3, 8, 1], 31
Exploration
avg = 0.000456366996144
p = 0.000521739130435
p = 0.000652173913043
p = 0.00096618357487
Ant 9: [7, 4, 6], 25
Exploration
avg = 0.000370091810784
p = 0.000869565217391
p = 0.000391304347826
Ant 1: [3, 8, 0, 4], 42
Exploitation
Ant 10 : [2, 7, 4], 33
Exploration
avg = 0.000364681953731
p = 0.000966173913043
p = 0.000508009107551
Ant 11 : [3, 8, 1], 31
Exploration
avg = 0.000482051889388
p = 0.000483086956522
p = 0.000805152898551
Ant 0: [4, 6, 5, 3, 8], 60
Exploration
avg = 0.000366266593175
p = 0.000482173913043
p = 0.000869556521739
Ant 12 : [1, 0, 8], 20
Exploration
avg = 0.000291478397875
p = 0.000483091786957
p = 0.00043477826087
Ant 13: [4, 7, 3], 35
Exploration
avg = 0.00045512476012
p = 0.000521739130435
p = 0.000966183574879
p = 0.00064347826087
Ant 14: [5, 4, 7], 27
Exploration
avg = 0.00030688148393
p = 0.000869556521739
```

```
p = 0.000311357643759
Ant 15 : [5, 6, 7], 47
Exploitation
Ant 16: [1, 0, 8], 20
Exploitation
Ant 17 : [8, 0, 1], 20
Exploration
avg = 0.000261852486278
p = 0.000603858695652
Ant 2: [7, 4, 6, 5], 41
Exploitation
Ant 18: [7, 4, 6], 25
Exploitation
Ant 19: [1, 8, 0], 29
Exploitation
Ant 3: [4, 6, 7, 2], 59
Exploration
avg = 0.000482260938089
p = 0.000521739130435
p = 0.000652173913043
p = 0.000966183574879
Ant 4: [2, 7, 4, 6], 43
Exploration
avg = 0.000261853482655
p = 0.000603864673913
Ant 5 : [7, 4, 6, 5], 41
Exploration
avg = 0.000370054571187
p = 0.000391304347826
p = 0.000521739130435
p = 0.000644115942029
Ant 6: [6, 5, 4, 7], 43
Exploitation
Ant 7: [7, 4, 6, 5], 41
Exploitation
Ant 8 : [3, 8, 1, 0], 41
Exploitation
Ant 9: [7, 4, 6, 5], 41
Exploration
avg = 0.000551827065032
p = 0.000652173913043
p = 0.000966183574879
p = 0.000644122318841
Ant 1: [3, 8, 0, 4, 7], 57
Exploration
avg = 0.000482260938089
p = 0.000521739130435
p = 0.000652173913043
p = 0.000966183574879
Ant 10 : [2, 7, 4, 6], 43
Exploitation
Ant 11 : [3, 8, 1, 0], 41
Exploration
avg = 0.000473938815355
```

```
p = 0.000966183478261
p = 0.000508512585355
Ant 0: [4, 6, 5, 3, 8, 1], 79
Exploration
avg = 0.000300538056113
p = 0.000724637681159
Ant 12 : [1, 0, 8, 3], 32
Exploitation
Ant 13: [4, 7, 3, 8], 47
Exploration
avg = 0.000317360853888
p = 0.000536231884053
p = 0.000482608652174
Ant 14 : [5, 4, 7, 3], 47
Exploitation
Ant 15 : [5, 6, 7, 4], 62
Exploitation
Ant 16: [1, 0, 8, 3], 32
Exploitation
Ant 17 : [8, 0, 1, 3], 38
Exploration
avg = 0.000341512381683
p = 0.00037807183327
p = 0.000438735177866
Ant 2: [7, 4, 6, 5, 3], 63
Exploitation
Ant 18: [7, 4, 6, 5], 41
Exploration
avg = 0.000282384938414
p = 0.000289565217391
p = 0.000482173913043
p = 0.000310248447205
Ant 19 : [1, 8, 0, 5], 57
Exploration
avg = 0.00034145762871
p = 0.000394861660079
p = 0.000482608695652
p = 0.00037806805293
Ant 3: [4, 6, 7, 2, 5], 82
Exploration
avg = 0.000282919843437
p = 0.0006038647343
Ant 4: [2, 7, 4, 6, 5], 59
Exploitation
Ant 5 : [7, 4, 6, 5, 3], 63
Exploitation
Ant 6: [6, 5, 4, 7, 2], 61
Exploitation
Ant 7: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000295264831326
p = 0.000482173913043
p = 0.000344717391304
Ant 8 : [3, 8, 1, 0, 5], 69
```

```
Exploitation
Ant 9: [7, 4, 6, 5, 3], 63
Exploitation
Ant 1: [3, 8, 0, 4, 7, 2], 75
Exploitation
Ant 10: [2, 7, 4, 6, 5], 59
Exploitation
Ant 11: [3, 8, 1, 0, 4], 61
Exploitation
Ant 0: [4, 6, 5, 3, 8, 1, 0], 89
Exploration
avg = 0.000398152447544
p = 0.000434782608696
p = 0.000579130434783
p = 0.000434782565217
Ant 12: [1, 0, 8, 3, 7], 52
Exploitation
Ant 13: [4, 7, 3, 8, 0], 57
Exploitation
Ant 14: [5, 4, 7, 3, 8], 59
Exploration
avg = 0.000315242297018
p = 0.000391304347826
p = 0.000521739130435
Ant 15 : [5, 6, 7, 4, 3], 77
Exploration
avg = 0.000407717673544
p = 0.000434782608696
p = 0.000579130434783
p = 0.000482608695217
Ant 16: [1, 0, 8, 3, 7], 52
Exploration
avg = 0.000407813325804
p = 0.000434782608696
p = 0.000579130434783
p = 0.000483086956517
Ant 17: [8, 0, 1, 3, 7], 58
Exploration
avg = 0.000493869240559
p = 0.000805152979066
Ant 2: [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 18: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000492561226411
p = 0.000805144926812
p = 0.00060326086956
Ant 19 : [1, 8, 0, 5, 6], 73
Exploitation
Ant 3: [4, 6, 7, 2, 5, 3], 104
Exploitation
Ant 4: [2, 7, 4, 6, 5, 3], 81
Exploitation
Ant 5 : [7, 4, 6, 5, 3, 8], 75
```

```
Exploitation
Ant 6: [6, 5, 4, 7, 2, 3], 79
Exploration
avg = 0.000493869240559
p = 0.000805152979066
Ant 7: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000506057401483
p = 0.000805144926812
p = 0.000603858695652
Ant 8: [3, 8, 1, 0, 5, 6], 85
Exploitation
Ant 9: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000323681032251
p = 0.000394861660079
p = 0.000419659697543
Ant 1: [3, 8, 0, 4, 7, 2, 5], 98
Exploration
avg = 0.000332482312374
p = 0.000439174352218
Ant 10 : [2, 7, 4, 6, 5, 3], 81
Exploitation
Ant 11 : [3, 8, 1, 0, 4, 6], 71
Exploration
avg = 0.000235783619818
p = 0.000289565217391
Ant 0: [4, 6, 5, 3, 8, 1, 0, 2], 119
Exploration
avg = 0.000417624887609
p = 0.000536768599034
p = 0.000644122383253
Ant 12 : [1, 0, 8, 3, 7, 4], 67
Exploration
avg = 0.000452470329145
p = 0.000965217391304
Ant 13: [4, 7, 3, 8, 0, 1], 67
Exploitation
Ant 14: [5, 4, 7, 3, 8, 0], 69
Exploitation
Ant 15 : [5, 6, 7, 4, 3, 8], 89
Exploration
avg = 0.000417624887609
p = 0.000536768599034
p = 0.000644122383253
Ant 16: [1, 0, 8, 3, 7, 4], 67
Exploitation
Ant 17 : [8, 0, 1, 3, 7, 4], 73
Exploration
avg = 0.000555193788225
p = 0.00096618357487
Ant 2 : [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000493869240559
```

```
p = 0.000805152979066
Ant 18: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000381020660188
p = 0.000869556521739
Ant 19: [1, 8, 0, 5, 6, 4], 83
Exploitation
Ant 3: [4, 6, 7, 2, 5, 3, 8], 116
Exploration
avg = 0.000513564784513
p = 0.000805152979066
Ant 4: [2, 7, 4, 6, 5, 3, 8], 93
Exploration
avg = 0.000555193788228
p = 0.000966183574879
Ant 5 : [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000513564784513
p = 0.000805152979066
Ant 6: [6, 5, 4, 7, 2, 3, 8], 91
Exploitation
Ant 7: [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 8: [3, 8, 1, 0, 5, 6, 4], 95
Exploration
avg = 0.000555193788228
p = 0.000966183574879
Ant 9: [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 1: [3, 8, 0, 4, 7, 2, 5, 6], 114
Exploitation
Ant 10: [2, 7, 4, 6, 5, 3, 8], 93
Exploitation
Ant 11: [3, 8, 1, 0, 4, 6, 5], 87
Exploration
avg = 0.000536763285024
Ant 0: [4, 6, 5, 3, 8, 1, 0, 2, 7], 137
Update called by <code>OExploration</code>
Ant thread 0 terminating.avg = 0.000639786944135
p = 0.000652173913043
p = 0.000966183574879
Ant 12: [1, 0, 8, 3, 7, 4, 6], 77
Exploitation
Ant 13: [4, 7, 3, 8, 0, 1, 2], 89
Exploration
avg = 0.000488591919192
p = 0.000966173913043
Ant 14: [5, 4, 7, 3, 8, 0, 1], 79
Exploration
avg = 0.000555193788228
p = 0.000966183574879
Ant 15 : [5, 6, 7, 4, 3, 8, 0], 99
```

```
Exploration
avg = 0.000639786944135
p = 0.000652173913043
p = 0.000966183574879
Ant 16: [1, 0, 8, 3, 7, 4, 6], 77
Exploitation
Ant 17 : [8, 0, 1, 3, 7, 4, 6], 83
Exploration
avg = 0.000643959855072
p = 0.000966183478261
Ant 2: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 18: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000529341425938
p = 0.000642898550725
p = 0.000644122382609
Ant 19: [1, 8, 0, 5, 6, 4, 7], 98
Exploitation
Ant 3: [4, 6, 7, 2, 5, 3, 8, 0], 126
Exploration
avg = 0.000737350597506
p = 0.000966183574879
Ant 4 : [2, 7, 4, 6, 5, 3, 8, 0], 103
Exploitation
Ant 5 : [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000737350597506
p = 0.000966183574879
Ant 6 : [6, 5, 4, 7, 2, 3, 8, 0], 101
Exploration
avg = 0.000643959903377
p = 0.00096618357487
Ant 7: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000472562863864
p = 0.000644122383246
Ant 8: [3, 8, 1, 0, 5, 6, 4, 7], 110
Exploration
avg = 0.000643959903382
p = 0.000966183574879
Ant 9: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 1: [3, 8, 0, 4, 7, 2, 5, 6, 1], 151
Update called by 1Exploitation
Ant thread 1 terminating. Ant 10: [2, 7, 4, 6, 5, 3, 8, 0], 103
Exploration
avg = 0.000307612991734
p = 0.00037807183327
Ant 11 : [3, 8, 1, 0, 4, 6, 5, 2], 110
Exploration
avg = 0.000380193236715
```

```
p = 0.0006038647343
Ant 12 : [1, 0, 8, 3, 7, 4, 6, 5], 93
Exploration
avg = 0.00028829867656
p = 0.000420075613989
Ant 13: [4, 7, 3, 8, 0, 1, 2, 5], 112
Exploration
avg = 0.000325125520778
p = 0.000438735177866
Ant 14: [5, 4, 7, 3, 8, 0, 1, 2], 101
Exploitation
Ant 15 : [5, 6, 7, 4, 3, 8, 0, 1], 109
Exploitation
Ant 16: [1, 0, 8, 3, 7, 4, 6, 5], 93
Exploitation
Ant 17: [8, 0, 1, 3, 7, 4, 6, 5], 99
Exploitation
Ant 2: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000643959903382
p = 0.000966183574879
Ant 18: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.00050992777756
p = 0.000536768599034
Ant 19: [1, 8, 0, 5, 6, 4, 7, 2], 116
Exploration
avg = 0.000966183574879
Ant 3: [4, 6, 7, 2, 5, 3, 8, 0, 1], 136
Update called by 3Exploitation
Ant thread 3 terminating.Ant 4 : [2, 7, 4, 6, 5, 3, 8, 0, 1], 113
Update called by 4Exploitation
Ant thread 4 terminating.Ant 5 : [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by 5Exploitation
Ant thread 5 terminating. Ant 6: [6, 5, 4, 7, 2, 3, 8, 0, 1], 111
Update called by 6Exploration
Ant thread 6 terminating.avg = 0.000439174351779
Ant 7 : [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by 7Exploitation
Ant thread 7 terminating. Ant 8: [3, 8, 1, 0, 5, 6, 4, 7, 2], 128
ExplorationUpdate called by 8
```

avg = 0.000439174352213Ant thread 8 terminating.

Ant 9: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [2, 7, 4, 6, 5, 3, 8, 0, 1], 113

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [3, 8, 1, 0, 4, 6, 5, 2, 7], 128

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.000419659735346

Ant 12 : [1, 0, 8, 3, 7, 4, 6, 5, 2], 116 Update called by 12Exploitation

Ant thread 12 terminating. Ant 13 : [4, 7, 3, 8, 0, 1, 2, 5, 6], 128

Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [5, 4, 7, 3, 8, 0, 1, 2, 6], 151

Update called by 14Exploration

Ant thread 14 terminating.avg = 0.000439174352218

Ant 15 : [5, 6, 7, 4, 3, 8, 0, 1, 2], 131 Update called by 15Exploitation

Ant thread 15 terminating. Ant 16: [1, 0, 8, 3, 7, 4, 6, 5, 2], 116

Update called by 16Exploration

Ant thread 16 terminating.avg = 0.000420079773157

Ant 17 : [8, 0, 1, 3, 7, 4, 6, 5, 2], 122 Update called by 17Exploration

Ant thread 17 terminating.avg = 0.000439174352218

Ant 18: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117 Update called by 18Exploitation

Ant thread 18 terminating. Ant 19: [1, 8, 0, 5, 6, 4, 7, 2, 3], 134

Update called by 19
Best: [7, 4, 6, 5, 3, 8, 0, 1, 2], 135, 3, 146

Ant thread 19 terminating.iter_counter = 4

starting ant = 0
Explorationstarting ant = 1

```
avg = 0.000445483212363starting ant = 2
p = 0.000578608695652starting ant = 3
p = 0.000586956521739starting ant = 4
p = 0.000869565217391starting ant = 5
p = 0.000579710144927starting ant = 6
Ant 0 : [4, 7], 15starting ant = 7
Exploitationstarting ant = 8
Ant 1: [3, 8], 12starting ant = 9
Explorationstarting ant = 10
avg = 0.000313476382051starting ant = 11
p = 0.000483091787435starting ant = 12
p = 0.000434778260478starting ant = 13
p = 0.000579710144928starting ant = 14
Ant 2: [7, 4], 15starting ant = 15
Explorationstarting ant = 16
avg = 0.000453454226855starting ant = 17
p = 0.000578608695652starting ant = 18
p = 0.000586956521739starting ant = 19
p = 0.000869565217391
p = 0.00064347826087
Ant 3: [4, 7], 15
Exploration
avg = 0.000318835796255
p = 0.000355375494071
p = 0.000483086913043
p = 0.000378071795838
p = 0.000483091786957
Ant 4: [2, 7], 18
Exploitation
Ant 5 : [7, 4], 15
Exploitation
Ant 6: [6, 4], 10
Exploration
avg = 0.000275442987354
p = 0.000483091787435
p = 0.000434778260478
```

```
Ant 0: [4, 7, 3], 35
Exploration
avg = 0.00032750590565
p = 0.000483091787435
p = 0.00048260865217
p = 0.000644115942029
Ant 7: [7, 4], 15
Exploitation
Ant 8: [3, 8], 12
Exploration
avg = 0.000328280380783
p = 0.000869565217391
p = 0.000457665858119
Ant 1 : [3, 8, 1], 31
Exploitation
Ant 9: [7, 4], 15
Exploration
avg = 0.000325478308392
p = 0.000355375494071
p = 0.000483086913043
p = 0.000378071795838
p = 0.000536231884053
Ant 10 : [2, 7], 18
Exploitation
Ant 11 : [3, 8], 12
Exploitation
Ant 12: [1, 0], 10
Exploitation
Ant 13 : [4, 6], 10
Exploration
avg = 0.000382069448498
p = 0.000395256916996
p = 0.00072463043413
p = 0.000543478260864
Ant 14 : [5, 6], 16
Exploitation
Ant 2: [7, 4, 6], 25
Exploitation
Ant 15 : [5, 4], 12
Exploitation
Ant 16 : [1, 0], 10
Exploration
avg = 0.000384117049375
p = 0.000869565217391
p = 0.00050800915286
p = 0.000724630434783
Ant 17: [8, 3], 12
Exploitation
Ant 18: [7, 4], 15
Exploitation
Ant 19 : [1, 0], 10
Exploration
avg = 0.000282275900453
p = 0.000483091787435
```

```
p = 0.00048260865217
```

Ant 3: [4, 7, 3], 35

Exploitation

Ant 4: [2, 7, 4], 33

Exploration

avg = 0.000440109178518

p = 0.000578608695652

p = 0.000586956521739

p = 0.000966173913043

Ant 5 : [7, 4, 6], 25

Exploitation

Ant 6: [6, 4, 7], 25

Exploitation

Ant 0: [4, 7, 3, 8], 47

Exploration

avg = 0.000440110544978

p = 0.000578608695652

p = 0.000586956521739

p = 0.000966183478261

Ant 7: [7, 4, 6], 25

Exploitation

Ant 8 : [3, 8, 0], 22

Exploitation

Ant 1 : [3, 8, 1, 0], 41

Exploitation

Ant 9: [7, 4, 6], 25

Exploitation

Ant 10 : [2, 7, 4], 33

Exploitation

Ant 11 : [3, 8, 0], 22

Exploration

avg = 0.000350791313959

p = 0.000434774347826

p = 0.000869556520957

Ant 12: [1, 0, 8], 20

Exploration

avg = 0.000248388250677

p = 0.00054347826087

p = 0.000280502078541

Ant 13 : [4, 6, 7], 41

Exploitation

Ant 14: [5, 6, 4], 26

Exploitation

Ant 2: [7, 4, 6, 5], 41

Exploitation

Ant 15 : [5, 4, 6], 22

Exploitation

Ant 16 : [1, 0, 8], 20

Exploration

avg = 0.000356735929642

p = 0.00043477826087

p = 0.000391304347826

p = 0.000521217391304

p = 0.000434782565217

```
Ant 17: [8, 3, 7], 32
Exploitation
Ant 18: [7, 4, 6], 25
Exploitation
Ant 19: [1, 0, 8], 20
Exploitation
```

Ant 3: [4, 7, 3, 8], 47 Exploitation

Ant 4: [2, 7, 4, 6], 43 Exploitation

Ant 5 : [7, 4, 6, 5], 41

Exploration avg = 0.000291533438488

p = 0.000483091787435

p = 0.000483086956087

Ant 6 : [6, 4, 7, 3], 45

Exploration

avg = 0.000417578458192

p = 0.000966173913043

p = 0.00050800915286

Ant 0: [4, 7, 3, 8, 1], 66

Exploitation

Ant 7: [7, 4, 6, 5], 41

Exploitation

Ant 8: [3, 8, 0, 1], 32

Exploitation

Ant 1: [3, 8, 1, 0, 4], 61

Exploration

avg = 0.000253100348206

p = 0.000603864673913

Ant 9: [7, 4, 6, 5], 41

Exploitation

Ant 10: [2, 7, 4, 6], 43

Exploration

avg = 0.000395304226186

p = 0.000965217391304

p = 0.000482608613043

Ant 11: [3, 8, 0, 4], 42

Exploration

avg = 0.000295846557265

p = 0.000804347753623

Ant 12 : [1, 0, 8, 3], 32

Exploitation

Ant 13: [4, 6, 7, 2], 59

Exploration

avg = 0.000361959355614

p = 0.000578608695652

p = 0.000644122318841

Ant 14: [5, 6, 4, 7], 41

Exploration

avg = 0.000315001631563

p = 0.00037807183327

p = 0.000395256916996

Ant 2: [7, 4, 6, 5, 3], 63

```
Exploitation
Ant 15 : [5, 4, 6, 7], 53
Exploitation
Ant 16: [1, 0, 8, 3], 32
Exploration
avg = 0.000330570667593
p = 0.000536231884058
p = 0.000644122383253
Ant 17: [8, 3, 7, 4], 47
Exploration
avg = 0.00025310035817
p = 0.000603864733696
Ant 18 : [7, 4, 6, 5], 41
Exploration
avg = 0.000295980748085
p = 0.000805152898543
Ant 19 : [1, 0, 8, 3], 32
Exploitation
Ant 3: [4, 7, 3, 8, 0], 57
Exploitation
Ant 4: [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000323697283737
p = 0.00037807183327
p = 0.000438735177866
Ant 5: [7, 4, 6, 5, 3], 63
Exploitation
Ant 6: [6, 4, 7, 3, 8], 57
Exploration
avg = 0.000463126777342
p = 0.000966183573913
Ant 0: [4, 7, 3, 8, 1, 0], 76
Exploration
avg = 0.000323784240259
p = 0.00037807183327
p = 0.000439169960474
Ant 7: [7, 4, 6, 5, 3], 63
Exploitation
Ant 8: [3, 8, 0, 1, 2], 54
Exploration
avg = 0.000617041372315
p = 0.000966183574879
p = 0.000644122382609
Ant 1: [3, 8, 1, 0, 4, 7], 76
Exploitation
Ant 9: [7, 4, 6, 5, 3], 63
Exploitation
Ant 10 : [2, 7, 4, 6, 5], 59
Exploitation
Ant 11: [3, 8, 0, 4, 6], 52
Exploitation
Ant 12 : [1, 0, 8, 3, 4], 47
Exploitation
Ant 13: [4, 6, 7, 2, 3], 77
```

```
Exploitation
Ant 14: [5, 6, 4, 7, 2], 59
Exploration
avg = 0.00046461114098
p = 0.000805152979066
Ant 2: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000317887635276
p = 0.000536763285024
p = 0.000483091739126
Ant 15 : [5, 4, 6, 7, 3], 73
Exploration
avg = 0.0004009332685
p = 0.000642893333333
p = 0.000482608695217
Ant 16: [1, 0, 8, 3, 7], 52
Exploitation
Ant 17: [8, 3, 7, 4, 6], 57
Exploration
avg = 0.00032378511852
p = 0.00037807183327
p = 0.000439174351779
Ant 18: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.00040102892076
p = 0.000642893333333
p = 0.000483086956517
Ant 19: [1, 0, 8, 3, 7], 52
Exploitation
Ant 3: [4, 7, 3, 8, 0, 1], 67
Exploration
avg = 0.000310213439941
p = 0.000439174352213
Ant 4: [2, 7, 4, 6, 5, 3], 81
Exploration
avg = 0.00046461114098
p = 0.000805152979066
Ant 5: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000474510252951
p = 0.000966183478261
p = 0.000508512585808
Ant 6: [6, 4, 7, 3, 8, 1], 76
Exploration
avg = 0.000253399177583
p = 0.000289562608696
p = 0.000310555872671
Ant 0: [4, 7, 3, 8, 1, 0, 5], 104
Exploration
avg = 0.00046461114098
p = 0.000805152979066
Ant 7: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000339830174898
```

```
p = 0.000378071795838
p = 0.000536763285024
Ant 8: [3, 8, 0, 1, 2, 7], 72
Exploration
avg = 0.000325803665453
p = 0.000536763285024
Ant 1: [3, 8, 1, 0, 4, 7, 2], 94
Exploitation
Ant 9: [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 10: [2, 7, 4, 6, 5, 3], 81
Exploitation
Ant 11 : [3, 8, 0, 4, 6, 5], 68
Exploration
avg = 0.000617041372475
p = 0.000966183574879
p = 0.000644122383246
Ant 12: [1, 0, 8, 3, 4, 7], 62
Exploitation
Ant 13: [4, 6, 7, 2, 3, 8], 89
Exploitation
Ant 14: [5, 6, 4, 7, 2, 3], 77
Exploration
avg = 0.000548831083701
p = 0.000966183478261
Ant 2: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.00046461114098
p = 0.000805152979066
Ant 15 : [5, 4, 6, 7, 3, 8], 85
Exploitation
Ant 16: [1, 0, 8, 3, 7, 4], 67
Exploitation
Ant 17: [8, 3, 7, 4, 6, 5], 73
Exploration
avg = 0.00046461114098
p = 0.000805152979066
Ant 18: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000405384673405
p = 0.000536768599034
p = 0.000644122383253
Ant 19: [1, 0, 8, 3, 7, 4], 67
Exploitation
Ant 3: [4, 7, 3, 8, 0, 1, 2], 89
Exploitation
Ant 4 : [2, 7, 4, 6, 5, 3, 8], 93
Exploration
avg = 0.000548831115585
p = 0.000966183573913
Ant 5 : [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 6: [6, 4, 7, 3, 8, 1, 0], 86
Exploration
```

```
avg = 0.000490666351418
p = 0.000603260869565
Ant 0: [4, 7, 3, 8, 1, 0, 5, 6], 120
Exploration
avg = 0.000548831115904
p = 0.00096618357487
Ant 7: [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 8: [3, 8, 0, 1, 2, 7, 4], 87
Exploration
avg = 0.000275827202267
p = 0.000378071795838
Ant 1 : [3, 8, 1, 0, 4, 7, 2, 5], 117
Exploration
avg = 0.000548831115907
p = 0.000966183574879
Ant 9: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000489046738698
p = 0.000805152979066
Ant 10 : [2, 7, 4, 6, 5, 3, 8], 93
Exploration
avg = 0.000287471192827
p = 0.00037807183327
Ant 11 : [3, 8, 0, 4, 6, 5, 2], 91
Exploitation
Ant 12: [1, 0, 8, 3, 4, 7, 2], 80
Exploitation
Ant 13 : [4, 6, 7, 2, 3, 8, 0], 99
Exploitation
Ant 14: [5, 6, 4, 7, 2, 3, 8], 89
Exploration
avg = 0.00062786826087
p = 0.000966173913043
Ant 2: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000548831115907
p = 0.000966183574879
Ant 15 : [5, 4, 6, 7, 3, 8, 0], 95
Exploitation
Ant 16: [1, 0, 8, 3, 7, 4, 6], 77
Exploitation
Ant 17: [8, 3, 7, 4, 6, 5, 2], 96
Exploration
avg = 0.000548831115907
p = 0.000966183574879
Ant 18: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000608014368884
p = 0.000966183574879
Ant 19: [1, 0, 8, 3, 7, 4, 6], 77
Exploration
avg = 0.000296621171834
p = 0.000419659734972
```

```
Ant 3: [4, 7, 3, 8, 0, 1, 2, 5], 112
Exploration
avg = 0.000737350597508
p = 0.000966183574879
Ant 4 : [2, 7, 4, 6, 5, 3, 8, 0], 103
Exploitation
Ant 5 : [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 6: [6, 4, 7, 3, 8, 1, 0, 5], 114
Exploitation
Ant 0: [4, 7, 3, 8, 1, 0, 5, 6, 2], 170
Update called by OExploitation
Ant thread 0 terminating. Ant 7 : [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 8: [3, 8, 0, 1, 2, 7, 4, 6], 97
Exploration
avg = 0.000603858695652
Ant 1: [3, 8, 1, 0, 4, 7, 2, 5, 6], 133
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000627873091783
p = 0.00096618357487
Ant 9: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000737350597508
p = 0.000966183574879
Ant 10 : [2, 7, 4, 6, 5, 3, 8, 0], 103
Exploitation
Ant 11: [3, 8, 0, 4, 6, 5, 2, 7], 109
Exploration
avg = 0.000296829111529
p = 0.000420075614363
Ant 12 : [1, 0, 8, 3, 4, 7, 2, 5], 103
Exploitation
Ant 13: [4, 6, 7, 2, 3, 8, 0, 1], 109
Exploitation
Ant 14: [5, 6, 4, 7, 2, 3, 8, 0], 99
Exploitation
Ant 2: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000627873091787
p = 0.000966183574879
Ant 15 : [5, 4, 6, 7, 3, 8, 0, 1], 105
Exploitation
Ant 16: [1, 0, 8, 3, 7, 4, 6, 5], 93
Exploration
avg = 0.000295079051383
p = 0.000355375494071
Ant 17: [8, 3, 7, 4, 6, 5, 2, 1], 118
```

Exploitation

Ant 18: [7, 4, 6, 5, 3, 8, 0, 1], 95

Exploitation

Ant 19: [1, 0, 8, 3, 7, 4, 6, 5], 93

Exploration

avg = 0.000603864673913

Ant 3: [4, 7, 3, 8, 0, 1, 2, 5, 6], 128

Update called by 3Exploration

Ant thread 3 terminating.avg = 0.000966183574879

Ant 4 : [2, 7, 4, 6, 5, 3, 8, 0, 1], 113 Update called by 4Exploration

Ant thread 4 terminating.avg = 0.0004391743083

Ant 5 : [7, 4, 6, 5, 3, 8, 0, 1, 2], 117 Update called by 5Exploitation

Ant thread 5 terminating. Ant 6: [6, 4, 7, 3, 8, 1, 0, 5, 2], 137

Update called by 6Exploitation

Ant thread 6 terminating. Ant 7: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117

Update called by 7Exploration

Ant thread 7 terminating.avg = 0.0006038647343

Ant 8: [3, 8, 0, 1, 2, 7, 4, 6, 5], 113 Update called by 8Exploration

Ant thread 8 terminating.avg = 0.000439174352213

Ant 9: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [2, 7, 4, 6, 5, 3, 8, 0, 1], 113

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.000180602006689

Ant 11 : [3, 8, 0, 4, 6, 5, 2, 7, 1], 148 Update called by 11Exploration

Ant thread 11 terminating.avg = 0.000603864733696

Ant 12 : [1, 0, 8, 3, 4, 7, 2, 5, 6], 119 Update called by 12Exploration

Ant thread 12 terminating.avg = 0.000300702341137

Ant 13: [4, 6, 7, 2, 3, 8, 0, 1, 5], 135

```
Update called by 13Exploitation
Ant thread 13 terminating. Ant 14: [5, 6, 4, 7, 2, 3, 8, 0, 1], 109
Update called by 14Exploration
Ant thread 14 terminating.avg = 0.000439174352218
Ant 15 : [5, 4, 6, 7, 3, 8, 0, 1, 2], 127
Update called by 15Exploration
Ant thread 15 terminating.avg = 0.000420079773157
Ant 16: [1, 0, 8, 3, 7, 4, 6, 5, 2], 116
Update called by 16Exploration
Ant thread 16 terminating.avg = 0.000966183574879
Ant 17 : [8, 3, 7, 4, 6, 5, 2, 1, 0], 128
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by 18Exploration
Ant thread 18 terminating.avg = 0.000420079814745
Ant 19: [1, 0, 8, 3, 7, 4, 6, 5, 2], 116
Update called by 19
Best: [7, 4, 6, 5, 3, 8, 0, 1, 2], 135, 4, 147
Ant thread 19 terminating.iter_counter = 5
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [4, 6], 10starting ant = 2
Explorationstarting ant = 3
avg = 0.000390632580282starting ant = 4
p = 0.000391300434783starting ant = 5
p = 0.000578604starting ant = 6
p = 0.000434782565217starting ant = 7
p = 0.000724637681159starting ant = 8
Ant 1: [3, 8], 12starting ant = 9
Exploitationstarting ant = 10
```

Ant 0: [4, 6, 5], 26starting ant = 11

```
avg = 0.000308326464418starting ant = 13
p = 0.000483091786957starting ant = 14
p = 0.000434782608261starting ant = 15
p = 0.000579710144928starting ant = 16
Ant 2: [7, 4], 15starting ant = 17
Explorationstarting ant = 18
avg = 0.000431007354895starting ant = 19
p = 0.000520747826087
p = 0.000528260869565
p = 0.000965217391304
p = 0.000579710144927
Ant 3: [4, 7], 15
Exploration
avg = 0.000313088451034
p = 0.000394502727273
p = 0.000483086956083
p = 0.000378071795841
p = 0.000483091786957
Ant 4: [2, 7], 18
Exploitation
Ant 5 : [7, 4], 15
Exploitation
Ant 6: [6, 4], 10
Exploration
avg = 0.000316377189056
p = 0.000483091786957
p = 0.000434782608261
p = 0.000644115942029
Ant 7: [7, 4], 15
Exploration
avg = 0.000400596348398
p = 0.000578604
p = 0.000434782565217
p = 0.000804347826087
Ant 8 : [3, 8], 12
Exploration
avg = 0.000314412786641
p = 0.000869565217391
p = 0.000457665858124
Ant 1: [3, 8, 1], 31
Exploitation
Ant 9: [7, 4], 15
Exploration
avg = 0.000319730963171
```

Explorationstarting ant = 12

```
p = 0.000394502727273
p = 0.000483086956083
p = 0.000378071795841
p = 0.000536231884053
Ant 10: [2, 7], 18
Exploitation
Ant 0: [4, 6, 5, 3], 48
Exploitation
Ant 11: [3, 8], 12
Exploration
avg = 0.000367100958875
p = 0.000869565217391
p = 0.000395256916996
p = 0.000434343913043
p = 0.000411483707094
Ant 12: [1, 8], 19
Exploitation
Ant 13: [4, 6], 10
Exploitation
Ant 14 : [5, 4], 12
Exploration
avg = 0.000384779022486
p = 0.000438735177866
p = 0.000804340579058
p = 0.000543478260864
Ant 15 : [5, 6], 16
Exploration
avg = 0.000379108911907
p = 0.000869565217391
p = 0.000395256916996
p = 0.000434343913043
p = 0.00050754733135
Ant 16: [1, 8], 19
Exploitation
Ant 2: [7, 4, 6], 25
Exploration
avg = 0.000371983810207
p = 0.000869565217391
p = 0.00050800915286
p = 0.000724637680435
Ant 17 : [8, 3], 12
Exploration
avg = 0.000316377994129
p = 0.000483091786957
p = 0.000434782608261
p = 0.000644122382609
Ant 18 : [7, 4], 15
Exploitation
Ant 19 : [1, 0], 10
Exploration
avg = 0.000269557367203
p = 0.000483091786957
p = 0.000434782608261
Ant 3: [4, 7, 3], 35
```

```
Exploration
avg = 0.0002993940363
p = 0.000482608695648
p = 0.000644122383246
Ant 4: [2, 7, 4], 33
Exploration
avg = 0.000409902111598
p = 0.000520747826087
p = 0.000528260869565
p = 0.000966183478261
Ant 5 : [7, 4, 6], 25
Exploitation
Ant 6: [6, 4, 7], 25
{\tt Exploitation}
Ant 7: [7, 4, 6], 25
Exploitation
Ant 8 : [3, 8, 0], 22
Exploration
avg = 0.00036443870413
p = 0.000965217391304
p = 0.000395256916996
Ant 1: [3, 8, 1, 2], 53
Exploration
avg = 0.000409902125399
p = 0.000520747826087
p = 0.000528260869565
p = 0.00096618357487
Ant 9: [7, 4, 6], 25
Exploitation
Ant 10 : [2, 7, 4], 33
Exploitation
Ant 0: [4, 6, 5, 3, 8], 60
Exploration
avg = 0.000335269282162
p = 0.000965217391304
p = 0.00050800915286
Ant 11 : [3, 8, 1], 31
Exploitation
Ant 12: [1, 8, 0], 29
Exploitation
Ant 13 : [4, 6, 5], 26
Exploitation
Ant 14: [5, 4, 6], 22
Exploitation
Ant 15 : [5, 6, 4], 26
Exploitation
Ant 16 : [1, 8, 0], 29
Exploitation
Ant 2: [7, 4, 6, 5], 41
Exploitation
Ant 17: [8, 3, 4], 27
Exploitation
Ant 18: [7, 4, 6], 25
Exploitation
```

```
Ant 19: [1, 0, 8], 20
Exploitation
Ant 3: [4, 7, 3, 8], 47
Exploitation
Ant 4: [2, 7, 4, 6], 43
Exploration
avg = 0.000245631246357
p = 0.000603864673913
Ant 5: [7, 4, 6, 5], 41
Exploitation
Ant 6: [6, 4, 7, 2], 43
Exploitation
Ant 7: [7, 4, 6, 5], 41
Exploitation
Ant 8: [3, 8, 0, 1], 32
Exploitation
Ant 1 : [3, 8, 1, 2, 7], 71
Exploration
avg = 0.00024563125642
p = 0.000603864734293
Ant 9: [7, 4, 6, 5], 41
Exploitation
Ant 10: [2, 7, 4, 6], 43
Exploitation
Ant 0: [4, 6, 5, 3, 8, 0], 70
Exploitation
Ant 11 : [3, 8, 1, 0], 41
Exploitation
Ant 12: [1, 8, 0, 4], 49
Exploitation
Ant 13 : [4, 6, 5, 3], 48
Exploration
avg = 0.000191737484627
p = 0.000211113983549
p = 0.000280502103532
Ant 14 : [5, 4, 6, 7], 53
Exploitation
Ant 15 : [5, 6, 4, 7], 41
Exploitation
Ant 16: [1, 8, 0, 4], 49
Exploration
avg = 0.000307750652183
p = 0.000378071833645
p = 0.000439169960474
Ant 2: [7, 4, 6, 5, 3], 63
Exploitation
Ant 17 : [8, 3, 4, 6], 37
Exploration
avg = 0.000245631256421
p = 0.000603864734299
Ant 18: [7, 4, 6, 5], 41
Exploration
avg = 0.000279667709509
p = 0.00080434782608
```

```
Ant 19: [1, 0, 8, 3], 32
Exploitation
Ant 3: [4, 7, 3, 8, 0], 57
Exploration
avg = 0.000260069159879
p = 0.0006038647343
Ant 4: [2, 7, 4, 6, 5], 59
Exploitation
Ant 5: [7, 4, 6, 5, 3], 63
Exploitation
Ant 6: [6, 4, 7, 2, 3], 61
Exploration
avg = 0.000307751530443
p = 0.000378071833645
p = 0.000439174351779
Ant 7: [7, 4, 6, 5, 3], 63
Exploitation
Ant 8: [3, 8, 0, 1, 2], 54
Exploitation
Ant 1: [3, 8, 1, 2, 7, 4], 86
Exploration
avg = 0.00030775153053
p = 0.000378071833645
p = 0.000439174352213
Ant 9: [7, 4, 6, 5, 3], 63
Exploitation
Ant 10: [2, 7, 4, 6, 5], 59
Exploitation
Ant 0: [4, 6, 5, 3, 8, 0, 1], 80
Exploration
avg = 0.000269148397703
p = 0.000483086956087
p = 0.000310555900339
Ant 11: [3, 8, 1, 0, 5], 69
Exploitation
Ant 12 : [1, 8, 0, 4, 6], 59
Exploitation
Ant 13: [4, 6, 5, 3, 8], 60
Exploration
avg = 0.00031825696294
p = 0.000536231884053
p = 0.000482608695648
Ant 14: [5, 4, 6, 7, 3], 73
Exploitation
Ant 15 : [5, 6, 4, 7, 2], 59
Exploration
avg = 0.00058062545968
p = 0.000966183574879
p = 0.000644122318841
Ant 16: [1, 8, 0, 4, 7], 64
Exploration
avg = 0.000438278851358
p = 0.000805152979066
Ant 2: [7, 4, 6, 5, 3, 8], 75
```

```
Exploration
avg = 0.000288770404796
p = 0.0006038647343
p = 0.000311360420755
Ant 17: [8, 3, 4, 6, 7], 68
Exploration
avg = 0.000307751530531
p = 0.000378071833645
p = 0.000439174352218
Ant 18: [7, 4, 6, 5, 3], 63
Exploitation
Ant 19: [1, 0, 8, 3, 4], 47
Exploration
avg = 0.000428892968238
p = 0.000966173913043
Ant 3: [4, 7, 3, 8, 0, 1], 67
Exploitation
Ant 4: [2, 7, 4, 6, 5, 3], 81
Exploration
avg = 0.000438278851358
p = 0.000805152979066
Ant 5 : [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 6: [6, 4, 7, 2, 3, 8], 73
Exploration
avg = 0.000438278851358
p = 0.000805152979066
Ant 7: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000328719362933
p = 0.000378071795841
p = 0.000536768599034
Ant 8: [3, 8, 0, 1, 2, 7], 72
Exploitation
Ant 1: [3, 8, 1, 2, 7, 4, 6], 96
Exploitation
Ant 9: [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 10: [2, 7, 4, 6, 5, 3], 81
Exploration
avg = 0.000300855883247
p = 0.000439169960474
Ant 0: [4, 6, 5, 3, 8, 0, 1, 2], 102
Exploration
avg = 0.000494442035982
p = 0.000804340579058
p = 0.000603260869565
Ant 11 : [3, 8, 1, 0, 5, 6], 85
Exploitation
Ant 12: [1, 8, 0, 4, 6, 5], 75
Exploration
avg = 0.000453938527725
p = 0.00096618357487
p = 0.000508512585808
```

```
Ant 13: [4, 6, 5, 3, 8, 1], 79
Exploration
avg = 0.000438278851358
p = 0.000805152979066
Ant 14: [5, 4, 6, 7, 3, 8], 85
Exploration
avg = 0.000324162962069
p = 0.000394502727273
p = 0.000536231835744
Ant 15 : [5, 6, 4, 7, 2, 3], 77
Exploitation
Ant 16: [1, 8, 0, 4, 7, 2], 82
Exploration
avg = 0.000543104710814
p = 0.00096618357487
Ant 2: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000278715670727
p = 0.000536768599034
Ant 17: [8, 3, 4, 6, 7, 2], 86
Exploration
avg = 0.000438278851358
p = 0.000805152979066
Ant 18: [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 19: [1, 0, 8, 3, 4, 6], 57
Exploitation
Ant 3: [4, 7, 3, 8, 0, 1, 2], 89
Exploitation
Ant 4: [2, 7, 4, 6, 5, 3, 8], 93
Exploitation
Ant 5: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000567032903515
p = 0.000966183574879
Ant 6: [6, 4, 7, 2, 3, 8, 0], 83
Exploration
avg = 0.000543104710817
p = 0.000966183574879
Ant 7: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000346901774485
p = 0.000644122383253
Ant 8: [3, 8, 0, 1, 2, 7, 4], 87
Exploration
avg = 0.000373967940272
p = 0.0006038647343
Ant 1 : [3, 8, 1, 2, 7, 4, 6, 5], 112
Exploitation
Ant 9: [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 10 : [2, 7, 4, 6, 5, 3, 8], 93
Exploration
avg = 0.000536768652174
```

```
Ant 0: [4, 6, 5, 3, 8, 0, 1, 2, 7], 120 Update called by 0Exploration
```

Ant thread 0 terminating.avg = 0.000483761551744

```
p = 0.000966173912174
Ant 11 : [3, 8, 1, 0, 5, 6, 4], 95
Exploration
avg = 0.000336447015841
p = 0.000378071833645
p = 0.000439174352218
Ant 12: [1, 8, 0, 4, 6, 5, 3], 97
Exploration
avg = 0.000522630023614
p = 0.000966173913043
Ant 13: [4, 6, 5, 3, 8, 1, 0], 89
Exploration
avg = 0.000543104710817
p = 0.000966183574879
Ant 14: [5, 4, 6, 7, 3, 8, 0], 95
Exploitation
Ant 15 : [5, 6, 4, 7, 2, 3, 8], 89
Exploitation
Ant 16: [1, 8, 0, 4, 7, 2, 3], 100
Exploitation
Ant 2: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000327959623647
p = 0.000394502727273
p = 0.000378071795841
Ant 17: [8, 3, 4, 6, 7, 2, 5], 109
Exploration
avg = 0.000543104710817
p = 0.000966183574879
Ant 18: [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 19: [1, 0, 8, 3, 4, 6, 5], 73
Exploration
avg = 0.000287942041399
p = 0.000419659734972
Ant 3 : [4, 7, 3, 8, 0, 1, 2, 5], 112
Exploitation
Ant 4: [2, 7, 4, 6, 5, 3, 8, 0], 103
Exploitation
Ant 5 : [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 6: [6, 4, 7, 2, 3, 8, 0, 1], 93
Exploration
avg = 0.000613394961353
p = 0.000966183574879
Ant 7: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000747222222222
p = 0.000966183574879
```

```
Ant 8: [3, 8, 0, 1, 2, 7, 4, 6], 97
Exploration
avg = 0.000251301242236
Ant 1: [3, 8, 1, 2, 7, 4, 6, 5, 0], 140
Update called by 1Exploitation
Ant thread 1 terminating. Ant 9: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000737350597508
p = 0.000966183574879
Ant 10 : [2, 7, 4, 6, 5, 3, 8, 0], 103
Exploitation
Ant 11: [3, 8, 1, 0, 5, 6, 4, 7], 110
Exploitation
Ant 12: [1, 8, 0, 4, 6, 5, 3, 7], 117
Exploitation
Ant 13: [4, 6, 5, 3, 8, 1, 0, 2], 119
Exploitation
Ant 14: [5, 4, 6, 7, 3, 8, 0, 1], 105
Exploitation
Ant 15 : [5, 6, 4, 7, 2, 3, 8, 0], 99
Exploitation
Ant 16: [1, 8, 0, 4, 7, 2, 3, 5], 122
Exploration
avg = 0.000439174351779
Ant 2 : [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by 2Exploitation
Ant thread 2 terminating.Ant 17 : [8, 3, 4, 6, 7, 2, 5, 0], 137
Exploitation
Ant 18: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 19: [1, 0, 8, 3, 4, 6, 5, 2], 96
Exploration
avg = 0.000603858695652
Ant 3: [4, 7, 3, 8, 0, 1, 2, 5, 6], 128
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.000966183574879
Ant 4: [2, 7, 4, 6, 5, 3, 8, 0, 1], 113
Update called by 4Exploration
Ant thread 4 terminating.avg = 0.000439174352213
Ant 5 : [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by 5Exploitation
Ant thread 5 terminating. Ant 6: [6, 4, 7, 2, 3, 8, 0, 1, 5], 119
Update called by 6Exploration
```

Ant thread 6 terminating.avg = 0.000439174352218

Ant 7: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117 Update called by 7Exploration

Ant thread 7 terminating.avg = 0.0006038647343

Ant 8: [3, 8, 0, 1, 2, 7, 4, 6, 5], 113 Update called by 8Exploration

Ant thread 8 terminating.avg = 0.000439174352218

Ant 9: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [2, 7, 4, 6, 5, 3, 8, 0, 1], 113

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.000536768652174

Ant 11 : [3, 8, 1, 0, 5, 6, 4, 7, 2], 128 Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [1, 8, 0, 4, 6, 5, 3, 7, 2], 135

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.000536768652705

Ant 13 : [4, 6, 5, 3, 8, 1, 0, 2, 7], 137 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.000439174352218

Ant 14: [5, 4, 6, 7, 3, 8, 0, 1, 2], 127 Update called by 14Exploration

Ant thread 14 terminating.avg = 0.000966183574879

Ant 15 : [5, 6, 4, 7, 2, 3, 8, 0, 1], 109 Update called by 15Exploration

Ant thread 15 terminating.avg = 0.000603864673913

Ant 16: [1, 8, 0, 4, 7, 2, 3, 5, 6], 138 Update called by 16Exploitation

Ant thread 16 terminating. Ant 17: [8, 3, 4, 6, 7, 2, 5, 0, 1], 147

Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117

```
avg = 0.000536768652711Ant thread 18 terminating.
Ant 19: [1, 0, 8, 3, 4, 6, 5, 2, 7], 114
Update called by 19
Best: [7, 4, 6, 5, 3, 8, 0, 1, 2], 135, 5, 144
Ant thread 19 terminating.iter_counter = 6
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [4, 6], 10 starting ant = 2
Exploitationstarting ant = 3
Ant 1: [3, 8], 12starting ant = 4
Exploitationstarting ant = 5
Ant 0: [4, 6, 5], 26starting ant = 6
Explorationstarting ant = 7
avg = 0.000296213081365 starting ant = 8
p = 0.00048309178744starting ant = 9
p = 0.00043477826087starting ant = 10
p = 0.000579710144928starting ant = 11
Ant 2: [7, 4], 15starting ant = 12
Explorationstarting ant = 13
avg = 0.000407218213607starting ant = 14
p = 0.000468673043478starting ant = 15
p = 0.000475434782609starting ant = 16
p = 0.000965217391304starting ant = 17
p = 0.000579710144922starting ant = 18
Ant 3: [4, 7], 15starting ant = 19
Exploitation
Ant 1 : [3, 8, 0], 22
Exploration
avg = 0.000298582867743
p = 0.000355052454545
p = 0.000483091739126
```

ExplorationUpdate called by 18

```
p = 0.000378068052927
p = 0.00048309178744
Ant 4: [2, 7], 18
Exploration
avg = 0.000304184095858
p = 0.00048309178744
p = 0.00043477826087
p = 0.00064347826087
Ant 5: [7, 4], 15
Exploitation
Ant 0: [4, 6, 5, 3], 48
Exploitation
Ant 6: [6, 4], 10
Exploration
avg = 0.000304263806003
p = 0.00048309178744
p = 0.00043477826087
p = 0.000644115942029
Ant 7: [7, 4], 15
Exploitation
Ant 8: [3, 8], 12
Exploration
avg = 0.000304264603104
p = 0.00048309178744
p = 0.00043477826087
p = 0.000644122318841
Ant 9: [7, 4], 15
Exploitation
Ant 10: [2, 7], 18
Exploitation
Ant 11 : [3, 8], 12
Exploitation
Ant 2: [7, 4, 6], 25
Exploration
avg = 0.00036132622922
p = 0.000869565130435
p = 0.000395256916996
p = 0.000390909521739
p = 0.000457657170833
Ant 12 : [1, 8], 19
Exploration
avg = 0.000415308793318
p = 0.000468673043478
p = 0.000475434782609
p = 0.000966173913043
p = 0.00064347826087
Ant 13 : [4, 7], 15
Exploration
avg = 0.000373804858272
p = 0.000377693761815
p = 0.000438735177866
p = 0.000723906521152
p = 0.000543478260326
Ant 14 : [5, 6], 16
```

```
Exploration
avg = 0.000381277684426
p = 0.000438735177866
p = 0.000723906521152
p = 0.00060326086956
Ant 15 : [5, 6], 16
Exploration
avg = 0.000367620216115
p = 0.000869565130435
p = 0.000395256916996
p = 0.000390909521739
p = 0.000508009065988
Ant 16 : [1, 8], 19
Exploration
avg = 0.000366725784011
p = 0.000965217391304
p = 0.000457665858124
p = 0.000724630434783
Ant 17 : [8, 3], 12
Exploration
avg = 0.000304264611075
p = 0.00048309178744
p = 0.00043477826087
p = 0.000644122382609
Ant 18: [7, 4], 15
Exploitation
Ant 3: [4, 7, 2], 33
Exploration
avg = 0.000367683155984
p = 0.000869565130435
p = 0.000395256916996
p = 0.000390909521739
p = 0.000508512584939
Ant 19 : [1, 8], 19
Exploration
avg = 0.000361039563638
p = 0.000869565217391
p = 0.000434778260478
Ant 1: [3, 8, 0, 4], 42
Exploration
avg = 0.000278717871685
p = 0.00043477826087
p = 0.000644122383246
Ant 4: [2, 7, 4], 33
Exploration
avg = 0.000382713155097
p = 0.000468673043478
p = 0.000475434782609
p = 0.000966173913043
Ant 5 : [7, 4, 6], 25
Exploration
avg = 0.000418533381595
p = 0.000434347825696
p = 0.000805152898551
```

```
Ant 0: [4, 6, 5, 3, 8], 60
Exploitation
Ant 6: [6, 4, 7], 25
Exploration
avg = 0.000382714521556
p = 0.000468673043478
p = 0.000475434782609
p = 0.000966183478261
Ant 7: [7, 4, 6], 25
Exploration
avg = 0.000315596548186
p = 0.000965217391304
p = 0.000457665858124
Ant 8: [3, 8, 1], 31
Exploration
avg = 0.000382714535221
p = 0.000468673043478
p = 0.000475434782609
p = 0.000966183573913
Ant 9: [7, 4, 6], 25
Exploitation
Ant 10 : [2, 7, 4], 33
Exploitation
Ant 11 : [3, 8, 0], 22
Exploration
avg = 0.000231031898895
p = 0.000603260869565
Ant 2: [7, 4, 6, 5], 41
Exploration
avg = 0.00036525917922
p = 0.000966173913043
p = 0.000804347753623
Ant 12 : [1, 8, 3], 31
Exploitation
Ant 13 : [4, 7, 2], 33
Exploitation
Ant 14: [5, 6, 4], 26
Exploitation
Ant 15 : [5, 6, 4], 26
Exploration
avg = 0.000365373061104
p = 0.000966173913043
p = 0.000805144926812
Ant 16 : [1, 8, 3], 31
Exploitation
Ant 17 : [8, 3, 4], 27
Exploration
avg = 0.000382714535357
p = 0.000468673043478
p = 0.000475434782609
p = 0.00096618357487
Ant 18: [7, 4, 6], 25
Exploitation
```

Ant 3: [4, 7, 2, 3], 51

```
Exploitation
Ant 19 : [1, 8, 0], 29
Exploitation
Ant 1: [3, 8, 0, 4, 6], 52
Exploitation
Ant 4: [2, 7, 4, 6], 43
Exploration
avg = 0.000231131536576
p = 0.000603858695652
Ant 5 : [7, 4, 6, 5], 41
Exploration
avg = 0.00044528619658
p = 0.000966183478261
p = 0.00050800915286
Ant 0: [4, 6, 5, 3, 8, 1], 79
Exploration
avg = 0.000276604455481
p = 0.000536763285024
p = 0.00043477826087
Ant 6: [6, 4, 7, 3], 45
Exploitation
Ant 7: [7, 4, 6, 5], 41
Exploitation
Ant 8 : [3, 8, 1, 0], 41
Exploitation
Ant 9: [7, 4, 6, 5], 41
Exploration
avg = 0.000409928384897
p = 0.000468673043478
p = 0.000475434782609
p = 0.000966183574879
Ant 10: [2, 7, 4, 6], 43
Exploration
avg = 0.000369011295587
p = 0.000869565217391
p = 0.00048260865217
Ant 11: [3, 8, 0, 4], 42
Exploration
avg = 0.000310033741841
p = 0.000310550567422
p = 0.000377693761815
p = 0.000438735177866
Ant 2: [7, 4, 6, 5, 3], 63
Exploitation
Ant 12: [1, 8, 3, 4], 46
Exploration
avg = 0.000289879976804
p = 0.000355052454545
p = 0.000536231883575
p = 0.000378068052927
Ant 13: [4, 7, 2, 5], 56
Exploration
avg = 0.000313584284811
p = 0.000468673043478
```

```
p = 0.000644122318841
Ant 14 : [5, 6, 4, 7], 41
Exploration
avg = 0.000313584295439
p = 0.000468673043478
p = 0.000644122382609
Ant 15 : [5, 6, 4, 7], 41
Exploitation
Ant 16: [1, 8, 3, 4], 46
Exploration
avg = 0.000455510580535
p = 0.000475434782609
p = 0.000966183574879
p = 0.000644122383246
Ant 17: [8, 3, 4, 7], 42
Exploration
avg = 0.000231132543016
p = 0.000603864734293
Ant 18 : [7, 4, 6, 5], 41
Exploitation
Ant 3: [4, 7, 2, 3, 8], 63
Exploration
avg = 0.000254836688455
p = 0.00028930197887
p = 0.000483086956087
p = 0.000310248419252
Ant 19: [1, 8, 0, 5], 57
Exploitation
Ant 1: [3, 8, 0, 4, 6, 5], 68
Exploration
avg = 0.000246139538577
p = 0.0006038647343
Ant 4: [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000310120698363
p = 0.000310550567422
p = 0.000377693761815
p = 0.000439169960474
Ant 5: [7, 4, 6, 5, 3], 63
Exploitation
Ant 0: [4, 6, 5, 3, 8, 1, 0], 89
Exploitation
Ant 6: [6, 4, 7, 3, 8], 57
Exploration
avg = 0.000310121567928
p = 0.000310550567422
p = 0.000377693761815
p = 0.0004391743083
Ant 7: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000275889966364
p = 0.00028930197887
p = 0.000483086956087
p = 0.000344717391025
```

```
Ant 8: [3, 8, 1, 0, 5], 69
Exploitation
Ant 9: [7, 4, 6, 5, 3], 63
Exploitation
Ant 10: [2, 7, 4, 6, 5], 59
Exploration
avg = 0.00048956052273
p = 0.000966183574879
p = 0.000644122383253
Ant 11 : [3, 8, 0, 4, 7], 57
Exploitation
Ant 2: [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 12: [1, 8, 3, 4, 6], 56
Exploration
avg = 0.000355354563478
p = 0.000439174352213
p = 0.000603858695652
Ant 13: [4, 7, 2, 5, 6], 72
Exploitation
Ant 14: [5, 6, 4, 7, 2], 59
Exploration
avg = 0.000306915412542
p = 0.000536768599034
p = 0.000482608652174
Ant 15 : [5, 6, 4, 7, 3], 61
Exploitation
Ant 16: [1, 8, 3, 4, 6], 56
Exploration
avg = 0.000248218509041
p = 0.000536768599034
Ant 17: [8, 3, 4, 7, 2], 60
Exploitation
Ant 18 : [7, 4, 6, 5, 3], 63
Exploitation
Ant 3: [4, 7, 2, 3, 8, 0], 73
Exploration
avg = 0.000463504936918
p = 0.000723906521152
p = 0.000603864673913
Ant 19 : [1, 8, 0, 5, 6], 73
Exploration
avg = 0.000256670191812
p = 0.000377693761815
Ant 1: [3, 8, 0, 4, 6, 5, 2], 91
Exploitation
Ant 4: [2, 7, 4, 6, 5, 3], 81
Exploration
avg = 0.000414579790699
p = 0.000805152979066
Ant 5 : [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000210990726543
p = 0.00028930197887
```

```
Ant 0: [4, 6, 5, 3, 8, 1, 0, 2], 119
Exploitation
Ant 6: [6, 4, 7, 3, 8, 0], 67
Exploitation
Ant 7: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000480078146243
p = 0.000723906521152
p = 0.000603864733696
Ant 8: [3, 8, 1, 0, 5, 6], 85
Exploitation
Ant 9: [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 10: [2, 7, 4, 6, 5, 3], 81
Exploration
avg = 0.000273454595492
p = 0.000536768652174
Ant 11: [3, 8, 0, 4, 7, 2], 75
Exploration
avg = 0.000537949268123
p = 0.00096618357487
Ant 2 : [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 12 : [1, 8, 3, 4, 6, 5], 72
Exploration
avg = 0.000156708239647
p = 0.000190002585194
p = 0.000171327832456
Ant 13: [4, 7, 2, 5, 6, 8], 109
Exploration
avg = 0.000305152473714
p = 0.000355052454545
p = 0.000536231883575
Ant 14: [5, 6, 4, 7, 2, 3], 77
Exploitation
Ant 15 : [5, 6, 4, 7, 3, 8], 73
Exploration
avg = 0.000292532108668
p = 0.0006038647343
Ant 16: [1, 8, 3, 4, 6, 5], 72
Exploration
avg = 0.000276371994544
p = 0.000355052454545
p = 0.000419659697542
Ant 17: [8, 3, 4, 7, 2, 5], 83
Exploration
avg = 0.000414579790699
p = 0.000805152979066
Ant 18: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000448097109918
p = 0.000869565217391
Ant 3: [4, 7, 2, 3, 8, 0, 1], 83
Exploitation
```

```
Ant 19: [1, 8, 0, 5, 6, 4], 83
Exploration
avg = 0.000445907869785
p = 0.000536763285024
Ant 1: [3, 8, 0, 4, 6, 5, 2, 7], 109
Exploitation
Ant 4: [2, 7, 4, 6, 5, 3, 8], 93
Exploitation
Ant 5: [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 0: [4, 6, 5, 3, 8, 1, 0, 2, 7], 137
Update called by <code>OExploration</code>
Ant thread 0 terminating.avg = 0.000544004357182
p = 0.000965217391304
Ant 6: [6, 4, 7, 3, 8, 0, 1], 77
Exploration
avg = 0.000537949268126
p = 0.000966183574879
Ant 7: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000467594414222
p = 0.000966183573913
Ant 8: [3, 8, 1, 0, 5, 6, 4], 95
Exploitation
Ant 9: [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 10 : [2, 7, 4, 6, 5, 3, 8], 93
Exploitation
Ant 11 : [3, 8, 0, 4, 7, 2, 5], 98
Exploration
avg = 0.000643953756271
p = 0.000966173913043
Ant 2: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 12 : [1, 8, 3, 4, 6, 5, 2], 95
Exploitation
Ant 13: [4, 7, 2, 5, 6, 8, 0], 119
Exploitation
Ant 14 : [5, 6, 4, 7, 2, 3, 8], 89
Exploration
avg = 0.000537949268126
p = 0.000966183574879
Ant 15 : [5, 6, 4, 7, 3, 8, 0], 83
Exploration
avg = 0.000301170506492
p = 0.000310550567422
p = 0.00042007557656
Ant 16: [1, 8, 3, 4, 6, 5, 2], 95
Exploration
avg = 0.000377948913281
p = 0.000603864734293
Ant 17: [8, 3, 4, 7, 2, 5, 6], 99
```

```
Exploration
avg = 0.000537949268126
p = 0.000966183574879
Ant 18: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.00024415151678
p = 0.00033410796893
Ant 3: [4, 7, 2, 3, 8, 0, 1, 5], 109
Exploration
avg = 0.000444075621619
p = 0.000468673043478
p = 0.000644122383253
Ant 19: [1, 8, 0, 5, 6, 4, 7], 98
Exploitation
Ant 1: [3, 8, 0, 4, 6, 5, 2, 7, 1], 148
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000737348080344
p = 0.000966183574879
Ant 4 : [2, 7, 4, 6, 5, 3, 8, 0], 103
Exploration
avg = 0.00064395853888
p = 0.000966183478261
Ant 5 : [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 6: [6, 4, 7, 3, 8, 0, 1, 2], 99
Exploration
avg = 0.000643958586706
p = 0.000966183573913
Ant 7: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.00043177691069
p = 0.000644122383253
Ant 8: [3, 8, 1, 0, 5, 6, 4, 7], 110
Exploration
avg = 0.000643958587184
p = 0.00096618357487
Ant 9: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 10 : [2, 7, 4, 6, 5, 3, 8, 0], 103
Exploitation
Ant 11: [3, 8, 0, 4, 7, 2, 5, 6], 114
Exploration
avg = 0.000438735177866
Ant 2: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000363471282609
p = 0.000536768652174
Ant 12: [1, 8, 3, 4, 6, 5, 2, 7], 113
Exploration
avg = 0.000575111422783
```

```
p = 0.000966183574879
Ant 13: [4, 7, 2, 5, 6, 8, 0, 1], 129
Exploitation
Ant 14: [5, 6, 4, 7, 2, 3, 8, 0], 99
Exploration
avg = 0.000643958587189
p = 0.000966183574879
Ant 15 : [5, 6, 4, 7, 3, 8, 0, 1], 93
Exploitation
Ant 16: [1, 8, 3, 4, 6, 5, 2, 7], 113
Exploration
avg = 0.000159833308407
p = 0.000190002585194
Ant 17: [8, 3, 4, 7, 2, 5, 6, 1], 136
Exploration
avg = 0.000643958587189
p = 0.000966183574879
Ant 18: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.0006038647343
Ant 3: [4, 7, 2, 3, 8, 0, 1, 5, 6], 125
Update called by 3Exploitation
Ant thread 3 terminating. Ant 19: [1, 8, 0, 5, 6, 4, 7, 2], 116
Exploitation
Ant 4 : [2, 7, 4, 6, 5, 3, 8, 0, 1], 113
Update called by 4Exploitation
Ant thread 4 terminating. Ant 5 : [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by 5Exploitation
Ant thread 5 terminating. Ant 6: [6, 4, 7, 3, 8, 0, 1, 2, 5], 122
Update called by 6Exploitation
Ant thread 6 terminating. Ant 7: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
ExplorationUpdate called by 7
avg = 0.000536768652711Ant thread 7 terminating.
Ant 8: [3, 8, 1, 0, 5, 6, 4, 7, 2], 128
Update called by 8Exploration
Ant thread 8 terminating.avg = 0.000439174351779
Ant 9: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
ExplorationUpdate called by 9
avg = 0.000966183574879Ant thread 9 terminating.
```

Ant 10 : [2, 7, 4, 6, 5, 3, 8, 0, 1], 113

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [3, 8, 0, 4, 7, 2, 5, 6, 1], 151

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.00014727421638

Ant 12 : [1, 8, 3, 4, 6, 5, 2, 7, 0], 156 Update called by 12Exploration

Ant thread 12 terminating.avg = 0.000390909521739

Ant 13: [4, 7, 2, 5, 6, 8, 0, 1, 3], 147 ExplorationUpdate called by 13

avg = 0.000966183574879Ant thread 13 terminating.

Ant 14: [5, 6, 4, 7, 2, 3, 8, 0, 1], 109 Update called by 14Exploitation

Ant thread 14 terminating. Ant 15: [5, 6, 4, 7, 3, 8, 0, 1, 2], 115

Update called by 15Exploitation

Ant thread 15 terminating. Ant 16: [1, 8, 3, 4, 6, 5, 2, 7, 0], 156

Update called by 16Exploration

Ant thread 16 terminating.avg = 0.000966173913035

Ant 17 : [8, 3, 4, 7, 2, 5, 6, 1, 0], 146 Update called by 17Exploration

Ant thread 17 terminating.avg = 0.000439174352218

Ant 18: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117 Update called by 18Exploration

Ant thread 18 terminating.avg = 0.000536763285019

Ant 19: [1, 8, 0, 5, 6, 4, 7, 2, 3], 134 Update called by 19 Best: [7, 4, 6, 5, 3, 8, 0, 1, 2], 135, 6, 146 Ant thread 19 terminating.iter counter = 7

starting ant = 0
Explorationstarting ant = 1

avg = 0.000373851464711starting ant = 2

p = 0.00042180573913starting ant = 3

p = 0.000427891304348starting ant = 4

```
p = 0.000869565217391starting ant = 5
p = 0.000579710144928starting ant = 6
Ant 0 : [4, 7], 15starting ant = 7
Explorationstarting ant = 8
avg = 0.000367484112574starting ant = 9
p = 0.000579710086951starting ant = 10
p = 0.000390913043126starting ant = 11
p = 0.000724637681159starting ant = 12
Ant 1: [3, 8], 12starting ant = 13
Explorationstarting ant = 14
avg = 0.000299323405983starting ant = 15
p = 0.00048309178744starting ant = 16
p = 0.000434778260478starting ant = 17
p = 0.000579710144928starting ant = 18
Ant 2 : [7, 4], 15starting ant = 19
Exploitation
Ant 3: [4, 6], 10
Exploration
avg = 0.000285528198256
p = 0.000319547209091
p = 0.00048309173913
p = 0.00037807183327
p = 0.00048309178744
Ant 4: [2, 7], 18
Exploitation
Ant 5 : [7, 4], 15
Exploitation
Ant 6: [6, 4], 10
Exploration
avg = 0.000259268157563
p = 0.00048309178744
p = 0.000434778260478
Ant 0: [4, 7, 3], 35
Exploration
avg = 0.000313352929582
p = 0.00048309178744
p = 0.00048260865217
p = 0.000644115942029
```

```
Ant 7: [7, 4], 15
Exploration
avg = 0.00037744788069
p = 0.000579710086951
p = 0.000390913043126
p = 0.000804347826087
Ant 8 : [3, 8], 12
Exploitation
Ant 9: [7, 4], 15
Exploration
avg = 0.000292170710333
p = 0.000319547209091
p = 0.00048309173913
p = 0.00037807183327
p = 0.000536231884058
Ant 10 : [2, 7], 18
Exploitation
Ant 11 : [3, 8], 12
Exploitation
Ant 12 : [1, 0], 10
Exploration
avg = 0.000290698553386
p = 0.000869565217391
p = 0.000457661327227
Ant 1 : [3, 8, 1], 31
Exploration
avg = 0.000393779000943
p = 0.00042180573913
p = 0.000427891304348
p = 0.000965217391304
p = 0.00064347826087
Ant 13: [4, 7], 15
Exploitation
Ant 14 : [5, 4], 12
Exploration
avg = 0.000367048276481
p = 0.000378071795501
p = 0.000395256916996
p = 0.000803616607966
p = 0.00054347826087
Ant 15 : [5, 6], 16
Exploitation
Ant 16 : [1, 0], 10
Exploration
avg = 0.00035123440784
p = 0.000869565217391
p = 0.000508009107551
p = 0.000724637608689
Ant 17: [8, 3], 12
Exploitation
Ant 18: [7, 4], 15
Exploitation
Ant 2 : [7, 4, 6], 25
Exploitation
```

```
Ant 19: [1, 0], 10
Exploitation
Ant 3: [4, 6, 5], 26
Exploitation
Ant 4: [2, 7, 4], 33
Exploration
avg = 0.000358244324059
p = 0.00042180573913
p = 0.000427891304348
p = 0.000966173913043
Ant 5: [7, 4, 6], 25
Exploration
avg = 0.000312236042485
p = 0.00042180573913
p = 0.000427891304348
p = 0.000644115942029
Ant 6: [6, 4, 7], 25
Exploration
avg = 0.000341627497984
p = 0.000354507865613
p = 0.000805152898551
Ant 0: [4, 7, 3, 8], 47
Exploitation
Ant 7: [7, 4, 6], 25
Exploitation
Ant 8: [3, 8, 0], 22
Exploitation
Ant 9: [7, 4, 6], 25
Exploration
avg = 0.000289105441492
p = 0.00048260865217
p = 0.000644122383253
Ant 10 : [2, 7, 4], 33
Exploitation
Ant 11 : [3, 8, 0], 22
Exploitation
Ant 12 : [1, 0, 8], 20
Exploration
avg = 0.000349058809709
p = 0.000966183478261
p = 0.000395256916996
Ant 1: [3, 8, 1, 2], 53
Exploration
avg = 0.000266101070661
p = 0.00048309178744
p = 0.00048260865217
Ant 13 : [4, 7, 3], 35
Exploitation
Ant 14: [5, 4, 6], 22
Exploitation
Ant 15 : [5, 6, 4], 26
Exploitation
Ant 16: [1, 0, 8], 20
Exploration
```

```
avg = 0.000316462174205
p = 0.000316953352174
p = 0.000579710086951
p = 0.000354507865613
p = 0.000390913043126
Ant 17: [8, 3, 7], 32
Exploration
avg = 0.000358245704321
p = 0.00042180573913
p = 0.000427891304348
p = 0.000966183574879
Ant 18: [7, 4, 6], 25
Exploration
avg = 0.000241986931741
p = 0.000603260869565
Ant 2: [7, 4, 6, 5], 41
Exploitation
Ant 19: [1, 0, 8], 20
Exploitation
Ant 3: [4, 6, 5, 3], 48
Exploitation
Ant 4: [2, 7, 4, 6], 43
Exploitation
Ant 5 : [7, 4, 6, 5], 41
Exploitation
Ant 6: [6, 4, 7, 2], 43
Exploitation
Ant 0: [4, 7, 3, 8, 0], 57
Exploitation
Ant 7: [7, 4, 6, 5], 41
Exploitation
Ant 8: [3, 8, 0, 1], 32
Exploitation
Ant 9: [7, 4, 6, 5], 41
Exploration
avg = 0.000385038605989
p = 0.00042180573913
p = 0.000427891304348
p = 0.000966183574879
Ant 10 : [2, 7, 4, 6], 43
Exploration
avg = 0.000372703486542
```

p = 0.000965217391304 p = 0.000434778260478 Ant 11 : [3, 8, 0, 4], 42

Ant 12 : [1, 0, 8, 3], 32

Ant 13: [4, 7, 3, 8], 47

Ant 14: [5, 4, 6, 7], 53

Ant 1: [3, 8, 1, 2, 7], 71

Exploitation

Exploitation

Exploitation

Exploitation

Exploitation

```
Ant 15 : [5, 6, 4, 7], 41
Exploration
avg = 0.000252134709436
p = 0.000805144927529
Ant 16: [1, 0, 8, 3], 32
Exploitation
Ant 17 : [8, 3, 7, 4], 47
Exploitation
Ant 18: [7, 4, 6, 5], 41
Exploration
avg = 0.000295434553188
p = 0.000378071795501
p = 0.000438735177866
Ant 2: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.00025213603794
p = 0.000805152898551
Ant 19: [1, 0, 8, 3], 32
Exploitation
Ant 3: [4, 6, 5, 3, 8], 60
Exploitation
Ant 4: [2, 7, 4, 6, 5], 59
Exploitation
Ant 5 : [7, 4, 6, 5, 3], 63
Exploitation
Ant 6: [6, 4, 7, 2, 3], 61
Exploration
avg = 0.000420507782995
p = 0.000965217391304
Ant 0: [4, 7, 3, 8, 0, 1], 67
Exploration
avg = 0.000295522379275
p = 0.000378071795501
p = 0.0004391743083
Ant 7: [7, 4, 6, 5, 3], 63
Exploitation
Ant 8: [3, 8, 0, 1, 2], 54
Exploration
avg = 0.00029552238797
p = 0.000378071795501
p = 0.000439174351779
Ant 9: [7, 4, 6, 5, 3], 63
Exploitation
Ant 10: [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000472810589491
p = 0.000966183574879
p = 0.000644122382609
Ant 11: [3, 8, 0, 4, 7], 57
Exploration
avg = 0.000364780696102
p = 0.000579710086951
p = 0.000482169999996
Ant 12 : [1, 0, 8, 3, 7], 52
```

```
Exploitation
Ant 1: [3, 8, 1, 2, 7, 4], 86
Exploration
avg = 0.000384317322176
p = 0.000966183478261
p = 0.000508009107551
Ant 13 : [4, 7, 3, 8, 1], 66
Exploitation
Ant 14: [5, 4, 6, 7, 2], 71
Exploration
avg = 0.000319125022914
p = 0.000536763285024
p = 0.000483086956087
Ant 15 : [5, 6, 4, 7, 3], 61
Exploitation
Ant 16: [1, 0, 8, 3, 4], 47
Exploration
avg = 0.000395333069491
p = 0.000427891304348
p = 0.000966183574879
Ant 17: [8, 3, 7, 4, 6], 57
Exploration
avg = 0.000295522388057
p = 0.000378071795501
p = 0.000439174352213
Ant 18: [7, 4, 6, 5, 3], 63
Exploitation
Ant 2: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000377716844684
p = 0.00064347826029
p = 0.000483082569565
Ant 19 : [1, 0, 8, 3, 7], 52
Exploration
avg = 0.000437738250824
p = 0.000966183478261
p = 0.000508512585355
Ant 3: [4, 6, 5, 3, 8, 1], 79
Exploration
avg = 0.000274885036197
p = 0.00027949551068
p = 0.000439174352218
Ant 4: [2, 7, 4, 6, 5, 3], 81
Exploration
avg = 0.000393250636106
p = 0.000805152979066
Ant 5 : [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 6: [6, 4, 7, 2, 3, 8], 73
Exploration
avg = 0.000304018723097
p = 0.000439169960474
p = 0.00033411065065
Ant 0: [4, 7, 3, 8, 0, 1, 5], 93
```

```
Exploration
avg = 0.000393250636106
p = 0.000805152979066
Ant 7: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000309717612089
p = 0.00037807183327
p = 0.000536768599034
Ant 8: [3, 8, 0, 1, 2, 7], 72
Exploration
avg = 0.000393250636106
p = 0.000805152979066
Ant 9: [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 10: [2, 7, 4, 6, 5, 3], 81
Exploitation
Ant 11: [3, 8, 0, 4, 7, 2], 75
Exploitation
Ant 12: [1, 0, 8, 3, 7, 4], 67
Exploitation
Ant 1: [3, 8, 1, 2, 7, 4, 6], 96
Exploitation
Ant 13: [4, 7, 3, 8, 1, 0], 76
Exploration
avg = 0.000288043023432
p = 0.000319547209091
p = 0.000536231883575
Ant 14: [5, 4, 6, 7, 2, 3], 89
Exploration
avg = 0.000393250636106
p = 0.000805152979066
Ant 15 : [5, 6, 4, 7, 3, 8], 73
Exploration
avg = 0.000558921389197
p = 0.000966183574879
p = 0.000644122383246
Ant 16: [1, 0, 8, 3, 4, 7], 62
Exploration
avg = 0.000274015349061
p = 0.0006038647343
Ant 17 : [8, 3, 7, 4, 6, 5], 73
Exploration
avg = 0.000393250636106
p = 0.000805152979066
Ant 18: [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 2: [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 19: [1, 0, 8, 3, 7, 4], 67
Exploitation
Ant 3: [4, 6, 5, 3, 8, 1, 0], 89
Exploration
avg = 0.000429247224953
p = 0.000805152979066
```

```
Ant 4: [2, 7, 4, 6, 5, 3, 8], 93
Exploration
avg = 0.000533312557789
p = 0.000966183573913
Ant 5 : [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 6: [6, 4, 7, 2, 3, 8, 0], 83
Exploration
avg = 0.000490666332533
p = 0.000603260869565
Ant 0: [4, 7, 3, 8, 0, 1, 5, 6], 109
Exploration
avg = 0.000533312558111
p = 0.000966183574879
Ant 7: [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 8: [3, 8, 0, 1, 2, 7, 4], 87
Exploration
avg = 0.000533312558111
p = 0.000966183574879
Ant 9: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000429247224953
p = 0.000805152979066
Ant 10 : [2, 7, 4, 6, 5, 3, 8], 93
Exploitation
Ant 11: [3, 8, 0, 4, 7, 2, 5], 98
Exploration
avg = 0.000530521057847
p = 0.000966183574879
Ant 12: [1, 0, 8, 3, 7, 4, 6], 77
Exploration
avg = 0.000360281181379
p = 0.0006038647343
Ant 1: [3, 8, 1, 2, 7, 4, 6, 5], 112
Exploitation
Ant 13 : [4, 7, 3, 8, 1, 0, 5], 104
Exploration
avg = 0.000429247224953
p = 0.000805152979066
Ant 14 : [5, 4, 6, 7, 2, 3, 8], 101
Exploitation
Ant 15 : [5, 6, 4, 7, 3, 8, 0], 83
Exploitation
Ant 16: [1, 0, 8, 3, 4, 7, 2], 80
Exploration
avg = 0.000285018533498
p = 0.000378071795501
Ant 17: [8, 3, 7, 4, 6, 5, 2], 96
Exploitation
Ant 18: [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 2: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
```

```
avg = 0.000530521057847
p = 0.000966183574879
Ant 19: [1, 0, 8, 3, 7, 4, 6], 77
Exploration
avg = 0.000204485883172
p = 0.000289560239549
Ant 3: [4, 6, 5, 3, 8, 1, 0, 2], 119
Exploration
avg = 0.000737350597506
p = 0.000966183574879
Ant 4 : [2, 7, 4, 6, 5, 3, 8, 0], 103
Exploitation
Ant 5 : [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 6: [6, 4, 7, 2, 3, 8, 0, 1], 93
Exploitation
Ant 0: [4, 7, 3, 8, 0, 1, 5, 6, 2], 159
Update called by OExploitation
Ant thread 0 terminating. Ant 7 : [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000697037439614
p = 0.000966183574879
Ant 8: [3, 8, 0, 1, 2, 7, 4, 6], 97
Exploitation
Ant 9: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000737350597506
p = 0.000966183574879
Ant 10 : [2, 7, 4, 6, 5, 3, 8, 0], 103
Exploration
avg = 0.000400673494983
p = 0.000603858695652
Ant 11: [3, 8, 0, 4, 7, 2, 5, 6], 114
Exploration
avg = 0.000398286980106
p = 0.0006038647343
Ant 12: [1, 0, 8, 3, 7, 4, 6, 5], 93
Exploitation
Ant 1: [3, 8, 1, 2, 7, 4, 6, 5, 0], 140
Update called by 1Exploitation
Ant thread 1 terminating. Ant 13: [4, 7, 3, 8, 1, 0, 5, 6], 120
Exploration
avg = 0.000737350597506
p = 0.000966183574879
Ant 14: [5, 4, 6, 7, 2, 3, 8, 0], 111
Exploration
avg = 0.000643959878492
p = 0.000966183574879
Ant 15 : [5, 6, 4, 7, 3, 8, 0, 1], 93
Exploration
```

```
avg = 0.000273100728543
p = 0.000419659735346
Ant 16 : [1, 0, 8, 3, 4, 7, 2, 5], 103
Exploitation
Ant 17 : [8, 3, 7, 4, 6, 5, 2, 1], 118
Exploration
avg = 0.000643959878492
p = 0.000966183574879
Ant 18 : [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000439169960474
Ant 2 : [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by 2Exploration
```

Ant thread 2 terminating.avg = 0.000398286980106

p = 0.0006038647343
Ant 19 : [1, 0, 8, 3, 7, 4, 6, 5], 93
Exploitation
Ant 3 : [4, 6, 5, 3, 8, 1, 0, 2, 7], 137
Update called by 3Exploitation

Ant thread 3 terminating.Ant 4: [2, 7, 4, 6, 5, 3, 8, 0, 1], 113

Update called by 4Exploitation

Ant thread 4 terminating.Ant 5 : [7, 4, 6, 5, 3, 8, 0, 1, 2], 117

Update called by 5Exploitation

Ant thread 5 terminating.Ant 6 : [6, 4, 7, 2, 3, 8, 0, 1, 5], 119

Update called by 6Exploration

Ant thread 6 terminating.avg = 0.000439174351779

Ant 7: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117 ExplorationUpdate called by 7

avg = 0.0006038647343Ant thread 7 terminating.

Ant 8 : [3, 8, 0, 1, 2, 7, 4, 6, 5], 113 Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117

Update called by 9Exploration

Ant thread 9 terminating.avg = 0.000966183574879

Ant 10 : [2, 7, 4, 6, 5, 3, 8, 0, 1], 113 Update called by 10Exploration

Ant thread 10 terminating.avg = 0.000235011224792

Ant 11 : [3, 8, 0, 4, 7, 2, 5, 6, 1], 151 Update called by 11Exploration

Ant thread 11 terminating.avg = 0.000419659734968

Ant 12 : [1, 0, 8, 3, 7, 4, 6, 5, 2], 116 Update called by 12Exploration

Ant thread 12 terminating.avg = 0.000192709225913

Ant 13 : [4, 7, 3, 8, 1, 0, 5, 6, 2], 170 Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [5, 4, 6, 7, 2, 3, 8, 0, 1], 121

Update called by 14Exploration

Ant thread 14 terminating.avg = 0.000439174352218

Ant 15 : [5, 6, 4, 7, 3, 8, 0, 1, 2], 115 Update called by 15Exploration

Ant thread 15 terminating.avg = 0.000603864733696

Ant 16 : [1, 0, 8, 3, 4, 7, 2, 5, 6], 119 Update called by 16Exploration

Ant thread 16 terminating.avg = 0.00096618357487

Ant 17 : [8, 3, 7, 4, 6, 5, 2, 1, 0], 128 Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117

Update called by 18Exploitation

Ant thread 18 terminating. Ant 19: [1, 0, 8, 3, 7, 4, 6, 5, 2], 116

Update called by 19

Best: [7, 4, 6, 5, 3, 8, 0, 1, 2], 135, 7, 147 Ant thread 19 terminating.iter_counter = 8

starting ant = 0
Exploitationstarting ant = 1

Ant 0 : [4, 6], 10 starting ant = 2

Explorationstarting ant = 3

avg = 0.000357337690197starting ant = 4

p = 0.000579130434261starting ant = 5

```
p = 0.000434782525735starting ant = 6
p = 0.000724637681159starting ant = 7
Ant 1 : [3, 8], 12starting ant = 8
Exploitationstarting ant = 9
Ant 0: [4, 6, 5], 26starting ant = 10
Explorationstarting ant = 11
avg = 0.000288111355827starting ant = 12
p = 0.000483091786957starting ant = 13
p = 0.000434782565213starting ant = 14
p = 0.000579710144928starting ant = 15
Ant 2: [7, 4], 15starting ant = 16
Explorationstarting ant = 17
avg = 0.000366538782008starting ant = 18
p = 0.000379625165217starting ant = 19
p = 0.000385102173913
p = 0.000965217391304
p = 0.000579710144927
Ant 3: [4, 7], 15
Exploitation
Ant 4: [2, 7], 18
Exploration
avg = 0.00029608237032
p = 0.000483091786957
p = 0.000434782565213
p = 0.00064347826087
Ant 5 : [7, 4], 15
Exploitation
Ant 6: [6, 4], 10
Exploitation
Ant 7: [7, 4], 15
Exploration
avg = 0.000280589724527
p = 0.000869565217391
p = 0.000457665858119
Ant 1 : [3, 8, 1], 31
Exploration
avg = 0.000367301458313
p = 0.000579130434261
p = 0.000434782525735
p = 0.000804347826087
```

```
Ant 8: [3, 8], 12
Exploration
avg = 0.000296162877566
p = 0.000483091786957
p = 0.000434782565213
p = 0.000644122318841
Ant 9: [7, 4], 15
Exploitation
Ant 0: [4, 6, 5, 3], 48
Exploration
avg = 0.000293743485202
p = 0.000394180272708
p = 0.000483086956517
p = 0.00037806805293
p = 0.000536231884058
Ant 10 : [2, 7], 18
Exploitation
Ant 11 : [3, 8], 12
Exploitation
Ant 12 : [1, 0], 10
Exploration
avg = 0.000374509796501
p = 0.000379625165217
p = 0.000385102173913
p = 0.000965217391304
p = 0.00064347826087
Ant 13: [4, 7], 15
Exploitation
Ant 14 : [5, 4], 12
Exploitation
Ant 15 : [5, 4], 12
Exploitation
Ant 2: [7, 4, 6], 25
Exploration
avg = 0.000362417643391
p = 0.000965217391304
p = 0.000395256916996
p = 0.000433601149735
p = 0.000411899272304
Ant 16 : [1, 8], 19
Exploitation
Ant 17 : [8, 0], 10
Exploitation
Ant 18: [7, 4], 15
Exploitation
Ant 19: [1, 0], 10
Exploration
avg = 0.000246454385955
p = 0.000483091786957
p = 0.000434782565213
Ant 3: [4, 7, 3], 35
Exploration
avg = 0.00027629106114
p = 0.000482608695217
```

```
p = 0.000644122383246
Ant 4: [2, 7, 4], 33
Exploration
avg = 0.000336222376125
p = 0.000379625165217
p = 0.000385102173913
p = 0.000966173913043
Ant 5 : [7, 4, 6], 25
Exploitation
Ant 6: [6, 4, 7], 25
Exploration
avg = 0.000336223742585
p = 0.000379625165217
p = 0.000385102173913
p = 0.000966183478261
Ant 7: [7, 4, 6], 25
Exploration
avg = 0.000342466207805
p = 0.000966173913043
p = 0.000395256916996
Ant 1: [3, 8, 1, 2], 53
Exploitation
Ant 8: [3, 8, 0], 22
Exploitation
Ant 9: [7, 4, 6], 25
Exploration
avg = 0.000386200006621
p = 0.000434782525735
p = 0.000805152898551
Ant 0: [4, 6, 5, 3, 8], 60
Exploitation
Ant 10: [2, 7, 4], 33
Exploration
avg = 0.000301582866012
p = 0.000966173913043
p = 0.00050800915286
Ant 11 : [3, 8, 1], 31
Exploitation
Ant 12 : [1, 0, 8], 20
Exploration
avg = 0.000253286690242
p = 0.000483091786957
p = 0.000482608695217
Ant 13: [4, 7, 3], 35
Exploration
avg = 0.000373226634233
p = 0.000379625165217
p = 0.00096618357487
p = 0.000644122318841
Ant 14: [5, 4, 7], 27
Exploitation
Ant 15 : [5, 4, 6], 22
Exploration
avg = 0.000239632872563
```

```
p = 0.000603260869565
Ant 2 : [7, 4, 6, 5], 41
Exploitation
Ant 16: [1, 8, 0], 29
Exploitation
Ant 17: [8, 0, 1], 20
Exploration
avg = 0.000336223756387
p = 0.000379625165217
p = 0.000385102173913
p = 0.000966183574879
Ant 18: [7, 4, 6], 25
Exploration
avg = 0.000337278029783
p = 0.000434347786953
p = 0.000965217389645
Ant 19 : [1, 0, 8], 20
Exploration
avg = 0.000320883976447
p = 0.000805152978261
Ant 3: [4, 7, 3, 8], 47
Exploration
avg = 0.000362637804971
p = 0.000379625165217
p = 0.000385102173913
p = 0.000966183574879
Ant 4: [2, 7, 4, 6], 43
Exploration
avg = 0.000239732510244
p = 0.000603858695652
Ant 5 : [7, 4, 6, 5], 41
Exploitation
Ant 6: [6, 4, 7, 2], 43
Exploitation
Ant 7: [7, 4, 6, 5], 41
Exploitation
Ant 1: [3, 8, 1, 2, 7], 71
Exploration
avg = 0.000368645733481
p = 0.000965217391304
p = 0.000434347786953
Ant 8: [3, 8, 0, 4], 42
Exploration
avg = 0.000239733516585
p = 0.000603864733696
Ant 9: [7, 4, 6, 5], 41
Exploitation
Ant 0: [4, 6, 5, 3, 8, 0], 70
Exploration
avg = 0.000362637804971
p = 0.000379625165217
p = 0.000385102173913
p = 0.000966183574879
Ant 10 : [2, 7, 4, 6], 43
```

```
Exploration
avg = 0.000349712584617
p = 0.000966173913043
p = 0.000438735177866
Ant 11 : [3, 8, 1, 2], 53
Exploitation
Ant 12 : [1, 0, 8, 3], 32
Exploration
avg = 0.00032088397658
p = 0.000805152979058
Ant 13: [4, 7, 3, 8], 47
Exploration
avg = 0.00028109800599
p = 0.000536231884053
p = 0.000483086956517
Ant 14: [5, 4, 7, 3], 47
Exploration
avg = 0.0001857513821
p = 0.000234782551082
p = 0.000279971926786
p = 0.000210788460496
Ant 15 : [5, 4, 6, 8], 59
Exploration
avg = 0.000293911820631
p = 0.000309968875745
p = 0.000378071795841
p = 0.000438735177866
Ant 2: [7, 4, 6, 5, 3], 63
Exploitation
Ant 16: [1, 8, 0, 4], 49
Exploitation
Ant 17: [8, 0, 1, 2], 42
Exploration
avg = 0.000248039985528
p = 0.000603864734293
p = 0.000260627273559
Ant 18: [7, 4, 6, 8], 62
Exploitation
Ant 19: [1, 0, 8, 3], 32
Exploration
avg = 0.000375470156456
p = 0.000966183573913
p = 0.000508512585808
Ant 3: [4, 7, 3, 8, 1], 66
Exploration
avg = 0.000262966001045
p = 0.000603864734293
Ant 4: [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000293998777153
p = 0.000309968875745
p = 0.000378071795841
p = 0.000439169960474
Ant 5 : [7, 4, 6, 5, 3], 63
```

```
Exploitation
Ant 6: [6, 4, 7, 2, 3], 61
Exploitation
Ant 7: [7, 4, 6, 5, 3], 63
Exploitation
Ant 1: [3, 8, 1, 2, 7, 4], 86
Exploitation
Ant 8: [3, 8, 0, 4, 6], 52
Exploration
avg = 0.000293999655414
p = 0.000309968875745
p = 0.000378071795841
p = 0.000439174351779
Ant 9: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000454083443105
p = 0.000965217391304
Ant 0: [4, 6, 5, 3, 8, 0, 1], 80
Exploitation
Ant 10: [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000272100907195
p = 0.00037806805293
p = 0.000536768599034
Ant 11: [3, 8, 1, 2, 7], 71
Exploitation
Ant 12: [1, 0, 8, 3, 4], 47
Exploitation
Ant 13: [4, 7, 3, 8, 0], 57
Exploration
avg = 0.000321249356087
p = 0.000805152979066
Ant 14: [5, 4, 7, 3, 8], 59
Exploitation
Ant 15 : [5, 4, 6, 8, 0], 69
Exploration
avg = 0.000374054396972
p = 0.000805152979066
Ant 2: [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 16: [1, 8, 0, 4, 6], 59
Exploitation
Ant 17: [8, 0, 1, 2, 7], 60
Exploitation
Ant 18: [7, 4, 6, 8, 0], 72
Exploration
avg = 0.000352815208741
p = 0.000643472463763
p = 0.000434782525735
Ant 19: [1, 0, 8, 3, 7], 52
Exploration
avg = 0.000466172752343
p = 0.000966173913043
Ant 3: [4, 7, 3, 8, 1, 0], 76
```

```
Exploitation
Ant 4: [2, 7, 4, 6, 5, 3], 81
Exploration
avg = 0.000374054396972
p = 0.000805152979066
Ant 5 : [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000389634971083
p = 0.000805152979066
Ant 6: [6, 4, 7, 2, 3, 8], 73
Exploitation
Ant 7: [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 1: [3, 8, 1, 2, 7, 4, 6], 96
Exploitation
Ant 8: [3, 8, 0, 4, 6, 5], 68
Exploration
avg = 0.000374054396972
p = 0.000805152979066
Ant 9: [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 0: [4, 6, 5, 3, 8, 0, 1, 2], 102
Exploration
avg = 0.000272981620416
p = 0.000309968875745
p = 0.000439174352218
Ant 10 : [2, 7, 4, 6, 5, 3], 81
Exploration
avg = 0.000278806774478
p = 0.000644122383253
Ant 11: [3, 8, 1, 2, 7, 4], 86
Exploration
avg = 0.000543286899071
p = 0.000966183574879
p = 0.000644122382609
Ant 12 : [1, 0, 8, 3, 4, 7], 62
Exploration
avg = 0.000417753190389
p = 0.000966173913043
Ant 13 : [4, 7, 3, 8, 0, 1], 67
Exploration
avg = 0.000428078007189
p = 0.000966183574879
p = 0.000508517620137
Ant 14: [5, 4, 7, 3, 8, 1], 78
Exploration
avg = 0.000378072056382
p = 0.000966183478261
Ant 15 : [5, 4, 6, 8, 0, 1], 79
Exploration
avg = 0.000529138025583
p = 0.000966183574879
Ant 2: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
```

```
avg = 0.000291943537427
p = 0.0006038647343
Ant 16: [1, 8, 0, 4, 6, 5], 75
Exploration
avg = 0.000354080771448
p = 0.00048309173913
p = 0.000644122383253
Ant 17 : [8, 0, 1, 2, 7, 4], 75
Exploitation
Ant 18: [7, 4, 6, 8, 0, 1], 82
Exploitation
Ant 19: [1, 0, 8, 3, 7, 4], 67
Exploration
avg = 0.000234946282837
p = 0.000289562563895
p = 0.000310248419003
Ant 3: [4, 7, 3, 8, 1, 0, 5], 104
Exploitation
Ant 4: [2, 7, 4, 6, 5, 3, 8], 93
Exploration
avg = 0.000529138025583
p = 0.000966183574879
Ant 5 : [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.00054658167806
p = 0.000966183574879
Ant 6: [6, 4, 7, 2, 3, 8, 0], 83
Exploration
avg = 0.000529138025583
p = 0.000966183574879
Ant 7: [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 1: [3, 8, 1, 2, 7, 4, 6, 5], 112
Exploration
avg = 0.000231949471625
p = 0.000378071795841
Ant 8: [3, 8, 0, 4, 6, 5, 2], 91
Exploitation
Ant 9: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000536768652705
Ant 0: [4, 6, 5, 3, 8, 0, 1, 2, 7], 120
Update called by OExploration
Ant thread 0 terminating.avg = 0.000413160935093
p = 0.000805152979066
Ant 10 : [2, 7, 4, 6, 5, 3, 8], 93
Exploitation
Ant 11: [3, 8, 1, 2, 7, 4, 6], 96
Exploitation
Ant 12 : [1, 0, 8, 3, 4, 7, 2], 80
Exploration
avg = 0.000299505713269
```

```
p = 0.000439174351779
p = 0.000334444785678
Ant 13: [4, 7, 3, 8, 0, 1, 5], 93
Exploitation
Ant 14 : [5, 4, 7, 3, 8, 1, 0], 88
Exploration
avg = 0.000330422826034
p = 0.000439174351779
p = 0.000433601149735
Ant 15 : [5, 4, 6, 8, 0, 1, 3], 97
Exploitation
Ant 2: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000332957080447
p = 0.000419659734972
p = 0.000439174352218
Ant 16: [1, 8, 0, 4, 6, 5, 3], 97
Exploitation
Ant 17 : [8, 0, 1, 2, 7, 4, 6], 85
Exploration
avg = 0.000448716251302
p = 0.000535736977681
Ant 18: [7, 4, 6, 8, 0, 1, 3], 100
Exploration
avg = 0.000509675071225
p = 0.000966183574879
Ant 19: [1, 0, 8, 3, 7, 4, 6], 77
Exploitation
Ant 3: [4, 7, 3, 8, 1, 0, 5, 6], 120
Exploration
avg = 0.00073735062268
p = 0.000966183574879
Ant 4: [2, 7, 4, 6, 5, 3, 8, 0], 103
Exploration
avg = 0.000627873069387
p = 0.000966183574879
Ant 5 : [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 6: [6, 4, 7, 2, 3, 8, 0, 1], 93
Exploitation
Ant 7: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000309968875745
Ant 1: [3, 8, 1, 2, 7, 4, 6, 5, 0], 140
Update called by 1Exploitation
Ant thread 1 terminating. Ant 8: [3, 8, 0, 4, 6, 5, 2, 7], 109
Exploration
avg = 0.000627873069387
p = 0.000966183574879
Ant 9: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.00073735062268
```

```
p = 0.000966183574879
Ant 10 : [2, 7, 4, 6, 5, 3, 8, 0], 103
Exploration
avg = 0.000354446299956
p = 0.0006038647343
Ant 11 : [3, 8, 1, 2, 7, 4, 6, 5], 112
Exploitation
Ant 12: [1, 0, 8, 3, 4, 7, 2, 5], 103
Exploitation
Ant 13 : [4, 7, 3, 8, 0, 1, 5, 6], 109
Exploitation
Ant 14: [5, 4, 7, 3, 8, 1, 0, 2], 118
Exploration
avg = 0.000369671738716
p = 0.000482608694823
Ant 15 : [5, 4, 6, 8, 0, 1, 3, 7], 117
Exploration
avg = 0.000439174351779
Ant 2 : [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000369910869561
p = 0.000483086956513
Ant 16: [1, 8, 0, 4, 6, 5, 3, 7], 117
Exploration
avg = 0.000356946963423
p = 0.0006038647343
Ant 17 : [8, 0, 1, 2, 7, 4, 6, 5], 101
Exploration
avg = 0.00028789593083
p = 0.000319057079051
Ant 18: [7, 4, 6, 8, 0, 1, 3, 5], 122
Exploitation
Ant 19: [1, 0, 8, 3, 7, 4, 6, 5], 93
Exploitation
Ant 3: [4, 7, 3, 8, 1, 0, 5, 6, 2], 170
Update called by 3Exploitation
Ant thread 3 terminating. Ant 4: [2, 7, 4, 6, 5, 3, 8, 0, 1], 113
Update called by 4Exploitation
Ant thread 4 terminating. Ant 5 : [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by 5Exploitation
Ant thread 5 terminating.Ant 6 : [6, 4, 7, 2, 3, 8, 0, 1, 5], 119
Update called by 6Exploration
Ant thread 6 terminating.avg = 0.000439174352218
Ant 7: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
```

Update called by 7Exploitation

Ant thread 7 terminating. Ant 8: [3, 8, 0, 4, 6, 5, 2, 7, 1], 148

Update called by 8Exploration

Ant thread 8 terminating.avg = 0.000439174352218

Ant 9: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [2, 7, 4, 6, 5, 3, 8, 0, 1], 113

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [3, 8, 1, 2, 7, 4, 6, 5, 0], 140

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [1, 0, 8, 3, 4, 7, 2, 5, 6], 119

ExploitationUpdate called by 12

Ant 13: [4, 7, 3, 8, 0, 1, 5, 6, 2], 159Ant thread 12 terminating.

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.000113887549565

Ant 14 : [5, 4, 7, 3, 8, 1, 0, 2, 6], 168 Update called by 14Exploitation

Ant thread 14 terminating. Ant 15 : [5, 4, 6, 8, 0, 1, 3, 7, 2], 135

Update called by 15Exploration

Ant thread 15 terminating.avg = 0.000536768599034

Ant 16 : [1, 8, 0, 4, 6, 5, 3, 7, 2], 135

Update called by 16Exploitation

Ant thread 16 terminating. Ant 17 : [8, 0, 1, 2, 7, 4, 6, 5, 3], 123

Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [7, 4, 6, 8, 0, 1, 3, 5, 2], 145

Update called by 18Exploitation

Ant thread 18 terminating. Ant 19: [1, 0, 8, 3, 7, 4, 6, 5, 2], 116

Update called by 19

Best: [7, 4, 6, 5, 3, 8, 0, 1, 2], 135, 8, 153

Ant thread 19 terminating.iter_counter = 9

```
starting ant = 0
```

starting ant = 1Exploitation

starting ant = 2Ant 0 : [4, 6], 10

starting ant = 3Exploitation

starting ant = 4Ant 1 : [3, 8], 12

starting ant = 5Exploration

starting ant = 6avg = 0.000283305456016

starting ant = 7p = 0.000483091786957

starting ant = 8p = 0.000434782565217

starting ant = 9p = 0.000579710144928

starting ant = 10Ant 2 : [7, 4], 15

starting ant = 11Exploration

starting ant = 12avg = 0.000229890434676

starting ant = 13p = 0.00054347826087

starting ant = 14p = 0.000251974734108

starting ant = 15p = 0.000235013095521

starting ant = 16Ant 0 : [4, 6, 8], 47

starting ant = 17Exploitation

starting ant = 18Ant 3 : [4, 6], 10

starting ant = 19Exploitation

Ant 4: [2, 7], 18

Exploitation

Ant 1 : [3, 8, 0], 22

Exploitation

Ant 5 : [7, 4], 15

Exploration

avg = 0.00031297313013

p = 0.000868695573913

p = 0.00054347826087

Ant 6: [6, 5], 16

Exploration

avg = 0.000291356180653

p = 0.000483091786957

p = 0.000434782565217

```
p = 0.000644115942029
Ant 7 : [7, 4], 15
Exploration
avg = 0.000366676986433
p = 0.000579125217387
p = 0.000394175861538
p = 0.000434782565217
p = 0.000804347826087
Ant 8: [3, 8], 12
Exploitation
Ant 9: [7, 4], 15
Exploration
avg = 0.000290567407463
p = 0.000354762245437
p = 0.000482608652174
p = 0.000377693727788
p = 0.000536231884058
Ant 10: [2, 7], 18
Exploitation
Ant 2: [7, 4, 6], 25
Exploration
avg = 0.000366776624114
p = 0.000579125217387
p = 0.000394175861538
p = 0.000434782565217
p = 0.000805144927536
Ant 11 : [3, 8], 12
Exploration
avg = 0.000357771907242
p = 0.000869565216522
p = 0.000395256916996
p = 0.000483082502364
p = 0.000456796338302
Ant 12: [1, 8], 19
Exploitation
Ant 13 : [4, 6], 10
Exploration
avg = 0.000348316430534
p = 0.000378071795841
p = 0.000395256916996
p = 0.000724630310337
p = 0.000543478206522
Ant 14: [5, 6], 16
Exploitation
Ant 15 : [5, 4], 12
Exploration
avg = 0.000364172422162
p = 0.000869565216522
p = 0.000395256916996
p = 0.000483082502364
p = 0.000508000457662
Ant 16: [1, 8], 19
Exploration
avg = 0.0004199702101
```

```
p = 0.000965217391304
p = 0.000457665903432
p = 0.000724630434783
Ant 0: [4, 6, 8, 3], 59
Exploration
avg = 0.000350054793115
p = 0.000965217391304
p = 0.000457665903432
p = 0.000804347753623
Ant 17 : [8, 3], 12
Exploration
avg = 0.000291356985726
p = 0.000483091786957
p = 0.000434782565217
p = 0.000644122382609
Ant 18: [7, 4], 15
Exploitation
Ant 3: [4, 6, 5], 26
Exploration
avg = 0.000364236427311
p = 0.000869565216522
p = 0.000395256916996
p = 0.000483082502364
p = 0.000508512498856
Ant 19: [1, 8], 19
Exploitation
Ant 4: [2, 7, 4], 33
Exploitation
Ant 1: [3, 8, 0, 1], 32
Exploitation
Ant 5 : [7, 4, 6], 25
Exploration
avg = 0.000331824382828
p = 0.000378071795841
p = 0.000395256916996
p = 0.000804347752379
Ant 6: [6, 5, 4], 28
Exploration
avg = 0.000316404003245
p = 0.000341662648696
p = 0.000346591956522
p = 0.00096618357487
Ant 7: [7, 4, 6], 25
Exploitation
Ant 8: [3, 8, 0], 22
Exploitation
Ant 9: [7, 4, 6], 25
Exploitation
Ant 10 : [2, 7, 4], 33
Exploration
```

avg = 0.000240582527967 p = 0.000603858695652 p = 0.000260869519909 Ant 2 : [7, 4, 6, 8], 62

```
Exploration
avg = 0.00028529244472
p = 0.000966173913043
p = 0.000457665903432
Ant 11 : [3, 8, 1], 31
Exploitation
Ant 12 : [1, 8, 0], 29
Exploitation
Ant 13: [4, 6, 5], 26
Exploration
avg = 0.000280080763487
p = 0.000868695573913
Ant 14 : [5, 6, 4], 26
Exploration
avg = 0.00034970660159
p = 0.000966183574879
p = 0.000579710144922
Ant 15 : [5, 4, 7], 27
Exploration
avg = 0.000334933671662
p = 0.000966183478261
p = 0.000805144926812
Ant 16: [1, 8, 3], 31
Exploration
avg = 0.000290183314939
p = 0.000394175861538
p = 0.000434782565217
Ant 0: [4, 6, 8, 3, 7], 79
Exploration
avg = 0.000310984885053
p = 0.000579125217387
p = 0.000394175861538
p = 0.000482608695217
Ant 17: [8, 3, 7], 32
Exploration
avg = 0.000316404003247
p = 0.000341662648696
p = 0.000346591956522
p = 0.000966183574879
Ant 18 : [7, 4, 6], 25
Exploitation
Ant 3: [4, 6, 5, 3], 48
Exploitation
Ant 19 : [1, 8, 0], 29
Exploitation
Ant 4: [2, 7, 4, 6], 43
Exploration
avg = 0.000210546240149
p = 0.000395256916996
p = 0.00033444481575
Ant 1: [3, 8, 0, 1, 5], 58
Exploitation
Ant 5 : [7, 4, 6, 5], 41
Exploration
```

```
avg = 0.000257588458699
p = 0.000341662648696
p = 0.00064347826087
Ant 6: [6, 5, 4, 7], 43
Exploitation
Ant 7: [7, 4, 6, 5], 41
Exploitation
Ant 8 : [3, 8, 0, 1], 32
Exploration
avg = 0.000240626628447
p = 0.000603864734293
p = 0.000261128084153
Ant 9: [7, 4, 6, 8], 62
Exploitation
Ant 10: [2, 7, 4, 6], 43
Exploitation
Ant 2 : [7, 4, 6, 8, 0], 72
Exploitation
Ant 11 : [3, 8, 1, 0], 41
Exploitation
Ant 12: [1, 8, 0, 4], 49
Exploration
avg = 0.000260316864714
p = 0.000310555847509
p = 0.000378071795841
p = 0.000438735177866
Ant 13: [4, 6, 5, 3], 48
Exploration
avg = 0.000257694738893
p = 0.000341662648696
p = 0.000644115942029
Ant 14: [5, 6, 4, 7], 41
Exploration
avg = 0.00026011667741
p = 0.000483091786957
p = 0.000434782565217
Ant 15 : [5, 4, 7, 3], 47
Exploration
avg = 0.000320106706902
p = 0.000579125217387
p = 0.000394175861538
p = 0.000483086956517
Ant 16: [1, 8, 3, 7], 51
Exploration
avg = 0.00024886493419
p = 0.000483091786957
Ant 0: [4, 6, 8, 3, 7, 2], 97
Exploitation
Ant 17: [8, 3, 7, 4], 47
Exploitation
Ant 18: [7, 4, 6, 5], 41
Exploration
avg = 0.000382040557124
p = 0.00048309173913
```

```
p = 0.000805152898551
Ant 3: [4, 6, 5, 3, 8], 60
Exploitation
Ant 19: [1, 8, 0, 4], 49
Exploitation
Ant 4: [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000478127757599
p = 0.000805144926799
p = 0.000603260869022
Ant 1: [3, 8, 0, 1, 5, 6], 74
Exploitation
Ant 5 : [7, 4, 6, 5, 3], 63
Exploitation
Ant 6: [6, 5, 4, 7, 2], 61
Exploitation
Ant 7: [7, 4, 6, 5, 3], 63
Exploitation
Ant 8: [3, 8, 0, 1, 2], 54
Exploration
avg = 0.000505865316983
p = 0.00096618357487
p = 0.000508009153314
p = 0.000805152898543
Ant 9: [7, 4, 6, 8, 3], 74
Exploration
avg = 0.000253970210482
p = 0.0006038647343
p = 0.000261130669796
Ant 10 : [2, 7, 4, 6, 8], 80
Exploitation
Ant 2: [7, 4, 6, 8, 0, 1], 82
Exploration
avg = 0.000254828721714
p = 0.000289562584814
p = 0.000483086956083
p = 0.00031024565192
Ant 11: [3, 8, 1, 0, 5], 69
Exploitation
Ant 12: [1, 8, 0, 4, 6], 59
Exploitation
Ant 13: [4, 6, 5, 3, 8], 60
Exploitation
Ant 14: [5, 6, 4, 7, 2], 59
Exploration
avg = 0.000305227480058
p = 0.000805152979058
Ant 15 : [5, 4, 7, 3, 8], 59
Exploration
avg = 0.000320977045096
p = 0.000536768599034
p = 0.000644122383253
Ant 16: [1, 8, 3, 7, 4], 66
Exploration
```

```
avg = 0.000290364251945
p = 0.000354762245437
p = 0.000377693727788
Ant 0: [4, 6, 8, 3, 7, 2, 5], 120
Exploration
avg = 0.000356934762133
p = 0.000966183574879
Ant 17 : [8, 3, 7, 4, 6], 57
Exploration
avg = 0.000287261384692
p = 0.000310555847509
p = 0.000378071795841
p = 0.000439174351779
Ant 18: [7, 4, 6, 5, 3], 63
Exploitation
Ant 3: [4, 6, 5, 3, 8, 0], 70
Exploration
avg = 0.000491705203466
p = 0.000966183574879
p = 0.000644122318841
Ant 19: [1, 8, 0, 4, 7], 64
Exploitation
Ant 4: [2, 7, 4, 6, 5, 3], 81
Exploitation
Ant 1: [3, 8, 0, 1, 5, 6, 4], 84
Exploration
avg = 0.000356777781751
p = 0.000805152979066
Ant 5 : [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 6: [6, 5, 4, 7, 2, 3], 79
Exploration
avg = 0.000356777781751
p = 0.000805152979066
Ant 7: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000322395914675
p = 0.000419655954291
p = 0.000536763285024
Ant 8: [3, 8, 0, 1, 2, 7], 72
Exploration
avg = 0.000254033502369
p = 0.000256732215261
p = 0.000394175861538
Ant 9: [7, 4, 6, 8, 3, 5], 96
Exploitation
Ant 10: [2, 7, 4, 6, 8, 0], 90
Exploitation
Ant 2 : [7, 4, 6, 8, 0, 1, 3], 100
Exploration
avg = 0.000478277214256
p = 0.000805144926799
p = 0.000603858695647
Ant 11 : [3, 8, 1, 0, 5, 6], 85
```

```
Exploration
avg = 0.000282194261405
p = 0.0006038647343
Ant 12: [1, 8, 0, 4, 6, 5], 75
Exploration
avg = 0.000424490212333
p = 0.000966183574879
p = 0.000508009153314
Ant 13: [4, 6, 5, 3, 8, 1], 79
Exploration
avg = 0.00028276690725
p = 0.000354762245437
p = 0.000536227052705
Ant 14: [5, 6, 4, 7, 2, 3], 77
Exploration
avg = 0.000422136477764
p = 0.000966183574879
p = 0.000508512585812
Ant 15 : [5, 4, 7, 3, 8, 1], 78
Exploration
avg = 0.000420174055927
p = 0.000966183574879
Ant 16: [1, 8, 3, 7, 4, 6], 76
Exploration
avg = 0.000235260682952
p = 0.000310555847509
Ant 0: [4, 6, 8, 3, 7, 2, 5, 0], 148
Exploration
avg = 0.000270901353311
p = 0.0006038647343
Ant 17: [8, 3, 7, 4, 6, 5], 73
Exploration
avg = 0.000356777781751
p = 0.000805152979066
Ant 18: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.00045082313326
p = 0.000966183478261
Ant 3: [4, 6, 5, 3, 8, 0, 1], 80
Exploitation
Ant 19: [1, 8, 0, 4, 7, 2], 82
Exploitation
Ant 4: [2, 7, 4, 6, 5, 3, 8], 93
Exploration
avg = 0.000402043950502
p = 0.000644122382609
Ant 1: [3, 8, 0, 1, 5, 6, 4, 7], 99
Exploration
avg = 0.000525380914422
p = 0.000966183574879
Ant 5 : [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000398683274219
p = 0.000805152979066
```

```
Ant 6: [6, 5, 4, 7, 2, 3, 8], 91
Exploitation
Ant 7: [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 8 : [3, 8, 0, 1, 2, 7, 4], 87
Exploration
avg = 0.000294252593181
p = 0.000344720465307
p = 0.000378071795841
Ant 9: [7, 4, 6, 8, 3, 5, 2], 119
Exploration
avg = 0.000481688521865
p = 0.000966183573913
Ant 10 : [2, 7, 4, 6, 8, 0, 1], 100
Exploitation
Ant 2: [7, 4, 6, 8, 0, 1, 3, 5], 122
Exploitation
Ant 11: [3, 8, 1, 0, 5, 6, 4], 95
Exploitation
Ant 12: [1, 8, 0, 4, 6, 5, 3], 97
Exploitation
Ant 13: [4, 6, 5, 3, 8, 1, 0], 89
Exploration
avg = 0.000398683274219
p = 0.000805152979066
Ant 14: [5, 6, 4, 7, 2, 3, 8], 89
Exploration
avg = 0.000505772431008
p = 0.000966173913043
Ant 15 : [5, 4, 7, 3, 8, 1, 0], 88
Exploration
avg = 0.00029076703909
p = 0.0006038647343
Ant 16 : [1, 8, 3, 7, 4, 6, 5], 92
Exploitation
Ant 0: [4, 6, 8, 3, 7, 2, 5, 0, 1], 158
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 17: [8, 3, 7, 4, 6, 5, 2], 96
Exploitation
Ant 18: [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 3: [4, 6, 5, 3, 8, 0, 1, 2], 102
Exploitation
Ant 19: [1, 8, 0, 4, 7, 2, 3], 100
Exploitation
Ant 4 : [2, 7, 4, 6, 5, 3, 8, 0], 103
Exploration
avg = 0.000536768652174
Ant 1: [3, 8, 0, 1, 5, 6, 4, 7, 2], 117
Update called by 1Exploration
```

Ant thread 1 terminating.avg = 0.000627873079847

```
p = 0.000966183574879
Ant 5 : [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000737350597508
p = 0.000966183574879
Ant 6: [6, 5, 4, 7, 2, 3, 8, 0], 101
Exploration
avg = 0.000627873079847
p = 0.000966183574879
Ant 7: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 8: [3, 8, 0, 1, 2, 7, 4, 6], 97
Exploitation
Ant 9: [7, 4, 6, 8, 3, 5, 2, 1], 141
Exploitation
Ant 10 : [2, 7, 4, 6, 8, 0, 1, 3], 118
Exploitation
Ant 2 : [7, 4, 6, 8, 0, 1, 3, 5, 2], 145
Update called by 2Exploitation
Ant thread 2 terminating. Ant 11: [3, 8, 1, 0, 5, 6, 4, 7], 110
Exploitation
Ant 12: [1, 8, 0, 4, 6, 5, 3, 7], 117
Exploration
avg = 0.000193142960759
p = 0.000289562584814
Ant 13 : [4, 6, 5, 3, 8, 1, 0, 2], 119
Exploitation
Ant 14 : [5, 6, 4, 7, 2, 3, 8, 0], 99
Exploration
avg = 0.000208130642305
p = 0.000321736205558
Ant 15 : [5, 4, 7, 3, 8, 1, 0, 2], 118
Exploration
avg = 0.000382400119232
p = 0.000420079773157
Ant 16: [1, 8, 3, 7, 4, 6, 5, 2], 115
Exploration
avg = 0.000288483506879
p = 0.00043833023115
Ant 17: [8, 3, 7, 4, 6, 5, 2, 1], 118
Exploitation
Ant 18: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 3: [4, 6, 5, 3, 8, 0, 1, 2, 7], 120
Update called by 3Exploitation
Ant thread 3 terminating.Ant 19 : [1, 8, 0, 4, 7, 2, 3, 5], 122
Exploitation
Ant 4: [2, 7, 4, 6, 5, 3, 8, 0, 1], 113
Update called by 4Exploitation
```

Ant thread 4 terminating.Ant 5 : [7, 4, 6, 5, 3, 8, 0, 1, 2], 117

Update called by 5Exploitation

Ant thread 5 terminating. Ant 6: [6, 5, 4, 7, 2, 3, 8, 0, 1], 111

Update called by 6Exploitation

Ant thread 6 terminating. Ant 7: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117

Update called by 7Exploration

Ant thread 7 terminating.avg = 0.0006038647343

Ant 8 : [3, 8, 0, 1, 2, 7, 4, 6, 5], 113

Update called by 8Exploitation

Ant thread 8 terminating.Ant 9 : [7, 4, 6, 8, 3, 5, 2, 1, 0], 151

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [2, 7, 4, 6, 8, 0, 1, 3, 5], 140

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [3, 8, 1, 0, 5, 6, 4, 7, 2], 128

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12 : [1, 8, 0, 4, 6, 5, 3, 7, 2], 135

Update called by 12Exploitation

Ant thread 12 terminating. Ant 13: [4, 6, 5, 3, 8, 1, 0, 2, 7], 137

Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [5, 6, 4, 7, 2, 3, 8, 0, 1], 109

Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00017319890099

Ant 15 : [5, 4, 7, 3, 8, 1, 0, 2, 6], 168

Update called by 15Exploration

Ant thread 15 terminating.avg = 0.000138636782609

Ant 16: [1, 8, 3, 7, 4, 6, 5, 2, 0], 145

Update called by 16Exploitation

Ant thread 16 terminating. Ant 17 : [8, 3, 7, 4, 6, 5, 2, 1, 0], 128

```
Ant thread 17 terminating.avg = 0.000439174351779
Ant 18: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19 : [1, 8, 0, 4, 7, 2, 3, 5, 6], 138
Update called by 19
Best: [7, 4, 6, 5, 3, 8, 0, 1, 2], 135, 9, 152
Ant thread 19 terminating.iter_counter = 10
starting ant = 0
Explorationstarting ant = 1
avg = 0.000321631920673starting ant = 2
p = 0.000869565217391starting ant = 3
p = 0.000579710144927starting ant = 4
Ant 0 : [4, 7], 15starting ant = 5
Explorationstarting ant = 6
avg = 0.000340596985096starting ant = 7
p = 0.000521212695648starting ant = 8
p = 0.000395256916591starting ant = 9
p = 0.000434782608261starting ant = 10
p = 0.000724637681159starting ant = 11
Ant 1 : [3, 8], 12starting ant = 12
Exploitationstarting ant = 13
Ant 2 : [7, 4], 15starting ant = 14
Explorationstarting ant = 15
avg = 0.000329602935166starting ant = 16
p = 0.000869565217391starting ant = 17
p = 0.00064347826087starting ant = 18
Ant 3: [4, 7], 15starting ant = 19
Exploitation
Ant 4: [2, 7], 18
```

Update called by 17Exploration

```
Exploration
avg = 0.000229916121294
p = 0.00048309178744
p = 0.000434347825696
Ant 0: [4, 7, 3], 35
Exploration
avg = 0.000287643454006
p = 0.00048309178744
p = 0.000482604347822
p = 0.00064347826087
Ant 5 : [7, 4], 15
Exploration
avg = 0.00029946606679
p = 0.000869565129652
p = 0.00054347826087
Ant 6: [6, 5], 16
Exploration
avg = 0.000287723164151
p = 0.00048309178744
p = 0.000482604347822
p = 0.000644115942029
Ant 7: [7, 4], 15
Exploitation
Ant 8 : [3, 8], 12
Exploitation
Ant 9: [7, 4], 15
Exploration
avg = 0.00031118332718
p = 0.000395249319906
p = 0.000483091738696
p = 0.000377690358862
p = 0.000536231884058
Ant 10 : [2, 7], 18
Exploration
avg = 0.000350660390893
p = 0.000521212695648
p = 0.000395256916591
p = 0.000434782608261
p = 0.000805144927536
Ant 11: [3, 8], 12
Exploitation
Ant 1 : [3, 8, 0], 22
Exploitation
Ant 12 : [1, 0], 10
Exploration
avg = 0.000329682645311
p = 0.000869565217391
p = 0.000644115942029
Ant 13: [4, 7], 15
Exploitation
Ant 2: [7, 4, 6], 25
Exploitation
Ant 14 : [5, 4], 12
Exploration
```

```
avg = 0.000352810964168
p = 0.00037807183327
p = 0.000395256916996
p = 0.000804347753617
p = 0.000543478260326
Ant 15 : [5, 6], 16
Exploitation
Ant 16 : [1, 0], 10
Exploitation
Ant 17 : [8, 0], 10
Exploration
avg = 0.000287723969224
p = 0.00048309178744
p = 0.000482604347822
p = 0.000644122382609
Ant 18: [7, 4], 15
Exploitation
Ant 3: [4, 7, 2], 33
Exploration
avg = 0.000365877980817
p = 0.000966173913043
p = 0.000395256916992
p = 0.000483086955686
p = 0.000457665857341
Ant 19: [1, 8], 19
Exploitation
Ant 4: [2, 7, 4], 33
Exploration
avg = 0.000308215965708
p = 0.000395256916591
p = 0.000805152898551
Ant 0: [4, 7, 3, 8], 47
Exploitation
Ant 5 : [7, 4, 6], 25
Exploitation
Ant 6 : [6, 5, 4], 28
Exploitation
Ant 7: [7, 4, 6], 25
Exploitation
Ant 8: [3, 8, 0], 22
Exploration
avg = 0.000298566211618
p = 0.000307496383826
p = 0.00031193276087
p = 0.000966183478261
Ant 9: [7, 4, 6], 25
Exploration
avg = 0.000259814280999
p = 0.000482604347822
p = 0.000644122383253
Ant 10 : [2, 7, 4], 33
Exploitation
Ant 11 : [3, 8, 0], 22
Exploitation
```

```
Ant 1 : [3, 8, 0, 1], 32
Exploration
avg = 0.000301478377759
p = 0.000434778260475
p = 0.000310245627016
p = 0.000782600869552
Ant 12 : [1, 0, 8], 20
Exploration
avg = 0.000244401352543
p = 0.000536231884058
p = 0.000482604347822
Ant 13: [4, 7, 3], 35
Exploitation
Ant 2: [7, 4, 6, 5], 41
Exploration
avg = 0.000346021876421
p = 0.000966183573913
p = 0.000644122318841
Ant 14 : [5, 4, 7], 27
Exploration
avg = 0.000264607181921
p = 0.000869565129652
Ant 15 : [5, 6, 4], 26
Exploration
avg = 0.000327442217512
p = 0.000434778260475
p = 0.000964347747826
Ant 16: [1, 0, 8], 20
Exploitation
Ant 17: [8, 0, 1], 20
Exploration
avg = 0.000298566225282
p = 0.000307496383826
p = 0.00031193276087
p = 0.000966183573913
Ant 18 : [7, 4, 6], 25
Exploitation
Ant 3: [4, 7, 2, 3], 51
Exploration
avg = 0.000315243974465
p = 0.000966183573913
p = 0.000724637680435
Ant 19 : [1, 8, 3], 31
Exploitation
Ant 4: [2, 7, 4, 6], 43
Exploitation
Ant 0: [4, 7, 3, 8, 0], 57
Exploitation
Ant 5: [7, 4, 6, 5], 41
Exploitation
Ant 6: [6, 5, 4, 7], 43
Exploitation
Ant 7: [7, 4, 6, 5], 41
```

Exploitation

```
Ant 8 : [3, 8, 0, 1], 32
Exploration
avg = 0.000226628769466
p = 0.000603864733696
p = 0.000235017626087
Ant 9: [7, 4, 6, 8], 62
Exploitation
Ant 10 : [2, 7, 4, 6], 43
Exploitation
Ant 11 : [3, 8, 0, 1], 32
Exploitation
Ant 1: [3, 8, 0, 1, 2], 54
Exploitation
Ant 12 : [1, 0, 8, 3], 32
Exploitation
Ant 13: [4, 7, 3, 8], 47
Exploration
avg = 0.000272246320908
p = 0.000310248418777
p = 0.00037807183327
p = 0.000395256916996
Ant 2: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000266310323027
p = 0.000536231884058
p = 0.000483086913043
Ant 14: [5, 4, 7, 3], 47
Exploration
avg = 0.00024266160424
p = 0.000307496383826
p = 0.000644122383246
Ant 15 : [5, 6, 4, 7], 41
Exploration
avg = 0.00022017191574
p = 0.000805144927536
Ant 16 : [1, 0, 8, 3], 32
Exploitation
Ant 17 : [8, 0, 1, 3], 38
Exploration
avg = 0.000230937425987
p = 0.000603864733696
p = 0.000260869565215
Ant 18: [7, 4, 6, 8], 62
Exploration
avg = 0.000328268140169
p = 0.000395256916591
p = 0.000805152979058
Ant 3: [4, 7, 2, 3, 8], 63
Exploitation
Ant 19: [1, 8, 3, 4], 46
Exploration
avg = 0.000245872580357
p = 0.000603864733696
p = 0.000261128084606
```

```
Ant 4: [2, 7, 4, 6, 8], 80
Exploitation
Ant 0: [4, 7, 3, 8, 0, 1], 67
Exploitation
Ant 5: [7, 4, 6, 5, 3], 63
Exploitation
Ant 6: [6, 5, 4, 7, 2], 61
Exploitation
Ant 7: [7, 4, 6, 5, 3], 63
Exploitation
Ant 8: [3, 8, 0, 1, 2], 54
Exploitation
Ant 9: [7, 4, 6, 8, 0], 72
Exploration
avg = 0.000245873097396
p = 0.000603864733696
p = 0.0002611306698
Ant 10: [2, 7, 4, 6, 8], 80
Exploitation
Ant 11: [3, 8, 0, 1, 2], 54
Exploration
avg = 0.000308038828398
p = 0.000377690358862
p = 0.000536763285024
Ant 1: [3, 8, 0, 1, 2, 7], 72
Exploitation
Ant 12: [1, 0, 8, 3, 4], 47
Exploitation
Ant 13: [4, 7, 3, 8, 0], 57
Exploration
avg = 0.000341228828053
p = 0.000805152979066
Ant 2: [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 14: [5, 4, 7, 3, 8], 59
Exploration
avg = 0.000295529999856
p = 0.000536763285024
p = 0.000483091738696
Ant 15 : [5, 6, 4, 7, 3], 61
Exploration
avg = 0.000354245687402
p = 0.000644110092284
p = 0.000395256916591
p = 0.000434782608261
Ant 16: [1, 0, 8, 3, 7], 52
Exploitation
Ant 17 : [8, 0, 1, 3, 4], 53
Exploitation
Ant 18: [7, 4, 6, 8, 0], 72
Exploration
avg = 0.000414675570963
p = 0.000966183574879
p = 0.000457665858124
```

```
Ant 3: [4, 7, 2, 3, 8, 1], 82
Exploitation
Ant 19: [1, 8, 3, 4, 6], 56
Exploration
avg = 0.000603257773809
p = 0.000966183574879
p = 0.000805152898551
Ant 4: [2, 7, 4, 6, 8, 3], 92
Exploration
avg = 0.000291485124159
p = 0.0004391743083
p = 0.000334113682272
Ant 0: [4, 7, 3, 8, 0, 1, 5], 93
Exploration
avg = 0.000341228828053
p = 0.000805152979066
Ant 5 : [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 6: [6, 5, 4, 7, 2, 3], 79
Exploration
avg = 0.000341228828053
p = 0.000805152979066
Ant 7: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000308040156901
p = 0.000377690358862
p = 0.000536768599034
Ant 8: [3, 8, 0, 1, 2, 7], 72
Exploration
avg = 0.000421757378743
p = 0.00096618357487
Ant 9: [7, 4, 6, 8, 0, 1], 82
Exploration
avg = 0.000603257793736
p = 0.000966183574879
p = 0.000805152978261
Ant 10: [2, 7, 4, 6, 8, 3], 92
Exploitation
Ant 11: [3, 8, 0, 1, 2, 7], 72
Exploitation
Ant 1: [3, 8, 0, 1, 2, 7, 4], 87
Exploration
avg = 0.000516551921389
p = 0.000966183574879
p = 0.000644122383253
Ant 12: [1, 0, 8, 3, 4, 7], 62
Exploration
avg = 0.000412838480158
p = 0.000966183574879
Ant 13 : [4, 7, 3, 8, 0, 1], 67
Exploration
avg = 0.000521830040388
p = 0.000966183574879
Ant 2: [7, 4, 6, 5, 3, 8, 0], 85
```

```
Exploitation
Ant 14 : [5, 4, 7, 3, 8, 0], 69
Exploration
avg = 0.000341228828053
p = 0.000805152979066
Ant 15 : [5, 6, 4, 7, 3, 8], 73
Exploration
avg = 0.000353765982159
p = 0.000536763285024
p = 0.000644122383253
Ant 16: [1, 0, 8, 3, 7, 4], 67
Exploration
avg = 0.000516551921389
p = 0.000966183574879
p = 0.000644122383253
Ant 17: [8, 0, 1, 3, 4, 7], 68
Exploitation
Ant 18: [7, 4, 6, 8, 0, 1], 82
Exploitation
Ant 3: [4, 7, 2, 3, 8, 1, 0], 92
Exploitation
Ant 19: [1, 8, 3, 4, 6, 5], 72
Exploration
avg = 0.000249021358608
p = 0.000395256916591
Ant 4: [2, 7, 4, 6, 8, 3, 5], 114
Exploitation
Ant 0: [4, 7, 3, 8, 0, 1, 5, 6], 109
Exploration
avg = 0.000521830040388
p = 0.000966183574879
Ant 5: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000385653379433
p = 0.000805152979066
Ant 6: [6, 5, 4, 7, 2, 3, 8], 91
Exploration
avg = 0.000521830040388
p = 0.000966183574879
Ant 7: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000292766881204
p = 0.000644122383253
Ant 8: [3, 8, 0, 1, 2, 7, 4], 87
Exploration
avg = 0.000448880085817
p = 0.00053623183574
Ant 9 : [7, 4, 6, 8, 0, 1, 3], 100
Exploitation
Ant 10 : [2, 7, 4, 6, 8, 3, 5], 114
Exploration
avg = 0.000292766881204
p = 0.000644122383253
Ant 11 : [3, 8, 0, 1, 2, 7, 4], 87
```

```
Exploitation
Ant 1: [3, 8, 0, 1, 2, 7, 4, 6], 97
Exploration
avg = 0.000256980515128
p = 0.000536763285024
Ant 12 : [1, 0, 8, 3, 4, 7, 2], 80
Exploitation
Ant 13 : [4, 7, 3, 8, 0, 1, 2], 89
Exploration
avg = 0.000628017861234
p = 0.000966183574879
Ant 2: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000447036097872
p = 0.000966183574879
Ant 14: [5, 4, 7, 3, 8, 0, 1], 79
Exploitation
Ant 15 : [5, 6, 4, 7, 3, 8, 0], 83
Exploitation
Ant 16: [1, 0, 8, 3, 7, 4, 6], 77
Exploration
avg = 0.000256982286464
p = 0.000536768599034
Ant 17 : [8, 0, 1, 3, 4, 7, 2], 86
Exploitation
Ant 18: [7, 4, 6, 8, 0, 1, 3], 100
Exploration
avg = 0.000197659099081
p = 0.000310245627016
Ant 3: [4, 7, 2, 3, 8, 1, 0, 5], 120
Exploration
avg = 0.000267250115636
p = 0.000310248418777
p = 0.00037807183327
Ant 19: [1, 8, 3, 4, 6, 5, 2], 95
Exploration
avg = 0.000227108692666
p = 0.000310248418777
Ant 4: [2, 7, 4, 6, 8, 3, 5, 0], 142
Exploitation
Ant 0: [4, 7, 3, 8, 0, 1, 5, 6, 2], 159
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 5: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 6: [6, 5, 4, 7, 2, 3, 8, 0], 101
Exploration
avg = 0.000628017861234
p = 0.000966183574879
Ant 7: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 8: [3, 8, 0, 1, 2, 7, 4, 6], 97
Exploration
```

```
avg = 0.000323562567194
p = 0.000439169960474
Ant 9 : [7, 4, 6, 8, 0, 1, 3, 5], 122
Exploration
avg = 0.000244343178788
p = 0.00034471739102
Ant 10 : [2, 7, 4, 6, 8, 3, 5, 0], 142
Exploitation
Ant 11: [3, 8, 0, 1, 2, 7, 4, 6], 97
Exploitation
Ant 1: [3, 8, 0, 1, 2, 7, 4, 6, 5], 113
Update called by 1Exploitation
Ant thread 1 terminating. Ant 12 : [1, 0, 8, 3, 4, 7, 2, 5], 103
Exploration
avg = 0.000296694311877
p = 0.000419655920602
Ant 13 : [4, 7, 3, 8, 0, 1, 2, 5], 112
Exploitation
Ant 2: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by 2Exploitation
Ant thread 2 terminating. Ant 14 : [5, 4, 7, 3, 8, 0, 1, 2], 101
Exploration
avg = 0.000628017861234
p = 0.000966183574879
Ant 15 : [5, 6, 4, 7, 3, 8, 0, 1], 93
Exploitation
Ant 16: [1, 0, 8, 3, 7, 4, 6, 5], 93
Exploitation
Ant 17: [8, 0, 1, 3, 4, 7, 2, 5], 109
Exploitation
Ant 18: [7, 4, 6, 8, 0, 1, 3, 5], 122
Exploitation
Ant 3: [4, 7, 2, 3, 8, 1, 0, 5, 6], 136
Update called by 3Exploitation
Ant thread 3 terminating. Ant 19: [1, 8, 3, 4, 6, 5, 2, 7], 113
Exploration
avg = 0.000966183574879
Ant 4: [2, 7, 4, 6, 8, 3, 5, 0, 1], 152
Update called by 4Exploitation
Ant thread 4 terminating. Ant 5: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by 5Exploration
Ant thread 5 terminating.avg = 0.000966183574879
Ant 6: [6, 5, 4, 7, 2, 3, 8, 0, 1], 111
Update called by 6Exploration
```

Ant thread 6 terminating.avg = 0.000439174352218

Ant 7: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117 Update called by 7Exploitation

Ant thread 7 terminating. Ant 8 : [3, 8, 0, 1, 2, 7, 4, 6, 5], 113

Update called by 8Exploration

Ant thread 8 terminating.avg = 0.000419659735346

Ant 9: [7, 4, 6, 8, 0, 1, 3, 5, 2], 145 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [2, 7, 4, 6, 8, 3, 5, 0, 1], 152

ExplorationUpdate called by 10

avg = 0.0006038647343Ant thread 10 terminating.

Ant 11 : [3, 8, 0, 1, 2, 7, 4, 6, 5], 113 ExplorationUpdate called by 11

avg = 0.000603864673913Ant thread 11 terminating.

Ant 12 : [1, 0, 8, 3, 4, 7, 2, 5, 6], 119 Update called by 12Exploration

Ant thread 12 terminating.avg = 0.000603864733696

Ant 13 : [4, 7, 3, 8, 0, 1, 2, 5, 6], 128 Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [5, 4, 7, 3, 8, 0, 1, 2, 6], 151

Update called by 14Exploration

Ant thread 14 terminating.avg = 0.000439174352218

Ant 15 : [5, 6, 4, 7, 3, 8, 0, 1, 2], 115 Update called by 15Exploitation

Ant thread 15 terminating. Ant 16: [1, 0, 8, 3, 7, 4, 6, 5, 2], 116

Update called by 16Exploitation

Ant thread 16 terminating.Ant 17: [8, 0, 1, 3, 4, 7, 2, 5, 6], 125

Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [7, 4, 6, 8, 0, 1, 3, 5, 2], 145

Update called by 18Exploitation

```
Ant thread 18 terminating. Ant 19: [1, 8, 3, 4, 6, 5, 2, 7, 0], 156
Update called by 19
Best: [7, 4, 6, 5, 3, 8, 0, 1, 2], 135, 10, 151
Ant thread 19 terminating.iter_counter = 11
starting ant = 0
Explorationstarting ant = 1
avg = 0.000307584670635starting ant = 2
p = 0.000869565217391starting ant = 3
p = 0.000579710144928starting ant = 4
Ant 0 : [4, 7], 15starting ant = 5
Exploitationstarting ant = 6
Ant 1 : [3, 8], 12starting ant = 7
Exploitationstarting ant = 8
Ant 2: [7, 4], 15starting ant = 9
Exploitationstarting ant = 10
Ant 3: [4, 6], 10starting ant = 11
Exploitationstarting ant = 12
Ant 4 : [2, 7], 18starting ant = 13
Exploitationstarting ant = 14
Ant 0: [4, 7, 2], 33starting ant = 15
Exploitationstarting ant = 16
Ant 5 : [7, 4], 15starting ant = 17
Explorationstarting ant = 18
avg = 0.000294100842839starting ant = 19
p = 0.000868695651384
p = 0.00054347826087
Ant 6: [6, 5], 16
Exploitation
Ant 1 : [3, 8, 0], 22
Exploration
avg = 0.000288345052187
p = 0.000536231884053
```

```
p = 0.000434782608257
p = 0.000644115942029
Ant 7: [7, 4], 15
Exploitation
Ant 8: [3, 8], 12
Exploration
avg = 0.000282374199152
p = 0.000965217391304
Ant 2: [7, 4, 6], 25
Exploration
avg = 0.000288345849289
p = 0.000536231884053
p = 0.000434782608257
p = 0.000644122318841
Ant 9: [7, 4], 15
Exploration
avg = 0.000299747010356
p = 0.000355724387916
p = 0.000483086956517
p = 0.000378071795498
p = 0.000536231884058
Ant 10 : [2, 7], 18
Exploration
avg = 0.00022055624286
p = 0.000603260869565
p = 0.000235017626087
Ant 3: [4, 6, 8], 47
Exploration
avg = 0.000349807135716
p = 0.000579710034309
p = 0.000395256916601
p = 0.000434347826083
p = 0.000805144927536
Ant 11: [3, 8], 12
Exploitation
Ant 12 : [1, 0], 10
Exploration
avg = 0.000252933567718
p = 0.000434782608257
p = 0.000644122382609
Ant 4: [2, 7, 4], 33
Exploration
avg = 0.000327631772084
p = 0.000966173913043
p = 0.00064347826087
Ant 13: [4, 7], 15
Exploitation
Ant 14 : [5, 4], 12
Exploitation
Ant 0: [4, 7, 2, 3], 51
Exploitation
Ant 15 : [5, 4], 12
Exploration
avg = 0.000362067356909
```

```
p = 0.000965217390435
```

- p = 0.000395256916996
- p = 0.000483091739126
- p = 0.000457208237567
- Ant 16 : [1, 8], 19
- Exploitation
- Ant 5 : [7, 4, 6], 25
- Exploration
- avg = 0.000326420152531
- p = 0.000965217391304
- p = 0.000457208237574
- p = 0.000724637681152
- Ant 17 : [8, 3], 12
- Exploration
- avg = 0.00028834585734
- p = 0.000536231884053
- p = 0.000434782608257
- p = 0.000644122383246
- Ant 18 : [7, 4], 15
- Exploration
- avg = 0.000368416899295
- p = 0.000965217390435
- p = 0.000395256916996
- p = 0.000483091739126
- p = 0.000508004576655
- Ant 19: [1, 8], 19
- Exploitation
- Ant 6: [6, 5, 4], 28
- Exploitation
- Ant 1 : [3, 8, 0, 1], 32
- Exploitation
- Ant 7: [7, 4, 6], 25
- Exploitation
- Ant 8: [3, 8, 0], 22
- Exploitation
- Ant 2 : [7, 4, 6, 5], 41
- Exploration
- avg = 0.000282512225239
- p = 0.000966183573913
- Ant 9: [7, 4, 6], 25
- Exploration
- avg = 0.00025293356781
- p = 0.000434782608257
- p = 0.000644122383253
- Ant 10: [2, 7, 4], 33
- Exploration
- avg = 0.000421549846146
- p = 0.000966173913043
- p = 0.000457208237574
- p = 0.000804347826087
- Ant 3: [4, 6, 8, 3], 59
- Exploration
- avg = 0.000269668580119
- p = 0.000966173913043

```
p = 0.000457208237574
Ant 11 : [3, 8, 1], 31
Exploration
avg = 0.000299363750672
p = 0.000391300434427
p = 0.000310245626792
p = 0.000869548694948
Ant 12 : [1, 0, 8], 20
Exploration
avg = 0.000308002251288
p = 0.00096618357487
Ant 4: [2, 7, 4, 6], 43
Exploitation
Ant 13: [4, 7, 2], 33
Exploration
avg = 0.00033442314784
p = 0.000966183574879
p = 0.000644115942029
Ant 14 : [5, 4, 7], 27
Exploration
avg = 0.000319449507965
p = 0.000395256916601
p = 0.000805152898551
Ant 0: [4, 7, 2, 3, 8], 63
Exploitation
Ant 15 : [5, 4, 6], 22
Exploitation
Ant 16: [1, 8, 0], 29
Exploitation
Ant 5 : [7, 4, 6, 5], 41
Exploration
avg = 0.000284758879741
p = 0.000579710034309
p = 0.000395256916601
p = 0.000434347826083
Ant 17 : [8, 3, 7], 32
Exploration
avg = 0.000282512225377
p = 0.000966183574879
Ant 18 : [7, 4, 6], 25
Exploration
avg = 0.000319375188002
p = 0.000966183478261
p = 0.000805144927536
Ant 19: [1, 8, 3], 31
Exploration
avg = 0.000229130806136
p = 0.000276746745443
p = 0.000644122318841
Ant 6: [6, 5, 4, 7], 43
Exploitation
Ant 1: [3, 8, 0, 1, 2], 54
Exploitation
Ant 7: [7, 4, 6, 5], 41
```

```
Exploitation
Ant 8 : [3, 8, 0, 1], 32
Exploitation
Ant 2: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000227708328109
p = 0.000603864733696
p = 0.000260869565215
Ant 9: [7, 4, 6, 8], 62
Exploitation
Ant 10: [2, 7, 4, 6], 43
Exploration
avg = 0.000276329472852
p = 0.000395256916601
p = 0.000482604347826
Ant 3: [4, 6, 8, 3, 7], 79
Exploitation
Ant 11: [3, 8, 1, 0], 41
Exploration
avg = 0.000211575134794
p = 0.000805152898551
Ant 12 : [1, 0, 8, 3], 32
Exploration
avg = 0.000238585178688
p = 0.000603864733696
p = 0.000261128084606
Ant 4: [2, 7, 4, 6, 8], 80
Exploitation
Ant 13: [4, 7, 2, 3], 51
Exploitation
Ant 14 : [5, 4, 7, 2], 45
Exploration
avg = 0.00042138890517
p = 0.000966183478261
p = 0.000508004576655
Ant 0: [4, 7, 2, 3, 8, 1], 82
Exploration
avg = 0.000161124312362
p = 0.000171156479739
p = 0.000173582594605
p = 0.000204099534627
p = 0.0002611306698
Ant 15 : [5, 4, 6, 8], 59
Exploitation
Ant 16: [1, 8, 0, 4], 49
Exploration
avg = 0.000275450375072
p = 0.000310555872668
p = 0.00037807183327
p = 0.00043873517747
Ant 5 : [7, 4, 6, 5, 3], 63
Exploitation
Ant 17: [8, 3, 7, 4], 47
Exploitation
```

```
Ant 18: [7, 4, 6, 5], 41
Exploitation
Ant 19: [1, 8, 3, 4], 46
Exploration
avg = 0.000290484151225
p = 0.000536768599034
p = 0.000434782608257
Ant 6: [6, 5, 4, 7, 3], 63
Exploitation
Ant 1: [3, 8, 0, 1, 2, 7], 72
Exploration
avg = 0.000275537331672
p = 0.000310555872668
p = 0.00037807183327
p = 0.00043916996047
Ant 7: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000206899949803
p = 0.000438735177866
p = 0.00033411070207
Ant 8: [3, 8, 0, 1, 5], 58
Exploration
avg = 0.000327234769523
p = 0.000805152978261
Ant 2: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.00049646671454
p = 0.000966183478261
p = 0.000508512540046
p = 0.000805152978261
Ant 9: [7, 4, 6, 8, 3], 74
Exploration
avg = 0.000238585701016
p = 0.000603864734293
p = 0.000261130695652
Ant 10 : [2, 7, 4, 6, 8], 80
Exploitation
Ant 3: [4, 6, 8, 3, 7, 2], 97
Exploitation
Ant 11: [3, 8, 1, 0, 4], 61
Exploitation
Ant 12: [1, 0, 8, 3, 4], 47
Exploitation
Ant 4: [2, 7, 4, 6, 8, 0], 90
Exploitation
Ant 13: [4, 7, 2, 3, 8], 63
Exploration
avg = 0.000281555332283
p = 0.000355724387916
p = 0.000536763284541
Ant 14: [5, 4, 7, 2, 3], 63
Exploitation
Ant 0: [4, 7, 2, 3, 8, 1, 0], 92
Exploration
```

```
avg = 0.000492220254228
p = 0.000966183573913
p = 0.000508512540046
p = 0.000805152979058
Ant 15 : [5, 4, 6, 8, 3], 71
Exploration
avg = 0.000459472851523
p = 0.000966183574879
p = 0.000644122382609
Ant 16: [1, 8, 0, 4, 7], 64
Exploration
avg = 0.000327234769724
p = 0.000805152979066
Ant 5 : [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000325832133173
p = 0.000966183574879
Ant 17: [8, 3, 7, 4, 6], 57
Exploitation
Ant 18: [7, 4, 6, 5, 3], 63
Exploration
avg = 0.000437812240735
p = 0.000966183574879
p = 0.000644122383246
Ant 19 : [1, 8, 3, 4, 7], 61
Exploitation
Ant 6: [6, 5, 4, 7, 3, 8], 75
Exploration
avg = 0.000284960939192
p = 0.000644122383253
Ant 1: [3, 8, 0, 1, 2, 7, 4], 87
Exploration
avg = 0.000327234769724
p = 0.000805152979066
Ant 7: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000457197519515
p = 0.000805152898543
p = 0.00054347826087
Ant 8: [3, 8, 0, 1, 5, 6], 74
Exploitation
Ant 2 : [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 9: [7, 4, 6, 8, 3, 5], 96
Exploitation
Ant 10: [2, 7, 4, 6, 8, 0], 90
Exploitation
Ant 3: [4, 6, 8, 3, 7, 2, 5], 120
Exploitation
Ant 11 : [3, 8, 1, 0, 4, 6], 71
Exploration
avg = 0.000505154378204
p = 0.000966183574879
p = 0.000644122383253
```

```
Ant 12: [1, 0, 8, 3, 4, 7], 62
Exploitation
Ant 4: [2, 7, 4, 6, 8, 0, 1], 100
Exploration
avg = 0.000421515920172
p = 0.000966183574879
p = 0.000508512540046
Ant 13 : [4, 7, 2, 3, 8, 1], 82
Exploitation
Ant 14: [5, 4, 7, 2, 3, 8], 75
Exploitation
Ant 0: [4, 7, 2, 3, 8, 1, 0, 5], 120
Exploitation
Ant 15 : [5, 4, 6, 8, 3, 7], 91
Exploration
avg = 0.000307534445536
p = 0.000536768652174
p = 0.000482608695648
Ant 16 : [1, 8, 0, 4, 7, 3], 84
Exploration
avg = 0.00051895628288
p = 0.000966183574879
Ant 5 : [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000256292280667
p = 0.000603864734293
Ant 17: [8, 3, 7, 4, 6, 5], 73
Exploration
avg = 0.000327234769724
p = 0.000805152979066
Ant 18: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000237264514998
p = 0.000536768652174
Ant 19: [1, 8, 3, 4, 7, 2], 79
Exploitation
Ant 6: [6, 5, 4, 7, 3, 8, 0], 85
Exploration
avg = 0.000623461529831
p = 0.000966183574879
Ant 1 : [3, 8, 0, 1, 2, 7, 4, 6], 97
Exploration
avg = 0.000518956282881
p = 0.000966183574879
Ant 7: [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 8: [3, 8, 0, 1, 5, 6, 4], 84
Exploitation
Ant 2: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000272733258613
p = 0.000310555872668
p = 0.00037807183327
Ant 9: [7, 4, 6, 8, 3, 5, 2], 119
```

```
Exploitation
Ant 10 : [2, 7, 4, 6, 8, 0, 1], 100
Exploration
avg = 0.000220063971284
p = 0.000310555872668
Ant 3: [4, 6, 8, 3, 7, 2, 5, 0], 148
Exploration
avg = 0.000327182287844
p = 0.000603864734299
Ant 11: [3, 8, 1, 0, 4, 6, 5], 87
Exploitation
Ant 12 : [1, 0, 8, 3, 4, 7, 2], 80
Exploitation
Ant 4: [2, 7, 4, 6, 8, 0, 1, 3], 118
Exploration
avg = 0.000476156068528
p = 0.000966183478261
Ant 13 : [4, 7, 2, 3, 8, 1, 0], 92
Exploration
avg = 0.000521917279424
p = 0.000966183574879
Ant 14 : [5, 4, 7, 2, 3, 8, 0], 85
Exploitation
Ant 0: [4, 7, 2, 3, 8, 1, 0, 5, 6], 136
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 15 : [5, 4, 6, 8, 3, 7, 2], 109
Exploitation
Ant 16: [1, 8, 0, 4, 7, 3, 5], 106
Exploitation
Ant 5: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploration
avg = 0.000297984090268
p = 0.000344720465559
p = 0.000419659735346
Ant 17: [8, 3, 7, 4, 6, 5, 2], 96
Exploitation
Ant 18: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.000284260356615
p = 0.000419659734968
Ant 19: [1, 8, 3, 4, 7, 2, 5], 102
Exploitation
Ant 6: [6, 5, 4, 7, 3, 8, 0, 1], 95
Exploration
avg = 0.0006038647343
Ant 1 : [3, 8, 0, 1, 2, 7, 4, 6, 5], 113
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000613525253855
p = 0.000966183574879
Ant 7: [7, 4, 6, 5, 3, 8, 0, 1], 95
```

```
Exploration
avg = 0.000386847226576
p = 0.000644122383253
Ant 8: [3, 8, 0, 1, 5, 6, 4, 7], 99
Exploitation
Ant 2: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.00030755410771
p = 0.000355724387916
Ant 9: [7, 4, 6, 8, 3, 5, 2, 1], 141
Exploration
avg = 0.000453732983592
p = 0.000536231883575
Ant 10 : [2, 7, 4, 6, 8, 0, 1, 3], 118
Exploration
avg = 0.000966183574879
Ant 3: [4, 6, 8, 3, 7, 2, 5, 0, 1], 158
Update called by 3Exploitation
Ant thread 3 terminating. Ant 11: [3, 8, 1, 0, 4, 6, 5, 2], 110
Exploration
avg = 0.000296906560867
p = 0.000420075614363
Ant 12 : [1, 0, 8, 3, 4, 7, 2, 5], 103
Exploration
avg = 0.000439169960474
Ant 4: [2, 7, 4, 6, 8, 0, 1, 3, 5], 140
Update called by 4Exploitation
Ant thread 4 terminating. Ant 13: [4, 7, 2, 3, 8, 1, 0, 5], 120
Exploration
avg = 0.000521374444455
p = 0.000966183574879
Ant 14: [5, 4, 7, 2, 3, 8, 0, 1], 95
Exploration
avg = 0.00034886184004
p = 0.000438339852575
Ant 15 : [5, 4, 6, 8, 3, 7, 2, 1], 131
Exploitation
Ant 16: [1, 8, 0, 4, 7, 3, 5, 6], 122
Exploitation
Ant 5 : [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by 5Exploitation
Ant thread 5 terminating. Ant 17: [8, 3, 7, 4, 6, 5, 2, 1], 118
Exploitation
Ant 18: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 19: [1, 8, 3, 4, 7, 2, 5, 6], 118
```

Exploration

avg = 0.0004391743083

Ant 6: [6, 5, 4, 7, 3, 8, 0, 1, 2], 117

Update called by 6Exploitation

Ant thread 6 terminating. Ant 7: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117

Update called by 7Exploitation

Ant thread 7 terminating. Ant 8: [3, 8, 0, 1, 5, 6, 4, 7, 2], 117

Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [7, 4, 6, 8, 3, 5, 2, 1, 0], 151

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [2, 7, 4, 6, 8, 0, 1, 3, 5], 140

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [3, 8, 1, 0, 4, 6, 5, 2, 7], 128

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.000603864733696

Ant 12 : [1, 0, 8, 3, 4, 7, 2, 5, 6], 119 Update called by 12Exploration

Ant thread 12 terminating.avg = 0.000603864734293

Ant 13 : [4, 7, 2, 3, 8, 1, 0, 5, 6], 136 Update called by 13Exploration

Ant thread 13 terminating.avg = 9.10506437133e-05

Ant 14 : [5, 4, 7, 2, 3, 8, 0, 1, 6], 132 Update called by 14Exploitation

Ant thread 14 terminating.Ant 15 : [5, 4, 6, 8, 3, 7, 2, 1, 0], 141

Update called by 15Exploration

Ant thread 15 terminating.avg = 0.000173582594605

Ant 16: [1, 8, 0, 4, 7, 3, 5, 6, 2], 172 Update called by 16Exploitation

Ant thread 16 terminating. Ant 17: [8, 3, 7, 4, 6, 5, 2, 1, 0], 128

Update called by 17Exploration

Ant thread 17 terminating.avg = 0.000439174352213

```
Ant 18: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by 18Exploration
Ant thread 18 terminating.avg = 7.65653140316e-05
Ant 19: [1, 8, 3, 4, 7, 2, 5, 6, 0], 162
Update called by 19
Best: [7, 4, 6, 5, 3, 8, 0, 1, 2], 135, 11, 155
Ant thread 19 terminating.iter_counter = 12
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [4, 6], 10starting ant = 2
Explorationstarting ant = 3
avg = 0.000332497394185starting ant = 4
p = 0.000579704347816starting ant = 5
p = 0.000395256916601starting ant = 6
p = 0.000434782564826starting ant = 7
p = 0.000724637681159starting ant = 8
Ant 1: [3, 8], 12starting ant = 9
Explorationstarting ant = 10
avg = 0.00022264198164starting ant = 11
p = 0.00054347826087starting ant = 12
p = 0.00023501762632starting ant = 13
Ant 0: [4, 6, 8], 47starting ant = 14
Explorationstarting ant = 15
avg = 0.00026500589726starting ant = 16
p = 0.00048309178744starting ant = 17
p = 0.00043477826087starting ant = 18
p = 0.000579710144928starting ant = 19
Ant 2: [7, 4], 15
Exploitation
Ant 3 : [4, 6], 10
Exploration
```

```
avg = 0.000289985889598
p = 0.000395256841891
p = 0.000483091739126
p = 0.000378071795841
p = 0.000483091786957
Ant 4: [2, 7], 18
Exploration
avg = 0.000272976911753
p = 0.00048309178744
p = 0.00043477826087
p = 0.00064347826087
Ant 5 : [7, 4], 15
Exploration
avg = 0.000306629204558
p = 0.00086868782608
p = 0.00054347826087
Ant 6: [6, 5], 16
Exploration
avg = 0.000273056621898
p = 0.00048309178744
p = 0.00043477826087
p = 0.000644115942029
Ant 7: [7, 4], 15
Exploitation
Ant 8 : [3, 8], 12
Exploration
avg = 0.000249299884899
p = 0.000869565217391
p = 0.000457665857712
Ant 1: [3, 8, 1], 31
Exploitation
Ant 9: [7, 4], 15
Exploration
avg = 0.000296628401736
p = 0.000395256841891
p = 0.000483091739126
p = 0.000378071795841
p = 0.000536231884053
Ant 10: [2, 7], 18
Exploration
avg = 0.000342560799982
p = 0.000579704347816
p = 0.000395256916601
p = 0.000434782564826
p = 0.000805144927536
Ant 11: [3, 8], 12
Exploration
avg = 0.00036583885761
p = 0.000869565217391
p = 0.000395256916996
p = 0.000483086956517
p = 0.000457661286041
Ant 12: [1, 8], 19
Exploration
```

```
avg = 0.000307018232557
p = 0.000966173913043
p = 0.000579710144928
Ant 13: [4, 7], 15
Exploitation
Ant 0: [4, 6, 8, 0], 57
Exploitation
Ant 14 : [5, 4], 12
Exploitation
Ant 15 : [5, 4], 12
Exploitation
Ant 16 : [1, 0], 10
Exploitation
Ant 17 : [8, 0], 10
Exploration
avg = 0.00027305742697
p = 0.00048309178744
p = 0.00043477826087
p = 0.000644122382609
Ant 18: [7, 4], 15
Exploration
avg = 0.000384088856986
p = 0.000965217391304
p = 0.000395256916996
p = 0.000483086956517
p = 0.00050800910714
Ant 19 : [1, 8], 19
Exploitation
Ant 2: [7, 4, 6], 25
Exploration
avg = 0.000234875488439
p = 0.000603260869565
p = 0.000260869565217
Ant 3: [4, 6, 8], 47
Exploitation
Ant 4 : [2, 7, 4], 33
Exploitation
Ant 5 : [7, 4, 6], 25
Exploitation
Ant 6: [6, 5, 4], 28
Exploitation
Ant 7: [7, 4, 6], 25
Exploitation
Ant 8: [3, 8, 0], 22
Exploration
avg = 0.000346935798705
p = 0.000965217391304
p = 0.000395256916996
Ant 1: [3, 8, 1, 2], 53
Exploration
avg = 0.000268063625336
p = 0.00096618357487
Ant 9: [7, 4, 6], 25
Exploration
```

```
avg = 0.000243052518424
p = 0.00043477826087
p = 0.000644122383253
Ant 10 : [2, 7, 4], 33
Exploration
avg = 0.000270294392901
p = 0.000966183478261
p = 0.000508009152856
Ant 11: [3, 8, 1], 31
Exploration
avg = 0.000301241325516
p = 0.000966183478261
p = 0.000724637681159
Ant 12 : [1, 8, 3], 31
Exploitation
Ant 13: [4, 7, 2], 33
Exploration
avg = 0.000316643731173
p = 0.000869565217391
Ant 0: [4, 6, 8, 0, 1], 67
Exploration
avg = 0.000323894014561
p = 0.000966183574879
p = 0.00064347826087
Ant 14 : [5, 4, 7], 27
Exploration
avg = 0.000323985111869
p = 0.000966183574879
p = 0.000644115942029
Ant 15 : [5, 4, 7], 27
Exploration
avg = 0.000298004581721
p = 0.000434774347474
p = 0.000310555872417
p = 0.000868695503472
Ant 16 : [1, 0, 8], 20
Exploitation
Ant 17: [8, 0, 1], 20
Exploration
avg = 0.000268063625337
p = 0.000966183574879
Ant 18: [7, 4, 6], 25
Exploitation
Ant 19 : [1, 8, 0], 29
Exploration
avg = 0.00024344955955
p = 0.000603260869565
p = 0.000261128084606
Ant 2: [7, 4, 6, 8], 62
Exploration
avg = 0.000425076029327
p = 0.000966183573913
p = 0.000508512585808
```

p = 0.000804347826087

```
Ant 3: [4, 6, 8, 3], 59
Exploration
avg = 0.000293305085742
p = 0.000966183574879
Ant 4: [2, 7, 4, 6], 43
Exploration
avg = 0.000243449990416
p = 0.000603260869565
p = 0.0002611306698
Ant 5 : [7, 4, 6, 8], 62
Exploration
avg = 0.000216953097503
p = 0.000249072070899
p = 0.000644122318841
Ant 6: [6, 5, 4, 7], 43
Exploitation
Ant 7: [7, 4, 6, 5], 41
Exploitation
Ant 8 : [3, 8, 0, 1], 32
Exploration
avg = 0.000284251829033
p = 0.000378071795841
p = 0.000536763285024
Ant 1 : [3, 8, 1, 2, 7], 71
Exploration
avg = 0.000243549632406
p = 0.000603858695652
p = 0.000261130695652
Ant 9: [7, 4, 6, 8], 62
Exploration
avg = 0.000293305085742
p = 0.000966183574879
Ant 10 : [2, 7, 4, 6], 43
Exploitation
Ant 11 : [3, 8, 1, 0], 41
Exploration
avg = 0.000291363947899
p = 0.000579704347816
p = 0.000395256916601
p = 0.000434782564826
Ant 12 : [1, 8, 3, 7], 51
Exploitation
Ant 13: [4, 7, 2, 3], 51
Exploration
avg = 0.000333419012893
p = 0.000438735177866
p = 0.000483086956517
p = 0.000334110675248
Ant 0: [4, 6, 8, 0, 1, 5], 93
Exploitation
Ant 14: [5, 4, 7, 2], 45
Exploration
avg = 0.00025035502565
p = 0.000536763285024
```

```
p = 0.00043477826087
Ant 15 : [5, 4, 7, 3], 47
Exploration
avg = 0.000203835507788
p = 0.000805144927536
Ant 16 : [1, 0, 8, 3], 32
Exploration
avg = 0.000280014337735
p = 0.000438735177866
p = 0.000483086956517
p = 0.000371234083341
Ant 17 : [8, 0, 1, 5], 46
Exploitation
Ant 18: [7, 4, 6, 5], 41
Exploration
avg = 0.000202889428096
p = 0.000234780239547
p = 0.000434774347474
p = 0.000310555872417
Ant 19: [1, 8, 0, 5], 57
Exploitation
Ant 2: [7, 4, 6, 8, 0], 72
Exploitation
Ant 3: [4, 6, 8, 3, 7], 79
Exploration
avg = 0.000257513523312
p = 0.000603864673913
p = 0.000261130695911
Ant 4: [2, 7, 4, 6, 8], 80
Exploitation
Ant 5 : [7, 4, 6, 8, 0], 72
Exploitation
Ant 6: [6, 5, 4, 7, 2], 61
Exploration
avg = 0.00026169544484
p = 0.000310248419003
p = 0.000378071795841
p = 0.000395256916601
Ant 7: [7, 4, 6, 5, 3], 63
Exploitation
Ant 8 : [3, 8, 0, 1, 2], 54
Exploitation
Ant 1: [3, 8, 1, 2, 7, 4], 86
Exploitation
Ant 9: [7, 4, 6, 8, 0], 72
Exploitation
Ant 10 : [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000230739029533
p = 0.000234780239547
p = 0.000434774347474
p = 0.000344720465556
Ant 11: [3, 8, 1, 0, 5], 69
Exploitation
```

```
Ant 12: [1, 8, 3, 7, 4], 66
Exploitation
Ant 13: [4, 7, 2, 3, 8], 63
Exploitation
Ant 0: [4, 6, 8, 0, 1, 5, 3], 115
Exploitation
Ant 14: [5, 4, 7, 2, 3], 63
Exploitation
Ant 15 : [5, 4, 7, 3, 8], 59
Exploration
avg = 0.000339736413007
p = 0.000579704347816
p = 0.000395256916601
p = 0.000483086956517
Ant 16 : [1, 0, 8, 3, 7], 52
Exploration
avg = 0.000451550258515
p = 0.000805152898551
p = 0.00054347826087
Ant 17: [8, 0, 1, 5, 6], 62
Exploration
avg = 0.000270478053615
p = 0.000310248419003
p = 0.000378071795841
p = 0.000439169960474
Ant 18: [7, 4, 6, 5, 3], 63
Exploitation
Ant 19: [1, 8, 0, 5, 4], 69
Exploitation
Ant 2: [7, 4, 6, 8, 0, 1], 82
Exploitation
Ant 3: [4, 6, 8, 3, 7, 2], 97
Exploration
avg = 0.000597033572271
p = 0.000966183574879
p = 0.000805152898551
Ant 4: [2, 7, 4, 6, 8, 3], 92
Exploration
avg = 0.00041095798475
p = 0.000966183573913
Ant 5 : [7, 4, 6, 8, 0, 1], 82
Exploitation
Ant 6: [6, 5, 4, 7, 2, 3], 79
Exploration
avg = 0.000314640117227
p = 0.000805152979058
Ant 7: [7, 4, 6, 5, 3, 8], 75
Exploration
avg = 0.000296954753605
p = 0.000378071795841
p = 0.000536768599034
Ant 8: [3, 8, 0, 1, 2, 7], 72
Exploration
avg = 0.000456816144322
```

```
p = 0.000966183574879
Ant 1: [3, 8, 1, 2, 7, 4, 6], 96
Exploration
avg = 0.000410957984989
p = 0.00096618357487
Ant 9: [7, 4, 6, 8, 0, 1], 82
Exploitation
Ant 10 : [2, 7, 4, 6, 5, 3], 81
Exploration
avg = 0.000469591005126
p = 0.000805152978261
p = 0.000603260869565
Ant 11 : [3, 8, 1, 0, 5, 6], 85
Exploitation
Ant 12: [1, 8, 3, 7, 4, 6], 76
Exploitation
Ant 13 : [4, 7, 2, 3, 8, 0], 73
Exploitation
Ant 0: [4, 6, 8, 0, 1, 5, 3, 7], 135
Exploitation
Ant 14: [5, 4, 7, 2, 3, 8], 75
Exploitation
Ant 15 : [5, 4, 7, 3, 8, 0], 69
Exploration
avg = 0.000342643856579
p = 0.000536768652174
p = 0.000644122383253
Ant 16: [1, 0, 8, 3, 7, 4], 67
Exploitation
Ant 17: [8, 0, 1, 5, 6, 4], 72
Exploitation
Ant 18: [7, 4, 6, 5, 3, 8], 75
Exploitation
Ant 19 : [1, 8, 0, 5, 4, 6], 79
Exploration
avg = 0.000431287411471
p = 0.000439169960474
p = 0.000483086956517
Ant 2: [7, 4, 6, 8, 0, 1, 3], 100
Exploitation
Ant 3: [4, 6, 8, 3, 7, 2, 1], 119
Exploitation
Ant 4: [2, 7, 4, 6, 8, 3, 5], 114
Exploration
avg = 0.000449002371215
p = 0.000536231835749
Ant 5 : [7, 4, 6, 8, 0, 1, 3], 100
Exploration
avg = 0.000363372259348
p = 0.000805152979066
Ant 6: [6, 5, 4, 7, 2, 3, 8], 91
Exploration
avg = 0.00051621568312
p = 0.000966183574879
```

```
Ant 7: [7, 4, 6, 5, 3, 8, 0], 85
Exploitation
Ant 8: [3, 8, 0, 1, 2, 7, 4], 87
Exploitation
Ant 1: [3, 8, 1, 2, 7, 4, 6, 5], 112
Exploitation
Ant 9: [7, 4, 6, 8, 0, 1, 3], 100
Exploitation
Ant 10: [2, 7, 4, 6, 5, 3, 8], 93
Exploration
avg = 0.000440878118317
p = 0.000965208617391
Ant 11: [3, 8, 1, 0, 5, 6, 4], 95
Exploitation
Ant 12: [1, 8, 3, 7, 4, 6, 5], 92
Exploration
avg = 0.000460051489665
p = 0.000966183574879
Ant 13 : [4, 7, 2, 3, 8, 0, 1], 83
Exploitation
Ant 0: [4, 6, 8, 0, 1, 5, 3, 7, 2], 153
Update called by OExploration
Ant thread 0 terminating.avg = 0.00051888058001
p = 0.000966183574879
Ant 14 : [5, 4, 7, 2, 3, 8, 0], 85
Exploitation
Ant 15 : [5, 4, 7, 3, 8, 0, 1], 79
Exploration
avg = 0.000445154658031
p = 0.000966183574879
Ant 16 : [1, 0, 8, 3, 7, 4, 6], 77
Exploration
avg = 0.000336603105473
p = 0.000644122382609
Ant 17: [8, 0, 1, 5, 6, 4, 7], 87
Exploitation
Ant 18: [7, 4, 6, 5, 3, 8, 0], 85
Exploration
avg = 0.00014320529693
p = 0.000173736156395
p = 0.000183689581164
Ant 19: [1, 8, 0, 5, 4, 6, 7], 110
Exploitation
Ant 2 : [7, 4, 6, 8, 0, 1, 3, 5], 122
Exploration
avg = 0.000668889615233
p = 0.000966173913043
Ant 3: [4, 6, 8, 3, 7, 2, 1, 0], 129
Exploitation
Ant 4: [2, 7, 4, 6, 8, 3, 5, 0], 142
Exploitation
Ant 5 : [7, 4, 6, 8, 0, 1, 3, 5], 122
```

```
Exploitation
Ant 6: [6, 5, 4, 7, 2, 3, 8, 0], 101
Exploitation
Ant 7: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 8: [3, 8, 0, 1, 2, 7, 4, 6], 97
Exploitation
Ant 1: [3, 8, 1, 2, 7, 4, 6, 5, 0], 140
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000303808999585
p = 0.0004391743083
Ant 9: [7, 4, 6, 8, 0, 1, 3, 5], 122
Exploration
avg = 0.000737348080343
p = 0.000966183574879
Ant 10 : [2, 7, 4, 6, 5, 3, 8, 0], 103
Exploitation
Ant 11: [3, 8, 1, 0, 5, 6, 4, 7], 110
Exploitation
Ant 12: [1, 8, 3, 7, 4, 6, 5, 2], 115
Exploration
avg = 0.000302546111637
p = 0.000371605317422
Ant 13: [4, 7, 2, 3, 8, 0, 1, 5], 109
Exploitation
Ant 14: [5, 4, 7, 2, 3, 8, 0, 1], 95
Exploration
avg = 0.000336328433163
p = 0.000439169960474
Ant 15 : [5, 4, 7, 3, 8, 0, 1, 2], 101
Exploitation
Ant 16: [1, 0, 8, 3, 7, 4, 6, 5], 93
Exploitation
Ant 17: [8, 0, 1, 5, 6, 4, 7, 2], 105
Exploration
avg = 0.000600481907213
p = 0.000966183574879
Ant 18: [7, 4, 6, 5, 3, 8, 0, 1], 95
Exploitation
Ant 19: [1, 8, 0, 5, 4, 6, 7, 2], 128
Exploitation
Ant 2 : [7, 4, 6, 8, 0, 1, 3, 5, 2], 145
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000345062111488
Ant 3: [4, 6, 8, 3, 7, 2, 1, 0, 5], 157
ExploitationUpdate called by 3
Ant 4: [2, 7, 4, 6, 8, 3, 5, 0, 1], 152Ant thread 3 terminating.
```

Update called by 4Exploration

Ant thread 4 terminating.avg = 0.000420075614363

Ant 5 : [7, 4, 6, 8, 0, 1, 3, 5, 2], 145 Update called by 5Exploration

Ant thread 5 terminating.avg = 0.000966183574879

Ant 6: [6, 5, 4, 7, 2, 3, 8, 0, 1], 111 Update called by 6Exploitation

Ant thread 6 terminating. Ant 7 : [7, 4, 6, 5, 3, 8, 0, 1, 2], 117

Update called by 7Exploitation

Ant thread 7 terminating. Ant 8: [3, 8, 0, 1, 2, 7, 4, 6, 5], 113

Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [7, 4, 6, 8, 0, 1, 3, 5, 2], 145

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [2, 7, 4, 6, 5, 3, 8, 0, 1], 113

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [3, 8, 1, 0, 5, 6, 4, 7, 2], 128

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [1, 8, 3, 7, 4, 6, 5, 2, 0], 145

Update called by 12Exploration

Ant thread 12 terminating.avg = 0.000603858695652

Ant 13 : [4, 7, 2, 3, 8, 0, 1, 5, 6], 125 Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [5, 4, 7, 2, 3, 8, 0, 1, 6], 132

Update called by 14Exploration

Ant thread 14 terminating.avg = 0.000156363756635

Ant 15 : [5, 4, 7, 3, 8, 0, 1, 2, 6], 151 Update called by 15Exploitation

Ant thread 15 terminating. Ant 16: [1, 0, 8, 3, 7, 4, 6, 5, 2], 116

Update called by 16Exploitation

Ant thread 16 terminating. Ant 17 : [8, 0, 1, 5, 6, 4, 7, 2, 3], 123

```
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18: [7, 4, 6, 5, 3, 8, 0, 1, 2], 117
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19: [1, 8, 0, 5, 4, 6, 7, 2, 3], 146
Update called by 19
Best: [7, 4, 6, 5, 3, 8, 0, 1, 2], 135, 12, 152
Ant thread 19 terminating.
                     Results
Best path = [7, 4, 6, 5, 3, 8, 0, 1, 2]
('H',)
('E',)
('G',)
('F',)
('D',)
('I',)
('A',)
('B',)
('C',)
Best path cost = 135
 RESTART: C:\Users\teleuser\Documents\Kantor\Kuliah\Master\Semester
3\Perencanaan
Jaringan\Tugas\program\Python\tsp-atncolony\Python-Ant-Colony-TSP-Solver-master\
pickled.py
>>>
 RESTART: C:\Users\teleuser\Documents\Kantor\Kuliah\Master\Semester
Jaringan\Tugas\program\Python\tsp-atncolony\Python-Ant-Colony-TSP-Solver-master\
anttsp.py
[[0, 10, 30, 31, 20, 28, 44, 43, 10, 21], [10, 0, 22, 18, 40, 26, 37, 39, 19,
39], [30, 22, 0, 18, 26, 23, 50, 18, 41, 41], [31, 18, 18, 0, 15, 22, 42, 20,
12, 30], [20, 40, 26, 15, 0, 12, 10, 15, 47, 34], [28, 26, 23, 22, 12, 0, 16,
33, 28, 18], [44, 37, 50, 42, 10, 16, 0, 31, 37, 48], [43, 39, 18, 20, 15, 33,
31, 0, 34, 45], [10, 19, 41, 12, 47, 28, 37, 34, 0, 28], [21, 39, 41, 30, 34,
18, 48, 45, 28, 0]]
10
Average = 25
Tau0 = 0.008
iter counter = 1
starting ant = 0
Explorationstarting ant = 1
```

avg = 0.00029882866528starting ant = 2

```
p = 0.0008starting ant = 3
p = 0.0005starting ant = 4
Ant 0 : [6, 5], 16starting ant = 5
Explorationstarting ant = 6
avg = 0.000302772690698starting ant = 7
p = 0.000363636363636363634 ant = 8
p = 0.000307692307692starting ant = 10
p = 0.000347826086957starting ant = 11
Ant 1 : [2, 7], 18starting ant = 13
Exploitationstarting ant = 14
Ant 2 : [6, 4], 10starting ant = 15
Explorationstarting ant = 16
avg = 0.000351477597092starting ant = 17
p = 0.0008starting ant = 18
p = 0.0003636363636363634 ant = 19
p = 0.000421052631579
Ant 3: [1, 8], 19
Exploitation
Ant 4: [7, 4], 15
Exploration
avg = 0.000368014835406
p = 0.0006666666666667
p = 0.0004444444444444
Ant 0: [6, 5, 9], 34
Exploration
avg = 0.000302772690698
p = 0.000363636363636
p = 0.000444444444444
p = 0.000307692307692
p = 0.000347826086957
Ant 5 : [2, 7], 18
Exploration
```

```
avg = 0.000363999213413
p = 0.0008
p = 0.000421052631579
Ant 6: [8, 3], 12
Exploitation
Ant 7: [0, 1], 10
Exploitation
Ant 8: [4, 6], 10
Exploration
avg = 0.0003964147362
p = 0.0004
Ant 9 : [3, 8], 12
Exploitation
Ant 10 : [2, 3], 18
Exploitation
Ant 11 : [1, 0], 10
Exploitation
Ant 12: [9, 5], 18
Exploitation
Ant 1 : [2, 7, 4], 33
Exploration
avg = 0.000395473615879
p = 0.0008
p = 0.0004
p = 0.0008
Ant 13 : [0, 8], 10
Exploitation
Ant 14: [0, 1], 10
Exploitation
Ant 2: [6, 4, 5], 22
Exploration
avg = 0.000382679853694
p = 0.0006666666666667
p = 0.0005
p = 0.0004444444444444
Ant 15 : [5, 9], 18
Exploration
avg = 0.000382679853694
p = 0.0005
Ant 16: [5, 9], 18
Exploitation
Ant 17: [6, 4], 10
Exploitation
Ant 18: [8, 0], 10
Exploitation
Ant 19: [2, 3], 18
Exploration
```

```
avg = 0.000356867536142
p = 0.0008
p = 0.000666666666667
Ant 3: [1, 8, 3], 31
Exploitation
Ant 4: [7, 4, 6], 25
Exploitation
Ant 0: [6, 5, 9, 0], 55
Exploitation
Ant 5 : [2, 7, 4], 33
Exploitation
Ant 6: [8, 3, 4], 27
Exploration
avg = 0.000295412296728
p = 0.000363636363636
p = 0.000307692307692
p = 0.000421052631579
Ant 7: [0, 1, 8], 29
Exploration
avg = 0.00023618224844
p = 0.0005
p = 0.000258064516129
Ant 8: [4, 6, 7], 41
Exploitation
Ant 9: [3, 8, 0], 22
Exploitation
Ant 10 : [2, 3, 8], 30
Exploration
avg = 0.000344907817864
p = 0.0004
p = 0.0008
p = 0.000380952380952
Ant 11 : [1, 0, 9], 31
Exploitation
Ant 12 : [9, 5, 4], 30
Exploitation
Ant 1: [2, 7, 4, 6], 43
Exploitation
Ant 13 : [0, 8, 3], 22
Exploration
avg = 0.000295412296728
p = 0.000363636363636
p = 0.000307692307692
p = 0.000421052631579
Ant 14 : [0, 1, 8], 29
Exploitation
Ant 2: [6, 4, 5, 9], 40
Exploitation
Ant 15 : [5, 9, 0], 39
Exploitation
Ant 16: [5, 9, 0], 39
Exploration
```

```
avg = 0.000380816565579
p = 0.0004
p = 0.000666666666667
Ant 17 : [6, 4, 7], 25
Exploitation
Ant 18 : [8, 0, 1], 20
Exploitation
Ant 19 : [2, 3, 8], 30
Exploitation
Ant 3: [1, 8, 3, 4], 46
Exploitation
Ant 4: [7, 4, 6, 5], 41
Exploitation
Ant 0: [6, 5, 9, 0, 1], 65
Exploitation
Ant 5 : [2, 7, 4, 6], 43
Exploration
avg = 0.000448998060763
p = 0.0008
Ant 6: [8, 3, 4, 7], 42
Exploration
avg = 0.000293562898448
Ant 7 : [0, 1, 8, 3], 41
Exploitation
Ant 8: [4, 6, 7, 2], 59
Exploration
avg = 0.000357314003826
p = 0.0008
p = 0.0004
p = 0.000380952380952
Ant 9: [3, 8, 0, 9], 43
Exploration
avg = 0.000344886328975
p = 0.0008
p = 0.000421052631579
Ant 10 : [2, 3, 8, 1], 49
Exploration
avg = 0.000253097987162
p = 0.000266666666667
p = 0.000285714285714
Ant 11 : [1, 0, 9, 8], 59
Exploitation
Ant 12: [9, 5, 4, 6], 40
Exploitation
Ant 1: [2, 7, 4, 6, 5], 59
Exploitation
Ant 13: [0, 8, 3, 4], 37
Exploration
```

```
avg = 0.000293562898448
Ant 14 : [0, 1, 8, 3], 41
Exploitation
Ant 2: [6, 4, 5, 9, 0], 61
Exploration
avg = 0.00041322798232
p = 0.0008
p = 0.0008
Ant 15 : [5, 9, 0, 8], 49
Exploration
avg = 0.00041322798232
p = 0.0008
p = 0.0008
Ant 16: [5, 9, 0, 8], 49
Exploration
avg = 0.000270159328436
p = 0.0004444444444444
p = 0.0004
Ant 17: [6, 4, 7, 3], 45
Exploitation
Ant 18: [8, 0, 1, 3], 38
Exploration
avg = 0.000344886328975
p = 0.0008
p = 0.000421052631579
Ant 19 : [2, 3, 8, 1], 49
Exploration
avg = 0.000490497737557
p = 0.0006666666666667
p = 0.0008
Ant 3: [1, 8, 3, 4, 7], 61
Exploitation
Ant 4: [7, 4, 6, 5, 9], 59
Exploration
avg = 0.000326852328958
p = 0.000363636363636
p = 0.000444444444444
p = 0.000421052631579
Ant 0: [6, 5, 9, 0, 1, 8], 84
Exploration
avg = 0.000245232245232
p = 0.0005
Ant 5 : [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000252314282922
p = 0.000258064516129
Ant 6: [8, 3, 4, 7, 6], 73
Exploitation
Ant 7: [0, 1, 8, 3, 4], 56
Exploration
avg = 0.000302136244024
```

```
p = 0.000363636363636
p = 0.000347826086957
Ant 8: [4, 6, 7, 2, 5], 82
Exploitation
Ant 9: [3, 8, 0, 9, 5], 61
Exploitation
Ant 10 : [2, 3, 8, 1, 0], 59
Exploitation
Ant 11 : [1, 0, 9, 8, 3], 71
Exploration
avg = 0.000203798553476
p = 0.000216216216216
p = 0.000258064516129
p = 0.000216216216216
Ant 12: [9, 5, 4, 6, 8], 77
Exploitation
Ant 1: [2, 7, 4, 6, 5, 9], 77
Exploitation
Ant 13 : [0, 8, 3, 4, 6], 47
Exploitation
Ant 14: [0, 1, 8, 3, 4], 56
Exploitation
Ant 2 : [6, 4, 5, 9, 0, 1], 71
Exploration
avg = 0.000317427391548
p = 0.000421052631579
Ant 15 : [5, 9, 0, 8, 3], 61
Exploration
avg = 0.000317427391548
p = 0.000421052631579
p = 0.000666666666667
Ant 16: [5, 9, 0, 8, 3], 61
Exploitation
Ant 17 : [6, 4, 7, 3, 8], 57
Exploration
avg = 0.000366426166426
p = 0.0004
Ant 18: [8, 0, 1, 3, 7], 58
Exploitation
Ant 19 : [2, 3, 8, 1, 0], 59
Exploitation
Ant 3: [1, 8, 3, 4, 7, 2], 79
Exploration
avg = 0.000266716697936
p = 0.000380952380952
p = 0.000285714285714
Ant 4: [7, 4, 6, 5, 9, 8], 87
Exploration
avg = 0.000316823875373
p = 0.000666666666666
```

```
Ant 0: [6, 5, 9, 0, 1, 8, 3], 96
Exploitation
Ant 5 : [2, 7, 4, 6, 5, 9], 77
Exploitation
Ant 6: [8, 3, 4, 7, 6, 5], 89
Exploitation
Ant 7: [0, 1, 8, 3, 4, 6], 66
Exploitation
Ant 8: [4, 6, 7, 2, 5, 9], 100
Exploration
avg = 0.000412921860748
p = 0.000666666666667
p = 0.0005
Ant 9: [3, 8, 0, 9, 5, 6], 77
Exploitation
Ant 10: [2, 3, 8, 1, 0, 4], 79
Exploration
avg = 0.000386378066378
p = 0.0004
Ant 11 : [1, 0, 9, 8, 3, 7], 91
Exploration
avg = 0.000463627073422
p = 0.0008
Ant 12: [9, 5, 4, 6, 8, 3], 89
Exploration
avg = 0.000284615384615
p = 0.000380952380952
p = 0.000285714285714
Ant 1: [2, 7, 4, 6, 5, 9, 8], 105
Exploitation
Ant 13: [0, 8, 3, 4, 6, 5], 63
Exploration
avg = 0.000508597285068
p = 0.0008
Ant 14 : [0, 1, 8, 3, 4, 7], 71
Exploration
avg = 0.000358565411197
p = 0.000363636363636
p = 0.000421052631579
Ant 2: [6, 4, 5, 9, 0, 1, 8], 90
Exploration
avg = 0.00040253968254
p = 0.000444444444444
Ant 15 : [5, 9, 0, 8, 3, 4], 76
Exploitation
Ant 16: [5, 9, 0, 8, 3, 4], 76
```

```
Exploration
avg = 0.000397520630845
p = 0.0008
p = 0.000421052631579
Ant 17: [6, 4, 7, 3, 8, 1], 76
Exploration
avg = 0.000331208862822
Ant 18: [8, 0, 1, 3, 7, 4], 73
Exploitation
Ant 19: [2, 3, 8, 1, 0, 4], 79
Exploitation
Ant 3 : [1, 8, 3, 4, 7, 2, 5], 102
Exploration
avg = 0.000520710312366
p = 0.0008
Ant 4: [7, 4, 6, 5, 9, 8, 3], 99
Exploitation
Ant 0: [6, 5, 9, 0, 1, 8, 3, 4], 111
Exploration
avg = 0.000284615384615
p = 0.000380952380952
p = 0.000285714285714
Ant 5 : [2, 7, 4, 6, 5, 9, 8], 105
Exploitation
Ant 6: [8, 3, 4, 7, 6, 5, 9], 107
Exploration
avg = 0.000271182795699
p = 0.0005
Ant 7: [0, 1, 8, 3, 4, 6, 5], 82
Exploration
avg = 0.000284615384615
p = 0.000380952380952
p = 0.000285714285714
Ant 8: [4, 6, 7, 2, 5, 9, 8], 128
Exploration
avg = 0.000358570183086
p = 0.0008
Ant 9: [3, 8, 0, 9, 5, 6, 4], 87
Exploitation
Ant 10 : [2, 3, 8, 1, 0, 4, 6], 89
Exploration
avg = 0.000369566634083
Ant 11 : [1, 0, 9, 8, 3, 7, 4], 106
Exploration
avg = 0.000386738351254
p = 0.0004
Ant 12: [9, 5, 4, 6, 8, 3, 7], 109
```

```
Exploration
avg = 0.000629239766082
p = 0.0008
Ant 1: [2, 7, 4, 6, 5, 9, 8, 3], 117
Exploitation
Ant 13 : [0, 8, 3, 4, 6, 5, 9], 81
Exploitation
Ant 14: [0, 1, 8, 3, 4, 7, 2], 89
Exploitation
Ant 2: [6, 4, 5, 9, 0, 1, 8, 3], 102
Exploration
avg = 0.000460256410256
p = 0.0008
Ant 15 : [5, 9, 0, 8, 3, 4, 7], 91
Exploitation
Ant 16: [5, 9, 0, 8, 3, 4, 6], 86
Exploration
avg = 0.000419114219114
p = 0.0008
Ant 17 : [6, 4, 7, 3, 8, 1, 0], 86
Exploration
avg = 0.000502413273002
p = 0.0006666666666667
p = 0.0008
Ant 18: [8, 0, 1, 3, 7, 4, 6], 83
Exploitation
Ant 19: [2, 3, 8, 1, 0, 4, 6], 89
Exploitation
Ant 3: [1, 8, 3, 4, 7, 2, 5, 6], 118
Exploration
avg = 0.000382317801673
Ant 4: [7, 4, 6, 5, 9, 8, 3, 2], 117
Exploitation
Ant 0: [6, 5, 9, 0, 1, 8, 3, 4, 7], 126
Exploration
avg = 0.000629239766082
p = 0.0008
Ant 5 : [2, 7, 4, 6, 5, 9, 8, 3], 117
Exploration
avg = 0.000260400845767
p = 0.000380952380952
Ant 6: [8, 3, 4, 7, 6, 5, 9, 0], 128
Exploitation
Ant 7: [0, 1, 8, 3, 4, 6, 5, 9], 100
Exploration
avg = 0.000629239766082
p = 0.0008
p = 0.000666666666667
Ant 8: [4, 6, 7, 2, 5, 9, 8, 3], 140
```

```
Exploration
avg = 0.000347008547009
Ant 9: [3, 8, 0, 9, 5, 6, 4, 7], 102
Exploration
avg = 0.000308243727599
p = 0.0005
Ant 10 : [2, 3, 8, 1, 0, 4, 6, 5], 105
Exploitation
Ant 11: [1, 0, 9, 8, 3, 7, 4, 6], 116
Exploitation
Ant 12: [9, 5, 4, 6, 8, 3, 7, 2], 127
Exploitation
Ant 1: [2, 7, 4, 6, 5, 9, 8, 3, 1], 135
Exploitation
Ant 13: [0, 8, 3, 4, 6, 5, 9, 1], 120
Exploration
avg = 0.000234316012725
p = 0.000347826086957
Ant 14 : [0, 1, 8, 3, 4, 7, 2, 5], 112
Exploration
avg = 0.00042222222222
p = 0.0004444444444444
Ant 2 : [6, 4, 5, 9, 0, 1, 8, 3, 2], 120
Exploitation
Ant 15 : [5, 9, 0, 8, 3, 4, 7, 2], 109
Exploration
avg = 0.000211426910782
p = 0.000216216216216
p = 0.000258064516129
Ant 16: [5, 9, 0, 8, 3, 4, 6, 7], 117
Exploitation
Ant 17 : [6, 4, 7, 3, 8, 1, 0, 9], 107
Exploitation
Ant 18: [8, 0, 1, 3, 7, 4, 6, 5], 99
Exploration
avg = 0.000308243727599
p = 0.0005
Ant 19: [2, 3, 8, 1, 0, 4, 6, 5], 105
Exploitation
Ant 3: [1, 8, 3, 4, 7, 2, 5, 6, 0], 162
Exploitation
Ant 4: [7, 4, 6, 5, 9, 8, 3, 2, 1], 139
Exploitation
Ant 0: [6, 5, 9, 0, 1, 8, 3, 4, 7, 2], 144
Update called by <code>OExploitation</code>
Ant thread 0 terminating.Ant 5 : [2, 7, 4, 6, 5, 9, 8, 3, 1], 135
Exploitation
Ant 6: [8, 3, 4, 7, 6, 5, 9, 0, 1], 138
Exploration
avg = 0.000186449864499
p = 0.00019512195122
```

```
Ant 7: [0, 1, 8, 3, 4, 6, 5, 9, 2], 141
Exploitation
Ant 8: [4, 6, 7, 2, 5, 9, 8, 3, 1], 158
Exploration
avg = 0.000324786324786
Ant 9: [3, 8, 0, 9, 5, 6, 4, 7, 2], 120
Exploitation
Ant 10: [2, 3, 8, 1, 0, 4, 6, 5, 9], 123
Exploration
avg = 0.00033
p = 0.0005
Ant 11 : [1, 0, 9, 8, 3, 7, 4, 6, 5], 132
Exploration
avg = 0.000315151515152
p = 0.000363636363636
Ant 12: [9, 5, 4, 6, 8, 3, 7, 2, 1], 149
Exploration
avg = 0.0008
Ant 1: [2, 7, 4, 6, 5, 9, 8, 3, 1, 0], 145
Update called by 1Exploitation
Ant thread 1 terminating. Ant 13: [0, 8, 3, 4, 6, 5, 9, 1, 2], 142
Exploration
avg = 0.00047222222222
p = 0.0005
Ant 14: [0, 1, 8, 3, 4, 7, 2, 5, 6], 128
Exploitation
Ant 2 : [6, 4, 5, 9, 0, 1, 8, 3, 2, 7], 138
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000261818181818
p = 0.000363636363636
Ant 15 : [5, 9, 0, 8, 3, 4, 7, 2, 1], 131
Exploration
avg = 0.000324786324786
Ant 16: [5, 9, 0, 8, 3, 4, 6, 7, 2], 135
Exploration
avg = 0.000319783197832
Ant 17: [6, 4, 7, 3, 8, 1, 0, 9, 5], 125
Exploitation
Ant 18: [8, 0, 1, 3, 7, 4, 6, 5, 9], 117
Exploration
avg = 0.00034343434343434
p = 0.000444444444444
Ant 19: [2, 3, 8, 1, 0, 4, 6, 5, 9], 123
Exploitation
Ant 3 : [1, 8, 3, 4, 7, 2, 5, 6, 0, 9], 183
Update called by 3Exploration
```

Ant thread 3 terminating.avg = 0.0008

Ant 4 : [7, 4, 6, 5, 9, 8, 3, 2, 1, 0], 149 Update called by 4Exploration

Ant thread 4 terminating.avg = 0.0008

Ant 5 : [2, 7, 4, 6, 5, 9, 8, 3, 1, 0], 145 ExplorationUpdate called by 5

avg = 0.000363636363636Ant thread 5 terminating.

Ant 6: [8, 3, 4, 7, 6, 5, 9, 0, 1, 2], 160 ExplorationUpdate called by 6

avg = 0.0004444444444444 thread 6 terminating.

Ant 7: [0, 1, 8, 3, 4, 6, 5, 9, 2, 7], 159 Update called by 7Exploitation

Ant thread 7 terminating. Ant 8: [4, 6, 7, 2, 5, 9, 8, 3, 1, 0], 168

Update called by 8Exploration

Ant thread 8 terminating.avg = 0.00036363636363636

Ant 9: [3, 8, 0, 9, 5, 6, 4, 7, 2, 1], 142 Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [2, 3, 8, 1, 0, 4, 6, 5, 9, 7], 168

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.000347826086957

Ant 11 : [1, 0, 9, 8, 3, 7, 4, 6, 5, 2], 155 Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [9, 5, 4, 6, 8, 3, 7, 2, 1, 0], 159

Update called by 12Exploration

Ant 13 : [0, 8, 3, 4, 6, 5, 9, 1, 2, 7], 160 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.000166666666667

Ant 14: [0, 1, 8, 3, 4, 7, 2, 5, 6, 9], 176 Update called by 14Exploitation

Ant thread 14 terminating. Ant 15: [5, 9, 0, 8, 3, 4, 7, 2, 1, 6], 168

```
Ant thread 15 terminating.avg = 0.00036363636363636
Ant 16: [5, 9, 0, 8, 3, 4, 6, 7, 2, 1], 157
Update called by 16Exploration
Ant thread 16 terminating.avg = 0.000347826086957
Ant 17: [6, 4, 7, 3, 8, 1, 0, 9, 5, 2], 148
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18: [8, 0, 1, 3, 7, 4, 6, 5, 9, 2], 158
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19: [2, 3, 8, 1, 0, 4, 6, 5, 9, 7], 168
Update called by 19
Best: [3, 8, 0, 9, 5, 6, 4, 7, 2, 1], 160, 1, 188
Ant thread 19 terminating.iter_counter = 2
starting ant = 0
Explorationstarting ant = 1
avg = 0.000268945798752starting ant = 2
p = 0.00072starting ant = 3
p = 0.00045starting ant = 4
Ant 0 : [6, 5], 16starting ant = 5
Explorationstarting ant = 6
avg = 0.000272495421628starting ant = 7
p = 0.000327272727273starting ant = 8
p = 0.0004starting ant = 9
p = 0.000276923076923starting ant = 10
p = 0.000313043478261starting ant = 11
p = 0.0004starting ant = 12
Ant 1 : [2, 7], 18starting ant = 13
Explorationstarting ant = 14
avg = 0.000274445798752starting ant = 15
p = 0.00072starting ant = 16
```

Update called by 15Exploration

```
Ant 2: [6, 5], 16starting ant = 18
Exploitationstarting ant = 19
Ant 3: [1, 0], 10
Exploration
avg = 0.000268251314851
p = 0.0004
p = 0.00036
p = 0.00048
Ant 4: [7, 4], 15
Exploration
avg = 0.000331213351866
p = 0.0006
p = 0.0004
Ant 0: [6, 5, 9], 34
Exploitation
Ant 5 : [2, 7], 18
Exploitation
Ant 6: [8, 0], 10
Exploitation
Ant 7: [0, 1], 10
Exploitation
Ant 8: [4, 6], 10
Exploitation
Ant 9: [3, 8], 12
Exploitation
Ant 10 : [2, 7], 18
Exploration
avg = 0.000325129837382
p = 0.0007992
p = 0.000327272727273
p = 0.0004
p = 0.000378947368421
Ant 11: [1, 8], 19
Exploitation
Ant 12: [9, 5], 18
Exploration
avg = 0.000258382729208
p = 0.00036
p = 0.0005328
Ant 1: [2, 7, 4], 33
Exploration
avg = 0.000364726254291
p = 0.0007992
p = 0.00072
Ant 13: [0, 8], 10
Exploitation
Ant 14 : [0, 1], 10
Exploitation
Ant 15 : [5, 4], 12
```

p = 0.0004995starting ant = 17

```
Exploration
avg = 0.000356634090547
p = 0.000666
p = 0.00045
p = 0.000444
Ant 16: [5, 9], 18
Exploration
avg = 0.000274500798752
p = 0.00072
p = 0.000499995
Ant 17: [6, 5], 16
Exploration
avg = 0.000345018351866
p = 0.000666
p = 0.00044444
Ant 2: [6, 5, 9], 34
Exploitation
Ant 18: [8, 0], 10
Exploration
avg = 0.000277433688295
p = 0.000327272727273
p = 0.0004
p = 0.000313043478261
p = 0.0004444444
Ant 19: [2, 7], 18
Exploitation
Ant 3: [1, 0, 8], 20
Exploration
avg = 0.000382634909021
p = 0.00048
p = 0.0006
p = 0.0007992
Ant 4: [7, 4, 6], 25
Exploitation
Ant 0: [6, 5, 9, 0], 55
Exploration
avg = 0.000258448729208
p = 0.00036
p = 0.000533328
Ant 5 : [2, 7, 4], 33
Exploitation
Ant 6: [8, 0, 1], 20
Exploitation
Ant 7: [0, 1, 8], 29
Exploitation
Ant 8: [4, 6, 5], 26
Exploitation
Ant 9 : [3, 8, 0], 22
Exploration
avg = 0.000258449389208
p = 0.00036
p = 0.000533333328
Ant 10 : [2, 7, 4], 33
Exploitation
```

```
Ant 11 : [1, 8, 0], 29
Exploration
avg = 0.000345713351866
p = 0.000666
p = 0.00045
Ant 12: [9, 5, 6], 34
Exploitation
Ant 1 : [2, 7, 4, 6], 43
Exploration
avg = 0.00027854920358
p = 0.000378947368421
p = 0.0006
Ant 13 : [0, 8, 3], 22
Exploitation
Ant 14: [0, 1, 8], 29
Exploration
avg = 0.000367734899021
p = 0.00048
p = 0.00079999992
p = 0.00048
Ant 15 : [5, 4, 7], 27
Exploitation
Ant 16 : [5, 9, 0], 39
Exploitation
Ant 17 : [6, 5, 4], 28
Exploration
avg = 0.000230011610738
p = 0.000380948571429
p = 0.00024
p = 0.000257142857143
Ant 2 : [6, 5, 9, 8], 62
Exploration
avg = 0.000320417026077
p = 0.00079999992
p = 0.00036
p = 0.000342857142857
Ant 18: [8, 0, 9], 31
Exploitation
Ant 19: [2, 7, 4], 33
Exploration
avg = 0.000273635180032
p = 0.000666
Ant 3: [1, 0, 8, 3], 32
Exploration
avg = 0.000216893446251
p = 0.0004999999995
Ant 4: [7, 4, 6, 5], 41
Exploitation
Ant 0: [6, 5, 9, 0, 1], 65
Exploration
avg = 0.000397850873606
p = 0.00048
p = 0.0006
```

p = 0.00079999992

```
Ant 5 : [2, 7, 4, 6], 43
Exploration
avg = 0.000249717309717
p = 0.000327272727273
p = 0.0004
p = 0.000276923076923
Ant 6: [8, 0, 1, 5], 46
Exploration
avg = 0.000273729465746
p = 0.00066666
Ant 7: [0, 1, 8, 3], 41
Exploration
avg = 0.000299164459275
p = 0.000313043478261
p = 0.000327272727273
p = 0.0004444444
Ant 8: [4, 6, 5, 9], 44
Exploitation
Ant 9: [3, 8, 0, 1], 32
Exploration
avg = 0.000397850884921
p = 0.00048
p = 0.0006
p = 0.0007999999992
Ant 10: [2, 7, 4, 6], 43
Exploration
avg = 0.00025729293919
p = 0.00036
p = 0.000380571428571
Ant 11 : [1, 8, 0, 9], 50
Exploration
avg = 0.000260073169824
p = 0.00072
Ant 12: [9, 5, 6, 4], 44
Exploration
avg = 0.000229042354042
p = 0.00049999999999
Ant 1: [2, 7, 4, 6, 5], 59
Exploitation
Ant 13: [0, 8, 3, 4], 37
Exploitation
Ant 14 : [0, 1, 8, 3], 41
Exploration
avg = 0.000245154287926
p = 0.0004
p = 0.00036
Ant 15 : [5, 4, 7, 3], 47
Exploitation
Ant 16: [5, 9, 0, 1], 49
Exploration
avg = 0.00031352561031
p = 0.00036
```

p = 0.00048p = 0.0005328

```
Ant 17: [6, 5, 4, 7], 43
Exploitation
Ant 2: [6, 5, 9, 8, 0], 72
Exploitation
Ant 18: [8, 0, 9, 5], 49
Exploration
avg = 0.000397850885034
p = 0.00048
p = 0.0006
p = 0.00079999999999
Ant 19: [2, 7, 4, 6], 43
Exploitation
Ant 3: [1, 0, 8, 3, 4], 47
Exploitation
Ant 4: [7, 4, 6, 5, 9], 59
Exploration
avg = 0.000302588140272
p = 0.000327272727273
p = 0.0004
p = 0.000421052589474
Ant 0: [6, 5, 9, 0, 1, 8], 84
Exploration
avg = 0.000229042354042
p = 0.0005
Ant 5 : [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000411517078026
p = 0.00066666
p = 0.0004995
p = 0.00044444444444
Ant 6: [8, 0, 1, 5, 9], 64
Exploitation
Ant 7: [0, 1, 8, 3, 4], 56
Exploitation
Ant 8: [4, 6, 5, 9, 0], 65
Exploration
avg = 0.000229747117747
p = 0.000327272727273
p = 0.000307384615385
Ant 9: [3, 8, 0, 1, 5], 58
Exploitation
Ant 10: [2, 7, 4, 6, 5], 59
Exploitation
Ant 11: [1, 8, 0, 9, 5], 68
Exploration
avg = 0.000330573761047
p = 0.00036
p = 0.00048
p = 0.000533328
Ant 12: [9, 5, 6, 4, 7], 59
Exploration
avg = 0.000312585192585
p = 0.000327272727273
```

```
Ant 1: [2, 7, 4, 6, 5, 9], 77
Exploitation
Ant 13 : [0, 8, 3, 4, 6], 47
Exploration
avg = 0.000338672429784
p = 0.0004
p = 0.00053333328
p = 0.00036
Ant 14: [0, 1, 8, 3, 7], 61
Exploitation
Ant 15 : [5, 4, 7, 3, 8], 59
Exploitation
Ant 16 : [5, 9, 0, 1, 8], 68
Exploration
avg = 0.000253903658494
p = 0.0004
p = 0.0003996
Ant 17: [6, 5, 4, 7, 3], 63
Exploration
avg = 0.000359939984996
p = 0.0008
p = 0.00036
Ant 2: [6, 5, 9, 8, 0, 4], 92
Exploration
avg = 0.000383596850106
p = 0.00066666
p = 0.0004995
Ant 18: [8, 0, 9, 5, 6], 65
Exploration
avg = 0.000229042354042
p = 0.0005
Ant 19: [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000484404212561
p = 0.0006
p = 0.0008
p = 0.00053333328
Ant 3: [1, 0, 8, 3, 4, 7], 62
Exploration
avg = 0.000253321211
p = 0.000380952342857
p = 0.000285428571429
Ant 4: [7, 4, 6, 5, 9, 8], 87
Exploitation
Ant 0: [6, 5, 9, 0, 1, 8, 3], 96
Exploitation
Ant 5 : [2, 7, 4, 6, 5, 9], 77
Exploitation
Ant 6: [8, 0, 1, 5, 9, 3], 94
Exploration
avg = 0.000484404223121
p = 0.0006
p = 0.0008
p = 0.00053333333328
```

```
Ant 7: [0, 1, 8, 3, 4, 7], 71
Exploration
avg = 0.000447938384996
p = 0.0008
p = 0.000799992
Ant 8: [4, 6, 5, 9, 0, 8], 75
Exploration
avg = 0.000428464948177
p = 0.00066666
p = 0.000499995
Ant 9: [3, 8, 0, 1, 5, 9], 76
Exploration
avg = 0.000312585192585
p = 0.000327272727273
p = 0.0004444444444444
Ant 10 : [2, 7, 4, 6, 5, 9], 77
Exploitation
Ant 11: [1, 8, 0, 9, 5, 4], 80
Exploitation
Ant 12: [9, 5, 6, 4, 7, 2], 77
Exploitation
Ant 1: [2, 7, 4, 6, 5, 9, 0], 98
Exploration
avg = 0.000244170531822
p = 0.0005
Ant 13: [0, 8, 3, 4, 6, 5], 63
Exploitation
Ant 14: [0, 1, 8, 3, 7, 4], 76
Exploitation
Ant 15 : [5, 4, 7, 3, 8, 0], 69
Exploration
avg = 0.000280365442519
Ant 16: [5, 9, 0, 1, 8, 3], 80
Exploration
avg = 0.000387783612903
p = 0.0004
p = 0.0004
p = 0.00066666
Ant 17 : [6, 5, 4, 7, 3, 8], 75
Exploitation
Ant 2: [6, 5, 9, 8, 0, 4, 7], 107
Exploitation
Ant 18: [8, 0, 9, 5, 6, 4], 75
Exploration
avg = 0.000312585192585
p = 0.000327272727273
p = 0.000444444444444
Ant 19: [2, 7, 4, 6, 5, 9], 77
Exploration
avg = 0.000263609970674
p = 0.000444
Ant 3: [1, 0, 8, 3, 4, 7, 2], 80
```

```
Exploitation
Ant 4: [7, 4, 6, 5, 9, 8, 0], 97
Exploitation
Ant 0: [6, 5, 9, 0, 1, 8, 3, 4], 111
Exploration
avg = 0.00027941979844
p = 0.000380952380571
p = 0.000285711428571
Ant 5 : [2, 7, 4, 6, 5, 9, 8], 105
Exploitation
Ant 6: [8, 0, 1, 5, 9, 3, 4], 109
Exploitation
Ant 7: [0, 1, 8, 3, 4, 7, 2], 89
Exploitation
Ant 8: [4, 6, 5, 9, 0, 8, 3], 87
Exploration
avg = 0.000174343615495
p = 0.000175609756098
p = 0.000211764705882
Ant 9: [3, 8, 0, 1, 5, 9, 4], 110
Exploration
avg = 0.000279420505582
p = 0.000380952380571
p = 0.000285714257143
Ant 10 : [2, 7, 4, 6, 5, 9, 8], 105
Exploitation
Ant 11: [1, 8, 0, 9, 5, 4, 6], 90
Exploitation
Ant 12: [9, 5, 6, 4, 7, 2, 3], 95
Exploitation
Ant 1: [2, 7, 4, 6, 5, 9, 0, 1], 108
Exploration
avg = 0.000313148204453
Ant 13 : [0, 8, 3, 4, 6, 5, 9], 81
Exploration
avg = 0.000472171945701
p = 0.0006
p = 0.0008
Ant 14: [0, 1, 8, 3, 7, 4, 6], 86
Exploitation
Ant 15 : [5, 4, 7, 3, 8, 0, 1], 79
Exploitation
Ant 16: [5, 9, 0, 1, 8, 3, 4], 95
Exploration
avg = 0.000402924995415
p = 0.0008
Ant 17 : [6, 5, 4, 7, 3, 8, 0], 85
Exploration
avg = 0.000343018594872
p = 0.0004444444
p = 0.000399996
Ant 2: [6, 5, 9, 8, 0, 4, 7, 3], 127
Exploitation
```

```
Ant 18: [8, 0, 9, 5, 6, 4, 7], 90
Exploitation
Ant 19 : [2, 7, 4, 6, 5, 9, 0], 98
Exploration
avg = 0.000210884411453
p = 0.000313043478261
Ant 3 : [1, 0, 8, 3, 4, 7, 2, 5], 103
Exploitation
Ant 4: [7, 4, 6, 5, 9, 8, 0, 1], 107
Exploration
avg = 0.000405128205128
Ant 0: [6, 5, 9, 0, 1, 8, 3, 4, 7], 126
Exploitation
Ant 5 : [2, 7, 4, 6, 5, 9, 8, 0], 115
Exploration
avg = 0.000536752136752
p = 0.0008
Ant 6: [8, 0, 1, 5, 9, 3, 4, 6], 119
Exploration
avg = 0.000222362672322
p = 0.00034747826087
Ant 7: [0, 1, 8, 3, 4, 7, 2, 5], 112
Exploitation
Ant 8: [4, 6, 5, 9, 0, 8, 3, 1], 105
Exploration
avg = 0.000536752136752
p = 0.0008
Ant 9: [3, 8, 0, 1, 5, 9, 4, 6], 120
Exploitation
Ant 10 : [2, 7, 4, 6, 5, 9, 8, 0], 115
Exploitation
Ant 11: [1, 8, 0, 9, 5, 4, 6, 7], 121
Exploitation
Ant 12: [9, 5, 6, 4, 7, 2, 3, 8], 107
Exploration
avg = 0.000410526315787
p = 0.000421052631575
Ant 1: [2, 7, 4, 6, 5, 9, 0, 1, 8], 127
Exploitation
Ant 13 : [0, 8, 3, 4, 6, 5, 9, 1], 120
Exploitation
Ant 14 : [0, 1, 8, 3, 7, 4, 6, 5], 102
Exploration
avg = 0.000235494235494
p = 0.000327272727273
Ant 15 : [5, 4, 7, 3, 8, 0, 1, 2], 101
Exploitation
Ant 16: [5, 9, 0, 1, 8, 3, 4, 6], 105
Exploration
avg = 0.00047364952381
p = 0.0008
Ant 17: [6, 5, 4, 7, 3, 8, 0, 1], 95
Exploration
```

```
avg = 0.000422
p = 0.000444
Ant 2: [6, 5, 9, 8, 0, 4, 7, 3, 1], 145
Exploitation
Ant 18: [8, 0, 9, 5, 6, 4, 7, 2], 108
Exploitation
Ant 19: [2, 7, 4, 6, 5, 9, 0, 1], 108
Exploitation
Ant 3: [1, 0, 8, 3, 4, 7, 2, 5, 6], 119
Exploitation
Ant 4: [7, 4, 6, 5, 9, 8, 0, 1, 3], 125
Exploitation
Ant 0: [6, 5, 9, 0, 1, 8, 3, 4, 7, 2], 144
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 5 : [2, 7, 4, 6, 5, 9, 8, 0, 1], 125
Exploration
avg = 0.000200903225806
p = 0.000257806451613
Ant 6: [8, 0, 1, 5, 9, 3, 4, 6, 7], 150
Exploitation
Ant 7: [0, 1, 8, 3, 4, 7, 2, 5, 6], 128
Exploitation
Ant 8: [4, 6, 5, 9, 0, 8, 3, 1, 2], 127
Exploitation
Ant 9: [3, 8, 0, 1, 5, 9, 4, 6, 7], 151
Exploitation
Ant 10: [2, 7, 4, 6, 5, 9, 8, 0, 1], 125
Exploitation
Ant 11: [1, 8, 0, 9, 5, 4, 6, 7, 2], 139
Exploitation
Ant 12: [9, 5, 6, 4, 7, 2, 3, 8, 0], 117
Exploitation
Ant 1 : [2, 7, 4, 6, 5, 9, 0, 1, 8, 3], 139
Update called by 1Exploitation
Ant thread 1 terminating.Ant 13 : [0, 8, 3, 4, 6, 5, 9, 1, 2], 142
Exploration
avg = 0.000378743961353
Ant 14: [0, 1, 8, 3, 7, 4, 6, 5, 9], 120
Exploration
avg = 0.000159804878049
p = 0.000175609756098
Ant 15 : [5, 4, 7, 3, 8, 0, 1, 2, 9], 142
Exploitation
Ant 16: [5, 9, 0, 1, 8, 3, 4, 6, 7], 136
Exploration
avg = 0.000274125855944
p = 0.000363636327273
Ant 17: [6, 5, 4, 7, 3, 8, 0, 1, 2], 117
Exploration
```

avg = 0.000363636363273

Ant 2 : [6, 5, 9, 8, 0, 4, 7, 3, 1, 2], 167

ExplorationUpdate called by 2

avg = 0.000385636363636Ant thread 2 terminating.

p = 0.000444

Ant 18: [8, 0, 9, 5, 6, 4, 7, 2, 3], 126

Exploitation

Ant 19: [2, 7, 4, 6, 5, 9, 0, 1, 3], 126

Exploitation

Ant 3 : [1, 0, 8, 3, 4, 7, 2, 5, 6, 9], 167

Update called by 3Exploration

Ant thread 3 terminating.avg = 0.0004

Ant 4: [7, 4, 6, 5, 9, 8, 0, 1, 3, 2], 143

Update called by 4Exploration

Ant thread 4 terminating.avg = 0.00044444

Ant 5 : [2, 7, 4, 6, 5, 9, 8, 0, 1, 3], 143

Update called by 5Exploitation

Ant thread 5 terminating. Ant 6: [8, 0, 1, 5, 9, 3, 4, 6, 7, 2], 168

Update called by 6Exploitation

Ant thread 6 terminating. Ant 7: [0, 1, 8, 3, 4, 7, 2, 5, 6, 9], 176

Update called by 7Exploration

Ant thread 7 terminating.avg = 0.0004444444444

Ant 8: [4, 6, 5, 9, 0, 8, 3, 1, 2, 7], 145

Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [3, 8, 0, 1, 5, 9, 4, 6, 7, 2], 169

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [2, 7, 4, 6, 5, 9, 8, 0, 1, 3], 143

ExplorationUpdate called by 10

avg = 0.00044444Ant thread 10 terminating.

Ant 11 : [1, 8, 0, 9, 5, 4, 6, 7, 2, 3], 157 Update called by 11Exploration

Ant thread 11 terminating.avg = 0.0008

Ant 12: [9, 5, 6, 4, 7, 2, 3, 8, 0, 1], 127

Update called by 12Exploration

Ant 13 : [0, 8, 3, 4, 6, 5, 9, 1, 2, 7], 160 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.000175609756098

Ant 14: [0, 1, 8, 3, 7, 4, 6, 5, 9, 2], 161 Update called by 14Exploitation

Ant thread 14 terminating. Ant 15: [5, 4, 7, 3, 8, 0, 1, 2, 9, 6], 190

Update called by 15Exploration

Ant 16: [5, 9, 0, 1, 8, 3, 4, 6, 7, 2], 154 Update called by 16Exploration

Ant thread 16 terminating.avg = 0.000194926829268

Ant 17: [6, 5, 4, 7, 3, 8, 0, 1, 2, 9], 158 Update called by 17Exploration

Ant thread 17 terminating.avg = 0.00044444

Ant 18: [8, 0, 9, 5, 6, 4, 7, 2, 3, 1], 144 ExplorationUpdate called by 18

avg = 0.0006666666666Ant thread 18 terminating.

Ant 19: [2, 7, 4, 6, 5, 9, 0, 1, 3, 8], 138 Update called by 19 Best: [2, 7, 4, 6, 5, 9, 0, 1, 8, 3], 157, 2, 183 Ant thread 19 terminating.iter_counter = 3

starting ant = 0
Exploitationstarting ant = 1

Ant 0 : [6, 4], 10starting ant = 2

Explorationstarting ant = 3

avg = 0.000259563701343starting ant = 4

p = 0.00029454545454545 ant = 5

p = 0.00039999996starting ant = 6

p = 0.000313040347826starting ant = 7

p = 0.0004starting ant = 8

```
Ant 1 : [2, 7], 18starting ant = 9
Exploitationstarting ant = 10
Ant 0: [6, 4, 5], 22starting ant = 11
Explorationstarting ant = 12
avg = 0.000268098356013starting ant = 13
p = 0.000799199928starting ant = 14
p = 0.00045starting ant = 15
Ant 2: [6, 5], 16starting ant = 16
Exploitationstarting ant = 17
Ant 3 : [1, 0], 10starting ant = 18
Explorationstarting ant = 19
avg = 0.000255203957144
p = 0.0004
p = 0.000359999964
p = 0.00048
Ant 4: [7, 4], 15
Exploitation
Ant 5 : [2, 7], 18
Exploration
avg = 0.000309506029531
p = 0.00072
p = 0.000341052631579
p = 0.0006
Ant 6: [8, 3], 12
Exploitation
Ant 7 : [0, 1], 10
Exploitation
Ant 8: [4, 6], 10
Exploration
avg = 0.000243704451787
p = 0.000359999964
p = 0.0005328
Ant 1 : [2, 7, 4], 33
Exploitation
Ant 9: [3, 8], 12
Exploration
avg = 0.000264501479121
p = 0.000294545454545
p = 0.00039999996
p = 0.000313040347826
p = 0.00044444
Ant 10: [2, 7], 18
Exploitation
```

```
Ant 0: [6, 4, 5, 9], 40
Exploitation
Ant 11 : [1, 0], 10
Exploration
avg = 0.00023389197961
p = 0.000342857142854
p = 0.00023976
p = 0.00039999996
p = 0.000257142856886
Ant 12 : [9, 8], 28
Exploitation
Ant 13 : [0, 1], 10
Exploitation
Ant 14 : [0, 1], 10
Exploration
avg = 0.000330970674776
p = 0.00059999994
p = 0.00044999999955
p = 0.000444
Ant 15 : [5, 9], 18
Exploitation
Ant 2: [6, 5, 4], 28
Exploitation
Ant 16 : [5, 4], 12
Exploitation
Ant 17: [6, 4], 10
Exploration
avg = 0.000297115609184
p = 0.00035964
p = 0.000719999928
p = 0.000342853714286
Ant 3 : [1, 0, 9], 31
Exploitation
Ant 18 : [8, 0], 10
Exploitation
Ant 19 : [2, 7], 18
Exploration
avg = 0.000370036418119
p = 0.000432
p = 0.0006654
p = 0.0007992
Ant 4: [7, 4, 6], 25
Exploration
avg = 0.000243770451787
p = 0.000359999964
p = 0.000533328
Ant 5 : [2, 7, 4], 33
Exploration
avg = 0.000314137923362
```

p = 0.00039999996
p = 0.0003996
p = 0.00048
p = 0.00035964

Ant 6: [8, 3, 7], 32

```
Exploitation
Ant 7: [0, 1, 3], 28
Exploitation
Ant 8: [4, 6, 5], 26
Exploration
avg = 0.000387407510817
p = 0.000432
p = 0.0006654
p = 0.000799992
Ant 1 : [2, 7, 4, 6], 43
Exploitation
Ant 9: [3, 8, 0], 22
Exploitation
Ant 10 : [2, 7, 4], 33
Exploitation
Ant 0: [6, 4, 5, 9, 0], 61
Exploitation
Ant 11: [1, 0, 8], 20
Exploitation
Ant 12 : [9, 8, 0], 38
Exploration
avg = 0.000262072903853
p = 0.000327272727269
p = 0.000443999999996
p = 0.000276920307692
p = 0.000378947368421
Ant 13 : [0, 1, 8], 29
Exploitation
Ant 14 : [0, 1, 3], 28
Exploration
avg = 0.000221378482093
p = 0.000380571428571
p = 0.00023976
p = 0.000285428571426
Ant 15 : [5, 9, 8], 46
Exploitation
Ant 2: [6, 5, 4, 7], 43
Exploitation
Ant 16: [5, 4, 6], 22
Exploration
avg = 0.000336736418119
p = 0.000432
p = 0.0006654
p = 0.0005328
Ant 17: [6, 4, 7], 25
Exploration
avg = 0.000229472639441
p = 0.00023976
p = 0.00039999996
p = 0.000285711428571
Ant 3: [1, 0, 9, 8], 59
Exploitation
Ant 18: [8, 0, 1], 20
Exploration
```

```
avg = 0.000243771118387
p = 0.000359999964
p = 0.00053333333328
Ant 19 : [2, 7, 4], 33
Exploitation
Ant 4: [7, 4, 6, 5], 41
Exploration
avg = 0.00038740865356
p = 0.000432
p = 0.0006654
p = 0.0007999999992
Ant 5 : [2, 7, 4, 6], 43
Exploration
avg = 0.000257082964047
p = 0.0004
p = 0.0005333333333333
Ant 6: [8, 3, 7, 4], 47
Exploration
avg = 0.000372861081262
p = 0.0003996
p = 0.00048
p = 0.0003995964
p = 0.000666
Ant 7 : [0, 1, 3, 8], 40
Exploration
avg = 0.00027559659049
p = 0.000281739130435
p = 0.000294545454545
p = 0.00044444
Ant 8: [4, 6, 5, 9], 44
Exploitation
Ant 1: [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000326515766658
p = 0.0007999999992
p = 0.00035964
p = 0.000380571394286
Ant 9: [3, 8, 0, 9], 43
Exploitation
Ant 10 : [2, 7, 4, 6], 43
Exploitation
Ant 0: [6, 4, 5, 9, 0, 1], 71
Exploitation
Ant 11: [1, 0, 8, 3], 32
Exploration
avg = 0.000302010175882
p = 0.00079999999999
p = 0.00035964
Ant 12: [9, 8, 0, 4], 58
Exploitation
Ant 13 : [0, 1, 8, 3], 41
Exploration
avg = 0.000372955366976
p = 0.0003996
```

```
p = 0.00048
p = 0.0003995964
p = 0.00066666
Ant 14: [0, 1, 3, 8], 40
Exploration
avg = 0.000352766234703
p = 0.00079999992
p = 0.0006666666
Ant 15 : [5, 9, 8, 3], 58
Exploitation
Ant 2: [6, 5, 4, 7, 2], 61
Exploitation
Ant 16 : [5, 4, 6, 7], 53
Exploration
avg = 0.000235971908033
p = 0.000444
p = 0.000359999964
Ant 17: [6, 4, 7, 3], 45
Exploration
avg = 0.000259956621462
p = 0.00066666666
Ant 3: [1, 0, 9, 8, 3], 71
Exploitation
Ant 18 : [8, 0, 1, 3], 38
Exploitation
Ant 19: [2, 7, 4, 6], 43
Exploitation
Ant 4: [7, 4, 6, 5, 9], 59
Exploitation
Ant 5 : [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000398536500754
p = 0.0006654
p = 0.0008
Ant 6: [8, 3, 7, 4, 6], 57
Exploration
avg = 0.000187416939033
p = 0.000231428571429
p = 0.000190588235294
p = 0.000231428571429
Ant 7 : [0, 1, 3, 8, 9], 68
Exploration
avg = 0.000234985100214
p = 0.000380571428571
p = 0.00023976
p = 0.000285714257143
Ant 8: [4, 6, 5, 9, 8], 72
Exploitation
Ant 1: [2, 7, 4, 6, 5, 9], 77
Exploration
avg = 0.000210877969458
p = 0.000211552941176
p = 0.00039999996
Ant 9: [3, 8, 0, 9, 5], 61
```

```
Exploitation
Ant 10 : [2, 7, 4, 6, 5], 59
Exploitation
Ant 0: [6, 4, 5, 9, 0, 1, 3], 89
Exploration
avg = 0.000324004594805
p = 0.0003996
p = 0.00048
p = 0.0003995964
Ant 11 : [1, 0, 8, 3, 7], 52
Exploitation
Ant 12 : [9, 8, 0, 4, 6], 68
Exploitation
Ant 13 : [0, 1, 8, 3, 4], 56
Exploitation
Ant 14: [0, 1, 3, 8, 9], 68
Exploitation
Ant 15 : [5, 9, 8, 3, 4], 73
Exploration
avg = 0.000248840439007
p = 0.000294545454545
p = 0.00039999996
Ant 2: [6, 5, 4, 7, 2, 3], 79
Exploitation
Ant 16: [5, 4, 6, 7, 2], 71
Exploration
avg = 0.000364307378768
p = 0.00039999996
p = 0.0003996
p = 0.0006666666
Ant 17 : [6, 4, 7, 3, 8], 57
Exploration
avg = 0.000356351026566
p = 0.0003996
p = 0.000533328
p = 0.000399995964
Ant 3: [1, 0, 9, 8, 3, 7], 91
Exploration
avg = 0.000332959854745
p = 0.0003996
p = 0.000533328
p = 0.00039999995964
Ant 18: [8, 0, 1, 3, 7], 58
Exploration
avg = 0.000216971201971
p = 0.0005
Ant 19 : [2, 7, 4, 6, 5], 59
Exploitation
Ant 4: [7, 4, 6, 5, 9, 0], 80
Exploration
avg = 0.000290215562215
p = 0.000294545454545
p = 0.00044444444444
Ant 5 : [2, 7, 4, 6, 5, 9], 77
```

```
Exploration
avg = 0.000220401272482
p = 0.0005
Ant 6: [8, 3, 7, 4, 6, 5], 73
Exploration
avg = 0.000224967417424
p = 0.0004439999996
Ant 7: [0, 1, 3, 8, 9, 5], 86
Exploitation
Ant 8: [4, 6, 5, 9, 8, 0], 82
Exploitation
Ant 1: [2, 7, 4, 6, 5, 9, 0], 98
Exploitation
Ant 9: [3, 8, 0, 9, 5, 4], 73
Exploration
avg = 0.000290215562216
p = 0.000294545454545
p = 0.0004444444444444
Ant 10 : [2, 7, 4, 6, 5, 9], 77
Exploration
avg = 0.000488755555199
p = 0.000666666666
Ant 0 : [6, 4, 5, 9, 0, 1, 3, 8], 101
Exploitation
Ant 11: [1, 0, 8, 3, 7, 4], 67
Exploitation
Ant 12: [9, 8, 0, 4, 6, 5], 84
Exploitation
Ant 13: [0, 1, 8, 3, 4, 6], 66
Exploration
avg = 0.000225055417503
p = 0.000444439999996
Ant 14 : [0, 1, 3, 8, 9, 5], 86
Exploitation
Ant 15 : [5, 9, 8, 3, 4, 6], 83
Exploitation
Ant 2: [6, 5, 4, 7, 2, 3, 8], 91
Exploration
avg = 0.000257640446927
p = 0.000294545454545
p = 0.0004439999996
Ant 16: [5, 4, 6, 7, 2, 3], 89
Exploitation
Ant 17 : [6, 4, 7, 3, 8, 0], 67
Exploration
avg = 0.00034579230694
p = 0.00044444
Ant 3: [1, 0, 9, 8, 3, 7, 4], 106
Exploration
avg = 0.000305433845552
p = 0.00044444
Ant 18: [8, 0, 1, 3, 7, 4], 73
```

```
Exploration
avg = 0.000290215562216
p = 0.000294545454545
Ant 19: [2, 7, 4, 6, 5, 9], 77
Exploration
avg = 0.000506058064334
p = 0.00079999999999
p = 0.00079919999928
Ant 4: [7, 4, 6, 5, 9, 0, 8], 90
Exploitation
Ant 5 : [2, 7, 4, 6, 5, 9, 0], 98
Exploitation
Ant 6: [8, 3, 7, 4, 6, 5, 9], 91
Exploitation
Ant 7: [0, 1, 3, 8, 9, 5, 4], 98
Exploration
avg = 0.000343932483119
p = 0.00079999999999
Ant 8: [4, 6, 5, 9, 8, 0, 1], 92
Exploration
avg = 0.000603008086019
p = 0.0008
p = 0.000799991999993
Ant 1 : [2, 7, 4, 6, 5, 9, 0, 8], 108
Exploitation
Ant 9: [3, 8, 0, 9, 5, 4, 6], 83
Exploitation
Ant 10 : [2, 7, 4, 6, 5, 9, 0], 98
Exploitation
Ant 0: [6, 4, 5, 9, 0, 1, 3, 8, 7], 135
Exploitation
Ant 11 : [1, 0, 8, 3, 7, 4, 6], 77
Exploration
avg = 0.000255469747644
p = 0.000281739130435
p = 0.000294545454545
Ant 12: [9, 8, 0, 4, 6, 5, 3], 106
Exploitation
Ant 13 : [0, 1, 8, 3, 4, 6, 5], 82
Exploration
avg = 0.000398692358087
p = 0.00066666666
p = 0.0004499999955
Ant 14: [0, 1, 3, 8, 9, 5, 6], 102
Exploitation
Ant 15 : [5, 9, 8, 3, 4, 6, 7], 114
Exploration
avg = 0.000475587162905
Ant 2 : [6, 5, 4, 7, 2, 3, 8, 0], 101
Exploration
avg = 0.000372924721183
p = 0.00039999996
```

```
p = 0.0006666666666667
Ant 16: [5, 4, 6, 7, 2, 3, 8], 101
Exploitation
Ant 17: [6, 4, 7, 3, 8, 0, 1], 77
Exploitation
Ant 3: [1, 0, 9, 8, 3, 7, 4, 6], 116
Exploitation
Ant 18: [8, 0, 1, 3, 7, 4, 6], 83
Exploration
avg = 0.000272714358902
p = 0.000380952380949
p = 0.000285714285429
Ant 19 : [2, 7, 4, 6, 5, 9, 8], 105
Exploitation
Ant 4: [7, 4, 6, 5, 9, 0, 8, 3], 102
Exploitation
Ant 5 : [2, 7, 4, 6, 5, 9, 0, 1], 108
Exploitation
Ant 6: [8, 3, 7, 4, 6, 5, 9, 0], 112
Exploration
avg = 0.000527519589744
p = 0.0008
p = 0.000533328
Ant 7: [0, 1, 3, 8, 9, 5, 4, 7], 113
Exploration
avg = 0.000312623672474
p = 0.000327272727269
p = 0.000444444444
Ant 8: [4, 6, 5, 9, 8, 0, 1, 3], 110
Exploitation
Ant 1: [2, 7, 4, 6, 5, 9, 0, 8, 3], 120
Exploitation
Ant 9: [3, 8, 0, 9, 5, 4, 6, 7], 114
Exploitation
Ant 10: [2, 7, 4, 6, 5, 9, 0, 1], 108
Exploitation
Ant 0 : [6, 4, 5, 9, 0, 1, 3, 8, 7, 2], 153
Update called by <code>OExploration</code>
Ant thread 0 terminating.avg = 0.000259866166667
p = 0.0005
Ant 11: [1, 0, 8, 3, 7, 4, 6, 5], 93
Exploitation
Ant 12: [9, 8, 0, 4, 6, 5, 3, 7], 126
Exploration
avg = 0.000307515737081
Ant 13 : [0, 1, 8, 3, 4, 6, 5, 9], 100
Exploration
avg = 0.000395885496534
p = 0.0007999199928
Ant 14: [0, 1, 3, 8, 9, 5, 6, 4], 112
Exploration
```

```
avg = 0.000253765306857
p = 0.0004444444
Ant 15 : [5, 9, 8, 3, 4, 6, 7, 2], 132
Exploration
avg = 0.000590474285543
p = 0.0008
Ant 2 : [6, 5, 4, 7, 2, 3, 8, 0, 1], 111
Exploitation
Ant 16: [5, 4, 6, 7, 2, 3, 8, 0], 111
Exploration
avg = 0.000256782293705
p = 0.000327272727269
p = 0.000276920307692
Ant 17: [6, 4, 7, 3, 8, 0, 1, 5], 103
Exploitation
Ant 3 : [1, 0, 9, 8, 3, 7, 4, 6, 5], 132
Exploration
avg = 0.000259866166667
p = 0.0005
Ant 18 : [8, 0, 1, 3, 7, 4, 6, 5], 99
Exploration
avg = 0.000602573099415
p = 0.0008
p = 0.000666666666667
Ant 19: [2, 7, 4, 6, 5, 9, 8, 3], 117
Exploration
avg = 0.00039979998
p = 0.00039999996
Ant 4: [7, 4, 6, 5, 9, 0, 8, 3, 1], 120
Exploration
avg = 0.000432538011694
p = 0.00044444444444
Ant 5 : [2, 7, 4, 6, 5, 9, 0, 1, 3], 126
Exploitation
Ant 6: [8, 3, 7, 4, 6, 5, 9, 0, 1], 122
Exploration
avg = 0.000326738351032
p = 0.000444444444
Ant 7: [0, 1, 3, 8, 9, 5, 4, 7, 2], 131
Exploitation
Ant 8: [4, 6, 5, 9, 8, 0, 1, 3, 7], 130
Exploration
avg = 0.0004439999996
Ant 1: [2, 7, 4, 6, 5, 9, 0, 8, 3, 1], 138
Update called by 1Exploitation
Ant thread 1 terminating.Ant 9 : [3, 8, 0, 9, 5, 4, 6, 7, 2], 132
Exploitation
Ant 10: [2, 7, 4, 6, 5, 9, 0, 1, 3], 126
Exploration
avg = 0.00036309178744
Ant 11 : [1, 0, 8, 3, 7, 4, 6, 5, 9], 111
```

```
Ant 12: [9, 8, 0, 4, 6, 5, 3, 7, 2], 144
Exploitation
Ant 13: [0, 1, 8, 3, 4, 6, 5, 9, 2], 141
Exploration
avg = 0.000391282024615
p = 0.000533333328
Ant 14: [0, 1, 3, 8, 9, 5, 6, 4, 7], 127
Exploitation
Ant 15 : [5, 9, 8, 3, 4, 6, 7, 2, 1], 154
Exploration
avg = 0.000166153846154
Ant 2: [6, 5, 4, 7, 2, 3, 8, 0, 1, 9], 150
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000590474285543
p = 0.0008
Ant 16: [5, 4, 6, 7, 2, 3, 8, 0, 1], 121
Exploitation
Ant 17: [6, 4, 7, 3, 8, 0, 1, 5, 9], 121
Exploitation
Ant 3: [1, 0, 9, 8, 3, 7, 4, 6, 5, 2], 155
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.000395804830918
p = 0.000444444444444
Ant 18: [8, 0, 1, 3, 7, 4, 6, 5, 9], 117
Exploitation
Ant 19: [2, 7, 4, 6, 5, 9, 8, 3, 1], 135
Exploration
avg = 0.000327272727269
Ant 4 : [7, 4, 6, 5, 9, 0, 8, 3, 1, 2], 142
Update called by 4Exploitation
Ant thread 4 terminating. Ant 5 : [2, 7, 4, 6, 5, 9, 0, 1, 3, 8], 138
Update called by 5Exploitation
Ant thread 5 terminating. Ant 6: [8, 3, 7, 4, 6, 5, 9, 0, 1, 2], 144
Update called by 6Exploration
Ant thread 6 terminating.avg = 0.0001296
Ant 7: [0, 1, 3, 8, 9, 5, 4, 7, 2, 6], 181
Update called by 7Exploitation
Ant thread 7 terminating. Ant 8: [4, 6, 5, 9, 8, 0, 1, 3, 7, 2], 148
Update called by 8Exploitation
Ant thread 8 terminating. Ant 9: [3, 8, 0, 9, 5, 4, 6, 7, 2, 1], 154
```

Exploitation

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [2, 7, 4, 6, 5, 9, 0, 1, 3, 8], 138

ExploitationUpdate called by 10

Ant 11: [1, 0, 8, 3, 7, 4, 6, 5, 9, 2], 152Ant thread 10 terminating.

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.000363629454545

Ant 12: [9, 8, 0, 4, 6, 5, 3, 7, 2, 1], 166 Update called by 12Exploration

Ant thread 12 terminating.avg = 0.0004444444444

Ant 13 : [0, 1, 8, 3, 4, 6, 5, 9, 2, 7], 159 Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [0, 1, 3, 8, 9, 5, 6, 4, 7, 2], 145

Update called by 14Exploitation

Ant thread 14 terminating. Ant 15: [5, 9, 8, 3, 4, 6, 7, 2, 1, 0], 164

Update called by 15Exploration

Ant thread 15 terminating.avg = 0.000204738461538

Ant 16: [5, 4, 6, 7, 2, 3, 8, 0, 1, 9], 160 Update called by 16Exploration

Ant thread 16 terminating.avg = 0.000195119982439

Ant 17 : [6, 4, 7, 3, 8, 0, 1, 5, 9, 2], 162 Update called by 17Exploration

Ant thread 17 terminating.avg = 0.000195121931532

Ant 18: [8, 0, 1, 3, 7, 4, 6, 5, 9, 2], 158 Update called by 18Exploration

Ant thread 18 terminating.avg = 0.00079999991928

Ant 19 : [2, 7, 4, 6, 5, 9, 8, 3, 1, 0], 145
Update called by 19
Best: [2, 7, 4, 6, 5, 9, 0, 1, 8, 3], 157, 3, 186
Ant thread 19 terminating.
 iter_counter = 4
starting ant = 0
Explorationstarting ant = 1

```
avg = 0.000248949162214starting ant = 2
p = 0.000719999927994starting ant = 3
p = 0.00045starting ant = 4
Ant 0 : [6, 5], 16starting ant = 5
Explorationstarting ant = 6
avg = 0.000252414463653starting ant = 7
p = 0.000327272665091starting ant = 8
p = 0.000399995999996starting ant = 9
p = 0.000281736313043starting ant = 10
Ant 1 : [2, 7], 18starting ant = 12
Explorationstarting ant = 13
avg = 0.000254449162214starting ant = 14
p = 0.000719999927994starting ant = 15
p = 0.0004995starting ant = 16
Ant 2 : [6, 5], 16starting ant = 17
Exploitationstarting ant = 18
Ant 3: [1, 0], 10starting ant = 19
Exploitation
Ant 4: [7, 4], 15
Exploitation
Ant 0: [6, 5, 4], 28
Exploration
avg = 0.000257303352542
p = 0.000327272665091
p = 0.00039995999996
p = 0.000281736313043
p = 0.000444
Ant 5 : [2, 7], 18
Exploration
avg = 0.000303076004169
p = 0.00072
p = 0.000306947368421
p = 0.0006
Ant 6: [8, 3], 12
Exploitation
```

```
Ant 7 : [0, 1], 10
```

Exploitation

Ant 8: [4, 6], 10

Exploration

avg = 0.000331790249356

p = 0.00039999996

p = 0.00035964

p = 0.0004799952

p = 0.00036

p = 0.0006

Ant 9: [3, 8], 12

Exploration

avg = 0.000257352241431

p = 0.000327272665091

p = 0.00039995999996

p = 0.000281736313043

p = 0.00044444

Ant 10: [2, 7], 18

Exploitation

Ant 11: [1, 0], 10

Exploitation

Ant 1: [2, 7, 4], 33

Exploitation

Ant 12 : [9, 5], 18

Exploration

avg = 0.000342297612227

p = 0.0007992

p = 0.00035963676

p = 0.000719999928

p = 0.000342853713977

Ant 13 : [0, 9], 21

Exploration

avg = 0.000346488465594

p = 0.0007992

p = 0.00035963676

p = 0.000719999928

p = 0.000380571394283

Ant 14: [0, 9], 21

Exploration

avg = 0.000330250666482

p = 0.000665999999994

p = 0.000449549999996

p = 0.0004

Ant 15 : [5, 9], 18

Exploitation

Ant 16: [5, 4], 12

Exploration

avg = 0.000320920749794

p = 0.000326650909091

p = 0.00066666

p = 0.000444

Ant 2: [6, 5, 9], 34

Exploitation

Ant 17: [6, 4], 10

```
Exploitation
```

Ant 18: [8, 0], 10

Exploitation

Ant 3: [1, 0, 8], 20

Exploitation

Ant 19: [2, 7], 18

Exploitation

Ant 4: [7, 4, 6], 25

Exploration

avg = 0.000260874601425

p = 0.0002916

p = 0.0003888

p = 0.0004799999952

Ant 0: [6, 5, 4, 7], 43

Exploitation

Ant 5 : [2, 7, 4], 33

Exploration

avg = 0.000298264030526

p = 0.00039999996

p = 0.00035964

p = 0.0004799952

p = 0.00036

Ant 6: [8, 3, 7], 32

Exploitation

Ant 7: [0, 1, 3], 28

Exploitation

Ant 8: [4, 6, 5], 26

Exploration

avg = 0.00027586050469

p = 0.0007992

p = 0.000306947368421

Ant 9: [3, 8, 1], 31

Exploitation

Ant 10 : [2, 7, 4], 33

Exploitation

Ant 11 : [1, 0, 8], 20

Exploration

avg = 0.000360095216878

p = 0.0003888

p = 0.00059886

p = 0.000799992

Ant 1: [2, 7, 4, 6], 43

Exploration

avg = 0.000321614499793

p = 0.000326650909091

p = 0.00066666

p = 0.000449549999996

Ant 12 : [9, 5, 6], 34

Exploration

avg = 0.000214173369003

p = 0.000215784

p = 0.0004439999996

p = 0.00025714285714

Ant 13 : [0, 9, 8], 49

```
Exploitation
Ant 14 : [0, 9, 5], 39
Exploration
avg = 0.000205066226197
p = 0.000342857142857
p = 0.000215784
p = 0.000285428571429
Ant 15 : [5, 9, 8], 46
Exploitation
Ant 16 : [5, 4, 6], 22
Exploration
avg = 0.000215135380959
p = 0.000342857142857
p = 0.000215784
p = 0.000285711428571
Ant 2: [6, 5, 9, 8], 62
Exploration
avg = 0.000309722776306
p = 0.0003888
p = 0.00059886
p = 0.000532799999995
Ant 17: [6, 4, 7], 25
Exploration
avg = 0.000299846679894
p = 0.0007992
p = 0.00035963676
p = 0.000380948571086
Ant 18 : [8, 0, 9], 31
Exploration
avg = 0.000252390952728
p = 0.000666
p = 0.000257137971429
Ant 3: [1, 0, 8, 9], 48
Exploration
avg = 0.000230515677218
p = 0.000359639999676
p = 0.00053333333328
Ant 19 : [2, 7, 4], 33
Exploitation
Ant 4: [7, 4, 6, 5], 41
Exploration
avg = 0.000224322629993
p = 0.0004
p = 0.000359639999676
Ant 0: [6, 5, 4, 7, 3], 63
Exploitation
Ant 5 : [2, 7, 4, 6], 43
Exploration
avg = 0.000244708000976
p = 0.0004
p = 0.0005333333333338
Ant 6: [8, 3, 7, 4], 47
Exploitation
```

Ant 7: [0, 1, 3, 8], 40

```
Exploitation
Ant 8 : [4, 6, 5, 9], 44
Exploitation
Ant 9: [3, 8, 1, 0], 41
Exploitation
Ant 10 : [2, 7, 4, 6], 43
Exploitation
Ant 11 : [1, 0, 8, 3], 32
Exploitation
Ant 1: [2, 7, 4, 6, 5], 59
Exploitation
Ant 12: [9, 5, 6, 4], 44
Exploitation
Ant 13 : [0, 9, 8, 3], 61
Exploitation
Ant 14 : [0, 9, 5, 4], 51
Exploration
avg = 0.000360155880333
p = 0.0007992
p = 0.000419911578947
p = 0.0006666666
Ant 15 : [5, 9, 8, 3], 58
Exploitation
Ant 16: [5, 4, 6, 7], 53
Exploitation
Ant 2: [6, 5, 9, 8, 0], 72
Exploitation
Ant 17: [6, 4, 7, 2], 43
Exploration
avg = 0.000208097727898
p = 0.000215784
p = 0.000444439999996
Ant 18: [8, 0, 9, 5], 49
Exploitation
Ant 3: [1, 0, 8, 9, 5], 66
Exploitation
Ant 19 : [2, 7, 4, 6], 43
Exploration
avg = 0.00028740385427
p = 0.000312448695652
p = 0.000326650909091
p = 0.0004444444
Ant 4: [7, 4, 6, 5, 9], 59
Exploitation
Ant 0: [6, 5, 4, 7, 3, 8], 75
Exploration
avg = 0.000203607415107
p = 0.000499999999999
Ant 5: [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000372016184012
p = 0.00059886
p = 0.0008
Ant 6: [8, 3, 7, 4, 6], 57
```

```
Exploitation
Ant 7: [0, 1, 3, 8, 9], 68
Exploitation
Ant 8: [4, 6, 5, 9, 0], 65
Exploration
avg = 0.00023524136311
p = 0.00035963676
p = 0.000380952342854
Ant 9: [3, 8, 1, 0, 9], 62
Exploitation
Ant 10: [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000306263875325
p = 0.00035964
p = 0.0004799952
p = 0.0003996
Ant 11 : [1, 0, 8, 3, 7], 52
Exploitation
Ant 1: [2, 7, 4, 6, 5, 9], 77
Exploration
avg = 0.000284653466448
p = 0.0002916
p = 0.0003888
p = 0.000533328
Ant 12: [9, 5, 6, 4, 7], 59
Exploitation
Ant 13: [0, 9, 8, 3, 4], 76
Exploitation
Ant 14 : [0, 9, 5, 4, 6], 61
Exploration
avg = 0.000336570347853
p = 0.00039999996
p = 0.00035964
p = 0.000532799952
p = 0.000399996
Ant 15 : [5, 9, 8, 3, 7], 78
Exploitation
Ant 16: [5, 4, 6, 7, 2], 71
Exploitation
Ant 2: [6, 5, 9, 8, 0, 1], 82
Exploitation
Ant 17 : [6, 4, 7, 2, 3], 61
Exploration
avg = 0.00036771611163
p = 0.0006666666
p = 0.0004994955
Ant 18: [8, 0, 9, 5, 6], 65
Exploitation
Ant 3: [1, 0, 8, 9, 5, 4], 78
Exploration
avg = 0.000203607415108
p = 0.0005
Ant 19: [2, 7, 4, 6, 5], 59
Exploration
```

```
avg = 0.000244733426788
p = 0.000380571428571
p = 0.000285714257143
Ant 4: [7, 4, 6, 5, 9, 8], 87
Exploration
avg = 0.000411964727367
p = 0.000799992
p = 0.000419911578947
Ant 0: [6, 5, 4, 7, 3, 8, 1], 94
Exploration
avg = 0.000282394894882
p = 0.000326650909091
p = 0.000444444444444
Ant 5 : [2, 7, 4, 6, 5, 9], 77
Exploration
avg = 0.000208361145233
p = 0.0005
Ant 6: [8, 3, 7, 4, 6, 5], 73
Exploration
avg = 0.000214983369396
p = 0.000444444444
Ant 7: [0, 1, 3, 8, 9, 5], 86
Exploration
avg = 0.000423628187846
p = 0.000799992
p = 0.000799991999993
Ant 8: [4, 6, 5, 9, 0, 8], 75
Exploration
avg = 0.000214983369484
p = 0.000444444444444
Ant 9: [3, 8, 1, 0, 9, 5], 80
Exploration
avg = 0.000282394894883
p = 0.000326650909091
Ant 10 : [2, 7, 4, 6, 5, 9], 77
Exploitation
Ant 11: [1, 0, 8, 3, 7, 4], 67
Exploration
avg = 0.000262014351577
p = 0.000380571428571
p = 0.000285714285429
Ant 1 : [2, 7, 4, 6, 5, 9, 8], 105
Exploration
avg = 0.000260146436055
p = 0.00044444
p = 0.000399596399997
Ant 12 : [9, 5, 6, 4, 7, 3], 79
Exploitation
Ant 13 : [0, 9, 8, 3, 4, 6], 86
Exploration
avg = 0.000165709367496
p = 0.000257806451381
Ant 14: [0, 9, 5, 4, 6, 7], 92
```

```
Exploitation
Ant 15 : [5, 9, 8, 3, 7, 4], 93
Exploration
avg = 0.000253192745506
p = 0.000327272665091
p = 0.00044399996
Ant 16: [5, 4, 6, 7, 2, 3], 89
Exploration
avg = 0.000266651979021
p = 0.000327269454545
p = 0.000444
Ant 2 : [6, 5, 9, 8, 0, 1, 3], 100
Exploration
avg = 0.00034285730027
p = 0.00039999996
p = 0.0006666666
Ant 17 : [6, 4, 7, 2, 3, 8], 73
Exploitation
Ant 18: [8, 0, 9, 5, 6, 4], 75
Exploration
avg = 0.000486610243077
p = 0.0008
p = 0.000533333328
Ant 3: [1, 0, 8, 9, 5, 4, 7], 93
Exploitation
Ant 19: [2, 7, 4, 6, 5, 9], 77
Exploitation
Ant 4: [7, 4, 6, 5, 9, 8, 0], 97
Exploitation
Ant 0: [6, 5, 4, 7, 3, 8, 1, 0], 104
Exploitation
Ant 5 : [2, 7, 4, 6, 5, 9, 0], 98
Exploitation
Ant 6: [8, 3, 7, 4, 6, 5, 9], 91
Exploitation
Ant 7: [0, 1, 3, 8, 9, 5, 4], 98
Exploration
avg = 0.000360328535608
p = 0.000421041221053
p = 0.000666666666
Ant 8: [4, 6, 5, 9, 0, 8, 3], 87
Exploration
avg = 0.00041395939751
p = 0.0006666666666
p = 0.000499994955
Ant 9: [3, 8, 1, 0, 9, 5, 6], 96
Exploitation
Ant 10 : [2, 7, 4, 6, 5, 9, 0], 98
Exploitation
Ant 11 : [1, 0, 8, 3, 7, 4, 6], 77
Exploration
avg = 0.000629235935904
p = 0.00079999992
p = 0.00066666666666
```

```
Ant 1: [2, 7, 4, 6, 5, 9, 8, 3], 117
Exploitation
Ant 12: [9, 5, 6, 4, 7, 3, 8], 91
Exploitation
Ant 13 : [0, 9, 8, 3, 4, 6, 5], 102
Exploration
avg = 0.000291375959326
p = 0.00044444
p = 0.000399995964
Ant 14 : [0, 9, 5, 4, 6, 7, 3], 112
Exploitation
Ant 15 : [5, 9, 8, 3, 7, 4, 6], 103
Exploration
avg = 0.00036229891473
p = 0.00039999996
Ant 16: [5, 4, 6, 7, 2, 3, 8], 101
Exploration
avg = 0.000430813304
p = 0.000532799952
Ant 2 : [6, 5, 9, 8, 0, 1, 3, 4], 115
Exploitation
Ant 17 : [6, 4, 7, 2, 3, 8, 0], 83
Exploitation
Ant 18: [8, 0, 9, 5, 6, 4, 7], 90
Exploration
avg = 0.000344189663966
p = 0.00044444
p = 0.00039999995964
Ant 3: [1, 0, 8, 9, 5, 4, 7, 3], 113
Exploration
avg = 0.000262109580219
p = 0.000380952342857
p = 0.000285714285711
Ant 19: [2, 7, 4, 6, 5, 9, 8], 105
Exploration
avg = 0.000394173677419
p = 0.000799992
Ant 4: [7, 4, 6, 5, 9, 8, 0, 1], 107
Exploitation
Ant 0 : [6, 5, 4, 7, 3, 8, 1, 0, 9], 125
Exploration
avg = 0.000596042957419
p = 0.00079999992
p = 0.00079999992
Ant 5 : [2, 7, 4, 6, 5, 9, 0, 8], 108
Exploitation
Ant 6: [8, 3, 7, 4, 6, 5, 9, 0], 112
Exploration
avg = 0.000519213675212
p = 0.0008
p = 0.0005333333333333
Ant 7: [0, 1, 3, 8, 9, 5, 4, 7], 113
Exploitation
```

```
Ant 8: [4, 6, 5, 9, 0, 8, 3, 7], 107
Exploitation
Ant 9: [3, 8, 1, 0, 9, 5, 6, 4], 106
Exploitation
Ant 10 : [2, 7, 4, 6, 5, 9, 0, 8], 108
Exploration
avg = 0.000250546216667
p = 0.0005
Ant 11 : [1, 0, 8, 3, 7, 4, 6, 5], 93
Exploitation
Ant 1: [2, 7, 4, 6, 5, 9, 8, 3, 1], 135
Exploration
avg = 0.000454428374231
p = 0.000799999999
Ant 12: [9, 5, 6, 4, 7, 3, 8, 0], 101
Exploitation
Ant 13 : [0, 9, 8, 3, 4, 6, 5, 2], 125
Exploration
avg = 0.000490102222089
p = 0.000666666666667
Ant 14: [0, 9, 5, 4, 6, 7, 3, 8], 124
Exploration
avg = 0.000135602358722
p = 0.000157621621622
Ant 15 : [5, 9, 8, 3, 7, 4, 6, 1], 140
Exploitation
Ant 16 : [5, 4, 6, 7, 2, 3, 8, 0], 111
Exploitation
Ant 2: [6, 5, 9, 8, 0, 1, 3, 4, 7], 130
Exploration
avg = 0.000463079338411
p = 0.00079999992
Ant 17: [6, 4, 7, 2, 3, 8, 0, 1], 93
Exploitation
Ant 18: [8, 0, 9, 5, 6, 4, 7, 2], 108
Exploration
avg = 0.000249248571429
p = 0.00035964
Ant 3: [1, 0, 8, 9, 5, 4, 7, 3, 2], 131
Exploitation
Ant 19 : [2, 7, 4, 6, 5, 9, 8, 0], 115
Exploitation
Ant 4: [7, 4, 6, 5, 9, 8, 0, 1, 3], 125
Exploration
avg = 0.00017560975592
Ant 0: [6, 5, 4, 7, 3, 8, 1, 0, 9, 2], 166
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 5 : [2, 7, 4, 6, 5, 9, 0, 8, 3], 120
Exploration
avg = 0.0004971999996
p = 0.0007999999992
Ant 6: [8, 3, 7, 4, 6, 5, 9, 0, 1], 122
```

```
Exploration
avg = 0.000316286716129
p = 0.0004444444
Ant 7: [0, 1, 3, 8, 9, 5, 4, 7, 2], 131
Exploration
avg = 0.000296991452769
p = 0.000444444444
Ant 8: [4, 6, 5, 9, 0, 8, 3, 7, 2], 125
Exploitation
Ant 9: [3, 8, 1, 0, 9, 5, 6, 4, 7], 121
Exploration
avg = 0.00054385394386
p = 0.000666666666666
Ant 10 : [2, 7, 4, 6, 5, 9, 0, 8, 3], 120
Exploration
avg = 0.000395958378744
Ant 11: [1, 0, 8, 3, 7, 4, 6, 5, 9], 111
Exploration
avg = 0.0007999999992
Ant 1: [2, 7, 4, 6, 5, 9, 8, 3, 1, 0], 145
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000497199999996
Ant 12: [9, 5, 6, 4, 7, 3, 8, 0, 1], 111
Exploration
avg = 0.000385858554545
p = 0.000444444444
Ant 13: [0, 9, 8, 3, 4, 6, 5, 2, 7], 143
Exploitation
Ant 14: [0, 9, 5, 4, 6, 7, 3, 8, 1], 143
Exploration
avg = 0.000563634727269
p = 0.000799999999999
Ant 15 : [5, 9, 8, 3, 7, 4, 6, 1, 0], 150
Exploitation
Ant 16: [5, 4, 6, 7, 2, 3, 8, 0, 1], 121
Exploitation
Ant 2 : [6, 5, 9, 8, 0, 1, 3, 4, 7, 2], 148
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000230629002923
p = 0.000276646128923
Ant 17: [6, 4, 7, 2, 3, 8, 0, 1, 5], 119
Exploration
avg = 0.000385856332345
p = 0.0004444399996
Ant 18: [8, 0, 9, 5, 6, 4, 7, 2, 3], 126
Exploration
avg = 0.0001437264
Ant 3 : [1, 0, 8, 9, 5, 4, 7, 3, 2, 6], 181
```

Update called by 3Exploitation

Ant thread 3 terminating. Ant 19: [2, 7, 4, 6, 5, 9, 8, 0, 1], 125

Exploration

avg = 0.0004435964

Ant 4: [7, 4, 6, 5, 9, 8, 0, 1, 3, 2], 143

ExplorationUpdate called by 4

avg = 0.0004439999996Ant thread 4 terminating.

Ant 5 : [2, 7, 4, 6, 5, 9, 0, 8, 3, 1], 138 Update called by 5Exploitation

Ant thread 5 terminating. Ant 6: [8, 3, 7, 4, 6, 5, 9, 0, 1, 2], 144

Update called by 6Exploitation

Ant thread 6 terminating. Ant 7: [0, 1, 3, 8, 9, 5, 4, 7, 2, 6], 181

Update called by 7Exploration

Ant thread 7 terminating.avg = 0.000327272665091

Ant 8: [4, 6, 5, 9, 0, 8, 3, 7, 2, 1], 147 Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [3, 8, 1, 0, 9, 5, 6, 4, 7, 2], 139

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [2, 7, 4, 6, 5, 9, 0, 8, 3, 1], 138

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.000194926829267

Ant 11 : [1, 0, 8, 3, 7, 4, 6, 5, 9, 2], 152 Update called by 11Exploration

Ant thread 11 terminating.avg = 0.000363272694545

Ant 12: [9, 5, 6, 4, 7, 3, 8, 0, 1, 2], 133 Update called by 12Exploration

Ant thread 12 terminating.avg = 0.000149538461538

Ant 13 : [0, 9, 8, 3, 4, 6, 5, 2, 7, 1], 182 Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [0, 9, 5, 4, 6, 7, 3, 8, 1, 2], 165

Update called by 14Exploitation

```
Ant thread 14 terminating. Ant 15: [5, 9, 8, 3, 7, 4, 6, 1, 0, 2], 180
Update called by 15Exploration
Ant thread 15 terminating.avg = 0.000184611876923
Ant 16: [5, 4, 6, 7, 2, 3, 8, 0, 1, 9], 160
Update called by 16Exploration
Ant 17: [6, 4, 7, 2, 3, 8, 0, 1, 5, 9], 137
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18: [8, 0, 9, 5, 6, 4, 7, 2, 3, 1], 144
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19: [2, 7, 4, 6, 5, 9, 8, 0, 1, 3], 143
Update called by 19
Best: [2, 7, 4, 6, 5, 9, 0, 1, 8, 3], 157, 4, 183
Ant thread 19 terminating.iter_counter = 5
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [6, 4], 10starting ant = 2
Explorationstarting ant = 3
avg = 0.000241289505152starting ant = 4
p = 0.000326945453986starting ant = 5
p = 0.000253562681739starting ant = 7
Ant 1 : [2, 7], 18starting ant = 9
Exploitationstarting ant = 10
Ant 0: [6, 4, 5], 22starting ant = 11
Exploitationstarting ant = 12
Ant 2: [6, 4], 10starting ant = 13
Explorationstarting ant = 14
avg = 0.000295191416323starting ant = 15
```

```
p = 0.00072starting ant = 16
p = 0.000327272694543starting ant = 17
p = 0.000340711578947starting ant = 19
Ant 3: [1, 8], 19
Exploitation
Ant 4: [7, 4], 15
Exploration
avg = 0.000246178394041
p = 0.000326945453986
p = 0.00039999959996
p = 0.000253562681739
p = 0.000444
Ant 5 : [2, 7], 18
Exploration
avg = 0.000301702930989
p = 0.00072
p = 0.000378947265726
p = 0.0006
Ant 6: [8, 3], 12
Exploration
avg = 0.000327112124901
p = 0.00072
p = 0.00071999999993
p = 0.000342857142854
Ant 7 : [0, 9], 21
Exploration
avg = 0.000341877747712
p = 0.00034992
p = 0.00066538974
p = 0.00072
p = 0.00048
Ant 8: [4, 7], 15
Exploration
avg = 0.000224795917239
p = 0.000359999999637
p = 0.0005328
Ant 1 : [2, 7, 4], 33
Exploration
avg = 0.000327535215799
p = 0.0003999999996
p = 0.0003999923676
p = 0.000479995199568
p = 0.00035999999964
p = 0.0006
Ant 9: [3, 8], 12
Exploration
avg = 0.00024622728293
p = 0.000326945453986
```

```
p = 0.00039999959996
p = 0.000253562681739
p = 0.00044444
Ant 10: [2, 7], 18
Exploration
avg = 0.000248936664881
p = 0.000312725081739
p = 0.000293985818182
p = 0.0004
Ant 0: [6, 4, 5, 9], 40
Exploration
avg = 0.000304028932113
p = 0.00072
p = 0.000327272694543
p = 0.0003999999996
p = 0.000420249221053
Ant 11 : [1, 8], 19
Exploitation
Ant 12: [9, 5], 18
Exploration
avg = 0.000301212466176
p = 0.00034992
p = 0.00066538974
p = 0.0005328
Ant 2: [6, 4, 7], 25
Exploration
avg = 0.000331302601092
p = 0.00072
p = 0.000719999999993
p = 0.000380571428571
Ant 13 : [0, 9], 21
Exploitation
Ant 14 : [0, 1], 10
Exploration
avg = 0.000315172956528
p = 0.000599999999999
p = 0.000449999954595
p = 0.000444
Ant 15 : [5, 9], 18
Exploitation
Ant 16 : [5, 4], 12
Exploitation
Ant 17: [6, 4], 10
Exploitation
Ant 18 : [8, 0], 10
Exploration
avg = 0.000246227771819
p = 0.000326945453986
p = 0.00039999959996
p = 0.000253562681739
p = 0.0004444444
Ant 19: [2, 7], 18
Exploitation
Ant 3: [1, 8, 0], 29
```

```
Exploration
avg = 0.000324612466176
p = 0.00034992
p = 0.00066538974
p = 0.00072
Ant 4: [7, 4, 6], 25
Exploitation
Ant 5 : [2, 7, 4], 33
Exploitation
Ant 6: [8, 3, 4], 27
Exploration
avg = 0.000203715220322
p = 0.000444
p = 0.000257142857143
Ant 7: [0, 9, 8], 49
Exploitation
Ant 8 : [4, 7, 2], 33
Exploitation
Ant 1: [2, 7, 4, 6], 43
Exploration
avg = 0.000274414797363
p = 0.000799992
p = 0.000378947265726
Ant 9: [3, 8, 1], 31
Exploration
avg = 0.000224862577239
p = 0.000359999999637
p = 0.000533333328
Ant 10 : [2, 7, 4], 33
Exploitation
Ant 0: [6, 4, 5, 9, 0], 61
Exploitation
Ant 11 : [1, 8, 0], 29
Exploitation
Ant 12: [9, 5, 4], 30
Exploration
avg = 0.000220035886983
p = 0.000444
p = 0.000359999999637
Ant 2: [6, 4, 7, 3], 45
Exploration
avg = 0.000207250934607
p = 0.000444
p = 0.000285428571429
Ant 13 : [0, 9, 8], 49
Exploration
avg = 0.000252131970679
p = 0.000327272694543
p = 0.0003999999996
p = 0.000276643661314
p = 0.000421044597474
Ant 14 : [0, 1, 8], 29
Exploration
avg = 0.000199357720321
```

```
p = 0.000380571428568
```

p = 0.000285711428571

Ant 15 : [5, 9, 8], 46

Exploration

avg = 0.000318103748676

p = 0.00034992

p = 0.000799992

p = 0.000533328

Ant 16: [5, 4, 7], 27

Exploitation

Ant 17: [6, 4, 5], 22

Exploration

avg = 0.000292662569086

p = 0.0007992

p = 0.000323673084

p = 0.000380948571429

Ant 18 : [8, 0, 9], 31

Exploration

avg = 0.000229812583884

p = 0.000399599999996

p = 0.00053333333338

Ant 19 : [2, 7, 4], 33

Exploration

avg = 0.000220300617731

p = 0.0002393496

p = 0.000323673084

p = 0.000380952342857

Ant 3: [1, 8, 0, 9], 50

Exploration

avg = 0.000179523403624

p = 0.000194067243243

p = 0.00045

Ant 4: [7, 4, 6, 5], 41

Exploration

avg = 0.000353754137676

p = 0.0006666538974

p = 0.000799992

Ant 5 : [2, 7, 4, 6], 43

Exploitation

Ant 6: [8, 3, 4, 6], 37

Exploration

avg = 0.000263695772261

p = 0.00042063157792

p = 0.000666

Ant 7: [0, 9, 8, 3], 61

Exploitation

Ant 8: [4, 7, 2, 3], 51

Exploitation

Ant 1: [2, 7, 4, 6, 5], 59

Exploration

avg = 0.000273715881195

p = 0.00072

p = 0.000327272694543

p = 0.000276643661314

```
Ant 9: [3, 8, 1, 5], 57
Exploration
avg = 0.000353755280419
p = 0.0006666538974
p = 0.0007999999992
Ant 10 : [2, 7, 4, 6], 43
Exploitation
Ant 0: [6, 4, 5, 9, 0, 1], 71
Exploitation
Ant 11: [1, 8, 0, 9], 50
Exploitation
Ant 12: [9, 5, 4, 6], 40
Exploitation
Ant 2: [6, 4, 7, 3, 8], 57
Exploration
avg = 0.000263790057975
p = 0.00042063157792
p = 0.00066666
Ant 13 : [0, 9, 8, 3], 61
Exploration
avg = 0.000240435101883
p = 0.0006666666
p = 0.000257140285275
Ant 14 : [0, 1, 8, 9], 57
Exploration
avg = 0.000351297111852
p = 0.00079999992
p = 0.00042063157792
p = 0.0006666666
Ant 15 : [5, 9, 8, 3], 58
Exploitation
Ant 16: [5, 4, 7, 2], 45
Exploitation
Ant 17: [6, 4, 5, 9], 40
Exploration
avg = 0.000196082700776
p = 0.000444
Ant 18: [8, 0, 9, 5], 49
Exploration
avg = 0.000353755280533
p = 0.0006666538974
p = 0.0008
Ant 19 : [2, 7, 4, 6], 43
Exploration
avg = 0.000203938330392
p = 0.00044444
Ant 3: [1, 8, 0, 9, 5], 68
Exploration
avg = 0.000271324418119
p = 0.000312725081739
p = 0.000293985818182
p = 0.0004444444
Ant 4: [7, 4, 6, 5, 9], 59
Exploitation
```

```
Ant 5 : [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000212014771545
p = 0.00049999995
p = 0.000232255741933
Ant 6: [8, 3, 4, 6, 7], 68
Exploitation
Ant 7 : [0, 9, 8, 3, 4], 76
Exploration
avg = 0.000295748229231
p = 0.0003999999996
p = 0.00066666
Ant 8: [4, 7, 2, 3, 8], 63
Exploration
avg = 0.000263044294195
p = 0.000293985818182
p = 0.000444444444
Ant 1: [2, 7, 4, 6, 5, 9], 77
Exploration
avg = 0.000370056861514
p = 0.00066666
p = 0.000449999954595
p = 0.00044444444444
Ant 9: [3, 8, 1, 5, 9], 75
Exploitation
Ant 10: [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000320727465191
p = 0.000327272694543
p = 0.0003999999996
p = 0.000421052551238
Ant 0: [6, 4, 5, 9, 0, 1, 8], 90
Exploitation
Ant 11 : [1, 8, 0, 9, 5], 68
Exploration
avg = 0.000157161911459
p = 0.000194067243243
p = 0.000257806428387
Ant 12: [9, 5, 4, 6, 7], 71
Exploitation
Ant 2: [6, 4, 7, 3, 8, 0], 67
Exploitation
Ant 13: [0, 9, 8, 3, 4], 76
Exploitation
Ant 14: [0, 1, 8, 9, 5], 75
Exploration
avg = 0.000331268867406
p = 0.0003999999996
p = 0.0003999923676
p = 0.000533333279995
p = 0.00035999999964
Ant 15 : [5, 9, 8, 3, 7], 78
Exploitation
Ant 16 : [5, 4, 7, 2, 3], 63
```

```
Exploitation
Ant 17 : [6, 4, 5, 9, 0], 61
Exploration
avg = 0.000347383720508
p = 0.00066666
p = 0.000449999954595
Ant 18 : [8, 0, 9, 5, 6], 65
Exploration
avg = 0.000200281304144
p = 0.0004999999995
Ant 19: [2, 7, 4, 6, 5], 59
Exploitation
Ant 3: [1, 8, 0, 9, 5, 4], 80
Exploitation
Ant 4: [7, 4, 6, 5, 9, 0], 80
Exploitation
Ant 5 : [2, 7, 4, 6, 5, 9], 77
Exploitation
Ant 6: [8, 3, 4, 6, 7, 2], 86
Exploration
avg = 0.000466616820095
p = 0.0006666538974
p = 0.0008
p = 0.00053333328
Ant 7: [0, 9, 8, 3, 4, 7], 91
Exploration
avg = 0.000367075345029
p = 0.0007999999992
p = 0.00042063157792
Ant 8 : [4, 7, 2, 3, 8, 1], 82
Exploration
avg = 0.000252565280769
p = 0.000380952342857
p = 0.000285714257143
Ant 1 : [2, 7, 4, 6, 5, 9, 8], 105
Exploitation
Ant 9: [3, 8, 1, 5, 9, 0], 96
Exploitation
Ant 10: [2, 7, 4, 6, 5, 9], 77
Exploitation
Ant 0 : [6, 4, 5, 9, 0, 1, 8, 3], 102
Exploitation
Ant 11: [1, 8, 0, 9, 5, 4], 80
Exploitation
Ant 12: [9, 5, 4, 6, 7, 2], 89
Exploration
avg = 0.000401937780951
p = 0.000799992
Ant 2: [6, 4, 7, 3, 8, 0, 1], 77
Exploration
avg = 0.000466616830655
p = 0.0006666538974
p = 0.0008
p = 0.00053333333328
```

```
Ant 13: [0, 9, 8, 3, 4, 7], 91
Exploration
avg = 0.000386386422184
p = 0.00066666666
p = 0.000499499999546
Ant 14: [0, 1, 8, 9, 5, 6], 91
Exploration
avg = 0.000290654819912
p = 0.000444444444
p = 0.00053333333333333
Ant 15: [5, 9, 8, 3, 7, 4], 93
Exploration
avg = 0.000307182831441
p = 0.0003999999996
p = 0.0006666666
Ant 16: [5, 4, 7, 2, 3, 8], 75
Exploitation
Ant 17: [6, 4, 5, 9, 0, 1], 71
Exploitation
Ant 18: [8, 0, 9, 5, 6, 4], 75
Exploration
avg = 0.000263044294283
p = 0.000293985818182
Ant 19 : [2, 7, 4, 6, 5, 9], 77
Exploration
avg = 0.000471282564101
p = 0.0008
p = 0.00053333333333333
Ant 3: [1, 8, 0, 9, 5, 4, 7], 95
Exploitation
Ant 4: [7, 4, 6, 5, 9, 0, 1], 90
Exploration
avg = 0.000252565297269
p = 0.000380952380571
p = 0.000285714285429
Ant 5 : [2, 7, 4, 6, 5, 9, 8], 105
Exploitation
Ant 6: [8, 3, 4, 6, 7, 2, 1], 108
Exploitation
Ant 7: [0, 9, 8, 3, 4, 7, 2], 109
Exploration
avg = 0.000338418004587
p = 0.00072
Ant 8: [4, 7, 2, 3, 8, 1, 0], 92
Exploration
avg = 0.000629238362301
p = 0.0007999999992
Ant 1: [2, 7, 4, 6, 5, 9, 8, 3], 117
Exploration
avg = 0.000201094677342
p = 0.0002393496
p = 0.000323673084
```

```
Ant 9: [3, 8, 1, 5, 9, 0, 4], 116
Exploitation
Ant 10 : [2, 7, 4, 6, 5, 9, 0], 98
Exploitation
Ant 0: [6, 4, 5, 9, 0, 1, 8, 3, 2], 120
Exploration
avg = 0.000471282564103
p = 0.0008
Ant 11 : [1, 8, 0, 9, 5, 4, 7], 95
Exploration
avg = 0.000277672241683
p = 0.00036326945454
p = 0.000444439999996
Ant 12: [9, 5, 4, 6, 7, 2, 3], 107
Exploration
avg = 0.000273028417811
p = 0.000327272694543
p = 0.000307381821229
Ant 2 : [6, 4, 7, 3, 8, 0, 1, 5], 103
Exploration
avg = 0.000239232548962
p = 0.00044444444444
Ant 13 : [0, 9, 8, 3, 4, 7, 2], 109
Exploration
avg = 0.000322002340756
p = 0.0007999999992
Ant 14: [0, 1, 8, 9, 5, 6, 4], 101
Exploitation
Ant 15 : [5, 9, 8, 3, 7, 4, 6], 103
Exploration
avg = 0.000412084106353
p = 0.0007999999992
p = 0.000421048421042
Ant 16: [5, 4, 7, 2, 3, 8, 1], 94
Exploration
avg = 0.000320727485076
p = 0.000327272694543
p = 0.0003999999996
p = 0.000421052630776
Ant 17 : [6, 4, 5, 9, 0, 1, 8], 90
Exploitation
Ant 18: [8, 0, 9, 5, 6, 4, 7], 90
Exploration
avg = 0.000252565297434
p = 0.000380952380949
p = 0.000285714285711
Ant 19: [2, 7, 4, 6, 5, 9, 8], 105
Exploitation
Ant 3: [1, 8, 0, 9, 5, 4, 7, 2], 113
Exploitation
Ant 4: [7, 4, 6, 5, 9, 0, 1, 8], 109
Exploitation
Ant 5 : [2, 7, 4, 6, 5, 9, 8, 0], 115
```

```
Exploitation
Ant 6: [8, 3, 4, 6, 7, 2, 1, 0], 118
Exploitation
Ant 7: [0, 9, 8, 3, 4, 7, 2, 1], 131
Exploration
avg = 0.000229233477632
p = 0.000380952380949
Ant 8: [4, 7, 2, 3, 8, 1, 0, 9], 113
Exploration
avg = 0.000284658064316
p = 0.000399999999
Ant 1: [2, 7, 4, 6, 5, 9, 8, 3, 1], 135
Exploration
avg = 0.000511736752137
p = 0.0008
Ant 9: [3, 8, 1, 5, 9, 0, 4, 7], 131
Exploration
avg = 0.000563105376339
p = 0.00079999999999
p = 0.00071999999999
Ant 10 : [2, 7, 4, 6, 5, 9, 0, 8], 108
Exploitation
Ant 0: [6, 4, 5, 9, 0, 1, 8, 3, 2, 7], 138
Update called by <code>OExploitation</code>
Ant thread 0 terminating.Ant 11 : [1, 8, 0, 9, 5, 4, 7, 2], 113
Exploration
avg = 0.000426660931676
p = 0.000443999999996
p = 0.00066666666
Ant 12: [9, 5, 4, 6, 7, 2, 3, 8], 119
Exploration
avg = 0.000378584763092
Ant 2 : [6, 4, 7, 3, 8, 0, 1, 5, 9], 121
Exploration
avg = 0.000253731303887
p = 0.000363632694545
Ant 13 : [0, 9, 8, 3, 4, 7, 2, 1], 131
Exploitation
Ant 14: [0, 1, 8, 9, 5, 6, 4, 7], 116
Exploration
avg = 0.000139444717445
p = 0.000194067243243
Ant 15 : [5, 9, 8, 3, 7, 4, 6, 1], 140
Exploration
avg = 0.00037542739904
p = 0.000799992
Ant 16: [5, 4, 7, 2, 3, 8, 1, 0], 104
Exploitation
Ant 17: [6, 4, 5, 9, 0, 1, 8, 3], 102
Exploitation
```

```
Ant 18: [8, 0, 9, 5, 6, 4, 7, 2], 108
Exploitation
Ant 19: [2, 7, 4, 6, 5, 9, 8, 0], 115
Exploitation
Ant 3: [1, 8, 0, 9, 5, 4, 7, 2, 3], 131
Exploration
avg = 0.000397343089431
p = 0.000666666666666
Ant 4: [7, 4, 6, 5, 9, 0, 1, 8, 3], 121
Exploration
avg = 0.000484658064512
p = 0.00079999999999
Ant 5 : [2, 7, 4, 6, 5, 9, 8, 0, 1], 125
Exploitation
Ant 6: [8, 3, 4, 6, 7, 2, 1, 0, 9], 139
Exploitation
Ant 7: [0, 9, 8, 3, 4, 7, 2, 1, 5], 157
Exploitation
Ant 8: [4, 7, 2, 3, 8, 1, 0, 9, 5], 131
Exploitation
Ant 1: [2, 7, 4, 6, 5, 9, 8, 3, 1, 0], 145
ExplorationUpdate called by 1
avg = 0.000306880286738Ant thread 1 terminating.
Ant 9: [3, 8, 1, 5, 9, 0, 4, 7, 2], 149
Exploitation
Ant 10: [2, 7, 4, 6, 5, 9, 0, 8, 3], 120
Exploitation
Ant 11: [1, 8, 0, 9, 5, 4, 7, 2, 3], 131
Exploitation
Ant 12: [9, 5, 4, 6, 7, 2, 3, 8, 0], 129
Exploration
avg = 0.000175608
Ant 2 : [6, 4, 7, 3, 8, 0, 1, 5, 9, 2], 162
Update called by 2Exploitation
Ant thread 2 terminating.Ant 13 : [0, 9, 8, 3, 4, 7, 2, 1, 5], 157
Exploration
avg = 0.00042202222222
Ant 14: [0, 1, 8, 9, 5, 6, 4, 7, 2], 134
Exploitation
Ant 15 : [5, 9, 8, 3, 7, 4, 6, 1, 0], 150
Exploration
avg = 0.000250121645022
p = 0.000380952380952
Ant 16: [5, 4, 7, 2, 3, 8, 1, 0, 9], 125
Exploitation
Ant 17: [6, 4, 5, 9, 0, 1, 8, 3, 2], 120
Exploitation
Ant 18: [8, 0, 9, 5, 6, 4, 7, 2, 3], 126
```

Exploitation

Ant 19: [2, 7, 4, 6, 5, 9, 8, 0, 1], 125

Exploration

avg = 0.000124971428571

Ant 3: [1, 8, 0, 9, 5, 4, 7, 2, 3, 6], 173

Update called by 3Exploration

Ant thread 3 terminating.avg = 0.000444439999237

Ant 4: [7, 4, 6, 5, 9, 0, 1, 8, 3, 2], 139 Update called by 4Exploitation

Ant thread 4 terminating.Ant 5 : [2, 7, 4, 6, 5, 9, 8, 0, 1, 3], 143

Update called by 5Exploration

Ant 6: [8, 3, 4, 6, 7, 2, 1, 0, 9, 5], 157 Update called by 6Exploration

Ant thread 6 terminating.avg = 0.000499994999995

Ant 7: [0, 9, 8, 3, 4, 7, 2, 1, 5, 6], 173 ExploitationUpdate called by 7

Ant 8: [4, 7, 2, 3, 8, 1, 0, 9, 5, 6], 147Ant thread 7 terminating.

Update called by 8Exploration

Ant thread 8 terminating.avg = 0.000143998535376

Ant 9: [3, 8, 1, 5, 9, 0, 4, 7, 2, 6], 199 Update called by 9Exploration

Ant thread 9 terminating.avg = 0.000443999999996

Ant 10 : [2, 7, 4, 6, 5, 9, 0, 8, 3, 1], 138 Update called by 10Exploration

Ant thread 10 terminating.avg = 0.000189821142857

Ant 11 : [1, 8, 0, 9, 5, 4, 7, 2, 3, 6], 173 Update called by 11Exploration

Ant thread 11 terminating.avg = 0.0008

Ant 12: [9, 5, 4, 6, 7, 2, 3, 8, 0, 1], 139 Update called by 12Exploration

Ant thread 12 terminating.avg = 0.0004999999995

Ant 13 : [0, 9, 8, 3, 4, 7, 2, 1, 5, 6], 173 Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [0, 1, 8, 9, 5, 6, 4, 7, 2, 3], 152

Update called by 14Exploitation

Ant thread 14 terminating. Ant 15: [5, 9, 8, 3, 7, 4, 6, 1, 0, 2], 180

Update called by 15Exploration

Ant thread 15 terminating.avg = 0.0001213785

Ant 16: [5, 4, 7, 2, 3, 8, 1, 0, 9, 6], 173 Update called by 16Exploration

Ant 17: [6, 4, 5, 9, 0, 1, 8, 3, 2, 7], 138 Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [8, 0, 9, 5, 6, 4, 7, 2, 3, 1], 144

Update called by 18Exploration

Ant thread 18 terminating.avg = 0.000443999999996

Ant 19: [2, 7, 4, 6, 5, 9, 8, 0, 1, 3], 143

Update called by 19

Best: [2, 7, 4, 6, 5, 9, 0, 1, 8, 3], 157, 5, 185

Ant thread 19 terminating.iter_counter = 6

starting ant = 0

Exploitationstarting ant = 1

Ant 0 : [6, 4], 10starting ant = 2

Exploitationstarting ant = 3

Ant 1: [2, 3], 18starting ant = 4

Exploitationstarting ant = 5

Ant 0: [6, 4, 5], 22starting ant = 6

Explorationstarting ant = 7

avg = 0.000247465324385starting ant = 8

p = 0.0007992starting ant = 9

Ant 2 : [6, 5], 16starting ant = 11

Explorationstarting ant = 12

```
avg = 0.0002892552446starting ant = 13
p = 0.000719999999993starting ant = 14
p = 0.000294545425088starting ant = 15
p = 0.000399996starting ant = 16
p = 0.000378947368421starting ant = 17
Ant 3 : [1, 8], 19starting ant = 18
Exploitationstarting ant = 19
Ant 1: [2, 3, 8], 30
Exploitation
Ant 4: [7, 4], 15
Exploitation
Ant 5 : [2, 3], 18
Exploration
avg = 0.000229757284107
p = 0.000281452573565
p = 0.000264587236364
p = 0.0004
Ant 0: [6, 4, 5, 9], 40
Exploitation
Ant 6: [8, 0], 10
Exploration
avg = 0.000324391190505
p = 0.00072
p = 0.000359313057756
p = 0.00071928
p = 0.000342857142857
Ant 7: [0, 9], 21
Exploitation
Ant 8: [4, 6], 10
Exploitation
Ant 9: [3, 8], 12
Exploitation
Ant 10 : [2, 3], 18
Exploration
avg = 0.000281537623519
p = 0.0005999999994
p = 0.000444
Ant 2 : [6, 5, 9], 34
Exploration
avg = 0.000293886823547
p = 0.00071999999993
p = 0.000294545425088
p = 0.000399996
p = 0.000420631578947
Ant 11: [1, 8], 19
Exploration
```

```
avg = 0.000210384411324
p = 0.000342857142854
p = 0.0004
p = 0.000257142857143
Ant 12 : [9, 8], 28
Exploitation
Ant 13 : [0, 1], 10
Exploitation
Ant 14: [0, 1], 10
Exploitation
Ant 15 : [5, 4], 12
Exploitation
Ant 16 : [5, 4], 12
Exploitation
Ant 17: [6, 4], 10
Exploitation
Ant 3 : [1, 8, 0], 29
Exploration
avg = 0.000302126662975
p = 0.000799992
p = 0.000378947330526
p = 0.0006
Ant 18: [8, 3], 12
Exploitation
Ant 19 : [2, 3], 18
Exploration
avg = 0.0002862746294
p = 0.000799992
p = 0.000378947330526
Ant 1: [2, 3, 8, 1], 49
Exploitation
Ant 4: [7, 4, 6], 25
Exploitation
Ant 5 : [2, 3, 8], 30
Exploitation
Ant 0: [6, 4, 5, 9, 0], 61
Exploration
avg = 0.000289743375033
p = 0.000799992
p = 0.000359313057756
p = 0.000380571428571
Ant 6: [8, 0, 9], 31
Exploration
avg = 0.000197361034169
p = 0.0004
p = 0.000285428571429
Ant 7: [0, 9, 8], 49
Exploitation
Ant 8: [4, 6, 5], 26
Exploration
avg = 0.000270103026853
p = 0.000799992
p = 0.000420631578568
Ant 9 : [3, 8, 1], 31
```

```
Exploration
avg = 0.000325287667561
p = 0.00039999996
p = 0.000479999951996
p = 0.000359639999997
p = 0.0006666666
Ant 10 : [2, 3, 8], 30
Exploitation
Ant 2: [6, 5, 9, 0], 55
Exploitation
Ant 11: [1, 8, 0], 29
Exploitation
Ant 12 : [9, 8, 0], 38
Exploitation
Ant 13 : [0, 1, 8], 29
Exploitation
Ant 14 : [0, 1, 8], 29
Exploration
avg = 0.000296293873809
p = 0.000314928
p = 0.000799992
p = 0.00048
Ant 15 : [5, 4, 7], 27
Exploitation
Ant 16: [5, 4, 6], 22
Exploration
avg = 0.000286144859443
p = 0.000314928
p = 0.000665999885077
p = 0.0005328
Ant 17 : [6, 4, 7], 25
Exploration
avg = 0.000216904591874
p = 0.0002397541464
p = 0.000359313057756
p = 0.000380948571429
Ant 3: [1, 8, 0, 9], 50
Exploitation
Ant 18: [8, 3, 4], 27
Exploitation
Ant 19 : [2, 3, 8], 30
Exploitation
Ant 1: [2, 3, 8, 1, 0], 59
Exploitation
Ant 4: [7, 4, 6, 5], 41
Exploitation
Ant 5 : [2, 3, 8, 0], 40
Exploitation
Ant 0: [6, 4, 5, 9, 0, 1], 71
Exploitation
Ant 6: [8, 0, 9, 5], 49
Exploitation
Ant 7: [0, 9, 8, 3], 61
Exploration
```

```
avg = 0.000236105855536
p = 0.000281452573565
p = 0.000264587236364
p = 0.00044444
Ant 8: [4, 6, 5, 9], 44
Exploitation
Ant 9 : [3, 8, 1, 0], 41
Exploration
avg = 0.00029229021376
p = 0.00079999999999
p = 0.000421048421049
Ant 10 : [2, 3, 8, 1], 49
Exploitation
Ant 2: [6, 5, 9, 0, 1], 65
Exploration
avg = 0.00021690513065
p = 0.0002397541464
p = 0.000359313057756
p = 0.000380952342857
Ant 11 : [1, 8, 0, 9], 50
Exploration
avg = 0.000276769081556
p = 0.0007999999992
p = 0.000359313057756
Ant 12 : [9, 8, 0, 4], 58
Exploitation
Ant 13 : [0, 1, 8, 3], 41
Exploitation
Ant 14 : [0, 1, 8, 3], 41
Exploitation
Ant 15 : [5, 4, 7, 2], 45
Exploitation
Ant 16: [5, 4, 6, 7], 53
Exploration
avg = 0.000209466584045
p = 0.000444
p = 0.000359639999997
Ant 17 : [6, 4, 7, 3], 45
Exploitation
Ant 3: [1, 8, 0, 9, 5], 68
Exploitation
Ant 18: [8, 3, 4, 6], 37
Exploration
avg = 0.000292290809249
p = 0.000421052589474
Ant 19 : [2, 3, 8, 1], 49
Exploration
avg = 0.000233295472511
p = 0.000399593130578
p = 0.000380952380571
Ant 1: [2, 3, 8, 1, 0, 9], 80
Exploitation
Ant 4: [7, 4, 6, 5, 9], 59
```

```
Exploitation
Ant 5 : [2, 3, 8, 0, 1], 50
Exploration
avg = 0.000309180052523
p = 0.000399996
p = 0.000421052631158
Ant 0: [6, 4, 5, 9, 0, 1, 8], 90
Exploration
avg = 0.000331256355267
p = 0.00066666
p = 0.000449999999996
Ant 6: [8, 0, 9, 5, 6], 65
Exploitation
Ant 7: [0, 9, 8, 3, 4], 76
Exploitation
Ant 8: [4, 6, 5, 9, 0], 65
Exploration
avg = 0.000234371918222
p = 0.0002397541464
p = 0.000399593130578
p = 0.000380952380949
Ant 9: [3, 8, 1, 0, 9], 62
Exploitation
Ant 10 : [2, 3, 8, 1, 0], 59
Exploration
avg = 0.000270963642102
p = 0.000294545425088
p = 0.000399996
p = 0.000421052631575
Ant 2 : [6, 5, 9, 0, 1, 8], 84
Exploitation
Ant 11: [1, 8, 0, 9, 5], 68
Exploitation
Ant 12 : [9, 8, 0, 4, 6], 68
Exploration
avg = 0.000306096378725
p = 0.00039999959993
p = 0.000533327999995
p = 0.000359639999997
Ant 13 : [0, 1, 8, 3, 7], 61
Exploration
avg = 0.000312755778725
p = 0.00039999959993
p = 0.000533327999995
p = 0.0003995964
Ant 14: [0, 1, 8, 3, 7], 61
Exploitation
Ant 15 : [5, 4, 7, 2, 3], 63
Exploitation
Ant 16: [5, 4, 6, 7, 2], 71
Exploitation
Ant 17 : [6, 4, 7, 3, 8], 57
Exploration
avg = 0.000371069780168
```

```
p = 0.00066666
p = 0.0004995
Ant 3: [1, 8, 0, 9, 5, 6], 84
Exploration
avg = 0.000210565126151
p = 0.00049999995
p = 0.000257806428385
Ant 18: [8, 3, 4, 6, 7], 68
Exploitation
Ant 19 : [2, 3, 8, 1, 0], 59
Exploration
avg = 0.000213308725154
p = 0.0004444444
Ant 1: [2, 3, 8, 1, 0, 9, 5], 98
Exploration
avg = 0.000230266594547
p = 0.000380952342857
p = 0.000285711428571
Ant 4: [7, 4, 6, 5, 9, 8], 87
Exploration
avg = 0.00016196168158
p = 0.000276923076644
p = 0.000165987663895
Ant 5 : [2, 3, 8, 0, 1, 9], 89
Exploration
avg = 0.000317695910953
p = 0.000666666666
Ant 0: [6, 4, 5, 9, 0, 1, 8, 3], 102
Exploration
avg = 0.000291880374961
p = 0.000799992
Ant 6: [8, 0, 9, 5, 6, 4], 75
Exploration
avg = 0.000459823023168
p = 0.000665999885077
p = 0.000799999999999
p = 0.000533328
Ant 7: [0, 9, 8, 3, 4, 7], 91
Exploration
avg = 0.000404255453434
p = 0.00079999999999
p = 0.00071928
Ant 8: [4, 6, 5, 9, 0, 8], 75
Exploitation
Ant 9: [3, 8, 1, 0, 9, 5], 80
Exploitation
Ant 10 : [2, 3, 8, 1, 0, 4], 79
Exploration
avg = 0.000263399167422
Ant 2: [6, 5, 9, 0, 1, 8, 3], 96
Exploration
avg = 0.000371168780168
p = 0.00066666
```

```
p = 0.000499995
Ant 11 : [1, 8, 0, 9, 5, 6], 84
Exploitation
Ant 12: [9, 8, 0, 4, 6, 5], 84
Exploration
avg = 0.000275549921408
p = 0.00044444
p = 0.0005328
Ant 13: [0, 1, 8, 3, 7, 4], 76
Exploration
avg = 0.000275655521408
p = 0.00044444
p = 0.000533328
Ant 14: [0, 1, 8, 3, 7, 4], 76
Exploration
avg = 0.000309587563759
p = 0.00039999996
p = 0.0006666666666667
Ant 15 : [5, 4, 7, 2, 3, 8], 75
Exploration
avg = 0.000234483386333
p = 0.000327272694251
p = 0.00044444444444
Ant 16: [5, 4, 6, 7, 2, 3], 89
Exploitation
Ant 17: [6, 4, 7, 3, 8, 0], 67
Exploration
avg = 0.000316253635241
p = 0.00079999992
Ant 3: [1, 8, 0, 9, 5, 6, 4], 94
Exploration
avg = 0.000193625452958
p = 0.00044444
Ant 18: [8, 3, 4, 6, 7, 2], 86
Exploration
avg = 0.000233376032733
p = 0.000399995931306
p = 0.000380952380952
Ant 19: [2, 3, 8, 1, 0, 9], 80
Exploration
avg = 0.000436603013636
p = 0.00066666
p = 0.00049999995
Ant 1: [2, 3, 8, 1, 0, 9, 5, 6], 114
Exploration
avg = 0.0005007342147
p = 0.0008
p = 0.000666666666666
Ant 4: [7, 4, 6, 5, 9, 8, 3], 99
Exploitation
Ant 5 : [2, 3, 8, 0, 1, 9, 5], 107
Exploitation
Ant 0: [6, 4, 5, 9, 0, 1, 8, 3, 2], 120
Exploitation
```

```
Ant 6: [8, 0, 9, 5, 6, 4, 7], 90
Exploration
avg = 0.000226420394067
p = 0.0004444444
Ant 7: [0, 9, 8, 3, 4, 7, 2], 109
Exploitation
Ant 8: [4, 6, 5, 9, 0, 8, 3], 87
Exploitation
Ant 9: [3, 8, 1, 0, 9, 5, 4], 92
Exploitation
Ant 10: [2, 3, 8, 1, 0, 4, 6], 89
Exploration
avg = 0.000459107987865
p = 0.000533327999995
Ant 2: [6, 5, 9, 0, 1, 8, 3, 4], 111
Exploration
avg = 0.000316253655041
p = 0.0007999999992
Ant 11 : [1, 8, 0, 9, 5, 6, 4], 94
Exploration
avg = 0.000217719532902
p = 0.000281452573565
p = 0.000264587236364
Ant 12: [9, 8, 0, 4, 6, 5, 3], 106
Exploration
avg = 0.000446656984844
p = 0.000665999885077
p = 0.0008
Ant 13 : [0, 1, 8, 3, 7, 4, 6], 86
Exploration
avg = 0.000446656984844
p = 0.000665999885077
p = 0.0008
Ant 14: [0, 1, 8, 3, 7, 4, 6], 86
Exploration
avg = 0.000401402958953
p = 0.0008
p = 0.000421052631158
Ant 15 : [5, 4, 7, 2, 3, 8, 1], 94
Exploration
avg = 0.000344128785699
p = 0.00039999996
Ant 16: [5, 4, 6, 7, 2, 3, 8], 101
Exploration
avg = 0.000397354488979
p = 0.00079999999999
Ant 17 : [6, 4, 7, 3, 8, 0, 1], 77
Exploration
avg = 0.000343316854523
p = 0.00053333333328
Ant 3: [1, 8, 0, 9, 5, 6, 4, 7], 109
Exploitation
Ant 18: [8, 3, 4, 6, 7, 2, 1], 108
```

```
Exploration
avg = 0.000213308736266
Ant 19: [2, 3, 8, 1, 0, 9, 5], 98
Exploration
avg = 0.000529030967622
p = 0.00079999999999
Ant 1: [2, 3, 8, 1, 0, 9, 5, 6, 4], 124
Exploration
avg = 0.000332128158576
p = 0.00039999996
p = 0.0004439999996
Ant 4: [7, 4, 6, 5, 9, 8, 3, 2], 117
Exploration
avg = 0.000436605230136
p = 0.0006666666
p = 0.0004999999995
Ant 5 : [2, 3, 8, 0, 1, 9, 5, 6], 123
Exploitation
Ant 0: [6, 4, 5, 9, 0, 1, 8, 3, 2, 7], 138
Update called by <code>OExploitation</code>
Ant thread 0 terminating. Ant 6: [8, 0, 9, 5, 6, 4, 7, 2], 108
Exploitation
Ant 7: [0, 9, 8, 3, 4, 7, 2, 1], 131
Exploitation
Ant 8: [4, 6, 5, 9, 0, 8, 3, 2], 105
Exploitation
Ant 9: [3, 8, 1, 0, 9, 5, 4, 6], 102
Exploitation
Ant 10: [2, 3, 8, 1, 0, 4, 6, 5], 105
Exploitation
Ant 2 : [6, 5, 9, 0, 1, 8, 3, 4, 7], 126
Exploration
avg = 0.000343316854701
Ant 11: [1, 8, 0, 9, 5, 6, 4, 7], 109
Exploration
avg = 0.000414813441333
p = 0.0004444444
Ant 12: [9, 8, 0, 4, 6, 5, 3, 2], 124
Exploitation
Ant 13 : [0, 1, 8, 3, 7, 4, 6, 5], 102
Exploitation
Ant 14: [0, 1, 8, 3, 7, 4, 6, 5], 102
Exploitation
Ant 15 : [5, 4, 7, 2, 3, 8, 1, 0], 104
Exploration
avg = 0.000492646107571
p = 0.0008
Ant 16: [5, 4, 6, 7, 2, 3, 8, 0], 111
Exploration
avg = 0.000258735100483
```

```
p = 0.000294545425088
p = 0.000276923076644
Ant 17 : [6, 4, 7, 3, 8, 0, 1, 5], 103
Exploration
avg = 0.00042202042222
p = 0.00044444444444
Ant 3: [1, 8, 0, 9, 5, 6, 4, 7, 2], 127
Exploration
avg = 0.00043737380503
Ant 18: [8, 3, 4, 6, 7, 2, 1, 0], 118
Exploitation
Ant 19 : [2, 3, 8, 1, 0, 9, 5, 4], 110
Exploitation
Ant 1: [2, 3, 8, 1, 0, 9, 5, 6, 4, 7], 139
Update called by 1Exploitation
Ant thread 1 terminating. Ant 4: [7, 4, 6, 5, 9, 8, 3, 2, 1], 139
Exploration
avg = 0.000529030967626
p = 0.0008
Ant 5 : [2, 3, 8, 0, 1, 9, 5, 6, 4], 133
Exploration
avg = 0.000404040385859
p = 0.0004444444444444
Ant 6: [8, 0, 9, 5, 6, 4, 7, 2, 3], 126
Exploration
avg = 0.000217529064448
p = 0.000307384615382
Ant 7: [0, 9, 8, 3, 4, 7, 2, 1, 5], 157
Exploration
avg = 0.000403818163636
p = 0.000444
Ant 8: [4, 6, 5, 9, 0, 8, 3, 2, 7], 123
Exploitation
Ant 9: [3, 8, 1, 0, 9, 5, 4, 6, 7], 133
Exploitation
Ant 10: [2, 3, 8, 1, 0, 4, 6, 5, 9], 123
Exploration
Ant 2 : [6, 5, 9, 0, 1, 8, 3, 4, 7, 2], 144
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000422020422222
Ant 11 : [1, 8, 0, 9, 5, 6, 4, 7, 2], 127
Exploitation
Ant 12: [9, 8, 0, 4, 6, 5, 3, 2, 7], 142
Exploration
avg = 0.000362948509003
p = 0.00044444444444
Ant 13 : [0, 1, 8, 3, 7, 4, 6, 5, 9], 120
```

```
Exploitation
Ant 14: [0, 1, 8, 3, 7, 4, 6, 5, 9], 120
Exploitation
Ant 15 : [5, 4, 7, 2, 3, 8, 1, 0, 9], 125
Exploitation
Ant 16: [5, 4, 6, 7, 2, 3, 8, 0, 1], 121
Exploration
avg = 0.000362948509005
Ant 17: [6, 4, 7, 3, 8, 0, 1, 5, 9], 121
Exploitation
Ant 3 : [1, 8, 0, 9, 5, 6, 4, 7, 2, 3], 145
Update called by 3Exploitation
Ant thread 3 terminating. Ant 18: [8, 3, 4, 6, 7, 2, 1, 0, 9], 139
Exploration
avg = 0.0006666666666667
p = 0.0008
Ant 19: [2, 3, 8, 1, 0, 9, 5, 4, 6], 120
Exploitation
Ant 4: [7, 4, 6, 5, 9, 8, 3, 2, 1, 0], 149
Update called by 4Exploration
Ant thread 4 terminating.avg = 0.00053333333333333
Ant 5 : [2, 3, 8, 0, 1, 9, 5, 6, 4, 7], 148
Update called by 5Exploitation
Ant thread 5 terminating. Ant 6: [8, 0, 9, 5, 6, 4, 7, 2, 3, 1], 144
Update called by 6Exploration
Ant thread 6 terminating.avg = 0.000499999999995
Ant 7: [0, 9, 8, 3, 4, 7, 2, 1, 5, 6], 173
Update called by 7Exploration
Ant thread 7 terminating.avg = 0.000165703569231
Ant 8: [4, 6, 5, 9, 0, 8, 3, 2, 7, 1], 162
Update called by 8Exploitation
Ant thread 8 terminating. Ant 9: [3, 8, 1, 0, 9, 5, 4, 6, 7, 2], 151
Update called by 9Exploitation
Ant thread 9 terminating. Ant 10 : [2, 3, 8, 1, 0, 4, 6, 5, 9, 7], 168
Update called by 10Exploration
```

Ant 11 : [1, 8, 0, 9, 5, 6, 4, 7, 2, 3], 145

```
Update called by 11Exploration
```

Ant thread 11 terminating.avg = 0.000204733958769

Ant 12: [9, 8, 0, 4, 6, 5, 3, 2, 7, 1], 181 Update called by 12Exploitation

Ant thread 12 terminating. Ant 13: [0, 1, 8, 3, 7, 4, 6, 5, 9, 2], 161

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.000194925073013

Ant 14: [0, 1, 8, 3, 7, 4, 6, 5, 9, 2], 161 Update called by 14Exploration

Ant thread 14 terminating.avg = 0.0001495924065

Ant 15 : [5, 4, 7, 2, 3, 8, 1, 0, 9, 6], 173 Update called by 15Exploration

Ant thread 15 terminating.avg = 0.000204736799716

Ant 16: [5, 4, 6, 7, 2, 3, 8, 0, 1, 9], 160 ExplorationUpdate called by 16

avg = 0.000195119982437Ant thread 16 terminating.

Ant 17 : [6, 4, 7, 3, 8, 0, 1, 5, 9, 2], 162 Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [8, 3, 4, 6, 7, 2, 1, 0, 9, 5], 157

Update called by 18Exploration

Ant thread 18 terminating.avg = 0.00025806449032

Ant 19: [2, 3, 8, 1, 0, 9, 5, 4, 6, 7], 151
Update called by 19

Best: [2, 7, 4, 6, 5, 9, 0, 1, 8, 3], 157, 6, 183 Ant thread 19 terminating.iter_counter = 7

starting ant = 0
Explorationstarting ant = 1

avg = 0.000230379669362starting ant = 2

p = 0.00072starting ant = 3

p = 0.00045starting ant = 4

p = 0.000232258064284starting ant = 5

Ant 0 : [6, 7], 31starting ant = 6

```
avg = 0.000220697659585starting ant = 8
p = 0.000327272694545starting ant = 9
p = 0.0004starting ant = 10
p = 0.00039999996starting ant = 11
Ant 1 : [2, 7], 18starting ant = 12
Explorationstarting ant = 13
avg = 0.000233218379065starting ant = 14
p = 0.00072starting ant = 15
p = 0.00045starting ant = 16
p = 0.000257806451611starting ant = 17
Ant 2: [6, 7], 31starting ant = 18
Exploitationstarting ant = 19
Ant 3: [1, 0], 10
Exploitation
Ant 4: [7, 4], 15
Exploration
avg = 0.000225586552873
p = 0.000327272694545
p = 0.0004
p = 0.0004439999996
Ant 5 : [2, 7], 18
Exploitation
Ant 0: [6, 7, 4], 46
Exploitation
Ant 6: [8, 0], 10
Exploration
avg = 0.000315821162619
p = 0.00072
p = 0.000359996338175
p = 0.00071927352
p = 0.000342857142857
Ant 7: [0, 9], 21
Exploitation
Ant 8: [4, 6], 10
Exploration
avg = 0.000318443518276
p = 0.0003995999964
p = 0.0003999999999
p = 0.000479999952
```

Explorationstarting ant = 7

```
p = 0.0003599963676
p = 0.0006
Ant 9: [3, 8], 12
Exploitation
Ant 10: [2, 7], 18
Exploration
avg = 0.000288330524587
p = 0.0007992
p = 0.0003599964
p = 0.000378947368421
Ant 11 : [1, 8], 19
Exploration
avg = 0.000207744116011
p = 0.00035963676
p = 0.000533327999995
Ant 1: [2, 7, 4], 33
Exploration
avg = 0.000211323582493
p = 0.000342857108571
p = 0.0004
p = 0.000257142831429
Ant 12: [9, 8], 28
Exploitation
Ant 13 : [0, 1], 10
Exploration
avg = 0.00032881163881
p = 0.0007992
p = 0.000359996338175
p = 0.00071927352
p = 0.000380571428571
Ant 14 : [0, 9], 21
Exploration
avg = 0.000291747073519
p = 0.000326381285127
p = 0.0005999999994
p = 0.00045
p = 0.0004
Ant 15 : [5, 9], 18
Exploration
avg = 0.000296635962408
p = 0.000326381285127
p = 0.0005999999994
p = 0.00045
p = 0.000444
Ant 16: [5, 9], 18
Exploitation
Ant 17: [6, 4], 10
Exploitation
Ant 2: [6, 7, 4], 46
Exploitation
Ant 18: [8, 0], 10
Exploration
avg = 0.000225635930696
```

p = 0.000327272694545

```
p = 0.0004
p = 0.0004444444
Ant 19 : [2, 7], 18
Exploitation
Ant 3: [1, 0, 8], 20
Exploitation
Ant 4: [7, 4, 6], 25
Exploration
avg = 0.000207744782612
p = 0.00035963676
p = 0.00053333333328
Ant 5 : [2, 7, 4], 33
Exploitation
Ant 0: [6, 7, 4, 5], 58
Exploitation
Ant 6: [8, 0, 1], 20
Exploration
avg = 0.000198417609201
p = 0.0004
p = 0.000285428571171
Ant 7: [0, 9, 8], 49
Exploitation
Ant 8: [4, 6, 5], 26
Exploration
avg = 0.000253139992631
p = 0.000799992
p = 0.000378947368417
Ant 9: [3, 8, 1], 31
Exploitation
Ant 10 : [2, 7, 4], 33
Exploration
avg = 0.000280771571578
p = 0.000799992
p = 0.0006
Ant 11 : [1, 8, 3], 31
Exploitation
Ant 1 : [2, 7, 4, 6], 43
Exploitation
Ant 12: [9, 8, 0], 38
Exploitation
Ant 13 : [0, 1, 8], 29
Exploitation
Ant 14: [0, 9, 5], 39
Exploitation
Ant 15 : [5, 9, 0], 39
Exploration
avg = 0.000196024394904
p = 0.000380571428229
p = 0.000285711428569
Ant 16: [5, 9, 8], 46
Exploitation
Ant 17 : [6, 4, 5], 22
Exploitation
Ant 2: [6, 7, 4, 5], 58
```

```
Exploration
avg = 0.000280150046518
p = 0.000799992
p = 0.000359996338175
p = 0.000380948571429
Ant 18 : [8, 0, 9], 31
Exploitation
Ant 19 : [2, 7, 4], 33
Exploitation
Ant 3 : [1, 0, 8, 3], 32
Exploitation
Ant 4: [7, 4, 6, 5], 41
Exploitation
Ant 5 : [2, 7, 4, 6], 43
Exploration
avg = 0.000248554913409
p = 0.000253307316209
p = 0.000326381285127
p = 0.00044444
Ant 0: [6, 7, 4, 5, 9], 76
Exploration
avg = 0.000202403907552
p = 0.000265090882579
p = 0.0003599964
p = 0.000276920307692
Ant 6: [8, 0, 1, 5], 46
Exploitation
Ant 7: [0, 9, 8, 3], 61
Exploitation
Ant 8: [4, 6, 5, 9], 44
Exploitation
Ant 9: [3, 8, 1, 0], 41
Exploitation
Ant 10 : [2, 7, 4, 6], 43
Exploration
avg = 0.000266627380692
p = 0.0003999999996
p = 0.000479999952
p = 0.0003599963676
Ant 11 : [1, 8, 3, 7], 51
Exploitation
Ant 1: [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000265750257245
p = 0.000799992
p = 0.000359996338175
Ant 12 : [9, 8, 0, 4], 58
Exploitation
Ant 13 : [0, 1, 8, 3], 41
Exploitation
Ant 14: [0, 9, 5, 4], 51
Exploitation
Ant 15: [5, 9, 0, 1], 49
Exploration
```

```
avg = 0.000335777332834
p = 0.00079999992
p = 0.000420631578947
p = 0.00066666666
Ant 16 : [5, 9, 8, 3], 58
Exploitation
Ant 17 : [6, 4, 5, 9], 40
Exploration
avg = 0.000248555654149
p = 0.000253307316209
p = 0.000326381285127
p = 0.00044444444444
Ant 2: [6, 7, 4, 5, 9], 76
Exploration
avg = 0.000192273186062
p = 0.000444
Ant 18 : [8, 0, 9, 5], 49
Exploration
avg = 0.000326352769017
p = 0.0006666665994
p = 0.00079999999999
Ant 19 : [2, 7, 4, 6], 43
Exploration
avg = 0.000294808199401
p = 0.0003999999996
p = 0.000479999952
p = 0.000399599963676
Ant 3: [1, 0, 8, 3, 7], 52
Exploitation
Ant 4: [7, 4, 6, 5, 9], 59
Exploration
avg = 0.000181021391662
p = 0.00049999995
Ant 5 : [2, 7, 4, 6, 5], 59
Exploitation
Ant 0: [6, 7, 4, 5, 9, 0], 97
Exploitation
Ant 6: [8, 0, 1, 5, 4], 58
Exploitation
Ant 7: [0, 9, 8, 3, 4], 76
Exploration
avg = 0.000213321485773
p = 0.000380948571425
p = 0.000285714257143
Ant 8: [4, 6, 5, 9, 8], 72
Exploitation
Ant 9: [3, 8, 1, 0, 4], 61
Exploration
avg = 0.000181021399912
p = 0.0004999999995
Ant 10: [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000232110787309
p = 0.0004
```

```
Ant 11 : [1, 8, 3, 7, 4], 66
Exploitation
Ant 1: [2, 7, 4, 6, 5, 9], 77
Exploration
avg = 0.000416651717849
p = 0.0006666665994
p = 0.0008
p = 0.00048
Ant 12: [9, 8, 0, 4, 7], 73
Exploration
avg = 0.000303674213314
p = 0.0003999999996
p = 0.00053279999952
p = 0.000399995999637
Ant 13 : [0, 1, 8, 3, 7], 61
Exploitation
Ant 14: [0, 9, 5, 4, 6], 61
Exploration
avg = 0.000229390600709
p = 0.000265090882579
p = 0.0003599964
p = 0.000421048421053
Ant 15 : [5, 9, 0, 1, 8], 68
Exploration
avg = 0.000337304405279
p = 0.0003995999964
p = 0.000399999999
p = 0.00053279999952
p = 0.00039999959996
Ant 16: [5, 9, 8, 3, 7], 78
Exploitation
Ant 17: [6, 4, 5, 9, 0], 61
Exploration
avg = 0.000224117586071
p = 0.000380952342857
p = 0.000285714285429
Ant 2: [6, 7, 4, 5, 9, 8], 104
Exploration
avg = 0.000331450515141
p = 0.00066666
p = 0.00045
Ant 18: [8, 0, 9, 5, 6], 65
Exploitation
Ant 19: [2, 7, 4, 6, 5], 59
Exploitation
Ant 3 : [1, 0, 8, 3, 7, 4], 67
Exploitation
Ant 4: [7, 4, 6, 5, 9, 0], 80
Exploration
avg = 0.000247605321739
p = 0.000326381285127
Ant 5 : [2, 7, 4, 6, 5, 9], 77
```

```
Exploitation
Ant 0: [6, 7, 4, 5, 9, 0, 1], 107
Exploitation
Ant 6: [8, 0, 1, 5, 4, 6], 68
Exploitation
Ant 7: [0, 9, 8, 3, 4, 6], 86
Exploitation
Ant 8: [4, 6, 5, 9, 8, 0], 82
Exploitation
Ant 9: [3, 8, 1, 0, 4, 6], 71
Exploration
avg = 0.000247605321739
p = 0.000326381285127
Ant 10: [2, 7, 4, 6, 5, 9], 77
Exploration
avg = 0.000393561649654
p = 0.0006666665994
p = 0.0008
Ant 11: [1, 8, 3, 7, 4, 6], 76
Exploration
avg = 0.000236244557494
p = 0.000380952380571
p = 0.000285714285711
Ant 1 : [2, 7, 4, 6, 5, 9, 8], 105
Exploitation
Ant 12: [9, 8, 0, 4, 7, 2], 91
Exploration
avg = 0.000267558395934
p = 0.000444
Ant 13: [0, 1, 8, 3, 7, 4], 76
Exploration
avg = 0.000146836248649
p = 0.000174955728454
p = 0.000258061935484
Ant 14: [0, 9, 5, 4, 6, 7], 92
Exploitation
Ant 15: [5, 9, 0, 1, 8, 3], 80
Exploitation
Ant 16: [5, 9, 8, 3, 7, 4], 93
Exploitation
Ant 17: [6, 4, 5, 9, 0, 1], 71
Exploitation
Ant 2 : [6, 7, 4, 5, 9, 8, 0], 114
Exploration
avg = 0.000283695527184
p = 0.0007992
Ant 18: [8, 0, 9, 5, 6, 4], 75
Exploration
avg = 0.000247605321739
p = 0.000326381285127
Ant 19 : [2, 7, 4, 6, 5, 9], 77
```

```
Exploitation
Ant 3: [1, 0, 8, 3, 7, 4, 6], 77
Exploitation
Ant 4: [7, 4, 6, 5, 9, 0, 1], 90
Exploration
avg = 0.000236244557494
p = 0.000380952380571
p = 0.000285714285714
Ant 5 : [2, 7, 4, 6, 5, 9, 8], 105
Exploration
avg = 0.000348713290684
p = 0.0003599964
p = 0.000421052589474
Ant 0: [6, 7, 4, 5, 9, 0, 1, 8], 126
Exploitation
Ant 6: [8, 0, 1, 5, 4, 6, 7], 99
Exploration
avg = 0.000254512701081
p = 0.0005
p = 0.000258064515871
Ant 7: [0, 9, 8, 3, 4, 6, 7], 117
Exploitation
Ant 8: [4, 6, 5, 9, 8, 0, 1], 92
Exploitation
Ant 9: [3, 8, 1, 0, 4, 6, 5], 87
Exploration
avg = 0.000236244557495
p = 0.000380952380571
p = 0.000285714285714
Ant 10 : [2, 7, 4, 6, 5, 9, 8], 105
Exploration
avg = 0.000195017553053
p = 0.0005
Ant 11 : [1, 8, 3, 7, 4, 6, 5], 92
Exploration
avg = 0.000629099415202
p = 0.00079999999999
Ant 1: [2, 7, 4, 6, 5, 9, 8, 3], 117
Exploration
avg = 0.000265532213723
p = 0.000327272694545
p = 0.0004
Ant 12: [9, 8, 0, 4, 7, 2, 3], 109
Exploration
avg = 0.000438807962067
p = 0.0006666665994
p = 0.0008
Ant 13 : [0, 1, 8, 3, 7, 4, 6], 86
Exploitation
Ant 14: [0, 9, 5, 4, 6, 7, 2], 110
Exploration
avg = 0.00037177010178
p = 0.0003999999996
```

```
p = 0.00053279999952
p = 0.000399999999
Ant 15 : [5, 9, 0, 1, 8, 3, 7], 100
Exploration
avg = 0.000320596226923
p = 0.0008
Ant 16: [5, 9, 8, 3, 7, 4, 6], 103
Exploitation
Ant 17: [6, 4, 5, 9, 0, 1, 8], 90
Exploration
avg = 0.000384308265425
p = 0.0008
Ant 2 : [6, 7, 4, 5, 9, 8, 0, 1], 124
Exploitation
Ant 18: [8, 0, 9, 5, 6, 4, 7], 90
Exploration
avg = 0.000236244557495
p = 0.000380952380571
p = 0.000285714285714
Ant 19 : [2, 7, 4, 6, 5, 9, 8], 105
Exploitation
Ant 3: [1, 0, 8, 3, 7, 4, 6, 5], 93
Exploitation
Ant 4: [7, 4, 6, 5, 9, 0, 1, 8], 109
Exploration
avg = 0.000629099415202
p = 0.000799999999999
Ant 5 : [2, 7, 4, 6, 5, 9, 8, 3], 117
Exploration
avg = 0.000385181235772
Ant 0: [6, 7, 4, 5, 9, 0, 1, 8, 3], 138
Exploitation
Ant 6: [8, 0, 1, 5, 4, 6, 7, 2], 117
Exploitation
Ant 7: [0, 9, 8, 3, 4, 6, 7, 2], 135
Exploitation
Ant 8: [4, 6, 5, 9, 8, 0, 1, 3], 110
Exploration
avg = 0.00027552864749
Ant 9: [3, 8, 1, 0, 4, 6, 5, 9], 105
Exploitation
Ant 10 : [2, 7, 4, 6, 5, 9, 8, 0], 115
Exploitation
Ant 11: [1, 8, 3, 7, 4, 6, 5, 9], 110
Exploitation
Ant 1: [2, 7, 4, 6, 5, 9, 8, 3, 1], 135
Exploitation
Ant 12: [9, 8, 0, 4, 7, 2, 3, 1], 127
Exploration
avg = 0.000227814858617
p = 0.0005
```

```
Ant 13 : [0, 1, 8, 3, 7, 4, 6, 5], 102
Exploration
avg = 0.000291656166474
p = 0.000327272694545
p = 0.000444
Ant 14: [0, 9, 5, 4, 6, 7, 2, 3], 128
Exploitation
Ant 15 : [5, 9, 0, 1, 8, 3, 7, 4], 115
Exploration
avg = 0.000118870641606
p = 0.000174955728454
Ant 16: [5, 9, 8, 3, 7, 4, 6, 1], 140
Exploration
avg = 0.00030814854228
p = 0.000666666666666
Ant 17 : [6, 4, 5, 9, 0, 1, 8, 3], 102
Exploitation
Ant 2: [6, 7, 4, 5, 9, 8, 0, 1, 3], 142
Exploitation
Ant 18: [8, 0, 9, 5, 6, 4, 7, 2], 108
Exploitation
Ant 19: [2, 7, 4, 6, 5, 9, 8, 0], 115
Exploitation
Ant 3: [1, 0, 8, 3, 7, 4, 6, 5, 9], 111
Exploration
avg = 0.000385181235772
p = 0.000666666666667
Ant 4: [7, 4, 6, 5, 9, 0, 1, 8, 3], 121
Exploration
avg = 0.000290793012258
p = 0.00044443996
Ant 5 : [2, 7, 4, 6, 5, 9, 8, 3, 1], 135
Exploration
avg = 0.0003999999996
Ant 0: [6, 7, 4, 5, 9, 0, 1, 8, 3, 2], 156
Update called by OExploration
Ant thread 0 terminating.avg = 0.0002798282044
p = 0.00044444
Ant 6: [8, 0, 1, 5, 4, 6, 7, 2, 3], 135
Exploitation
Ant 7: [0, 9, 8, 3, 4, 6, 7, 2, 1], 157
Exploitation
Ant 8: [4, 6, 5, 9, 8, 0, 1, 3, 2], 128
Exploration
avg = 0.000167477261189
p = 0.000175609738379
Ant 9: [3, 8, 1, 0, 4, 6, 5, 9, 2], 146
Exploitation
Ant 10: [2, 7, 4, 6, 5, 9, 8, 0, 1], 125
Exploitation
Ant 11: [1, 8, 3, 7, 4, 6, 5, 9, 0], 131
Exploitation
```

Update called by 1Exploitation Ant thread 1 terminating. Ant 12: [9, 8, 0, 4, 7, 2, 3, 1, 5], 153 Exploitation Ant 13 : [0, 1, 8, 3, 7, 4, 6, 5, 9], 120 Exploitation Ant 14: [0, 9, 5, 4, 6, 7, 2, 3, 8], 140 Exploration avg = 0.000481760153846p = 0.0008Ant 15 : [5, 9, 0, 1, 8, 3, 7, 4, 6], 125 Exploitation Ant 16: [5, 9, 8, 3, 7, 4, 6, 1, 0], 150 Exploitation Ant 17: [6, 4, 5, 9, 0, 1, 8, 3, 2], 120 Exploration avg = 0.0004444444Ant 2 : [6, 7, 4, 5, 9, 8, 0, 1, 3, 2], 160 Update called by 2Exploration Ant thread 2 terminating.avg = 0.000403858563473 p = 0.0004444444Ant 18: [8, 0, 9, 5, 6, 4, 7, 2, 3], 126 Exploration avg = 0.000468573032258p = 0.0008Ant 19: [2, 7, 4, 6, 5, 9, 8, 0, 1], 125 Exploitation Ant 3: [1, 0, 8, 3, 7, 4, 6, 5, 9, 2], 152 Update called by 3Exploration Ant thread 3 terminating.avg = 0.0004444444444 Ant 4 : [7, 4, 6, 5, 9, 0, 1, 8, 3, 2], 139 Update called by 4Exploitation Ant thread 4 terminating. Ant 5: [2, 7, 4, 6, 5, 9, 8, 3, 1, 0], 145 ExploitationUpdate called by 5 Ant 6: [8, 0, 1, 5, 4, 6, 7, 2, 3, 9], 165Ant thread 5 terminating. ExploitationUpdate called by 6 Ant 7: [0, 9, 8, 3, 4, 6, 7, 2, 1, 5], 183Ant thread 6 terminating. ExploitationUpdate called by 7 Ant 8: [4, 6, 5, 9, 8, 0, 1, 3, 2, 7], 146Ant thread 7 terminating. Update called by 8Exploitation

Ant 1: [2, 7, 4, 6, 5, 9, 8, 3, 1, 0], 145

Ant thread 8 terminating. Ant 9: [3, 8, 1, 0, 4, 6, 5, 9, 2, 7], 164

Update called by 9Exploration

Ant thread 9 terminating.avg = 0.00044443599964

Ant 10 : [2, 7, 4, 6, 5, 9, 8, 0, 1, 3], 143 Update called by 10Exploration

Ant thread 10 terminating.avg = 0.00021577873176

Ant 11 : [1, 8, 3, 7, 4, 6, 5, 9, 0, 2], 161 Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [9, 8, 0, 4, 7, 2, 3, 1, 5, 6], 169

ExplorationUpdate called by 12

avg = 0.000195119999998Ant thread 12 terminating.

Ant 13 : [0, 1, 8, 3, 7, 4, 6, 5, 9, 2], 161 Update called by 13Exploitation

Ant thread 13 terminating. Ant 14: [0, 9, 5, 4, 6, 7, 2, 3, 8, 1], 159

Update called by 14Exploitation

Ant thread 14 terminating. Ant 15 : [5, 9, 0, 1, 8, 3, 7, 4, 6, 2], 175

Update called by 15Exploration

Ant thread 15 terminating.avg = 0.000266157787318

Ant 16: [5, 9, 8, 3, 7, 4, 6, 1, 0, 2], 180 Update called by 16Exploration

Ant 17: [6, 4, 5, 9, 0, 1, 8, 3, 2, 7], 138 ExplorationUpdate called by 17

avg = 0.0004444443996Ant thread 17 terminating.

Ant 18: [8, 0, 9, 5, 6, 4, 7, 2, 3, 1], 144 Update called by 18Exploration

Ant thread 18 terminating.avg = 0.000444444359996

Ant 19: [2, 7, 4, 6, 5, 9, 8, 0, 1, 3], 143 Update called by 19 Best: [2, 7, 4, 6, 5, 9, 0, 1, 8, 3], 157, 7, 183 Ant thread 19 terminating.iter_counter = 8

```
Exploitationstarting ant = 1
Ant 0: [6, 4], 10 starting ant = 2
Exploitationstarting ant = 3
Ant 1 : [2, 7], 18starting ant = 4
Explorationstarting ant = 5
avg = 0.000245398240217starting ant = 6
p = 0.00025509168starting ant = 7
p = 0.00059999993946starting ant = 8
p = 0.0004799952starting ant = 9
Ant 0:[6, 4, 7], 25starting ant = 10
Exploitationstarting ant = 11
Ant 2: [6, 4], 10starting ant = 12
Explorationstarting ant = 13
avg = 0.000275309999726starting ant = 14
p = 0.000719999999993starting ant = 15
p = 0.00039999999994starting ant = 16
p = 0.000276923049228starting ant = 17
p = 0.000378947368421starting ant = 18
Ant 3 : [1, 8], 19 \text{ starting ant} = 19
Exploitation
Ant 1 : [2, 7, 4], 33
Exploration
avg = 0.000216506937253
p = 0.00039999999999
p = 0.000323673084
p = 0.0005328
Ant 4: [7, 4], 15
Exploitation
Ant 5 : [2, 7], 18
Exploitation
Ant 6: [8, 0], 10
Exploration
avg = 0.000313128738634
p = 0.00072
```

starting ant = 0

```
p = 0.00035999639967
p = 0.00071927346168
p = 0.000342857108571
Ant 7: [0, 9], 21
Exploitation
Ant 8: [4, 6], 10
Exploration
avg = 0.00032384438096
p = 0.000399999999999
p = 0.00039999999999
p = 0.000479519999568
p = 0.00035999999999
p = 0.000599994
Ant 9: [3, 8], 12
Exploitation
Ant 0: [6, 4, 7, 2], 43
Exploitation
Ant 10: [2, 7], 18
Exploitation
Ant 11 : [1, 0], 10
Exploration
avg = 0.000251998834217
p = 0.00025509168
p = 0.0005999993946
p = 0.000532799952
Ant 2: [6, 4, 7], 25
Exploration
avg = 0.000203253116243
p = 0.000342857142854
p = 0.000399996
p = 0.000257142857143
Ant 12: [9, 8], 28
Exploitation
Ant 13 : [0, 1], 10
Exploration
avg = 0.000326119218596
p = 0.0007992
p = 0.00035999639967
p = 0.00071927346168
p = 0.000380571428229
Ant 14 : [0, 9], 21
Exploitation
Ant 15 : [5, 4], 12
Exploitation
Ant 16: [5, 4], 12
Exploitation
Ant 17: [6, 4], 10
Exploitation
Ant 18: [8, 0], 10
Exploration
avg = 0.000270194314421
p = 0.000799992
p = 0.0006
Ant 3 : [1, 8, 3], 31
```

```
Exploitation
Ant 19 : [2, 7], 18
Exploitation
Ant 1: [2, 7, 4, 6], 43
Exploitation
Ant 4: [7, 4, 6], 25
Exploitation
Ant 5 : [2, 7, 4], 33
Exploration
avg = 0.00027702208111
p = 0.0007992
p = 0.00035999639967
p = 0.000380948571425
Ant 6: [8, 0, 9], 31
Exploration
avg = 0.000189338327202
p = 0.000399996
p = 0.000285428571429
Ant 7 : [0, 9, 8], 49
Exploration
avg = 0.000173732749266
p = 0.000194223250205
p = 0.00045
p = 0.000232258064514
Ant 8: [4, 6, 7], 41
Exploration
avg = 0.000242562261789
p = 0.000799992
p = 0.000378943578947
Ant 9: [3, 8, 1], 31
Exploration
avg = 0.000206059913525
p = 0.000326945454251
p = 0.0003999999996
Ant 0: [6, 4, 7, 2, 3], 61
Exploitation
Ant 10 : [2, 7, 4], 33
Exploration
avg = 0.000267031735249
p = 0.00035999639967
p = 0.00071927346168
p = 0.000380952342857
Ant 11 : [1, 0, 9], 31
Exploration
avg = 0.000190904425317
p = 0.000444
p = 0.000323673084
Ant 2 : [6, 4, 7, 3], 45
Exploration
avg = 0.000305013580824
p = 0.000799992
p = 0.000420631541053
p = 0.000666
Ant 12 : [9, 8, 3], 40
```

```
Exploitation
Ant 13 : [0, 1, 8], 29
Exploration
avg = 0.000189373684345
p = 0.000399996
p = 0.000285711428571
Ant 14 : [0, 9, 8], 49
Exploration
avg = 0.000277064837725
p = 0.00079999992
p = 0.00053332799952
Ant 15 : [5, 4, 7], 27
Exploitation
Ant 16: [5, 4, 6], 22
Exploitation
Ant 17: [6, 4, 5], 22
Exploitation
Ant 18: [8, 0, 1], 20
Exploration
avg = 0.000273515061291
p = 0.00039999999999
p = 0.000479519999568
p = 0.00035999999999
Ant 3: [1, 8, 3, 7], 51
Exploitation
Ant 19 : [2, 7, 4], 33
Exploitation
Ant 1: [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000172443418516
p = 0.000194223250205
p = 0.0004995
Ant 4: [7, 4, 6, 5], 41
Exploitation
Ant 5 : [2, 7, 4, 6], 43
Exploration
avg = 0.000175611149455
p = 0.000399996
Ant 6: [8, 0, 9, 5], 49
Exploration
avg = 0.000234396663799
p = 0.000420631541053
p = 0.00066666
Ant 7: [0, 9, 8, 3], 61
Exploitation
Ant 8: [4, 6, 7, 2], 59
Exploitation
Ant 9 : [3, 8, 1, 0], 41
Exploitation
Ant 0: [6, 4, 7, 2, 3, 8], 73
Exploitation
Ant 10 : [2, 7, 4, 6], 43
Exploration
avg = 0.00020715596263
```

```
p = 0.00044399996
p = 0.000285714257143
Ant 11 : [1, 0, 9, 8], 59
Exploitation
Ant 2 : [6, 4, 7, 3, 8], 57
Exploitation
Ant 12: [9, 8, 3, 4], 55
Exploitation
Ant 13 : [0, 1, 8, 3], 41
Exploration
avg = 0.000234397616085
p = 0.000420631541053
p = 0.000666666666
Ant 14 : [0, 9, 8, 3], 61
Exploitation
Ant 15 : [5, 4, 7, 2], 45
Exploitation
Ant 16: [5, 4, 6, 7], 53
Exploration
avg = 0.000208307328007
p = 0.000227976584588
p = 0.000293743156615
p = 0.0004
Ant 17 : [6, 4, 5, 9], 40
Exploration
avg = 0.000196977518446
p = 0.000238581794321
p = 0.00039999999924
p = 0.000276923049228
Ant 18 : [8, 0, 1, 5], 46
Exploration
avg = 0.000231862664133
p = 0.0004444444
p = 0.0005333333333333
Ant 3: [1, 8, 3, 7, 4], 66
Exploration
avg = 0.000314574643536
p = 0.000665999999395
p = 0.0008
Ant 19 : [2, 7, 4, 6], 43
Exploration
avg = 0.000231644789565
p = 0.000293743156615
p = 0.000444
Ant 1: [2, 7, 4, 6, 5, 9], 77
Exploitation
Ant 4: [7, 4, 6, 5, 9], 59
Exploration
avg = 0.000177378942429
p = 0.000194223250205
p = 0.000499995
Ant 5 : [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000316915713527
```

```
p = 0.0006666599994
p = 0.0004499955
Ant 6: [8, 0, 9, 5, 6], 65
Exploration
avg = 0.000340862285434
p = 0.000399999999596
p = 0.00039999999999
p = 0.000532795199996
p = 0.0003996
Ant 7: [0, 9, 8, 3, 7], 81
Exploration
avg = 0.000213393246924
p = 0.000326945454251
p = 0.000443999999996
Ant 8: [4, 6, 7, 2, 3], 77
Exploitation
Ant 9: [3, 8, 1, 0, 9], 62
Exploration
avg = 0.000391339302004
p = 0.000799992
p = 0.000420631541053
Ant 0: [6, 4, 7, 2, 3, 8, 1], 92
Exploration
avg = 0.000177379767429
p = 0.000194223250205
p = 0.00049999995
Ant 10: [2, 7, 4, 6, 5], 59
Exploitation
Ant 11: [1, 0, 9, 8, 3], 71
Exploitation
Ant 2 : [6, 4, 7, 3, 8, 0], 67
Exploitation
Ant 12: [9, 8, 3, 4, 6], 65
Exploration
avg = 0.000314074195234
p = 0.000399999999999
p = 0.000532795199996
p = 0.000399996
Ant 13: [0, 1, 8, 3, 7], 61
Exploitation
Ant 14: [0, 9, 8, 3, 4], 76
Exploration
avg = 0.000202079272647
p = 0.000326945454251
p = 0.00044444
Ant 15 : [5, 4, 7, 2, 3], 63
Exploration
avg = 0.000216064710071
p = 0.0004444444
p = 0.00039923673084
Ant 16: [5, 4, 6, 7, 3], 73
Exploitation
Ant 17: [6, 4, 5, 9, 0], 61
Exploitation
```

```
Ant 18: [8, 0, 1, 5, 4], 58
Exploration
avg = 0.000383405496675
p = 0.000665999999395
p = 0.0008
Ant 3: [1, 8, 3, 7, 4, 6], 76
Exploitation
Ant 19: [2, 7, 4, 6, 5], 59
Exploitation
Ant 1: [2, 7, 4, 6, 5, 9, 0], 98
Exploitation
Ant 4: [7, 4, 6, 5, 9, 0], 80
Exploration
avg = 0.000231733669565
p = 0.000293743156615
p = 0.0004444444
Ant 5 : [2, 7, 4, 6, 5, 9], 77
Exploration
avg = 0.00029734291043
p = 0.00079999919993
Ant 6: [8, 0, 9, 5, 6, 4], 75
Exploration
avg = 0.000276662121558
p = 0.0004444444
Ant 7: [0, 9, 8, 3, 7, 4], 96
Exploration
avg = 0.000320579932302
p = 0.000399999999596
p = 0.000666666599994
Ant 8: [4, 6, 7, 2, 3, 8], 89
Exploration
avg = 0.000204560319773
p = 0.00044399996
Ant 9: [3, 8, 1, 0, 9, 5], 80
Exploration
avg = 0.000424509096959
p = 0.000799992
Ant 0: [6, 4, 7, 2, 3, 8, 1, 0], 102
Exploitation
Ant 10 : [2, 7, 4, 6, 5, 9], 77
Exploitation
Ant 11: [1, 0, 9, 8, 3, 4], 86
Exploitation
Ant 2: [6, 4, 7, 3, 8, 0, 1], 77
Exploration
avg = 0.00023651470669
p = 0.000499999999999
p = 0.000258061935484
Ant 12: [9, 8, 3, 4, 6, 7], 96
Exploration
avg = 0.000260438103007
p = 0.0004444444
```

```
Ant 13: [0, 1, 8, 3, 7, 4], 76
Exploration
avg = 0.000448432187263
p = 0.000665999999395
p = 0.0008
p = 0.000533333279995
Ant 14 : [0, 9, 8, 3, 4, 7], 91
Exploitation
Ant 15 : [5, 4, 7, 2, 3, 8], 75
Exploration
avg = 0.000365794716543
p = 0.000399999999596
p = 0.000399999999999
Ant 16: [5, 4, 6, 7, 3, 8], 85
Exploration
avg = 0.00039433714592
p = 0.00079999992
p = 0.00071927346168
Ant 17: [6, 4, 5, 9, 0, 8], 71
Exploitation
Ant 18: [8, 0, 1, 5, 4, 6], 68
Exploration
avg = 0.000204715240507
p = 0.000499999999995
Ant 3: [1, 8, 3, 7, 4, 6, 5], 92
Exploitation
Ant 19: [2, 7, 4, 6, 5, 9], 77
Exploitation
Ant 1: [2, 7, 4, 6, 5, 9, 0, 1], 108
Exploitation
Ant 4: [7, 4, 6, 5, 9, 0, 1], 90
Exploitation
Ant 5 : [2, 7, 4, 6, 5, 9, 0], 98
Exploration
avg = 0.000257813167431
p = 0.00053333333338
Ant 6: [8, 0, 9, 5, 6, 4, 7], 90
Exploration
avg = 0.000427206914079
p = 0.000665999999395
p = 0.0008
Ant 7: [0, 9, 8, 3, 7, 4, 6], 106
Exploitation
Ant 8: [4, 6, 7, 2, 3, 8, 0], 99
Exploitation
Ant 9: [3, 8, 1, 0, 9, 5, 4], 92
Exploration
avg = 0.000258804319046
p = 0.000380952380949
Ant 0: [6, 4, 7, 2, 3, 8, 1, 0, 9], 123
Exploitation
Ant 10 : [2, 7, 4, 6, 5, 9, 0], 98
Exploitation
```

```
Ant 11 : [1, 0, 9, 8, 3, 4, 6], 96
Exploitation
Ant 2: [6, 4, 7, 3, 8, 0, 1, 5], 103
Exploration
avg = 0.000203882821541
p = 0.0004444444
Ant 12 : [9, 8, 3, 4, 6, 7, 2], 114
Exploitation
Ant 13: [0, 1, 8, 3, 7, 4, 6], 86
Exploitation
Ant 14: [0, 9, 8, 3, 4, 7, 2], 109
Exploration
avg = 0.000383135343911
p = 0.0007999999992
p = 0.000421048420674
Ant 15 : [5, 4, 7, 2, 3, 8, 1], 94
Exploitation
Ant 16: [5, 4, 6, 7, 3, 8, 0], 95
Exploration
avg = 0.000329930080073
p = 0.00042105258947
p = 0.000666666666667
Ant 17 : [6, 4, 5, 9, 0, 8, 3], 83
Exploration
avg = 0.000145266637764
p = 0.000258064490323
Ant 18: [8, 0, 1, 5, 4, 6, 7], 99
Exploitation
Ant 3: [1, 8, 3, 7, 4, 6, 5, 9], 110
Exploration
avg = 0.000229286768425
p = 0.000380952380949
p = 0.000285714285429
Ant 19 : [2, 7, 4, 6, 5, 9, 8], 105
Exploitation
Ant 1: [2, 7, 4, 6, 5, 9, 0, 1, 8], 127
Exploration
avg = 0.000353211461012
p = 0.00039999999924
p = 0.000421052589474
Ant 4: [7, 4, 6, 5, 9, 0, 1, 8], 109
Exploitation
Ant 5 : [2, 7, 4, 6, 5, 9, 0, 1], 108
Exploitation
Ant 6: [8, 0, 9, 5, 6, 4, 7, 2], 108
Exploration
avg = 0.000279182841748
p = 0.0005
Ant 7: [0, 9, 8, 3, 7, 4, 6, 5], 122
Exploration
avg = 0.000439202879365
p = 0.0008
Ant 8: [4, 6, 7, 2, 3, 8, 0, 1], 109
Exploration
```

```
avg = 0.00049350053675
p = 0.0008
p = 0.0005333333333333
Ant 9: [3, 8, 1, 0, 9, 5, 4, 7], 107
Exploitation
Ant 0: [6, 4, 7, 2, 3, 8, 1, 0, 9, 5], 141
Update called by <code>OExploration</code>
Ant thread 0 terminating.avg = 0.000574208064227
p = 0.0008
p = 0.000799192734617
Ant 10 : [2, 7, 4, 6, 5, 9, 0, 8], 108
Exploitation
Ant 11: [1, 0, 9, 8, 3, 4, 6, 5], 112
Exploitation
Ant 2 : [6, 4, 7, 3, 8, 0, 1, 5, 9], 121
Exploration
avg = 0.000213112829746
p = 0.000326945454251
Ant 12: [9, 8, 3, 4, 6, 7, 2, 1], 136
Exploitation
Ant 13 : [0, 1, 8, 3, 7, 4, 6, 5], 102
Exploration
avg = 0.000221546666284
p = 0.000363269454543
Ant 14: [0, 9, 8, 3, 4, 7, 2, 1], 131
Exploration
avg = 0.000356522047239
p = 0.00079999992
Ant 15 : [5, 4, 7, 2, 3, 8, 1, 0], 104
Exploitation
Ant 16: [5, 4, 6, 7, 3, 8, 0, 1], 105
Exploitation
Ant 17 : [6, 4, 5, 9, 0, 8, 3, 2], 101
Exploitation
Ant 18: [8, 0, 1, 5, 4, 6, 7, 2], 117
Exploration
avg = 0.000278281059743
p = 0.000380952380949
Ant 3 : [1, 8, 3, 7, 4, 6, 5, 9, 0], 131
Exploitation
Ant 19: [2, 7, 4, 6, 5, 9, 8, 0], 115
Exploration
avg = 0.000666666666667
Ant 1: [2, 7, 4, 6, 5, 9, 0, 1, 8, 3], 139
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000379996445528
p = 0.0006666666666667
Ant 4: [7, 4, 6, 5, 9, 0, 1, 8, 3], 121
Exploitation
Ant 5 : [2, 7, 4, 6, 5, 9, 0, 1, 8], 127
```

```
Exploitation
Ant 6: [8, 0, 9, 5, 6, 4, 7, 2, 3], 126
Exploitation
Ant 7: [0, 9, 8, 3, 7, 4, 6, 5, 2], 145
Exploitation
Ant 8: [4, 6, 7, 2, 3, 8, 0, 1, 5], 135
Exploitation
Ant 9: [3, 8, 1, 0, 9, 5, 4, 7, 2], 125
Exploration
avg = 0.000543859628068
Ant 10 : [2, 7, 4, 6, 5, 9, 0, 8, 3], 120
Exploitation
Ant 11 : [1, 0, 9, 8, 3, 4, 6, 5, 2], 135
Exploration
avg = 0.000175609738537
Ant 2 : [6, 4, 7, 3, 8, 0, 1, 5, 9, 2], 162
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000553846138062
p = 0.0007999999992
Ant 12: [9, 8, 3, 4, 6, 7, 2, 1, 0], 146
Exploration
avg = 0.000396129273225
p = 0.0004444444444444
Ant 13: [0, 1, 8, 3, 7, 4, 6, 5, 9], 120
Exploitation
Ant 14: [0, 9, 8, 3, 4, 7, 2, 1, 5], 157
Exploitation
Ant 15 : [5, 4, 7, 2, 3, 8, 1, 0, 9], 125
Exploration
avg = 0.000202366235046
p = 0.000238581794321
Ant 16: [5, 4, 6, 7, 3, 8, 0, 1, 2], 127
Exploration
avg = 0.000404038569273
p = 0.000444444444
Ant 17: [6, 4, 5, 9, 0, 8, 3, 2, 7], 119
Exploitation
Ant 18: [8, 0, 1, 5, 4, 6, 7, 2, 3], 135
Exploration
avg = 0.000239995420086
Ant 3: [1, 8, 3, 7, 4, 6, 5, 9, 0, 2], 161
Update called by 3Exploitation
Ant thread 3 terminating. Ant 19: [2, 7, 4, 6, 5, 9, 8, 0, 1], 125
Exploitation
Ant 4: [7, 4, 6, 5, 9, 0, 1, 8, 3, 2], 139
Update called by 4Exploration
Ant thread 4 terminating.avg = 0.0006666666666667
```

Ant 5 : [2, 7, 4, 6, 5, 9, 0, 1, 8, 3], 139 ExploitationUpdate called by 5

Ant 6: [8, 0, 9, 5, 6, 4, 7, 2, 3, 1], 144Ant thread 5 terminating.

Update called by 6Exploitation

Ant thread 6 terminating. Ant 7: [0, 9, 8, 3, 7, 4, 6, 5, 2, 1], 167

Update called by 7Exploration

Ant 8: [4, 6, 7, 2, 3, 8, 0, 1, 5, 9], 153 ExploitationUpdate called by 8

Ant 9: [3, 8, 1, 0, 9, 5, 4, 7, 2, 6], 175Ant thread 8 terminating.

ExploitationUpdate called by 9

Ant 10: [2, 7, 4, 6, 5, 9, 0, 8, 3, 1], 138Ant thread 9 terminating.

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [1, 0, 9, 8, 3, 4, 6, 5, 2, 7], 153

Update called by 11Exploration

Ant thread 11 terminating.avg = 0.000136656257143

Ant 12: [9, 8, 3, 4, 6, 7, 2, 1, 0, 5], 174 Update called by 12Exploration

Ant thread 12 terminating.avg = 0.000194926829093

Ant 13 : [0, 1, 8, 3, 7, 4, 6, 5, 9, 2], 161 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.000499499955

Ant 14: [0, 9, 8, 3, 4, 7, 2, 1, 5, 6], 173 Update called by 14Exploitation

Ant thread 14 terminating. Ant 15: [5, 4, 7, 2, 3, 8, 1, 0, 9, 6], 173

ExplorationUpdate called by 15

avg = 0.00010369476792Ant thread 15 terminating.

Ant 16: [5, 4, 6, 7, 3, 8, 0, 1, 2, 9], 168 Update called by 16Exploitation

Ant thread 16 terminating. Ant 17: [6, 4, 5, 9, 0, 8, 3, 2, 7, 1], 158

```
Ant thread 17 terminating.avg = 0.0002388754584
Ant 18: [8, 0, 1, 5, 4, 6, 7, 2, 3, 9], 165
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19: [2, 7, 4, 6, 5, 9, 8, 0, 1, 3], 143
Update called by 19
Best: [2, 7, 4, 6, 5, 9, 0, 1, 8, 3], 157, 8, 182
Ant thread 19 terminating.iter_counter = 9
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [6, 4], 10starting ant = 2
Exploitationstarting ant = 3
Ant 1: [2, 7], 18starting ant = 4
Explorationstarting ant = 5
avg = 0.000234283962938starting ant = 6
p = 0.00059939999455starting ant = 7
p = 0.00048starting ant = 8
Ant 0: [6, 4, 7], 25starting ant = 9
Exploitationstarting ant = 10
Ant 2: [6, 4], 10starting ant = 11
Exploitationstarting ant = 12
Ant 3: [1, 0], 10starting ant = 13
Exploitationstarting ant = 14
Ant 1: [2, 7, 4], 33starting ant = 15
Exploitationstarting ant = 16
Ant 4 : [7, 4], 15starting ant = 17
Explorationstarting ant = 18
avg = 0.00022080745539starting ant = 19
p = 0.000327272694251
p = 0.00039999999999
```

Update called by 17Exploration

```
p = 0.000444
Ant 5 : [2, 7], 18
Exploration
avg = 0.00026492817715
p = 0.00072
p = 0.000378947330523
p = 0.0006
Ant 6: [8, 3], 12
Exploitation
Ant 7 : [0, 1], 10
Exploration
avg = 0.000294119078167
p = 0.000599399999455
p = 0.00072
p = 0.0005328
Ant 8: [4, 7], 15
Exploitation
Ant 0: [6, 4, 7, 2], 43
Exploration
avg = 0.000319147863185
p = 0.000399996
p = 0.000399996
p = 0.000479999951568
p = 0.000359999964
p = 0.0006
Ant 9: [3, 8], 12
Exploration
avg = 0.000220856344279
p = 0.000327272694251
p = 0.00039999999999
p = 0.00044444
Ant 10: [2, 7], 18
Exploitation
Ant 2: [6, 4, 5], 22
Exploration
avg = 0.000288646854323
p = 0.0007992
p = 0.000326147236149
p = 0.00039959999993
p = 0.000378947368417
Ant 11 : [1, 8], 19
Exploitation
Ant 12: [9, 5], 18
Exploitation
Ant 3: [1, 0, 8], 20
Exploration
avg = 0.000336695236008
p = 0.0007992
p = 0.000799199927346
p = 0.000342857142857
Ant 13 : [0, 9], 21
Exploitation
Ant 14: [0, 1], 10
Exploration
```

```
avg = 0.000292630607831
p = 0.000665993999995
p = 0.00072
Ant 1: [2, 7, 4, 6], 43
Exploration
avg = 0.000278909492346
p = 0.000313032691806
p = 0.0005999999994
p = 0.000449995499595
p = 0.0004
Ant 15 : [5, 9], 18
Exploitation
Ant 16 : [5, 4], 12
Exploitation
Ant 4: [7, 4, 6], 25
Exploration
avg = 0.000235454844548
p = 0.000799992
p = 0.00045
Ant 17: [6, 5], 16
Exploitation
Ant 18: [8, 0], 10
Exploration
avg = 0.000220856833168
p = 0.000327272694251
p = 0.00039999999999
p = 0.0004444444
Ant 19 : [2, 7], 18
Exploitation
Ant 5 : [2, 7, 4], 33
Exploitation
Ant 6: [8, 3, 4], 27
Exploitation
Ant 7: [0, 1, 8], 29
Exploitation
Ant 8 : [4, 7, 2], 33
Exploitation
Ant 0: [6, 4, 7, 2, 3], 61
Exploration
avg = 0.000232944199294
p = 0.0007992
p = 0.000378947330523
Ant 9: [3, 8, 1], 31
Exploration
avg = 0.000193866978237
p = 0.000359993130578
p = 0.000533333328
Ant 10 : [2, 7, 4], 33
Exploration
avg = 0.000214884276017
p = 0.000313032691806
p = 0.000264368840953
p = 0.000444
Ant 2 : [6, 4, 5, 9], 40
```

```
Exploitation
Ant 11 : [1, 8, 0], 29
Exploitation
Ant 12: [9, 5, 4], 30
Exploration
avg = 0.00019305803769
p = 0.000666
Ant 3 : [1, 0, 8, 3], 32
Exploitation
Ant 13 : [0, 9, 5], 39
Exploration
avg = 0.000230090342692
p = 0.000326147236149
p = 0.00039959999993
p = 0.000276923076646
p = 0.000421048421053
Ant 14 : [0, 1, 8], 29
Exploration
avg = 0.000167891798186
p = 0.000174800925184
p = 0.0004995
Ant 1 : [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000174031412941
p = 0.000342857142857
p = 0.000175607999998
p = 0.00025714285714
Ant 15 : [5, 9, 8], 46
Exploration
avg = 0.000266023963006
p = 0.000799992
p = 0.000533328
Ant 16: [5, 4, 7], 27
Exploration
avg = 0.000162405505236
p = 0.000174800925184
p = 0.000499995
Ant 4 : [7, 4, 6, 5], 41
Exploitation
Ant 17: [6, 5, 4], 28
Exploitation
Ant 18 : [8, 0, 1], 20
Exploitation
Ant 19 : [2, 7, 4], 33
Exploitation
Ant 5 : [2, 7, 4, 6], 43
Exploitation
Ant 6: [8, 3, 4, 6], 37
Exploration
avg = 0.000193152323404
p = 0.00066666
Ant 7: [0, 1, 8, 3], 41
Exploitation
Ant 8: [4, 7, 2, 3], 51
```

```
Exploration
avg = 0.000314673544459
p = 0.000399996
p = 0.000666
Ant 0: [6, 4, 7, 2, 3, 8], 73
Exploration
avg = 0.000259896331499
p = 0.0007992
p = 0.000326147236149
p = 0.000276923076646
Ant 9: [3, 8, 1, 5], 57
Exploration
avg = 0.000304059179145
p = 0.000665993999995
p = 0.0007999999992
Ant 10 : [2, 7, 4, 6], 43
Exploration
avg = 0.000193065892652
p = 0.000342857142857
p = 0.000285428571429
Ant 2: [6, 4, 5, 9, 8], 68
Exploitation
Ant 11: [1, 8, 0, 9], 50
Exploration
avg = 0.000289559797384
p = 0.000799999999999
p = 0.000533333328
Ant 12: [9, 5, 4, 7], 45
Exploration
avg = 0.000302341084059
p = 0.000399996
p = 0.000532799999516
p = 0.000359999964
Ant 3: [1, 0, 8, 3, 7], 52
Exploration
avg = 0.000293408771469
p = 0.000313032691806
p = 0.0006666666
p = 0.000449995499595
Ant 13: [0, 9, 5, 6], 55
Exploitation
Ant 14 : [0, 1, 8, 3], 41
Exploration
avg = 0.000217448310608
p = 0.000264368840953
p = 0.00044444
Ant 1: [2, 7, 4, 6, 5, 9], 77
Exploration
avg = 0.00032320517259
p = 0.000799992
p = 0.000420631578568
p = 0.000666666666
Ant 15 : [5, 9, 8, 3], 58
Exploration
```

```
avg = 0.000193955265518
p = 0.00044444
p = 0.000359993130578
Ant 16: [5, 4, 7, 3], 47
Exploitation
Ant 4: [7, 4, 6, 5, 9], 59
Exploration
avg = 0.000189743576693
p = 0.000229582512
p = 0.00053333333338
Ant 17: [6, 5, 4, 7], 43
Exploitation
Ant 18 : [8, 0, 1, 3], 38
Exploration
avg = 0.000304059179258
p = 0.000665993999995
p = 0.000799999999999
Ant 19: [2, 7, 4, 6], 43
Exploration
avg = 0.000167975123186
p = 0.000174800925184
p = 0.00049999995
Ant 5 : [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000199005642466
p = 0.0004999999995
p = 0.000232258064284
Ant 6: [8, 3, 4, 6, 7], 68
Exploration
avg = 0.000308941089999
p = 0.000399996
p = 0.000532799999516
p = 0.0003995999964
Ant 7: [0, 1, 8, 3, 7], 61
Exploration
avg = 0.000283165808849
p = 0.000399996
p = 0.00066666
Ant 8: [4, 7, 2, 3, 8], 63
Exploitation
Ant 0: [6, 4, 7, 2, 3, 8, 0], 83
Exploration
avg = 0.000358498334917
p = 0.0006666666
p = 0.000499499954996
p = 0.000444444444
Ant 9: [3, 8, 1, 5, 9], 75
Exploitation
Ant 10: [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000419219824594
p = 0.00079999992
p = 0.000420631578568
```

```
Ant 2: [6, 4, 5, 9, 8, 3], 80
Exploration
avg = 0.000189779538515
p = 0.000444439999996
Ant 11: [1, 8, 0, 9, 5], 68
Exploitation
Ant 12: [9, 5, 4, 7, 2], 63
Exploration
avg = 0.000253949847372
p = 0.0004444444
p = 0.0005333333333333
Ant 3: [1, 0, 8, 3, 7, 4], 67
Exploration
avg = 0.000256109978328
p = 0.000799992
p = 0.000257806451611
Ant 13 : [0, 9, 5, 6, 7], 86
Exploration
avg = 0.000309007090058
p = 0.000399996
p = 0.000532799999516
p = 0.00039995999996
Ant 14: [0, 1, 8, 3, 7], 61
Exploitation
Ant 1: [2, 7, 4, 6, 5, 9, 0], 98
Exploitation
Ant 15 : [5, 9, 8, 3, 4], 73
Exploration
avg = 0.000323743987031
p = 0.000399996
p = 0.000399996
p = 0.0006666666
Ant 16: [5, 4, 7, 3, 8], 59
Exploitation
Ant 4: [7, 4, 6, 5, 9, 0], 80
Exploitation
Ant 17 : [6, 5, 4, 7, 2], 61
Exploitation
Ant 18: [8, 0, 1, 3, 4], 53
Exploration
avg = 0.000167975131518
p = 0.000174800925184
p = 0.000499999999995
Ant 19: [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000217449199496
p = 0.000264368840953
Ant 5 : [2, 7, 4, 6, 5, 9], 77
Exploration
avg = 0.000177935828941
p = 0.000184264586644
p = 0.000444444444
Ant 6: [8, 3, 4, 6, 7, 2], 86
```

```
Exploitation
Ant 7: [0, 1, 8, 3, 7, 4], 76
Exploitation
Ant 8: [4, 7, 2, 3, 8, 0], 73
Exploitation
Ant 0: [6, 4, 7, 2, 3, 8, 0, 1], 93
Exploitation
Ant 9: [3, 8, 1, 5, 9, 0], 96
Exploitation
Ant 10: [2, 7, 4, 6, 5, 9], 77
Exploitation
Ant 2: [6, 4, 5, 9, 8, 3, 7], 100
Exploration
avg = 0.000369584755005
p = 0.0006666666
p = 0.000499499954996
Ant 11 : [1, 8, 0, 9, 5, 6], 84
Exploration
avg = 0.000222821252469
p = 0.000327272694251
p = 0.00044444
Ant 12: [9, 5, 4, 7, 2, 3], 81
Exploitation
Ant 3: [1, 0, 8, 3, 7, 4, 6], 77
Exploitation
Ant 13: [0, 9, 5, 6, 7, 4], 101
Exploration
avg = 0.000253949856261
p = 0.00044444444444
Ant 14: [0, 1, 8, 3, 7, 4], 76
Exploitation
Ant 1: [2, 7, 4, 6, 5, 9, 0, 1], 108
Exploitation
Ant 15 : [5, 9, 8, 3, 4, 6], 83
Exploitation
Ant 16: [5, 4, 7, 3, 8, 0], 69
Exploration
avg = 0.000487512049594
p = 0.000799999999999
p = 0.000799199927346
Ant 4: [7, 4, 6, 5, 9, 0, 8], 90
Exploration
avg = 0.00022905777273
p = 0.000327272694251
p = 0.0004444444
Ant 17: [6, 5, 4, 7, 2, 3], 79
Exploration
avg = 0.000446613036981
p = 0.000665993999995
p = 0.0008
p = 0.0005333333333333
Ant 18: [8, 0, 1, 3, 4, 7], 68
Exploration
```

```
avg = 0.000217449199497
p = 0.000264368840953
Ant 19: [2, 7, 4, 6, 5, 9], 77
Exploitation
Ant 5 : [2, 7, 4, 6, 5, 9, 0], 98
Exploration
avg = 0.000195803334297
p = 0.000327272694251
Ant 6: [8, 3, 4, 6, 7, 2, 1], 108
Exploitation
Ant 7: [0, 1, 8, 3, 7, 4, 6], 86
Exploration
avg = 0.00037875416794
p = 0.00079999999999
p = 0.000380948571429
Ant 8: [4, 7, 2, 3, 8, 0, 9], 94
Exploration
avg = 0.000228460111787
p = 0.000307384615382
Ant 0: [6, 4, 7, 2, 3, 8, 0, 1, 5], 119
Exploration
avg = 0.000180527601682
p = 0.000239759958781
p = 0.000323996759703
Ant 9: [3, 8, 1, 5, 9, 0, 4], 116
Exploitation
Ant 10 : [2, 7, 4, 6, 5, 9, 0], 98
Exploitation
Ant 2: [6, 4, 5, 9, 8, 3, 7, 2], 118
Exploration
avg = 0.000317260109326
p = 0.000799992
Ant 11 : [1, 8, 0, 9, 5, 6, 4], 94
Exploitation
Ant 12 : [9, 5, 4, 7, 2, 3, 8], 93
Exploration
avg = 0.000236236033458
p = 0.0005
Ant 3: [1, 0, 8, 3, 7, 4, 6, 5], 93
Exploration
avg = 0.000130349604425
p = 0.000132451449231
p = 0.000229582512
Ant 13 : [0, 9, 5, 6, 7, 4, 3], 116
Exploration
avg = 0.000424932962895
p = 0.000665993999995
p = 0.0008
Ant 14 : [0, 1, 8, 3, 7, 4, 6], 86
Exploration
avg = 0.000432524294737
p = 0.000443996
Ant 1 : [2, 7, 4, 6, 5, 9, 0, 1, 3], 126
```

```
Exploitation
Ant 15 : [5, 9, 8, 3, 4, 6, 7], 114
Exploration
avg = 0.000374744766771
p = 0.00079999999999
p = 0.000380952342857
Ant 16: [5, 4, 7, 3, 8, 0, 9], 90
Exploration
avg = 0.000390430615729
p = 0.000420631578568
Ant 4: [7, 4, 6, 5, 9, 0, 8, 3], 102
Exploration
avg = 0.000354375214511
p = 0.000399996
Ant 17 : [6, 5, 4, 7, 2, 3, 8], 91
Exploration
avg = 0.000184103986994
Ant 18: [8, 0, 1, 3, 4, 7, 2], 86
Exploration
avg = 0.000223024044028
p = 0.000380952380949
p = 0.000285711428571
Ant 19: [2, 7, 4, 6, 5, 9, 8], 105
Exploitation
Ant 5 : [2, 7, 4, 6, 5, 9, 0, 1], 108
Exploration
avg = 0.000418808279654
p = 0.0007992
Ant 6: [8, 3, 4, 6, 7, 2, 1, 0], 118
Exploitation
Ant 7 : [0, 1, 8, 3, 7, 4, 6, 5], 102
Exploitation
Ant 8: [4, 7, 2, 3, 8, 0, 9, 5], 112
Exploitation
Ant 0 : [6, 4, 7, 2, 3, 8, 0, 1, 5, 9], 137
Update called by <code>OExploration</code>
Ant thread 0 terminating.avg = 0.000488594927521
p = 0.0008
Ant 9: [3, 8, 1, 5, 9, 0, 4, 7], 131
Exploration
avg = 0.000570360103844
p = 0.0008
p = 0.000799991999273
Ant 10 : [2, 7, 4, 6, 5, 9, 0, 8], 108
Exploitation
Ant 2: [6, 4, 5, 9, 8, 3, 7, 2, 1], 140
Exploitation
Ant 11: [1, 8, 0, 9, 5, 6, 4, 7], 109
```

```
Exploitation
Ant 12 : [9, 5, 4, 7, 2, 3, 8, 0], 103
Exploitation
Ant 3: [1, 0, 8, 3, 7, 4, 6, 5, 9], 111
Exploitation
Ant 13: [0, 9, 5, 6, 7, 4, 3, 8], 128
Exploration
avg = 0.000236236033458
p = 0.0005
Ant 14 : [0, 1, 8, 3, 7, 4, 6, 5], 102
Exploitation
Ant 1 : [2, 7, 4, 6, 5, 9, 0, 1, 3, 8], 138
Update called by 1Exploitation
Ant thread 1 terminating. Ant 15 : [5, 9, 8, 3, 4, 6, 7, 2], 132
Exploitation
Ant 16: [5, 4, 7, 3, 8, 0, 9, 2], 131
Exploration
avg = 0.000399996
p = 0.000399996
Ant 4: [7, 4, 6, 5, 9, 0, 8, 3, 2], 120
Exploitation
Ant 17 : [6, 5, 4, 7, 2, 3, 8, 0], 101
Exploration
avg = 0.00016158603236
p = 0.000166362475489
p = 0.000174786911448
Ant 18: [8, 0, 1, 3, 4, 7, 2, 9], 127
Exploration
avg = 0.000629099415078
p = 0.0008
Ant 19: [2, 7, 4, 6, 5, 9, 8, 3], 117
Exploitation
Ant 5 : [2, 7, 4, 6, 5, 9, 0, 1, 3], 126
Exploration
avg = 0.000318376857729
p = 0.000380952380571
Ant 6: [8, 3, 4, 6, 7, 2, 1, 0, 9], 139
Exploration
avg = 0.000378738568125
Ant 7: [0, 1, 8, 3, 7, 4, 6, 5, 9], 120
Exploration
avg = 0.00031622322439
p = 0.00049999499955
Ant 8: [4, 7, 2, 3, 8, 0, 9, 5, 6], 128
Exploration
avg = 0.000277766378351
Ant 9: [3, 8, 1, 5, 9, 0, 4, 7, 2], 149
Exploitation
Ant 10: [2, 7, 4, 6, 5, 9, 0, 8, 3], 120
```

```
avg = 0.000799992
Ant 2 : [6, 4, 5, 9, 8, 3, 7, 2, 1, 0], 150
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000422022187875
Ant 11: [1, 8, 0, 9, 5, 6, 4, 7, 2], 127
Exploitation
Ant 12: [9, 5, 4, 7, 2, 3, 8, 0, 1], 113
Exploration
avg = 0.000194926811707
Ant 3 : [1, 0, 8, 3, 7, 4, 6, 5, 9, 2], 152
Update called by 3Exploitation
Ant thread 3 terminating. Ant 13: [0, 9, 5, 6, 7, 4, 3, 8, 1], 147
Exploitation
Ant 14 : [0, 1, 8, 3, 7, 4, 6, 5, 9], 120
Exploration
avg = 0.000239211991635
p = 0.000363632727269
Ant 15 : [5, 9, 8, 3, 4, 6, 7, 2, 1], 154
Exploitation
Ant 16: [5, 4, 7, 3, 8, 0, 9, 2, 1], 153
Exploration
avg = 0.000363636363273
Ant 4: [7, 4, 6, 5, 9, 0, 8, 3, 2, 1], 142
Update called by 4Exploitation
Ant thread 4 terminating. Ant 17: [6, 5, 4, 7, 2, 3, 8, 0, 1], 111
Exploration
avg = 0.000297079099643
p = 0.000444444444
Ant 18: [8, 0, 1, 3, 4, 7, 2, 9, 5], 145
Exploration
avg = 0.000255542156129
p = 0.000399996
Ant 19 : [2, 7, 4, 6, 5, 9, 8, 3, 1], 135
Exploration
avg = 0.000666666666667
Ant 5 : [2, 7, 4, 6, 5, 9, 0, 1, 3, 8], 138
Update called by 5Exploitation
Ant thread 5 terminating. Ant 6: [8, 3, 4, 6, 7, 2, 1, 0, 9, 5], 157
Update called by 6Exploitation
Ant thread 6 terminating. Ant 7: [0, 1, 8, 3, 7, 4, 6, 5, 9, 2], 161
ExplorationUpdate called by 7
```

Exploration

avg = 0.000174800925184Ant thread 7 terminating.

Ant 8: [4, 7, 2, 3, 8, 0, 9, 5, 6, 1], 165 Update called by 8Exploration

Ant thread 8 terminating.avg = 0.000143608710144

Ant 9: [3, 8, 1, 5, 9, 0, 4, 7, 2, 6], 199 ExploitationUpdate called by 9

Ant 10: [2, 7, 4, 6, 5, 9, 0, 8, 3, 1], 138Ant thread 9 terminating.

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.0004444444444

Ant 11 : [1, 8, 0, 9, 5, 6, 4, 7, 2, 3], 145 Update called by 11Exploration

Ant thread 11 terminating.avg = 9.30739913514e-05

Ant 12: [9, 5, 4, 7, 2, 3, 8, 0, 1, 6], 150 Update called by 12Exploitation

Ant thread 12 terminating. Ant 13: [0, 9, 5, 6, 7, 4, 3, 8, 1, 2], 169

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.000195121931706

Ant 14 : [0, 1, 8, 3, 7, 4, 6, 5, 9, 2], 161 Update called by 14Exploration

Ant thread 14 terminating.avg = 0.00079999992

Ant 15 : [5, 9, 8, 3, 4, 6, 7, 2, 1, 0], 164 Update called by 15Exploration

Ant thread 15 terminating.avg = 0.000214984793968

Ant 16: [5, 4, 7, 3, 8, 0, 9, 2, 1, 6], 190 Update called by 16Exploration

Ant thread 16 terminating.avg = 0.000149535608193

Ant 17: [6, 5, 4, 7, 2, 3, 8, 0, 1, 9], 150 Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [8, 0, 1, 3, 4, 7, 2, 9, 5, 6], 161

Update called by 18Exploration

Ant thread 18 terminating.avg = 0.0007999999992

```
Ant 19: [2, 7, 4, 6, 5, 9, 8, 3, 1, 0], 145
Update called by 19
Best: [2, 7, 4, 6, 5, 9, 0, 1, 8, 3], 157, 9, 189
Ant thread 19 terminating.iter counter = 10
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [6, 4], 10 starting ant = 2
Explorationstarting ant = 3
avg = 0.000210487872267starting ant = 4
p = 0.000327272727269starting ant = 5
Ant 1 : [2, 7], 18starting ant = 8
Explorationstarting ant = 9
avg = 0.000258177639431starting ant = 10
p = 0.000477266242608starting ant = 11
p = 0.000599394599995starting ant = 12
p = 0.00048starting ant = 13
Ant 0:[6, 4, 7], 25starting ant = 14
Exploitationstarting ant = 15
Ant 2: [6, 4], 10starting ant = 16
Explorationstarting ant = 17
avg = 0.00029316182815starting ant = 18
p = 0.000719999999993starting ant = 19
p = 0.000326935325125
p = 0.00039999995964
p = 0.000378947330526
Ant 3 : [1, 8], 19
Exploitation
Ant 4: [7, 4], 15
Exploration
avg = 0.0002153767612
p = 0.000327272727269
p = 0.00039999999999
```

```
p = 0.000443999999996
Ant 5 : [2, 7], 18
Exploration
avg = 0.000257312135154
p = 0.00072
p = 0.000378943578944
p = 0.0006
Ant 6: [8, 3], 12
Exploitation
Ant 7 : [0, 1], 10
Exploration
avg = 0.000185536051495
p = 0.000359639938175
p = 0.0005328
Ant 1: [2, 7, 4], 33
Exploitation
Ant 8 : [4, 6], 10
Exploitation
Ant 9: [3, 8], 12
Exploitation
Ant 10 : [2, 7], 18
Exploration
avg = 0.000297793411266
p = 0.00071999999993
p = 0.000326935325125
p = 0.00039999995964
p = 0.000420631578568
Ant 11 : [1, 8], 19
Exploration
avg = 0.000192287633709
p = 0.000342857142854
p = 0.0004
p = 0.000257142831429
Ant 12 : [9, 8], 28
Exploration
avg = 0.000323319556271
p = 0.0007992
p = 0.000359315970837
p = 0.000719999927993
p = 0.000342857142854
Ant 13 : [0, 9], 21
Exploration
avg = 0.000178786990133
p = 0.0004
p = 0.000359639938175
Ant 0: [6, 4, 7, 3], 45
Exploitation
Ant 14 : [0, 1], 10
Exploration
avg = 0.000267130097606
p = 0.000281729422625
p = 0.00059999994
p = 0.00044999999955
p = 0.0004
```

```
Ant 15 : [5, 9], 18
Exploration
avg = 0.000264777639431
p = 0.000477266242608
p = 0.000599394599995
p = 0.0005328
Ant 2: [6, 4, 7], 25
Exploration
avg = 0.000272018986495
p = 0.000281729422625
p = 0.00059999994
p = 0.0004499999955
p = 0.000444
Ant 16 : [5, 9], 18
Exploration
avg = 0.000232478916509
p = 0.000799991999993
p = 0.00045
Ant 17 : [6, 5], 16
Exploitation
Ant 18 : [8, 0], 10
Exploration
avg = 0.000215426138978
p = 0.000327272727269
p = 0.00039999999999
p = 0.0004444444
Ant 19: [2, 7], 18
Exploitation
Ant 3 : [1, 8, 0], 29
Exploitation
Ant 4: [7, 4, 6], 25
Exploration
avg = 0.000190596609146
p = 0.000399596399382
p = 0.000533328
Ant 5 : [2, 7, 4], 33
Exploration
avg = 0.000276087610383
p = 0.0003999599964
p = 0.000399599964
p = 0.000479999952
p = 0.00035999999964
Ant 6: [8, 3, 7], 32
Exploration
avg = 0.000245069692985
p = 0.000326935325125
p = 0.00039999995964
p = 0.000276920307692
p = 0.000421048421049
Ant 7: [0, 1, 8], 29
Exploitation
Ant 1: [2, 7, 4, 6], 43
Exploration
avg = 0.000167727281073
```

```
p = 0.000194221856975
p = 0.0004995
p = 0.00023225804129
Ant 8: [4, 6, 7], 41
Exploitation
Ant 9 : [3, 8, 0], 22
Exploration
avg = 0.000190597269146
p = 0.000399596399382
p = 0.000533333328
Ant 10 : [2, 7, 4], 33
Exploration
avg = 0.000260358194681
p = 0.00079999992
p = 0.000666
Ant 11 : [1, 8, 3], 31
Exploration
avg = 0.000286740804304
p = 0.00079999992
p = 0.000378943578944
p = 0.00066666
Ant 12: [9, 8, 3], 40
Exploration
avg = 0.000177002162534
p = 0.0004
p = 0.000285428571171
Ant 13: [0, 9, 8], 49
Exploration
avg = 0.000320371752284
p = 0.0003999599964
p = 0.000399599964
p = 0.000666
Ant 0: [6, 4, 7, 3, 8], 57
Exploitation
Ant 14: [0, 1, 8], 29
Exploration
avg = 0.000169894662565
p = 0.000342857142854
p = 0.000175609755922
p = 0.000285711428569
Ant 15 : [5, 9, 8], 46
Exploration
avg = 0.000184495056019
p = 0.0004
p = 0.000399596399382
Ant 2: [6, 4, 7, 3], 45
Exploration
avg = 0.000169895016137
p = 0.000342857142854
p = 0.000175609755922
p = 0.000285714257143
Ant 16: [5, 9, 8], 46
Exploration
```

avg = 0.000249826359863

```
p = 0.000281729422625
p = 0.00059999994
p = 0.00044444
Ant 17: [6, 5, 9], 34
Exploitation
Ant 18: [8, 0, 1], 20
Exploitation
Ant 19 : [2, 7, 4], 33
Exploration
avg = 0.000204055766309
p = 0.000215783962903
p = 0.000359315970837
p = 0.000230221201397
p = 0.000380571428571
Ant 3: [1, 8, 0, 9], 50
Exploitation
Ant 4: [7, 4, 6, 5], 41
Exploitation
Ant 5 : [2, 7, 4, 6], 43
Exploration
avg = 0.000204860577857
p = 0.0004
p = 0.0005333333333333
Ant 6: [8, 3, 7, 4], 47
Exploration
avg = 0.000183361748206
p = 0.0006666666
Ant 7 : [0, 1, 8, 3], 41
Exploration
avg = 0.000165660289085
p = 0.000194221856975
p = 0.000499995
Ant 1: [2, 7, 4, 6, 5], 59
Exploitation
Ant 8: [4, 6, 7, 2], 59
Exploration
avg = 0.000304112563712
p = 0.00079999992
p = 0.000359315970837
p = 0.000380948571429
Ant 9: [3, 8, 0, 9], 43
Exploration
avg = 0.000323744972906
p = 0.000477266242608
p = 0.000599394599995
p = 0.0007999999992
Ant 10 : [2, 7, 4, 6], 43
Exploration
avg = 0.000264043554826
p = 0.000399599964
p = 0.000479999952
p = 0.000399599999996
Ant 11 : [1, 8, 3, 7], 51
```

Exploration

```
avg = 0.000290417427459
p = 0.00039999599964
p = 0.000399599964
p = 0.000479999952
p = 0.000399996
Ant 12: [9, 8, 3, 7], 60
Exploitation
Ant 13 : [0, 9, 8, 3], 61
Exploration
avg = 0.000306754402188
p = 0.00079999992
p = 0.000378943578944
Ant 0: [6, 4, 7, 3, 8, 1], 76
Exploration
avg = 0.000183361757729
p = 0.0006666666666
Ant 14 : [0, 1, 8, 3], 41
Exploitation
Ant 15 : [5, 9, 8, 0], 56
Exploitation
Ant 2: [6, 4, 7, 3, 8], 57
Exploration
avg = 0.000317847082017
p = 0.0007999999992
p = 0.000420631541053
p = 0.000666666666666
Ant 16: [5, 9, 8, 3], 58
Exploitation
Ant 17: [6, 5, 9, 0], 55
Exploitation
Ant 18 : [8, 0, 1, 3], 38
Exploration
avg = 0.000323744973019
p = 0.000477266242608
p = 0.000599394599995
Ant 19 : [2, 7, 4, 6], 43
Exploitation
Ant 3: [1, 8, 0, 9, 5], 68
Exploitation
Ant 4: [7, 4, 6, 5, 9], 59
Exploitation
Ant 5 : [2, 7, 4, 6, 5], 59
Exploitation
Ant 6: [8, 3, 7, 4, 6], 57
Exploitation
Ant 7: [0, 1, 8, 3, 4], 56
Exploitation
Ant 1: [2, 7, 4, 6, 5, 9], 77
Exploitation
Ant 8: [4, 6, 7, 2, 3], 77
Exploitation
Ant 9: [3, 8, 0, 9, 5], 61
Exploration
```

```
avg = 0.000165661122335
p = 0.000194221856975
p = 0.0004999999995
Ant 10: [2, 7, 4, 6, 5], 59
Exploitation
Ant 11 : [1, 8, 3, 7, 4], 66
Exploitation
Ant 12: [9, 8, 3, 7, 4], 75
Exploration
avg = 0.000330957753117
p = 0.0003999599964
p = 0.000399599964
p = 0.00053279999952
p = 0.00039999996
Ant 13 : [0, 9, 8, 3, 7], 81
Exploitation
Ant 0: [6, 4, 7, 3, 8, 1, 0], 86
Exploitation
Ant 14: [0, 1, 8, 3, 4], 56
Exploitation
Ant 15: [5, 9, 8, 0, 1], 66
Exploitation
Ant 2: [6, 4, 7, 3, 8, 0], 67
Exploitation
Ant 16: [5, 9, 8, 3, 4], 73
Exploitation
Ant 17: [6, 5, 9, 0, 1], 65
Exploration
avg = 0.000300343121726
p = 0.000399599964
p = 0.000533333328
p = 0.0003999999996
Ant 18: [8, 0, 1, 3, 7], 58
Exploitation
Ant 19: [2, 7, 4, 6, 5], 59
Exploitation
Ant 3: [1, 8, 0, 9, 5, 4], 80
Exploration
avg = 0.000208956919971
p = 0.000380571428571
p = 0.000285714285429
Ant 4: [7, 4, 6, 5, 9, 8], 87
Exploration
avg = 0.000204593168435
p = 0.000237931956858
p = 0.00044444444444
Ant 5 : [2, 7, 4, 6, 5, 9], 77
Exploration
avg = 0.000190499847244
p = 0.000194221856975
p = 0.0005
Ant 6: [8, 3, 7, 4, 6, 5], 73
Exploration
avg = 0.000428617333284
```

```
p = 0.000599394599995
p = 0.0008
p = 0.000533328
Ant 7: [0, 1, 8, 3, 4, 7], 71
Exploitation
Ant 1: [2, 7, 4, 6, 5, 9, 0], 98
Exploitation
Ant 8: [4, 6, 7, 2, 3, 8], 89
Exploration
avg = 0.000322171168886
p = 0.0006659999994
p = 0.0004499999955
Ant 9: [3, 8, 0, 9, 5, 6], 77
Exploitation
Ant 10: [2, 7, 4, 6, 5, 9], 77
Exploitation
Ant 11 : [1, 8, 3, 7, 4, 6], 76
Exploration
avg = 0.000350210639541
p = 0.000599394599995
p = 0.0008
Ant 12: [9, 8, 3, 7, 4, 6], 85
Exploration
avg = 0.000267414212178
p = 0.000444
Ant 13 : [0, 9, 8, 3, 7, 4], 96
Exploitation
Ant 0: [6, 4, 7, 3, 8, 1, 0, 9], 107
Exploration
avg = 0.000428618389284
p = 0.000599394599995
p = 0.0008
p = 0.000533333328
Ant 14: [0, 1, 8, 3, 4, 7], 71
Exploitation
Ant 15 : [5, 9, 8, 0, 1, 3], 84
Exploration
avg = 0.000406739386216
p = 0.00079999999999
Ant 2: [6, 4, 7, 3, 8, 0, 1], 77
Exploitation
Ant 16: [5, 9, 8, 3, 4, 6], 83
Exploration
avg = 0.000269876584724
p = 0.000326935325125
p = 0.000444439999996
p = 0.000421052631158
Ant 17: [6, 5, 9, 0, 1, 8], 84
Exploitation
Ant 18: [8, 0, 1, 3, 7, 4], 73
Exploration
avg = 0.000204593168436
p = 0.000237931956858
```

```
Ant 19 : [2, 7, 4, 6, 5, 9], 77
Exploitation
Ant 3: [1, 8, 0, 9, 5, 4, 6], 90
Exploitation
Ant 4: [7, 4, 6, 5, 9, 8, 0], 97
Exploration
avg = 0.000217387996768
p = 0.000380948571429
p = 0.000285714285711
Ant 5 : [2, 7, 4, 6, 5, 9, 8], 105
Exploration
avg = 0.000239017934916
p = 0.000281729422625
Ant 6: [8, 3, 7, 4, 6, 5, 9], 91
Exploitation
Ant 7: [0, 1, 8, 3, 4, 7, 2], 89
Exploitation
Ant 1: [2, 7, 4, 6, 5, 9, 0, 1], 108
Exploration
avg = 0.000374966452824
p = 0.0008
p = 0.000420631541053
Ant 8: [4, 6, 7, 2, 3, 8, 1], 108
Exploitation
Ant 9: [3, 8, 0, 9, 5, 6, 4], 87
Exploration
avg = 0.000217387996769
p = 0.000380948571429
p = 0.000285714285714
Ant 10: [2, 7, 4, 6, 5, 9, 8], 105
Exploration
avg = 0.000189569344812
p = 0.0005
Ant 11 : [1, 8, 3, 7, 4, 6, 5], 92
Exploitation
Ant 12: [9, 8, 3, 7, 4, 6, 5], 101
Exploration
avg = 0.000399021250526
p = 0.000599394599995
p = 0.0008
Ant 13 : [0, 9, 8, 3, 7, 4, 6], 106
Exploration
avg = 0.000310024877961
p = 0.00044444
Ant 0: [6, 4, 7, 3, 8, 1, 0, 9, 5], 125
Exploitation
Ant 14: [0, 1, 8, 3, 4, 7, 2], 89
Exploitation
Ant 15 : [5, 9, 8, 0, 1, 3, 4], 99
Exploitation
Ant 2: [6, 4, 7, 3, 8, 0, 1, 2], 99
Exploitation
```

```
Ant 16: [5, 9, 8, 3, 4, 6, 7], 114
Exploitation
Ant 17: [6, 5, 9, 0, 1, 8, 3], 96
Exploration
avg = 0.000402439666605
p = 0.000599394599995
p = 0.0008
Ant 18 : [8, 0, 1, 3, 7, 4, 6], 83
Exploration
avg = 0.000217387996769
p = 0.000380948571429
p = 0.000285714285714
Ant 19 : [2, 7, 4, 6, 5, 9, 8], 105
Exploration
avg = 0.000149316595707
p = 0.000258061935482
Ant 3: [1, 8, 0, 9, 5, 4, 6, 7], 121
Exploration
avg = 0.000371921147978
p = 0.0008
Ant 4: [7, 4, 6, 5, 9, 8, 0, 1], 107
Exploitation
Ant 5 : [2, 7, 4, 6, 5, 9, 8, 0], 115
Exploitation
Ant 6: [8, 3, 7, 4, 6, 5, 9, 0], 112
Exploration
avg = 0.000156335149024
p = 0.00017542674074
Ant 7 : [0, 1, 8, 3, 4, 7, 2, 9], 130
Exploitation
Ant 1 : [2, 7, 4, 6, 5, 9, 0, 1, 3], 126
Exploitation
Ant 8: [4, 6, 7, 2, 3, 8, 1, 0], 118
Exploitation
Ant 9: [3, 8, 0, 9, 5, 6, 4, 7], 102
Exploration
avg = 0.000629238362447
p = 0.0008
p = 0.000666666666667
Ant 10: [2, 7, 4, 6, 5, 9, 8, 3], 117
Exploitation
Ant 11 : [1, 8, 3, 7, 4, 6, 5, 9], 110
Exploration
avg = 0.000170542431739
p = 0.000281729422625
Ant 12: [9, 8, 3, 7, 4, 6, 5, 2], 124
Exploration
avg = 0.000270105109919
p = 0.0005
Ant 13 : [0, 9, 8, 3, 7, 4, 6, 5], 122
Exploration
avg = 0.000347165120313
Ant 0: [6, 4, 7, 3, 8, 1, 0, 9, 5, 2], 148
Update called by <code>OExploration</code>
```

```
p = 0.000194924999115
Ant 14: [0, 1, 8, 3, 4, 7, 2, 9], 130
Exploitation
Ant 15 : [5, 9, 8, 0, 1, 3, 4, 6], 109
Exploitation
Ant 2: [6, 4, 7, 3, 8, 0, 1, 2, 9], 140
Exploration
avg = 0.000227453586164
p = 0.0004444444
Ant 16: [5, 9, 8, 3, 4, 6, 7, 2], 132
Exploration
avg = 0.000444311098932
p = 0.00053333333338
Ant 17 : [6, 5, 9, 0, 1, 8, 3, 4], 111
Exploration
avg = 0.000229279096779
p = 0.0005
Ant 18: [8, 0, 1, 3, 7, 4, 6, 5], 99
Exploitation
Ant 19: [2, 7, 4, 6, 5, 9, 8, 0], 115
Exploration
avg = 0.000422220203997
p = 0.000444444444
Ant 3: [1, 8, 0, 9, 5, 4, 6, 7, 2], 139
Exploration
avg = 0.000403856876626
p = 0.0004444444
Ant 4: [7, 4, 6, 5, 9, 8, 0, 1, 3], 125
Exploration
avg = 0.000449989740516
p = 0.0008
Ant 5 : [2, 7, 4, 6, 5, 9, 8, 0, 1], 125
Exploration
avg = 0.000507891981451
p = 0.0008
Ant 6: [8, 3, 7, 4, 6, 5, 9, 0, 1], 122
Exploitation
Ant 7: [0, 1, 8, 3, 4, 7, 2, 9, 5], 148
Exploitation
Ant 1: [2, 7, 4, 6, 5, 9, 0, 1, 3, 8], 138
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000305586790984
p = 0.000380952380571
Ant 8: [4, 6, 7, 2, 3, 8, 1, 0, 9], 139
Exploration
avg = 0.00030514128621
p = 0.00044444444444
Ant 9: [3, 8, 0, 9, 5, 6, 4, 7, 2], 120
Exploration
```

```
avg = 0.000249987740336
p = 0.0003999599964
Ant 10 : [2, 7, 4, 6, 5, 9, 8, 3, 1], 135
Exploration
avg = 0.00027828104939
p = 0.000380952342857
Ant 11 : [1, 8, 3, 7, 4, 6, 5, 9, 0], 131
Exploitation
Ant 12: [9, 8, 3, 7, 4, 6, 5, 2, 1], 146
Exploitation
Ant 13: [0, 9, 8, 3, 7, 4, 6, 5, 2], 145
Exploitation
Ant 14: [0, 1, 8, 3, 4, 7, 2, 9, 5], 148
Exploitation
Ant 15: [5, 9, 8, 0, 1, 3, 4, 6, 7], 140
Exploitation
Ant 2 : [6, 4, 7, 3, 8, 0, 1, 2, 9, 5], 158
Update called by 2Exploitation
Ant thread 2 terminating. Ant 16: [5, 9, 8, 3, 4, 6, 7, 2, 1], 154
Exploitation
Ant 17: [6, 5, 9, 0, 1, 8, 3, 4, 7], 126
Exploration
avg = 0.000396135232652
p = 0.0004444444444444
Ant 18: [8, 0, 1, 3, 7, 4, 6, 5, 9], 117
Exploitation
Ant 19: [2, 7, 4, 6, 5, 9, 8, 0, 1], 125
Exploitation
Ant 3: [1, 8, 0, 9, 5, 4, 6, 7, 2, 3], 157
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.000399599964
Ant 4: [7, 4, 6, 5, 9, 8, 0, 1, 3, 2], 143
Update called by 4Exploration
Ant thread 4 terminating.avg = 0.0004444444444
Ant 5 : [2, 7, 4, 6, 5, 9, 8, 0, 1, 3], 143
Update called by 5Exploitation
Ant thread 5 terminating. Ant 6: [8, 3, 7, 4, 6, 5, 9, 0, 1, 2], 144
Update called by 6Exploration
Ant thread 6 terminating.avg = 0.000499499999995
Ant 7: [0, 1, 8, 3, 4, 7, 2, 9, 5, 6], 164
Update called by 7Exploitation
Ant thread 7 terminating. Ant 8: [4, 6, 7, 2, 3, 8, 1, 0, 9, 5], 157
```

Update called by 8Exploitation

Ant thread 8 terminating.Ant 9 : [3, 8, 0, 9, 5, 6, 4, 7, 2, 1], 142

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10 : [2, 7, 4, 6, 5, 9, 8, 3, 1, 0], 145

Update called by 10Exploitation

Ant thread 10 terminating. Ant 11: [1, 8, 3, 7, 4, 6, 5, 9, 0, 2], 161

ExplorationUpdate called by 11

avg = 0.00079999992Ant thread 11 terminating.

Ant 12: [9, 8, 3, 7, 4, 6, 5, 2, 1, 0], 156 Update called by 12Exploration

Ant thread 12 terminating.avg = 0.000363636327273

Ant 13 : [0, 9, 8, 3, 7, 4, 6, 5, 2, 1], 167 Update called by 13Exploration

Ant thread 13 terminating.avg = 0.000499995

Ant 14 : [0, 1, 8, 3, 4, 7, 2, 9, 5, 6], 164 Update called by 14Exploration

Ant 15 : [5, 9, 8, 0, 1, 3, 4, 6, 7, 2], 158 Update called by 15Exploration

Ant thread 15 terminating.avg = 0.0007999999992

Ant 16: [5, 9, 8, 3, 4, 6, 7, 2, 1, 0], 164 Update called by 16Exploitation

Ant thread 16 terminating. Ant 17: [6, 5, 9, 0, 1, 8, 3, 4, 7, 2], 144

Update called by 17Exploration

Ant thread 17 terminating.avg = 0.000175609755922

Ant 18: [8, 0, 1, 3, 7, 4, 6, 5, 9, 2], 158 Update called by 18Exploration

Ant thread 18 terminating.avg = 0.000444444444444

Ant 19: [2, 7, 4, 6, 5, 9, 8, 0, 1, 3], 143 Update called by 19

Best: [2, 7, 4, 6, 5, 9, 0, 1, 8, 3], 157, 10, 180

Ant thread 19 terminating.

```
iter_counter = 11
starting ant = 0
Exploitationstarting ant = 1
Ant 0 : [6, 4], 10starting ant = 2
Exploitationstarting ant = 3
Ant 1 : [2, 7], 18starting ant = 4
Exploitationstarting ant = 5
Ant 0: [6, 4, 5], 22starting ant = 6
Exploitationstarting ant = 7
Ant 2: [6, 4], 10starting ant = 8
Explorationstarting ant = 9
avg = 0.000284170360761starting ant = 10
p = 0.000719999999993starting ant = 11
p = 0.000327269424179starting ant = 12
p = 0.0004starting ant = 13
p = 0.000378947368417starting ant = 14
Ant 3 : [1, 8], 19starting ant = 15
Explorationstarting ant = 16
avg = 0.00017158249925starting ant = 17
p = 0.000359996367594starting ant = 18
p = 0.00048starting ant = 19
Ant 1 : [2, 7, 4], 33
Exploration
avg = 0.000202828888222
p = 0.0004
p = 0.000359996367594
p = 0.0005328
Ant 4: [7, 4], 15
Exploration
avg = 0.000208822301092
p = 0.000327272726945
p = 0.000399996
p = 0.000443999999996
Ant 5 : [2, 7], 18
Exploration
```

```
avg = 0.000188320111918
p = 0.000313043418774
p = 0.000214138761172
p = 0.0004
Ant 0: [6, 4, 5, 9], 40
Exploration
avg = 0.000250458072479
p = 0.00072
p = 0.000378943578606
p = 0.0006
Ant 6: [8, 3], 12
Exploitation
Ant 7 : [0, 1], 10
Exploration
avg = 0.000254102301914
p = 0.000429539618347
p = 0.0006653945514
p = 0.00048
Ant 2: [6, 4, 7], 25
Exploration
avg = 0.000311735379479
p = 0.000429539618347
p = 0.0006653945514
p = 0.00072
p = 0.0005328
Ant 8: [4, 7], 15
Exploration
avg = 0.000305710092741
p = 0.000399599963997
p = 0.000399596399676
p = 0.00047999999999
p = 0.000359999999996
p = 0.0005999999999994
Ant 9: [3, 8], 12
Exploration
avg = 0.000208871189981
p = 0.000327272726945
p = 0.000399996
p = 0.00044444
Ant 10 : [2, 7], 18
Exploration
avg = 0.000288801939709
p = 0.00071999999993
p = 0.000327269424179
p = 0.0004
p = 0.000420631578947
Ant 11 : [1, 8], 19
Exploration
avg = 0.000186101691317
p = 0.000342857142514
p = 0.0004
p = 0.000257142857143
Ant 12: [9, 8], 28
Exploitation
```

```
Ant 13 : [0, 1], 10
Exploration
avg = 0.000308802512126
p = 0.000799992
p = 0.000323384373754
p = 0.000647999935194
p = 0.000342857142854
Ant 14: [0, 9], 21
Exploitation
Ant 3: [1, 8, 0], 29
Exploration
avg = 0.000267960081988
p = 0.000313043418774
p = 0.0005993999946
p = 0.000449999955
p = 0.000444
Ant 15 : [5, 9], 18
Exploration
avg = 0.000268008970876
p = 0.000313043418774
p = 0.0005993999946
p = 0.000449999955
p = 0.00044444
Ant 16 : [5, 9], 18
Exploration
avg = 0.000225700472316
p = 0.000799991999993
p = 0.00045
p = 0.000232258064284
Ant 17: [6, 7], 31
Exploration
avg = 0.000266591405812
p = 0.0007992
p = 0.000378943578606
p = 0.000666
Ant 18 : [8, 3], 12
Exploration
avg = 0.00020887167887
p = 0.000327272726945
p = 0.000399996
p = 0.0004444444
Ant 19: [2, 7], 18
Exploitation
Ant 1: [2, 7, 4, 6], 43
Exploration
avg = 0.000294002301914
p = 0.000429539618347
p = 0.0006653945514
p = 0.0007992
Ant 4: [7, 4, 6], 25
Exploration
avg = 0.00017824849925
p = 0.000359996367594
```

p = 0.000533328

```
Ant 5 : [2, 7, 4], 33
Exploitation
Ant 0 : [6, 4, 5, 9, 0], 61
Exploitation
```

Ant 6: [8, 3, 4], 27

Exploration

avg = 0.000234954287437

p = 0.000327269424179

p = 0.0004

p = 0.000249228276923

p = 0.000421048421053

Ant 7 : [0, 1, 8], 29

Exploration

avg = 0.000171811208725

p = 0.0004

p = 0.000359996367594

Ant 2: [6, 4, 7, 3], 45

Exploration

avg = 0.00016653294876

p = 0.0004

p = 0.000399599963676

Ant 8: [4, 7, 3], 35

Exploitation

Ant 9: [3, 8, 0], 22

Exploitation

Ant 10: [2, 7, 4], 33

Exploration

avg = 0.000252728884213

p = 0.000799992

p = 0.00066666

Ant 11 : [1, 8, 3], 31

Exploration

avg = 0.000281136602568

p = 0.000799992

p = 0.000378943578606

p = 0.0006666666

Ant 12: [9, 8, 3], 40

Exploitation

Ant 13: [0, 1, 8], 29

Exploration

avg = 0.000170042974203

p = 0.00017543414634

p = 0.0004

p = 0.000285428571429

Ant 14: [0, 9, 8], 49

Exploitation

Ant 3 : [1, 8, 0, 9], 50

Exploration

avg = 0.000167649759917

p = 0.000380571428568

p = 0.00017543414634

p = 0.000285711428571

Ant 15 : [5, 9, 8], 46

Exploitation

```
Ant 16: [5, 9, 0], 39
Exploitation
Ant 17: [6, 7, 4], 46
Exploitation
Ant 18 : [8, 3, 4], 27
Exploitation
Ant 19 : [2, 7, 4], 33
Exploration
avg = 0.000149095010177
p = 0.000174799671278
p = 0.00045
Ant 1: [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000149793455224
p = 0.000174799671278
p = 0.0004995
Ant 4: [7, 4, 6, 5], 41
Exploration
avg = 0.000320789248776
p = 0.000429539618347
p = 0.0006653945514
p = 0.000799992
Ant 5 : [2, 7, 4, 6], 43
Exploration
avg = 0.00036847718625
p = 0.000799992
p = 0.000647999935194
Ant 0: [6, 4, 5, 9, 0, 8], 71
Exploitation
Ant 6: [8, 3, 4, 6], 37
Exploration
avg = 0.000174549391386
p = 0.00066666666
Ant 7: [0, 1, 8, 3], 41
Exploitation
Ant 2: [6, 4, 7, 3, 8], 57
Exploration
avg = 0.000282578690669
p = 0.000399599963997
p = 0.000399596399676
p = 0.00066666
Ant 8: [4, 7, 3, 8], 47
Exploration
avg = 0.000297047509941
p = 0.000799992
p = 0.000323384373754
p = 0.000380948571429
Ant 9: [3, 8, 0, 9], 43
Exploration
avg = 0.000320790391519
p = 0.000429539618347
p = 0.0006653945514
p = 0.0007999999992
Ant 10 : [2, 7, 4, 6], 43
```

```
Exploitation
Ant 11 : [1, 8, 3, 4], 46
Exploitation
Ant 12: [9, 8, 3, 4], 55
Exploration
avg = 0.00017454939148
Ant 13 : [0, 1, 8, 3], 41
Exploration
avg = 0.000207014412459
p = 0.000378943578606
p = 0.0006666666666667
Ant 14 : [0, 9, 8, 3], 61
Exploration
avg = 0.000165920637255
p = 0.00017543414634
p = 0.0004
Ant 3: [1, 8, 0, 9, 5], 68
Exploration
avg = 0.000307067210822
p = 0.000799992
p = 0.000378943578606
Ant 15 : [5, 9, 8, 3], 58
Exploitation
Ant 16: [5, 9, 0, 1], 49
Exploitation
Ant 17: [6, 7, 4, 5], 58
Exploration
avg = 0.000342645238478
p = 0.000666653945514
p = 0.000799999999999
p = 0.000533328
Ant 18: [8, 3, 4, 7], 42
Exploration
avg = 0.000320970305077
p = 0.000429539618347
p = 0.000666653945514
p = 0.000799999999999
Ant 19 : [2, 7, 4, 6], 43
Exploration
avg = 0.000193022731593
p = 0.000214138761172
p = 0.0004444444
Ant 1: [2, 7, 4, 6, 5, 9], 77
Exploitation
Ant 4: [7, 4, 6, 5, 9], 59
Exploitation
Ant 5: [2, 7, 4, 6, 5], 59
Exploitation
Ant 0: [6, 4, 5, 9, 0, 8, 3], 83
Exploration
avg = 0.000194175952368
p = 0.00049999995
```

```
p = 0.000257806451611
Ant 6: [8, 3, 4, 6, 7], 68
Exploration
avg = 0.000285857111759
p = 0.000399596399676
p = 0.00053333333328
p = 0.00035999999999
Ant 7 : [0, 1, 8, 3, 7], 61
Exploration
avg = 0.000299656247881
p = 0.000799992
p = 0.000378943578606
Ant 2 : [6, 4, 7, 3, 8, 1], 76
Exploration
avg = 0.000269226522474
p = 0.000799992
p = 0.000420631541049
Ant 8: [4, 7, 3, 8, 1], 66
Exploration
avg = 0.000169284400655
p = 0.00017543414634
p = 0.000444
Ant 9: [3, 8, 0, 9, 5], 61
Exploitation
Ant 10: [2, 7, 4, 6, 5], 59
Exploitation
Ant 11 : [1, 8, 3, 4, 6], 56
Exploration
avg = 0.000386079993908
p = 0.000666653945514
p = 0.0008
p = 0.00053333328
Ant 12: [9, 8, 3, 4, 7], 70
Exploitation
Ant 13 : [0, 1, 8, 3, 4], 56
Exploitation
Ant 14: [0, 9, 8, 3, 4], 76
Exploration
avg = 0.000332222048219
p = 0.0005993999946
p = 0.000449999955
Ant 3 : [1, 8, 0, 9, 5, 6], 84
Exploration
avg = 0.000320555767648
p = 0.000399599963997
p = 0.000399596399676
p = 0.0003996
Ant 15 : [5, 9, 8, 3, 7], 78
Exploitation
Ant 16: [5, 9, 0, 1, 8], 68
Exploration
avg = 0.000213026186863
p = 0.000313043418774
```

```
p = 0.000214138761172
p = 0.00044444444444
Ant 17: [6, 7, 4, 5, 9], 76
Exploitation
Ant 18: [8, 3, 4, 7, 2], 60
Exploration
avg = 0.000157428343427
p = 0.000174799671278
p = 0.0004999999995
Ant 19 : [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000212315761377
p = 0.000380948571429
p = 0.000285714257143
Ant 1: [2, 7, 4, 6, 5, 9, 8], 105
Exploitation
Ant 4: [7, 4, 6, 5, 9, 0], 80
Exploration
avg = 0.000193022740482
p = 0.000214138761172
Ant 5 : [2, 7, 4, 6, 5, 9], 77
Exploitation
Ant 0: [6, 4, 5, 9, 0, 8, 3, 7], 103
Exploration
avg = 0.000160928021515
p = 0.000444
Ant 6: [8, 3, 4, 6, 7, 2], 86
Exploitation
Ant 7: [0, 1, 8, 3, 7, 4], 76
Exploitation
Ant 2: [6, 4, 7, 3, 8, 1, 0], 86
Exploitation
Ant 8: [4, 7, 3, 8, 1, 0], 76
Exploration
avg = 0.00032075143967
p = 0.0005993999946
p = 0.0004994999955
Ant 9: [3, 8, 0, 9, 5, 6], 77
Exploitation
Ant 10 : [2, 7, 4, 6, 5, 9], 77
Exploration
avg = 0.00019810231536
p = 0.00049999999999
p = 0.000258061935484
Ant 11: [1, 8, 3, 4, 6, 7], 87
Exploitation
Ant 12 : [9, 8, 3, 4, 7, 2], 88
Exploration
avg = 0.000437862987619
p = 0.000666653945514
p = 0.0008
p = 0.00053333333328
Ant 13 : [0, 1, 8, 3, 4, 7], 71
```

```
Exploitation
Ant 14 : [0, 9, 8, 3, 4, 6], 86
Exploitation
Ant 3: [1, 8, 0, 9, 5, 6, 4], 94
Exploration
avg = 0.000256376797781
p = 0.0004444444
Ant 15 : [5, 9, 8, 3, 7, 4], 93
Exploration
avg = 0.00019410697943
Ant 16 : [5, 9, 0, 1, 8, 3], 80
Exploitation
Ant 17: [6, 7, 4, 5, 9, 0], 97
Exploitation
Ant 18: [8, 3, 4, 7, 2, 1], 82
Exploitation
Ant 19 : [2, 7, 4, 6, 5, 9], 77
Exploration
avg = 0.00062923569578
p = 0.000799992
Ant 1 : [2, 7, 4, 6, 5, 9, 8, 3], 117
Exploitation
Ant 4: [7, 4, 6, 5, 9, 0, 1], 90
Exploitation
Ant 5 : [2, 7, 4, 6, 5, 9, 0], 98
Exploration
avg = 0.000296849357591
p = 0.0004444444
Ant 0: [6, 4, 5, 9, 0, 8, 3, 7, 2], 121
Exploitation
Ant 6: [8, 3, 4, 6, 7, 2, 1], 108
Exploration
avg = 0.000413995401324
p = 0.000666653945514
p = 0.0008
Ant 7: [0, 1, 8, 3, 7, 4, 6], 86
Exploration
avg = 0.000275897826594
p = 0.000380952342857
Ant 2: [6, 4, 7, 3, 8, 1, 0, 9], 107
Exploration
avg = 0.000222772399378
p = 0.000239542055666
p = 0.000380952380571
Ant 8: [4, 7, 3, 8, 1, 0, 9], 97
Exploration
avg = 0.000334337051776
p = 0.00079999992
Ant 9: [3, 8, 0, 9, 5, 6, 4], 87
Exploitation
Ant 10 : [2, 7, 4, 6, 5, 9, 0], 98
```

```
Exploration
avg = 0.000163957559098
p = 0.000444444444
Ant 11 : [1, 8, 3, 4, 6, 7, 2], 105
Exploration
avg = 0.000180208620083
p = 0.000363632727273
Ant 12: [9, 8, 3, 4, 7, 2, 1], 110
Exploration
avg = 0.000170235340575
p = 0.00044444444444
Ant 13 : [0, 1, 8, 3, 4, 7, 2], 89
Exploration
avg = 0.000259337071775
p = 0.000499999999995
Ant 14: [0, 9, 8, 3, 4, 6, 5], 102
Exploitation
Ant 3: [1, 8, 0, 9, 5, 6, 4, 7], 109
Exploration
avg = 0.000279123184484
p = 0.0008
Ant 15 : [5, 9, 8, 3, 7, 4, 6], 103
Exploration
avg = 0.00035853826724
p = 0.000399596399676
p = 0.00039999996
Ant 16: [5, 9, 0, 1, 8, 3, 7], 100
Exploitation
Ant 17: [6, 7, 4, 5, 9, 0, 1], 107
Exploitation
Ant 18: [8, 3, 4, 7, 2, 1, 0], 92
Exploration
avg = 0.00021231672083
p = 0.000380952380952
p = 0.000285714285429
Ant 19 : [2, 7, 4, 6, 5, 9, 8], 105
Exploration
avg = 0.000244790748463
p = 0.000399599963997
Ant 1 : [2, 7, 4, 6, 5, 9, 8, 3, 1], 135
Exploitation
Ant 4: [7, 4, 6, 5, 9, 0, 1, 8], 109
Exploration
avg = 0.000562820510758
p = 0.00079999999999
p = 0.000798479999352
Ant 5 : [2, 7, 4, 6, 5, 9, 0, 8], 108
Exploration
avg = 0.000363636327273
Ant 0: [6, 4, 5, 9, 0, 8, 3, 7, 2, 1], 143
Update called by <code>OExploration</code>
```

Ant thread 0 terminating.avg = 0.000404977247681

```
p = 0.00079999992
Ant 6: [8, 3, 4, 6, 7, 2, 1, 0], 118
Exploitation
Ant 7: [0, 1, 8, 3, 7, 4, 6, 5], 102
Exploration
avg = 0.00030993707317
p = 0.00044444
Ant 2: [6, 4, 7, 3, 8, 1, 0, 9, 5], 125
Exploitation
Ant 8: [4, 7, 3, 8, 1, 0, 9, 5], 115
Exploration
avg = 0.00023678489841
Ant 9: [3, 8, 0, 9, 5, 6, 4, 7], 102
Exploration
avg = 0.000563322110972
p = 0.00079999999999
p = 0.000799984799994
Ant 10 : [2, 7, 4, 6, 5, 9, 0, 8], 108
Exploration
avg = 0.000134448086959
p = 0.000134753605146
p = 0.000175609738372
Ant 11: [1, 8, 3, 4, 6, 7, 2, 9], 146
Exploitation
Ant 12 : [9, 8, 3, 4, 7, 2, 1, 0], 120
Exploration
avg = 0.000153049221596
p = 0.000194926829091
Ant 13 : [0, 1, 8, 3, 4, 7, 2, 9], 130
Exploitation
Ant 14: [0, 9, 8, 3, 4, 6, 5, 2], 125
Exploitation
Ant 3 : [1, 8, 0, 9, 5, 6, 4, 7, 2], 127
Exploration
avg = 0.0001142266256
p = 0.000174799671278
Ant 15 : [5, 9, 8, 3, 7, 4, 6, 1], 140
Exploration
avg = 0.000355919770236
Ant 16: [5, 9, 0, 1, 8, 3, 7, 4], 115
Exploration
avg = 0.000382774018586
p = 0.0004
p = 0.000421052631579
Ant 17: [6, 7, 4, 5, 9, 0, 1, 8], 126
Exploration
avg = 0.000217182514075
p = 0.000380952380949
Ant 18: [8, 3, 4, 7, 2, 1, 0, 9], 113
Exploration
```

```
avg = 0.00062923569578
p = 0.000799992
p = 0.0006666666666667
Ant 19: [2, 7, 4, 6, 5, 9, 8, 3], 117
Exploitation
Ant 1: [2, 7, 4, 6, 5, 9, 8, 3, 1, 0], 145
Update called by 1Exploration
Ant thread 1 terminating.avg = 0.000367350742124
Ant 4: [7, 4, 6, 5, 9, 0, 1, 8, 3], 121
Exploitation
Ant 5 : [2, 7, 4, 6, 5, 9, 0, 8, 3], 120
Exploration
avg = 0.000294075731105
p = 0.000380952380952
Ant 6: [8, 3, 4, 6, 7, 2, 1, 0, 9], 139
Exploitation
Ant 7: [0, 1, 8, 3, 7, 4, 6, 5, 9], 120
Exploitation
Ant 2: [6, 4, 7, 3, 8, 1, 0, 9, 5, 2], 148
Update called by 2Exploration
Ant thread 2 terminating.avg = 0.000423908804343
p = 0.000499994999995
Ant 8: [4, 7, 3, 8, 1, 0, 9, 5, 6], 131
Exploration
avg = 0.000296849379813
Ant 9: [3, 8, 0, 9, 5, 6, 4, 7, 2], 120
Exploitation
Ant 10: [2, 7, 4, 6, 5, 9, 0, 8, 3], 120
Exploitation
Ant 11: [1, 8, 3, 4, 6, 7, 2, 9, 5], 164
Exploration
avg = 0.000135297580638
p = 0.000207199081257
Ant 12: [9, 8, 3, 4, 7, 2, 1, 0, 5], 148
Exploitation
Ant 13 : [0, 1, 8, 3, 4, 7, 2, 9, 5], 148
Exploration
avg = 0.000404040403636
p = 0.000444444444
Ant 14: [0, 9, 8, 3, 4, 6, 5, 2, 7], 143
Exploitation
Ant 3: [1, 8, 0, 9, 5, 6, 4, 7, 2, 3], 145
Update called by 3Exploration
Ant thread 3 terminating.avg = 0.00056363471209
p = 0.0008
Ant 15 : [5, 9, 8, 3, 7, 4, 6, 1, 0], 150
```

```
Exploitation
```

Ant 16: [5, 9, 0, 1, 8, 3, 7, 4, 6], 125

Exploration

avg = 0.000367350742124

Ant 17: [6, 7, 4, 5, 9, 0, 1, 8, 3], 138

Exploration

avg = 0.000282856293113

Ant 18: [8, 3, 4, 7, 2, 1, 0, 9, 5], 131

Exploitation

Ant 19: [2, 7, 4, 6, 5, 9, 8, 3, 1], 135

Exploitation

Ant 4: [7, 4, 6, 5, 9, 0, 1, 8, 3, 2], 139

Update called by 4Exploitation

Ant thread 4 terminating.Ant 5 : [2, 7, 4, 6, 5, 9, 0, 8, 3, 1], 138

Update called by 5Exploration

Ant 6: [8, 3, 4, 6, 7, 2, 1, 0, 9, 5], 157

Update called by 6Exploration

Ant thread 6 terminating.avg = 0.00017543414634

Ant 7 : [0, 1, 8, 3, 7, 4, 6, 5, 9, 2], 161

Update called by 7Exploitation

Ant thread 7 terminating. Ant 8: [4, 7, 3, 8, 1, 0, 9, 5, 6, 2], 181

Update called by 8Exploitation

Ant thread 8 terminating. Ant 9: [3, 8, 0, 9, 5, 6, 4, 7, 2, 1], 142

Update called by 9Exploitation

Ant thread 9 terminating. Ant 10: [2, 7, 4, 6, 5, 9, 0, 8, 3, 1], 138

Update called by 10Exploration

Ant thread 10 terminating.avg = 9.96224114571e-05

Ant 11: [1, 8, 3, 4, 6, 7, 2, 9, 5, 0], 192

Update called by 11Exploitation

Ant thread 11 terminating. Ant 12: [9, 8, 3, 4, 7, 2, 1, 0, 5, 6], 164

Update called by 12Exploitation

Ant thread 12 terminating. Ant 13: [0, 1, 8, 3, 4, 7, 2, 9, 5, 6], 164

Update called by 13Exploration

```
Ant thread 13 terminating.avg = 0.000149254315182
Ant 14: [0, 9, 8, 3, 4, 6, 5, 2, 7, 1], 182
Update called by 14Exploitation
Ant thread 14 terminating. Ant 15: [5, 9, 8, 3, 7, 4, 6, 1, 0, 2], 180
Update called by 15Exploration
Ant thread 15 terminating.avg = 0.000159444841255
Ant 16: [5, 9, 0, 1, 8, 3, 7, 4, 6, 2], 175
Update called by 16Exploration
Ant thread 16 terminating.avg = 0.000443995963997
Ant 17: [6, 7, 4, 5, 9, 0, 1, 8, 3, 2], 156
Update called by 17Exploitation
Ant thread 17 terminating. Ant 18: [8, 3, 4, 7, 2, 1, 0, 9, 5, 6], 147
Update called by 18Exploitation
Ant thread 18 terminating. Ant 19: [2, 7, 4, 6, 5, 9, 8, 3, 1, 0], 145
Update called by 19
Best: [2, 7, 4, 6, 5, 9, 0, 1, 8, 3], 157, 11, 185
Ant thread 19 terminating.iter_counter = 12
starting ant = 0
Explorationstarting ant = 1
avg = 0.000220363137849 starting ant = 2
p = 0.00071999999928starting ant = 3
p = 0.00045starting ant = 4
p = 0.00023225804129starting ant = 5
Ant 0 : [6, 7], 31starting ant = 6
Explorationstarting ant = 7
avg = 0.000197972301259starting ant = 8
p = 0.000327272727269starting ant = 9
p = 0.000399599964starting ant = 10
```

Ant 1 : [2, 7], 18starting ant = 12

```
avg = 0.000223201850081starting ant = 14
p = 0.00071999999998starting ant = 15
p = 0.00045starting ant = 16
p = 0.000257806451381starting ant = 17
Ant 2: [6, 7], 31starting ant = 18
Explorationstarting ant = 19
avg = 0.000267963851002
p = 0.00072
p = 0.000294542481761
p = 0.00036
p = 0.000378947368421
Ant 3: [1, 8], 19
Exploitation
Ant 4: [7, 4], 15
Exploitation
Ant 5 : [2, 7], 18
Exploitation
Ant 0: [6, 7, 4], 46
Exploration
avg = 0.000244288616104
p = 0.0007199928
p = 0.000378943578606
p = 0.0006
Ant 6: [8, 3], 12
Exploitation
Ant 7 : [0, 1], 10
Exploration
avg = 0.000288741114276
p = 0.000386585656512
p = 0.000599988550963
p = 0.00072
p = 0.00048
Ant 8: [4, 7], 15
Exploration
avg = 0.000300107880758
p = 0.000399999999999
p = 0.000399995963676
p = 0.00048
p = 0.00035999999964
p = 0.00059999994
Ant 9: [3, 8], 12
Exploration
avg = 0.000202910079037
p = 0.000327272727269
p = 0.000399599964
```

Explorationstarting ant = 13

```
p = 0.00044444
Ant 10 : [2, 7], 18
Exploitation
Ant 11: [1, 0], 10
Exploration
avg = 0.000177813162423
p = 0.000184112519606
p = 0.000359996399673
p = 0.000533328
Ant 1 : [2, 7, 4], 33
Exploration
avg = 0.000180551726014
p = 0.000342857142857
p = 0.0004
p = 0.00025714285714
Ant 12: [9, 8], 28
Exploration
avg = 0.000316190917734
p = 0.0007992
p = 0.0007199998632
p = 0.000342857142857
Ant 13 : [0, 9], 21
Exploitation
Ant 14 : [0, 1], 10
Exploitation
Ant 15 : [5, 4], 12
Exploitation
Ant 16: [5, 4], 12
Exploitation
Ant 17 : [6, 4], 10
Exploration
avg = 0.000217690899968
p = 0.0004
p = 0.000359996399673
p = 0.00053333328
Ant 2: [6, 7, 4], 46
Exploration
avg = 0.000251621949437
p = 0.0007199928
p = 0.000378943578606
p = 0.000666
Ant 18: [8, 3], 12
Exploitation
Ant 19: [2, 7], 18
Exploitation
Ant 3: [1, 8, 0], 29
Exploitation
Ant 4: [7, 4, 6], 25
Exploration
avg = 0.000177813829023
p = 0.000184112519606
```

p = 0.000359996399673 p = 0.0005333333328 Ant 5 : [2, 7, 4], 33

```
Exploration
avg = 0.000199810004069
p = 0.000386585656512
p = 0.000599988550963
Ant 0: [6, 7, 4, 5], 58
Exploration
avg = 0.000262621373352
p = 0.000399999999596
p = 0.000399995963676
p = 0.00048
p = 0.00035999999964
Ant 6: [8, 3, 7], 32
Exploration
avg = 0.000216669858693
p = 0.000294542481761
p = 0.00036
p = 0.000224305449231
p = 0.000420631578947
Ant 7: [0, 1, 8], 29
Exploration
avg = 0.000161147162423
p = 0.000184112519606
p = 0.0004
p = 0.000359996399673
Ant 8: [4, 7, 3], 35
Exploration
avg = 0.000209725584117
p = 0.000799199928
p = 0.000378943578606
Ant 9: [3, 8, 1], 31
Exploitation
Ant 10: [2, 7, 4], 33
Exploitation
Ant 11 : [1, 0, 8], 20
Exploration
avg = 0.000309617750934
p = 0.000386585656512
p = 0.00066599988551
p = 0.0007992
Ant 1: [2, 7, 4, 6], 43
Exploration
avg = 0.000281204130849
p = 0.000799199928
p = 0.000420631541049
p = 0.00066666
Ant 12: [9, 8, 3], 40
Exploration
avg = 0.000163799263194
p = 0.000175432565854
p = 0.0004
p = 0.000285428571429
Ant 13 : [0, 9, 8], 49
Exploration
avg = 0.000216721963956
```

```
p = 0.000294542481761
p = 0.00036
p = 0.000224305449231
p = 0.000421048421053
Ant 14 : [0, 1, 8], 29
Exploitation
Ant 15 : [5, 4, 6], 22
Exploration
avg = 0.00026643517469
p = 0.000386585656512
p = 0.00079999992
p = 0.0005328
Ant 16 : [5, 4, 7], 27
Exploration
avg = 0.000249751170378
p = 0.000386585656512
p = 0.00066599988551
p = 0.000533328
Ant 17: [6, 4, 7], 25
Exploitation
Ant 2: [6, 7, 4, 5], 58
Exploration
avg = 0.000267571373397
p = 0.000399999999596
p = 0.000399995963676
p = 0.00048
p = 0.000399599999996
Ant 18: [8, 3, 7], 32
Exploitation
Ant 19 : [2, 7, 4], 33
Exploration
avg = 0.00019489038316
p = 0.000239755878501
p = 0.000291045936378
p = 0.000256436220303
p = 0.000380571428571
Ant 3: [1, 8, 0, 9], 50
Exploitation
Ant 4 : [7, 4, 6, 5], 41
Exploration
avg = 0.000309826327126
p = 0.000386585656512
p = 0.000666659998855
p = 0.00079999992
Ant 5 : [2, 7, 4, 6], 43
Exploration
avg = 0.000224575089992
p = 0.000255468030275
p = 0.000313040347821
p = 0.0004
Ant 0: [6, 7, 4, 5, 9], 76
Exploitation
Ant 6: [8, 3, 7, 4], 47
Exploration
```

```
avg = 0.000166618252333
p = 0.0006666666
Ant 7 : [0, 1, 8, 3], 41
Exploration
avg = 0.000275281569511
p = 0.000399999999596
p = 0.000399995963676
p = 0.0006659999994
Ant 8: [4, 7, 3, 8], 47
Exploration
avg = 0.000250275327228
p = 0.0007992
p = 0.000294542481761
Ant 9: [3, 8, 1, 2], 53
Exploitation
Ant 10 : [2, 7, 4, 6], 43
Exploitation
Ant 11: [1, 0, 8, 3], 32
Exploration
avg = 0.000156085866083
p = 0.00019422184569
p = 0.0004995
Ant 1: [2, 7, 4, 6, 5], 59
Exploitation
Ant 12 : [9, 8, 3, 4], 55
Exploration
avg = 0.000207205683636
p = 0.000420631541049
Ant 13 : [0, 9, 8, 3], 61
Exploitation
Ant 14: [0, 1, 8, 3], 41
Exploitation
Ant 15 : [5, 4, 6, 7], 53
Exploitation
Ant 16 : [5, 4, 7, 2], 45
Exploitation
Ant 17: [6, 4, 7, 2], 43
Exploitation
Ant 2: [6, 7, 4, 5, 9], 76
Exploration
avg = 0.000204730920818
p = 0.00044444
Ant 18: [8, 3, 7, 4], 47
Exploitation
Ant 19 : [2, 7, 4, 6], 43
Exploration
avg = 0.000158918879221
p = 0.000175432565854
p = 0.0004
Ant 3: [1, 8, 0, 9, 5], 68
Exploration
avg = 0.000231981756658
```

```
p = 0.000255468030275
p = 0.000313040347821
p = 0.00044444
Ant 4: [7, 4, 6, 5, 9], 59
Exploration
avg = 0.000156168366083
p = 0.00019422184569
p = 0.000499995
Ant 5: [2, 7, 4, 6, 5], 59
Exploration
avg = 0.000193668266505
p = 0.000342857142857
p = 0.000285711428571
Ant 0: [6, 7, 4, 5, 9, 8], 104
Exploration
avg = 0.000304223541719
p = 0.000666659998855
p = 0.0008
Ant 6: [8, 3, 7, 4, 6], 57
Exploration
avg = 0.000285463934658
p = 0.000399995963676
p = 0.0005328
p = 0.000399996
Ant 7: [0, 1, 8, 3, 7], 61
Exploration
avg = 0.00026251558391
p = 0.000799199928
p = 0.000420631541049
Ant 8: [4, 7, 3, 8, 1], 66
Exploration
avg = 0.00017301518804
p = 0.000444444444
p = 0.000175607999998
Ant 9: [3, 8, 1, 2, 9], 94
Exploration
avg = 0.000156169191083
p = 0.00019422184569
p = 0.00049999995
Ant 10 : [2, 7, 4, 6, 5], 59
Exploitation
Ant 11 : [1, 0, 8, 3, 4], 47
Exploration
avg = 0.000215770918426
p = 0.000255468030275
p = 0.0004444444
Ant 1: [2, 7, 4, 6, 5, 9], 77
Exploitation
Ant 12: [9, 8, 3, 4, 6], 65
Exploitation
Ant 13: [0, 9, 8, 3, 4], 76
Exploration
avg = 0.000285553474658
p = 0.000399995963676
```

```
p = 0.000533333328
p = 0.00039999996
Ant 14: [0, 1, 8, 3, 7], 61
Exploration
avg = 0.000202693698008
p = 0.00044444
p = 0.000399599963997
Ant 15 : [5, 4, 6, 7, 3], 73
Exploitation
Ant 16: [5, 4, 7, 2, 3], 63
Exploitation
Ant 17 : [6, 4, 7, 2, 3], 61
Exploration
avg = 0.00019366883222
p = 0.000342857142857
p = 0.000285714257143
Ant 2 : [6, 7, 4, 5, 9, 8], 104
Exploitation
Ant 18: [8, 3, 7, 4, 6], 57
Exploitation
Ant 19: [2, 7, 4, 6, 5], 59
Exploitation
Ant 3: [1, 8, 0, 9, 5, 4], 80
Exploration
avg = 0.000193668837877
p = 0.000342857142857
p = 0.000285714285429
Ant 4: [7, 4, 6, 5, 9, 8], 87
Exploration
avg = 0.000215770927226
p = 0.000255468030275
p = 0.000444444444
Ant 5 : [2, 7, 4, 6, 5, 9], 77
Exploration
avg = 0.000487036587791
p = 0.000799199928
Ant 0: [6, 7, 4, 5, 9, 8, 3], 116
Exploration
avg = 0.000190677162698
p = 0.00019422184569
p = 0.00049999999999
Ant 6: [8, 3, 7, 4, 6, 5], 73
Exploitation
Ant 7: [0, 1, 8, 3, 7, 4], 76
Exploration
avg = 0.000338639342022
p = 0.0007992
p = 0.000362945424818
Ant 8: [4, 7, 3, 8, 1, 2], 88
Exploration
avg = 0.000214409983177
p = 0.000342857142857
p = 0.000444
```

```
Ant 9: [3, 8, 1, 2, 9, 5], 112
Exploration
avg = 0.000215770927314
p = 0.000255468030275
p = 0.00044444444444
Ant 10 : [2, 7, 4, 6, 5, 9], 77
Exploration
avg = 0.000434077634532
p = 0.000666659998855
p = 0.0008
p = 0.000533333328
Ant 11: [1, 0, 8, 3, 4, 7], 62
Exploitation
Ant 1: [2, 7, 4, 6, 5, 9, 0], 98
Exploitation
Ant 12: [9, 8, 3, 4, 6, 5], 81
Exploration
avg = 0.000431862511472
p = 0.000666659998855
p = 0.0008
p = 0.00053333333338
Ant 13 : [0, 9, 8, 3, 4, 7], 91
Exploration
avg = 0.000238124111881
p = 0.00044444
Ant 14: [0, 1, 8, 3, 7, 4], 76
Exploration
avg = 0.000344483400957
p = 0.000399999999596
p = 0.000399995963676
p = 0.000666659999994
Ant 15 : [5, 4, 6, 7, 3, 8], 85
Exploration
avg = 0.000282705735894
p = 0.000399999999596
p = 0.0006666666
Ant 16: [5, 4, 7, 2, 3, 8], 75
Exploitation
Ant 17: [6, 4, 7, 2, 3, 8], 73
Exploration
avg = 0.000487036587791
p = 0.000799199928
p = 0.000666666666667
Ant 2: [6, 7, 4, 5, 9, 8, 3], 116
Exploitation
Ant 18: [8, 3, 7, 4, 6, 5], 73
Exploitation
Ant 19: [2, 7, 4, 6, 5, 9], 77
Exploitation
Ant 3: [1, 8, 0, 9, 5, 4, 6], 90
Exploration
avg = 0.000487036587791
p = 0.000799199928
```

```
p = 0.0006666666666667
Ant 4: [7, 4, 6, 5, 9, 8, 3], 99
Exploration
avg = 0.000207656477382
p = 0.000380571428571
p = 0.000285714285711
Ant 5 : [2, 7, 4, 6, 5, 9, 8], 105
Exploration
avg = 0.000293659780969
p = 0.000399999999596
p = 0.000399995963676
Ant 0: [6, 7, 4, 5, 9, 8, 3, 2], 134
Exploitation
Ant 6: [8, 3, 7, 4, 6, 5, 9], 91
Exploration
avg = 0.000409263723165
p = 0.000666659998855
p = 0.0008
Ant 7 : [0, 1, 8, 3, 7, 4, 6], 86
Exploration
avg = 0.000129102097365
p = 0.000194926811707
Ant 8: [4, 7, 3, 8, 1, 2, 9], 129
Exploration
avg = 0.000362052466439
p = 0.00066666653946
p = 0.00045
Ant 9: [3, 8, 1, 2, 9, 5, 6], 128
Exploitation
Ant 10 : [2, 7, 4, 6, 5, 9, 0], 98
Exploitation
Ant 11: [1, 0, 8, 3, 4, 7, 2], 80
Exploitation
Ant 1: [2, 7, 4, 6, 5, 9, 0, 1], 108
Exploitation
Ant 12: [9, 8, 3, 4, 6, 5, 2], 104
Exploration
avg = 0.000196403898816
p = 0.0004444444
Ant 13 : [0, 9, 8, 3, 4, 7, 2], 109
Exploitation
Ant 14: [0, 1, 8, 3, 7, 4, 6], 86
Exploration
avg = 0.00035449981827
p = 0.000799199928
p = 0.000421048420674
Ant 15 : [5, 4, 6, 7, 3, 8, 1], 104
Exploitation
Ant 16 : [5, 4, 7, 2, 3, 8, 0], 85
Exploration
avg = 0.000361806086911
p = 0.00079999199928
p = 0.00042105258947
Ant 17 : [6, 4, 7, 2, 3, 8, 1], 92
```

```
Exploration
avg = 0.000308327779623
p = 0.000399999999596
p = 0.000443999959637
Ant 2: [6, 7, 4, 5, 9, 8, 3, 2], 134
Exploration
avg = 0.000285986952693
p = 0.000347478229565
p = 0.0004444444444444
Ant 18: [8, 3, 7, 4, 6, 5, 9], 91
Exploitation
Ant 19: [2, 7, 4, 6, 5, 9, 0], 98
Exploration
avg = 0.000153944313589
p = 0.000258064490323
Ant 3: [1, 8, 0, 9, 5, 4, 6, 7], 121
Exploration
avg = 0.00030847445961
p = 0.000399999999596
p = 0.000444439999596
Ant 4: [7, 4, 6, 5, 9, 8, 3, 2], 117
Exploration
avg = 0.000629237099035
p = 0.00079999199928
p = 0.000666666666667
Ant 5 : [2, 7, 4, 6, 5, 9, 8, 3], 117
Exploration
avg = 0.000205477776447
p = 0.000327272727269
Ant 0: [6, 7, 4, 5, 9, 8, 3, 2, 1], 156
Exploitation
Ant 6: [8, 3, 7, 4, 6, 5, 9, 0], 112
Exploration
avg = 0.00023403583193
p = 0.0005
Ant 7: [0, 1, 8, 3, 7, 4, 6, 5], 102
Exploitation
Ant 8: [4, 7, 3, 8, 1, 2, 9, 5], 147
Exploration
avg = 0.000371440329293
p = 0.00079919999993
Ant 9: [3, 8, 1, 2, 9, 5, 6, 4], 138
Exploitation
Ant 10: [2, 7, 4, 6, 5, 9, 0, 1], 108
Exploitation
Ant 11: [1, 0, 8, 3, 4, 7, 2, 9], 121
Exploitation
Ant 1 : [2, 7, 4, 6, 5, 9, 0, 1, 8], 127
Exploration
avg = 0.000297133332299
p = 0.000363272727273
p = 0.000444444444
Ant 12: [9, 8, 3, 4, 6, 5, 2, 7], 122
Exploration
```

```
avg = 0.0002003571598
p = 0.000363272727273
Ant 13 : [0, 9, 8, 3, 4, 7, 2, 1], 131
Exploitation
Ant 14 : [0, 1, 8, 3, 7, 4, 6, 5], 102
Exploration
avg = 0.000437320881918
p = 0.0007992
Ant 15 : [5, 4, 6, 7, 3, 8, 1, 0], 114
Exploitation
Ant 16: [5, 4, 7, 2, 3, 8, 0, 1], 95
Exploration
avg = 0.000391143546913
p = 0.000799992
Ant 17 : [6, 4, 7, 2, 3, 8, 1, 0], 102
Exploitation
Ant 2: [6, 7, 4, 5, 9, 8, 3, 2, 1], 156
Exploitation
Ant 18 : [8, 3, 7, 4, 6, 5, 9, 0], 112
Exploration
avg = 0.000560061126087
p = 0.000799999999999
p = 0.000799199998632
Ant 19: [2, 7, 4, 6, 5, 9, 0, 8], 108
Exploration
avg = 0.00042222022182
p = 0.000444444444
Ant 3: [1, 8, 0, 9, 5, 4, 6, 7, 2], 139
Exploitation
Ant 4: [7, 4, 6, 5, 9, 8, 3, 2, 1], 139
Exploitation
Ant 5 : [2, 7, 4, 6, 5, 9, 8, 3, 1], 135
Exploitation
Ant 0: [6, 7, 4, 5, 9, 8, 3, 2, 1, 0], 166
Update called by <code>OExploration</code>
Ant thread 0 terminating.avg = 0.000519877939246
Ant 6: [8, 3, 7, 4, 6, 5, 9, 0, 1], 122
Exploitation
Ant 7: [0, 1, 8, 3, 7, 4, 6, 5, 9], 120
Exploitation
Ant 8: [4, 7, 3, 8, 1, 2, 9, 5, 6], 163
Exploration
avg = 0.000329428785882
p = 0.0005333333333333
Ant 9 : [3, 8, 1, 2, 9, 5, 6, 4, 7], 153
Exploitation
Ant 10: [2, 7, 4, 6, 5, 9, 0, 1, 8], 127
Exploitation
Ant 11: [1, 0, 8, 3, 4, 7, 2, 9, 5], 139
Exploitation
Ant 1: [2, 7, 4, 6, 5, 9, 0, 1, 8, 3], 139
```

```
Update called by 1Exploitation
```

```
Ant thread 1 terminating. Ant 12: [9, 8, 3, 4, 6, 5, 2, 7, 1], 161
Exploitation
Ant 13: [0, 9, 8, 3, 4, 7, 2, 1, 5], 157
Exploitation
Ant 14: [0, 1, 8, 3, 7, 4, 6, 5, 9], 120
Exploitation
Ant 15: [5, 4, 6, 7, 3, 8, 1, 0, 9], 135
Exploitation
Ant 16: [5, 4, 7, 2, 3, 8, 0, 1, 6], 132
Exploitation
Ant 17: [6, 4, 7, 2, 3, 8, 1, 0, 9], 123
Exploration
avg = 0.0007999999992
Ant 2 : [6, 7, 4, 5, 9, 8, 3, 2, 1, 0], 166
Update called by 2Exploitation
Ant thread 2 terminating. Ant 18: [8, 3, 7, 4, 6, 5, 9, 0, 1], 122
Exploration
avg = 0.000543859648912
p = 0.000666666666667
Ant 19: [2, 7, 4, 6, 5, 9, 0, 8, 3], 120
Exploitation
Ant 3: [1, 8, 0, 9, 5, 4, 6, 7, 2, 3], 157
Update called by 3Exploitation
Ant thread 3 terminating. Ant 4: [7, 4, 6, 5, 9, 8, 3, 2, 1, 0], 149
Update called by 4Exploitation
Ant thread 4 terminating.Ant 5 : [2, 7, 4, 6, 5, 9, 8, 3, 1, 0], 145
Update called by 5Exploitation
Ant thread 5 terminating. Ant 6: [8, 3, 7, 4, 6, 5, 9, 0, 1, 2], 144
Update called by 6Exploration
Ant thread 6 terminating.avg = 0.000175432565854
Ant 7: [0, 1, 8, 3, 7, 4, 6, 5, 9, 2], 161
Update called by 7Exploration
Ant thread 7 terminating.avg = 5.70564720164e-05
Ant 8: [4, 7, 3, 8, 1, 2, 9, 5, 6, 0], 207
Update called by 8Exploitation
Ant thread 8 terminating. Ant 9: [3, 8, 1, 2, 9, 5, 6, 4, 7, 0], 196
Update called by 9Exploitation
```

```
Ant thread 9 terminating. Ant 10 : [2, 7, 4, 6, 5, 9, 0, 1, 8, 3], 139
```

Update called by 10Exploration

Ant thread 10 terminating.avg = 0.000499995

Ant 11 : [1, 0, 8, 3, 4, 7, 2, 9, 5, 6], 155 Update called by 11Exploration

Ant thread 11 terminating.avg = 0.0008

Ant 12: [9, 8, 3, 4, 6, 5, 2, 7, 1, 0], 171 Update called by 12Exploitation

Ant thread 12 terminating.Ant 13 : [0, 9, 8, 3, 4, 7, 2, 1, 5, 6], 173

Update called by 13Exploration

Ant thread 13 terminating.avg = 0.000194925057366

Ant 14: [0, 1, 8, 3, 7, 4, 6, 5, 9, 2], 161 Update called by 14Exploration

Ant thread 14 terminating.avg = 0.000195119982281

Ant 15 : [5, 4, 6, 7, 3, 8, 1, 0, 9, 2], 176 Update called by 15Exploration

Ant thread 15 terminating.avg = 5.81124922193e-05

Ant 16: [5, 4, 7, 2, 3, 8, 0, 1, 6, 9], 180 Update called by 16Exploitation

Ant thread 16 terminating. Ant 17: [6, 4, 7, 2, 3, 8, 1, 0, 9, 5], 141

Update called by 17Exploitation

Ant thread 17 terminating. Ant 18: [8, 3, 7, 4, 6, 5, 9, 0, 1, 2], 144

Update called by 18Exploitation

Ant thread 18 terminating. Ant 19: [2, 7, 4, 6, 5, 9, 0, 8, 3, 1], 138

Update called by 19

Best: [2, 7, 4, 6, 5, 9, 0, 1, 8, 3], 157, 12, 189

Ant thread 19 terminating.

Results

Best path = [2, 7, 4, 6, 5, 9, 0, 1, 8, 3] ('C',)

```
('H',)
('E',)
('G',)
('F',)
('J',)
('A',)
('B',)
('I',)
('D',)
Best path cost = 157
```